

## RNA Aptamer Probes as Optical Imaging Agents for the Detection of Amyloid Plaques

The Harvard community has made this article openly available. Please share how this access benefits you. Your story matters.

Citation	Farrar, Christian T., Christopher M. William, Eloise Hudry, Tadafumi Hashimoto, and Bradley T. Hyman. 2014. "RNA Aptamer Probes as Optical Imaging Agents for the Detection of Amyloid Plaques." PLoS ONE 9 (2): e89901. doi:10.1371/journal.pone.0089901. http://dx.doi.org/10.1371/journal.pone.0089901.			
Published Version	doi:10.1371/journal.pone.0089901			
Accessed	February 19, 2015 3:46:48 PM EST			
Citable Link	http://nrs.harvard.edu/urn-3:HUL.InstRepos:12064532			
Terms of Use	This article was downloaded from Harvard University's DASH repository, and is made available under the terms and conditions applicable to Other Posted Material, as set forth at http://nrs.harvard.edu/urn-3:HUL.InstRepos:dash.current.terms-of-use#LAA			

(Article begins on next page)

# RNA Aptamer Probes as Optical Imaging Agents for the Detection of Amyloid Plaques

#### Christian T. Farrar<sup>1</sup>\*, Christopher M. William<sup>2</sup>, Eloise Hudry<sup>3</sup>, Tadafumi Hashimoto<sup>3</sup>, Bradley T. Hyman<sup>3</sup>

1 Athinoula A. Martinos Center for Biomedical Imaging, Department of Radiology, Massachusetts General Hospital and Harvard Medical School, Charlestown, Massachusetts, United States of America, 2 Department of Pathology, Massachusetts General Hospital and Harvard Medical School, Charlestown, Massachusetts, United States of America, 3 Department of Neurology, Massachusetts General Hospital and Harvard Medical School, Charlestown, Massachusetts, United

#### Abstract

Optical imaging using multiphoton microscopy and whole body near infrared imaging has become a routine part of biomedical research. However, optical imaging methods rely on the availability of either small molecule reporters or genetically encoded fluorescent proteins, which are challenging and time consuming to develop. While directly labeled antibodies can also be used as imaging agents, antibodies are species specific, can typically not be tagged with multiple fluorescent reporters without interfering with target binding, and are bioactive, almost always eliciting a biological response and thereby influencing the process that is being studied. We examined the possibility of developing highly specific and sensitive optical imaging agents using aptamer technology. We developed a fluorescently tagged anti-A $\beta$  RNA aptamer,  $\beta$ 55, which binds amyloid plaques in both *ex vivo* human Alzheimer's disease brain tissue and *in vivo* APP/PS1 transgenic mice. Diffuse  $\beta$ 55 positive halos, attributed to oligomeric A $\beta$ , were observed surrounding the methoxy-XO4 positive plaque cores. Dot blots of synthetic A $\beta$  aggregates provide further evidence that  $\beta$ 55 binds both fibrillar and non-fibrillar A $\beta$ . The high binding affinity, the ease of probe development, and the ability to incorporate multiple and multimodal imaging reporters suggest that RNA aptamers may have complementary and perhaps advantageous properties compared to conventional optical imaging probes and reporters.

Citation: Farrar CT, William CM, Hudry E, Hashimoto T, Hyman BT (2014) RNA Aptamer Probes as Optical Imaging Agents for the Detection of Amyloid Plaques. PLoS ONE 9(2): e89901. doi:10.1371/journal.pone.0089901

Editor: Ken Arai, Massachusetts General Hospital/Harvard Medical School, United States of America

Received September 17, 2013; Accepted January 28, 2014; Published February 26, 2014

Copyright: © 2014 Farrar et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Funding: This work was supported by the Massachusetts Alzheimer's Disease Research Center National Institutes of Health (NIH) grant P50-AG05134 and by NIH grants K25-AG029415, K08-NS069811, and R01-AG08487. The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Competing Interests: The authors have declared that no competing interests exist.

\* E-mail: cfarrar@nmr.mgh.harvard.edu

#### Introduction

An emerging class of novel molecular probes based on RNA or DNA aptamers may offer significant advantages as both therapeutic and diagnostic imaging agents [1-4]. Very large RNA libraries can be rapidly screened to identify sequences that bind a given molecule with high affinity using Selective Evolution of Ligands by EXponential enrichment (SELEX) [5,6]. The affinities and specificities of RNA aptamers are comparable to or even better than those of antibodies [1,7]. Aptamers can fold back into their natural conformation after denaturation and are stable in the reducing environment of the cell [3]. Aptamers are much smaller than antibodies, thereby improving their biodistribution [3,8]. Aptamers can be delivered to cells using viral vectors [4,9]. Aptamers can also be made by chemical synthesis, which allows for tailor-made modifications and avoids biological contamination. Imaging agents can be easily incorporated into aptamers using labeled nucleotides, providing the potential for multiplexing and for tuning reagents to the imaging platform. For example, fluorescein-tagged nucleotides can be used for 2-photon imaging, Cy5-tagged nucleotides for near infrared imaging, <sup>18</sup>F-labled nucleotides for positron emission tomography (PET) imaging, and <sup>19</sup>F-labeled nucleotides for <sup>19</sup>F magnetic resonance imaging (MRI). Aptamers may also provide powerful tools for developing therapeutic agents [3,4]. Aptamers have even been selected that

cross the blood-brain barrier [10]. Finally, aptamers typically have low or no immunogenicity [3,11]. As a test of the idea that aptamers could be used as a new *in vivo* optical imaging tool, we have investigated the use of a fluorescently labeled anti-Aβ aptamer for imaging both amyloid plaques and oligomeric Aβ in Alzheimer's disease (AD) mouse models.

Increasing evidence suggests that soluble oligomeric  $A\beta$  is synaptotoxic and plays a central role in the early pathogenesis of AD [12,13]. Studies in neuronal cultures and organotypic slices demonstrated that soluble forms of  $A\beta$  induce synaptic changes and dendritic spine loss and are toxic to mature central nervous system neurons [14–16]. Shankar *et al* demonstrated that  $A\beta$ dimers, but not insoluble plaque cores, impaired long-term potentiation, lowered the threshold for induction of long-term depression, and reduced dendritic spine density in normal mouse hippocampus [17]. Similarly, the presence of a 56-kDa A $\beta$ assembly has been correlated with memory loss in Tg2576 transgenic mouse models of AD [18,19], while Tris-buffered saline (TBS) soluble  $A\beta$  from Alzheimer's disease brain has been shown to disrupt the memory of a learned behavior in normal rats [17]. Koffie *et al* demonstrated that oligomeric  $A\beta$ , present in a halo surrounding dense core plaques, is associated with postsynaptic densities and correlates with excitatory synapse loss near amyloid plaques [20,21]. Finally, recent studies of transgenic mice that coexpress mutant forms of amyloid precursor protein (APP) and tau have demonstrated that oligomeric A $\beta$  accumulation, but not total amyloid plaque burden, correlates with neuronal loss and inflammatory response [22]. These studies suggest that amyloid plaques serve as reservoirs of oligomeric A $\beta$  and that oligomeric A $\beta$  is synaptotoxic. Given this evidence of a direct role of A $\beta$ oligomers in AD, there is a great need for new reagents capable of detecting not only mature amyloid plaques but also oligomeric forms of A $\beta$ .

A large number of antibodies that recognize a variety of epitopes of different A $\beta$  assemblies, including low molecular weight A $\beta$  oligomers, have been developed and used extensively in ex vivo studies [23-31]. However, the use of antibodies for in vivo studies is complicated by the plaque clearance that is induced by anti-A $\beta$  antibodies [32]. In addition, the incorporation of multiple optical labels, to provide for increased detection sensitivity, typically significantly reduces the antibody binding affinity. A small molecule positron emission tomography (PET) tracer for imaging amyloid plaques that crosses the blood-brain barrier (BBB), Pittsburgh Compound-B (PiB), was developed and has been successfully used in many clinical studies [33]. Similarly, a small molecule fluorescent derivative of Congo Red, methoxy-XO4, has been extensively used in optical studies of AD transgenic mouse models [34]. However, while these small molecule amyloid probes do cross the BBB and are able to detect fibrillar A $\beta$ , they do not detect oligometric A $\beta$ . If oligometric A $\beta$  burden is more directly related to synaptic toxicity and the risk of developing AD, a probe that bound A $\beta$  oligomers might provide a more specific reporter for the risk of developing AD. Approaches to image oligomeric A $\beta$ , even if only in experimental models, may prove important to inform our understanding of the pathobiology of these species in vitro and in vivo.

A novel RNA aptamer,  $\beta$ 55, generated from a SELEX screen against monomeric A $\beta_{1-40}$  was previously shown to bind synthetic amyloid fibrils [35]. Similar SELEX screens against covalently stabilized A $\beta$  trimers [36] and against A $\beta_{1-40}$  conjugated to colloidal gold nanoparticles [37] have been performed. More recently, a DNA aptamer selected against  $\alpha$ -synuclein was shown to also bind oligomeric A $\beta$  [38]. However, to date no *ex vivo* stains of human AD brain tissue or *in vivo* mouse studies in amyloidladen transgenic AD models have been performed with aptamer probes. Here we demonstrate for the first time the ability of  $\beta$ 55 to bind amyloid plaques in *ex vivo* human AD brain tissue and in live transgenic mouse models of AD. Furthermore, we demonstrate that  $\beta$ 55 binds A $\beta$  oligomers and is able to visualize the oligomeric halo surrounding the dense cores of amyloid plaques. This is the first use of an aptamer as an *in vivo* optical imaging probe.

#### **Materials and Methods**

#### Synthesis of Labeled RNA Aptamers

Double-stranded DNA template (132 bp) was synthesized by polymerase chain reaction of the 76 mer 5' ends of  $\beta$ 55 and its reverse complement (Operon Biotechnologies, Huntsville, AL), which contain a 20 bp overlap. The DNA sequence (Table 1) included a 25 mer T7 RNA polymerase primer. Imaging probes were introduced into the aptamer by transcription of the DNA template with T7 RNA polymerase and either biotin-labeled uracil (Roche Diagnostics, Indianapolis, IN), for *ex vivo* studies, or fluorescein-labeled uracil (Roche Diagnostics, Indianapolis, IN), for *in vivo* studies, using the Hi-Scribe RNA transcription kit (New England BioLabs, Ipswich, MA). RNA was purified twice on Mini Quick-Spin RNA columns (Roche Diagnostics, Indianapolis, IN) to ensure complete removal of unincorporated nucleotides. The RNA sequence length was characterized both by running the RNA on a denaturing gel and an Agilent 2100 Bioanalyzer using a small RNA kit (Agilent Technologies, Santa Clara, CA). Both methods observed an RNA length of just over 100 nucleotides consistent with the expected length of 107 nucleotides. RNA concentrations were determined from the absorbance measured at 260 nm using a Biophotometer (Eppendorf, Hauppauge, New York). Typical RNA concentrations after purification ranged between  $25-35 \mu$ M.

#### Aptamer Staining of ex vivo AD Brain Tissue

Frozen brain tissue from AD subjects was obtained from the Massachusetts Alzheimer's Disease Research Center (http:// madrc.mgh.harvard.edu/) tissue bank. All the study subjects or their next-of-kin gave written informed consent for the brain donation at their respective institutions. Tissue was sectioned on a cryostat at a thickness of 10  $\mu$ m and fixed for 10 minutes in 4% paraformaldehyde followed by overnight incubation at 4°C with either biotinylated  $\beta$ 55 aptamer or its reverse complement,  $\beta$ 55rc, used as a control probe. Probes were visualized by reacting with avidin binding complex followed by tyramide signal amplification using AlexaFluor 488 tyramide (Invitrogen, Carlsbad, CA). For slides co-stained with Thioflavin-S, AlexaFluor 594 tyramide (Invitrogen, Carlsbad, CA) was used for visualizing  $\beta$ 55 positive plaques in the red channel. Slides were coverslipped and imaged on either an Olympus BX51 fluorescence microscope (Olympus, Tokyo, Japan) or a Zeiss LSM 510 confocal microscope (Carl Zeiss MicroImaging, Jena, Germany).

#### Dot and Western Blot of Synthetic A $\beta$ Aggregates

1.1  $\mu$ M of synthetic A $\beta_{1-40}$  and A $\beta_{1-42}$  (Peptide Institute, Osaka, Japan) were incubated at 37°C for 3 days with gentle shaking. 4 µl each of A $\beta_{1-40}$  and A $\beta_{1-42}$  were blotted onto nitrocellulose paper and allowed to dry. The dot blot was then stained with biotinylated  $\beta$ 55.  $\beta$ 55 was visualized by secondary staining with streptavidin IRDye 700DX (Rockland Immunochemicals, Gilbertsville, PA) and imaged on an Odyssey infrared imaging system (LI-COR Biosciences, Lincoln, NB). Western blots of the synthetic A $\beta$  reaction mixtures were also performed to identify the A $\beta$  species present in each reaction mixture. Western blots were stained with 6E10 antibody (1:1000), which is reactive to amino acid residues 3-8 of A $\beta$ . 6E10 was visualized by secondary staining with anti-mouse IgG antibody conjugated to IRDye800 (Rockland Immunochemicals, Gilbertsville, PA) and imaged on an Odyssey infrared imaging system (LI-COR Biosciences, Lincoln, NB).

#### In vivo 2-photon Imaging of APP/PS1 Transgenic Mice

In vivo multiphoton images of optical fluorophores were obtained in real time using an Olympus Fluoview 1000 MPE with prechirp optics mounted on an Olympus BX61WI upright microscope. APP/PS1 transgenic mice which coexpress mutant alleles of amyloid precursor protein (APP) and presenilin (strain B6C3-Tg[APPswe, PSEN1dE9]85Dbo/J, Jackson Laboratory, Bar Harbor, ME) [39] were used for all imaging experiments. After craniotomy, 20 µg of fluorescein labeled aptamer probe (either  $\beta$ 55 or  $\beta$ 55rc) was topically applied to the mouse brain for 30 minutes. The surface of the brain was then flushed with artificial cerebral spinal fluid, followed by placement of the coverslip window. A wax ring was placed on the edges of the coverslip covering the craniotomy window and was filled with distilled water to maximize contact between water and an Olympus 20× dipping objective (numerical aperture, 0.95). A mode-locked titanium/sapphire laser (MaiTai; Spectra-Physics) generated two-photon fluorescence with 800-nm excitation, and **Table 1.** DNA sequence for the  $\beta$ 55 aptamer including the T7 polymerase primer, highlighted in bold text.

5'-**GCG TAA TAC GAC TCA CTA TAG GGC G**GG GAA TTC GAG CTC GGT ACC TTT ACC GTA AGG CCT GTC TTC GTT TGA CAG CGG CTT GTT GAC CCT CAC ACT TTG TAC CTG CTG CCA ACT GCA GGC ATG CAA GCT TGG-3'

doi:10.1371/journal.pone.0089901.t001

detectors containing three photomultiplier tubes (Hamamatsu) collected emitted light in the ranges of 380–480, 500–540, and 560–650 nm (4). Average power reaching brain tissue in each experiment ranged from 20 to 60 mW. Images were acquired between 100 and 500  $\mu$ m below the surface of the brain. Images were acquired approximately 1 and 24 hours after topical application of the aptamer probe. All animal experiments were approved by the Massachusetts General Hospital Subcommittee on Research Animal Care (SRAC protocol # 2004N000092) and conformed to national and institutional guidelines.

#### Determination of Plaque Contrast-to-noise Ratio

Plaque regions-of-interest (ROI) were determined by thresholding the *in vivo* images to signals greater than two standard deviations above the background signal intensity. The plaque contrast-to-noise ratio (CNR) was calculated from the difference between the plaque and background signal-to-noise ratios (SNR). The gold standard used for the identification and counting of the number of amyloid plaques was the presence of methoxy-XO4 staining.

#### Results

The predicted secondary structures for the  $\beta$ 55 aptamer and a RNA aptamer synthesized from the reverse complement of the  $\beta$ 55 coding sequence ( $\beta$ 55rc), shown in Figure 1, were determined using the RNAfold Webserver suite of programs (http://rna.tbi. univie.ac.at/cgi-bin/RNAfold.cgi) [40,41]. The  $\beta$ 55rc aptamer has a very different predicted secondary structure from that of  $\beta$ 55 and was used as a control aptamer probe.

The ability of the  $\beta$ 55 aptamer to stain amyloid plaques was demonstrated by staining frozen-section brain tissue from AD subjects with biotinylated  $\beta$ 55 and  $\beta$ 55rc aptamers. While plaques were clearly visible with the  $\beta$ 55 aptamer (Figure 2a), only a few very faint  $\beta$ 55rc positive plaques were observed (Figure 2b). A tissue section co-stained with  $\beta$ 55 and Thioflavin-S showed good colocalization of  $\beta$ 55 and Thioflavin-S for amyloid plaques (Figure 2c).

Dot blots of synthetic  $A\beta_{1-40}$  and  $A\beta_{1-42}$  that were incubated at 37°C for 3 days were performed to examine the binding of  $\beta$ 55 to different  $A\beta$  species.  $\beta$ 55 staining of both  $A\beta_{1-40}$  and  $A\beta_{1-42}$  was observed (Figure 3a). The increased staining observed for  $A\beta_{1-42}$  is consistent with the increased propensity of  $A\beta_{1-42}$  to form high molecular weight (HMW) species relative to  $A\beta_{1-40}$  as shown in the 6E10 western blot of the synthetic  $A\beta$  reactions (Figure 3b), where no HMW species were observed for  $A\beta_{1-40}$ .

Sodium dodecyl sulfate (SDS) western blots of human AD brain homogenates were stained with both 6E10 monoclonal antibody, which is reactive to amino acid residues 3–8 of A $\beta$ , and biotinylated  $\beta$ 55 (Figure S1 and File S1).  $\beta$ 55 and 6E10 bound many of the same bands, in particular higher molecular weight oligomer bands between 20 and 60 kDa. In contrast, no binding of monomeric A $\beta$  or soluble APP (sAPP) by  $\beta$ 55 was observed. While some caution must be taken in the interpretation of the western blot given the documented effects of SDS on A $\beta$  oligomer structure and aggregation [42–46], the colocalization of 6E10 and  $\beta 55$  bands provides further support for the binding of  $\beta 55$  to  $A\beta$  oligomers.

The ability of  $\beta$ 55 to bind to plaques in post mortem tissue and fibrillar and non-fibrillar A $\beta$  species on dot blots of synthetic A $\beta$  raised the possibility that the aptamer may label plaques in an *in vivo* 2-photon imaging studies performed in APP/ PS1 transgenic mice, which overexpress mutant alleles of amyloid precursor protein (APPswe) and presenilin-1 (PS1dE9), showed that fluorescein-labeled  $\beta$ 55 binds amyloid plaques in the cerebral cortex (Figure 4a) and vasculature (Figure 4b). Plaque staining by  $\beta$ 55 was then compared to plaque staining with methoxy-XO4 (Figure 5). While methoxy-XO4 stained only the dense core of each plaque,  $\beta$ 55 stained both the plaque core and a diffuse halo surrounding the plaque core (Figure 5c,f).

In vivo  $\beta55$  plaque staining was compared to plaque staining with the  $\beta55$ rc control aptamer (Figure 6a). Images were acquired 1 and 24 hours after topical application of the aptamer probes in 2 mice for each aptamer. The  $\beta55$  aptamer detected almost all of the methoxy-XO4 positive plaques at both 1-hour (96%) and 24-hour (83%) time points (see Table 2). In contrast, while the  $\beta55$ rc control aptamer detected 83% of plaques at the one-hour time point, only a few faint plaques (<30%) were detected after 24 hours. The contrast-to-noise-ratio (CNR) for  $\beta55$  positive plaques was significantly greater (p<0.01) than that for  $\beta55$ rc plaques at both 1- and 24-hour time points (Table 2 and Figure 6b).

To examine whether  $\beta 55$  induces plaque clearance or degradation, similar to antibody probes of amyloid plaques, longitudinal *in vivo* 2-photon imaging of a 10 month-old APP/PS1 mouse at 1 and 4 days following topical application of  $\beta 55$  was performed. However, no changes in plaque number or appearance were observed.

#### Discussion

RNA aptamers have previously been shown to detect synthetic A $\beta$  fibrils with very high sensitivity [35–37]. These RNA aptamers were selected in SELEX screens against either A $\beta$  monomers or low molecular weight A $\beta$  oligomers and may therefore prove to be excellent probes for detecting not only amyloid plaques, but also A $\beta$  oligomers. Here we examined the ability of  $\beta$ 55, an aptamer previously selected in a SELEX screen against synthetic A $\beta_{1-40}$  [35], to bind oligomeric A $\beta$  and amyloid plaques in *ex vivo* human AD brain tissue slices and in an *in vivo* transgenic mouse model of AD.

As demonstrated in Figure 2, robust staining of amyloid plaques by  $\beta$ 55 was observed in *ex vivo* human AD brain tissue slices, while only a few very faint plaques were observed with the  $\beta$ 55rc control aptamer. In addition, costaining with Thioflavin-S demonstrated that  $\beta$ 55-positive plaques colocalize with Thioflavin-S stained plaques (Figure 2c). Similarly,  $\beta$ 55 bound amyloid plaques in the cortex and vasculature of live APP/PS1 mice (Figure 4) and colocalized with methoxy-XO4 staining (Figure 5). Interestingly,  $\beta$ 55 stained not only the plaque core, but also labeled a diffuse halo surrounding the core that was not observed with methoxy-XO4. These data suggest that  $\beta$ 55 may bind smaller aggregates of  $A\beta$  surrounding the dense core, including oligometic  $A\beta$ .




Figure 1. Predicted Secondary Structure of RNA Aptamers. Predicted secondary structure of the B55 (left) and B55rc (right) aptamer probes with base pair probability indicated by the color scale bar. Minimum free energy structures were determined using the RNAfold Webserver suite of programs.

doi:10.1371/journal.pone.0089901.g001

To gain more insight into whether  $\beta$ 55 binds oligometric A $\beta$ , dot blots of synthetic A $\beta$  aggregates were performed. Strong  $\beta$ 55 staining of  $A\beta_{1-42}$  aggregates was observed with fainter staining of  $A\beta_{1-40}$  aggregates (Figure 3a). The difference in staining is attributed to the increased propensity of  $A\beta_{1-42}$  to form fibrils relative to  $A\beta_{1-40}$ . This is demonstrated in the 6E10 western blot of the  $A\beta$  samples, where a large number of high molecular weight species were observed for  $A\beta_{1-42}$ , but not  $A\beta_{1-40}$  (Figure 3b). The  $A\beta_{1-40}$  dot blot staining therefore indicates that  $\beta$ 55 binds low molecular weight, non-fibrillar  $A\beta$  species. In accord with these findings, Tsukakoshi et al observed binding of a DNA aptamer to oligometric A $\beta_{1-40}$  [38].

The *in vivo* optical imaging data indicates that both  $\beta$ 55 and β55rc control aptamer bind plaques. This is consistent with previous studies that demonstrated that RNA aptamers in general have a high affinity for amyloidigenic structures. In a SELEX screen for AB targeted RNA aptamers, Rahimi et al showed that both the naïve SELEX library and the final selected aptamers bound a large number of different amyloidogenic proteins, suggesting that RNA has an intrinsically high affinity for amyloidogenic, β-sheet structures [36]. Further support for the affinity of RNA for amyloidogenic structures is provided by a recent molecular modeling study that observed a very high homology between A $\beta$  and the RNA binding protein AF-Sm1 [47] and by the fact that senile plaques have been found to contain high





Figure 2. β55 Staining of Amyloid Plagues in Ex Vivo Human AD Brain Tissue. Merged red and green channel confocal images of frozensection human AD brain tissue stained with biotinylated  $\beta$ 55 (a) and  $\beta$ 55rc (b).  $\beta$ 55 positive plaques (green) were clearly visible, while only a few very faint ß55rc positive plaques were observed. Background auto-fluorescence, observed in both red and green channels, is shown in yellow. (c) Fluorescence images of human AD brain tissue costained with biotinylated-\$55 (red) and Thioflavin-S (green). \$55 colocalized with Thioflavin-S positive plaques. (Scale bars: 50 µm). doi:10.1371/journal.pone.0089901.g002



**Figure 3. β55 Staining of Dot Blots of Synthetic Aβ Aggregates.** (a) Dot blot of synthetic A $\beta_{1-42}$  and A $\beta_{1-40}$  aggregates probed with biotinylated- $\beta$ 55. (b) Western blot of the synthetic A $\beta_{1-42}$  and A $\beta_{1-40}$  aggregates probed with 6E10 antibody. The increased staining of A $\beta_{1-42}$  aggregates in the dot blot relative to A $\beta_{1-40}$  aggregates is consistent with the greater fibril and high molecular weight oligomer composition of A $\beta_{1-42}$  aggregates observed in the western blot. doi:10.1371/journal.pone.0089901.g003

levels of RNA [48-50]. The affinity of RNA for amyloidogenic structures would explain the in vivo plaque binding observed for the  $\beta$ 55rc aptamer that was used as a control in our study. However, while RNA may have some affinity for beta sheet structures, the fact that a significantly increased CNR was observed for \$55 plaques compared to \$55rc plaques in the in vivo multiphoton images (Figure 6 and Table 2), at both early and late imaging time points, suggests that there are differences in binding affinity with  $\beta$ 55 having a significantly greater affinity than  $\beta$ 55rc. This is consistent with the fact that only a few very faint, β55rc-positive plaques were visible in the ex vivo human AD brain tissue (Figure 2b). In addition, Ylera measured aptamer dissociation constants  $(K_d)$  for binding to AB using affinity chromatography and while a  $K_d$  of 29 nM was determined for  $\beta$ 55 no  $K_d$ was measureable for the RNA aptamer pool obtained from the first SELEX cycle [51], again indicating that RNA aptamers do display significant differences in binding affinity.


While the large molecular weight of the  $\beta$ 55 aptamer (34 kDa) precludes its crossing the blood-brain barrier (BBB), a recent study by Cheng *et al*, in which an *in vivo* SELEX screen for a BBB

### Plaque

a


penetrating aptamer was performed, did find an aptamer (A15) capable of crossing the BBB [10]. While the exact mechanism of the brain uptake of the BBB penetrating aptamer is unclear, given the large molecular weight of the aptamer (23 kDa) the most likely mechanism is by receptor-mediated transcytosis. Studies are currently underway to investigate the possibility of designing a fusion aptamer consisting of BBB penetrating and amyloid binding domains that would allow aptamers to be delivered non-invasively to the brain.

These studies demonstrate the great potential of RNA aptamers as *in vivo* and *ex vivo* imaging probes. One third of uracil nucleotides were fluorescein labeled, corresponding to a total of 10 fluoresceins per aptamer, providing high detection sensitivity. The incorporation of multiple fluorescein labels did not interfere with the amyloid binding. The fact that the fluorescein-labeled aptamer still bound plaques with high affinity is likely due to the fact that only a relatively small conserved region of the aptamer is required for binding. A significant fraction of the aptamer consists of sequences required for the selection/amplification process in the SELEX screen. In addition, topical application of  $\beta 55$  did not result in




**Figure 4. In Vivo Imaging of \beta55 Positive Amyloid Plaques.** *In vivo* 2-photon microscopy images from an 18 month old APP/PS1 transgenic mouse obtained 1 hour after topical application of fluorescein-labeled  $\beta$ 55 (a,b). Texas Red labeled dextran was intravenously injected for visualization of blood vessels.  $\beta$ 55 positive plaques and cerebral amyloid angiopathy are clearly visible in the cortex (a) and vasculature (b), respectively. (Scale bars: 20 µm). doi:10.1371/journal.pone.0089901.q004

CAA



**Figure 5. Colocalization of β55 and Methoxy-XO4 Positive Amyloid Plaques.** *In vivo* 2-photon microscopy plaque images from a 7 month old APP/PS1 transgenic mouse acquired 1 hour after topical application of fluorescein-labeled β55 (a,d) and 1 day after intraperitoneal injection of methoxy-XO4 (b,e). While methoxy-XO4 stains only the dense core of the plaque, β55 stains both the plaque core and a diffuse halo surrounding the plaque (c,f). (Scale bars: 20 µm). doi:10.1371/journal.pone.0089901.g005



**Figure 6. Contrast-to-Noise Ratio for \beta55 and \beta55rc Positive Amyloid Plaques.** (a) Representative *in vivo* 2-photon microscopy images from 7.5 month old APP/PS1 transgenic mice acquired 1 hour (left column) and 24 hours (right column) after topical application of either fluoresceinlabeled  $\beta$ 55 (top row) or  $\beta$ 55rc (bottom row). Most  $\beta$ 55 plaques were still visible 24 hours after topical application. In contrast, only a small number of very faint  $\beta$ 55rc plaques were still visible after 24 hours. (b) Average plaque contrast-to-noise ratio (CNR) observed 1 hour and 24 hours following topical application of fluorescein-labeled  $\beta$ 55 (n = 2) or  $\beta$ 55rc (n = 2).  $\beta$ 55 positive plaques had a significantly greater CNR than  $\beta$ 55rc plaques (p<0.01) at both time points. (Scale bars: 50 µm). doi:10.1371/journal.pone.0089901.g006

**Table 2.** Contrast-to-noise ratio (CNR) distribution of amyloid plaques observed in 2-photon *in vivo* images of 7.5 month-old APP/PS1 transgenic mice with  $\beta$ 55 and  $\beta$ 55rc.

	β55 Time (hrs)		β55rc  Time (hrs)	
CNR	1	24	1	24
0	4	22	20	84
1	20	17	52	19
2	17	18	24	12
3	16	9	13	4
4	16	16	6	0
5	6	8	0	0
6	8	4	1	0
7	4	3	1	0
8	0	1	0	0
9	2	1	2	0
10	1	0	0	0
11	1	0	0	0
Total plaques	99	99	119	119
Total detected	95	77	99	35
% Detected	96.0	77.8	83.2	29.4
Average CNR	3.7±0.2	2.9±0.2	2.1±0.1	0.8±0.1

doi:10.1371/journal.pone.0089901.t002

plaque clearance or degradation indicating that the aptamer is relatively inert biologically, in contrast to antibody probes that induce an inflammatory response and plaque clearance [32]. Finally, aptamers can be made with a variety of multimodal probes for optical, MR or PET imaging. Uracil labeled with a whole host of different optical tags is readily available and can easily be incorporated into the aptamer. In addition, cytosine and uracil nucleotides fluorinated at the 2'-pyramidine position, which are commercially available, can be used to make RNAse resistant aptamers that may also be detectable by <sup>19</sup>F MRI. A previous study with a cold <sup>19</sup>F PET probe specific for amyloid plaques was able to detect plaques using <sup>19</sup>F MRI, however, with only a single <sup>19</sup>F per probe molecule the sensitivity was very low and an extremely long MRI acquisition time of 90 minutes was required to obtain low resolution <sup>19</sup>F images [52]. However, significantly greater <sup>19</sup>F MRI sensitivity, and hence decreased signal acquisition times, would potentially be achievable with fluorinated  $\beta$ 55, which

#### References

- Jayasena SD (1999) Aptamers: an emerging class of molecules that rival antibodies in diagnostics. Clin Chem 45: 1628–1650.
- Nimjee SM, Rusconi CP, Sullenger BA (2005) Aptamers: an emerging class of therapeutics. Annu Rev Med 56: 555–583.
- Que-Gewirth NS, Sullenger BA (2007) Gene therapy progress and prospects: RNA aptamers. Gene Ther 14: 283–291.
- Thiel KW, Giangrande PH (2009) Therapeutic applications of DNA and RNA aptamers. Oligonucleotides 19: 209–222.
- Ellington AD, Szostak JW (1990) In vitro selection of RNA molecules that bind specific ligands. Nature 346: 818–822.
- Tuerk C, Gold L (1990) Systematic evolution of ligands by exponential enrichment: RNA ligands to bacteriophage T4 DNA polymerase. Science 249: 505–510.
- Jenison RD, Gill SC, Pardi A, Polisky B (1994) High-resolution molecular discrimination by RNA. Science 263: 1425–1429.
- Hicke BJ, Stephens AW (2000) Escort aptamers: a delivery service for diagnosis and therapy. J Clin Invest 106: 923–928.

contains 30 cytosine and 30 uracil nucleotides for a total of 60 <sup>19</sup>F nuclei. Finally, a PET aptamer probe could be generated either by incorporating 5'-ethynyl-uridine, a commercially available uracil analog, into the RNA aptamer followed by click chemistry reaction with <sup>18</sup>F-azide or by end labeling the aptamer with <sup>64</sup>Cu.

#### Conclusions

In summary, the  $\beta$ 55 aptamer binds amyloid plaques in both *ex* vivo human AD brain tissue and in vivo APP/PS1 transgenic mice. Diffuse halos surrounding the methoxy-XO4 positive plaque cores were observed with  $\beta$ 55 *in vivo*, which may represent oligomeric Aβ. The unprotected RNA aptamer appears to be quite stable and detectable for at least 24 hours under in vivo conditions when bound to amyloid plaques. In addition, no detectable tissue response to the aptamer application, such as plaque clearance, was detected. These data suggest that Aβ-targeted aptamers bind oligometric A $\beta$  and may be useful reagents for imaging both fibrillar and non-fibrillar A $\beta$ . Moreover, these data illustrate the broader principle that RNA aptamers, which are nearly infinitely adaptable using SELEX technologies and that can be labeled with any number of off-the-shelf multimodal imaging agents (fluorophores, biotin, radioisotopes or epitope tags), can be developed with high enough detection sensitivity and selectivity to rival antibodies and small molecules in in vivo and ex vivo imaging studies.

#### **Supporting Information**

Figure S1  $\beta$ 55 Staining of Western Blot of Human AD Brain Tissue Extracts. Western blot of human AD brain tissue extracts obtained after sequential treatment with TBS, 2% Triton X-100, 0.5% SDS, and 70% formic acid. The western blot was probed with both 6E10 antibody (green) and biotinylated- $\beta$ 55 (red).  $\beta$ 55 binds many of the same bands as 6E10 (yellow asterisks). The green and red asterisks indicate bands unique to 6E10 or  $\beta$ 55, respectively. Faint bands at ~8 and 16 kDa were visible in the  $\beta$ 55 image (arrows) of the SDS soluble fraction.

#### (TIF)

#### File S1 Methods and Results for β55 Staining of Western Blot of Human AD Brain Tissue Extracts. (DOCX)

#### **Author Contributions**

Conceived and designed the experiments: CTF CMW BTH. Performed the experiments: CTF CMW EH TH. Analyzed the data: CTF CMW TH BTH. Wrote the paper: CTF CMW BTH.

- Bunka DHJ, Stockley PG (2006) Aptamers come of age at last. Nat Rev Microbiol 4: 588–596.
- Cheng C, Chen YH, Lennox KA, Behlke MA, Davidson BL (2013) In vivo SELEX for Identification of Brain-penetrating Aptamers. Mol Ther Nucleic Acids 2: e67.
- Drolet DW, Nelson J, Tucker CE, Zack PM, Nixon K, et al. (2000) Pharmacokinetics and safety of an anti-vascular endothelial growth factor aptamer (NX1838) following injection into the vitreous humor of rhesus monkeys. Pharm Res 17: 1503–1510.
- Walsh DM, Selkoe DJ (2007) A beta oligomers a decade of discovery. J Neurochem 101: 1172–1184.
- Ono K, Yamada M (2011) Low-n oligomers as therapeutic targets of Alzheimer's disease. J Neurochem 117: 19–28.
- Lambert MP, Barlow AK, Chromy BA, Edwards C, Freed R, et al. (1998) Diffusible, nonfibrillar ligands derived from Abeta1–42 are potent central nervous system neurotoxins. Proc Natl Acad Sci USA 95: 6448–6453.

- Lacor PN, Buniel MC, Furlow PW, Clemente AS, Velasco PT, et al. (2007) Abeta oligomer-induced aberrations in synapse composition, shape, and density provide a molecular basis for loss of connectivity in Alzheimer's disease. J Neurosci 27: 796–807.
- Shankar GM, Bloodgood BL, Townsend M, Walsh DM, Selkoe DJ, et al. (2007) Natural oligomers of the Alzheimer amyloid-beta protein induce reversible synapse loss by modulating an NMDA-type glutamate receptor-dependent signaling pathway. J Neurosci 27: 2866–2875.
- Shankar GM, Li S, Mehta TH, Garcia-Munoz A, Shepardson NE, et al. (2008) Amyloid-beta protein dimers isolated directly from Alzheimer's brains impair synaptic plasticity and memory. Nat Med 14: 837–842.
- Lesné S, Koh MT, Kotilinek L, Kayed R, Glabe CG, et al. (2006) A specific amyloid-beta protein assembly in the brain impairs memory. Nature 440: 352– 357.
- Lesné S, Kotilinek L, Ashe KH (2008) Plaque-bearing mice with reduced levels of oligomeric amyloid-beta assemblies have intact memory function. Neuroscience 151: 745–749.
- Koffie RM, Meyer-Luchmann M, Hashimoto T, Adams KW, Mielke ML, et al. (2009) Oligomeric amyloid beta associates with postsynaptic densities and correlates with excitatory synapse loss near senile plaques. Proc Natl Acad Sci USA 106: 4012–4017.
- Koffie RM, Hashimoto T, Tai H-C, Kay KR, Serrano-Pozo A, et al. (2012) Apolipoprotein E4 effects in Alzheimer's disease are mediated by synaptotoxic oligomeric amyloid-β. Brain 135: 2155–2168.
- DaRocha-Souto B, Scotton TC, Coma M, Serrano-Pozo A, Hashimoto T, et al. (2011) Brain oligomeric β-amyloid but not total amyloid plaque burden correlates with neuronal loss and astrocyte inflammatory response in amyloid precursor protein/tau transgenic mice. J Neuropathol Exp Neurol 70: 360–376.
- Kayed R, Glabe CG (2006) Conformation-dependent anti-amyloid oligomer antibodies. Meth Enzymol 413: 326–344.
- Georganopoulou DG, Chang L, Nam J-M, Thaxton CS, Mufson EJ, et al. (2005) Nanoparticle-based detection in cerebral spinal fluid of a soluble pathogenic biomarker for Alzheimer's disease. Proc Natl Acad Sci USA 102: 2273–2276.
- Pirttilä T, Kim KS, Mehta PD, Frey H, Wisniewski HM (1994) Soluble amyloid beta-protein in the cerebrospinal fluid from patients with Alzheimer's disease, vascular dementia and controls. J Neurol Sci 127: 90–95.
- Kayed R, Head E, Thompson JL, McIntire TM, Milton SC, et al. (2003) Common structure of soluble amyloid oligomers implies common mechanism of pathogenesis. Science 300: 486–489.
- Lafaye P, Achour I, England P, Duyckaerts C, Rougeon F (2009) Single-domain antibodies recognize selectively small oligomeric forms of amyloid beta, prevent Abeta-induced neurotoxicity and inhibit fibril formation. Mol Immunol 46: 695– 704.
- O'Nuallain B, Wetzel R (2002) Conformational Abs recognizing a generic amyloid fibril epitope. Proc Natl Acad Sci USA 99: 1485–1490.
- Kayed R, Head E, Sarsoza F, Saing T, Cotman CW, et al. (2007) Fibril specific, conformation dependent antibodies recognize a generic epitope common to amyloid fibrils and fibrillar oligomers that is absent in prefibrillar oligomers. Mol Neurodegeneration 2: 18.
- Lambert MP, Velasco PT, Chang L, Viola KL, Fernandez S, et al. (2007) Monoclonal antibodies that target pathological assemblies of Abeta. J Neurochem 100: 23–35.
- 31. Lee EB, Leng LZ, Zhang B, Kwong L, Trojanowski JQ, et al. (2006) Targeting amyloid-beta peptide (Abeta) oligomers by passive immunization with a conformation-selective monoclonal antibody improves learning and memory in Abeta precursor protein (APP) transgenic mice. J Biol Chem 281: 4292–4299.
- Bacskai BJ, Kajdasz ST, Christie RH, Carter C, Games D, et al. (2001) Imaging of amyloid-beta deposits in brains of living mice permits direct observation of clearance of plaques with immunotherapy. Nat Med 7: 369–372.

- Klunk WE, Engler H, Nordberg A, Wang Y, Blomqvist G, et al. (2004) Imaging Brain Amyloid in Alzheimer's Disease with Pittsburgh Compound-B. Ann Neurol 55: 306–319.
- Klunk WE, Bacskai BJ, Mathis CA, Kajdasz ST, McLellan ME, et al. (2002) Imaging Abeta plaques in living transgenic mice with multiphoton microscopy and methoxy-X04, a systemically administered Congo red derivative. J Neuropathol Exp Neurol 61: 797–805.
- Ylera F, Lurz R, Erdmann VA, Fürste JP (2002) Selection of RNA aptamers to the Alzheimer's disease amyloid peptide. Biochem Biophys Res Commun 290: 1583–1588.
- Rahimi F, Murakami K, Summers JL, Chen C-HB, Bitan G (2009) RNA aptamers generated against oligomeric Abeta40 recognize common amyloid aptatopes with low specificity but high sensitivity. PLoS ONE 4: e7694.
- Takahashi T, Tada K, Mihara H (2009) RNA aptamers selected against amyloid beta-peptide (Abeta) inhibit the aggregation of Abeta. Molecular Biosystems 5: 986–991.
- Tsukakoshi K, Abe K, Sode K, Ikebukuro K (2012) Selection of DNA aptamers that recognize α-synuclein oligomers using a competitive screening method. Anal Chem 84: 5542–5547.
- Jankowsky JL, Slunt HH, Ratovitski T, Jenkins NA, Copeland NG, et al. (2001) Co-expression of multiple transgenes in mouse CNS: a comparison of strategies. Biomol Eng 17: 157–165.
- Mathews DH, Sabina J, Zuker M, Turner DH (1999) Expanded sequence dependence of thermodynamic parameters improves prediction of RNA secondary structure. J Mol Biol 288: 911–940.
- Gruber AR, Lorenz R, Bernhart SH, Neuböck R, Hofacker IL (2008) The Vienna RNA websuite. Nucleic Acids Res 36: W70–W74.
- Hepler RW, Grimm KM, Nahas DD, Breese R, Dodson EC, et al. (2006) Solution state characterization of amyloid beta-derived diffusible ligands. Biochemistry 45: 15157–15167.
- Bitan G, Fradinger EA, Spring SM, Teplow DB (2005) Neurotoxic protein oligomers-what you see is not always what you get. Amyloid 12: 88–95.
- 44. Watt AD, Perez KA, Rembach A, Sherrat NA, Hung LW, et al. (2013) Oligomers, fact or artefact? SDS-PAGE induces dimerization of β-amyloid in human brain samples. Acta Neuropathol 125: 549–564.
- Barghorn S, Nimmrich V, Striebinger A, Krantz C, Keller P, et al. (2005) Globular amyloid beta-peptide oligomer - a homogenous and stable neuropathological protein in Alzheimer's disease. J Neurochem 95: 834–847.
- Yu L, Edalji R, Harlan JE, Holzman TF, Lopez AP, et al. (2009) Structural characterization of a soluble amyloid beta-peptide oligomer. Biochemistry 48: 1870–1877.
- Mathura VS, Paris D, Ait-Ghezala G, Quadros A, Patel NS, et al. (2005) Model of Alzheimer's disease amyloid-beta peptide based on a RNA binding protein. Biochem Biophys Res Commun 332: 585–592.
- Ginsberg SD, Galvin JE, Chiu TS, Lee VM, Masliah E, et al. (1998) RNA sequestration to pathological lesions of neurodegenerative diseases. Acta Neuropathol 96: 487–494.
- Ginsberg SD, Crino PB, Hemby SE, Weingarten JA, Lee VM-Y, et al. (1999) Predominance of Neuronal mRNAs in Individual Alzheimer's Disease Senile Plaques. Ann Neurol 45: 174–181.
- Marcinkiewicz M (2002) BetaAPP and furin mRNA concentrates in immature senile plaques in the brain of Alzheimer patients. J Neuropathol Exp Neurol 61: 815–829.
- Ylera F (1999) Selektion hochaffiner RNA-Moleküle gegen das Alzheimer beta-Amyloid PhD Thesis.
- Higuchi M, Iwata N, Matsuba Y, Sato K, Sasamoto K, et al. (2005) 19F and 1H MRI detection of amyloid beta plaques in vivo. Nat Neurosci 8: 527–533.