Serbian Ceramic Society Conference ADVANCED CERAMICS AND APPLICATION III New Frontiers in Multifunctional Material Science and Processing

Serbian Ceramic Society
Institute of Technical Sciences of SASA
Institute of Chemistry Technology and Metallurgy
Institute of Physics
Institute for Technology of Nuclear and Other Raw Mineral Materials
Institute for Testing of Materials
Archeological Institute of SASA

PROGRAM AND THE BOOK OF ABSTRACTS

Book title: Serbian Ceramic Society Conference - ADVANCED CERAMICS AND APPLICATION III: Program and the Book of Abstracts

Publisher:

Serbian Ceramic Society

Editors:

Prof.dr Vojislav Mitić Prof. dr Olivera Milošević Dr Nina Obradovic Dr Lidija Mančić

Technical Editor:

Prof. dr Olivera Milošević

Printing:

Serbian Academy of Sciences and Arts, *Knez Mihailova 35, Belgrade* Format *Pop Lukina 15, Belgrade*

Edition:

150 copies

Sculptural Concretes: Rajko D. Blažić, High School-Academy for Arts and Conservation, Serbian Ortodox Church, Belgrade, Serbia

CIP - Каталогизација у публикацији Народна библиотека Србије, Београд

666.3/.7(048) 66.017/.018(048)

SERBIAN Ceramic Society (Belgrade). Conference (3rd; 2014; Beograd) Advanced Ceramics and Application: new frontiers in multifunctional material science and processing: program and the book of abstracts / III Serbian Ceramic Society Conference, 29th September - 1st October, Belgrade, 2014; [organized by] Serbian Ceramic Society ... [et al.]; [editors Vojislav Mitić ... et al.]. - Belgrade: Serbian Ceramic Society, 2014 (Belgrade: Serbian Academy of Sciences and Arts). – 139 str.; 30 cm

Tiraž 150.

ISBN 978-86-915627-2-4

- 1. Serbian Ceramic Society (Belgrade) а) Керамика - Апстракти b) Наука о материјалима - Апстракти c) Наноматеријали - Апстракти
- COBISS.SR-ID 209985036

PS2-10

The Morphological Characterization of Mechanically Activated ZnO Powder

A. Peleš¹, S. Filipović¹, N. Obradović¹, J. Krstić², V. Pavlović¹

¹Institute of Technical Sciences of SASA, Knez Mihailova 35/IV 11000 Belgrade, Serbia ²Institute of Chemistry, Technology and Metallurgy, University of Belgrade, Njegoševa 12, 11000 Belgrade, Serbia

The authors investigated the morphological characteristics of mechanically activated ZnO powder. ZnO powder was mechanically activated for 2, 5, 10 and 30 minutes in a planetary ball mill. Mechanical activation introduces lattice disorder and defects into ZnO hexagonal wurtzite structure. In order to determine specific surface area and pore volume, we performed N_2 porosimetry and SEM in order to investigate the microstructure of non-activated and mechanically activated ZnO powders. Using Kubelka-Munk function, UV-Vis spectra showed the reducing in band gap with activation time. ZnO powder activated for 5 minutes has the narrowest band gap.