

UNITY CHECK OF TYPICAL OFFSHORE
WELLHEAD PLATFORM IN MALAYSIA
USING ACEH EARTHQUAKE LOADING
DATA AND SAP2000

LEE JIA QING

B. ENG (HONS.) CIVIL ENGINEERING

UNIVERSITI MALAYSIA PAHANG



SUPERVISOR'S DECLARATION

I hereby declare that I have checked this thesis and in my opinion, this thesis is adequate in terms of scope and quality for the award of the Bachelor Degree of Civil Engineering

(Supervisor's Signature)

Full Name : IR. DR. SAFFUAN BIN WAN AHMAD

Position : LECTURER

Date : 11 JUNE 2018



STUDENT'S DECLARATION

I hereby declare that the work in this thesis is based on my original work except for quotations and citations which have been duly acknowledged. I also declare that it has not been previously or concurrently submitted for any other degree at Universiti Malaysia Pahang or any other institutions.

(Student's Signature)

Full Name : LEE JIA QING

ID Number : AA14250

Date : 11 JUNE 2018

UNITY CHECK OF TYPICAL OFFSHORE WELLHEAD PLATFORM IN
MALAYSIA USING ACEH EARTHQUAKE LOADING DATA AND SAP2000

LEE JIA QING

Thesis submitted in fulfillment of the requirements
for the award of the
Bachelor Degree in Civil Engineering

Faculty of Civil Engineering and Earth Resources
UNIVERSITI MALAYSIA PAHANG

JUNE 2018

DEDICATION

This thesis is dedicated to my dear parents
who have given me the strength, motivation, and encouragement
so that I may pursue my aspirations with confidence and dedication.

ACKNOWLEDGEMENTS

I would like to extend my indefinite gratitude and appreciation to the following individuals that helped and supported me towards my completion of this case study. Their contribution was pivotal in making this research possible.

Firstly, I am grateful to my main supervisor, Ir. Dr. Saffuan bin Wan Ahmad, who guided me along each step of the way in this study. His generous advice, understanding, and support gave me the confidence and encouragement to proceed with the study which is of great interest to me. It was a pleasure to be under his expert guidance.

I would also like to thank my panels, Ir. Dr. Fadzil bin Mat Yahaya and En. Khalimi Johan bin Abd Hamid whose expertise and wisdom was of great help to share their valuable suggestions and comments on my study. Their help was very much appreciated.

Next, I am also thankful to my fellow course mates, Leng Yee Hui and Norsyahirah Haifaa binti Mohd Arriffin for the help in sharing their precious knowledge and resources with me in completing this case study.

Lastly, I show my appreciation to my dearest family members, especially my father, mother, and sister, who were always there for me day and night along the entire process of this case study. Their loving care encouraged me immensely in times of distress. They have always been there with me during the ups and downs and supported me so that I may carry out the research with good emotional support.

ABSTRAK

Satu daripada gempa bumi serantau yang paling kritikal dengan membawa impak bencana adalah gempa bumi berskala magnitud momen 9.1 yang berlaku di pantai barat Banda Aceh, Sumatera Utara telah menjana tsunami Lautan Hindi yang dahsyat pada 26 Disember 2004. Selain itu, beberapa gempa bumi tempatan juga berlaku di Bukit Tinggi, Pahang dan Ranau, Sabah menurut Jabatan Meteorologi Malaysia (METMalaysia). Walau bagaimanapun, industri minyak dan gas memainkan peranan penting dalam ekonomi Malaysia kerana memberi sumbangan yang besar kepada produk domestik kasar negara. Sebenarnya, struktur luar pesisir tetap di rantau Malaysia hanya mengambil kira beban angin, beban gelombang, dan beban semasa dan bukannya beban gempa bumi. Objektif kajian ini adalah untuk melakukan pemeriksaan struktur bagi setiap elemen dalam platform luar pesisir apabila dilanda oleh pemuatan gempa bumi 2004 Aceh. Semua beban alam sekitar seperti gelombang, angin, dan beban semasa telah direka dengan merujuk kepada kriteria reka bentuk American Petroleum Institute (API). Perisian komputer SAP2000 telah dipilih untuk membuat model dan menganalisis struktur luar pesisir. Terdapat tiga jenis analisis yang telah dilakukan dalam kajian ini iaitu analisis getaran bebas, analisis sejarah masa, dan analisis spektrum tindak balas. Data gempa sejarah masa dari 2004 gempa bumi Aceh telah digunakan dalam melakukan analisis sejarah masa. Untuk analisis spektrum tindak balas, analisis ini dilakukan dengan menggunakan lengkung spektrum tindak balas di Eurocode 8. Kesimpulannya, platform luar pesisir di Malaysia terletak di bawah keadaan yang selamat apabila dilanda oleh aktiviti seismik yang rendah berdasarkan kajian ini.

ABSTRACT

One of the most significant regional earthquakes which brought catastrophic impacts is the magnitude of $M_w = 9.1$ earthquake which occurred on the western coast of Banda Aceh, North Sumatra had generated a massive Indian Ocean tsunami on December 26th, 2004. Apart from that, several local earthquakes also occurred in Bukit Tinggi, Pahang and Ranau, Sabah according to Malaysian Meteorological Department (METMalaysia). However, oil and gas industry plays a vital role in Malaysian economy due to the significant contribution to the country's gross domestic product. In fact, the existing fixed offshore structure in Malaysia region only take into considerations the wind load, wave load, and current load rather than earthquake load. The objective of this study is to perform unity check for every element of offshore wellhead platform when subjected to 2004 Aceh earthquake loading. All the environmental loads such as wave, wind, and current load have been designed by referring the American Petroleum Institute (API) design criteria. The computer software SAP2000 is selected to model and analyze the offshore structure. There are three types of analysis that have been performed in this study which are the free vibration analysis, time history analysis, and response spectrum analysis. The time history of earthquake data from 2004 Aceh earthquake has been used in performing time history analysis. For the response spectrum analysis, the analysis was performed by using response spectra curves in Eurocode 8. As a result, the offshore wellhead platforms in Malaysia are situated under a safe condition when subjected to low seismic activity based on the study.

TABLE OF CONTENT

SUPERVISOR'S DECLARATION	
STUDENT'S DECLARATION	
DEDICATION	
ACKNOWLEDGEMENTS	ii
ABSTRAK	iii
ABSTRACT	iv
TABLE OF CONTENT	v
LIST OF TABLES	ix
LIST OF FIGURES	x
LIST OF SYMBOLS	xii
LIST OF ABBREVIATIONS	xiii
CHAPTER 1 INTRODUCTION	1
1.1 Background of Study	1
1.2 Problem Statement	5
1.3 Research Objective	6
1.4 Scope of Study	6
1.5 Significance of Study	7
CHAPTER 2 LITERATURE REVIEW	9
2.1 Introduction to Earthquake	9
2.2 Earthquake Genesis	10
2.2.1 Earth Structure	10

2.2.2	Plate Tectonics Theory	11
2.2.3	Plate Interaction, Formation of Earth’s Surface Features, and Earthquake Generation	12
2.2.4	Cause of Plate Movement	15
2.2.5	Intraplate Earthquakes	16
2.2.6	Earthquake Faults	16
2.2.7	Earthquake-Generation Mechanism: Elastic Rebound Theory	18
2.2.8	Focus, Epicenter, Rupture Surface, and Fault Slip	20
2.2.9	Seismic Waves	21
2.2.10	Measurement of Earthquakes	23
2.3	Peak Ground Acceleration	27
2.4	The Great Sumatra-Andaman Earthquake of 26 December 2004	29
2.5	Offshore Structures	31
2.5.1	Fixed Platforms	32
2.5.2	Compliant Towers	32
2.5.3	Seastar Platforms	32
2.5.4	Floating Production Systems	33
2.5.5	Floating Production, Storage, and Offloading System	33
2.5.6	Tension Leg Platforms	34
2.5.7	Subsea System	34
2.5.8	Spar Platforms	34
2.6	Functional Classification of Offshore Platforms	35
2.6.1	Wellhead Platform	35
2.6.2	Process Platform	35
2.6.3	Riser Platform	36
2.6.4	Living Quarters Platform	36

2.6.5	Flare Support Platform	36
2.7	Types of Loads	36
2.7.1	Gravity Loads	36
2.7.2	Environmental Loads	38
2.7.3	Earthquake Loads	40
2.8	Current Malaysia Practice of Offshore Structure	41
2.9	The Case Study Approach	41
CHAPTER 3 METHODOLOGY		44
3.1	Planning of the Study	44
3.1.1	Flowchart of Methodology	45
3.2	Gathering of Information and Data	46
3.2.1	Offshore Platform Description	46
3.3	Structural Modelling	47
3.3.1	Material Properties	49
3.4	Loading Description	50
3.4.1	Dead and Live Loads	51
3.4.2	Environmental Loads	51
3.4.3	Wind Load	52
3.4.4	Wave Load	53
3.4.5	Current Load	54
3.4.6	Earthquake Loads	55
3.5	Analyses	57
3.6	SAP2000 Structural Analysis and Design Software	57
3.6.1	Checklist of SAP2000 Structural Modelling and Computational Analysis	59

CHAPTER 4 RESULTS AND DISCUSSION	60
4.1 Offshore Structure Analysis	60
4.2 Offshore Structure Modelling	61
4.3 Free Vibration Analysis	61
4.4 Time History Earthquake Analysis	63
4.5 Linear Analysis	64
4.6 Comparison of Results between Manual Calculation and SAP2000	68
4.7 Summary of the Analysis	69
CHAPTER 5 CONCLUSION	83
5.1 Conclusion	83
5.2 Recommendations	84
REFERENCES	85
APPENDIX A GRID SYSTEM DATA	89
APPENDIX B TABLE OF MASS	90
APPENDIX C OFFSHORE STRUCTURAL MODE SHAPE	100
APPENDIX D MANUAL CALCULATION	102

LIST OF TABLES

Table 2.1	Modified Mercalli Intensity (MMI) scale	24
Table 3.1	Dead load and live load description	51
Table 3.2	Environmental criteria for offshore structure in Terengganu region	51
Table 3.3	Drag coefficient and inertia coefficient	53
Table 4.1	Results from the free vibration analysis	62
Table 4.2	Shear force diagram of several combinations of load cases at frame member 87	66
Table 4.3	Maximum shear stress and allowable shear stress capacity of several combinations of load cases at frame member 87	66
Table 4.4	Bending moment diagram of several combinations of load cases at frame member 87	68
Table 4.5	Maximum bending stress and allowable bending stress capacity of several combinations of load cases at frame member 87	68
Table 4.6	Comparison of P-M interaction ratios results between manual calculation and SAP2000	69
Table 4.7	Unity check ratio for every frame members of the offshore structure	71
Table 4.8	Joint displacement of joint 219 on different types of load combinations	82

LIST OF FIGURES

Figure 1.1	Active faults and historical seismicity in the Southeast Asia region	2
Figure 1.2	Earthquake epicenters map in Sabah over the past century	3
Figure 1.3	Malaysian sedimentary basins	4
Figure 2.1	Seismicity of Earth maps 1900-2013	10
Figure 2.2	The internal structure of the Earth	11
Figure 2.3	The main tectonic plates of the Earth	12
Figure 2.4	The main types of plate boundaries	14
Figure 2.5	San Andreas fault	15
Figure 2.6	Schematic representation of convection currents in the mantle	16
Figure 2.7	Three basic fault types	18
Figure 2.8	Reid's (1910) elastic rebound theory	19
Figure 2.9	Hypocenter and epicenter of an earthquake	21
Figure 2.10	The main types of seismic waves	23
Figure 2.11	Accelerogram for 2015 Nepal earthquake on soft soil	29
Figure 2.12	Tectonic base map of the Sumatra subduction zone	30
Figure 2.13	Deepwater system types currently in use	32
Figure 2.14	Platform complex	35
Figure 3.1	Flowchart of methodology	45
Figure 3.2	X-Y Plane at Z= 0 m	47
Figure 3.3	X-Y Plane at Z= 4 m	48
Figure 3.4	X-Y Plane at Z= 8m	48
Figure 3.5	3D view of X-Z direction	49
Figure 3.6	3D view of Y-Z direction	49
Figure 3.7	Material properties of structural steel	50
Figure 3.8	Time (sec) versus Acceleration (g) in E-direction	55
Figure 3.9	Time (sec) versus Acceleration (g) in N-direction	56
Figure 3.10	Time (sec) versus Acceleration (g) in Z-direction	56
Figure 4.1	3D model of the offshore wellhead platform	61
Figure 4.2	Mode shape 1 of the offshore wellhead platform	63
Figure 4.3	Mode shape 2 of the offshore wellhead platform	63
Figure 4.4	Time (sec) versus Acceleration (g) in E-direction	64
Figure 4.5	Time (sec) versus Acceleration (g) in N-direction	64
Figure 4.6	Offshore structure model with the P-M interaction ratio in View 1	70

Figure 4.7	Offshore structure model with the P-M interaction ratio in View 2	70
Figure 4.8	Graph of shear stress on different types of load combinations	80
Figure 4.9	Graph of bending stress on different types of load combinations	81
Figure 4.10	The most critical joint 219 of the offshore wellhead platform	82
Figure 4.11	Graph of joint displacement on different types of load combinations	82

LIST OF SYMBOLS

km	Kilometer
km ²	Kilometer square
%	Percent
°C	Degree Celcius
m	Meter
s or sec	Second
μm	Micrometer
°	Degree
cm/yr	Centimeter per year
m ²	Meter square
Ø	Diameter
mm	Millimeter
N/mm ²	Newton per millimeter square
MN	Mega Newton
m/s	Meter per second
ft/s	Feet per second
ft	Feet
N	Newton
kg/m ³	Kilogram per meter cube
N/m	Newton per meter
N/m ³	Newton per meter cube
m/sec ²	Meter per second square
m/sec	Meter per second
g	Peak ground acceleration
Hz	Hertz
kN	Kilonewton
kN/m ²	Kilonewton per meter square
kNm	Kilonewton meter

LIST OF ABBREVIATIONS

Mw	Moment Magnitude Scale
METMalaysia	Malaysian Meteorological Department
ia	
NEIC	National Earthquake Information Center
IEM	Institution of Engineers, Malaysia
BS	British Standard
EN	European Norm
API	American Petroleum Institute
GPD	Gross Domestic Product
USGS	United States Geological Survey
MMI	Modified Mercalli Intensity
A	Area
ML	Local Magnitude Scale
Ms	Surface Wave Magnitude Scale
M0	Seismic Moment
FPSO	Floating, Production, Storage, and Offloading System
MTJA	Malaysia-Thailand Joint Authority
SDOF	Single Degree of Freedom
W.T.	Wall Thickness
MSL	Mean Sea Level
CD	Drag Coefficient
Cm	Inertia Coefficient
DL	Dead Load
LL	Live Load
EL	Environmental Load
TH	Time History
RS	Response Spectrum
GUI	Graphical User Interface
T	Natural Period
f	Natural Frequency
VEd	Shear force
fv	Shear stress
Fv	Allowable shear stress capacity
MEd	Bending moment

f_b	Bending stress
F_b	Allowable bending stress capacity

CHAPTER 1

INTRODUCTION

1.1 Background of Study

Earthquakes are one of the greatest natural hazards to life and property. In ancient times, earthquakes have destroyed countless cities and villages around the world that has led to injury, loss of life, and causing homelessness for the people. There are three different types of damaging effects to a structure by earthquakes. One of the damaging effects of earthquakes is ground failures. The examples of ground failures are surface faulting, ground cracking, ground subsidence, landslides, and soil liquefaction. Another damaging effect is the indirect effects caused by earthquakes. The most common phenomenon are tsunamis, seiches, and fires. For example, an earthquake with a magnitude of $M_w= 9.1$ which occurred on the western coast of Banda Aceh, North Sumatera had generated a massive Indian Ocean tsunami on December 26th, 2004. The tsunami had struck the coast of several countries in Southeast Asia and East Africa which included Indonesia, Sri Lanka, Thailand, Maldives, Somalia, Myanmar, Malaysia, and Seychelles (Villaverde, 2009). Around 220,000 people were killed in the incident, making it the one of the deadliest natural disaster in modern history (McCall, 2014). Ground shaking is the third effect and may be considered as the most damaging effect on structures. During the earthquakes, the ground moves vertically and horizontally in a violent manner that will affect the structures. The structures resting on the shaking ground experience the motions at the base and thus large stresses and deformations will occur to the structures throughout the process. If the ground shaking that happened is strong enough, it will lead to the partial or total collapse of the structure.

In Malaysia, most of the Malaysian citizens are not aware of earthquake hazards because the active seismic fault zone is located about 350 km away from Malaysia. In

general, significant damages can be caused by an earthquake within 100-200 km radius from the epicenter and the amplitudes of incoming seismic shear waves will become generally small at a further distance. This is the reason why earthquake engineering in Malaysia is relatively behind compared to other engineering fields due to our less profound earthquake history. Although Peninsular Malaysia is located on the stable Sunda Shelf with low to medium seismic activity level, Malaysia is surrounded by high seismicity regions at the east, west, and south parts as shown in Figure 1.1.




Figure 1.1 Active faults and historical seismicity in the Southeast Asia region

Source: AIR (Bingming Shen-Tu, 2016)

The two most seismically active plate boundaries are situated close to Malaysia which is the subduction zones between the Eurasian and Philippines plates at the east region. At the west and south parts, the high seismicity region is associated with the subduction zones between the Indo-Australian and Eurasian plates. However, several tremors due to the active seismic area from Sumatra has been reported along the west coast of Peninsular Malaysia (Adnan, Hendriyawan, Marto, & Irsyam, 2005). For instance, Malaysian Meteorological Department (METMalaysia) reported that the earthquake near Sumatra on November 2nd, 2002 had caused tremors to several cities in

Peninsular Malaysia which included Penang and Kuala Lumpur. Thus, several cracks on buildings had also been reported in Penang due to the Sumatra earthquake hazard. Apart from that, Bukit Tinggi and Sabah also experienced earthquake of local origin. This is related to the existence of an active fault in Peninsular Malaysia and East Malaysia that is associated with these local earthquakes. According to the Malaysian Meteorological Department (METMalaysia), a magnitude of 5.9 Scale Richter moderate earthquake had struck Ranau, Sabah on June 5th, 2015, has taken eighteen unfortunate lives and caused significant damage to properties (Shah, 2016). This earthquake was considered the strongest to affect Malaysia since 1976.




Figure 1.2 Earthquake epicenters map in Sabah over the past century

Source: National Earthquake Information Center (NEIC) catalog

In this modern era, earthquakes not only threaten the lives of people, properties and infrastructures, but it can also impact the economy adversely. Crude oil, petroleum, and natural gas products are the main sources of energy supply in Malaysia. Malaysia is ranked the second largest producer of petroleum and other liquids in Southeast Asia after Indonesia (EIA, 2017). Besides that, Malaysia ranked third as liquefied natural gas (LNG) exporter after Qatar and Australia in 2016 (EIA, 2017). Ministry of International Trade and Industry stated that Malaysia has the 23rd largest oil reserves and 14th largest gas reserves in the world (MITI, 2015). It can be clear that the bulk of economic growth of Malaysia depends on the energy industry which has accounted for nearly 20% of the country's total gross domestic product in recent years (PWC, 2016). In 1910, Shell

REFERENCES

- (BPMB), B. P. M. B. (2011). Report on Malaysia Oil and Gas Exploration and production. *Annual Report 2011*, 60–69.
- Adnan, A., Hendriyawan, Marto, A., & Irsyam, M. (2005). Seismic Hazard Assessment for Peninsular. *Jurnal Teknologi*, 42 (B)(Jun), 57–73.
- API RP2A-WSD. (2000). Recommended Practice for Planning, Designing and Constructing Fixed Offshore Platforms — Working Stress Design. *API RECOMMENDED PRACTICE 2A-WSD (RP 2A-WSD), TWENTY-FIRST EDITION, 24-WSD*(December 2002).
<https://doi.org/10.1007/s13398-014-0173-7.2>
- Aulov, A., & Liew, M. S. (2013). Seismic Hazard Analysis (SHA) Considerations for South China Sea Territories of Malaysia. *Recent Advances in Energy and Environmental Management*, 173–178.
- Bargi, K. (2011). Seismic Response of a Typical Fixed Jacket-Type Offshore Platform (SPD1) Under Sea Waves. *Open Journal of Marine Science*, 1(2), 36–42.
<https://doi.org/10.4236/ojms.2011.12004>
- Bilham, R., & Ambraseys, N. (2005). Apparent Himalayan slip deficit from the summation of seismic moments for Himalayan earthquakes, 1500-2000. *Current Science*, 88(10), 1658–1663.
- Bingming Shen-Tu. (2016). Java Subduction Zone Earthquake: The Worst Is Yet to Come? Retrieved from <http://www.air-worldwide.com/Publications/AIR-Currents/2016/Java-Subduction-Zone-Earthquake--The-Worst-Is-Yet-to-Come-/>
- Britannica, E. (2018). PRINCIPAL TYPES OF SEISMIC WAVES. Retrieved from <https://kids.britannica.com/students/article/earthquake/106195/59551-toc>
- BS 8110-1:1997. (2002). Structural use of concrete, (December), 160.
- BS EN 1992-1-1. (2004). Eurocode 2: Design of concrete structures - Part 1-1 : General rules and rules for buildings. *British Standards Institution*, 1(2004), 230.
[https://doi.org/\[Authority: The European Union Per Regulation 305/2011, Directive 98/34/EC, Directive 2004/18/EC\]](https://doi.org/[Authority: The European Union Per Regulation 305/2011, Directive 98/34/EC, Directive 2004/18/EC])
- Economic Transformation Programme. (2010). Powering the Malaysian Economy with Oil, Gas, and Energy. *Economic Transformation Programme: A Roadmap for Malaysia*, 27. Retrieved from http://etp.pemandu.gov.my/upload/etp_handbook_chapter_6_oil_gas_and_energy.pdf

- EIA. (2017). Country Analysis Brief: Malaysia. *Independent Statistics & Analysis from U.S. Energy Information Administration*.
- Foo, D. C. Y. (2015). The Malaysian chemicals industry: From commodities to manufacturing. *Chemical Engineering Progress*, 111(11), 48–52.
- Gibbons, H. (2009). USGS Scientists Respond to Deadly Samoa Tsunami. Retrieved from <https://soundwaves.usgs.gov/2009/11/fieldwork2.html>
- Jordan, T. (2011). Earthquakes in the Southern California Fault System. Retrieved from <http://slideplayer.com/slide/5825100/>
- Lay, T., Kanamori, H., Ammon, C. J., Nettles, M., Ward, S. N., Aster, R. C., ... Sipkin, S. (2005). The Great Sumatra-Andaman Earthquake of 26 December 2004. *Science*, 308(May), 1127–1133. <https://doi.org/10.1126/science.1112250>
- Mahoney, C. N. (2013). 2013 Deepwater Solutions & Records For Concept Selection. *Wood Group Mustang*. Retrieved from [https://www.offshore-mag.com/content/dam/offshore/print-articles/Volume 73/05/0513OS_DeepwaterPoster.pdf](https://www.offshore-mag.com/content/dam/offshore/print-articles/Volume%2073/05/0513OS_DeepwaterPoster.pdf)
- McCall, C. (2014). Remembering the Indian Ocean tsunami. *The Lancet*, 384(9960), 2095–2098. [https://doi.org/10.1016/S0140-6736\(14\)62358-8](https://doi.org/10.1016/S0140-6736(14)62358-8)
- Minster, J. B., & Jordan, T. H. (1978). PRESENT-DAY PLATE MOTIONS. *Journal of Geophysical Research*, 83.
- MITI. (2015). Petrochemical Industry. Retrieved from <http://www.miti.gov.my/index.php/pages/view/734>
- Mohamad Razalli, R. (2005). THE MALAYSIAN OIL AND GAS INDUSTRY: An Overview. *JURUTERA -The Monthly Bulletin of the Institution of Engineers Malaysia*, (1), 1–28.
- Pokharel, T. (2016). Lessons Learned from the Nepal Earthquake, (November 2015). <https://doi.org/10.13140/RG.2.1.1657.3528>
- Puspito, N. T., & Gunawan, I. (2005). Tsunami sources in the Sumatra region, Indonesia and Simulation of the 26 December 2004 Aceh tsunami. *ISET Journal of Earthquake Technology*, 42(4), 111–125.
- PWC. (2016). The Malaysian Oil & Gas Industry: Challenging Times, but Fundamentals Intact, (May), 12. Retrieved from www.pwc.com/my

- Rahim, K. A., & Liwan, A. (2012). Oil and gas trends and implications in Malaysia. *Energy Policy*, 50, 262–271. <https://doi.org/10.1016/j.enpol.2012.07.013>
- S. Nallayarasu. (1981). Offshore structures. *Applied Ocean Research*.
[https://doi.org/10.1016/0141-1187\(81\)90119-X](https://doi.org/10.1016/0141-1187(81)90119-X)
- Sadeghi, K. (2007). An Overview of Design, Analysis, Construction, and Installation of Offshore Petroleum Platforms Suitable for Cyprus Oil/Gas Fields. *Soc. & Appl. Sci*, 2(4), 1–16.
- Saiful Islam, A. B. M., Jameel, M., Ahmad, S., Jumaat, M. Z., & Kurian, V. J. (2013). Structural behavior of fully coupled spar–mooring system under extreme wave loading. *Journal of Civil Engineering and Management*, 19(sup1), S69–S77.
<https://doi.org/10.3846/13923730.2013.801899>
- Shah, A. A. (2016). Understanding the recent SABAH EARTHQUAKE, and other seismogenic sources in North West Borneo., (January 2015).
- Sons, J. W. &. (1999). Difference Between Earthquake Focus and the Epicenter? Retrieved from <https://earthquakesandplates.wordpress.com/2008/05/12/difference-between-earthquake-focus-and-the-epicenter/>
- Twomey, B. (2010). Study assesses Asia-Pacific offshore decommissioning costs. *Oil and Gas Journal*, 108(10), 1–7.
- USGS. (n.d.). The Modified Mercalli Intensity Scale. Retrieved from <https://earthquake.usgs.gov/learn/topics/mercalli.php>
- USGS. (1996). Tectonic Plates. Retrieved from https://commons.wikimedia.org/wiki/File:Plates_tect2_en.svg
- USGS. (1999a). Inside the Earth. Retrieved from <https://pubs.usgs.gov/publications/text/inside.html>
- USGS. (1999b). Main Types of Plate Boundaries. Retrieved from <https://pubs.usgs.gov/gip/dynamic/Vigil.html>
- USGS. (1999c). What drives the plates? Retrieved from <https://pubs.usgs.gov/gip/dynamic/unanswered.html>
- USGS. (2013). Seismicity of the Earth Maps 1900-2013. Retrieved from http://earthquake.usgs.gov/earthquakes/world/seismicity_maps/

- USGS. (2014). Transform Boundaries. Retrieved from <https://pubs.usgs.gov/gip/dynamic/understanding.html>
- USGS. (2016). Tectonic base map of the Sumatra subduction zone. Retrieved from <https://walrus.wr.usgs.gov/tsunami/sumatraEQ/tectonic.html>
- Uyeda, S., & Kanamori, H. (1979). Back-arc opening and the mode of subduction. *Journal of Geophysical Research*, 84(B3), 1049. <https://doi.org/10.1029/JB084iB03p01049>
- Villaverde, R. (2009). *Fundamental Concepts of Earthquake Engineering*. CRC Press.
Retrieved from http://books.google.es/books/about/Fundamental_Concepts_of_Earthquake_Engin.html?id=EKGxGQAACAAJ&pgis=1