Journal of Earth Science, Vol. 21, Special Issue, p. 94–95, June 2010 Printed in China ISSN 1674-487X

Euxinic Ocean during the Late Devonian Mass Extinction Inferred from Organic Compounds

Susumu Yatsu, Kunio Kaiho*, Masahiro Oba

Graduate School of Science, Tohoku University, Aoba-ku, Sendai 980-8578, Japan

Z Q Chen

School of Earth & Environment, The University of Western Australia, 35 Stirling Highway,

Crawley, WA 6009, Australia

Jean-Georges Casier

Department of Paleontology, Belgian Royal Institute of Natural Sciences, Vautier Street, 29 B-1000, Brussels, Belgium

James D Wright

Department of Geological Sciences, Rutgers University, 610 Taylor Road, Piscataway, NJ 08854, USA

There were five mass extinctions of Earth life during the past 500 million years. The second crisis of the "big five" mass extinctions occurred near the Frasnian/Famennian (F/F) boundary in the Late Devonian. This extinction impacted mainly oceanic regime and resulted in 21% of families and 50% of genera among oceanic life being wiped out (Sepkoski, 1986). In particular, brachiopods, trilobites, conodonts, tabulate corals, and stromatoporoids have been severely affected and suffered high extinction rates (McGhee, 1996, 1989; Stanley, 1987). Previously, anoxic sea-water condition was considered as the candidate responsible for the F/F mass extinction simply because of the widespread black shale near the boundary worldwide (House, 1985). Both stable carbon and sulfur isotopic signals and trace metal element features indicate that the F/F mass extinction was probably caused by the development of oceanic anoxia (Riquier et al., 2006; Joachimski et al., 2001). However, little has

*Corresponding author: kaiho@m.tains.tohoku.ac.jp

Manuscript received December 22, 2009. Manuscript accepted March 11, 2010. been published on organic geochemical signals across the F/F mass extinction interval. Thus, the purpose of this study is to examine oceanic redox condition spanning the F/F boundary based on organic geochemical analysis incorporating with stable carbon isotope ratio and bioturbation levels from two geographically apart localities, Belgium and China, respectively.

A positive shift of $\delta^{13}C_{carb}$ across the F/F boundary and high values of $\delta^{13}C_{carb}$ in the lower Famennian strata are detected at the F/F boundary sections in Belgium and China, respectively. Contents of organic matter components dibenzothiophenes and 2,3,6- trimethylarylisoprenoids show peaks near the F/F boundary at these two studied sections. High values of $\delta^{13}C_{carb}$, dibenzothiophenes and 2,3,6- trimethylarylisoprenoids detected from these two geographically apart sections indicate a global spread event of anoxic or euxinic seawater, which should account for the F/F biotic crisis.

REFERENCES CITED

- House, M. R., 1985. Correlation of Mid-Palaeozoic Ammonoid Evolutionary Events with Global Sedimentary Perturbation. *Nature*, 213: 17–22
- Joachimski, M. M., Ostertag-Henning, C., Pancost, R. D., et al., 2001. Water Column Anoxia, Enhanced Productivity and

[©] China University of Geosciences and Springer-Verlag Berlin Heidelberg 2010

Concomitant Changes in δ^{13} C and δ^{34} S across the Frasnian-Famennian Boundary (Kowala-Holy Cross Mountains/ Poland). *Chemical Geology*, 175: 109–131

- McGhee, G. R. Jr., 1989. Chapter 7. The Frasnian-Famennian Event. In: Donovan, S. K., ed., Mass Extinctions. Process and Evidence. Belhaven Press, London. 133–151
- McGhee, G. R. Jr., 1996. The Late Devonian Mass Extinction. The Frasnian/Famennian Crisis. Columbia University Press, N.Y.. 303

Riquier, L., Tribovillard, N., Averbuch, O., et al., 2006. The Late

Frasnian Kellwasser Horizons of the Harz Mountains (Germany): Two Oxygen-Deficient Periods Resulting from Different Mechanisms. *Chemical Geology*, 233(1–2): 137–155

- Sepkoski, J. J. Jr., 1986. Phanerozoic Overview of Mass Extinction. In: Raup, D. M., Jablonski, D., eds., Patterns and Process in the History of Life. Springer-Verlag, Berlin. 277–295
- Stanley, S. M., 1987. Extinction. Scientific American Library 2. Freeman, W. H., N.Y.

Reproduced with permission of the copyright owner. Further reproduction prohibited without permission.