

Bibliografía Botánica Ibérica, 2010

Líquenes

Ana Rosa Burgaz¹

1440. ÁLVARO-MARTÍN, M. I.; BARBERO CASTRO, M.; LLOP VERDÚ, E. & GÓMEZ-BOLEA, A. 2009. Riquesa briològica i liquenològia del Parc de Collserola (Catalunya). Estacions d'especial interès. *Acta Bot. Barc.* 52: 5-44. (Flora, B).
1441. AMO DE PAZ, G.; LUMBSCH, T.; CUBAS, P.; ELIX, J. A. & CRESPO, A. 2010. The morphologically deviating genera *Omphalodiella* and *Placoparmelia* belong to *Xanthoparmelia* (*Parmeliaceae*). *Bryologist* 113(2): 376-386. (Tax, SisM, *Flavoparmelia*, *Omphalodiella*, *Placoparmelia*, *Punctelia*, *Xanthoparmelia*, B, Ge, Gu, Lo, M, Sa, So, Te, Z, Za, Portugal).
1442. AMO DE PAZ, G.; LUMBSCH, T.; CUBAS, P.; ELIX, J. A. & CRESPO, A. 2010. The genus *Karoowia* (*Parmeliaceae*, Ascomycota) includes unrelated clades nested within *Xanthoparmelia*. *Austr. Syst. Bot.* 23: 173-184. (Tax, SisM, *Flavoparmelia*, *Karoowia*, *Punctelia*, *Xanthoparmelia*, B, Ge, Gu, Lo, M, Sa, Te, Z, Za, Portugal).
1443. ARAGÓN, G.; MARTÍNEZ, I.; IZQUIERDO, I.; BELINCHÓN, R. & ESCUDERO, A. 2010. Effects of forest management on epiphytic lichen diversity in Mediterranean forests. *App. Veg. Sci.* 13: 183-194. (Ecol, Ab, CR, Cu, Gu, To).
1444. AUGUSTO, S.; MÁGUAS, C.; MATOS, J.; PEREIRA, M. J. & BRANQUINHO, C. 2010. Lichens as an integrating tool for monitoring PAH atmospheric deposition: a comparison with soil, air and pine needles. *Environm. Pollut.* 158(2): 483-489. (Quim, Portugal).
1445. AUGUSTO, S.; MÁGUAS, C.; MATOS, J.; PEREIRA, M. J.; SOARES, A. & BRANQUINHO, C. 2010. Spatial modeling of PAHs in lichens for fingerprinting of multisource atmospheric pollution. *Environm. Sci. Tech.* 43(20): 7762-7769. (Quim, Portugal).
1446. BARRASA, J. M.^a & RICO, V. 2010. Taxonomic and nomenclatural comments on the lichenicolous agaric *Arrhenia peltigerina*. *Lichenologist* 42(4): 485-490. (Tax, *Arrhenia*, M).
1447. BARRENO, E.; REIG-ARMIÑANA, J.; GARCÍA-BREIRO, F. & ÁLVAREZ-ASPRO, J. 2009. *Lobaria virens* (With.) J. R. Laundon, liquen amenazado en Europa, bioindicador del estado de conservación de los bosques en la Sierra del Sueve (Asturias). *RIDEA, Boletín de Ciencias de la Naturaleza* 50: 343-354. (Cons, *Lobaria*, O).
1448. BARRENO, E. & HERRERA-CAMPOS, M. A. 2009. *Parmelia barrenoae* Divakar, MC. Molina & A. Crespo un li-
- quen nuevo para la flora asturiana. *RIDEA, Boletín de Ciencias de la Naturaleza* 50: 333-341. (Flora, *Parmelia*, O).
1449. BOWKER, M. A.; MAESTRE, F. T. & ESCOLAR, C. 2010. Biological crusts as a model system for examining the biodiversity-ecosystem function relationship in soils. *Soil Biol. Biochem.* 42(3): 405-417. (Ecol, *Cladonia*, *Diploschistes*, *Fulglesia*, *Psora*, *Squamaria*, M).
1450. BRACKEL, W. & ETAYO, J. 2010. *Pronectria collematis* (*Bionectriaceae*, *Hypocreales*), a new species on *Collema* from Germany and Spain. *Lichenologist* 42(4): 361-364. (Tax, *Pronectria*, Na).
1451. BURGAZ, A. R. 2010. Nuevos datos sobre el género *Placynthium* en la Península Ibérica. *Bot. Complut.* 34: 5-19. (Tax, Flora, Corol, *Placynthium*, Esp).
1452. BURGAZ, A. R. 2010. Bibliografía Botánica Ibérica, 2009. *Bot. Complut.* 34: 113-116. (Bibl).
1453. CAMPO, E.; GIMENO, J.; CASANO, L. M.; GASULLA, F.; GARCÍA-BREIRO, F.; REIG-ARMIÑANA, J. & BARRENO, E. 2010. South European populations of *Ramalina farinacea* (L.) Ach. share different *Trebouxia* algae. *Bibl. Lichenol.* 105: 249-256. (Quim, *Ramalina*, *Trebouxia*).
1454. CARBALLAL, R.; LÓPEZ DE SILANES, M. E.; PAZ-BERMÚDEZ, G. & VALCÁRCEL, C. P. 2010. *Pannariaceae* y *Coccocarpiae* (*Coccocarpiaceae*). Flora Líquenológica Ibérica, vol. 6. Sociedad Española de Líquenología, Imprenta El Pueblo, Pontevedra. (Flora, Tax, *Coccocarpia*, *Degelia*, *Erioderma*, *Fuscopannaria*, *Moelleropsis*, *Pannaria*, *Parmeliella*, *Protopannaria*, *Psoroma*, *Vahliella*, Esp, Portugal).
1455. CATALÁ, M.; GASULLA, F.; PRADAS DEL REAL, A. E.; GARCÍA-BREIRO, F.; REIG-ARMIÑANA, J. & BARRENO, E. 2010. Fungal-associated NO is involved in the regulation of oxidative stress during rehydration in lichen symbiosis. *BCM Microbiology* 10: 297, doi:10.1186/1471-2180-10-297. (Quim, *Trebouxia*, *Asterochloris*, Cs).
1456. CORNEJO, C. & SCHEIDEGER, C. 2010. *Lobaria macaronesica* sp. nov., and the phylogeny of *Lobaria* sect. *Lobaria* (*Lobariaceae*) in Macaronesia. *Bryologist* 113(3): 590-604. (SisM, *Lobaria*, Av, Portugal).
1457. CRESPO, A.; FERENCOVA, Z.; PÉREZ-ORTEGA, S.; ELIX, J. A. & DIVAKAR, P. K. 2010. *Austroparmelina*, a new Australian lineage in parmelioid lichens (*Parmeliaceae*, Ascomycota). *Syst. Biodiv.* 8(2): 209-221. (Tax, SisM, Fla-

¹ Departamento de Biología Vegetal I, Facultad de Biología, Universidad Complutense. arbugaz@bio.ucm.es

- voparmelia, *Flavopunctelia*, *Hypotrachyna*, *Melanelia*, *Melanoalea*, *Parmelia*, *Parmelina*, *Parmelinopsis*, *Parmeliopsis*, *Parmotrema*, *Punctelia*, *Xanthoparmelia*, Esp, Portugal).
1458. DEL CAMPO, E.; CASANO, L. M.; DEL HOYO, A.; MARTÍNEZ-ALBEROLA, F. & BARRENO, E. 2010. A rapid and cost-efficient DMSO-based method for isolating DNA from cultured lichen phycobionts. *Taxon* 59(2): 588-591. (SisM, Quim, *Trebouxia*, Cs).
1459. DEL CAMPO, E.; CASANO, L. M.; GASULLA, F. & BARRENO, E. 2009. Lichen-forming *Trebouxia* phycobionts contain an unusual diversity of endonuclease-encoding group I introns within the plastid LSU rDNA: Evolutionary implications. *Int. Microb.* 12: 59-68. (SisM, *Trebouxia*).
1460. DEL CAMPO, E. M.; CASANO, L. M., GASULLA, F. & BARRENO, E. 2010. Suitability of chloroplast LSU rDNA and its diverse group I introns for species recognition and phylogenetic analyses of lichen-forming *Trebouxia* algae. *Molec. Phylogen. Evol.* 54(2): 437-444. (SisM, *Trebouxia*).
1461. DEL CAMPO, E. M.; CASANO, L. M.; GASULLA, F. & BARRENO, E. 2009. Presence of multiple group I introns closely related to bacteria and fungi in plastid 23S rRNAs of lichen-forming *Trebouxia*. *Int. Microb.* 12(1): 59-67. (SisM, *Trebouxia*).
1462. DEL CAMPO, E. M.; CASANO, L. M.; GASULLA, F. & BARRENO, E. 2010. Suitability of chloroplast LSU rDNA and its diverse group I introns for species recognition and phylogenetic analyses of lichen-forming *Trebouxia* algae. *Molec. Phylogen. Evol.* 54: 437-444. (Quim, SisM, *Trebouxia*, Cs).
1463. DEL CAMPO, E. M.; DEL HOYO, A.; ROYO, C.; CASANO, L. M.; ÁLVAREZ, R. & BARRENO, E. 2010. A single primer pair gives a specific ortholog amplicon in a wide range of cyanobacteria and plastid-bearing organisms: Applicability in inventory of reference material from collections and phylogenetic analysis. *Molec. Phylogen. Evol.* 57(3): 1323-1328. (SisM, *Dictiochloropsis*, *Trebouxia*).
1464. DEL CAMPO, E. M.; GIMENO, J.; DE NOVA, J. P. G.; CASANO, L. M.; GASULLA, F.; GARCÍA-BREJO, F.; REIG-ARMÍÑANA, J. & BARRENO, E. 2010. South European populations of *Ramalina farinacea* (L.) Ach. share different *Trebouxia* algae. *Biblio. Lichenol.* 105: 247-256. (Ecol, SisM, *Ramalina*, *Trebouxia*, Cs).
1465. DEL-PRADO, R.; CUBAS, R.; LUMBSCH, H. T.; DIVAKAR, P. K.; BLANCO, O.; AMO DE PAZ, G.; MOLINA, M. C. & CRESPO, A. 2010. Genetic distances within and among species in monophyletic lineages of *Parmeliaceae* (Ascomycota) as a tool for taxon delimitation. *Molec. Phylogen. Evol.* 56: 125-133. (Tax, SisM, *Parmeliaceae*).
1466. DELTORO, V. I.; GIMENO, C.; CALATAYUD, A. & BARRENO, E. 2009. Effects of SO₂ fumigations on photosynthetic CO₂ gas exchange, chlorophyll a fluorescence emission and antioxidant enzymes in the lichens *Evernia prunastri* (L.) Ach. and *Ramalina farinacea* L. *Physiol.*
- Plant.* 105: 648-654. (Bioin, Ecol, Quim, *Evernia*, *Ramalina*, Cs).
1467. DIEDERICH, P.; ERTZ, D. & ETAYO, J. 2010. An enlarged concept of *Llimoniella* (lichenicolous Helotiales), with a revised key to the species and notes on related genera. *Lichenologist* 42(3): 253-269. (Tax, *Llimoniella*, *Rhombocarpus*, So, Z).
1468. DIVAKAR, P. K.; FIGUERAS, G.; HLADUN, N. & CRESPO, A. 2010. Molecular phylogenetic studies reveal an undescribed species within the North American concept of *Melanelia glabra*. *Fungal Diversity* 42: 47-55. (SisM, *Melanelia*, Av, Ca, Lo, M, Sa, Portugal).
1469. DIVAKAR, P. K.; LUMBSCH, H. T.; FERENCOVA, Z.; DEL PRADO, R. & CRESPO, A. 2010. *Remotrachyna*, a newly recognized tropical lineage of lichens in the *Hypotrachyna* clade (*Parmeliaceae*, Ascomycota), originated in the Indian subcontinent. *Am. J. Bot.* 97(4): 579-590. (SisM, *Hypotrachyna*, *Parmelina*, *Parmelinopsis*, *Parmeliopsis*, Bi, C, Ca, M, Te).
1470. EGAN, R. S. 2010. Recent literature on lichens 216, 217, 218. *Bryologist* 113(1, 2, 3): 192-220, 390-402, 690-705. (Bibl).
1471. ETAYO, J. 2010. Líquenes y hongos liquenócolas de Aragón. *Guineana* 16: 3-501. (Flora, Tax, Hu, Te, Z).
1472. ETAYO, J. & TRIEBEL, D. 2010. New and interesting lichenicolous fungi at the Botanische Staatsammlung München. *Lichenologist* 42(3): 231-240. (Tax, *Clypeococcum*, Esp, Portugal).
1473. FERENCOVA, Z.; DEL PRADO, R.; PÉREZ-VARGAS, I.; HERNÁNDEZ-PAADRÓN, C & CRESPO, A. 2010. A discussion about reproductive modes of *Pseudevernia furfuracea* based on phylogenetic data. *Lichenologist* 42(4): 449-460. (Anat, SisM, *Hypogymnia*, *Pseudevernia*, Lo, M).
1474. FERNÁNDEZ-BRIME, S.; LLIMONA, X. & NAVARRO-ROSINÉS, P. 2010. *Lichenostigma rupicolae* (*Lichenotheliaceae*), a new lichenicolous species growing on *Pertusaria rupicola*. *Lichenologist* 42(3): 241-247. (Tax, *Lichenostigma*, B, Ge, T).
1475. FRIDAY, A. M. & LENDEMER, J. C. 2010. Reassessment of the genus *Catillochroma* (lichenized ascomycota, *Ramalinaceae*). *Lichenologist* 42(5): 587-600. (Tax, *Catillochroma*, *Megalaria*, Portugal).
1476. GASULLA, F.; GÓMEZ DE NOVA, P.; ESTEBAN-CARRASCO, A.; ZAPATA, J. M.; BARRENO, E. & GUÉRA, A. 2009. Dehydration rate and time of desiccation affect recovery of the lichenic algae *Trebouxia erici*: alternative and classical protective mechanisms. *Planta* 231(1): 195-208. (Quim, *Trebouxia*, Cs).
1477. GASULLA, F.; GUÉRA, A. & BARRENO, E. 2010. A simple and rapid method for isolating lichen photobionts. *Symbiosis* 51: 175-179. (Quim, *Trebouxia*, Cs, Mill, O, Te, Z).
1478. GIRALT, M. 2010. *Physciaceae I*. Flora Líquenológica Ibérica, vol. 5. Sociedad Española de Lichenología, Impresores de Barcelona, Barcelona. (Flora, Tax, *Endohyalina*, *Rinodina*, *Rinodinella*, Esp, Portugal).

1479. GIRALT, M. & ELIX, J. A. 2010. New morphological and chemical data for *Buellia imshaugii*. *Lichenologist* 42(6): 763-765. (Tax, *Buellia*, *Tetramelias*).
1480. GIRALT, M.; NORDIN, A. & ELIX, J. A. 2010. A new chemotype of *Buellia triseptata* (*Physciaceae*). *Bryologist* 113(1): 72-76. (Tax, *Buellia*, Portugal).
1481. GIRALT, M.; VAN DEN BOOM, P. P. G. & ELIX, J. A. 2010. *Endohyalina*, the genus in the *Physciaceae* to accommodate the species of the *Rinodina ericina*-group. *Mycol. Progress* 9: 37-48. (Tax, *Endohyalina*, *Rinodina*, B, Ge, Mn, Portugal).
1482. HAWKSWORTH, D. H.; RICO, V. J.; BARRASA, J. M. & KOCOURKOVÁ, J. 2009. On the identity of Velenovský's *Cantharellus peltigerae*. *Mycotaxon* 109: 315-318. (Tax, *Arrhenia*, *Cantharellus*).
1483. HAWKSWORTH, D. L. & ETAYO, J. 2010. *Calongia gibelluloides* gen. sp. nov., a remarkable minute new lichenicolous conidial fungus from northern Spain. *Lichenologist* 42(4): 355-359. (Tax, *Calongia*, SS).
1484. JØRGENSEN, P. M. 2010. New discoveries in the lichen genus *Stauromema* Körber. *Nova Hedwigia* 90(1-2): 153-159. (Corol, *Stauromema*).
1485. KNUDSE, K.; REEB, V.; WESTBERG, M.; SRIKANTHA, R. & BHATTACHARYA, D. 2010. *Acarospora rosulata* in Europe, North America and Asia. *Lichenologist* 42(3): 291-296. (Tax, SisM, *Acarospora*).
1486. LENDEMER, J. C. & HODKINSON, B. P. 2010. A new perspective on *Punctelia subrudecta* (*Parmeliaceae*) in North America: previously rejected morphological characters corroborate molecular phylogenetic evidence and provide insight into an old problem. *Lichenologist* 42(4): 405-421. (Tax, SisM, *Punctelia*).
1487. LLOP, E. 2010. *Bacidia punica* (*Ramalinaceae*), a new corticolous species from the Mediterranean region. *Bryologist* 113(2): 365-370. (Tax, *Bacidia*, B, Ca, Ge, Ib, Mi, Mn, T, V, Portugal).
1488. LLOP, E. & GÓMEZ-BOLEA, A. 2009. Contribució a la flora líquenica de la Garrotxa: líquens dels alzinars madurs. *Butll. Inst. Cat. Hist. Nat.* 75: 49-60. (Flora, Ge).
1489. MAESTRE, F. T.; MARTÍNEZ, I.; ESCOLAR, C. & ESCUDERO, A. 2009. On relationship between abiotic stress and co-occurrence patterns: an assessment at the community level using soil lichens communities and multiple stress gradients. *Oikos* 118(7): 1015-1022. (Ecol, *Diploschistes*, M).
1490. MARQUES, A. P.; FREITAS, M. C.; WOLTERBEEK, H. T. & VERBURG, T. 2009. *Parmelia sulcata* lichen transplants positioning towards wind direction (Part I): precipitation volumes, total element deposition and lichen element content. *J. Radioanalytic Nuclear Chem.* 281(2): 225-230. (Quim, *Parmelia*, Portugal).
1491. MARQUES, A. P.; FREITAS, M. C.; WOLTERBEEK, H. T. & VERBURG, T. 2009. *Parmelia sulcata* lichen transplants positioning towards wind direction (Part II): element correlation correlations and relationships with atmospheric element deposition. *J. Radioanalytic Nuclear Chem.* 281(2): 231-236. (Quim, *Parmelia*, Portugal).
1492. MARTINHO, M. & FREITAS, M. C. 2009. Spatial regression analysis between air pollution and childhood leukemia in Portugal. *J. Radioanalytic and Nuclear Chemistry* 281(2): 175-179. (Patol, Portugal).
1493. MOYA, A.; DE LAS HERAS, J.; LÓPEZ SERRANO, F. R.; CONDES, S. & ALBERDI, I. 2009. Structural patterns and biodiversity in burned and managed Aleppo pine stands. *Plant Ecology* 200: 217-228. (Ecol, Ab, B, Mu, T).
1494. MUÑIZ, D. & HLADUN, N. 2010. *Caliciodes*. Flora Líquenológica Ibérica, vol. 7. Sociedad Española de Líquenología, Impresores de Barcelona, Barcelona. (Tax, Flora, *Calicium*, *Chaeotheca*, *Chaenothecopsis*, *Cyphelium*, *Microcalicum*, *Mycocalicium*, *Phaeocalicium*, *Sclerophora*, *Sphinctrina*, *Stenocybe*, *Thelomma*, Esp, Portugal).
1495. NADYEINA, O.; GRUBE, M. & MAYRHOFER, H. 2010. A contribution to the taxonomy of the genus *Rinodina* (*Physciaceae*, lichenized Ascomycotina) using combined ITS and mtSSU rDNA data. *Lichenologist* 42(5): 521-531. (Tax, SisM, *Endohyalina*, B, T).
1496. OTÁLORA, M. A. G.; ARAGÓN, G.; MOLINA, M. C.; MARTÍNEZ, I. & LUTZONI, F. 2010 Disentangling the *Collema-Leptogium* complex through a molecular phylogenetic study of the *Collemataceae* (Peltigerales, lichen-forming fungi, Ascomycota). *Mycologia* 102(2): 279-290. (Tax, SisM, *Collema*, *Leptogium*, *Placythinium*, *Stauromema*).
1497. OTÁLORA, M. A. G.; MARTÍNEZ, I.; ARAGÓN, G. & MOLINA, M. C. 2010. Phylogeography and divergence date estimates of a lichen species complex with a disjunct distribution pattern. *Am. J. Bot.* 97(2): 216-223. (Tax, SisM, *Leptogium*, Ab, J, M, Ma, To, Portugal).
1498. OTÁLORA, M. A. G.; MARTÍNEZ, I.; O'BRIEN, H.; MOLINA, M. C. & ARAGÓN, G. 2010. Multiple origins of high reciprocal symbiotic specificity at an intercontinental spatial scale among gelatinous lichens (*Collemataceae*, *Lecanoromycetes*). *Molec. Phylogen. Evol.* 56: 1089-1095. (Tax, SisM, *Collema*, *Leptogium*, Ab, Bi, C, Cc, Cu, Gr, Gu, J, Lo, M, S, To, Portugal).
1499. PÉREZ-ORTEGA, S. & ETAYO, J. 2010. *Labrocarpon* gen. nov. from *Melaspilea canariensis*, with the description of *Buellia protoparmeliopsis* sp. nov. from South America. *Lichenologist* 42(3): 271-176. (Tax, *Labrocarpon*, *Melaspilea*, Portugal).
1500. PÉREZ-ORTEGA, S.; HALICI, M. G.; KNUDSEN, K. & CANDAN, M. 2010. A new *Stigmidiump* sensu stricto on *Thelenella muscorum*. *Lichenologist* 42(4): 397-403. (Tax, *Thelenella*, *Stigmidiump*, Bu, Sg).
1501. PÉREZ-ORTEGA, S.; SPRIBILLE, T.; PALICE, Z.; ELIX, J. A. & PRINTZEN, C. 2010. A molecular phylogeny of the *Lecanora varia* group, including a new species from western North America. *Mycol. Progress* 9: 523-535. (SisM, *Lecanora*, Cc, To).
1502. PÉREZ-VALCÁRCEL, C.; LÓPEZ DE SILANES, M. E. & PAZ-BERMÚDEZ, G. 2010. *Verrucaria mundula* P.M. McCarthy (*Verrucariaceae*, Ascomycota) - a new record

- for the Northern Hemisphere. *Bryologist* 113(2): 267-271. (Tax, Corol, *Verrucaria*, C, H, Lu, Or, P).
1503. PÉREZ-VARGAS, I.; HERNÁNDEZ-PADRÓN, C.; ARROYO, R. & SERIÑÁ, E. 2010. *Usnea chaetophora*, a lichen new to the Macaronesian Region. *Lichenologist* 42(3): 347-351. (Tax, *Usnea*).
1504. PINO-BODAS, R.; BURGAZ, A. R. & MARTÍN, M^aP. 2010. Elucidating the taxonomic rank of *Cladonia subulata* versus *C. rei* (*Cladoniaceae*). *Mycotaxon* 113: 311-326 (Tax, SisM, *Cladonia*, Av, Bu, Lo, O, P, Sg, Vi, Portugal).
1505. PINO-BODAS, R.; BURGAZ, A. R. & MARTÍN, M^aP. 2010. Insight into the *Cladonia convoluta*-*C. foliacea* (*Cladoniaceae*, Ascomycota) complex and related species, revealed through morphological, biochemical and phylogenetic analyses. *Syst. Biodiv.* 8(4): 575-586. (Tax, SisM, *Cladonia*, Av, B, Bu, Ca, Cu, Ge, Gr, Gu, L, Le, M, Or, Sg, So, T, To, PM, Portugal).
1506. PINTADO, A.; SANCHO, L. G.; BLANQUER, J. M.; GREEN, T. G. A. & LAZARO, R. 2010. Microclimatic factors and photosynthetic activity of crustose lichens from the semiarid southeast of Spain: long-term measurements for *Diploschistes diacapsis*. *Biblio. Lichenol.* 105: 211-224. (Ecol, *Diploschistes*, Al).
1507. PRIETO, M.; ARAGÓN, G. & MARTÍNEZ, I. 2010. The genus *Catapyrenium* s. lat. (*Verrucariaceae*) in the Iberian Peninsula and Balearic Islands. *Lichenologist* 42(6): 637-685. (Tax, *Anthracobrandon*, *Catapyrenium*, *Clavascidium*, *Heteroplacidium*, *Involucropyrenium*, *Neocatapyrenium*, *Placidium*, Esp).
1508. PRIETO, M.; MARTÍNEZ, I.; ARAGÓN, G.; OTÁLORA, M. G. & LUTZONI, F. 2010. Phylogenetic study of *Catapyrenium* s. str. (*Verrucariaceae*, lichen-forming Ascomycota) and related genus *Placiopsis*. *Mycologia* 102(2): 291-304. (Tax, SisM, *Catapyrenium*, *Placiopsis*, *Placidium*, Cc, Cs, Cu, Hu, L, Le, Lo, M, Na, O, P, PM, S, To, Z).
1509. SACRISTÁN, M.; MILLANES, A. M.; FONTANELLA, B.; LEGAZ, M. E. & VICENTE, C. 2008. A first attempt to elucidate the amino acid sequence of some lichen lectins. *Oyton (Argentina)* 77: 253-262. (Quim, *Evernia*, *Xanthoria*).
1510. SALVÁ, G. & BARRENO, E. 2009. *Seirophora villosa* (Ach.) Fröden. Bioatles, Palma: Conselleria de Medi Ambient, 4^a ed. (Corol, Ecol, *Seirophora*, A, Mill, Ib, Form, Portugal).
1511. SANCHO, L. G.; DE LA TORRE, R. & PINTADO, A. 2009. Lichens, new and promising material from experiments in astrobiology. *Fungal Biology Reviews* 22: 103-109. (Quim, Ecol, *Rhizocarpon*, *Xanthoria*).
1512. SEWARD, M. R. D. 2010. World distribution and ecology of *Degelia plumbea* s.l. *Brit. Lich. Soc. Bull.* 107: 52-62. (Ecol, *Degelia*, Esp, Portugal).
1513. SÉRUSIAUX, E.; BRAND, A. M.; MOTIEJUNAITE, J.; ORANGE, A. & COPPINS, B. J. 2010. *Lecidea doliformis* belongs to *Micarea*, *Catillaria alba* to *Biatora*, and *Biatora lignimollis* occurs in Western Europe. *Bryologist* 113(2): 333-344. (Tax, SisM, *Biatora*, *Catillaria*, *Lecidea*, *Micarea*, Na).
1514. TIMDAL, E. 2010. *Porpidinia* (*Porpidiaceae*), a new genus for *Toninia tumidula*. *Bibl. Lichenol.* 104: 333-337. (Tax, *Porpidinia*, *Toninia*).

ÍNDICE TEMÁTICO

- Anatomía** (Anat): 1473.
- Bibliografía** (Bibl): 1452, 1470.
- Bioindicadores** (Bioin): 1466.
- Conservación** (Cons): 1447.
- Corología** (Corol): 1451, 1484, 1502, 1510.
- Ecología** (Ecol): 1443, 1449, 1464, 1466, 1489, 1493, 1506, 1510, 1511, 1512.
- Fitoquímica** (Quim): 1444, 1445, 1453, 1455, 1458, 1462, 1466, 1476, 1477, 1490, 1491, 1509, 1511.
- Flora** (Flora): 1440, 1448, 1451, 1454, 1471, 1478, 1488, 1494.
- Patología** (Patol): 1492.
- Sistemática** (Tax): 1441, 1442, 1446, 1450, 1451, 1454, 1456, 1457, 1465, 1467, 1471, 1472, 1474, 1475, 1478, 1479, 1480, 1481, 1482, 1483, 1485, 1486, 1487, 1494, 1495, 1496, 1497, 1498, 199, 1500, 1502, 1503, 1504, 1505, 1507, 1508, 1513, 1514.
- Sistemática Molecular** (SisM): 1441, 1442, 1456, 1457, 1458, 1459, 1460, 1461, 1462, 1463, 1464, 1465, 1468, 1469, 1473, 1485, 1486, 1495, 1496, 1497, 1498, 1501, 1504, 1505, 1508.

ÍNDICE TAXONÓMICO

- Acarospora*: 1485.
Anthracocarpon: 1507.
Arhenia: 1446, 1482.
Astherochloris: 1455.
Bacidia: 1487.
Biatora: 1513.
Buellia: 1479, 1480.
Calicium: 1494.
Calongia: 1483.
Catapyrenium: 1507, 1508.
Cantharellus: 1482.
Catillaria: 1513.
Catilochroma: 1475.
Chaenotheca: 1494.
Chaenothecopsis: 1494.
Cladonia: 1449, 1504, 1505.
Clavascidium: 1507.
Clypeococcum: 1472.
Coccocarpia: 1454.
Collema: 1496, 1498.
Degelia: 1454, 1512.
Dictiochloropsis: 1463.
Diploschistes: 1449, 1489, 1506.
Endohyalina: 1478, 1481, 1495.
Erioderma: 1454
Evernia: 1466, 1509.
Flavoparmelia: 1441, 1442, 1457.
Flavopunctelia: 1457.
Fulgensia: 1449.
Fuscopannaria: 1454.
Heteroplacidium: 1507.
Hypogymnia: 1473.
Hypotrachyna: 1457, 1469.
Involucropyrenium: 1507.
Karoowia: 1442.
Labrocarpon: 1499.
Lecanora: 1501.
Lecidea: 1513.
Leptogium: 1496, 1497, 1498.
Lichenostigma: 1474.
Lobaria: 1447, 1456.
Llimonea: 1467.
Melanelixia: 1457, 1468.
Melanohalea: 1457.
Melaspilea: 1499.
Micarea: 1513.
Microcalicium: 1494.
Megalaria: 1475.
Moelleropsis: 1454.
Mycocalicium: 1494.
Neocatapyrenium: 1507.
Omphalodiella: 1441.
Pannaria: 1454.
Parmelia: 1448, 1457, 1490, 1491.
Parmeliaceae: 1465.
Parmeliella: 1454.
Parmelina: 1457, 1469.
Parmelinopsis: 1457, 1469.
Parmeliopsis: 1457, 1469.
Parmotrema: 1457.
Phaecocalicium: 1494.
Placiopsis: 1508.
Placidium: 1507, 1508.
Placoparmelia: 1441.
Placynthium: 1451, 1496.
Porpidinia: 1514.
Protopannaria: 1454.
Psora: 1449.
Psoroma: 1454.
Pronectria: 1450.
Pseudevernia: 1473.
Punctelia: 1441, 1442, 1457, 1486.
Ramalina: 1453, 1464, 1466.
Rhizocarpon: 1511.
Rhymbocarpus: 1467.
Rinodina: 1478, 1481.
Roselliniella: 1478.
Sclerophora: 1494.
Seirophora: 1510.
Sphinctrina: 1494.
Squamaria: 1449.
Staurolemma: 1484, 1496.
Stenocybe: 1494.
Stigmidium: 1500.
Tetramelas: 1479.
Thelenella: 1500.
Thelomma: 1494.
Toninia: 1514.
Trebouxia: 1453, 1455, 1458, 1459, 1460, 1461, 1463, 1464, 1476, 1477.
Usnea: 1503.
Vahliella: 1454.
Verrucaria: 1502.
Xanthoparmelia: 1441, 1442, 1457.
Xanthoria: 1509, 1511.

ÍNDICE GEOGRÁFICO

- Álava (**Vi**): 1504.
 Alicante (**A**): 1510.
 Albacete (**Ab**): 1443, 1493, 1497, 1498.
 Almería (**Al**): 1506.
 Asturias (**O**): 1447, 1448, 1477, 1504, 1508.
 Ávila (**Av**): 1456, 1468, 1504, 1505.
 Baleares (**PM**): 1505, 1508.
 Formentera (**Form**): 1510.
 Ibiza (**Ib**): 1487, 1510.
 Mallorca (**Mll**): 1477, 1487, 1510.
 Menorca (**Mn**): 1481, 1487.
 Barcelona (**B**): 1440, 1441, 1442, 1474, 1481, 1487, 1493, 1495, 1505.
 Burgos (**Bu**): 1500, 1504, 1505.
 Cáceres (**Cc**): 1498, 1505, 1508.
 Cádiz (**Ca**): 1468, 1505.
 Cantabria (**S**): 1498, 1508.
 Castellón (**Cs**): 1455, 1458, 1462, 1464, 1466, 1476, 1477, 1508.
 Ciudad Real (**CR**): 1443.
 Coruña, La (**C**): 1498, 1502.
 Cuenca (**Cu**): 1443, 1498, 1505, 1508.
 Gerona (**Ge**): 1441, 1442, 1474, 1487, 1488, 1505.
 Granada (**Gr**): 1498, 1505.
 Guadalajara (**Gu**): 1441, 1442, 1443, 1498, 1505.
 Guipúzcoa (**SS**): 1483.
 Huelva (**H**): 1502.
 Huesca (**Hu**): 1471.
 Jaén (**J**): 1497, 1498.
 León (**Le**): 1505, 1508.
 Lérida (**L**): 1505, 1508.
 Lugo (**Lu**): 1502.
 Madrid (**M**): 1441, 1442, 1446, 1449, 1468, 1473, 1489, 1497, 1498, 1505, 1508.
 Málaga (**Ma**): 1497.
 Murcia (**Mu**): 1493.
 Navarra (**Na**): 1450, 1508, 1513.
 Orense (**Or**): 1502, 1505.
 Palencia (**P**): 1504.
 Rioja, La (**Lo**): 1441, 1442, 1468, 1473, 1498, 1504, 1508.
 Salamanca (**Sa**): 1441, 1442, 1468.
 Segovia (**Sg**): 1500, 1504, 1505.
 Soria (**So**): 1441, 1467, 1505.
 Tarragona (**T**): 1474, 1487, 1493, 1495, 1505.
 Teruel (**Te**): 1441, 1442, 1471, 1477.
 Toledo (**To**): 1443, 1497, 1498, 1501, 1505, 1508.
 Valencia (**V**): 1487.
 Vizcaya (**Bi**): 1498.
 Zamora (**Za**): 1441, 1442.
 Zaragoza (**Z**): 1441, 1442, 1467, 1471, 1477, 1508.
 España (**Esp**): 1451, 1454, 1457, 1472, 1478, 1494, 1507, 1512.
 Portugal: 1441, 1442, 1444, 1445, 1454, 1456, 1457, 1468, 1472, 1475, 1478, 1480, 1481, 1487, 1490, 1491, 1492, 1494, 1497, 1498, 1499, 1504, 1505, 1510, 1512.