

# A New Online Intensity Data Point Database for Portugal

**J. Batlló**

*Instituto D. Luiz, IDL-UL, Lisboa, Portugal*

**F. Carrilho, P. Alves & J. Cruz**

*Instituto de Meteorologia, I. P., Lisboa, Portugal*

**M. Locati**

*Istituto Nazionale di Geofisica e Vulcanologia, Milano, Italy*



## SUMMARY:

Online macroseismic intensity databases are becoming common tools in the framework activities related to seismic hazard assessment as they can offer a consistent information background. In Europe, institutions such as INGV (IT), ETH (CH) and Sisfrance (FR) have well-established Macroscopic Intensity Databases. In the framework of the EC projects NERIES (2006-2010) and SHARE (2009-2012), the European "Archive of Historical EArthquake Data" AHEAD was established. Other European institutions are now in the process of creating their own intensity databases following such a proposed common standard.

Portugal is among those countries working on a macroseismic intensity database, as at present an updated general compilation of the mainland Portugal macroseismicity is still unavailable. The IM, has among its short term objectives to compile a macroseismic database and to give free access to it on the web. To manage it, the MIDOP software, created and developed by the Italian INGV has been selected. It allows easy access to earthquake listing and visualization of geographical distribution of intensity data points through a web page without the need of installing a complex infrastructure. MIDOP underlying structure strictly follows the standard proposed by AHEAD and with its adoption the collected data will be compatible with other national databases. The status of the project is here presented.

*Keywords: Macroscopicismology, Portugal, Online catalogue.*

## 1. INTRODUCTION

Macroscopic intensity data, often referred as MDPs (Macroscopic Data Points), are commonly used as a background resource of information for seismic hazard assessment. Well organized databases allow optimizing the use of such kind of data. At a European level, research institutions such as INGV (IT), ETH (CH) and Sisfrance (FR) have well-established digitized Macroscopic Intensity Databases (see webpages). In the last years, in the framework of the activities of the EC Projects "Network of Research Infrastructures for European Seismology" NERIES (2006-2010) and "Project Seismic Hazard Harmonization in Europe" SHARE (2009-2012), a new database called the "Archive of Historical EArthquake Data" AHEAD was established. The main scope of the initiative is trying to standardise the approach on retrieving, storing, analysing and presenting historical macroscopic information. On the wave of such projects, other institutions such as BGS (UK), ITSAK (GR) and NOA (GR) started organizing their own intensity databases.

Portugal is still missing such a resource of well-organized and easy-accessible information. But, to improve this situation, the Instituto de Meteorologia, I. P. (IM), in charge of surveying Portugal seismicity, has among its short term objectives to compile a first version of the database and to give free access to it on the web. This new macroscopic catalogue and database for Portugal mainland will be built by assembling the available material and organising it in a comprehensive database. This database will serve as a base for further revisions and specific studies.

European-wise, existing macroscopic databases at INGV, ETH and Sisfrance adopts different

technical solutions, both for organising and for presenting their own data. As on developing AHEAD, our effort was starting from scratch (studies and data sources are collected and reviewed before introducing them on the archive), much attention was paid to lay a solid basis upon which building up the database. The standard proposed by AHEAD can guarantee a long-term sustainability as it was created trying to homogenise all the past European efforts. In order to support the growth of local intensity databases, AHEAD created a convenient tool called MIDOP (Macroseismic Intensity Data Online Publisher) to organise and publish intensity data on the Internet easier. This flexible software is designed and developed by the Istituto Nazionale di Geofisica e Vulcanologia (INGV) and allows easy access to earthquakes listing and visualization of geographical distribution of intensity data points through an intuitive web page.

For these reasons, MIDOP has been selected to organize the new Portuguese macroseismic database to be implemented by the IM, with the collaboration of other groups. Nevertheless, as the same software has been adopted or is under implementation in other European seismic institutions (ex. IGN in Spain), such a solution will greatly help the collaboration with other institutions in this topic.

## 2. MACROSEISMIC DATA IN PORTUGAL

Macroscopic studies have been a topic of permanent interest in the Iberian Peninsula. Roca *et al.* (2004) summarized the state of the art ten years ago. Focusing in Portugal, the 1980's saw large efforts to revise the Portuguese seismic catalogue and its associated macroseismic effects on behalf of the initiatives taken by the *Gabinete de Protecção e Segurança Nuclear*. But after this intense period, only few studies on specific topics or earthquakes have been undertaken (e. g., Justo and Salwa, 1998; Teves-Costa and Batlló, 2011). As a result, an updated general compilation of the mainland Portugal macroseismicity is still unavailable.

Since its creation in 1947, the IM has been compiling and evaluating macroseismic information about the earthquakes felt in the whole country and publishing the Intensity data points as printed volumes I and II of "Anuário Sismológico de Portugal" covering, respectively, from 1947 until 1973 and from 1974 to 2000. The Volume III, covering from 2001 onwards, changed its name for "Anuário Macrossismológico de Portugal". Figure 1 shows the front cover of the last published issue.

All the IM macroseismic intensity data published since 1947 are stored in an internal application called MACROSS, which was developed for exchanging data with other tools operating at IM such as Seisan. Seisan is a seismic analysis system for analyzing earthquakes from analog and digital data (Ottemöller *et al.*, 2012). Like any other Seisan data, macroseismic data are stored in a database like structure using the file system, where there is one ASCII file per event. Each file contains the original time of the event, the place information (name, latitude and longitude) and the corresponding macroseismic intensity.

## 3. MIDOP OVERVIEW

Within the European project NERIES, the NA4 module "Distributed Archive of Historical Earthquake Data" ([http://emidius.mi.ingv.it/neries\\_NA4](http://emidius.mi.ingv.it/neries_NA4)) developed an open source software called MIDOP ("Macroseismic Intensity Data Online Publisher" <http://emidius.eu/MIDOP>), which allows publishing macroseismic data on the Internet (Locati and Cassera, 2010). The tool is developed by INGV, and it is being maintained and used in AHEAD ("European Archive of Historical Earthquake Data", <http://emidius.eu/AHEAD>). MIDOP can convert unappealing data tables into interactive and easily personalised maps ready to be put on the Internet. The generated content is safe against hacker attacks, it does not require a powerful web server or a complex installation and has no maintenance issues. These four key features simplify enormously the adoption of MIDOP in a seismic institution which has usually limited resources, especially for managing macroseismic data.

Publishing data on the Internet is a common task in seismology, a task which however is usually carried out by third party subjects with a different knowledge than those seismologists who did actually create such data. This situation causes a back and forth process of information between the data producer (the seismologist) and the designer of the web content due to lack of common knowledge between the two parties. The process can easily end up with errors or misleading presentation information in the published material. By design, MIDOP tries to fill the gap between data production and publications, allowing seismologists to directly tweak most aspects of the final layout of the web content by using an intuitive point-and-click control panel.



**Figure 1.** Cover of one of the last published issues of the “Anuário Macrossismológico de Portugal”.

The starting point consists on the building up of two data tables: a) the list of earthquakes and b) the observed macroseismic intensity data related to each of the mentioned earthquakes (described in the next sections).

Two more tables or sets of information can be added. The first one is related to the information sources, i.e., the references of the information displayed. The second one is related to the description of the observation points, i.e., the geographical points of observation.

MIDOP already contains a set of geographic data (administrative subdivision, important cities, the topographic MDT) covering all of Europe and generates maps using the most appropriate UTM zone in each case. The geographic layers can be enabled or disabled and their appearance can be modified according to individual requirements (Fig. 2). Additional custom geographic layers can be created easily by converting ESRI-shapefiles to SVG-files.

In order to use MIDOP a development machine is required which can be the seismologist PC itself, where a web server (Apache), a macro language (PHP) and a DBMS (MySQL) should be installed. The generated output website is composed of simple HTML files with JavaScript and interactive maps are standard W3C SVG (Scalable Vector Format) files.




Figure 2. Available settings for geographic layers customisation.

Publishing a website is divided into a three stages process: 1) loading the list of earthquakes and intensity data tables into MySQL; 2) customizing the content and the final visual layout (source fields to be used, intensity symbols, style the selected geographical layers and the default zoom level), all using an intuitive control panel; 3) creating the output folder with the self-sustained website (HTML and image files) ready to be transferred to the web server of the institution. Multiple websites can be managed with a single MIDOP installation, each its own settings.

Users can view published material by selecting earthquakes from a map or from a table, and for each earthquake it is possible to map and zoom the map in real time. It should be also mentioned that such interaction with the content does not require any further request to the webserver as any operation is performed by the client browser. If needed, intensity data can be downloaded as a Microsoft Excel file or viewed into Google Earth.

### 3.1. Earthquake list input

The minimum information that MIDOP requires in this table is the origin-time of the earthquake and the unique code identifier of the earthquake. This identifier must be a number or an alphanumeric code, and it should be different from the origin-time as it can cause problems when working with historical earthquakes (large uncertainties of time, sometimes even days or months) or when a wide area is covered.

If available, a set of additional information can be used (Figure 3). In the case of IM, available data for the period 1947 to present consist in the epicentral coordinates, epicentral intensity and, for some of the events, magnitude.

### 3.2. Macroseismic intensity data input

The minimum set of information for this table is the reference identification code of the earthquake (the same used in the earthquake list table), the observed macroseismic intensity value and the location coordinates to which the intensity is referred to.

Other additional information can also be included in the table, namely:

- the macroseismic scale used for expressing the intensity (MSK, MCS, EMS, MM);
- the name of the place, both as it was in the historical time of the earthquake and the modern one;
- special place/site cases, if any (e.g., a presently inhabited or deserted place, a suburb of a city, an isolated buildings, a large territory, etc.);
- an alphanumeric code expressing the quality of the intensity value;
- the country to which the place belongs and three more levels of administrative subdivision (e.g., region, province and municipality);
- The Gazetteer adopted to associate the uniqueness of the coordinates identifying the location.

The image shows two panels from the MIDOP Control Panel. The left panel, titled 'Earthquake basic information', contains fields for: EQ unique identifier\* (EQid), year (Year), month (Mo), day (Da), hour (Ho), minutes (Mi), seconds (Se), comment to time (Ct), epicentral area (Ax), epicentral area shortened (AxShort), references\* (RefCode), earthquake type (EQtype), and notes about the earthquake (Notes). Below this is the 'Corresponding MDP dataset' section with a checkbox for 'allow earthquakes without MDPs', and fields for MDP dataset identifier\* (MDPsetID), MDP dataset study unique identifier (StudyCode), and MDP dataset study short citation (StudyShort). The right panel, titled 'Earthquake parameters', is for 'Epicentre 1' and lists 20 parameters: label (EpLabel), epicentre source (EpSource), epicentre calculation method (EpMethod), epicentre evaluation status (EpStatus), epicentre latitude (EpLat), epicentre longitude (EpLon), epicentre uncertainty (EpUnc), epicentre uncertainty ellipse, epicentre uncertainty ellipse color (#000000), epicentre uncertainty ellipse stroke (50), epicentre uncertainty ellipse stroke opacity (100%), epicentral intensity (Eplnt), epicentral intensity (numerical value) (EplntNum), magnitude source (MagSource), magnitude evaluation status (MagStatus), magnitude calculation method (MagMethod), magnitude type (MagType), magnitude (Mag), magnitude (numerical value) (MagNum), magnitude uncertainty (MagUnc), depth (Depth), depth uncertainty (DepthUnc), and epicentre symbol (StarBlueTransparent with a 'code editor' button). An 'add an epicentre' button is at the bottom.

Figure 3. MIDOP Control Panel, setting the list of available earthquakes and their available parameters.

If a unique identifier of a location is specified for each intensity observation, MIDOP can also generate a seismic history for each mentioned place (the list of all earthquakes occurred in a place) in tabular form and in an interactive diagram.

The original ASCII intensity files used in IM contained only the minimum parameters of assigned intensity, place name and coordinates. In order to enable the MIDOP generation of place seismic histories, IM performed the job of assigning to every mentioned place a unique identifier. For this reason, a throughout effort to review the coordinates of all the municipal units (in Portugal they are called “freguesias”; and each municipality is organized in several freguesias) has been made greatly improving the location of many of them. In the old databases, location of “freguesias” was taken in the geographical centre of its territory, resulting in some points being placed in forest, lakes, etc. Now these coordinates are all placed in the approximated centre of the populated area.

#### 4. PRESENT STATUS OF THE INTENSITY DATABASE AT IM

This project started in the framework activities of the NA4 module of the EC project NERIES, which was focused on the historical time-window from year 1000 to 1899 and partially (only for big events) from 1900 to 1963. For such period the most important events were retrieved and formatted. During the year 2010 the first attempt using MIDOP at the Institute of Meteorology, IP (IM) began. The work

consisted of the installation and configuration of the software on one server and the upload of the macroseismic data available. The tool is now up and running and it is used internally to keep data organised and accessible for analysis. A preliminary database for the XX Century Portugal mainland has been assembled on the basis of information contained in the database of macroseismic information from 1947 to the present. MACROSS has been used to generate tables that formed the basis for the implementation of MIDOP. The available ASCII files for each event have been automatically converted to a unique EXCEL file. This new file has been revised and completed and used as input for MIDOP. For the previous years (1900-1947) the data points contained in Choffat (1904), Choffat and Bensaude (1912), Pereira de Sousa (1914, 1917, 1922), Miranda (1930), Sousa Moreira (1991) and other manuscript documentation and internal reports preserved at the archive of the IM and mainly recompiled by the former prof. Sousa Moreira have been used to compile a new file for that period. Also some recent reviews have been included (ex. Teves-Costa and Batlló, 2011).

So far a problem of the elaborated database is the lack of homogeneity of the input data. At least six different scales are used: Rossi-Forel, Mercalli (twelve degrees), MCS17, MM31, MM56 and EMS98. Data sources for earthquakes in the period 1900-1947 are really unequal. For some earthquakes we keep in our records throughout descriptions allowing a review of the intensity degree assignment. Instead for some others just a list of assigned degrees is available. It is currently under evaluation the possibility to adopt an a-priori equivalency between macroseismic scales, as proposed by Musson et al. (2010) or some other procedure for homogenization of the data. Also, it is under study the possibility to assign a quality level to each MDP.

While processing data we found problems in the origin-time of some event, causing duplication of events. The reason of such error was a misleading use of local versus UTC times (let's remember that UTC was not adopted in Portugal until 1913).





Figure 4. Example of presentation of MIDOP environment installed on the IM data for the great earthquake of 28 February Atlantic de1969.

## 5. FUTURE DEVELOPMENTS

Future developments include the increase of macroseismic data points both by extending the coverage in space and time, both backwards and forwards. For events occurred prior to the XX Century, the revision and updating performed under NERIES and SHARE projects will be extremely helpful. As already pointed, a careful revision and homogenization of the XX century data is also required, with special attention to the time window 1900-1947.

Also magnitudes and related uncertainties (available for events with instrumental location), epicentral intensity and reference studies for all events should be included whenever available.

A further step is to include the intensity data available for the Azores and Madeira islands, resulting in a more complete coverage of the entire Portugal, both the mainland and the islands. It is expected that during the year 2012 the database, or at least part of it, will be made publicly available through the IM webportal. Figure 4 shows an example of data already available in the new application, in this case the epicentral information and MDPs corresponding to the great Atlantic event occurred on 28th February 1969 and figure 5 shows an example of seismic history for Lisbon.



**Figure 5.** Example of presentation of seismic history on MIDOP environment for the site “freguesia” of “Lisboa – Sé” (Lisbon – Cathedral). This is still a preliminary seismic history as the catalogue is not fully introduced in the database.

To finish this presentaion, let’s point that the undertaken activity of building up a comprehensive macroseismic intensity database for the whole Portugal is a huge task which has just started. By adopting the standards proposed by AHEAD and its related tool MIDOP we were able to well organise and manage our greatly underestimated data resources. Moreover by adopting such standard we are confident of being able to better collaborate with other institutions, especially those in the rest of the Iberian Peninsula.

## AKCNOWLEDGEMENT

This work has been partially supported by the NERIES (RII3-CT-2006-026130) EU project.

## REFERENCES

- Batló, J., Martínez-Solares, J. M., Cruz, J., Susagna, T. and Gómez, A. (2008). Un Catálogo Sísmico Europeo Unificado, NERIES NA4: Progresos en la Península Ibérica. *6ª Assembleia Luso-Espanhola de Geodesia e Geofísica, Resumos*, Instituto Politécnico de Tomar, Tomar, 407-408.
- Choffat P. (1904). Les Tremblements de terre de 1903 en Portugal. *Comunicações da Comissão do Serviço Geológico de Portugal*, Lisboa, Portugal.
- Choffat, P. and Bensaude, A. (1912) Estudos sobre o sismo do Ribatejo de 23 de Abril de 1909. *Com. Serv. Geol. Port.*, Lisbon, Portugal, 146 p.
- Justo, J. L. and Salwa, C. (1998). The 1531 Lisbon earthquake, *Bull. Seismol. Soc. Am.*, **88**, 319–328.
- Locati, M. and Cassera, A. (2010). MIDOP, Macroseismic Intensity Data Online Publisher, *Rapporti Tecnici INGV núm. 123*, Instituto Nazionale di Geofisica e Vulcanologia, 92 pp.
- Miranda R. (1930). Tremores de Terra em Portugal (1923-1930). Publicação do Instituto Geofísico da Universidade de Coimbra, Coimbra, Portugal.
- Moreira V. S. (1991). Sismicidade histórica em Portugal Continental. *Revista INMG*, Lisboa.
- Musson, R. M. W., Grünthal, G. and Stucchi, M. (2009). The comparison of macroseismic intensity scales. *J. Seismol.* DOI 10.1007/s10950-009-9172-0.
- Ottmøller, L., Voss, P. and Havskov, J. (2011). Seisan Earthquake Analysis Software for Windows, Solaris, Linux and MacOSx, version 9.1, Bergen University, Bergen, 368 p.
- Pereira de Sousa, F. L. (1914). Principais Macrosismos em Portugal. Anos de 1911, 1912 e 1913. *Com. do Serv. Geol. de Portugal*, **X**, 199-233.
- Pereira de Sousa, F. L. (1917). Principais Macrosismos em Portugal. Anos de 1914, 1915 e 1916. *Com. do Serv. Geol. de Portugal*, **XII**, 102-126.
- Pereira de Sousa, F. L. (1922). Principais Macrosismos em Portugal. Anos de 1917, 1918, 1919, 1920, 1921 e 1922. *Com. do Serv. Geol. de Portugal*, **XIII**, 5-20.
- Roca, A., Izquierdo, A., Sousa-Oliveira, C. and Martínez-Solares, J. M. (2004). An outline of earthquake catalogues, databases and studies of historical seismicity in the Iberian Peninsula, *Ann. Geophys.*, **47**, 561-570.
- Stucchi, M. and Locati, M. (2008). European macroseismic database (demo version). Deliverable D4 of the Networking Activity 4, NERIES project (EC project number 026130), Sixth Framework Programme EC, 41 pages. [http://emidius.mi.ingv.it/neries\\_NA4/deliverables.php](http://emidius.mi.ingv.it/neries_NA4/deliverables.php)
- Teves-Costa, P. and Batlló, J. (2011). The 23 April 1909 Benavente earthquake (Portugal): macroseismic field revision, *Journal of Seismology*, **15:1**, 59-70.

## WEBPAGES

- AHEAD – Archive of Historical Earthquake Data, < <http://www.emidius.eu/AHEAD/>>, last accessed on 21 April 2012.
- BGS – UK Historical Earthquake Database, < <http://earthquakes.bgs.ac.uk/historical/index.html>>, last accessed on 21 April 2012.
- DBMI11 – Database Macrosismico Italiano 2011, < <http://emidius.mi.ingv.it/DBMI11/>>, last accessed on 22 April 2012.
- ECOS – Earthquake Catalogue of Switzerland, < <http://hitseddb.ethz.ch:8080/ecos09/index.html?&locale=en>>, last accessed on 22 April 2012.
- IGN – Base de datos macrosísmica, < <http://www.ign.es/ign/layoutIn/bdmacrosismica.do>>, last accessed on 22 April 2012.
- NERIES NA4 – A Distributed Archive of Historical Earthquake Data, < [http://emidius.mi.ingv.it/neries\\_NA4/](http://emidius.mi.ingv.it/neries_NA4/)>, last accessed on 22 April 2012.
- SISFRANCE – Sismicité de la France, < <http://www.sisfrance.net/>>, last accessed on 22 April 2012.
- SHARE Task 3.1 – European earthquake database, < [http://www.emidius.eu/SHARE/task3\\_1/](http://www.emidius.eu/SHARE/task3_1/)>, last accessed on 22 April 2012.