



Contents lists available at SciVerse ScienceDirect

# Journal of Quantitative Spectroscopy & Radiative Transfer

journal homepage: [www.elsevier.com/locate/jqsrt](http://www.elsevier.com/locate/jqsrt)



## Note

# Comprehensive *T*-matrix reference database: A 2009–2011 update

Nadezhda T. Zakharova <sup>a,\*</sup>, Gorden Videen <sup>b</sup>, Nikolai G. Khlebtsov <sup>c</sup>

<sup>a</sup> Trinnovim/NASA Goddard Institute for Space Studies, 2880 Broadway, New York, NY 10025, USA

<sup>b</sup> US Army Research Laboratory, AMSRL-IS-EE, 2800 Powder Mill Road, Adelphi, MD 20783-1197, USA

<sup>c</sup> Institute of Biochemistry and Physiology of Plants and Microorganisms, Russian Academy of Sciences, 13 Entuziastov Ave., 410015 Saratov, Russia

## ARTICLE INFO

### Article history:

Received 10 April 2012

Accepted 10 April 2012

Available online 5 May 2012

### Keywords:

Electromagnetic scattering

*T*-matrix method

Nonspherical particles

Many-particle aggregates

## ABSTRACT

The *T*-matrix method is one of the most versatile and efficient theoretical techniques widely used for the computation of electromagnetic scattering by single and composite particles, discrete random media, and particles in the vicinity of an interface separating two half-spaces with different refractive indices. This paper presents an update to the comprehensive database of peer-reviewed *T*-matrix publications compiled by us previously and includes the publications that appeared since 2009. It also lists several earlier publications not included in the original database.

© 2012 Elsevier Ltd. All rights reserved.

## 1. Introduction

The initial database of *T*-matrix publications appeared in 2004 [1] and was followed by three updates [2–4]. As evidenced by numerous citations, this database has proved to be very useful, thereby justifying the current update. The total number of newly added references is 289 [5–293]. They mostly represent publications that appeared since 2009 plus a few publications omitted inadvertently in Refs. [1–4].

As in Refs. [1–4], the database has been compiled using the following general restrictions:

- The database contains only publications dealing with electromagnetic scattering.
- In general, publications on scattering by isolated infinite cylinders and systems of parallel infinite cylinders in unbounded space are excluded.
- Publications on the Lorenz–Mie theory and its various extensions to radially inhomogeneous spherically symmetric scatterers are not included.

- The database contains only references to books, peer-reviewed book chapters, and peer-reviewed journal papers.

Furthermore, we have continued to use the following operational definition of the *T*-matrix method:

In the *T*-matrix method, the incident and scattered electric fields are expanded in series of suitable vector spherical wave functions, and the relation between the columns of the respective expansion coefficients is established by means of a transition matrix (or *T* matrix). This concept can be applied to the entire scatterer as well as to separate parts of a composite scatterer.

Obviously, this definition is more inclusive than the original notion of the extended boundary condition method [294].

As before, the various references are classified into a set of narrower subject categories. Following the methodology adopted in Refs. [1–4], we do not assess the validity and importance of the results described in the specific publications included in this database. As a consequence, the inclusion of a publication does not constitute any formal endorsement or quality certification. Also, we do not flag specifically those publications in which well known results (such as the superposition

\* Corresponding author. Fax: +1 212 678 5552.

E-mail address: [nadezhda.zakharova@nasa.gov](mailto:nadezhda.zakharova@nasa.gov) (N.T. Zakharova).

*T*-matrix method or certain symmetry and transformation properties of the *T* matrix) are re-discovered.

Among the many recent advances, we particularly note the following:

- The publication of two specialized monographs [211,218].
- The public release of a new version of the popular superposition *T*-matrix FORTRAN program intended for use on distributed memory computer clusters [151].
- Extensive use of the superposition *T*-matrix method for numerically exact computations of electromagnetic scattering by discrete random media, periodic multi-particle arrays, and morphologically complex multi-particle clusters.
- Theory and calculations of optical resonances in non-spherical particles and particle clusters.
- Calculations of optical forces and torques on small particles with application to optical traps.
- Extensive calculations of internal, surface, and local fields as well as near-field transfer of electromagnetic energy.
- Extensive use of the *T*-matrix method in analyses of laboratory data, including the results of controlled laboratory experiments.
- Extensive applications to the modeling of scattering properties of mineral and soot aerosols; cirrus cloud particles and hydrometeors; stratospheric and mesospheric aerosol and cloud particles; interstellar, interplanetary, and cometary dust particles, planetary regoliths, and planetary ring particles; biological microorganisms.

The full range of applications of the *T*-matrix method is, of course, significantly broader.

## 2. Particles in infinite homogeneous space

### 2.1. Books

[171,211,218]

### 2.2. Reviews

[52,79,119,144,172,179,253]

### 2.3. Extended boundary condition method and its modifications and generalizations

[53,61–63,68,70,92,101,202–206,218,219,236,237,264,282,284]

### 2.4. *T*-matrix theory and computations for anisotropic, chiral, magnetic, and charged scatterers

[118,133,134,233]

### 2.5. Superposition *T*-matrix method and its modifications, including related mathematical tools

[23,54,118,123,133,134,136,137,151,152,177,193,194,225]

### 2.6. *T*-matrix theory of electromagnetic scattering by periodic and aperiodic configurations of particles and photonic crystals

[39,83,86,126,137,192,242,257,258,275]

### 2.7. *T*-matrix theory and computations of electromagnetic scattering by discrete random media

[52,55,117,147,150,151,169,170,171,173,199,207,253,256,266]

### 2.8. Relation of the *T*-matrix method to other theoretical approaches

[17,61–63,85,145,218,219,265]

### 2.9. Symmetry properties of the *T*-matrix, analytical ensemble-averaging approaches, and linearization

[59,71,101,106,204,241]

### 2.10. Convergence of various implementations of the *T*-matrix method

[61,70,81,92,108,219,225,237]

### 2.11. *T*-matrix calculations for homogeneous spheroids

[5,7,9,13,15,16,21,22,24,27,29,34,35,37,38,47,53,56,62–68,70–74,76–79,88–91,93,96,102,103,110,112,115,124,125,128–131,135,146,155,157,159–165,167,173,175,181–184,187,197,201,204,208,210,212,216,217,218,224,227–229,233,238,239,241,246,248,251,254,259,261,262,268,270,272,276,279–281,284,287]

### 2.12. *T*-matrix calculations for Chebyshev and generalized Chebyshev particles

[8,60,62,63,101,102,209,218,241,280]

### 2.13. *T*-matrix calculations for finite circular cylinders

[6,11,12,18,60,64,71,82,113,153,162,173,218,230,242,257,258,274,277,280]

### 2.14. *T*-matrix calculations for various rotationally symmetric particles

[68,71,92,108,109,156,203,206,292,293]

### 2.15. *T*-matrix calculations for ellipsoids, polyhedral scatterers, and other particles lacking axial symmetry

[10,94,101,186,202,205,206]

2.16. *T-matrix calculations for layered and composite particles*

[5,35,142,152,249,250,271,282]

2.17. *T-matrix calculations for clusters of homogeneous spheres*

[8,19,21,25,26,30,32,33,40–43,45–52,55,69,75,83,86,97–100,111,114–117,120,122,126,132,138–140,147,148,150,151,154,166,168,169,170,173–175,178,185,191,195,196,199,207,214,215,221–223,225,226,231,234,235,240,243–245,253,255,260,266,273,275,278,283,285,288,289]

2.18. *T-matrix calculations for clusters of layered, anisotropic, and chiral spheres*

[23,118,136,137,152]

2.19. *T-matrix calculations for clusters of nonspherical monomers*

[39]

2.20. *T-matrix calculations for particles with one or several (eccentric) inclusions*

[107,141,249,269,271]

2.21. *T-matrix calculations of optical resonances in nonspherical particles*

[30,32,83,109,141,154,195,196,215,216,223,226,238,239,255,271,273,275]

2.22. *T-matrix calculations of optical forces and torques on small particles*

[11,12,104,143,156,178,179,188,190,198,213,223,232,233,245,286]

2.23. *T-matrix calculations of internal, surface, and local fields and near-field energy exchange*

[19,28,33,48,49,53,61,68,137,151,152,177,221,225,269]

2.24. *Illumination by focused beams and non-plane waves*

[11,23,85,104,107,133,143,150,178,198,213,232,269,271,286]

2.25. *Use of T-matrix calculations for testing other theoretical techniques*

[6,16,35,41–43,60,62,68,94,95,114,122,139,140,148,166,189,196,204,233,240,273,281,290]

2.26. *Comparisons of T-matrix and effective-medium-approximation results*

[55,122,142,180]

2.27. *Comparisons of T-matrix and controlled laboratory results*

[111,120,166,216,260]

2.28. *Use of T-matrix calculations for analyzing laboratory data*

[8,25,26,29,69,77–79,88,102,104,110,154,159,161,178,187,188,217,220,230,240,244,272,273,292,293]

2.29. *T-matrix modeling of scattering properties of mineral aerosols in the terrestrial atmosphere and soil particles*

[10,15,20,24,31,37,58,67,72–74,76,89,90,96,103,110,112,125,155,161–163,165,168,174,181,182,184,186,212,214,227,228,230,247,248,251,254,261,262,268,276,287]

2.30. *T-matrix modeling of scattering properties of carbonaceous and soot aerosols and soot-containing aerosol and cloud particles*

[5,40,42,43,97–100,132,138–140,142,148,168,249,280,288,289]

2.31. *T-matrix modeling of scattering properties of cirrus cloud particles*

[22,57,82,158,229,274]

2.32. *T-matrix modeling of scattering properties of hydrometeors and atmospheric radar targets*

[13,21,27,34–36,57,80,84,105,121,127–129,130,131,135,164,200,224,252,259,267,279,291]

2.33. *T-matrix modeling of scattering properties of terrestrial stratospheric aerosol and cloud particles*

[124,208]

2.34. *T-matrix modeling of scattering properties of noctilucent cloud particles*

[14,91,93,160,201]

2.35. *T-matrix modeling of scattering properties of hydrosol particles*

[7,113,146,157]

2.36. *T-matrix modeling of scattering properties of aerosol and cloud particles in planetary atmospheres*

[44,153,234,235,263,277]

### 2.37. *T*-matrix modeling of scattering properties of interstellar, interplanetary, cometary, and planetary-ring particles

[38,45–47,51,114–116,118,147,191]

### 2.38. *T*-matrix computations for industrial and military applications

[167,209]

### 2.39. *T*-matrix computations for biomedical applications

[7,29,56,64–66,79,126,187,190,209,213,244,246,272]

### 2.40. *T*-matrix computations of anisotropic and aggregation properties of colloids and other disperse media

[55,69,108,111,278,283,293]

## 3. Particles near infinite interfaces

### 3.1. Spherically symmetric particles

[149,176]

### 3.2. Finite particles on incident side of planar interface

[149,176]

## Acknowledgments

We thank Josefina Mora and Zoe Wai for helping to obtain copies of publications that were not readily accessible. This project was sponsored by NASA.

## References

- Mishchenko MI, Videen G, Babenko VA, et al. *T*-matrix theory of electromagnetic scattering by particles and its applications: a comprehensive reference database. *J Quant Spectrosc Radiat Transfer* 2004;88:357–406.
- Mishchenko MI, Videen G, Babenko VA, et al. Comprehensive *T*-matrix reference database: a 2004–2006 update. *J Quant Spectrosc Radiat Transfer* 2007;106:304–24.
- Mishchenko MI, Videen G, Khlebtsov NG, et al. Comprehensive *T*-matrix reference database: a 2006–2007 update. *J Quant Spectrosc Radiat Transfer* 2008;109:1447–60.
- Mishchenko MI, Zakharova NT, Videen G, et al. Comprehensive *T*-matrix reference database: a 2007–2009 update. *J Quant Spectrosc Radiat Transfer* 2010;111:650–8.
- Adler G, Riziq AA, Erlick C, Rudich Y. Effect of intrinsic organic carbon on the optical properties of fresh diesel soot. *Proc Natl Acad Sci USA* 2010;107:6699–704.
- Alyones S, Bruce CW. Electromagnetic scattering by finite conducting fiber: limitation of a previous published code. *J Electromagn Waves Appl* 2011;25:1021–30.
- Andrews S, Nover D, Schladow SG. Using laser diffraction data to obtain accurate particle size distributions: the role of particle composition. *Limnol Oceanogr: Meth* 2010;8:507–26.
- Auger JC, Fernandes GE, Aptowicz KB, et al. Influence of surface roughness on the elastic-light scattering patterns of micron-sized aerosol particles. *Appl Phys B* 2010;99:229–34.
- Bai L, Wu ZS, Li HY, Li T. Scalar radiative transfer in discrete media with random oriented prolate spheroids particles. *Prog Electromagn Res B* 2011;33:21–44.
- Baran AJ. A new application of a multifrequency submillimeter radiometer in determining the microphysical and macrophysical properties of volcanic plumes: a sensitivity study. *J Geophys Res* 2012;117:D00U18.
- Bareil PB, Sheng Y. Study of angular and position stability in optical trap of a nanorod. *Proc SPIE* 2010;7762:77621A.
- Bareil PB, Sheng Y. Angular and position stability of a nanorod trapped in an optical tweezers. *Opt Express* 2010;18:26388–98.
- Battaglia A, Saavedra P, Rose T, Simmer C. Characterization of precipitating clouds by ground-based measurements with the triple-frequency polarized microwave radiometer ADMIRAR. *J Appl Meteorol Climatol* 2010;49:394–414.
- Baumgarten G, Chandran A, Fiedler J, et al. On the horizontal and temporal structure of noctilucent clouds as observed by satellite and lidar at ALOMAR (69 N). *Geophys Res Lett* 2012;39:L01803.
- Bennouna YS, de Leeuw G, Piazzola J, Kusmierczyk-Michulec J. Aerosol remote sensing over the ocean using MSG-SEVIRI visible images. *J Geophys Res* 2009;114:D23203.
- Berg MJ, Wilson KR, Sorensen CM, et al. Discrete dipole approximation for low-energy photoelectron emission from NaCl nanoparticles. *J Quant Spectrosc Radiat Transfer* 2012;113:259–65.
- Bi L, Yang P, Kattawar GW. On the far field in the Lorenz–Mie theory and *T*-matrix formulation. *J Quant Spectrosc Radiat Transfer* 2010;111:515–8.
- Bi L, Yang P, Kattawar GW. Edge-effect contribution to the extinction of light by dielectric disks and cylindrical particles. *Appl Opt* 2010;49:4641–6.
- Blaber MG, Schatz GC. Extending SERS into the infrared with gold nanosphere dimers. *Chem Commun* 2011;47:3769–71.
- Boesch H, Baker D, Connor B, et al. Global characterization of CO<sub>2</sub> column retrievals from shortwave-infrared satellite observations of the Orbiting Carbon Observatory-2 mission. *Remote Sens* 2011;3:270–304.
- Botta G, Aydin K, Verlinde J. Modeling of microwave scattering from cloud ice crystal aggregates and melting aggregates: a new approach. *IEEE Geosci Remote Sensing Lett* 2010;7:572–6.
- Botta G, Aydin K, Verlinde J, et al. Millimeter wave scattering from ice crystals and their aggregates: comparing cloud model simulations with X- and Ka-band radar measurements. *J Geophys Res* 2011;116:D00T04.
- Boyd L, Chalut KJ, Guck J. Near- and far-field scattering from arbitrary three-dimensional aggregates of coated spheres using parallel computing. *Phys Rev E* 2011;83:026701.
- Budak V, Korin SV, Korolev KN. Defining the shape of particles based on the polarisation state of the scattered optical radiation. *Proc SPIE* 2009;7475:747519.
- Bunkin NF, Shkirin AV, Kozlov VA. Laser scattering in water and aqueous solutions of salts. *Proc SPIE* 2010;7376:73761D.
- Bunkin NF, Ninham BW, Ignatiev PS, et al. Long-living nanobubbles of dissolved gas in aqueous solutions of salts and erythrocyte suspensions. *J Biophoton* 2011;4:150–64.
- Cao Q, Yeary MB, Zhang G. Efficient ways to learn weather radar polarimetry. *IEEE Trans Education* 2012;55:58–68.
- Carrillo LY, Bayazitoglu Y. Sphere approximation for nanorod near-field radiative heat exchange analysis. *Nanoscale Microscale Thermophys Eng* 2011;15:195–208.
- Chalut KJ, Kulangara K, Giacomelli MG, et al. Deformation of stem cell nuclei by nanotopographical cues. *Soft Matter* 2010;6:1675–81.
- Chang W-S, Willingham BA, Slaughter LS, et al. Low absorption losses of strongly coupled surface plasmons in nanoparticle assemblies. *Proc Natl Acad Sci USA* 2011;108:19879–84.
- Chazette P, Bocquet M, Royer P, et al. Eyjafjallajökull ash concentrations derived from both lidar and modeling. *J Geophys Res* 2012;117:D00U14.
- Chen SY, Lazarides AA. Quantitative amplification of surface enhanced Raman scattering through plasmonic coupling in controlled nanoparticle assemblies. *Proc SPIE* 2009;7395:73951S.
- Chen SY, Lazarides AA. Manipulation of near field polarization by far field excitation. *Proc SPIE* 2010;7604:76041B.
- Chen K-S, Chu C-Y, Tzeng Y-C. A semi-empirical model of rain attenuation at Ka-band in northern Taiwan. *Prog Electromagn Res M* 2011;16:213–23.
- Chen J, Chen R, Liu Z, et al. Analysis of EM scattering of precipitation particles in dual-band. *Appl Comput Electromagn Soc J* 2011;26:709–15.
- Chen J-Q, Chen R-S, Peng H, et al. Analysis of electromagnetic properties of precipitation particle and imaging simulation of target in rainfall environment. *Chinese J Radio Sci* 2011;26:888–93.

- [37] Cheng TH, Gu XF, Yu T, Tian GL. The reflection and polarization properties of non-spherical aerosol particles. *J Quant Spectrosc Radiat Transfer* 2010;111:895–906.
- [38] Cho J, Lazarian A. Galactic foregrounds: spatial fluctuations and a procedure for removal. *Astrophys J* 2010;720:1181–201.
- [39] Christofi A, Stefanou N, Gantzounis G, Papanikolaou N. Spiral-staircase photonic structures of metallic nanorods. *Phys Rev B* 2011;84:125109.
- [40] Chung CE, Lee K, Müller D. Effect of internal mixture on black carbon radiative forcing. *Tellus B* 2012;64:10925.
- [41] Cui Z, Han Y, Xu Q. Numerical simulation of multiple scattering by random discrete particles illuminated by Gaussian beams. *J Opt Soc Am A* 2011;28:2200–8.
- [42] Cui ZW, Han YP, Li CY. Characterization of the light scattering by ensembles of randomly distributed soot aggregates. *J Quant Spectrosc Radiat Transfer* 2011;112:2722–32.
- [43] Cui Z, Han Y, Zhao W. Scattering of arbitrarily incident Gaussian beams by fractal soot aggregates. *J Opt A: Pure Appl Opt* 2012;14:035703.
- [44] Daerden F, Whiteway JA, Davy R, et al. Simulating observed boundary layer clouds on Mars. *Geophys Res Lett* 2010;37:L04203.
- [45] Das HS, Sen AK. Model for cometary grains to explain optical polarization. *J Quant Spectrosc Radiat Transfer* 2011;112:1833–7.
- [46] Das HS, Suklabaidya A, Majumder SD, Sen AK. Aggregate dust model to study the polarization properties of comet C/1996 B2 Hyakutake. *Res Astron Astrophys* 2010;10:355–62.
- [47] Das HS, Paul D, Suklabaidya A, Sen AK. Modelling the polarization properties of Comet 1 P/Halley using a mixture of compact and aggregate particles. *Mon Not Roy Astron Soc* 2011;416:94–100.
- [48] Deng C-S, Xu H, Deych L. Optical transport and statistics of radiative losses in disordered chains of microspheres. *Phys Rev A* 2010;82:041803.
- [49] Deng C-S, Xu H, Deych L. Effect of size disorder on the optical transport in chains of coupled microspherical resonators. *Opt Express* 2011;19:6923–37.
- [50] Deych L, Rubin J. Rayleigh scattering of whispering gallery modes of microspheres due to a single dipole scatterer. *Phys Rev A* 2009;80:061805.
- [51] Dlugach JM, Mishchenko MI, Mackowski DW. Numerical simulations of single and multiple scattering by fractal ice clusters. *J Quant Spectrosc Radiat Transfer* 2011;112:1864–70.
- [52] Dlugach JM, Mishchenko MI, Liu L, Mackowski DW. Numerically exact computer simulations of light scattering by densely packed, random particulate media. *J Quant Spectrosc Radiat Transfer* 2011;112:2068–78.
- [53] Doicu A, Wriedt T. Near-field computation using the null-field method. *J Quant Spectrosc Radiat Transfer* 2010;111:466–73.
- [54] Dong NT, Tanaka M, Tanaka K. Improved algorithms for calculating addition coefficients in electromagnetic scattering by multi-sphere systems. *IEICE Tran Electron* 2012;E95-C:27–35.
- [55] Doyle TE, Tew AT, Jain R, Robinson DA. Effects of aggregation on the permittivity of random media containing monodisperse spheres. *J Appl Phys* 2009;106:114104.
- [56] Dyatlov GV, Gilev KV, Yurkin MA, Maltsev VP. An optimization method with precomputed starting points for solving the inverse Mie problem. *Inverse Probl* 2012;28:045012.
- [57] Eriksson P, Buehler SA, Davis CP, et al. ARTS, the atmospheric radiative transfer simulator, version 2. *J Quant Spectrosc Radiat Transfer* 2011;112:1551–8.
- [58] Esparza AE, Fitzgerald RM, Gill TE, Polanco J. Use of light-extinction method and inverse modeling to study aerosols in the Paso del Norte Airshed. *Atmos Environ* 2011;45:7360–9.
- [59] Farafonov VG. A unified approach, using spheroidal functions, for solving the problem of light scattering by axisymmetric particles. *J Math Sci* 2011;175:698–723.
- [60] Farafonov VG, Il'in VB. On scattering of light by small axially symmetric particles. *Opt Spectrosc* 2011;111:824–31.
- [61] Farafonov VG, Il'in VB, Vinokurov AA. Near- and far-field light scattering by nonspherical particles: applicability of methods that involve a spherical basis. *Opt Spectrosc* 2010;109:432–43.
- [62] Farafonov VG, Vinokurov AA, Barkanov SV. Electrostatic solution and Rayleigh approximation for small nonspherical particles in a spheroidal basis. *Opt Spectrosc* 2011;111:980–92.
- [63] Farafonov VG, Barkanov SV, Il'in VB, Vinokurov AA. Light scattering by small axisymmetric particles using a generalized method of separation of variables with a spherical basis. *J Opt Technol* 2011;78:544–50.
- [64] Feng C, Huang L, Han J, et al. Light scattering modeling of bacteria using spheroids and cylinders. *Proc SPIE* 2009;7511: 7511OP.
- [65] Feng C, Huang L, Zhou G, et al. Computation and analysis of light scattering by monodisperse biological aerosols. *Chinese J Lasers* 2010;37:2592–8.
- [66] Feng C, Huang L, Wang J, et al. Theoretical studies on bioaerosol particle size and shape measurement from spatial scattering profiles. *Chinese Opt Lett* 2011;9:092901.
- [67] Feng Q, Hsu NC, Yang P, Tsay SC. Effect of thin cirrus clouds on dust optical depth retrievals from MODIS observations. *IEEE Trans Geosci Remote Sens* 2011;49:2819–27.
- [68] Forestiere C, Iadarola G, Dal Negro L, Miano G. Near-field calculation based on the *T*-matrix method with discrete sources. *J Quant Spectrosc Radiat Transfer* 2011;112:2384–94.
- [69] Fung J, Martin KE, Perry RW, et al. Measuring translational, rotational, and vibrational dynamics in colloids with digital holographic microscopy. *Opt Express* 2011;19:8051–65.
- [70] Ganesh M, Hawkins SC. Three dimensional electromagnetic scattering *T*-matrix computations. *J Comput Appl Math* 2010;234:1702–9.
- [71] Gantzounis G. Plasmon modes of axisymmetric metallic nanoparticles: a group theory analysis. *J Phys Chem C* 2009;113:21560–5.
- [72] Gasteiger J, Groß S, Freudenthaler V, Wiegner M. Volcanic ash from Iceland over Munich: mass concentration retrieved from ground-based remote sensing measurements. *Atmos Chem Phys Discuss* 2010;10:26705–34.
- [73] Gasteiger J, Groß S, Freudenthaler V, Wiegner M. Volcanic ash from Iceland over Munich: mass concentration retrieved from ground-based remote sensing measurements. *Atmos Chem Phys* 2011;11:2209–23.
- [74] Gasteiger J, Wiegner M, Groß S, et al. Modelling lidar-relevant optical properties of complex mineral dust aerosols. *Tellus B* 2011;63:725–41.
- [75] Gay B, Vaillon R, Mengüç MP. Polarization imaging of multiply-scattered radiation based on integral-vector Monte Carlo method. *J Quant Spectrosc Radiat Transfer* 2010;111:287–94.
- [76] Ge JM, Su J, Fu Q, et al. Dust aerosol forward scattering effects on ground-based aerosol optical depth retrievals. *J Quant Spectrosc Radiat Transfer* 2011;112:310–9.
- [77] Giacomelli M, Chalut K, Ostrander J, Wax A. *T*-matrix based inverse light scattering analysis using angle resolved low coherence interferometry. *Proc SPIE* 2009;7187:71870L.
- [78] Giacomelli M, Zhu Y, Lee J, Wax A. Size and shape determination of spheroidal scatterers using two-dimensional angle resolved scattering. *Opt Express* 2010;18:14616–26.
- [79] Giacomelli MG, Chalut KJ, Ostrander JH, Wax A. Review of the application of *T*-Matrix calculations for determining the structure of cell nuclei with angle-resolved light scattering measurements. *IEEE J Selected Topics Quantum Electron* 2010;16:900–8.
- [80] Giangrande SE, Luke EP, Kollias P. Automated retrievals of precipitation parameters using non-Rayleigh scattering at 95 GHz. *J Atmos Oceanic Technol* 2010;27:1490–503.
- [81] Gogoi A, Rajkhowa P, Choudhury A, Ahmed GA. Development of TUSCAT: a software for light scattering studies on spherical, spheroidal and cylindrical particles. *J Quant Spectrosc Radiat Transfer* 2011;112:2713–21.
- [82] Gong C, Wei H, Li X, et al. The influence of the aspect ratio to the light scattering properties of cylinder ice particles. *Acta Opt Sinica* 2009;29:1155–9.
- [83] Gopinath A, Boriskina SV, Feng N-N, et al. Photonic-plasmonic scattering resonances in deterministic aperiodic structures. *Nano Lett* 2008;8:2423–31.
- [84] Gosset M, Zahiri E-P, Moumouni S. Rain drop size distribution variability and impact on X-band polarimetric radar retrieval: results from the AMMA campaign in Benin. *Quart J Roy Meteorol Soc* 2010;136:243–56.
- [85] Gouesbet G. *T*-matrix formulation and generalized Lorenz–Mie theories in spherical coordinates. *Opt Commun* 2010;283:517–21.
- [86] Guasoni M, Conforti M. Complex dispersion relation of a double chain of lossy metal nanoparticles. *J Opt Soc Am B* 2011;28:1019–25.
- [87] Guerrero-Martínez A, Alonso-Gómez JL, Auguie B, et al. From individual to collective chirality in metal nanoparticles. *Nano Today* 2011;6:381–400.
- [88] Hajihashemi MR, Jiang H. *T*-matrix-based inverse algorithm for morphologic characterization of nonspherical particles using multi-spectral diffuse optical tomography. *Appl Opt* 2011;50:3896–906.
- [89] Hansell RA, Tsay SC, Ji Q, et al. An assessment of the surface longwave direct radiative effect of airborne Saharan dust during the NAMMA field campaign. *J Atmos Sci* 2010;67:1048–65.
- [90] Hansell RA, Reid JS, Tsay SC, et al. A sensitivity study on the effects of particle chemistry, asphericity and size on the mass extinction efficiency of mineral dust in the earth's atmosphere: from the near to thermal IR. *Atmos Chem Phys* 2011;11:1527–47.

- [91] Hayman M, Thayer JP. Lidar polarization measurements of PMCs. *J Atmos Sol Terr Phys* 2011;73:2110–7.
- [92] Hellmers J, Schmidt V, Wriedt T. Improving the numerical stability of  $T$ -matrix light scattering calculations for extreme particle shapes using the nullfield method with discrete sources. *J Quant Spectrosc Radiat Transfer* 2011;112:1679–86.
- [93] Hervig ME, Gordley LL. Temperature, shape, and phase of mesospheric ice from Solar Occultation for Ice Experiment observations. *J Geophys Res* 2010;115:D15208.
- [94] Hesse E, Macke A, Havemann S, et al. Modelling diffraction by faceted particles. *J Quant Spectrosc Radiat Transfer* 2012;113:342–7.
- [95] Il'in VB, Farafonov VG. Rayleigh approximation for axisymmetric scatterers. *Opt Lett* 2011;36:4080–2.
- [96] Johnson BT, Osborne SR. Physical and optical properties of mineral dust aerosol measured by aircraft during the GERBILS campaign. *Quart J Roy Meteorol Soc* 2011;137:1117–30.
- [97] Kahnert M. Modelling the optical and radiative properties of freshly emitted light absorbing carbon within an atmospheric chemical transport model. *Atmos Chem Phys* 2010;10:1403–16.
- [98] Kahnert M. On the discrepancy between modeled and measured mass absorption cross sections of light absorbing carbon aerosols. *Aerosol Sci Technol* 2010;44:453–60.
- [99] Kahnert M. Numerically exact computation of the optical properties of light absorbing carbon aggregates for wavelength of 200–12.2  $\mu\text{m}$ . *Atmos Chem Phys* 2010;10:8319–29.
- [100] Kahnert M, Devasthale A. Black carbon fractal morphology and short-wave radiative impact: a modelling study. *Atmos Chem Phys* 2011;11:11745–59.
- [101] Kahnert M, Rother T. Modeling optical properties of particles with small-scale surface roughness: combination of group theory with a perturbation approach. *Opt Express* 2011;19:11138–51.
- [102] Kahnert M, Nousiainen T, Mauno P. On the impact of non-sphericity and small-scale surface roughness on the optical properties of hematite aerosols. *J Quant Spectrosc Radiat Transfer* 2011;112:1815–24.
- [103] Kardas AE, Markowicz KM, Stelmaszczyk K, et al. Saharan aerosol sensed over Warsaw by backscatter depolarization lidar. *Opt Appl* 2010;15:219–37.
- [104] Kendrick MJ, McIntyre DH, Ostroverkhova O. Wavelength dependence of optical tweezer trapping forces on dye-doped polystyrene microspheres. *J Opt Soc Am B* 2009;26:2189–98.
- [105] Kennedy PC, Rutledge SA. S-band dual-polarization radar observations of winter storms. *J Appl Meteorol Climatol* 2011;50:844–58.
- [106] Khajeahsani MS, Mohajeri F, Abiri H. Rotational vector addition theorem and its effect on  $T$ -matrix. *IEEE Trans Antennas Propag* 2011;59:3819–25.
- [107] Khaled EEM, Aly MEM. Scattering of a focused Gaussian beam by an axisymmetric particle with a nonconcentric spherical core. *Phys Scr* 2011;83:025101.
- [108] Khlebtsov NG. Anisotropic properties of plasmonic nanoparticles: depolarized light scattering, dichroism, and birefringence. *J Nanophotonics* 2010;4:041587.
- [109] Khlebtsov B, Khanadeev V, Pylaev T, Khlebtsov N. A new  $T$ -matrix solvable model for nanorods: TEM-based ensemble simulations supported by experiments. *J Phys Chem C* 2011;115:6317–23.
- [110] Kleiber PD, Grassian VH, Young MA, Hudson PK.  $T$ -matrix studies of aerosol particle shape effects on IR resonance spectral line profiles and comparison with an experiment. *J Geophys Res* 2009;114:D21209.
- [111] Kobayashi M, Ishibashi D. Absolute rate of turbulent coagulation from turbidity measurement. *Colloid Polymer Sci* 2011;289:831–6.
- [112] Kobayashi E, Uchiyama A, Yamazaki A, Kudo R. Retrieval of aerosol optical properties based on the spheroid model. *J Meteorol Soc Japan* 2010;88:847–56.
- [113] Kobayashi H, Toratani M, Matsumura S, et al. Optical properties of inorganic suspended solids and their influence on ocean colour remote sensing in highly turbid coastal waters. *Int J Remote Sens* 2011;32:8393–420.
- [114] Köhler M, Guillet V, Jones A. Aggregate dust connections and emissivity enhancements. *Astron Astrophys* 2011;528:A96.
- [115] Kolokolova L, Kimura H. Comet dust as a mixture of aggregates and solid particles: model consistent with ground-based and space-mission results. *Earth Planets Space* 2010;62:17–21.
- [116] Kolokolova L, Kimura H. Effects of electromagnetic interaction in the polarization of light scattered by cometary and other types of cosmic dust. *Astron Astrophys* 2010;513:A40.
- [117] Kolokolova L, Liu L, Buratti B, Mishchenko MI. Modeling variations in near-infrared spectra caused by the coherent backscattering effect. *J Quant Spectrosc Radiat Transfer* 2011;112:2175–81.
- [118] Kolokolova L, Sparks W, Mackowski D. Astrobiological remote sensing with circular polarization. In: Mishchenko MI, Yatskiv YS, Rosenbush VK, Videen G, editors. *Polarimetric Detection, Characterization, and Remote Sensing*. Dordrecht, The Netherlands: Springer; 2011. p. 277–94.
- [119] Kolokolova L, Petrova E, Kimura H. Effects of interaction of electromagnetic waves in complex particles. In: Zhurbenko V, editor. *Electromagnetic Waves*. Rijeka, Croatia: InTech; 2011. p. 173–202.
- [120] Krieger UK, Meier P. Observations and calculations of two-dimensional angular optical scattering (TAOS) patterns of a single levitated cluster of two and four microspheres. *J Quant Spectrosc Radiat Transfer* 2011;112:1761–5.
- [121] Kumjian MR, Ryzhkov AV. The impact of evaporation on polarimetric characteristics of rain: theoretical model and practical implications. *J Appl Meteorol Climatol* 2010;49:1247–67.
- [122] Lagarrigue M, Jacquier S, Debayle J, et al. Approximation for the light scattering cross-section of optically hard aggregates. *J Quant Spectrosc Radiat Transfer* 2012;113:704–14.
- [123] Lakhtakia A. Addition theorems for handed spherical vector wavefunctions. *Optik* 1991;88:187–8.
- [124] Lambert A, Santee ML, Wu DL, Chae JH. A-train CALIOP and MLS observations of early winter Antarctic polar stratospheric clouds and nitric acid in 2008. *Atmos Chem Phys* 2012;12:2899–931.
- [125] Lee KH, Kim YJ. Satellite remote sensing of Asian aerosols: a case study of clean, polluted, and Asian dust storm days. *Atmos Meas Tech* 2010;3:1771–84.
- [126] Lee SY, Amsden JJ, Boriskina SV, et al. Spatial and spectral detection of protein monolayers with deterministic aperiodic arrays of metal nanoparticles. *Proc Natl Acad Sci USA* 2010;107:12086–90.
- [127] Leijnse H, Uijlenhoet R. The effect of reported high-velocity small raindrops on inferred drop size distributions and derived power laws. *Atmos Chem Phys* 2010;10:6807–18.
- [128] Leijnse H, Uijlenhoet R. Errors and uncertainties in microwave link rainfall estimation explored using drop size measurements and high-resolution radar data. *J Hydrometeorol* 2010;11:1330–44.
- [129] Leijnse H, Uijlenhoet R, van de Beek CZ, et al. Precipitation measurement at CESAR, the Netherlands. *J Hydrometeorol* 2010;11:1322–9.
- [130] Leinonen J, Moiseev D, Chandrasekar V, Koskinen J. Mapping radar reflectivity values of snowfall between frequency bands. *IEEE Trans Geosci Remote Sens* 2011;49:3047–58.
- [131] Leinonen J, Moiseev D, Leskinen M, Petersen WA. A climatology of disdrometer measurements of rainfall in Finland over five years with implications for global radar observations. *J Appl Meteorol Climatol* 2012;51:392–404.
- [132] Li H, Liu C, Bi L, et al. Numerical accuracy of “equivalent” spherical approximations for computing ensemble-averaged scattering properties of fractal soot aggregates. *J Quant Spectrosc Radiat Transfer* 2010;111:2127–32.
- [133] Li H-Y, Wu Z-S, Bai L. Scattering for charged multisphere structure located in plane wave/Gaussian beam. *J Electromagn Waves Appl* 2010;24:2037–47.
- [134] Li Z-J, Wu Z-S, Li H-Y. Analysis of electromagnetic scattering by uniaxial anisotropic bispheres. *J Opt Soc Am A* 2011;28:118–25.
- [135] Li Z, Zhang Y, Zhang G, Brewster KA. A microphysics-based simulator for advanced airborne weather radar development. *IEEE Trans Geosci Remote Sens* 2011;49:1356–73.
- [136] Li Z-J, Wu Z-S, Shi Y, et al. Multiple scattering of electromagnetic waves by an aggregate of uniaxial anisotropic spheres. *J Opt Soc Am A* 2012;29:22–31.
- [137] Liu C, Li BQ. Computational multiscattering of spherical multilayered gold nanoshells. *J Phys Chem C* 2011;115:5323–33.
- [138] Liu F, Smallwood GJ. Radiative properties of numerically generated fractal soot aggregates: the importance of configuration averaging. *J Heat Transfer* 2010;132:023308.
- [139] Liu F, Smallwood GJ. Effect of aggregation on the absorption cross-section of fractal soot aggregates and its impact on LII modelling. *J Quant Spectrosc Radiat Transfer* 2010;111:302–8.
- [140] Liu F, Smallwood GJ. The effect of particle aggregation on the absorption and emission properties of mono- and polydisperse soot aggregates. *Appl Phys B* 2011;104:343–55.
- [141] Liu L, Wang B, Cao X, et al. Investigation of resonant properties of metal core-shell nanoparticles using  $T$ -matrix calculations. *J Quant Spectrosc Radiat Transfer* 2011;112:2733–40.
- [142] Liu C, Panetta RL, Yang P. The influence of water coating on the optical scattering properties of fractal soot aggregates. *Aerosol Sci Technol* 2012;46:31–43.
- [143] Loke VLY, Asavei T, Nieminen TA, et al. Optimization of optically-driven micromachines. *Proc SPIE* 2009;7400:74001Z.

- [144] Loke VLY, Asavei T, Parkin S, et al. Driving optical micromachines with orbital angular momentum. In: Torres JP, Torner L, editors. *Twisted Photons*. Weinheim, Germany: Wiley-VCH; 2011. p. 93–115.
- [145] Loke VLY, Mengüç MP, Nieminen TA. Discrete-dipole approximation with surface interaction: computational toolbox for MATLAB. *J Quant Spectrosc Radiat Transfer* 2011;112:1711–25.
- [146] Lotsberg JK, Stamnes JJ. Impact of particulate oceanic composition on the radiance and polarization of underwater and backscattered light. *Opt Express* 2010;18:10432–45.
- [147] Lumme K, Penttilä A. Model of light scattering by dust particles in the solar system: applications to cometary comae and planetary regoliths. *J Quant Spectrosc Radiat Transfer* 2011;112:1658–70.
- [148] Ma L. Analysis of error in soot characterization using scattering-based techniques. *Particulology* 2011;9:210–4.
- [149] Mackowski DW. A generalization of image theory to predict the interaction of multipole fields with plane surfaces. *J Quant Spectrosc Radiat Transfer* 2010;111:802–9.
- [150] Mackowski DW, Mishchenko MI. Direct simulation of multiple scattering by discrete random media illuminated by Gaussian beams. *Phys Rev A* 2011;83:013804.
- [151] Mackowski DW, Mishchenko MI. A multiple sphere *T*-matrix Fortran code for use on parallel computer clusters. *J Quant Spectrosc Radiat Transfer* 2011;112:2182–92.
- [152] Mackowski D, Kolokolova L, Sparks W. *T*-matrix approach to calculating circular polarization of aggregates made of optically active materials. *J Quant Spectrosc Radiat Transfer* 2011;112:1726–32.
- [153] Madeleine J-B, Forget F, Millour E, et al. Revisiting the radiative impact of dust on Mars using the LMD global climate model. *J Geophys Res* 2011;116:E11010.
- [154] Makaryan T, Madoyan K, Melikyan A, Minassian H. Theoretical study of surface plasmon frequencies in a system of two coupled spheres and comparison with experimental data. *Proc SPIE* 2010;7712: 771211.
- [155] Manago N, Kuze H. Determination of tropospheric aerosol characteristics by spectral measurements of solar radiation using a compact, stand-alone spectroradiometer. *Appl Opt* 2010;49:1446–58.
- [156] Maragó OM, Saija R, Borghese F, et al. Plasmon-enhanced optical trapping of metal nanoparticles: force calculations and light-driven rotations of nanoaggregates. *Proc SPIE* 2010;7762:77622Z.
- [157] Marcos Seymour JR, Luhar M, et al. Microbial alignment in flow changes ocean light climate. *Proc Natl Acad Sci USA* 2011;108:3860–4.
- [158] Markowicz KM, Witek ML. Simulations of contrail optical properties and radiative forcing for various crystal shapes. *J Appl Meteorol Climatol* 2011;50:1740–55.
- [159] Maya F, Muhl S, Peña O, Miki-Yoshida M. Synthesis and characterization of silver-carbon nanoparticles produced by high-current pulsed arc. *Thin Solid Films* 2009;518:1484–8.
- [160] Megner L, Khaplanov M, Baumgarten G, et al. Large mesospheric ice particles at exceptionally high altitudes. *Ann Geophys* 2009;27:943–51.
- [161] Meland B, Kleiber PD, Grassian VH, Young MA. Correlated IR spectroscopy and visible light scattering measurements of mineral dust aerosol. *J Geophys Res* 2010;115:D20208.
- [162] Meland B, Kleiber PD, Grassian VH, Young MA. Visible light scattering study at 470, 550, and 660 nm of components of mineral dust aerosol: hematite and goethite. *J Quant Spectrosc Radiat Transfer* 2011;112:1108–18.
- [163] Meland B, Alexander JM, Wong C-S, et al. Evidence for particle size–shape correlations in the optical properties of silicate clay aerosol. *J Quant Spectrosc Radiat Transfer* 2012;113:549–58.
- [164] Melnikov VM, Lee RR, Langlieb NJ. Resonance effects within S-band in echoes from birds. *IEEE Geosci Remote Sens Lett* 2012;9:413–6.
- [165] Meng Z, Yang P, Kattawar GW, et al. Single-scattering properties of tri-axial ellipsoidal mineral dust aerosols: a database for application to radiative transfer calculations. *J Aerosol Sci* 2010;41:501–12.
- [166] Merchiers O, Eyraud C, Geffrin J-M, et al. Microwave measurements of the full amplitude scattering matrix of a complex aggregate: a database for the assessment of light scattering codes. *Opt Express* 2010;18:2056–75.
- [167] Mierczyk Z, Koczyński K, Zygmunt M, et al. Fluorescence/depolarization lidar for mid-range stand-off detection of biological agents. *Proc SPIE* 2011;8037:80371J.
- [168] Mishchenko MI, Dlugach JM. Adhesion of mineral and soot aerosols can strongly affect their scattering and absorption properties. *Opt Lett* 2012;37:704–6.
- [169] Mishchenko MI, Mackowski DW. Coherent backscattering in the cross-polarized channel. *Phys Rev A* 2011;83:013829.
- [170] Mishchenko MI, Dlugach JM, Liu L. Azimuthal asymmetry of the coherent backscattering cone: theoretical results. *Phys Rev A* 2009;80:053824.
- [171] Mishchenko MI, Rosenbush VK, Kiselev NN, et al. Polarimetric remote sensing of solar system objects. Kyiv: Akademperiodyka; 2010. <<http://arxiv.org/abs/1010.1171>>.
- [172] Mishchenko MI, Travis LD, Mackowski DW. *T*-matrix method and its applications to electromagnetic scattering by particles: a current perspective. *J Quant Spectrosc Radiat Transfer* 2010;111:1700–3.
- [173] Mishchenko MI, Tishkovets VP, Travis LD, et al. Electromagnetic scattering by a morphologically complex object: fundamental concepts and common misconceptions. *J Quant Spectrosc Radiat Transfer* 2011;112:671–92.
- [174] Mishchenko MI, Dlugach JM, Mackowski DW. Light scattering by wavelength-sized particles “dusted” with subwavelength-sized grains. *Opt Lett* 2011;36:337–9.
- [175] Muinonen K, Tyynelä J, Zubko E, et al. Polarization of light backscattered by small particles. *J Quant Spectrosc Radiat Transfer* 2011;112:2193–212.
- [176] Muller J, Parent G, Jeandel G, Lacroix D. Finite-difference time-domain and near-field-to-far-field transformation in the spectral domain: application to scattering objects with complex shapes in the vicinity of a semi-infinite dielectric medium. *J Opt Soc Am A* 2011;28:868–78.
- [177] Narayanaswamy A, Chen G. Thermal near-field radiative transfer between two spheres. *Phys Rev B* 2008;77:075125.
- [178] Neves AAR, Camoseo A, Pagliara S, et al. Rotational dynamics of optically trapped nanofibers. *Opt Express* 2010;18:822–30.
- [179] Nieminen TA, Loke VLY, Stigoe AB, et al. *T*-matrix method for modelling optical tweezers. *J Mod Opt* 2011;58:528–44.
- [180] Niez JJ. Electromagnetic mixing laws: a supersymmetric approach. *Ann Phys* 2010;325:392–425.
- [181] Nishizawa T, Sugimoto N, Matsui I, et al. Algorithms to retrieve optical properties of three component aerosols from two-wavelength backscatter and one-wavelength polarization lidar measurements considering nonsphericity of dust. *J Quant Spectrosc Radiat Transfer* 2011;112:254–67.
- [182] Nousiainen T, Muñoz O, Lindqvist H, et al. Light scattering by large Saharan dust particles: comparison of modeling and experimental data for two samples. *J Quant Spectrosc Radiat Transfer* 2011;112:420–33.
- [183] Nousiainen T, Kahnert M, Lindqvist H. Can particle shape information be retrieved from light-scattering observations using spheroidal model particles? *J Quant Spectrosc Radiat Transfer* 2011;112:2213–25.
- [184] Omar A, Liu Z, Vaughan M, et al. Extinction-to-backscatter ratios of Saharan dust layers derived from in situ measurements and CALIPSO overflights during NAMMA. *J Geophys Res* 2010;115:D24217.
- [185] Onofri FRA, Wozniak M, Barbosa S. On the optical characterisation of nanoparticle and their aggregates in plasma systems. *Contr Plasma Phys* 2011;51:228–36.
- [186] Osborne SR, Baran AJ, Johnson BT, et al. Short-wave and long-wave radiative properties of Saharan dust aerosol. *Quart J Roy Meteorol Soc* 2011;137:1149–67.
- [187] Pan Y-L, Berg MJ, Zhang SS-M, et al. Measurement and auto-correlation analysis of two-dimensional light-scattering patterns from living cells for label-free classification. *Cytometry A* 2011;79:284–92.
- [188] Parkin SJ, Vogel R, Persson M, et al. Highly birefringent vaterite microspheres: production, characterization and applications for optical micromanipulation. *Opt Express* 2009;17:21944–55.
- [189] Parsons J, Burrows CP, Sambles JR, Barnes WL. A comparison of techniques used to simulate the scattering of electromagnetic radiation by metallic nanostructures. *J Mod Opt* 2010;57:356–65.
- [190] Paul BB, Yunlong S, Arthur EC. Theoretical prediction for cell deformation in the optical traps. *Proc SPIE* 2009;7400:74000D.
- [191] Paul D, Das SR, Das HS, Sen AK. Polarisation properties of comet NEAT C/2001 Q4. *Indian J Phys* 2010;84:623–7.
- [192] Pawliuk P, Yedlin M. Scattering from cylinders using the two-dimensional vector plane wave spectrum. *J Opt Soc Am A* 2011;28:1177–84.
- [193] Pellegrini YP, Stout DB, Thibaudeau P. Off-shell mean-field electromagnetic *T*-matrix of finite-size spheres and fuzzy scatterers. *J Phys Condens Matter* 1997;9:177–91.
- [194] Pellegrini Y-P, Thibaudeau P, Stout B. The off-shell electromagnetic *T*-matrix: momentum-dependent scattering from spherical

- inclusions with both dielectric and magnetic contacts. *Waves Random Complex Media* 2011;21:313–35.
- [195] Peña-Rodríguez O, Pal U, Campoy-Quiles M, et al. Enhanced Fano resonance in asymmetrical Au:Ag heterodimers. *J Phys Chem C* 2011;115:6410–4.
- [196] Peña-Rodríguez O, Pal U. Enhanced plasmonic behavior of incomplete nanoshells: effect of local field irregularities on the far-field optical response. *J Phys Chem C* 2011;115:22271–5.
- [197] Peña-Rodríguez O, Pal U, Rodríguez-Iglesias V, et al. Configuring Au and Ag nanorods for sensing applications. *J Opt Soc Am B* 2011;28:714–20.
- [198] Peng F, Yao B, Yan S, et al. Trapping of low-refractive-index particles with azimuthally polarized beam. *J Opt Soc Am B* 2009;26:2242–7.
- [199] Penttilä A, Lumme K. Optimal cubature on the sphere and other orientation averaging schemes. *J Quant Spectrosc Radiat Transfer* 2011;112:1741–6.
- [200] Pepler AS, May PT, Thurai M. A robust error-based rain estimation method for polarimetric radar. Part I: development of a method. *J Appl Meteorol Climatol* 2011;50:2092–103.
- [201] Petelina SV, Zasetsky AY. Temperature of mesospheric ice particles simultaneously retrieved from 850 cm<sup>-1</sup> libration and 3200 cm<sup>-1</sup> vibration band spectra measured by ACE-FTS. *J Geophys Res* 2011;116:D03304.
- [202] Petrov D, Shkuratov Y, Videen G. An analytical solution to the light scattering from cube-like particles using *Sh*-matrices. *J Quant Spectrosc Radiat Transfer* 2010;111:474–82.
- [203] Petrov D, Shkuratov Y, Videen G. The *Sh*-matrix method applied to light scattering by two merging spheroids. *J Quant Spectrosc Radiat Transfer* 2010;111:1990–9.
- [204] Petrov D, Shkuratov Y, Videen G. Application of the *Sh*-matrices method to light scattering by spheroids. *J Opt* 2010;12:095701.
- [205] Petrov D, Shkuratov Y, Videen G. Electromagnetic wave scattering from cuboid-like particles using *Sh*-matrices. *J Quant Spectrosc Radiat Transfer* 2011;112:155–62.
- [206] Petrov D, Shkuratov Y, Videen G. Electromagnetic wave scattering from particles of arbitrary shapes. *J Quant Spectrosc Radiat Transfer* 2011;112:1636–45.
- [207] Petrova EV, Tishkovets VP. Light scattering by aggregates of varying porosity and the opposition phenomena observed in the low-albedo particulate media. *J Quant Spectrosc Radiat Transfer* 2011;112:2226–33.
- [208] Poole LR, Pitts MC, Thomason LW. Comment on “A tropical ‘NAT-like’ belt observed from space”. *Geophys Res Lett* 2009;36:L20803.
- [209] Pruvost J, Van Vooren G, Le Gouic B, et al. Systematic investigation of biomass and lipid productivity by microalgae in photobioreactors for biodiesel application. *Bioresour Technol* 2011;102:150–8.
- [210] Qi H, Wang X-Y, Liu B, Ruan L-M. Determination of the optical constants of non-spherical particles. *J Eng Thermophys* 2009;30:837–40.
- [211] Quinten M. *Optical Properties of Nanoparticle Systems: Mie and Beyond*. Weinheim, Germany: Wiley-VCH; 2011.
- [212] Quirantes A, Olmo FJ, Valenzuela A, et al. ALFA: a data base for light scattering simulations with atmospheric aerosol applications. *Ópt Pura Aplicada* 2011;44:641–5.
- [213] Rancourt-Grenier S, Wei S, Bai J-J, et al. Dynamic deformation of a soft particle in dual-trap optical tweezers. *Proc SPIE* 2010;7762:77621H.
- [214] Raut JC, Chazette P. Assessment of vertically-resolved PM<sub>10</sub> from mobile lidar observations. *Atmos Chem Phys* 2009;9:8617–38.
- [215] Ridolfo A, Saija R, Savasta S, et al. Fano–Doppler laser cooling of hybrid nanostructures. *ACS Nano* 2011;5:7354–61.
- [216] Rodríguez-Iglesias V, Peña-Rodríguez O, Silva-Pereyra HG, et al. Elongated gold nanoparticles obtained by ion implantation in silica: characterization and *T*-matrix simulations. *J Phys Chem C* 2010;114:746–51.
- [217] Rodríguez-Iglesias V, Peña-Rodríguez O, Silva-Pereyra HG, et al. Tuning the aspect ratio of silver nanospheroids embedded in silica. *Opt Lett* 2010;35:703–5.
- [218] Rother T. *Electromagnetic wave scattering on nonspherical particles. Basic Methodology and Simulations*. Berlin: Springer; 2009.
- [219] Rother T, Wauer J. Case study about the accuracy behavior of three different *T*-matrix methods. *Appl Opt* 2010;49:5746–56.
- [220] Roy S, Boro M, Mohanta D, et al. Size quantification of sub-micron ZnSe semiconductor particles by laboratory scattering methods. *Indian J Phys* 2010;84:705–9.
- [221] Ruan FX, Zhang SP, Li ZP, et al. Near-field coupling and SERS effects of palladium nanoparticle dimers. *Chinese Sci Bull* 2010;55:2930–6.
- [222] Rubin JT, Deych L. Ab initio theory of defect scattering in spherical whispering-gallery-mode resonators. *Phys Rev A* 2010;81:053827.
- [223] Rubin JT, Deych L. Effects of spatial confinement of electromagnetic field on optical forces due to whispering-gallery-modes. *Proc SPIE* 2012;8236:82361O.
- [224] Ryzhkov A, Pinsky M, Pokrovsky A, Khain A. Polarimetric radar observation operator for a cloud model with spectral microphysics. *J Appl Meteorol Climatol* 2011;50:873–94.
- [225] Sashihithlu K, Narayanaswamy A. Convergence of vector spherical wave expansion method applied to near-field radiative transfer. *Opt Express* 2011;19:A772–85.
- [226] Savasta S, Saija R, Ridolfo A, et al. Nanopolaritons: vacuum Rabi splitting with a single quantum dot in the center of a dimer nanoantenna. *ACS Nano* 2010;4:6369–76.
- [227] Sayer AM, Thomas GE, Grainger RG, et al. Use of MODIS-derived surface reflectance data in the ORAC-AATSR aerosol retrieval algorithm: impact of differences between sensor spectral response functions. *Remote Sens Environ* 2012;116:177–88.
- [228] Schumann U, Weinzierl B, Reitebuch O, et al. Airborne observations of the Eyjafjalla volcano ash cloud over Europe during air space closure in April and May 2011. *Atmos Chem Phys* 2011;11:2245–79.
- [229] Schumann U, Mayer B, Gierens K, et al. Effective radius of ice particles in cirrus and contrails. *J Atmos Sci* 2011;68:300–21.
- [230] Segal-Rosenheimer M, Dubowski Y, Linker R. Extraction of optical constants from mid-IR spectra of small aerosol particles. *J Quant Spectrosc Radiat Transfer* 2009;110:415–26.
- [231] Setiën B, Albella P, Saiz JM, et al. Spectral behavior of the linear polarization degree at right-angle scattering configuration for nanoparticle systems. *New J Phys* 2010;12:103031.
- [232] Simpson SH, Hanna S. Orbital motion of optically trapped particles in Laguerre–Gaussian beams. *J Opt Soc Am A* 2010;27:2061–71.
- [233] Simpson SH, Hanna S. Application of the discrete dipole approximation to optical trapping calculations of inhomogeneous and anisotropic particles. *Opt Express* 2011;19:16526–41.
- [234] Skorov YV, Keller HU, Rodin AV. Optical properties of aerosols in Titan’s atmosphere: large fluffy aggregates. *Planet Space Sci* 2010;58:1802–10.
- [235] Soderblom LA, Brown RH, Soderblom JM, et al. The geology of Hotei Regio, Titan: Correlation of Cassini VIMS and RADAR. *Icarus* 2009;204:610–8.
- [236] Somerville WRC, Auguié B, Le Ru EC. Simplified expressions of the *T*-matrix integrals for electromagnetic scattering. *Opt Lett* 2011;36:3482–4.
- [237] Somerville WRC, Auguié B, Le Ru EC. Severe loss of precision in calculations of *T*-matrix integrals. *J Quant Spectrosc Radiat Transfer* 2012;113:524–35.
- [238] Soni J, Purwar H, Ghosh N. Enhanced polarization anisotropy of metal nanoparticles and their spectral characteristics in the surface plasmon resonance band. *Proc SPIE* 2011;8096:809624.
- [239] Soni J, Purwar H, Ghosh N. Quantitative polarimetry of plasmon resonant spheroidal metal nanoparticles: a Mueller matrix decomposition study. *Opt Commun* 2012;285:1599–607.
- [240] Soos M, Lattuada M, Sefcik J. Interpretation of light scattering and turbidity measurements in aggregated systems: effect of intra-cluster multiple-light scattering. *J Phys Chem B* 2009;113:14962–70.
- [241] Spurr R, Wang J, Zeng J, Mishchenko MI. Linearized *T*-matrix and Mie scattering computations. *J Quant Spectrosc Radiat Transfer* 2012;113:425–39.
- [242] Stefanou N, Papanikolaou N, Tserkezis C. Plasmonic nanostructures and optical metamaterials: studies by the layer-multiple-scattering method. *Physica B* 2010;405:2967–71.
- [243] Stout B, Devilez A, Rolly B, Bonod N. Multipole methods for nanoantennas design: applications to Yagi–Uda configurations. *J Opt Soc Am B* 2011;28:1213–23.
- [244] Strokotov DI, Moskalensky AE, Nekrasov VM, Maltsev VP. Polarized light-scattering profile-advanced characterization of nonspherical particles with scanning flow cytometry. *Cytometry A* 2011;79:570–9.
- [245] Sukhov S, Dogariu A. Negative nonconservative forces: optical “tractor beams” for arbitrary objects. *Phys Rev Lett* 2011;107:203602.
- [246] Sun M, Chen N. Non-invasive measurement of blood glucose level by time-resolved transmission spectroscopy: a feasibility study. *Opt Commun* 2012;285:1608–12.
- [247] Sun X, Wang H, Liu W, Shen J. Nonspherical model for sand dust storm and its application to the research of light multiple scattering. *Acta Opt Sinica* 2010;30:1506–10.



- [248] Sun XM, Wang HH, Shen J, Liu W. Depolarization and polarization of light scattering by dustlike tropospheric aerosols. *J Electromagn Waves Appl* 2010;24:1353–64.
- [249] Sun X, Wang H, Shen J, Liu W. Depolarization of light back-scattering by randomly oriented spheroids with inclusions. *J Electromagn Waves Appl* 2011;25:1448–58.
- [250] Sun X-M, Wang H-H, Shen J, Wang S-J. Scattering of polarized light by randomly oriented coated spheroidal particle. *Acta Phys Sinica* 2011;60:114216.
- [251] Sundström A-M, Nousiainen T, Petäjä T. On the quantitative low-level aerosol measurements using ceilometer-type lidar. *J Atmos Oceanic Technol* 2009;26:2340–52.
- [252] Tabary P, Vulpiani G, Gourley JJ, et al. Unusually high differential attenuation at C band: results from a two-year analysis of the French Trappes polarimetric radar data. *J Appl Meteorol Climatol* 2009;48:2037–53.
- [253] Tishkovets VP, Petrova EV, Mishchenko MI. Scattering of electromagnetic waves by ensembles of particles and discrete random media. *J Quant Spectrosc Radiat Transfer* 2011;112:2095–127.
- [254] Toledano C, Wiegner M, Groß S, et al. Optical properties of aerosol mixtures derived from sun-sky radiometry during SAMUM-2. *Tellus B* 2011;63:635–48.
- [255] Trevino J, Cao H, Dal Negro L. Circularly symmetric light scattering from nanoplasmonic spirals. *Nano Lett* 2011;11:2008–16.
- [256] Tse KK, Tsang L, Chan CH, Ding KH. Multiple scattering of waves by random distribution of particles for applications in light scattering by metal nanoparticles. In: Maradudin AA, editor. *Light Scattering and Nanoscale Surface Roughness*. New York: Springer; 2007. p. 341–70.
- [257] Tserkezis C, Stefanou N, Papanikolaou N. Effective optical parameters of thin-film and bulk metamaterials of metalodielectric nanosandwiches. *Opt Commun* 2010;283:4074–7.
- [258] Tserkezis C, Stefanou N, Papanikolaou N. Extraordinary refractive properties of photonic crystals of metallic nanorods. *J Opt Soc Am B* 2010;27:2620–7.
- [259] Tyynelä J, Leinonen J, Moisseev D, Nousiainen T. Radar back-scattering from snowflakes: comparison of fractal, aggregate, and soft spheroid models. *J Atmos Oceanic Technol* 2011;28:1365–72.
- [260] Vaillon R, Geffrin J-M, Eyraud C, et al. A new implementation of a microwave analog to light scattering measurement device. *J Quant Spectrosc Radiat Transfer* 2011;112:1753–60.
- [261] Valenzuela A, Olmo FJ, Lyamani H, et al. Analysis of the columnar radiative properties retrieved during African desert dust events over Granada (2005–2010) using principal plane sky radiances and spheroids retrieval procedure. *Atmos Res* 2012;104–105:292–301.
- [262] Veselovskii I, Dubovik O, Kolgotin A, et al. Application of randomly oriented spheroids for retrieval of dust particle parameters from multiwavelength lidar measurements. *J Geophys Res* 2010;115:D21203.
- [263] Vincendon M, Pilorget C, Gondet B, et al. New near-IR observations of mesospheric CO<sub>2</sub> and H<sub>2</sub>O clouds on Mars. *J Geophys Res* 2011;116:E00J02.
- [264] Vinokurov AA, Il'in VB, Farafonov VG. On optical properties of nonspherical inhomogeneous particles. *Opt Spectrosc* 2010;109:444–53.
- [265] Vinokurov AA, Il'in VB, Farafonov VG. ScattPy: a new Python package for light scattering computations. *J Quant Spectrosc Radiat Transfer* 2011;112:1733–40.
- [266] Voit F, Schäfer J, Kienle A. Light scattering by multiple spheres: solutions of Maxwell theory compared to radiative transfer theory. *Proc SPIE* 2009;7371:73711G.
- [267] Vulpiani G, Giangrande S, Marzano FS. Rainfall estimation from polarimetric S-band radar measurements: validation of a neural network approach. *J Appl Meteorol Climatol* 2009;48:2022–36.
- [268] Wagner R, Ajtai T, Kandler K, et al. Complex refractive indices of Saharan dust samples at visible and near UV wavelengths: a laboratory study. *Atmos Chem Phys* 2012;12:2491–512.
- [269] Wang JJ, Gouesbet G, Han YP, Gréhan G. Study of scattering from a sphere with an eccentrically located spherical inclusion by generalized Lorenz-Mie theory: internal and external field distribution. *J Opt Soc Am A* 2011;28:24–39.
- [270] Wang J, Gréhan G, Han Y, et al. Numerical study of global rainbow technique: sensitivity to non-sphericity of droplets. *Exp Fluids* 2011;51:149–59.
- [271] Wang JJ, Gouesbet G, Gréhan G, et al. Morphology-dependent resonances in an eccentrically layered sphere illuminated by a tightly focused off-axis Gaussian beam: parallel and perpendicular beam incidence. *J Opt Soc Am A* 2011;28:1849–59.
- [272] Wax A, Chalut KJ. Nuclear morphology measurements with angle-resolved low coherence interferometry for application to cell biology and early cancer detection. *Anal Cellular Pathol* 2011;34:207–22.
- [273] Wheeler MS, Aitchison JS, Mojahedi M. Coupled magnetic dipole resonances in sub-wavelength dielectric particle clusters. *J Opt Soc Am B* 2010;27:1083–91.
- [274] Wiensz JT, Bourassa AE, Lloyd ND, et al. Photon conservation in scattering by large ice crystals with the SASKTRAN radiative transfer model. *J Quant Spectrosc Radiat Transfer* 2012;113:582–93.
- [275] Willingham B, Link S. Energy transport in metal nanoparticle chains via sub-radiant plasmon modes. *Opt Express* 2011;19:6450–61.
- [276] Winker DM, Liu Z, Omar A, et al. CALIOP observations of the transport of ash from the Eyjafjallajökull volcano in April 2010. *J Geophys Res* 2012;117:D00U15.
- [277] Wolff MJ, Clancy RT, Goguen JD, et al. Ultraviolet dust aerosol properties as observed by MARCI. *Icarus* 2010;208:143–55.
- [278] Wu H, Tsoutsoura A, Lattuada M, et al. Effect of temperature on high shear-induced gelation of charge-stabilized colloids without adding electrolytes. *Langmuir* 2010;26:2761–8.
- [279] Xie X, Löhnert U, Kneifel S, Crewell S. Snow particle orientation observed by ground-based microwave radiometry. *J Geophys Res* 2012;117:D02206.
- [280] Xing JA, Sun XG, Yuan GB, et al. Backscattering spectrum analysis of nonspheroid soot particle. *Spectrosc Spectral Anal* 2010;30:2239–42.
- [281] Xu F, Davis AB. Derivatives of light scattering properties of a nonspherical particle computed with the T-matrix method. *Opt Lett* 2011;36:4464–6.
- [282] Xu F, Lock JA. Debye series for light scattering by a coated nonspherical particle. *Phys Rev A* 2010;81:063812.
- [283] Xu S, Sun Z. Evaluation of the uncertainties caused by the forward scattering in turbidity measurement of the coagulation rate. *Langmuir* 2010;26:6908–18.
- [284] Xu F, Lock JA, Gouesbet G. Debye series for light scattering by a nonspherical particle. *Phys Rev A* 2010;81:043824.
- [285] Yang S, Taflove A, Backman V. Experimental confirmation at visible light wavelengths of the backscattering enhancement phenomenon of the photonic nanojet. *Opt Express* 2011;19:7084–93.
- [286] Yao B-L, Yan S-H, Ye T, Zhao W. Optical trapping of double-ring radially polarized beam with improved axial trapping efficiency. *Chinese Phys Lett* 2010;27:108701.
- [287] Yi B, Hsu CN, Yang P, Tsay S-C. Radiative transfer simulation of dust-like aerosols: uncertainties from particle shape and refractive index. *J Aerosol Sci* 2011;42:631–44.
- [288] Yin JY, Liu LH. Radiative property of multi-particle soot cluster formed by different diameter and component. *Am Inst Phys Conf Proc* 2010;1207:598–603.
- [289] Yin JY, Liu LH. Influence of complex component and particle polydispersity on radiative properties of soot aggregate in atmosphere. *J Quant Spectrosc Radiat Transfer* 2010;111:2115–26.
- [290] Yurkin MA, de Kanter D, Hoekstra AG. Accuracy of the discrete dipole approximation for simulation of optical properties of gold nanoparticles. *J Nanophotonics* 2010;4:041585.
- [291] Zinevich A, Messer H, Alpert P. Prediction of rainfall intensity measurement errors using commercial microwave communication links. *Atmos Meas Tech* 2010;3:1385–402.
- [292] Khlebtsov BN, Khanadeev VA, Khlebtsov NG. Attenuation, scattering, and depolarization of light by gold nanorods with silver shells. *Opt Spectrosc* 2010;108:59–69.
- [293] Khlebtsov B, Khanadeev V, Khlebtsov N. Tunable depolarized light scattering from gold and gold/silver nanorods. *Phys Chem Chem Phys* 2010;12:3210–8.
- [294] Waterman PC. Symmetry, unitarity, and geometry in electromagnetic scattering. *Phys Rev D* 1971;3:825–39.