

NASA's Risk Management System

The views/content expressed in this presentation are solely the Author and do not necessarily represent NASA's positions, strategies or opinions

*Jeevan S. Perera, PhD, JD
National Aeronautics and Space
Administration
Lyndon B. Johnson Space Center
Houston, Texas 77058*

**Ziff Brothers Investments Speaker Forum
November 18th, 2013
Melbourne, Australia**





Agenda

- ◆ **NASA's Current Environment**
- ◆ **Space Exploration Systems**
 - Short Video
- ◆ **NASA's Risk Management Paradigm**
- ◆ **Culture and Risk Management**
- ◆ **Risk Management Lesson Learnt**
- ◆ **Summary**
- ◆ **Q&A**



NASA 's Current Uncertain Environment


◆ President Bush 's Proposal in 2004

- Design, develop and fly the Shuttle replacement vehicle (Orion: MPCV) by 2015
- Return to the Moon around 2020
- Extend human presence across the solar system and beyond (starting with Mars)

◆ President Obama 's Proposal in 2010:

- Collaboration with commercial sector to develop and operate “taxi services” to low-earth orbit (Shuttle replacement) – SpaceX (Falcon 9), Orbital (Taurus II) and others, etc
- Developing technologies vs. developing systems (NACA)
 - Fund technology aimed at enabling future deep-space exploration systems including new types of rocket engines /propulsion, heavy-lift launch vehicles, fueling spacecraft in orbit (on-orbit fuelling stations), etc
 - Enhance robotic exploration of space (including precursors to human missions)
 - Research and development of remote autonomous space factories for in-situ utilization
- Develop a simplified MPCV vehicle to provide multipurpose utility for space explorations. Also, use MPCV as part of the technological foundation for advanced spacecraft for future deep space missions.
- Human exploration to asteroids (2025) and eventually Mars (2030s)
- Foster more International collaboration on future missions/projects (e.g. ISS)
- Initiate development of a heavy-lift launch vehicle and ready by 2017

Launch Vehicle Comparisons



Space Shuttle
 Height: 184.2 ft
 Gross Liftoff Mass: 4.5M lb
 55k lbm to LEO

Ares I
 Height: 321 ft
 Gross Liftoff Mass: 2.0M lb
 48k lbm to LEO

Saturn V
 Height: 364 ft
 Gross Liftoff Mass: 6.5M lb
 99k lbm to TLI
 262k lbm to LEO

Falcon 9
 Height: 180 ft
 Gross Liftoff Mass: 0.7M lb
 23k lbm to LEO
 10k lbm to GTO

Upper Stage
 (1 J-2X)
 280k lb LOx/LH₂

5-Segment
 Reusable Solid
 Rocket Booster
 (RSRB)

Crew
 Lander

S-IVB
 (1 J-2 engine)
 240k lb LOx/LH₂

S-II
 (5 J-2 engines)
 1M lb LOx/LH₂

S-IC
 (5 F-1)
 3.9M lb LOx/RP




Dragon

Volume: 245 ft³ (pressurized)
 Payload Up Mass: 13K lbm
 Up to 7 crewmembers

2nd Stage
 (1 SpaceX Merlin)
 LOx & RP-1

1st Stage
 (9 SpaceX Merlin)

Video Clip



Vocabulary



- ◆ Extensive list of terms and definitions to establish a common vernacular for effective communication and management of risk
- ◆ Examples:
 - ***Risk*** – A measure of the potential inability to achieve a goal or target within defined safety, cost, schedule, and technical constraints, It has two components: (1) the likelihood (or probability) of failing to achieve a particular outcome, and (2) the consequence (or impact) of failing to achieve that outcome.
 - ***Risk Management*** – a process for identifying and mitigating threats to achieve safety, cost, schedule, and performance requirements. It assists in making decisions on budget and resource allocation to meet objectives.
 - ***Risk Owner*** – The individual to whom the risk is assigned for purposes of responsibility, authority, accountability and given resources to address an assigned risk. Manages, coordinates, and tracks the risk mitigation approach and actions

NASA Risk Management Principles



◆ Creates Value

- Use risk-informed decision to prioritize strategic and operational decisions
- Apply practices to ensure planned objectives & missions are fully achieved
- Synthesize projects and allocate risk and organization resources optimally
 - Manage risks by developing comprehensive risk handling to minimize life cycle costs

◆ Integrated in Organizational Processes

- A formally documented risk management process
 - Extensive and Tiered Training
- Integrate risk management into overall project management with comprehensive, structured and integrated processes
- Manage risks at the lowest level possible (where the subject matter experts)

NASA Risk Management Principles



- ◆ **Part of Decision Making**
 - **Improve the quality of decision-making throughout the organization**
 - Even seemingly insignificant risks on their own have the potential, as they interact with other events and conditions to cause great damage.
 - **Risk is a part of every decision made**
 - ***ISS Vozdukh vs. SM Window Cover Example***
- ◆ **Explicitly Addresses Uncertainty**
 - **The uncertainties related to the knowledge and context of the risk**
 - **The uncertainties that the risk creates on objectives/goals**
- ◆ **Systematic, Structured and Timely**
 - **Require risk identification and management to occur in a tiered, integrated, structured manner**
 - **Routine risk management at all tiers of the organization**
 - **Comprehensive and structured risks identification processes and tools**
 - **Proper incentives and disincentives to foster good practices**

NASA Risk Management Principles



- ◆ **Based on the Best Available Information**
 - Risk Owners are subject matter experts on the “front lines”
 - Risk register (database) updated with current information by risk owner
 - Analyze how individual risks aggregate or are interrelated. Analyze for systemic problems and overall trends.
- ◆ **Takes Human and Cultural Factors into Account**
 - Processes fit culture and organizational structure of NASA
 - Reinforce the values of radical transparency and continuous improvement.

NASA Risk Management Principles




◆ Transparent and Inclusive

- All team members are responsible for risk management
 - Clearly defined Roles and Responsibilities
- Risk meeting/committee are open and free.
- Risk database is open (concerns closed)
- Accountability - assign risk ownership
- Dissenting opinions are encouraged
 - Examples


◆ Dynamic, Iterative and Responsive to Change

- Information is flowed up, resources and prioritizations are flowed down, while coordination is made with all responsible stakeholders
- Facilitates Continual Improvements and Enhancement of the Organization
 - Remove roadblocks preventing entry into risk management
 - Ongoing monitoring activities are conducted to continually assess risks and risk plans
 - Monitoring and review of risk management effectiveness (metrics)
 - Audit and surveillance (internal and external)

Framework



Process





Sources of Risk

Equipment Failure

Independent Failures

Common Cause Failures

External Events

Hurricanes,
Earthquakes,

Floods, Fire

Human Errors

Inattention
Operator Error

Misdiagnosis
Sabotage

Institutional Failure

Training
Poor Communications

Morale

Unclear Roles/
Responsibilities

Management Attitude



RM Tools & Techniques

QUANTITATIVE

- ◆ Stochastic and Deterministic Modeling
 - Probabilistic Risk Assessments (PRA)
 - Other Statistical based Modeling and Analysis techniques
- ◆ Cause & Effects Analysis
 - Failure Modes & Effects Analysis (FMEA)
 - Fault Tree Analysis (FTA)
- ◆ Systems Engineering Analysis and Risk Assessments
- ◆ Cost and Schedule Analysis


QUALITATIVE

- ◆ Root Cause Analysis
- ◆ Hazard Analysis
- ◆ Brainstorming
- ◆ Process Mapping and Analysis (Human Factors)
- ◆ Taxonomy-Based Questionnaires
- ◆ Pareto Method
- ◆ Affinity Grouping

Risk Coordination and Integration



Internal and external stakeholders are included at the appropriate tier level





ORION (CEV) RISK SCORECARD



LIKELIHOOD RATING

| | |
|-----------------------|--|
| 5 Very High | Qualitative: Likely to occur. |
| | Quantitative: $10^{-1} < P$ (for risks with primary impact on human safety) or $P > 50\%$ (for risks with primary impact on cost, schedule, or performance) |
| 4 High | Qualitative: Probably will occur. |
| | Quantitative: $10^{-2} < P \leq 10^{-1}$ (for risks with primary impact on human safety) or $33\% < P \leq 50\%$ (for risks with primary impact on cost, schedule, or performance) |
| 3 Moderate | Qualitative: May occur. |
| | Quantitative: $10^{-3} < P \leq 10^{-2}$ (for risks with primary impact on human safety) or $10\% < P \leq 33\%$ (for risks with primary impact on cost, schedule, or performance) |
| 2 Low | Qualitative: Unlikely to occur. |
| | Quantitative: $10^{-6} < P \leq 10^{-3}$ (for risks with primary impact on human safety) or $1\% < P \leq 10\%$ (for risks with primary impact on cost, schedule, or performance) |
| 1 Very Low | Qualitative: Occurrence improbable. |
| | Quantitative: $P \leq 10^{-6}$ (for risks with primary impact on human safety) or $P \leq 1\%$ (for risks with primary impact on cost, schedule, or performance) |

| | | RISK MATRIX | | | | |
|------------|---|--------------|----|----|----|----|
| LIKELIHOOD | 5 | 10 | 16 | 20 | 23 | 25 |
| | 4 | 7 | 13 | 18 | 22 | 24 |
| | 3 | 4 | 9 | 15 | 19 | 21 |
| | 2 | 2 | 6 | 11 | 14 | 17 |
| | 1 | 1 | 3 | 5 | 8 | 12 |
| | | | 1 | 2 | 3 | 4 |
| | | CONSEQUENCES | | | | |

TIMEFRAME

| | |
|------|---------------|
| Near | 0 to 3 months |
| Mid | 3 to 9 months |
| Far | > 9 months |

Time to Initiate Handling Strategy

| Consequence Rating | | 1 Very Low | 2 Low | 3 Moderate | 4 High | 5 Very High |
|--------------------|--|--|--|---|---|---|
| SAFETY | Personnel | A condition that could cause the need for minor first aid treatment though would not adversely affect personal safety or health (Class IV) | A condition that may cause minor injury or occupational illness. (Class III) | A condition that may cause severe injury or occupational illness (Class II) | A condition that may cause permanently disabling injury (Class I-B) | A condition that may cause death or loss of crew (Class I-A) |
| | Facilities, Equipment, or Other Assets | A condition that subjects facilities, equipment, or flight hardware to more than normal wear and tear (Class IV) | A condition that may cause minor property damage to facilities, systems, equipment, or flight hardware (Class III) | A condition that may cause major property damage to facilities, systems, equipment, or flight hardware (Class II) | A condition that may cause destruction of non critical facilities or assets (Class I-B) | A condition that may cause destruction of critical facilities on the ground, major systems, or vehicle during the mission (Class I-A) |
| | Environment | Negligible OSHA/EPA violation - non reportable | Minor reportable OSHA/EPA violation | Moderate OSHA/EPA violation which requires immediate remediation | Major OSHA/EPA violation causing temporary stoppage | Serious or repeat OSHA/EPA violations resulting in action terminating project |
| | PERFORMANCE (Mission Success) Including impacts to operations and supportability | Negligible impact to requirements, mission objectives or technical goals | Minor Impact to requirements, mission objectives or technical goals | Moderate impact to requirements, mission objectives or technical goals | Major impact to requirements, mission objectives or technical goals | Technical goals not achievable with existing engineering capabilities/technologies |
| | COST | <\$100K (Negligible impact to budget) | >\$100K but ≤\$1M (Minor impact to budget) | >\$1M but ≤\$10M (Moderate impact to budget) | >\$10M but ≤\$50M (Major impact to budget) | >\$50M (Possible project cancellation) |
| | SCHEDULE | Negligible schedule impact | Minor overall schedule impact (Accommodate with reserve, no impact to critical path) | ≤1 month impact to critical path/milestones | >1 and ≤5 month impact to critical path/milestones | >5 month impact to critical path/milestones or possible project cancellation |

Organizational Culture & Risk Management



- ◆ Organization's culture not only consists of interlocking set of goals, roles, processes, values, communications practices, attitudes and assumptions, but also many nebulous and dynamic elements
 - Changing organizational culture is one of the most difficult things to change
- ◆ Fundamental elements in changing organizational culture
 - Where are you now: understand the current culture.
 - Where do you want to be: decide where it wants to go, define its strategic direction, and decide what the organizational culture should look like to support success. What vision does the organization have for its future and how must the culture change to support the accomplishment of that vision?
 - Is there a road there: the organization's people must decide to change their behavior to create the desired organizational culture.
 - Cognitive – people must have some understanding of why the change in strategy or in culture is needed.
 - Motivation – ultimately, workers have to want to make the change (incentives/disincentives).

Culture



- ◆ **Reporting Culture:** We report our concerns. Identification of hazards or safety concerns is encouraged, including a system that's easy to use. The reporting system maintains anonymity and is separate from the disciplinary processes. Useful feedback based on reporting is quick and insightful. An atmosphere of trust exists between managers and workers, with employees knowing important information will be voiced, heard, and acted on appropriately.
- ◆ **Just Culture:** We have a sense of fairness. People are held accountable for deliberate violations of rules and recognized for outstanding performance. There's a clear understanding of acceptable and unacceptable behaviors. There's a sense of fairness about how business is conducted, where people aren't punished for reporting and aren't afraid of reprisal if they do.
- ◆ **Flexible Culture:** We change to meet new demands. The organization effectively balances and adapts to changing demands. A healthy flexible culture uses safety data to make meaningful changes when there's a concerning trend or issue.
- ◆ **Learning Culture:** We learn from our successes and mistakes. Collecting, assessing, and sharing from experience is a priority. Information is available to everyone from novice to expert. Values and commits to proactively "learn from our mistakes," both formally and informally.
- ◆ **Engaged Culture:** Everyone does their part. All members regardless of status or occupation are involved and actively participate in safely accomplishing the mission. The key is to have leaders and employees who demonstrate they value safety by "walking the talk."

Risk Management Lessons Learnt



- ◆ Risk management supported by leadership, team members and stakeholders and active involvement by all
 - **Uses it and promotes it**
- ◆ A well defined, structured and understood risk management processes and tools
 - **All team-members are expected to participate in risk management**
 - **A formally documented risk management process**
 - **A proactive risk training program**
 - **Not overly complex, must be understood and used (minimize overhead & foster adherence)**
 - **Comprehensive and structured risks identification processes and tools (Establish risk toolbox for identifying and analyzing risks)**
 - **Proper incentives and disincentives to foster good practices**
 - **Phased implementation approach**
- ◆ **Continuous and iterative assessment of risks**
 - **Provide elements of independence of the risk analysis function from the program/project**

Risk Management Lessons Learnt



- ◆ Integrated with program/project decision-making processes (RIDM)
 - Continuous, event-driven technical reviews (incl project milestones) to help define a program that satisfies the customer's needs within acceptable risk
 - Continuous prioritization, assessments and mitigation planning and appropriate funding
- ◆ Risk management integral to the acquisition process
- ◆ A continuous process improvement strategy that monitors and improves risk management processes and tools
- ◆ Weaving Risk Management into the cultural fabric of the organization is critical, but difficult

Summary



- ◆ Phased-approach for implementation of risk management is necessary
- ◆ Risk management system will be simple, accessible and promote communication of information to all relevant stakeholders for optimal resource allocation and risk mitigation
 - Risk management should be used by all team members to manage risks – not just risk office personnel
 - Each group/department is assigned Risk Integrators who are facilitators for effective risk management
 - Risks will be managed at the lowest-level feasible, elevate only those risks that require coordination or management from above
- ◆ Risk informed decision making should be introduced to all levels of management
- ◆ Provide necessary checks and balances to insure that risks are caught/identified and dealt with in a timely manner
- ◆ Many supporting tools, processes & training must be deployed for effective risk management implementation
- ◆ Process improvement must be included in the risk processes



Questions?