NASA/SP—1998–7037/SUPPL386 October 30, 1998

AERONAUTICAL ENGINEERING

A CONTINUING BIBLIOGRAPHY WITH INDEXES



National Aeronautics and Space Administration Langley Research Center

Scientific and Technical Information Program Office

The NASA STI Program Office ... in Profile

Since its founding, NASA has been dedicated to the advancement of aeronautics and space science. The NASA Scientific and Technical Information (STI) Program Office plays a key part in helping NASA maintain this important role.

The NASA STI Program Office is operated by Langley Research Center, the lead center for NASA's scientific and technical information. The NASA STI Program Office provides access to the NASA STI Database, the largest collection of aeronautical and space science STI in the world. The Program Office is also NASA's institutional mechanism for disseminating the results of its research and development activities. These results are published by NASA in the NASA STI Report Series, which includes the following report types:

- TECHNICAL PUBLICATION. Reports of completed research or a major significant phase of research that present the results of NASA programs and include extensive data or theoretical analysis. Includes compilations of significant scientific and technical data and information deemed to be of continuing reference value. NASA's counterpart of peerreviewed formal professional papers but has less stringent limitations on manuscript length and extent of graphic presentations.
- TECHNICAL MEMORANDUM. Scientific and technical findings that are preliminary or of specialized interest, e.g., quick release reports, working papers, and bibliographies that contain minimal annotation. Does not contain extensive analysis.
- CONTRACTOR REPORT. Scientific and technical findings by NASA-sponsored contractors and grantees.

- CONFERENCE PUBLICATION. Collected papers from scientific and technical conferences, symposia, seminars, or other meetings sponsored or cosponsored by NASA.
- SPECIAL PUBLICATION. Scientific, technical, or historical information from NASA programs, projects, and missions, often concerned with subjects having substantial public interest.
- TECHNICAL TRANSLATION. English-language translations of foreign scientific and technical material pertinent to NASA's mission.

Specialized services that complement the STI Program Office's diverse offerings include creating custom thesauri, building customized databases, organizing and publishing research results . . . even providing videos.

For more information about the NASA STI Program Office, see the following:

- Access the NASA STI Program Home Page at *http://www.sti.nasa.gov*
- E-mail your question via the Internet to help@sti.nasa.gov
- Fax your question to the NASA STI Help Desk at (301) 621-0134
- Telephone the NASA STI Help Desk at (301) 621-0390
- Write to: NASA STI Help Desk NASA Center for AeroSpace Information 7121 Standard Drive Hanover, MD 21076-1320

Introduction

This supplemental issue of *Aeronautical Engineering*, *A Continuing Bibliography with Indexes* (NASA/SP—1998-7037) lists reports, articles, and other documents recently announced in the NASA STI Database.

The coverage includes documents on the engineering and theoretical aspects of design, construction, evaluation, testing, operation, and performance of aircraft (including aircraft engines) and associated components, equipment, and systems. It also includes research and development in aerodynamics, aeronautics, and ground support equipment for aeronautical vehicles.

Each entry in the publication consists of a standard bibliographic citation accompanied, in most cases, by an abstract.

The NASA CASI price code table, addresses of organizations, and document availability information are included before the abstract section.

Two indexes—subject and author are included after the abstract section.

SCAN Goes Electronic!

If you have electronic mail or if you can access the Internet, you can view biweekly issues of *SCAN* from your desktop absolutely free!

Electronic SCAN takes advantage of computer technology to inform you of the latest worldwide, aerospace-related, scientific and technical information that has been published.

No more waiting while the paper copy is printed and mailed to you. You can view *Electronic SCAN* the same day it is released—up to 191 topics to browse at your leisure. When you locate a publication of interest, you can print the announcement. You can also go back to the *Electronic SCAN* home page and follow the ordering instructions to quickly receive the full document.

Start your access to *Electronic SCAN* today. Over 1,000 announcements of new reports, books, conference proceedings, journal articles...and more—available to your computer every two weeks.

rlexible Complete FREE! Timely

For Internet access to *E-SCAN*, use any of the following addresses: http://www.sti.nasa.gov ftp.sti.nasa.gov

gopher.sti.nasa.gov

To receive a free subscription, send e-mail for complete information about the service first. Enter **scan@sti.nasa.gov** on the address line. Leave the subject and message areas blank and send. You will receive a reply in minutes.

Then simply determine the SCAN topics you wish to receive and send a second e-mail to **listserve@sti.nasa.gov**. Leave the subject line blank and enter a subscribe command in the message area formatted as follows:

Subscribe <desired list> <Your name>

For additional information, e-mail a message to help@sti.nasa.gov.

Phone: (301) 621-0390

Fax: (301) 621-0134

Write: NASA STI Help Desk NASA Center for AeroSpace Information 7121 Standard Drive Hanover, MD 21076-1320

Looking just for Aerospace Medicine and Biology reports?

Although hard copy distribution has been discontinued, you can still receive these vital announcements through your *E-SCAN* subscription. Just **subscribe SCAN-AEROMED** in the message area of your e-mail to **listserve@sti.nasa.gov**.

New Feature! Scan-AEROMED

Table of Contents

Records are arranged in categories 1 through 19, the first nine coming from the Aeronautics division of *STAR*, followed by the remaining division titles. Selecting a category will link you to the collection of records cited in this issue pertaining to that category.

01	Aeronautics	Ą
02	Aerodynamics Includes aerodynamics of bodies, combinations, wings, rotors, and control surfaces; a internal flow in ducts and turbomachinery.	1 ind
03	Air Transportation and Safety Includes passenger and cargo air transport operations; and aircraft accidents.	2
04	Aircraft Communications and Navigation N. Includes digital and voice communication with aircraft; air navigation systems (satellite a ground based); and air traffic control.	A. and
05	Aircraft Design, Testing and Performance Includes aircraft simulation technology.	3
06	Aircraft Instrumentation N. Includes cockpit and cabin display devices; and flight instruments.	Α.
07	Aircraft Propulsion and Power Includes prime propulsion systems and systems components, e.g., gas turbine engines a compressors; and onboard auxiliary power plants for aircraft.	4 and
08	Aircraft Stability and Control Includes aircraft handling qualities; piloting; flight controls; and autopilots.	5
09	Research and Support Facilities (Air) Includes airports, hangars and runways; aircraft repair and overhaul facilities; wind tunner shock tubes; and aircraft engine test stands.	5 els;
10	Astronautics Includes astronautics (general); astrodynamics; ground support systems and facilit (space); launch vehicles and space vehicles; space transportation; space communication spacecraft communications, command and tracking; spacecraft design, testing and performance; spacecraft instrumentation; and spacecraft propulsion and power.	ons,
4000 4000	Chemistry and Materials Includes chemistry and materials (general); composite materials; inorganic and physic chemistry; metallic materials; nonmetallic materials; propellants and fuels; and materials	

processing.

12 Engineering

Includes engineering (general); communications and radar; electronics and electrical engineering; fluid mechanics and heat transfer; instrumentation and photography; lasers and masers; mechanical engineering; quality assurance and reliability; and structural mechanics.

13 Geosciences

Includes geosciences (general); earth resources and remote sensing; energy production and conversion; environment pollution; geophysics; meteorology and climatology; and oceanography.

14 Life Sciences

Includes life sciences (general); aerospace medicine; behavioral sciences; man/system technology and life support; and space biology.

15 Mathematical and Computer Sciences

Includes mathematical and computer sciences (general); computer operations and hardware; computer programming and software; computer systems; cybernetics; numerical analysis; statistics and probability; systems analysis; and theoretical mathematics.

16 **Physics**

Includes physics (general); acoustics; atomic and molecular physics; nuclear and highenergy; optics; plasma physics; solid-state physics; and thermodynamics and statistical physics.

17 Social Sciences

Includes social sciences (general); administration and management; documentation and information science; economics and cost analysis; law, political science, and space policy; and urban technology and transportation.

18 Space Sciences

Includes space sciences (general); astronomy; astrophysics; lunar and planetary exploration; solar physics; and space radiation.

19 General

Indexes

Two indexes are available. You may use the find command under the tools menu while viewing the PDF file for direct match searching on any text string. You may also view the indexes provided, for searching on NASA Thesaurus subject terms and author names.

Subject Term Index	ST-1
Author Index	PA1
Selecting an index above will link you to that comprehensive listing.	

N.A.

N.A.

N.A.

12

N.A.

7

**

11

Document Availability

Select **Availability Info** for important information about NASA Scientific and Technical Information (STI) Program Office products and services, including registration with the NASA Center for AeroSpace Information (CASI) for access to the NASA CASI TRS (Technical Report Server), and availability and pricing information for cited documents.

The New NASA Video Catalog is Here ree To order your call the NASA STI Help Desk at (301) 621 - 0390,fax to (301) 621-0134, e-mail to help@sti.nasa.gov, or visit the NASA STI Program homepage at http://www.sti.nasa.gov (Select STI Program Bibliographic Announcements)

Explore the Universe!

Document Availability Information

The mission of the NASA Scientific and Technical (STI) Program Office is to quickly, efficiently, and cost-effectively provide the NASA community with desktop access to STI produced by NASA and the world's aerospace industry and academia. In addition, we will provide the aerospace industry, academia, and the taxpayer access to the intellectual scientific and technical output and achievements of NASA.

Eligibility and Registration for NASA STI Products and Services

The NASA STI Program offers a wide variety of products and services to achieve its mission. Your affiliation with NASA determines the level and type of services provided by the NASA STI Program. To assure that appropriate level of services are provided, NASA STI users are requested to register at the NASA Center for AeroSpace Information (CASI). Please contact NASA CASI in one of the following ways:

E-mail:	help@sti.nasa.gov
Fax:	301-621-0134
Phone:	301-621-0390
Mail:	ATTN: Registration Services
	NASA Center for AeroSpace Information
	7121 Standard Drive
	Hanover, MD 21076-1320

Limited Reproducibility

In the database citations, a note of limited reproducibility appears if there are factors affecting the reproducibility of more than 20 percent of the document. These factors include faint or broken type, color photographs, black and white photographs, foldouts, dot matrix print, or some other factor that limits the reproducibility of the document. This notation also appears on the microfiche header.

NASA Patents and Patent Applications

Patents and patent applications owned by NASA are announced in the STI Database. Printed copies of patents (which are not microfiched) are available for purchase from the U.S. Patent and Trademark Office.

When ordering patents, the U.S. Patent Number should be used, and payment must be remitted in advance, by money order or check payable to the Commissioner of Patents and Trademarks. Prepaid purchase coupons for ordering are also available from the U.S. Patent and Trademark Office.

NASA patent application specifications are sold in both paper copy and microfiche by the NASA Center for AeroSpace Information (CASI). The document ID number should be used in ordering either paper copy or microfiche from CASI.

The patents and patent applications announced in the STI Database are owned by NASA and are available for royalty-free licensing. Requests for licensing terms and further information should be addressed to:

National Aeronautics and Space Administration Associate General Counsel for Intellectual Property Code GP Washington, DC 20546-0001

Sources for Documents

One or more sources from which a document announced in the STI Database is available to the public is ordinarily given on the last line of the citation. The most commonly indicated sources and their acronyms or abbreviations are listed below, with an Addresses of Organizations list near the back of this section. If the publication is available from a source other than those listed, the publisher and his address will be displayed on the availability line or in combination with the corporate source.

Avail: NASA CASI. Sold by the NASA Center for AeroSpace Information. Prices for hard copy (HC) and microfiche (MF) are indicated by a price code following the letters HC or MF in the citation. Current values are given in the NASA CASI Price Code Table near the end of this section.

Note on Ordering Documents: When ordering publications from NASA CASI, use the document ID number or other report number. It is also advisable to cite the title and other bibliographic identification.

- Avail: SOD (or GPO). Sold by the Superintendent of Documents, U.S. Government Printing Office, in hard copy.
- Avail: BLL (formerly NLL): British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England. Photocopies available from this organization at the price shown. (If none is given, inquiry should be addressed to the BLL.)
- Avail: DOE Depository Libraries. Organizations in U.S. cities and abroad that maintain collections of Department of Energy reports, usually in microfiche form, are listed in Energy Research Abstracts. Services available from the DOE and its depositories are described in a booklet, *DOE Technical Information Center—Its Functions and Services* (TID-4660), which may be obtained without charge from the DOE Technical Information Center.
- Avail: ESDU. Pricing information on specific data, computer programs, and details on ESDU International topic categories can be obtained from ESDU International.
- Avail: Fachinformationszentrum Karlsruhe. Gesellschaft für wissenschaftlich-technische Information mbH 76344 Eggenstein-Leopoldshafen, Germany.

- Avail: HMSO. Publications of Her Majesty's Stationery Office are sold in the U.S. by Pendragon House, Inc. (PHI), Redwood City, CA. The U.S. price (including a service and mailing charge) is given, or a conversion table may be obtained from PHI.
- Avail: Issuing Activity, or Corporate Author, or no indication of availability. Inquiries as to the availability of these documents should be addressed to the organization shown in the citation as the corporate author of the document.
- Avail: NASA Public Document Rooms. Documents so indicated may be examined at or purchased from the National Aeronautics and Space Administration (JBD-4), Public Documents Room (Room 1H23), Washington, DC 20546-0001, or public document rooms located at NASA installations, and the NASA Pasadena Office at the Jet Propulsion Laboratory.
- Avail: NTIS. Sold by the National Technical Information Service. Initially distributed microfiche under the NTIS SRIM (Selected Research in Microfiche) are available. For information concerning this service, consult the NTIS Subscription Section, Springfield, VA 22161.
- Avail: Univ. Microfilms. Documents so indicated are dissertations selected from Dissertation Abstracts and are sold by University Microfilms as xerographic copy (HC) and microfilm. All requests should cite the author and the Order Number as they appear in the citation.
- Avail: US Patent and Trademark Office. Sold by Commissioner of Patents and Trademarks, U.S. Patent and Trademark Office, at the standard price of \$1.50 each, postage free.
- Avail: (US Sales Only). These foreign documents are available to users within the United States from the National Technical Information Service (NTIS). They are available to users outside the United States through the International Nuclear Information Service (INIS) representative in their country, or by applying directly to the issuing organization.
- Avail: USGS. Originals of many reports from the U.S. Geological Survey, which may contain color illustrations, or otherwise may not have the quality of illustrations preserved in the microfiche or facsimile reproduction, may be examined by the public at the libraries of the USGS field offices whose addresses are listed on the Addresses of Organizations page. The libraries may be queried concerning the availability of specific documents and the possible utilization of local copying services, such as color reproduction.

Addresses of Organizations

British Library Lending Division Boston Spa, Wetherby, Yorkshire England

Commissioner of Patents and Trademarks U.S. Patent and Trademark Office Washington, DC 20231

Department of Energy Technical Information Center P.O. Box 62 Oak Ridge, TN 37830

European Space Agency– Information Retrieval Service ESRIN Via Galileo Galilei 00044 Frascati (Rome) Italy

ESDU International 27 Corsham Street London N1 6UA England

Fachinformationszentrum Karlsruhe
 Gesellschaft f
ür wissenschaftlich-technische
 Information mbH
 76344 Eggenstein-Leopoldshafen, Germany

Her Majesty's Stationery Office P.O. Box 569, S.E. 1 London, England

NASA Center for AeroSpace Information 7121 Standard Drive Hanover, MD 21076-1320

(NASA STI Lead Center) National Aeronautics and Space Administration Scientific and Technical Information Program Office Langley Research Center – MS157 Hampton, VA 23681 National Technical Information Service 5285 Port Royal Road Springfield, VA 22161

Pendragon House, Inc. 899 Broadway Avenue Redwood City, CA 94063

Superintendent of Documents U.S. Government Printing Office Washington, DC 20402

University Microfilms A Xerox Company 300 North Zeeb Road Ann Arbor, MI 48106

University Microfilms, Ltd. Tylers Green London, England

U.S. Geological Survey Library National Center MS 950 12201 Sunrise Valley Drive Reston, VA 22092

U.S. Geological Survey Library 2255 North Gemini Drive Flagstaff, AZ 86001

U.S. Geological Survey 345 Middlefield Road Menlo Park, CA 94025

U.S. Geological Survey Library Box 25046 Denver Federal Center, MS914 Denver, CO 80225

NASA CASI Price Code Table

(Effective July 1, 1998)

	U.S., Canada,		U	J.S., Canada,	
Code	& Mexico	Foreign	Code	& Mexico	Foreign
A01	\$ 8.00	\$ 16.00	E01	\$101.00	\$202.00
A02	12.00	24.00	E02	. 109.50	219.00
A03	23.00	46.00	E03	. 119.50	238.00
A04	25.50	51.00	E04	. 128.50	257.00
A05	27.00	54.00	E05	. 138.00	276.00
A06	29.50	59.00	E06	. 146.50	293.00
A07	33.00	66.00	E07	. 156.00	312.00
A08	36.00	72.00	E08	. 165.50	331.00
A09	41.00	82.00	E09	. 174.00	348.00
A10	44.00	88.00	E10	. 183.50	367.00
A11	47.00	94.00	E11	. 193.00	386.00
A12	51.00	102.00	E12	. 201.00	402.00
A13	54.00	108.00	E13	. 210.50	421.00
A14	56.00	112.00	E14	. 220.00	440.00
A15	58.00	116.00	E15	. 229.50	459.00
A16	60.00	120.00	E16	. 238.00	476.00
A17	62.00	124.00	E17	. 247.50	495.00
A18	65.50	131.00	E18	. 257.00	514.00
A19	67.50	135.00	E19	. 265.50	531.00
A20	69.50	139.00	E20	. 275.00	550.00
A21	71.50	143.00	E21	. 284.50	569.00
A22	77.00	154.00	E22	. 293.00	586.00
	79.00		E23	. 302.50	605.00
A24	81.00	162.00	E24	. 312.00	624.00
A25	83.00	166.00	E99 C	ontact NASA CA	ASI

A99 Contact NASA CASI

Payment Options

All orders must be prepaid unless you are registered for invoicing or have a deposit account with the NASA CASI. Payment can be made by VISA, MasterCard, American Express, or Diner's Club credit card. Checks or money orders must be in U.S. currency and made payable to "NASA Center for AeroSpace Information." To register, please request a registration form through the NASA STI Help Desk at the numbers or addresses below.

Handling fee per item is \$1.50 domestic delivery to any location in the United States and \$9.00 foreign delivery to Canada, Mexico, and other foreign locations. Video orders incur an additional \$2.00 handling fee per title.

The fee for shipping the safest and fastest way via Federal Express is in addition to the regular handling fee explained above—\$5.00 domestic per item, \$27.00 foreign for the first 1-3 items, \$9.00 for each additional item.

Return Policy

The NASA Center for AeroSpace Information will replace or make full refund on items you have requested if we have made an error in your order, if the item is defective, or if it was received in damaged condition, and you contact CASI within 30 days of your original request.

NASA Center for AeroSpace Information 7121 Standard Drive Hanover, MD 21076-1320 E-mail: help@sti.nasa.gov Fax: (301) 621-0134 Phone: (301) 621-0390

Rev. 7/98

Federal Depository Library Program

In order to provide the general public with greater access to U.S. Government publications, Congress established the Federal Depository Library Program under the Government Printing Office (GPO), with 53 regional depositories responsible for permanent retention of material, inter-library loan, and reference services. At least one copy of nearly every NASA and NASA-sponsored publication, either in printed or microfiche format, is received and retained by the 53 regional depositories. A list of the Federal Regional Depository Libraries, arranged alphabetically by state, appears at the very end of this section. These libraries are not sales outlets. A local library can contact a regional depository to help locate specific reports, or direct contact may be made by an individual.

Public Collection of NASA Documents

An extensive collection of NASA and NASA-sponsored publications is maintained by the British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England for public access. The British Library Lending Division also has available many of the non-NASA publications cited in the STI Database. European requesters may purchase facsimile copy or microfiche of NASA and NASA-sponsored documents FIZ–Fachinformation Karlsruhe–Bibliographic Service, D-76344 Eggenstein-Leopoldshafen, Germany and TIB–Technische Informationsbibliothek, P.O. Box 60 80, D-30080 Hannover, Germany.

Submitting Documents

All users of this abstract service are urged to forward reports to be considered for announcement in the STI Database. This will aid NASA in its efforts to provide the fullest possible coverage of all scientific and technical publications that might support aeronautics and space research and development. If you have prepared relevant reports (other than those you will transmit to NASA, DOD, or DOE through the usual contract- or grant-reporting channels), please send them for consideration to:

ATTN: Acquisitions Specialist NASA Center for AeroSpace Information 7121 Standard Drive Hanover, MD 21076-1320.

Reprints of journal articles, book chapters, and conference papers are also welcome.

You may specify a particular source to be included in a report announcement if you wish; otherwise the report will be placed on a public sale at the NASA Center for AeroSpace Information. Copyrighted publications will be announced but not distributed or sold.

Federal Regional Depository Libraries

ALABAMA

AUBURN UNIV. AT MONTGOMERY LIBRARY Documents Dept. 7300 University Dr. Montgomery, AL 36117–3596 (205) 244–3650 Fax: (205) 244–0678

UNIV. OF ALABAMA

Amelia Gayle Gorgas Library Govt. Documents P.O. Box 870266 Tuscaloosa, AL 35487-0266 (205) 348-6046 Fax: (205) 348-0760

ARIZONA

DEPT. OF LIBRARY, ARCHIVES, AND PUBLIC RECORDS Research Division Third Floor, State Capitol 1700 West Washington Phoenix, AZ 85007 (602) 542–3701 Fax: (602) 542–4400

ARKANSAS ARKANSAS STATE LIBRARY State Library Service Section Documents Service Section One Capitol Mall Little Rock, AR 72201-1014 (501) 682-2053 Fax: (501) 682-1529

CALIFORNIA CALIFORNIA STATE LIBRARY Govt. Publications Section

P.O. Box 942837 - 914 Capitol Mall Sacramento, CA 94337-0091 (916) 654-0069 Fax: (916) 654-0241

COLORADO

UNIV. OF COLORADO - BOULDER Libraries - Govt. Publications Campus Box 184 Boulder, CO 80309-0184 (303) 492-8834 Fax: (303) 492-1881

DENVER PUBLIC LIBRARY

Govt. Publications Dept. BSG 1357 Broadway Denver, CO 80203-2165 (303) 640-8846 Fax: (303) 640-8817

CONNECTICUT

CONNECTICUT STATE LIBRARY 231 Capitol Avenue Hartford, CT 06106 (203) 566-4971 Fax: (203) 566-3322

FLORIDA UNIV. OF FLORIDA LIBRARIES Documents Dept. 240 Library West Gainesville, FL 32611-2048 (904) 392-0366 Fax: (904) 392-7251

GEORGIA UNIV. OF GEORGIA LIBRARIES Govt. Documents Dept. Jackson Street Athens, GA 30602-1645 (706) 542-8949 Fax: (706) 542-4144

HAWAII

UNIV. OF HAWAII Hamilton Library Govt. Documents Collection 2550 The Mall Honolulu, HI 96822 (808) 948-8230 Fax: (808) 956-5968

IDAHO UNIV. OF IDAHO LIBRARY

Documents Section Rayburn Street Moscow, ID 83844-2353 (208) 885-6344 Fax: (208) 885-6817

ILLINOIS

ILLINOIS STATE LIBRARY Federal Documents Dept. 300 South Second Street Springfield, IL 62701-1796 (217) 782-7596 Fax: (217) 782-6437

INDIANA INDIANA STATE LIBRARY

Serials/Documents Section 140 North Senate Avenue Indianapolis, IN 46204-2296 (317) 232-3679 Fax: (317) 232-3728

IOWA

UNIV. OF IOWA LIBRARIES Govt. Publications Washington & Madison Streets lowa City, IA 52242-1166 (319) 335-5926 Fax: (319) 335-5900

KANSAS

UNIV. OF KANSAS Govt. Documents & Maps Library 6001 Malott Hall Lawrence, KS 66045-2800 (913) 864-4660 Fax: (913) 864-3855

KENTUCKY

UNIV. OF KENTUCKY King Library South Govt. Publications/Maps Dept. Patterson Drive Lexington, KY 40506-0039 (606) 257-3139 Fax: (606) 257-3139

LOUISIANA LOUISIANA STATE UNIV. Middleton Library Govt. Documents Dept Baton Rouge, LA 70803-3312 (504) 388-2570 Fax: (504) 388-6992

LOUISIANA TECHNICAL UNIV.

Prescott Memorial Library Govt. Documents Dept. Ruston, LA 71272-0046 (318) 257-4962 Fax: (318) 257-2447

MAINE UNIV. OF MAINE Raymond H. Fogler Library Govt. Documents Dept.

Orono, ME 04469-5729 (207) 581-1673 Fax: (207) 581-1653

MARYLAND UNIV. OF MARYLAND - COLLEGE PARK McKeldin Library Govt. Documents/Maps Unit College Park, MD 20742 (301) 405–9165 Fax: (301) 314–9416

MASSACHUSETTS BOSTON PUBLIC LIBRARY

Govt. Documents 666 Boylston Street Boston, MA 02117–0286 (617) 536–5400, ext. 226 Fax: (617) 536–7758

MICHIGAN

DETROIT PUBLIC LIBRARY 5201 Woodward Avenue Detroit, MI 48202-4093 (313) 833-1025 Fax: (313) 833-0156

LIBRARY OF MICHIGAN

Govt. Documents Unit P.O. Box 30007 717 West Allegan Street Lansing, MI 48909 (517) 373–1300 Fax: (517) 373–3381

MINNESOTA

UNIV. OF MINNESOTA Govt. Publications 409 Wilson Library 309 19th Avenue South Minneapolis, MN 55455 (612) 624-5073 Fax: (612) 626-9353

MISSISSIPPI

UNIV. OF MISSISSIPPI J.D. Williams Library 106 Old Gym Bldg. University, MS 38677 (601) 232–5857 Fax: (601) 232–7465

MISSOURI UNIV. OF MISSOURI – COLUMBIA 106B Ellis Library Govt. Documents Sect. Columbia, MO 65201-5149 (314) 882-6733 Fax: (314) 882-8044

MONTANA UNIV. OF MONTANA

Mansfield Library Documents Division Missoula, MT 59812-1195 (406) 243-6700 Fax: (406) 243-2060

NEBRASKA UNIV. OF NEBRASKA - LINCOLN

D.L. Love Memorial Library Lincoln, NE 68588-0410 (402) 472-2562 Fax: (402) 472-5131

NEVADA THE UNIV. OF NEVADA LIBRARIES Business and Govt. Information

Center Reno, NV 89557-0044 (702) 784-6579 Fax: (702) 784-1751

NEW JERSEY

NEWARK PUBLIC LIBRARY Science Div. - Public Access P.O. Box 630 Five Washington Street Newark, NJ 07101-7812 (201) 733-7782 Fax: (201) 733-5648

NEW MEXICO

UNIV. OF NEW MEXICO General Library Govt. Information Dept. Albuquerque, NM 87131-1466 (505) 277-5441 Fax: (505) 277-6019

NEW MEXICO STATE LIBRARY 325 Don Gaspar Avenue Santa Fe, NM 87503 (505) 827-3824 Fax: (505) 827-3888

NEW YORK

NEW YORK STATE LIBRARY Cultural Education Center Documents/Gift & Exchange Section Empire State Plaza Albany, NY 12230-0001 (518) 474-5355 Fax: (518) 474-5786

NORTH CAROLINA UNIV. OF NORTH CAROLINA -CHAPEL HILL

Walter Royal Davis Library CB 3912, Reference Dept. Chapel Hill, NC 27514-8890 (919) 962-1151 Fax: (919) 962-4451

NORTH DAKOTA NORTH DAKOTA STATE UNIV. LIB.

Documents P.O. Box 5599 Fargo, ND 58105-5599 (701) 237-8886 Fax: (701) 237-7138

UNIV. OF NORTH DAKOTA Chester Fritz Library University Station P.O. Box 9000 - Centennial and University Avenue Grand Forks, ND 58202-9000 (701) 777-4632 Fax: (701) 777-3319

OHIO STATE LIBRARY OF OHIO Documents Dept 65 South Front Street Columbus, OH 43215-4163 (614) 644-7051 Fax: (614) 752-9178

OKLAHOMA

OKLAHOMA DEPT. OF LIBRARIES U.S. Govt. Information Division 200 Northeast 18th Street Oklahoma City, OK 73105-3298 (405) 521-2502, ext. 253 Fax: (405) 525-7804

OKLAHOMA STATE UNIV.

Edmon Low Library Stillwater, OK 74078–0375 (405) 744–6546 Fax: (405) 744–5183

OREGON PORTLAND STATE UNIV. Branford P. Millar Library 934 Southwest Harrison Portland, OR 97207-1151 (503) 725-4123 Fax: (503) 725-4524

PENNSYLVANIA STATE LIBRARY OF PENN. Govt. Publications Section 116 Walnut & Commonwealth Ave. Harrisburg, PA 17105–1601 (717) 787–3752 Fax: (717) 783–2070

SOUTH CAROLINA CLEMSON UNIV.

Robert Muldrow Cooper Library Public Documents Unit P.O. Box 343001 Clemson, SC 29634-3001 (803) 656-5174 Fax: (803) 656-3025

UNIV. OF SOUTH CAROLINA

Thomas Cooper Library Green and Sumter Streets Columbia, SC 29208 (803) 777-4841 Fax: (803) 777-9503

TENNESSEE UNIV. OF MEMPHIS LIBRARIES

Govt. Publications Dept. Memphis, TN 38152-0001 (901) 678-2206 Fax: (901) 678-2511

TEXAS

TEXAS STATE LIBRARY United States Documents P.O. Box 12927 – 1201 Brazos Austin, TX 78701–0001 (512) 463-5455 Fax: (512) 463-5436

TEXAS TECH. UNIV. LIBRARIES

Documents Dept Lubbock, TX 79409-0002 (806) 742-2282 Fax: (806) 742-1920

UTAH UTAH STATE UNIV. Merrill Library Documents Dept. Logan, UT 84322-3000

(801) 797-2678 Fax: (801) 797-2677

VIRGINIA UNIV. OF VIRGINIA

Alderman Library Govt. Documents University Ave. & McCormick Rd. Charlottesville, VA 22903-2498 (804) 824-3133 Fax: (804) 924-4337

WASHINGTON WASHINGTON STATE LIBRARY

Govt. Publications P.O. Box 42478 16th and Water Streets Olympia, WA 98504-2478 (206) 753-4027 Fax: (206) 586-7575

WEST VIRGINIA

WEST VIRGINIA UNIV. LIBRARY Govt. Documents Section P.O. Box 6069 - 1549 University Ave. Morgantown, WV 26506-6069 (304) 293-3051 Fax: (304) 293-6638

WISCONSIN

Documents Division

Milwaukee, WI 53233

814 West Wisconsin Avenue

ST. HIST. SOC. OF WISCONSIN Govt. Publication Section 816 State Street Madison, WI 53706 (608) 264-6525 Fax: (608) 264-6520 MILWAUKEE PUBLIC LIBRARY

(414) 286-3073 Fax: (414) 286-8074

Typical Report Citation and Abstract

- 19970001126 NASA Langley Research Center, Hampton, VA USA
- **2** Water Tunnel Flow Visualization Study Through Poststall of 12 Novel Planform Shapes
- Gatlin, Gregory M., NASA Langley Research Center, USA Neuhart, Dan H., Lockheed Engineering and Sciences Co., USA;
- **4** Mar. 1996; 130p; In English
- G Contract(s)/Grant(s): RTOP 505-68-70-04
- Report No(s): NASA-TM-4663; NAS 1.15:4663; L-17418; No Copyright; Avail: CASI; A07, Hardcopy; A02, Microfiche To determine the flow field characteristics of 12 planform geometries, a flow visualization investigation was conducted in the Langley 16- by 24-Inch Water Tunnel. Concepts studied included flat plate representations of diamond wings, twin bodies, double wings, cutout wing configurations, and serrated forebodies. The off-surface flow patterns were identified by injecting colored dyes from the model surface into the free-stream flow. These dyes generally were injected so that the localized vortical flow patterns were visualized. Photographs were obtained for angles of attack ranging from 10' to 50', and all investigations were conducted at a test section speed of 0.25 ft per sec. Results from the investigation indicate that the formation of strong vortices on highly swept forebodies can improve poststall lift characteristics; however, the asymmetric bursting of these vortices could produce substantial control problems. A wing cutout was found to significantly alter the position of the forebody vortex on the wing by shifting the vortex inboard. Serrated forebodies were found to effectively generate multiple vortices over the configuration. Vortices from 65' swept forebody serrations tended to roll together, while vortices from 40' swept serrations were more effective in generating additional lift caused by their more independent nature.
- **③** Author
- Water Tunnel Tests; Flow Visualization; Flow Distribution; Free Flow; Planforms; Wing Profiles; Aerodynamic Configurations

Key

- 1. Document ID Number; Corporate Source
- 2. Title
- 3. Author(s) and Affiliation(s)
- 4. Publication Date
- 5. Contract/Grant Number(s)
- 6. Report Number(s); Availability and Price Codes
- 7. Abstract
- 8. Abstract Author
- 9. Subject Terms

AERONAUTICAL ENGINEERING

A Continuing Bibliography (Suppl. 386)

OCTOBER 30, 1998

01 AERONAUTICS

19980219349 NASA Langley Research Center, Hampton, VA USA Aeronautical Engineering: A Continuing Bibliography, Supplement 383 Sep. 18, 1998; 49p; In English Report No.(s): NASA/SP-1998-7037/SUPPL383; NAS 1.21:7037/SUPPL383; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

This bibliography lists reports, articles and other documents announced in the NASA science and technical information system. Subject coverage includes: Design, construction and testing of aircraft and aircraft engines; aircraft components, equipment and systems; ground support systems; and theoretical and applied aspects of aerodynamics and general fluid dynamics. CASI

Aerodynamics; Aeronautical Engineering; Bibliographies; Indexes (Documentation)

19980219350 NASA Langley Research Center, Hampton, VA USA Aeronautical Engineering: A Continuing Bibliography, Supplement 384 Oct. 02, 1998; 38p; In English Report No.(s): NASA/SP-1998-7037/SUPPL384; NAS 1.21:7037/SUPPL384; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche This bibliography lists reports, articles and other decuments approach in the NASA asiance and technical information are

This bibliography lists reports, articles and other documents announced in the NASA science and technical information system. Subject coverage includes: Design, construction and testing of aircraft and aircraft engines; aircraft components, equipment and systems; ground support systems; and theoretical and applied aspects of aerodynamics and general fluid dynamics. CASI

Aerodynamics; Aeronautical Engineering; Bibliographies; Indexes (Documentation)

02 AERODYNAMICS

Includes aerodynamics of bodies, combinations, wings, rotors, and control surfaces; and internal flow in ducts and turbomachinery.

19980220443 Ibaraki Univ., Faculty of Engineering, Hitachi, Japan

Performance Comparison Between Two Airfoils for Wind Turbine Blade

Suido, Goichi, Ibaraki Univ., Japan; Kato, Eizi, Ibaraki Univ., Japan; Tachikawa, Tsutomu, Ibaraki Univ., Japan; Matsumiya, Hikaru, Ministry of International Trade and Industry, Japan; Journal of the Faculty of Engineering, Ibaraki University; Dec. 1992; ISSN 0367-7389; Volume 40, pp. 197-204; In Japanese; No Copyright; Avail: Issuing Activity, Hardcopy, Microfiche

The present work is an attempt to examine the characteristics of two airfoils (MEL-IBA-001, FX-84W140) and to discuss the performance for the wind turbine blades. MEL-IBA-001 (MEL) was designed for a wind turbine blade, and FX-84W140 (FX) has been used for the blade. The maximums of the camber of MEL and FX and the maximum thickness of both airfoils were situated respectively at 0.47, 0.41, and 0.36 the chord length from the leading edges. Wind tunnel tests for the airfoil characteristics was performed at the Reynolds numbers 0.7 x 10(exp 5) and 3.5 x 10(exp 5), in the range of the angle of attack, -24 deg. to 24 deg. respectively. The results indicate that no appreciable difference was observed in the lift/drag ratio between the airfoils, but MEL was better than FX in the lift characteristics, MEL was therefore preferable to FX for a wind turbine blade. Author

Wind Tunnel Tests; Wind Turbines; Airfoils; Performance Tests; Turbine Blades; Aerodynamic Characteristics

03 AIR TRANSPORTATION AND SAFETY

Includes passenger and cargo air transport operations; and aircraft accidents.

19980221125 Environmental Protection Agency, Office of Enforcement and Compliance Assurance, Washington, DC USA Profile of the Air Transportation Industry: EPA Office of Compliance Sector Notebook Project Feb. 1998; 106p; In English

Report No.(s): PB98-158686; EPA/310/R-97/001; No Copyright; Avail: CASI; A06, Hardcopy; A02, Microfiche

The air transportation sector can be broken down into two categories: (1) facilities providing scheduled, non-scheduled, and air courier services using aircraft, and (2) airports and airport operations. It is these two major topics (i.e., aircraft facilities and airports) and the activities and operations that occur within each of these areas that are the primary focus of this notebook. NTIS

Air Transportation; Airports; Industries; Pollution Control; Civil Aviation

19980221239 European Organization for the Safety of Air Navigation, Experimental Centre, Bretigny-sur-Orge, France Comparative Experiments with Speech Recognizers for ATC Simulations

Hering, H., European Organization for the Safety of Air Navigation, France; Mar. 1998; 34p; In English

Report No.(s): PB98-164346; EEC/NOTE-9/98; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

Innovative multimedia techniques like speech recognition are in development and could be used for realtime ATC simulation facilities. The specific ATC command language, with its restrictive structure, may be more applicable to speech recognition systems. Industry is offering speech recognition devices based upon different concepts and very high recognition quality is reported. The aim of the experiments reported upon was to examine the recognizers under conditions as closely as possible to real-time ACT simulations. For this reason, speech recordings were conducted during live EEC real-time simulations manned by experimented controllers of different nationalities and diverse native languages.

NTIS

Air Traffic Control; Real Time Operation; Speech Recognition; Command Languages

19980221241 European Organization for the Safety of Air Navigation, Bretigny-sur-Orge, France Distributed and Fault Tolerant Flight Data Management (DIFODAM)

Florent, J. P., European Organization for the Safety of Air Navigation, France; Barabas, F., European Organization for the Safety of Air Navigation, France; Poddany, A., European Organization for the Safety of Air Navigation, France; Feb. 1998; 34p; In Mixed Report No.(s): PB98-164379; EEC-326; No Copyright; Avail: Issuing Activity (Natl Technical Information Service (NTIS)), Microfiche

DIFODAM introduces the concept of Shared Flight Plans. Traditional implementations of shared data rely on a central database management system which guarantees data consistency. We propose an alternative solution based on Group Communication which provides a simple, common service for sharing Flight Plan Data in a synchronous multi-server context. We describe the design of the architecture with emphasis on flexibility.

NTIS

Fault Tolerance; Flight Plans; Flight Management Systems; Data Management; Data Base Management Systems; Air Traffic Control; Distributed Processing

19980221251 Federal Aviation Administration, Fire Safety Section, Atlantic City, NJ USA

Initial Development of an Exploding Aerosol Can Simulator

Marker, Timothy, Federal Aviation Administration, USA; Apr. 1998; 20p; In English

Report No.(s): PB98-157977; DOT/FAA/AR-TN97/103; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

A device was constructed to simulate an exploding aerosol can. The device consisted of a cylindrical pressure vessel for storage of flammable propellants and base product and a high-rate discharge (HRD) valve for quick release of the constituents. Simulator tests were conducted using representative constituents and propellant quantities for comparison with actual cans heated to the point of rupture and ignition. This report describes the tests conducted with the simulator in unconfined spaces, a B-727 cargo compartment, and an LD-3 Unit Loading Device (ULD). Subsequent work is planned with the aim of matching the pressure pulse produced by the exposing aerosol can simulator with that measured during an overheated aerosol can explosion. NTIS

Aerosols; Simulators; Cans; Explosions

05 AIRCRAFT DESIGN, TESTING AND PERFORMANCE

Includes aircraft simulation technology.

19980220116 NASA Langley Research Center, Hampton, VA USA

An Aerodynamic Assessment of Micro-Drag Generators (MDGs)

Bauer, Steven X. S., NASA Langley Research Center, USA; 1998; 11p; In English; 20th; Applied Aerodynamics, 15-18 Jul. 1998, Albuquerque, NM, USA; Sponsored by American Inst. of Aeronautics and Astronautics, USA

Report No.(s): AIAA Paper 98-2621; Copyright; Avail: Issuing Activity, Hardcopy, Microfiche

Commercial transports as well as fighter aircraft of the future are being designed with very low drag (friction and pressure). Concurrently, commuter airports are being built or envisioned to be built in the centers of metropolitan areas where shorter runways and/or reduced noise footprints on takeoff and landing are required. These requirements and the fact that drag is lower on new vehicles than on older aircraft have resulted in vehicles that require a large amount of braking force (from landing-gear brakes, spoilers, high-lift flaps, thrust reversers, etc.). Micro-drag generators (MDG;s) were envisioned to create a uniformly distributed drag force along a vehicle by forcing the flow to separate on the aft-facing surface of a series of deployable devices, thus, generating drag. The devices are intended to work at any speed and for any type of vehicle (aircraft, ground vehicles, sea-faring vehicles). MDGs were applied to a general aviation wing and a representative fuselage shape and tested in two subsonic wind tunnels. The results showed increases in drag of 2 to 6 times that of a "clean" configuration. Author

Aerodynamic Drag; Braking; Fighter Aircraft; Flapping; Friction; Landing Gear

19980221238 European Organization for the Safety of Air Navigation, Experimental Centre, Bretigny-sur-Orge, France Revision Summary Document for the Base Aircraft Data (BADA)

Bos, A., European Organization for the Safety of Air Navigation, France; Mar. 1998; 56p; In English

 Report No.(s): PB98-164338; EEC/NOTE-7/98-Rev-3.0; No Copyright; Avail: CASI; A04, Hardcopy; A01, Microfiche This Revision Summary document (RSD) describes all changes made to BADA files in Revision 3.0 since the two previous releases, Revision 2.5 and 2.6. Configuration management procedures for BADA trace all changes through Configuration Change Orders (CCOs). The RSD thus presents a list of all 33 CCOs implemented for BADA 3.0 along with a description for each CCO. NTIS

Configuration Management; Management Methods; Aircraft Structures; Data Bases

19980221252 European Organization for the Safety of Air Navigation, Experimental Centre, Bretigny-sur-Orge, France Aircraft Performance Summary Tables for the Base of Aircraft Data (BADA), Revision 3.0, *Jan. 1997 - Mar. 1998* Bos, A., European Organization for the Safety of Air Navigation, France; Mar. 1998; 92p; In English Report No.(s): PB98-164395; EEC/NOTE-10/98; No Copyright; Avail: CASI; A05, Hardcopy; A01, Microfiche

A set of aircraft performance summary tables are presented for the 67 aircraft types modeled by the Base of Aircraft Data (BADA) Revision 3.0. For each aircraft type, the performance tables specify the true air speed, rate of climb/descent and fuel flow for conditions of climb, and descent at various flight levels. The performance figures contained within the tables are calculated based on a total-energy model and BADA 3.0 performance coefficients. NTIS

Aircraft Performance; Aircraft Models; Equivalence; Data Bases; Total Energy Systems

07 AIRCRAFT PROPULSION AND POWER

Includes prime propulsion systems and systems components, e.g., gas turbine engines and compressors; and onboard auxiliary power plants for aircraft.

19980045370 Iowa State Univ. of Science and Technology, Ames, IA USA Study of a Wake Recovery Mechanism in a High-Speed Axial Compressor Stage *Final Report* VanZante, Dale E., Iowa State Univ. of Science and Technology, USA; Feb. 1998; 160p; In English Contract(s)/Grant(s): NAG3-1302; RTOP 523-26-33 Report No.(s): NASA/CR-1998-206594; E-11045; NAS 1.26:206594; No Copyright; Avail: CASI; A08, Hardcopy; A02, Microfiche

This work addresses the significant differences in compressor rotor wake mixing loss which exist in a stage environment relative to a rotor in isolation. The wake decay for a rotor in isolation is due solely to viscous dissipation which is an irreversible process and thus leads to a loss in both total pressure and efficiency. Rotor wake decay in the stage environment is due to both viscous mixing and the inviscid strain imposed on the wake fluid particles by the stator velocity field. This straining process, referred to by Smith (1993) as recovery, is reversible and for a 2D rotor wake leads to an inviscid reduction of the velocity deficit of the wake. A model for the rotor wake decay process is developed and used to quantify the viscous dissipation effects relative to those of inviscid wake stretching. The model is verified using laser anemometer measurements acquired in the wake of a transonic rotor operated in isolation and in a stage configuration at near peak efficiency and near stall operating conditions. Additional insight is provided by a time-accurate 3D Navier-Stokes simulation of the compressor stator flow field at the corresponding stage loading levels. Results from the wake decay model exhibit good agreement with the experimental data. Data from the model, laser anemometer measurements, and numerical simulations indicate that for the rotor/stator spacing used in this work, which is typical of core compressors, rotor wake straining (stretching) is the primary decay process in the stator passage with viscous mixing playing only a minor role. The implications of these results on compressor stage design are discussed. Author

Turbocompressors; Compressor Rotors; Wakes; Mathematical Models

19980219005 General Electric Co., Aircraft Engines, Cincinnati, OH USA

Optical Closed-Loop Propulsion Control System Development Final Report

Poppel, Gary L., General Electric Co., USA; Aug. 1998; 80p; In English; Original contains color illustrations

Contract(s)/Grant(s): NAS3-26617; RTOP 519-30-53

Report No.(s): NASA/CR-1998-208416; E-11272; NAS 1.26:208416; R98AEB237; No Copyright; Avail: CASI; A05, Hard-copy; A01, Microfiche

The overall objective of this program was to design and fabricate the components required for optical closed-loop control of a F404-400 turbofan engine, by building on the experience of the NASA Fiber Optic Control System Integration (FOCSI) program. Evaluating the performance of fiber optic technology at the component and system levels will result in helping to validate its use on aircraft engines. This report includes descriptions of three test plans. The EOI Acceptance Test is designed to demonstrate satisfactory functionality of the EOI, primarily fail-safe throughput of the F404 sensor signals in the normal mode, and validation, switching, and output of the five analog sensor signals as generated from validated optical sensor inputs, in the optical mode. The EOI System Test is designed to demonstrate acceptable F404 ECU functionality as interfaced with the EOI, making use of a production ECU test stand. The Optical Control Engine Test Request describes planned hardware installation, optical signal calibrations, data system coordination, test procedures, and data signal comparisons for an engine test demonstration of the optical closed-loop control.

Author

Optical Measuring Instruments; Control Systems Design; Fabrication; Feedback Control; Acceptability

19980219339 NASA Lewis Research Center, Cleveland, OH USA

Energy Efficient Engine Low Pressure Subsystem Aerodynamic Analysis

Hall, Edward J., Allison Engine Co., USA; Delaney, Robert A., Allison Engine Co., USA; Lynn, Sean R., Allison Engine Co., USA; Veres, Joseph P., NASA Lewis Research Center, USA; Jul. 1998; 18p; In English; 34th; Propulsion, 13-15 Jul. 1998, Cleveland, OH, USA; Sponsored by American Inst. of Aeronautics and Astronautics, USA

Contract(s)/Grant(s): NAS3-27394; RTOP 509-10-11

Report No.(s): NASA/TM-1998-208402; E-11234; NAS 1.15:208402; AIAA Paper 98-3119; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

The objective of this study was to demonstrate the capability to analyze the aerodynamic performance of the complete low pressure subsystem (LPS) of the Energy Efficient Engine (EEE). Detailed analyses were performed using three- dimensional Navier-Stokes numerical models employing advanced clustered processor computing platforms. The analysis evaluates the impact of steady aerodynamic interaction effects between the components of the LPS at design and off- design operating conditions. Mechanical coupling is provided by adjusting the rotational speed of common shaft-mounted components until a power balance is achieved. The Navier-Stokes modeling of the complete low pressure subsystem provides critical knowledge of component acro/ mechanical interactions that previously were unknown to the designer until after hardware testing. Author

Aerodynamic Characteristics; Low Pressure; Mathematical Models

08 AIRCRAFT STABILITY AND CONTROL

Includes aircraft handling qualities; piloting; flight controls; and autopilots.

19980221026 NASA Langley Research Center, Hampton, VA USA

Study of a Simulation Tool to Determine Achievable Control Dynamics and Control Power Requirements with Perfect Tracking

Ostroff, Aaron J., NASA Langley Research Center, USA; Aug. 1998; 30p; In English

Contract(s)/Grant(s): RTOP 522-21-61-01

Report No.(s): NASA/TM-1998-208699; L-17767; NAS 1.15:208699; No Copyright; Avail: CASI; A03, Hardcopy; A01, Micro-fiche

This paper contains a study of two methods for use in a generic nonlinear simulation tool that could be used to determine achievable control dynamics and control power requirements while performing perfect tracking maneuvers over the entire flight envelope. The two methods are NDI (nonlinear dynamic inversion) and the SOFFT(Stochastic Optimal Feedforward and Feedback Technology) feedforward control structure. Equivalent discrete and continuous SOFFT feedforward controllers have been developed. These equivalent forms clearly show that the closed-loop plant model loop is a plant inversion and is the same as the NDI formulation. The main difference is that the NDI formulation has a closed-loop controller structure whereas SOFFT uses an open-loop command model. Continuous, discrete, and hybrid controller structures have been developed and integrated into the formulation. Linear simulation results show that seven different configurations all give essentially the same response, with the NDI hybrid being slightly different. The SOFFT controller gave better tracking performance compared to the NDI controller when a nonlinear saturation element was added. Future plans include evaluation using a nonlinear simulation. Author

Control Systems Design; Dynamic Control; Feedback Control; Feedforward Control

09 RESEARCH AND SUPPORT FACILITIES (AIR)

Includes airports, hangars and runways; aircraft repair and overhaul facilities; wind tunnels; shock tubes; and aircraft engine test stands.

19980221024 Science Applications International Corp., Air Transportation Systems Operations, Arlington, VA USA Evaluation of a Heliport Lighting Design during Operation Heli-STAR *Final Report* Fontaine, Scott A., Science Applications International Corp., USA; Jun. 1998; 32p; In English Contract(s)/Grant(s): DTFA01-93-C-00030

Report No.(s): PB98-155401; DOT/FAA/ND-97/20; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

The FAA is evaluating the lighting requirements for support of differential GPS approaches to heliports. Previous lighting systems developed by the FAA to support instrument approaches to heliports are the Heliport Instrument Lighting System (HILS) and the Heliport Approach Lighting System (HALS). As a part of the requirements evaluation, a prototype lighting system was developed and tested by the University of Tennessee Space Institute. After a limited evaluation in Tennessee, the FAA conducted further evaluation as part of Operation Heli-STAR, a demonstration helicopter transportation system established in Atlanta, GA during the 1996 Olympic Games. The prototype system used a 20-foot light pipe, green cold-cathode lights, and electrolumines-

cent panels. A semipermanent installation was built, improvements were made, and many parameters were identified for further evaluation in simulation and flight testing. The lighting system has been moved to Washington, DC for further evaluation. NTIS

Heliports; Flight Tests; Runway Lights; Landing Sites; Illuminating

10 ASTRONAUTICS

Includes astronautics (general); astrodynamics; ground support systems and facilities (space); launch vehicles and space vehicles; space transportation; space communications, spacecraft communications, command and tracking; spacecraft design, testing and performance; spacecraft instrumentation; and spacecraft propulsion and power.

19980219320 NASA Lewis Research Center, Cleveland, OH USA

Performance of the Spacecraft Propulsion Research Facility During Altitude Firing Tests of the Delta 3 Upper Stage Meyer, Michael L., NASA Lewis Research Center, USA; Dickens, Kevin W., Sierra Lobo, Inc., USA; Skaff, Tony F., Sierra Lobo, Inc., USA; Cmar, Mark D., Sierra Lobo, Inc., USA; VanMeter, Matthew J., Sierra Lobo, Inc., USA; Haberbusch, Mark S., Sierra Lobo, Inc., USA; Jul. 1998; 20p; In English; 34th; Propulsion, 12-15 Jul. 1998, Cleveland, OH, USA; Sponsored by American Inst. of Aeronautics and Astronautics, USA

Contract(s)/Grant(s): RTOP 565-02-0D

Report No.(s): NASA/TM-1998-208477; E-11247; NAS 1.15:208477; AIAA Paper 98-4010; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

The Spacecraft Propulsion Research Facility at the NASA Lewis Research Center's Plum Brook Station was reactivated in order to conduct flight simulation ground tests of the Delta 3 cryogenic upper stage. The tests were a cooperative effort between The Boeing Company, Pratt and Whitney, and NASA. They included demonstration of tanking and detanking of liquid hydrogen, liquid oxygen and helium pressurant gas as well as 12 engine firings simulating first, second, and third burns at altitude conditions. A key to the success of these tests was the performance of the primary facility systems and their interfaces with the vehicle. These systems included the structural support of the vehicle, propellant supplies, data acquisition, facility control systems, and the altitude exhaust system. While the facility connections to the vehicle umbilical panel simulated the performance of the launch pad systems, additional purge and electrical connections were also required which were unique to ground testing of the vehicle. The altitude exhaust system permitted an approximate simulation of the boost-phase pressure profile by rapidly pumping the test chamber from 13 psia to 0.5 psia as well as maintaining altitude conditions during extended steady-state firings. The performance of the steam driven ejector exhaust system has been correlated with variations in cooling water temperature during these tests. This correlation and comparisons to limited data available from Centaur tests conducted in the facility from 1969-1971 provided insight into optimizing the operation of the exhaust system for future tests. Overall, the facility proved to be robust and flexible for vehicle space simulation engine firings and enabled all test objectives to be successfully completed within the planned schedule. Author

Delta Launch Vehicle; Spacecraft Propulsion; Test Firing; Liquid Oxygen; Liquid Hydrogen; Flight Simulation; Rl-10 Engines; Data Acquisition

11 CHEMISTRY AND MATERIALS

Includes chemistry and materials (general); composite materials; inorganic and physical chemistry; metallic materials; nonmetallic materials; propellants and fuels; and materials processing.

19980219328 NASA Lewis Research Center, Cleveland, OH USA

Analysis of Thermal Radiation Effects on Temperatures in Turbine Engine Thermal Barrier Coatings

Siegel, Robert, NASA Lewis Research Center, USA; Spuckler, Charles M., NASA Lewis Research Center, USA; 1997; 10p; In English; Thermal Barrier Coatings, 19-21 May 1997, Fort Mitchell, KY, USA; Meeting sponsored by Thermal Barrier Coatings Interagency Coordinating Committee

Contract(s)/Grant(s): RTOP 523-26-13; No Copyright; Avail: Issuing Activity, Hardcopy, Microfiche

Thermal barrier coatings are important, and in some instances a necessity, for high temperature applications such as combustor liners, and turbine vanes and rotating blades for current and advanced turbine engines. Some of the insulating materials used for coatings, such as zirconia that currently has widespread use, are partially transparent to thermal radiation. The importance of radiation effects within thermal barrier coatings in a turbine engine was briefly discussed. A translucent coating permits energy to be transported internally by radiation, thereby increasing the total energy transfer and acting like an increase in thermal conductivity. This degrades the insulating ability of the coating. Because of the strong dependence of radiant emission on temperature, internal radiative transfer effects are increased as temperatures are raised. Hence evaluating the significance of internal radiation is of importance as temperatures are increased to obtain higher efficiencies in advanced engines. In a combustor there is radiation from the flame, soot, and hot gases to the combustor liner, first stage turbine vanes, and to some extent to the first stage blades. When a thermal barrier coating is subjected to the combustion environment it will usually become covered with a thin layer of soot. Radiation is then absorbed by the soot, and is partially reradiated into the coating. Coatings in the combustor are considered with both clean and soot covered surfaces; for the turbine the results here are for clean surfaces. Within a hot coating there is internal radiant emission, absorption, and scattering. These mechanisms combine to provide a transport of radiative energy within the coating that acts in combination with heat conduction. Internal radiative effects depend on the properties of the coating materials. If coatings can be made opaque then internal radiation is not a concern, and the only radiative exchange is at the exposed surface of the coating and, for some conditions, at the cooled side of the metal wall. However, some high temperature ceramic materials are somewhat translucent so internal radiation effects can occur, and their importance must be quantitatively evaluated to determine if they are a design consideration. Zirconia is somewhat translucent for radiation in the wavelength range below approximately 5 to 7 microns, and is often approximated as being opaque for wavelengths larger than 5 microns. Zirconia has large scattering compared with absorption. At turbine engine temperatures a considerable portion of blackbody radiant energy is in the translucent wavelength range for zirconia.

Derived from text

Thermal Radiation; Temperature Effects; Turbine Engines; Coating; Barrier Layers

12 ENGINEERING

Includes engineering (general); communications and radar; electronics and electrical engineering; fluid mechanics and heat transfer; instrumentation and photography; lasers and masers; mechanical engineering; quality assurance and reliability; and structural mechanics.

19980219004 Institute for Computer Applications in Science and Engineering, Hampton, VA USA

On the Propagation of Small Perturbations in Two Simple Aeroelastic Systems Final Report

Iollo, Angelo, Politecnico di Torino, Italy; Salas, Manuel D., Institute for Computer Applications in Science and Engineering, USA; Jul. 1998; 12p; In English

Contract(s)/Grant(s): NAS1-19480; NAS1-97046; RTOP 505-90-52-01

Report No.(s): NASA/CR-1998-208457; NAS 1.26:208457; ICASE-98-30; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

In this paper we investigate the wave propagation patterns for two simple flow-structure problems. We focus on the study of the propagation speeds of the waves in the fluid and in the structure, as the rigidity of the structure and the Mach number of the undisturbed flow are changing. Some implications concerning the sound emission by inhomogeneities eventually present in the structure are discussed.

Author

Aeroelasticity; Wave Propagation; Aerodynamic Characteristics; Aerodynamic Forces; Mach Number; Acoustic Emission

19980219309 NASA Lewis Research Center, Cleveland, OH USA

A 3D Euler/Navier-Stokes Aeroelastic Code for Propulsion Applications

Bakhle, Milind A., Toledo Univ., USA; Srivastava, Rakesh, Toledo Univ., USA; Keith, Theo G., Jr., Toledo Univ., USA; Stefko, George L., NASA Lewis Research Center, USA; 1997; 8p; In English; 33rd; Propulsion, 6-9 Jul. 1997, Seattle, WA, USA; Sponsored by American Inst. of Aeronautics and Astronautics, USA

Contract(s)/Grant(s): NAG3-1803; RTOP 538-06-1B; No Copyright; Avail: Issuing Activity, Hardcopy, Microfiche

This paper describes the development and verification of an aeroelastic code (TURBO-AE) based on an Euler / Navier-Stokes unsteady aerodynamic code (TURBO). The aeroelastic formulation is described. The modeling of the dynamics of the blade using a modal approach is detailed, along with the grid deformation approach used to model the elastic deformation of the blade. The work-per-cycle approach used to evaluate aeroelastic stability is described. Representative results for a test configuration used

to verify the code are presented. Results are presented for both zero and non-zero interblade phase angles. The paper concludes with an evaluation of the development thus far, and some plans for further development and validation of the TURBO-AE code. Author

Three Dimensional Models; Computer Programs; Proving; Navier-Stokes Equation; Aeroelasticity

19980219326 NASA Lewis Research Center, Cleveland, OH USA

The Numerical Propulsion System Simulation: Concept to Product

Lytle, John K., NASA Lewis Research Center, USA; 1997; 7p; In English; Air Breathing Engines, 7-11 Sep. 1997, Chattanoga, TN, USA; Meeting sponsored by International Society for Air Breathing Engines

Contract(s)/Grant(s): RTOP 509-10-11; No Copyright; Avail: Issuing Activity, Hardcopy, Microfiche

The technologies necessary to enable numerical simulations of complete air-breathing gas turbine engines is being developed at the NASA Lewis Research Center in cooperation with industry, academia and other government agencies. Large scale, detailed simulations will be of great value to industry if they eliminate some of the costly testing required to develop and certify engines. In addition, time and cost savings will be achieved by enabling design details to be evaluated early in the development process before a commitment is made to a specific design. This concept has become a project called the Numerical Propulsion System Simulation (NPSS). NPSS consists of three main elements: 1. engineering models that enable multidisciplinary analysis of large subsystems and systems at various levels of detail, 2. a simulation environment that maximizes designer productivity and 3. a cost-effective, high-performance computing platform. A fundamental requirement of the project is that the simulations must be capable of overnight execution on easily accessible computing platforms. The paper will describe the technologies being developed for NPSS and will highlight current capabilities which include 3-D aerodynamic simulations of complex components such as a multistage compressor and of large subsystems such as the low pressure subsystem in a turbofan engine.

Technologies; Propulsion; Numerical Analysis; Gas Turbine Engines; Cost Effectiveness; Air Breathing Engines

19980219354 Research and Technology Organization, Applied Vehicle Technology Panel, Neuilly-sur-Seine, France Integrated Multidisciplinary Design of High Pressure Multistage Compressor Systems La Conception Integree des Compresseurs Multi-Etage a Haute Performance

Sep. 1998; 156p; In English; Integrated Multidisciplinary Design of High Pressure Multistage Compressor Systems, 14-15 Sep. 1998, Lyon, Cologne, Cleveland, OH, France, Germany, USA; Sponsored by Research and Technology Organization, France; Also announced as 19980219355 through 19980219361; Original contains color illustrations

Report No.(s): RTO-EN-1; AC/323-(AVT)-TP/1; ISBN 92-837-1000-2; Copyright Waived; Avail: CASI; A08, Hardcopy; A02, Microfiche

This Lecture Series covers the recent advances in the process of performing integrated design of high performance multistage compressors. The purpose is to broaden the compressor designer's understanding beyond traditional fluid dynamics to include the multidisciplinary systems approach required by modern gas turbine engines for longer life, lower acquisition and maintenance costs. The design process requires an optimization of the entire machine, which may be significantly different from the best aero-dynamic design of each stage or blade row. In addition, many modern engines are simultaneously increasing compressor performance, and reducing machine length, which reinforces the fluid and structure interactions. Finally, in order to reduce both production and maintenance costs, manufacturing constraints have to be taken into account in the initial phase of the design process. The Lecture Series underlines the role of Computational Fluid Dynamics, as well as solid mechanics and vibration simulations. The need for compressor designs to consider and model mechanical interactions and manufacturing concerns will be a central focus. The subjects to be covered are: (1) Flow simulations with special emphasis on three-dimensional computations and on the stage stacking and interactions in multistage compressors; (2) Modelling the fluid structure interactions; and (3) First order manufacturing constraints and requirements.

Author

Multidisciplinary Design Optimization; Gas Turbine Engines; Turbocompressors; Computer Aided Design

19980219355 Ecole Centrale de Lyon, Fluid Mechanics and Acoustic Lab., Ecully, France

Integrated Design of High Pressure Multistage Engines Systemes: An Overview

Leboeuf, Francis, Ecole Centrale de Lyon, France; Integrated Multidisciplinary Design of High Pressure Multistage Compressor Systems; Sep. 1998; 6p; In English; Also announced as 19980219354; Copyright Waived; Avail: CASI; A02, Hardcopy; A02, Microfiche

The gas turbine design associates very different engineering sciences, including aerodynamic, combustion, structure and mechanical systems, and materials. Engines operate close to their limits of mechanical stability, with the help of electronic control

systems. Extensive uses of simulation tools have enabled impressive improvements of performance and reliability. Simultaneously, the designers now put their efforts on the global reduction of costs, such as the development and production costs, the maintenance, repair and disposal costs. The present design approach must include the concept of affordability of technological and financial resources.

Author

Gas Turbine Engines; Turbocompressors; Design to Cost; Multidisciplinary Design Optimization; Engine Design

19980219356 Technische Univ. Munich, Garching, Germany

The Multidisciplinary Design Process

Kau, H.-P., Technische Univ. Munich, Germany; Sep. 1998; 16p; In English; Also announced as 19980219354; Copyright Waived; Avail: CASI; A03, Hardcopy; A02, Microfiche

The complexity of the business process for multistage compressors is similar to that of complete aeroengines or propulsion systems and recent experience can be read across. Special attention is given to the description of the elements of the design process. Based on the necessity for a multidisciplinary approach a design team structure for simultaneous engineering is proposed. Some examples for typical tasks to be solved during the design process illustrate the advantage of an interactive multidisciplinary design and development.

Author

Multidisciplinary Design Optimization; Turbocompressors; Aircraft Engines; Systems Integration

19980219357 Societe Nationale d'Etude et de Construction de Moteurs d'Aviation, Compressor Aerodynamics Dept., Moissy-Cramayel, France

Recent Advances in Compressor Aerodynamic Design and Analysis

Escuret, J. F., Societe Nationale d'Etude et de Construction de Moteurs d'Aviation, France; Nicoud, D., Societe Nationale d'Etude et de Construction de Moteurs d'Aviation, France; Veysseyre, P., Societe Nationale d'Etude et de Construction de Moteurs d'Aviation, France; Sep. 1998; 23p; In English; Also announced as 19980219354; Original contains color illustrations; Copyright Waived; Avail: CASI; A03, Hardcopy; A02, Microfiche

Advances in Computational Fluid Dynamics (CFD) remain a significant source of improvements in the design process of aero-engine fans and compressors, leading to higher performance, cost and design cycle reductions as well as lower associated risks. This paper illustrates the continued integration of CFD tools at SNECMA with a description of the latest developments in compressor aerodynamic design and analysis methods. Three directions of research are currently being pursued. Firstly, the numerical models are constantly improved to take into consideration problems as close as possible to the reality. This means in particular that turbulence models more representative of the real complex flows are introduced. Although it remains very incomplete so far, some unsteady effects are simulated. Also, the description of the compressor geometry is both refined, taking into account various technological effects (i.e. tip clearance; flowpath discontinuity; radius fillets), and extended to the simulation of multiple blade rows. The integration of new CFD tools with improved simulation capabilities requires a permanent update of the design methodology. Secondly, a great effort is currently devoted to adapting the computing environment to the designer needs as it impacts both the quality and the overall duration of the design process. At SNECMA, this approach takes the form of a specifically tailored software environment in order to provide the designer ready to use tools, enabling him to fully exploit the potential of the methods and to focus primarily on the physical analysis of the results. Finally, the most refined CFD tools present only a limited interest to the compressor designer unless they have been extensively validated on significant experimental test cases. This implies that an appropriate validation database representative of real engine flows be acquired. All these aspects of CFD are illustrated in the paper using practical examples supported by both numerical and experimental results. Finally, the prospects of new developments are discussed.

Author

Computational Fluid Dynamics; Turbulence Models; Computerized Simulation; Compressors; Aircraft Engines; Design Analysis; Multidisciplinary Design Optimization

19980219358 General Electric Co., Aircraft Engines, Cincinnati, OH USA

First Order Manufacturing Constraints and Requirements

Bailey, Michael W., General Electric Co., USA; Steinmetz, Gregory T., General Electric Co., USA; Kielb, Robert E., General Electric Co., USA; Long, Loren L., General Electric Co., USA; Herbert, Jeffrey G., General Electric Co., USA; Vishnauski, Jon M., General Electric Co., USA; Sep. 1998; 28p; In English; Also announced as 19980219354; Copyright Waived; Avail: CASI; A03, Hardcopy; A02, Microfiche

The purpose of this section of the lecture series is to discuss first order manufacturing constraints not only in the context of manufacturing, process and producability but their relevance to system considerations of performance, cost and operability. In every design there exists a performance ceiling and a cost floor between which multiple solutions exist. The purpose of a design is to create a product that will provide customer satisfaction in terms of expectations or technical requirements. In the military world this is the ability complete a specific mission and in the commercial world this is the ability to produce a revenue stream. The challenge is to translate these customer Critical to Quality (CTQ) requirements into hardware that will comprise a system. Consequently an understanding of the flowdown of the customer CTQ's to individual parts is essential if customer satisfaction is to be achieved. This represents the challenge in GEAE's Design For Six Sigma (DFSS) initiative and is driving the shift from deterministic to probabilistic design methodologies.

Author

Manufacturing; Structural Analysis; Structural Design; Structural Design Criteria; Aerodynamics; Compressors

19980219359 Technische Univ. Munich, Garching, Germany

Compressor Matching and Designing for Tip Clearance

Kau, H.-P., Technische Univ. Munich, Germany; Sep. 1998; 18p; In English; Also announced as 19980219354; Copyright Waived; Avail: CASI; A03, Hardcopy; A02, Microfiche

Compressors are designed for a specific duty reflected in the thermodynamic performance target, for design goals and for overall items in the specification, e.g. geometric dimensions, weight and cost. Early in the design phase general decisions need to be taken which, based on the technology level of the designing company decide on the degree of challenge and thus the risk of the whole project. For best performance, the most important early decision is the level of stage loading and its distribution throughout the compressor. Together with the definition of the available cross section in each axial position, this determines the stagewise matching. This lecture firstly describes the general rules of matching multistage compressors and secondly, from a design point of view, discusses one of the most important parameters influencing the matching during steady operation but even more significantly during transient operation, the design of tip clearance.

Author

Turbocompressors; Clearances; Tolerances (Mechanics); Blade Tips; Multidisciplinary Design Optimization; Computer Aided Design

19980219360 General Electric Co., Aircraft Engines, Cincinnati, OH USA

First Order Manufacturing Constraints and Requirements: Design to Cost and Manufacturing Process Considerations Long, Loren L., General Electric Co., USA; Bailey, Michael W., General Electric Co., USA; Herbert, Jeffrey G., General Electric Co., USA; Sep. 1998; 28p; In English; Also announced as 19980219354; Copyright Waived; Avail: CASI; A03, Hardcopy; A02, Microfiche

In this session of the lecture series we will discuss the impact of cost as a design parameter. Historically in aircraft engine design up until the beginning of 1990, technology drove the design and cost was merely a resultant. With the end of the Cold War and the unprecedented airline losses in the early 1990's, cost shifted from being merely a resultant to a design parameter comparable with weight, specific fuel consumption and thrust. If we define Manufacturing Cost + Contribution Margin = Sell Price and Contribution Margin - Fixed Cost = Operating Margin, downward pressure on price from the customer and the need to maintain operating margin for the shareholders leaves manufacturing and fixed costs as the only variables. The effects of this were felt, not only in the manufacturing area, but also in engineering with the resulting trend to move to more technologically conservative robust designs.

Derived from text

Design to Cost; Engine Design; Aircraft Engines; Design Analysis; Cost Analysis; Manufacturing; Concurrent Engineering

19980219361 General Electric Co., Aircraft Engines, Cincinnati, OH USA

First Order Manufacturing Constraints and Requirements: Common Geometry and Multidisciplinary Design and Optimization

Bailey, Michael W., General Electric Co., USA; Vishnauski, Jon M., General Electric Co., USA; Sep. 1998; 28p; In English; Also announced as 19980219354; Copyright Waived; Avail: CASI; A03, Hardcopy; A02, Microfiche

In this session we will discuss future developments. A key area is the concept of common geometry or master model. There are many definitions of a Master Model. At GEAE the definition is a single geometric representation, ideally 3-D, created at concept using feature based parametric modeling techniques in a linked associative environment. In addition there would be a tight integration of all elements of a product creation, manufacturing and support permitting true concurrency for analysis and manufacturing since updates can be flowed down to the individual activities from the Master Model. An additional requirement is the man-

agement of all types of data or metadata within the common geometry environment. Historically, analysis codes were coupled together with input and output files with geometry provided as an output as necessary, probably in the form of an IGES file. The new approach is to have geometry central or common to all the processes and use geometry as a design integrator. This would facilitate CAD integration with analysis and CAD integration with manufacturing.

Author

Multidisciplinary Design Optimization; Computer Aided Design; Descriptive Geometry; Design Analysis; Computer Aided Manufacturing; Three Dimensional Models; Aircraft Engines

13 GEOSCIENCES

Includes geosciences (general); earth resources and remote sensing; energy production and conversion; environment pollution; geophysics; meteorology and climatology; and oceanography.

19980221022 ENSR Corp., Acton, MA USA

Results of the Independent Evaluation of ISCST3 and ISC-PRIME Final Report

Paine, R. J., ENSR Corp., USA; Lew, F., ENSR Corp., USA; Nov. 1997; 844p; In English

Report No.(s): PB98-156524; Copyright Waived; Avail: Issuing Activity (Natl Technical Information Service (NTIS)), Micro-fiche

Aerodynamic building downwash is an important part of air quality dispersion modeling. The Electric Power Research Institute (EPRI) initiated a development program to address deficiencies in the downwash algorithms in the Industrial Source Complex (ISCST3) air dispersion model. The result of the project is a set of algorithms called PRIME (Plume Rise Model Enhancements) which were added to ISCST3. The new model was called ISC-PRIME. As part of the project, EPRI contracted with ENSR to prepare an independent evaluation of ISC-PRIME using a model evaluation protocol negotiated with the US EPA. This report describes the databases used in the evaluation and the results of the model performance evaluation. NTIS

Downwash; Algorithms; Environment Models; Data Bases; Evaluation

19980221023 ENSR Corp., Acton, MA USA

Consequence Analysis for ISC-Prime Final Report

Paine, Robert J., ENSR Corp., USA; Lew, Frances, ENSR Corp., USA; Nov. 1997; 318p; In English

Report No.(s): PB98-156516; Copyright Waived; Avail: CASI; A14, Hardcopy; A03, Microfiche

Aerodynamic building downwash is a phenomenon caused by eddies created by air movement around building obstacles. Through the use of the Industrial Source Complex (ISCST3) model, EPA modeling guidelines have incorporated these effects in ground-level concentration calculations. In 1992, the Electric Power Research Institute (EPRI) decided to embark upon a program (project PRIME: Plume Rise Model Enhancements) to design a new downwash model to correct the deficiencies in the ISCST3 model. The resulting downwash module, PRIME, has been installed in the ISCST3 model as a replacement for the current algorithm; the resulting model is referred to as 'ISC-PRIME'. This report describes the design of the model test runs involved and provides a summary of the results with comments on the differences between the two models. NTIS

Plumes; Downwash; Air Pollution

14 LIFE SCIENCES

Includes life sciences (general); aerospace medicine; behavioral sciences; man/system technology and life support; and space biology.

19980219171 Civil Aeromedical Inst., Oklahoma City, OK USA

DNA Profiling as an Adjunct Quality Control/Quality Assurance in Forensic Toxicology Final Report

Chaturvedi, Arvind K., Civil Aeromedical Inst., USA; Vu, Nicole T., Civil Aeromedical Inst., USA; Ritter, Roxane M., Civil Aeromedical Inst., USA; Canfield, Dennis V., Civil Aeromedical Inst., USA; Jul. 1998; 10p; In English

Contract(s)/Grant(s): FAA-AM-B-97-TOX-202

Report No.(s): DOT/FAA/AM-98/18; No Copyright; Avail: CASI; A02, Hardcopy; A01, Microfiche

To investigate aircraft accidents, multiple postmortem biological samples of victims are submitted to the Civil Aeromedical Institute for toxicological evaluation. However, depending upon the nature of a particular accident, body components are often scattered, disintegrated, commingled, contaminated, and/or putrefied. These factors impose difficulties on victim identification, tissue matching, and thereby authentic sample analysis and result interpretation. Nevertheless, these Quality Control/Quality Assurance (QC/QA) related limitations can be overpowered by DNA profiling. In this regard, three situations are hereby exemplified where DNA analysis was instrumental in resolving a tissue mismatching/commingling issue, pinpointing an accessioning/ analytical error, and interpreting an unusual analytical result. Biological samples from these cases were examined for six independently inherited genetic loci using Polymerase Chain Reaction (PCR) suitable for analyzing degraded DNA generally encountered in putrefied/contaminated samples. In the first situation, three of five specimen bags from one accident were labeled with two different names. DNA analysis revealed that one of these bags actually had commingled specimens, originating from two different individuals. Therefore, the sample was excluded from the final toxicological evaluation. In the second situation, an unacceptable blind control result was reported in a cyanide batch analysis. by comparing DNA profiles of the batch samples with those of the known positive and negative blind controls, it was concluded that the error had occurred during the analysis instead of accessioning. Accordingly, preventive measures were taken at the analytical level. The third situation was related to the presence of atropine at toxic concentrations in the blood (318 ng/mi) and lung (727 ng/g) with its absence in the liver, spleen, and brain-a pattern inconsistent with the general poisoning of drugs. DNA analysis of the blood and liver samples exhibited their common identity, ensuring that the submitted samples had indeed originated from one individual. The selective presence of atropine was attributed to its possible administration into the thoracic cavity by the emergency medical personnel at the accident site for resuscitation, but circulatory failure prevented its further distribution. These examples clearly demonstrate the applicability of the PCR-based DNA profiling in a QC/QA program to enhance the effectiveness of forensic toxicology operation. However, such applicability will be feasible only in those setups where in-house DNA facilities are accessible. Author

Deoxyribonucleic Acid; Toxicology; Aircraft Accidents; Identities; Cyanides

18 SPACE SCIENCES

Includes space sciences (general); astronomy; astrophysics; lunar and planetary exploration; solar physics; and space radation.

19980219170 NASA Langley Research Center, Hampton, VA USA

Numerical Roll Reversal Predictor-Corrector Aerocapture and Precision Landing Guidance Algorithms for the Mars Surveyor Program 2001 Missions

Powell, Richard W., NASA Langley Research Center, USA; 1998; 11p; In English; Atmospheric Flight Mechanics Conference, 10-12 Aug. 1998, Boston, MA, USA; Sponsored by American Inst. of Aeronautics and Astronautics, USA

Report No.(s): AIAA Paper 98-4574; No Copyright; Avail: Issuing Activity (American Inst. of Aeroanutics and Astronautics, 1801 Alexander Bell Dr., Suite 500, Reston, VA), Hardcopy, Microfiche

This paper describes the development and evaluation of a numerical roll reversal predictor-corrector guidance algorithm for the atmospheric flight portion of the Mars Surveyor Program 2001 Orbiter and Lander missions. The Lander mission utilizes direct entry and has a demanding requirement to deploy its parachute within 10 km of the target deployment point. The Orbiter mission utilizes aerocapture to achieve a precise captured orbit with a single atmospheric pass. Detailed descriptions of these predictor-corrector algorithms are given. Also, results of three and six degree-of-freedom Monte Carlo simulations which include navigation, aerodynamics, mass properties and atmospheric density uncertainties are presented. Author

Algorithms; Predictor-Corrector Methods; Numerical Analysis; Deployment; Aircraft Landing; Aerocapture

19980219469 NASA Langley Research Center, Hampton, VA USA

An Atmospheric Guidance Algorithm Testbed for the Mars Surveyor Program 2001 Orbiter and Lander

Striepe, Scott A., NASA Langley Research Center, USA; Queen, Eric M., NASA Langley Research Center, USA; Powell, Richard W., NASA Langley Research Center, USA; Braun, Robert D., NASA Langley Research Center, USA; Cheatwood, F. McNeil, NASA Langley Research Center, USA; Aguirre, John T., NYMA, Inc., USA; Sachi, Laura A., Lockheed Martin Corp., USA; Lyons, Daniel T., Jet Propulsion Lab., California Inst. of Tech., USA; 1998; 13p; In English; Atmospheric Flight Mechanics Conference, 10-12 Aug. 1998, Boston, MA, USA; Sponsored by American Inst. of Aeronautics and Astronautics, USA Report No.(s): AIAA Paper 98-4569; No Copyright; Avail: Issuing Activity (American Inst. of Aeronautics and Astronautics, 1801 Alexander Bell Dr., Suite 500, Reston, VA), Hardcopy, Microfiche

An Atmospheric Flight Team was formed by the Mars Surveyor Program '01 mission office to develop aerocapture and precision landing testbed simulations and candidate guidance algorithms. Three- and six-degree of-freedom Mars atmospheric flight simulations have been developed for testing, evaluation, and analysis of candidate guidance algorithms for the Mars Surveyor Program 2001 Orbiter and Lander. These simulations are built around the Program to Optimize Simulated Trajectories. Subroutines were supplied by Atmospheric Flight Team members for modeling the Mars atmosphere, spacecraft control system, aeroshell aerodynamic characteristics, and other Mars 2001 mission specific models. This paper describes these models and their perturbations applied during Monte Carlo analyses to develop, test, and characterize candidate guidance algorithms. Author

Spacecraft Control; Flight Simulation; Controlled Atmospheres; Algorithms; Aerocapture; Landing Instruments

Subject Term Index

Α

ACCEPTABILITY, 4 ACOUSTIC EMISSION, 7 AEROCAPTURE, 12, 13 AERODYNAMIC CHARACTER-ISTICS, 2, 5, 7 **AERODYNAMIC DRAG, 3 AERODYNAMIC FORCES**, 7 AERODYNAMICS, 1, 10 AEROELASTICITY, 7, 8 **AERONAUTICAL ENGINEERING, 1** AEROSOLS, 3 AIR BREATHING ENGINES, 8 AIR POLLUTION, 11 AIR TRAFFIC CONTROL, 2 AIR TRANSPORTATION, 2 **AIRCRAFT ACCIDENTS, 12** AIRCRAFT ENGINES, 9, 10, 11 AIRCRAFT LANDING, 12 AIRCRAFT MODELS, 3 AIRCRAFT PERFORMANCE, 3 AIRCRAFT STRUCTURES, 3 AIRFOILS, 2 AIRPORTS, 2 ALGORITHMS, 11, 12, 13

В

BARRIER LAYERS, 7 BIBLIOGRAPHIES, 1 BLADE TIPS, 10 BRAKING, 3

С

CANS, 3 CIVIL AVIATION, 2 CLEARANCES, 10 COATING, 7 COMMAND LANGUAGES, 2 COMPRESSOR ROTORS, 4 COMPRESSORS, 9, 10 COMPUTATIONAL FLUID DYNAM-ICS, 9 COMPUTER AIDED DESIGN, 8, 10, 11 COMPUTER AIDED MANUFACTUR-ING, 11 COMPUTER PROGRAMS, 8 COMPUTERIZED SIMULATION, 9 CONCURRENT ENGINEERING, 10 CONFIGURATION MANAGEMENT, 3 CONTROL SYSTEMS DESIGN, 4, 5 CONTROLLED ATMOSPHERES, 13 COST ANALYSIS, 10 COST EFFECTIVENESS, 8 CYANIDES, 12

D

DATA ACQUISITION, 6 DATA BASE MANAGEMENT SYS-TEMS, 2 DATA BASES, 3, 11 DATA MANAGEMENT, 2 DELTA LAUNCH VEHICLE, 6 DEOXYRIBONUCLEIC ACID, 12 DEPLOYMENT, 12 DESCRIPTIVE GEOMETRY, 11 DESIGN ANALYSIS, 9, 10, 11 DESIGN TO COST, 9, 10 DISTRIBUTED PROCESSING, 2 DOWNWASH, 11 DYNAMIC CONTROL, 5

Ε

ENGINE DESIGN, 9, 10 ENVIRONMENT MODELS, 11 EQUIVALENCE, 3 EVALUATION, 11 EXPLOSIONS, 3

F

FABRICATION, 4 FAULT TOLERANCE, 2 FEEDBACK CONTROL, 4, 5 FEEDFORWARD CONTROL, 5 FIGHTER AIRCRAFT, 3 FLAPPING, 3 FLIGHT MANAGEMENT SYSTEMS, 2 FLIGHT PLANS, 2 FLIGHT SIMULATION, 6, 13 FLIGHT TESTS, 6 FRICTION, 3

G

GAS TURBINE ENGINES, 8, 9

Η

HELIPORTS, 6

IDENTITIES, 12 ILLUMINATING, 6 INDEXES (DOCUMENTATION), 1 INDUSTRIES, 2

L

LANDING GEAR, 3 LANDING INSTRUMENTS, 13 LANDING SITES, 6 LIQUID HYDROGEN, 6 LIQUID OXYGEN, 6 LOW PRESSURE, 5

Μ

MACH NUMBER, 7 MANAGEMENT METHODS, 3 MANUFACTURING, 10 MATHEMATICAL MODELS, 4, 5 MULTIDISCIPLINARY DESIGN OPTI-MIZATION, 8, 9, 10, 11

Ν

NAVIER-STOKES EQUATION, 8 NUMERICAL ANALYSIS, 8, 12

0

OPTICAL MEASURING INSTRUMENTS, 4

Ρ

PERFORMANCE TESTS, 2 PLUMES, 11 POLLUTION CONTROL, 2 PREDICTOR-CORRECTOR METH-ODS, 12 PROPULSION, 8 PROVING, 8

R

REAL TIME OPERATION, 2 RL-10 ENGINES, 6 RUNWAY LIGHTS, 6

S

SIMULATORS, 3 SPACECRAFT CONTROL, 13 SPACECRAFT PROPULSION, 6 SPEECH RECOGNITION, 2 STRUCTURAL ANALYSIS, 10 STRUCTURAL DESIGN, 10 STRUCTURAL DESIGN CRITERIA, 10 SYSTEMS INTEGRATION, 9

Т

TECHNOLOGIES, 8 TEMPERATURE EFFECTS, 7 TEST FIRING, 6 THERMAL RADIATION, 7 THREE DIMENSIONAL MODELS, 8, 11 TOLERANCES (MECHANICS), 10 TOTAL ENERGY SYSTEMS, 3 TOXICOLOGY, 12 TURBINE BLADES, 2 TURBINE BLADES, 7 TURBINE ENGINES, 7 TURBOCOMPRESSORS, 4, 8, 9, 10 TURBULENCE MODELS, 9

W

WAKES, 4 WAVE PROPAGATION, 7 WIND TUNNEL TESTS, 2 WIND TURBINES, 2

Personal Author Index

Α

Aguirre, John T., 12

В

Bailey, Michael W., 9, 10 Bakhle, Milind A., 7 Barabas, F., 2 Bauer, Steven X. S., 3 Bos, A., 3 Braun, Robert D., 12

С

Canfield, Dennis V., 11 Chaturvedi, Arvind K., 11 Cheatwood, F. McNeil, 12 Cmar, Mark D., 6

D

Delaney, Robert A., 4 Dickens, Kevin W., 6

Ε

Escuret, J. F., 9

F

Florent, J. P., 2 Fontaine, Scott A., 5

Η

Haberbusch, Mark S., 6 Hall, Edward J., 4 Herbert, Jeffrey G., 9, 10 Hering, H., 2

Iollo, Angelo, 7

Κ

Kato, Eizi, 1 Kau, H.-P., 9, 10 Keith, Theo G., Jr., 7 Kielb, Robert E., 9

L

Leboeuf, Francis, 8 Lew, F., 11 Lew, Frances, 11 Long, Loren L., 9, 10 Lynn, Sean R., 4 Lyons, Daniel T., 12 Lytle, John K., 8

Μ

Marker, Timothy, 2 Matsumiya, Hikaru, 1 Meyer, Michael L., 6

Ν

Nicoud, D., 9

0

Ostroff, Aaron J., 5

Ρ

Paine, R. J., 11 Paine, Robert J., 11 Poddany, A., 2 Poppel, Gary L., 4 Powell, Richard W., 12 Powell, Richard W., 12

Q

Queen, Eric M., 12

R

Ritter, Roxane M., 11

S

Sachi, Laura A., 12 Salas, Manuel D., 7 Siegel, Robert, 6 Skaff, Tony F., 6 Spuckler, Charles M., 6 Srivastava, Rakesh, 7 Stefko, George L., 7 Steinmetz, Gregory T., 9 Striepe, Scott A., 12 Suido, Goichi, 1

Т

Tachikawa, Tsutomu, 1

V

VanMeter, Matthew J., 6 VanZante, Dale E., 4 Veres, Joseph P., 4 Veysseyre, P., 9 Vishnauski, Jon M., 9, 10 Vu, Nicole T., 11

Report Documentation Page

1. Report No.	2. Government Acc	cession No.	3. Recipient's Catal	og No.		
NASA/SP—1998-7037/SUPPL386)					
4. Title and Subtitle			5. Report Date	000		
Aeronautical Engineering	S1+ 296)		October 30, 1 6. Performing Orga			
A Continuing Bibliography (A Continuing Bibliography (Supplement 386)			nization Code		
7. Author(s)			8. Performing Orga	nization Report No.		
			10. Work Unit No.			
9. Performing Organization Name and	Address					
NASA Scientific and Technical Information Prog		gram Office	11. Contract or Gran	t No.		
12. Sponsoring Agency Name and Addro	ess		13. Type of Report a	nd Period Covered		
National Aeronautics and Spa	ace Administration		Special Public	cation		
Langley Research Center Hampton, VA 23681			14. Sponsoring Ager	ncy Code		
15. Supplementary Notes						
16. Abstract						
This report lists reports, artic	as and other dooun	ante recently of	proupood in the NAS	CA 6'TT		
Database.		lents recently a		DA STI		
Database.	Database.					
		1				
17. Key Words (Suggested by Author(s))		18. Distribution Statement				
Aeronautical Engineering		Unclassified – Unlimited				
Aeronautics	Subject Ca	tegory – 01				
Bibliographies						
19. Security Classif. (of this report)	20. Security Classif. (ot this page)	21. No. of Pages	22. Price		
Unclassified	Unclassified		32	A03/HC		

For sale by the NASA Center for AeroSpace Information, 7121 Standard Drive, Hanover, MD 21076-1320