CR-189316

CAL-2145

National Aeronautics and Space Administration

ASTROPHYSICS DATA PROGRAM

ANNUAL STATUS REPORT FOR NAS5-32063

Submitted to:	Dr. Ronald J. Oliversen Technical Officer for NAS5-32063 (Code 684 NASA/Goddard Space Flight Center Greenbelt Road Greenbelt, MD 20771	-23559 las	
Submitted by:	The Trustees of Columbia University in the City of New York Box 20, Low Memorial Library New York, New York 10027	200 C N N N N	
Prepared by:	Columbia Astrophysics Laboratory Departments of Astronomy and Physics Columbia University 538 West 120 th Street New York, New York 10027	COMPLETE PUBLIC TEIN IPC Annual p. 1992 - 23 Univ.) 7 p	
Principal Investigator:	David J. Helfand Professor of Astronomy	1316) A THE EINS t, 24 Se Columbia	
Title of Research:	"A Complete Public Archive for the Einstein IPC"	A-CR-189 IIVE FOR US Repor 1993 (
Period Covered by Report:	24 September 1992 – 23 September 1993	(NAS ARCH Stat Sep.	



REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188
	and reviewing the collection of information. So is burden, to Washington Headquarters Service e of Management and Budget, Paperwork Redu	end comments regarding this obtain esti- es, Directorate for Information Operations action Project (0704-0188), Washington, I	C 20503.
1. AGENCY USE ONLY (Leave b)	ank) 2. REPORT DATE November 1993	3. REPORT TYPE AND DATES COVERED Contractor Report	
4. TITLE AND SUBTITLE A Complete Public Archive			FUNDING NUMBERS
6. AUTHOR(S) David J. Helfand			NAS5-32063
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Columbia Astrophysics Laboratory Departments of Astronomy and Physics 538 West 120th Street New York, NY 10027			PERFORMING ORGANIZATION REPORT NUMBER CAL-2145
 SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) National Aeronautics and Space Administration Washington, D.C. 20546–0001 			10. SPONSORING/MONITORING AGENCY REPORT NUMBER CR-189316
 SUPPLEMENTARY NOTES DISTRIBUTION/AVAILABILITURCLASSIFIED-Unlimited 	TY STATEMENT		12b. DISTRIBUTION CODE
Subject Category 90 13. ABSTRACT (Maximum 200 word This report documents program in our proposal "A Complete	ress made in the period 29 Sept	ember 1992 and 28 Septem	ber 1993, on the project described d under the Astrophysics Data
Program last year. All of th	e principal first-year objectives le goal of transfering the entire	s were archieved and we ex	pect to continue our efforts over
14. SUBJECT TERMS Einstein IPC			15. NUMBER OF PAGES 5 16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATI OF ABSTRACT	ON 20. LIMITATION OF ABSTRACT
Unclassified	Unclassified	Unclassified	Unlimited

This report documents progress made in the period 29 September 1992 and 28 September 1993 on the project described in our proposal "A Complete Public Archive for the *Einstein* IPC," which was approved under the Astrophysics Data Program last year. All of the principal first-year objectives were achieved and we expect to continue our efforts over the next two years toward the goal of transfering the entire activity to the HEASARC.

Just before the (delayed) start of the grant period, we discovered (through the grapevine rather than via direct communication from SAO) that the basic database with which we, and all other community users, had been working for the past 6-7 years was corrupted by the misapplication of the Gain-Normalized Image (GNI map). The GNI map is used to apply spatially dependent gain changes as measured during ground calibration to the conversion of PHA to PI bins; i.e., from a count's recorded pulse height to a gain-corrected energy. Ever since a reprocessing in the mid 1980's, the GNI map had been applied to all images in celestial, rather than detector, coordinates. Since the transformation is a simple rotation about the field center, on-axis sources (most targets) are unaffected, but all off-axis sources have had essentially random gain corrections applied. The basic dataset we obtained several years ago from SAO was thus corrupted. Thus, our plan simply to transfer the database from the optical disk storage unit on which it resided to a new magnetic disk storage facility on a Sparcstation was not so simple.

Nonetheless, we acquired the requisite hardware and transferred the corrupted data. We then spent some months deciding how best to correct the data. In fact, we already had in hand an energy channel by energy channel set of flatfields which had been derived from the complete mission dataset. Using the diffuse background as a source of illumination, then, we had what amounts to a map of spatial gain variations from actual flight data which had a higher angular resolution (30" instead of the 3' of the GNI image) and better statistics than the ground calibration data. The two images are displayed in Figure 1. Figure 1a is the standard GNI map. Figure 1b is an image of the hardness ratio of all fields with discrete sources excised

and with the nominal gain for each observation applied to convert from PHA to PI bins. It is clear that the same gross features are present, AND that the higher resolution image contains real structure that is washed out in the ground calibration data.


However, using the sky data as is to correct the individual images entails the assumption that the diffuse background has the same spectrum everywhere which is not correct. (It also requires the development of a transformation from diffuse flux hardness ratio to PHA bin correction factor.) Our ultimate decision was to add yet further flexibility to our system by allowing the user to apply either the standard GNI image, the inflight-derived image we constructed, or some as yet nonexistent correction (such as one that could be made from, for example, high latitude, low $N_{\rm H}$ fields only). This option was coded, tested, and is now part of the standard OpEd software.

With the entire dataset online, processing time for a simple run though the whole database (e.g., finding all sources in a given energy band) was reduced to approximately 8 hours. This allowed us to install a further enhancement which we had wanted to do in earlier versions but which made large processing jobs too slow: we increased the resolution of the images and the source searching and extraction algorithms from 64" to 32". Since the 1 sigma width of the IPC PSF is ~ 40", this resolution provides for all but the brightest handful of sources the most accurate fluxes and positions derivable. It also matches the resolution of the flatfielding algorithm. Tests showed that it also improved the reliability of detected sources below the 3.5 σ threshold.

Other activities included various refinements to the source search algorithm for both point and extended sources, the validation of the flatfield hypercube, and extensive work on documenting new and existing code. We also spent considerable time in investigating ways to optimize the extended source search and to develop reliability criteria with which to annotate the two-sigma catalogs. These latter acrtivities are continuing in the current year which will see the publication of both

the final 2σ catalogs in various bands along with the extended source results. The Burst Catalog is complete. Rudimentary image display capability was also added to the system to allow the user to have a quick look at, for example, the sourcesubtracted image without exiting to a standard image analysis system.

As part of the plan to transfer this activity after year three of the grant to the HEASARC, we also established contact with the Center, primarily through the auspices of a former Columbia graduate student who worked extensively with the OpEd package and is now a HESEARC employee. We are pleased to note that the OGIP Director has declared that the system architecture and philosophy for the ASCA analysis package (XSELECT + FTOOLS) is based in large part on the Einstein OpEd system we have developed. Thus, while the exact form in which the transfer of the database and analysis system will take place is as yet undefined, we are confident that the HEASARC is the correct final repository for the catalogs, database, and software system we are producing and will complete the transfer prior to the expiration of the current ADP contract.




IPC Detector Gain Map

Ζ

Fig. la





IPC Detector Gain Map

Fig. Ib

