

NASA
Contractor Report 191127

Army Research Laboratory
Contractor Report ARL-CR-43

IN-37
163053
P.11

Computational Gearing Mechanics

Ronald L. Huston
Mechanical, Industrial, and Nuclear Engineering
University of Cincinnati
Cincinnati, Ohio

(NASA-CR-191127) COMPUTATIONAL
GEARING MECHANICS Final Report
(Cincinnati Univ.) 11 p

N93-25884

April 1993

Unclass

G3/37 0163053

Prepared for
Lewis Research Center
Under Grant NSG-3188





Contractor Report

COMPUTATIONAL GEARING MECHANICS

NSG-3188

Ronald L. Huston
Mechanical, Industrial and Nuclear Engineering
University of Cincinnati
Cincinnati, Ohio 45221-0072

November 23, 1992



This report summarizes research activities conducted at the University of Cincinnati with the support of a continuing grant from the National Aeronautics and Space Administration (NASA), Lewis Research Center with grant number NSG-3188. The initial grant was awarded in 1978. The grant concluded in December 1991.

The report is divided into four parts summarizing the principal phases of the research including current and planned future efforts. The references at the end of the report summarize the findings of the research.

I. GEAR GEOMETRY

Initial research efforts focuses upon gear tooth geometry - particularly as encountered in spiral bevel gears. The interest in the geometry of these gears stems from several factors:

- 1) Spiral bevel gears are integral parts of helicopter transmissions. Their performance, reliability, and life are critical to the successful operation of the transmissions.
- 2) Spiral bevel gears are among the most advanced and most sophisticated of precision power transmission elements. They are intended to transmit power through orthogonal, intersecting shafts with a minimum of backlash, vibration and noise.
- 3) Slight changes in the tooth surface geometry of spiral bevel gears can have significant deleterious effects upon gear performance, reliability, and life.
- 4) In spite of a widespread use of spiral bevel gears over a long period of time, their geometry is not well understood in either an analytical or an empirical sense. Indeed, in the manufacture of spiral bevel gears for service gear tooth modifications is frequently required for smooth operation of the gears.
- 5) Many spiral bevel gears are fabricated with geometries different than an "ideal" geometry which would evolve from involute spur, helical, and straight bevel gears.
- 6) If the tooth geometry of a spiral bevel gear is distorted whether by errors in fabrication or due to loading, the conjugate nature of the meshing kinematics is disrupted leading to vibration and noise.

Research results describing and quantifying this geometry are documented in References [J1, J2, J3, J7, P1, P2, P6, R1, R3, R8, D3]*. These results are based primarily on geometrical

*Numbers in brackets refer to the references.

analyses using vector methods and the principles of differential geometry. The results demonstrate both the complexity of the surface geometry as well as the sensitivity of the geometry to slight changes in position and orientation.

More recently, the research produced a new numerical, computer-graphic procedure for studying tooth geometry. This procedure uses I-DEAS software developed by the Structural Dynamics Research Corporation (SDRC) [P4, P7, P8, R8, R10, R13, T2, T3, D1, D3]. The procedure is conceptually quite simple: The gear fabrication is modelled and simulated using computer graphics. Specifically, the cutting tool and gear blank are represented by solid models. Then the impression on the gear blank model by the penetrating and intruding cutting tool model is a model of the gear tooth. That is, the movement of the simulated tool into the blank produces a simulated tooth surface just as the tooth surface would be physically developed. This simulated surface is then a numerical representation of the gear tooth which in turn can be used for kinematic, dynamic, and strength studies.

II. STRESS ANALYSIS

A second phase of the research was stress analysis - ranging from the evaluation of root and fillet stresses [J4, J6, P3, P10, R2, D1] to contact stresses [P12, R11, R12, R14, D5, D6, D7]. The research produced what was perhaps the first documented finite-element stress analysis of gear teeth in the technical literature in the public domain.

These stress analyses have in turn produced a series of computer programs and software for gear stress computation under a variety of loadings and geometries. The focus of the programs which have been developed to date has been the computation of root and fillet stresses for spur gears and straight bevel gears.

A more difficult analysis is involved in the computation of contact stresses. The finite-element method (FEM) is not very well suited for contact stress analysis due to the large stress gradients (stress variation) in the vicinity of the contact region, and due to the a priori unknown extent of the contact area. More effective procedures for evaluating contact stresses have been obtained using the boundary element method (BEM) [P10, D5] and a recently developed method using point-load superposition of fundamental solutions from the theory of elasticity [P12, R11, R12, D7]. (This latter procedure was initially developed for studying wheel/rail stresses in railroad cars.) The procedure has efficiently produced accurate results for a wide variety of gear geometries. The development and application of the method is continuing at the time of this writing.

III. GEAR DYNAMICS AND VIBRATIONS

A third phase of the research focused upon gear and shaft vibration and dynamics [J5, J8, J9, J10, P5, R4, R5, T1, D2]. This research was conducted primarily by Hsiang-Hsi (Edward) Lin who is currently at Memphis State University. The research initiated at the University of Cincinnati (under Grant NSG-3188) has led to separately supported research with Professor Lin at Memphis State University.

The results of this research have produced new insights into gear and transmission vibration which had not been aired previously in the public domain technical literature.

IV. CURRENT RESEARCH AND PLANNED RESEARCH

Although the monetary support for the research under Grant 3188 has ended, the research effort is continuing. The current work is focused upon the further development of the computer-graphic/finite-element analysis of gear stresses. Using recently developed software it is now possible to simulate meshing gears with an animation of the stresses and deformations of the gear teeth as they pass through mesh.

The current work also includes the further development of the point-load superposition method with an attempt to accommodate general geometries under various friction conditions.

Computer programs and user manuals are concurrently being developed.

Future research will involve the further application of these methods with an emphasis upon tooth profile modification for improved precision, strength, and reliability. The objective is to have ideal geometry when the gears are under load.

REFERENCES

Journal Articles

- J1. R.L. Huston and J.J. Coy, "A New Approach to Surface Geometry of Spiral Bevel Gears - Part I: Ideal Gears", *Journal of Mechanical Design*, Transactions ASME, Vol. 103, No. 4, 1981, pp. 127-132.
- J2. R.L. Huston and J.J. Coy, "Surface Geometry of Circular Cut Spiral Bevel Gears," *Journal of Mechanical Design*, Transactions ASME, Vol. 104, No. 4, 1982, pp. 743-748.
- J3. R.L. Huston, Y. Lin, and J.J. Coy, "Tooth Profile Analysis of Circular-Cut, Spiral Bevel Gears," *Journal of Mechanisms, Transmissions, and Automation in Design*, Transactions ASME, Vol. 105, 1983, pp. 132-137.
- J4. S.H. Chang, R.L. Huston, and J.J. Coy, "A Finite Element Stress Analysis of Spur Gears Including Fillet Radii and Rim Thickness Effects," *Journal of Mechanisms, Transmissions, and Automation in Design*, Transactions ASME, Vol. 105, 1983, pp. 327-330.
- J5. H.H. Lin, R.L. Huston, and J.J. Coy, "Dynamic Analysis of Straight and Involute Tooth Forms," *Gear Technology*, July/August, 1985, pp. 6-12.
- J6. S.H. Chang and R.L. Huston, "UCIN-GEAR: A Finite Element Computer Program for Determining Stresses in Spur Gears", *Advances in Surface Treatments*, (Niku-Lari, Editor) Permagan Press, Oxford 1986, pp. 249-256.
- J7. R.L. Huston and J.J. Coy, "Pressure Angle Change in the Transverse Plane for Circular Cut Spiral Bevel Gears," *Gear Technology*, Vol. 5, No. 3, 1986, pp. 42-48.
- J8. H.H. Lin, R.L. Huston, and J.J. Coy, "On Dynamic Loads in Parallel Shaft Transmission: Part 1, Modelling and Analysis," *Journal of Mechanisms, Transmissions, and Automation in Design*, Transaction ASME, Vol. 110, 1988, pp. 221-225.
- J9. H.H. Lin, R.L. Huston, and J.J. Coy, "On Dynamic Loads in Parallel Shaft Transmissions: Part 2, Parameter Study", *Journal of Mechanisms, Transmissions, and Automation in Design*, Transactions ASME, Vol. 110, 1988, pp. 226-229.
- J10. H.H. Lin, R.L. Huston, and J.J. Coy, "On Dynamic Loads in Parallel Shaft Transmissions," *Gear Technology*, 1990, pp. 18-27.
- J11. M.G. Kittur, F.B. Oswald, and R.L. Huston, "Finite-Element Grid Improvement by Minimization of Stiffness Matrix Trace," *Computers and Structures*, Vol. 33, No. 5, 1989, pp. 1215-1221.

Papers

- P1. R.L. Huston and J.J. Coy, "A Basis for the Analysis of Surface Geometry of Spiral Bevel Gears", Symposium of Advanced Power Transmission Technology, NASA Lewis Research Center, June 9-11, 1981.
- P2. R.L. Huston and J.J. Coy, "Surface Geometry of Circular Cut Spiral Bevel Gears", ASME Paper 81-DET-114, ASME Design Engineering Technical Conference, Hartford, CT, 1981.
- P3. S.H. Chang, R.L. Huston, and J.J. Coy, "A Finite Element Stress Analysis of Spur Gears Including Fillet Radii and Rim Thickness Effects," ASME Paper 82-WA/DE-35 ASME Winter Annual Meeting, Phoenix, AZ, 1982.
- P4. S.H. Chang and R.L. Huston, "A Computer Aided Design Procedure for Generating Gear Teeth", ASME Paper 84-DET-184, Fourth International Power Transmission and Gearing Conference, Boston, MA, 1984.
- P5. H.H. Lin, R.L. Huston, and J.J. Coy, "Dynamic Analysis of Straight and Involute Tooth Forms," Fourth International Power Transmission and Gearing Conference, ASME, Boston, MA, 1984.
- P6. J. Li and R.L. Huston, "Design and Analysis of Double Circular Arc Profile Spiral Bevel Gears", Ninth International Conference on Production Research, Cincinnati, OH, 1987, published in Proceedings, pp. 1551-1557.
- P7. D. Mavriplis and R.L. Huston, "Design and Manufacture of Gear Teeth Using I-DEAS", SDRC I-DEAS/CAEDS User's Conference Series, Milford, OH, 1988, published in Instructional Proceedings, pp. 47-56.
- P8. S.H. Chang, R.L. Huston, and J.J. Coy, "Computer Aided Design of Bevel Gear Tooth Surfaces", ASME Fifth International Power and Transmission Gearing Conference, 1989, Chicago, IL, published in Proceedings, pp. 585-592.
- P9. P. Sompraki, M. Pourazady, and R.L. Huston, "Effect of Fitting Parameters on Spur Gear Stresses", ASME Fifth International Power Transmission and Gearing Conference, Chicago, IL, 1989, published in Proceedings, pp. 815-821.
- P10. H. Sun, D. Mavriplis, R.L. Huston, and F.B. Oswald, "Comparison of Boundary Element and Finite Element Methods in Spur Gear Root Stress Analysis," ASME Fifth International Power Transmission and Gearing Conference, Chicago, IL, 1989, published in Proceedings, pp. 163-166.

- P11. D. Mavriplis and R.L. Huston, "Computer Aided Design of Spur Gear Teeth", ASME Fifth International Power Transmission and Gearing Conference, Chicago, IL, 1989, published in Proceedings, pp. 539-545.
- P12. P. Somprakit, R.L. Huston, and F.B. Oswald, "Contact Stresses in Gear Teeth - A New Method of Analysis", AIAA 27th Joint Propulsion Conference, Sacramento, CA. 1991.

Reports

- R1. R.L. Huston and J.J. Coy, "Ideal Spiral Bevel Gears - A New Approach to Surface Geometry", NASA Technical Memorandum 81446 and AVRADCOM Technical Report 80-C-5, 1980.
- R2. S.H. Chang, R.L. Huston, and J.J. Coy, "A Finite Element Analysis of Spur Gears Including Fillet Radii and Rim Thickness Effects", NASA Technical Memorandum 82865 and AVRADCOM Technical Report 82-C-8, 1982.
- R3. R.L. Huston, "Geometrical Analysis of Circular-Cut Spiral Bevel Gears", NASA Contractor Report 168226, 1983.
- R4. H.H. Lin and R.L. Huston, "Dynamic Loading on Parallel Shaft Gears", NASA Contractor Report 179473, 1986.
- R5. H.H. Lin, R.L. Huston, and J.J. Coy, "On Dynamic Loads in Parallel Shaft Transmissions I: Modelling and Analysis", NASA Technical Memorandum 100180 and AVSCOM Memorandum 100255 and AVSCOM Technical Report 87-C-2.
- R6. M.G. Kittur, R.L. Huston, and F.B. Oswald, "Finite Element Grid Improvement by Minimization of Stiffness Matrix Trace", NASA Technical Memorandum 100255 and AVSCOM Technical Report 87-C-4, 1987.
- R7. M.G. Kittur, R.L. Huston, and F.B. Oswald, "Improvement in Finite Element Meshes: Heat Transfer in an Infinite Cylinder", NASA Technical Memorandum 101410 and AVSCOM Technical Report 88-C-021, 1988.
- R8. S.H. Chang, R.L. Huston, and J.J. Coy, "Computer-Aided Design of Bevel Gear Tooth Surfaces", NASA Technical Memorandum 101449 and AVSCOM Technical Memorandum 88-C-005, 1989.
- R9. M.G. Kittur and R.L. Huston, "Mesh Refinement in Finite Element Analysis by Minimization of the Stiffness Matrix Trace", NASA Contractor Report 185170 and AVSCOM Technical Report 89-C-019, 1989.

- R10. D. Mavriplis and R.L. Huston, "Computer Simulation of Gear Tooth Manufacturing Processes", NASA Contractor Report 185200 and AVSCOM Technical Memorandum 90-C-003, 1990.
- R11. P. Somprakit and R.L. Huston, "A New Procedure for Calculating Contact Stresses in Gear Teeth" NASA Contract Report 187094 and AVSCOM Technical Report 91-C-012, 1991.
- R12. P. Somprakit, R.L. Huston and F.B. Oswald, "Contact Stresses in Gear Teeth - A New Method of Analysis", NASA Technical Memorandum 104397 and AVSCOM Technical Report 91-C-001, 1991.
- R13. D. Mavriplis, R.L. Huston, F.B. Oswald, and Y.S. Liu, "A Basis for Solid Modelling of Gear Teeth with Application in Design and Manufacture", NASA Technical Memorandum 105392 and AVSCOM Technical Report 91-C-044, 1992.
- R14. C.M. Hsieh and R.L. Huston, "Contact Stresses in Meshing Spur Gear Teeth: Use of an Incremented Finite Element Procedure", NASA Technical Memorandum 105388 and AVSCOM Technical Report 90-C-029, 1992.

Master of Science Theses

- T1. V. Srinivassan, "Spur Gear Vibration Analyses", University of Cincinnati, M.S., 1982.
- T2. A. Mahajan, "Computer Simulation of Spur and Helical Gear Teeth Manufacturing Processes", University of Cincinnati, M.S., 1990.
- T3. S.F. D'Souza, "Computer Aided Design and Simulation of Gear Elements", University of Cincinnati, M.S., 1992.

Doctoral Dissertations

- D1. S.H. Chang, "Gear Stress Analysis", University of Cincinnati, Ph.D., 1985.
- D2. H.H. Lin, "Computer-Aided Design and Analysis of Spur Gear Dynamics", University of Cincinnati, Ph.D., 1985.
- D3. D. Mavriplis, "Computer-Aided Design of Gear Teeth", University of Cincinnati, Ph.D., 1988.
- D4. M. Kittur, "Finite Element Grid Improvement by Minimization of Stiffness Matrix Trace," University of Cincinnati, Ph.D., 1988.

- D5. H. Sun, "Use of Boundary Element Method in Contact Stress Analysis," University of Cincinnati, Ph.D., 1989.
- D6. C.M. Hsieh, "Contact Stresses of Meshing Spur Gear Teeth: Use of Incremental Finite Element Techniques", University of Cincinnati, Ph.,D., 1990.
- D7. P. Somprakit, "Contact Stress Analysis in Gear Teeth", University of Cincinnati, Ph.D., 1991.

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE April 1993	3. REPORT TYPE AND DATES COVERED Final Contractor Report		
4. TITLE AND SUBTITLE Computational Gearing Mechanics			5. FUNDING NUMBERS WU-505-62-10 1L162211A47A G-NSG-3188	
6. AUTHOR(S) Ronald L. Huston				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Mechanical, Industrial, and Nuclear Engineering University of Cincinnati Cincinnati, Ohio 45221-0072			8. PERFORMING ORGANIZATION REPORT NUMBER E-7808	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Vehicle Propulsion Directorate U.S. Army Research Laboratory Cleveland, Ohio 44135-3191 and NASA Lewis Research Center Cleveland, Ohio 44135-3191			10. SPONSORING/MONITORING AGENCY REPORT NUMBER NASA CR-191127 ARL-CR-43	
11. SUPPLEMENTARY NOTES Project Manager, Propulsion Systems Division, Fred B. Oswald, (216) 433-3957.				
12a. DISTRIBUTION/AVAILABILITY STATEMENT Unclassified - Unlimited Subject Category 37			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) This is an expository report summarizing the research efforts and results under NASA Grant NSG-3188 to the University of Cincinnati. Since the grant has now ended this report also serves as a final report for the grant. The focus of the research has been computational gearing mechanics. Research on gear geometry, gear stress, and gear dynamics is discussed. Current research and planned future efforts are also discussed. A comprehensive bibliography is presented.				
14. SUBJECT TERMS Gears; Gear analysis; Gear geometry; Gear dynamics; Contact stress			15. NUMBER OF PAGES 10	
			16. PRICE CODE A02	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT	