

Naval Oceanographic Office

Stennis Space Center
MS 39522-5001

Technical Report
TR 304
October 1991

2



AD-A245 860



TR 304

THE JOINT US/UK 1990 EPOCH WORLD MAGNETIC MODEL

JOHN M. QUINN
RACHEL J. COLEMAN
MICHAEL R. PECK
STEPHEN E. LAUBER

GEOPOTENTIAL DIVISION

DTIC
ELECTE
FEB 03 1992
S D D

Approved for public release;
distribution is unlimited

(NASA-CR-190424) THE JOINT US/UK 1990 EPOCH
WORLD MAGNETIC MODEL Technical Report, 1990
- 1995 (Naval Oceanographic Office) 216 p

N92-26406

Unclas
G3/46 0093829

Prepared under the authority of
Commander,
Naval Oceanography Command

92 1 30 053

FOREWORD

As it has in centuries past, the Earth's magnetic field still plays a vital role in global navigation. All navigational aids or attitude/heading reference systems (AHRS), regardless of their operating principles, must speak a common language. That common language is in terms of the Earth's magnetic declination. Consequently, magnetic-related navigational aids are integrated, in the form of computer hardware and software, into virtually every major weapons system of the Army, Air Force, Navy, and Marines. In order to maintain optimum performance, these systems must be periodically updated with regard to the Earth's magnetic field, which is a dynamic entity that changes slowly but erratically with time.

For well over a century, it has been the responsibility of the U.S. Naval Oceanographic Office to monitor the Earth's changing magnetic field and periodically report on these changes in the form of magnetic charts and mathematical models. For the past forty years, this task has involved an intensive data collection effort through the Project MAGNET program, which in April 1990 made the transition from primarily aeromagnetic surveying to satellite surveying with the launch of the Polar Orbiting Geomagnetic Survey (POGS) satellite. Follow-on satellite missions to secure data for future needs, well into the twenty-first century, are now being vigorously pursued.

This report is a comprehensive summary of the cooperative effort between the U.S. Naval Oceanographic Office and the British Geological Survey in producing the 1990 Epoch World Magnetic Model, WMM-90.



ROBERT Y. BELT
Captain, U.S. Navy
Commanding Officer

TABLE OF CONTENTS

Acknowledgements	ix
Section 1. The GEOMAG Algorithm and the 1990 Model	1
1.0 Introduction	1
1.1 The Mathematical Model	2
1.2 Coordinate Transformations	5
1.3 The Computer Algorithm	7
Section 2. The 1990 Epoch World Magnetic Model (Derivation)	15
2.0 Overview	15
2.1 Secular Variation Data Analysis	20
2.2 Main Field Data Analysis	45
2.3 Mathematical Details of Main Field Inverse Modeling	50
Section 3. Discussion	69
3.0 Modeling Results	69
3.1 Final Comments	73
References	195
Appendix	
FORTRAN Listing of GEOMAG Subroutine with the WMM-90 Model Coefficients	197

LIST OF TABLES

Table 1	Arrangement of Main Field Coefficients in Array C_{nm}	8
Table 2	Arrangement of Secular Variation Coefficients in Array \dot{C}_{nm}	9
Table 3	WMM-90 Schmidt Normalized Gauss Coefficients	12
Table 4	Secular Variation Models	46
Table 5	WC-85 (Revised) Schmidt Normalized Gauss Coefficients	51
Table 6	RMS Errors Relative to IGRF/DGRF Models	56
Table 7	Number of Records	56
Table 8	Average Number of Records Per Cell	56
Table 9	Project MAGNET Flight Statistics Relative to IGRF/DGRF Models	57
Table 10	Dip Pole Positions	72
Table 11	WMM-90 Main Field and Annual Change Grid Values ..	75
	North Component (X) WMM-90	76
	East Component (Y) WMM-90	88
	Vertical Component (Z) WMM-90	100
	Horizontal Component (H) WMM-90	112
	Total Intensity (F) WMM-90	124
	Declination (D) WMM-90	136
	Inclination (I) WMM-90	148

LIST OF CHARTS

Chart	1. Project MAGNET Data Distribution	16
Chart	2. MAGSAT Data Distribution	17
Chart	3. DE-2 Data Distribution	18
Chart	4. Geomagnetic Observatory Distribution	19
Chart	5. North Magnetic Pole Movement	70
Chart	6. South Magnetic Pole Movement	71
Chart	7. Geomagnetic Coordinates	74

Main Field World Mercator Charts

Chart	8. Horizontal Intensity (H)	160
Chart	9. Vertical Component (Z)	161
Chart	10. Total Intensity (F)	162
Chart	11. Declination (D)	163
Chart	12. Inclination (I)	164

Secular Variation World Mercator Charts

Chart	13. Horizontal Intensity (\dot{H})	165
Chart	14. Vertical Component (\dot{Z})	166
Chart	15. Total Intensity (\dot{F})	167
Chart	16. Declination (\dot{D})	168
Chart	17. Inclination (\dot{I})	169

Main Field North Polar Stereographic Charts

Chart	18. Horizontal Intensity (H)	170
Chart	19. Vertical Component (Z)	171
Chart	20. Total Intensity (F)	172
Chart	21. Declination (D)	173
Chart	22. Inclination (I)	174
Chart	23. Grid Variation (GV)	175

Secular Variation North Polar Stereographic Charts

Chart	24. Horizontal Intensity (\dot{H})	176
Chart	25. Vertical Component (\dot{Z})	177
Chart	26. Total Intensity (\dot{F})	178
Chart	27. Declination (\dot{D})	179
Chart	28. Inclination (\dot{I})	180
Chart	29. Grid Variation (\dot{GV})	181

Main Field South Polar Stereographic Charts

Chart 30. Horizontal Intensity (H)	182
Chart 31. Vertical Component (Z)	183
Chart 32. Total Intensity (F)	184
Chart 33. Declination (D)	185
Chart 34. Inclination (I)	186
Chart 35. Grid Variation (GV)	187

Secular Variation South Polar Stereographic Charts

Chart 36. Horizontal Intensity (\dot{H})	188
Chart 37. Vertical Component (\dot{Z})	189
Chart 38. Total Intensity (\dot{F})	190
Chart 39. Declination (\dot{D})	191
Chart 40. Inclination (\dot{I})	192
Chart 41. Grid Variation (\dot{GV})	193

LIST OF FIGURES

Annual Magnetic Means at Selected Geomagnetic Observatories	
Figure 1a. North X Component at Honolulu (HON)	21
Figure 1b. East Y Component at Honolulu (HON)	22
Figure 1c. Vertical Z Component at Honolulu (HON)	23
Figure 1d. Declination D Component at Honolulu (HON)	24
Figure 1e. Inclination I Component at Honolulu (HON)	25
Figure 1f. Total Intensity F Component at Honolulu (HON) ...	26
Figure 2a. North X Component at Huancayo (HUA)	27
Figure 2b. East Y Component at Huancayo (HUA)	28
Figure 2c. Vertical Z Component at Huancayo (HUA)	29
Figure 2d. Declination D Component at Huancayo (HUA)	30
Figure 2e. Inclination I Component at Huancayo (HUA)	31
Figure 2f. Total Intensity F Component at Huancayo (HUA) ...	32
Figure 3a. North X Component at Pilar (PIL)	33
Figure 3b. East Y Component at Pilar (PIL)	34
Figure 3c. Vertical Z Component at Pilar (PIL)	35
Figure 3d. Declination D Component at Pilar (PIL)	36
Figure 3e. Inclination I Component at Pilar (PIL)	37
Figure 3f. Total Intensity F Component at Pilar (PIL)	38
Figure 4a. North X Component at Rude Skov (RSV)	39
Figure 4b. East Y Component at Rude Skov (RSV)	40
Figure 4c. Vertical Z Component at Rude Skov (RSV)	41
Figure 4d. Declination D Component at Rude Skov (RSV)	42
Figure 4e. Inclination I Component at Rude Skov (RSV)	43
Figure 4f. Total Intensity F Component at Rude Skov (RSV) ..	44

ACKNOWLEDGEMENTS

Overall coordination and production of the joint US/UK World Magnetic Model for the 1990 Epoch was the responsibility of Dr. David R. Barraclough of the British Geological Survey (BGS) and Mr. John M. Quinn of the U.S. Naval Oceanographic Office. Needless to say, however, these models could not be produced without the assistance of those many unnamed individuals around the world who collect magnetic field data on a day-to-day basis. Most particularly, we would like to acknowledge those who operate the geomagnetic observatories, the geophysicists, engineers, and technicians from the Naval Oceanographic Office who have collected and processed Project MAGNET data over the past ten years, and the military personnel from VXN-8 in Patuxent River, Maryland, who flew and maintained the Project MAGNET aircraft during this period. We also thank both the National Aeronautics and Space Administration and the U.S. Geological Survey for making the MAGSAT data available and M. Sugiura, J.R. Ridgeway, and Robert Langel for making the DE-2 data available. Finally, we appreciate the extraordinary abilities and dedication of our secretary, Nanette Williams, who was responsible for typing this manuscript and its many revisions.

SECTION 1. THE GEOMAG ALGORITHM AND THE 1990 MODEL

1.0 Introduction

The Earth's magnetic field, as measured by a magnetic sensor on or above the Earth's surface, is actually a composite of several magnetic fields generated by a variety of sources, which are superimposed on each other and which interact with each other. The most important of these geomagnetic sources are:

- a. the Earth's fluid outer core;
- b. the Earth's crust/upper mantle;
- c. the ionosphere; and
- d. the magnetosphere.

The magnetic variation algorithm (GEOMAG) is a Fortran subroutine which is based on a spherical harmonic expansion of the Earth's magnetic field, the coefficients of which comprise the World Magnetic Model (WMM). These coefficients are produced jointly by the U.S. Naval Oceanographic Office (NAVOCEANO)'s Geopotential Division and the British Geological Survey (BGS). The WMM is distributed by NAVOCEANO for the Defense Mapping Agency (DMA) in accordance with DMA Instructions 8000.1 and 8000.2. The WMMs are usually produced at 5-year intervals and are composed of two parts: a main field model, which describes the Earth's magnetic field at some base epoch, and a secular variation model, which accounts for the slow temporal variations in the main geomagnetic field from the base epoch to a maximum of 5 years beyond the base epoch. For example, the base epoch of the WMM-90 magnetic field model is 1990.0. This model is therefore considered valid between 1990.0 and 1995.0 and will subsequently be replaced at 1995.0 by the WMM-95 magnetic field model.

It is extremely important to recognize that the WMM series of geomagnetic models and the charts produced from these models characterize only that portion of the Earth's magnetic field which is generated by the Earth's fluid outer core. The portions of the geomagnetic field generated by the Earth's crust, mantle, ionosphere, and magnetosphere are not represented in these models. Consequently, a magnetic sensor such as a compass or magnetometer may observe spatial and temporal magnetic anomalies when referenced to the appropriate WMM. In particular, certain local, regional, and temporal magnetic declination anomalies can exceed 10 degrees. Anomalies of this magnitude are not common, but they do exist. Declination anomalies on the order of 3 or 4 degrees are not uncommon, but are of small spatial extent and relatively isolated. On land, spatial anomalies are produced by mountain ranges; ore deposits; ground which has been struck by lightning; geological faults; and cultural features such as trains, planes, tanks, railroad tracks, power lines, etc. In ocean areas, spatial anomalies are produced by continental margins, seamounts, oceanic ridges, trenches and fault zones, and ships and submarines. Temporal anomalies in either ocean or land areas can last from a few minutes to several days and are produced by ionospheric and magnetospheric processes which are driven by the solar wind.

Magnetic storms in particular can cause severe and persistent magnetic anomalies. Even in periods of quiet solar activity, significant spatial and temporal magnetic anomalies are found in the polar and equatorial regions of the Earth, where magnetic fields produced by ionospheric current systems, such as the auroral electrojets and the equatorial electrojet, are always present. Most of the possible sources of magnetic anomalies are comparatively isolated in either space or time. Therefore, from a global perspective, the root-mean-square (RMS), declination (DEC), and inclination (DIP) errors at sea level of the WMM are estimated to be less than 0.5 degrees in ocean areas and less than 1.0 degrees in land areas at the Earth's surface over the entire 5-year life of a particular model. Also, the RMS errors at sea level of the horizontal (H) and total intensity (F) components of the WMM over ocean and land areas are estimated to be less than 200 nanoteslas (nT) over the entire 5-year life of the models.

1.1 The Mathematical Model

The Earth's magnetic field has associated with it a geomagnetic potential $V(r, \theta, \phi, \tau)$, which can be expressed in spherical coordinates in terms of a spherical harmonic expansion of the following form:

$$V(r, \theta, \phi, \tau) = R_E \sum_{n=1}^N \left(\frac{R_E}{r} \right)^{n+1} \sum_{m=0}^n \{g_{nm}(\tau) \cos m\phi + h_{nm}(\tau) \sin m\phi\} P_n^m(\theta) \quad (1)$$

where the spherical coordinates (r, θ, ϕ) correspond to the radius from the center of the Earth, the colatitude (i.e., 90° - latitude), and the longitude. R_E is the mean radius of the Earth; $g_{nm}(\tau)$ and $h_{nm}(\tau)$ are referred to as the Gauss coefficients at time τ , where τ is the time in years (e.g., 1987.312). $P_n^m(\theta)$ represents a particular associated Legendre polynomial of degree n and order m . These polynomials are functions of the colatitude θ . The Gauss coefficients are slowly varying functions of time and are expressed in the form:

$$g_{nm}(\tau) = g_{nm}(T_{EPOCH}) + \dot{g}_{nm}(\tau - T_{EPOCH}) \quad (2a)$$

$$h_{nm}(\tau) = h_{nm}(T_{EPOCH}) + \dot{h}_{nm}(\tau - T_{EPOCH}) \quad (2b)$$

where T_{EPOCH} is the base epoch of the model, which for WMM-90 is 1990.0. Thus, $g_{nm}(T_{EPOCH})$ and $h_{nm}(T_{EPOCH})$ are the Gauss coefficients of the WMM at the model's base epoch, while \dot{g}_{nm} and \dot{h}_{nm} (pronounced g_{nm} dot and h_{nm} dot) are the annual rates of change of the Gauss coefficients. The Gauss coefficients $g_{nm}(T_{EPOCH})$ and $h_{nm}(T_{EPOCH})$ and their annual rates of change are spherical harmonic coefficients. The Gauss coefficients $g_{nm}(T_{EPOCH})$ and $h_{nm}(T_{EPOCH})$ characterize the Earth's main magnetic field at the base epoch of the model, T_{EPOCH} , while \dot{g}_{nm} and \dot{h}_{nm} characterize the

secular change of the Earth's main magnetic field during the 5-year life of the model. These coefficients, up to degree and order 12 for the main field and up to degree and order 8 for the secular variation of the main field, comprise the WMM. Currently, the secular variation model from degree 8 through degree 12 is padded with zeros.

The Earth's magnetic field $\vec{B}(r, \theta, \phi, \tau)$ is a vector quantity having three components which correspond to the projection of the magnetic field vector onto the three coordinate axes. Thus, $B_r(r, \theta, \phi, \tau)$ is that portion of the field pointing in the radial direction (i.e., perpendicular to the surface of the Earth), $B_\theta(r, \theta, \phi, \tau)$ is that portion of the field pointing locally due south, and $B_\phi(r, \theta, \phi, \tau)$ is that portion of the field pointing locally due east. The magnetic field vector can be computed from the geomagnetic potential by taking its gradient, thus:

$$\vec{B}(r, \theta, \phi, \tau) = -\vec{\nabla}V(r, \theta, \phi, \tau) \quad (3)$$

Consequently, the magnetic field components are related to the geomagnetic potential as follows:

$$B_r(r, \theta, \phi, \tau) = - \frac{\partial V(r, \theta, \phi, \tau)}{\partial r} \quad (4a)$$

$$B_\theta(r, \theta, \phi, \tau) = - \frac{1}{r} \frac{\partial V(r, \theta, \phi, \tau)}{\partial \theta} \quad (4b)$$

$$B_\phi(r, \theta, \phi, \tau) = - \frac{1}{r \sin \theta} \frac{\partial V(r, \theta, \phi, \tau)}{\partial \phi} \quad (4c)$$

which yield the following spherical harmonic expansions:

$$B_r(r, \theta, \phi, \tau) = \sum_{n=1}^N (n+1) \left(\frac{R_E}{r} \right)^{n+2} \sum_{m=0}^n \{g_{nm}(\tau) \cos m\phi + h_{nm}(\tau) \sin m\phi\} P_n^m(\theta) \quad (5a)$$

$$B_\theta(r, \theta, \phi, \tau) = - \sum_{n=1}^N \left(\frac{R_E}{r} \right)^{n+2} \sum_{m=0}^n \{g_{nm}(\tau) \cos m\phi + h_{nm}(\tau) \sin m\phi\} \frac{dP_n^m(\theta)}{d\theta} \quad (5b)$$

$$B_\phi(r, \theta, \phi, \tau) = \frac{1}{\sin \theta} \sum_{n=1}^N \left(\frac{R_E}{r} \right)^{n+2} \sum_{m=0}^n m \{g_{nm}(\tau) \sin m\phi - h_{nm}(\tau) \cos m\phi\} P_n^m(\theta) \quad (5c)$$

It must be noted that the Gauss coefficients $g_{nm}(\tau)$ and $h_{nm}(\tau)$, as well as the associated Legendre polynomials and their derivatives, are Schmidt normalized by an international agreement (circa 1930) of the International Union of Geodesy and Geophysics. This particular

normalization allows one to determine which terms of the spherical harmonic model are the most significant simply by a cursory inspection of the model coefficients. The Schmidt-normalized associated Legendre Polynomials $P_n^m(\theta)$ are related to the unnormalized associated Legendre Polynomials $P^{nm}(\theta)$ (note position of indices) by the following relation:

$$P_n^m(\theta) = S^{nm} P^{nm}(\theta) \quad (6)$$

The Schmidt normalization factors S^{nm} and the unnormalized associated Legendre Polynomials $P^{nm}(\theta)$ are computed via recurrence relationships as follows:

$$P^{00}(\theta) = 1 \quad (7a)$$

$$P^{nm}(\theta) = \sin\theta P^{n-1,m-1}(\theta) \quad m = n \neq 0 \quad (7b)$$

$$P^{nm}(\theta) = \cos\theta P^{n-1,m} - \kappa^{nm} P^{n-2,m} \quad m \neq n, n \geq 1 \quad (7c)$$

$$\frac{dP^{00}(\theta)}{d\theta} = 0 \quad (7d)$$

$$\frac{dP^{nm}(\theta)}{d\theta} = \sin\theta \frac{dP^{n-1,m-1}(\theta)}{d\theta} + \cos\theta P^{n-1,m-1}(\theta) \quad , m = n \neq 0 \quad (7e)$$

$$\frac{dP^{nm}(\theta)}{d\theta} = \cos\theta \frac{dP^{n-1,m}}{d\theta} - \sin\theta P^{n-1,m}(\theta) - \kappa^{nm} \frac{dP^{n-2,m}}{d\theta} \quad , m \neq n, n \geq 1 \quad (7f)$$

where:

$$\kappa^{nm} = \frac{(n-1)^2 - m^2}{(2n-1)(2n-3)} \quad (8)$$

and where it is understood that the undefined polynomials $P^{-1,0}(\theta)$ and $\frac{dP^{-1,0}}{d\theta}(\theta)$ are to be set equal to zero. Similarly,

$$S^{00} = 1 \quad (9a)$$

$$S^{n0} = \left(\frac{2n-1}{n} \right) S^{n-1,0} \quad , n > 0 \quad (9b)$$

$$S^{nm} = \sqrt{\frac{(n-m+1)J}{n+m}} S^{n,m-1}, \quad \begin{cases} J=2 & \text{for } m=1 \\ J=1 & \text{for } m>1 \end{cases} \quad (9c)$$

Also, computed via recursion relations are the longitudinally dependent functions $\cos(m\phi)$ and $\sin(m\phi)$, which are computed as follows:

$$\sin(m\phi) = 0, \quad m=0 \quad (10a)$$

$$\cos(m\phi) = 1, \quad m=0 \quad (10b)$$

$$\sin(m\phi) = \sin(\phi)\cos(m-1)\phi + \cos(\phi)\sin(m-1)\phi, \quad m>0 \quad (10c)$$

$$\cos(m\phi) = \cos(\phi)\cos(m-1)\phi - \sin(\phi)\sin(m-1)\phi, \quad m>0 \quad (10d)$$

1.2 Coordinate Transformations

GEOMAG is intended to compute various components of the geomagnetic field in a geodetic coordinate system that uses the WGS-84 ellipsoid as the reference ellipsoid. However, the mathematical analysis in the previous section is based on spherical coordinates. Consequently, some coordinate transformations are necessary. A three-step procedure is required.

a. Convert the geodetic latitude, longitude, and altitude (λ, ϕ, h) to spherical coordinates (r, θ, ϕ) .

b. Compute the magnetic field components $B_r(r, \theta, \phi, \tau)$, $B_\theta(r, \theta, \phi, \tau)$, and $B_\phi(r, \theta, \phi, \tau)$.

c. Rotate the magnetic field components from spherical coordinates to geodetic coordinates yielding the magnetic field components $B_x(\lambda, \phi, h, \tau)$, $B_y(\lambda, \phi, h, \tau)$, and $B_z(\lambda, \phi, h, \tau)$, which are the projections of the magnetic field vector $\vec{B}(\lambda, \phi, h, \tau)$ onto the X-north, Y-east, and Z-vertically down coordinates of a local rectangular coordinate system defined by the tangent plane to the ellipsoid which is concentric about the WGS-84 reference ellipsoid but which encompasses the point (λ, ϕ, h) .

The transformations in step a are as follows:

$$\cos\theta = \frac{\sin\lambda}{\sqrt{Q^2\cos^2\lambda + \sin^2\lambda}} \quad (11a)$$

$$\sin\theta = \sqrt{1 - \cos^2\theta} \quad (11b)$$

where, if a and b are respectively the semi-major and semi-minor axes of the WGS-84 ellipsoid:

$$Q = \frac{h\sqrt{a^2 - (a^2 - b^2)\sin^2\lambda} + a^2}{h\sqrt{a^2 - (a^2 - b^2)\sin^2\lambda} + b^2} \quad (12)$$

Furthermore:

$$r^2 = h^2 + 2h\sqrt{a^2(a^2 - b^2)\sin^2\lambda} + \frac{a^4 - (a^4 - b^4)\sin^2\lambda}{a^2 - (a^2 - b^2)\sin^2\lambda} \quad (13)$$

The transformation in step c depends on the rotation angle α through which the magnetic field vector must be rotated in going from spherical to geodetic coordinates. This rotation angle is defined by the following rotations:

$$\cos \alpha = \{h + \sqrt{a^2 \cos^2 \lambda + b^2 \sin^2 \lambda}\} / r \quad (14a)$$

$$\sin \alpha = (a^2 - b^2) \cos \lambda \sin \lambda / \{r \sqrt{a^2 \cos^2 \lambda + b^2 \sin^2 \lambda}\} \quad (14b)$$

$$\alpha = \lambda - \frac{\pi}{2} + \theta \quad (14c)$$

Consequently, the components of the magnetic field vector in geodetic coordinates may be computed as follows:

$$B_x(\lambda, \phi, h, \tau) = -\cos \alpha B_\theta(r, \theta, \phi, \tau) - \sin \alpha B_r(r, \theta, \phi, \tau) \quad (15a)$$

$$B_y(\lambda, \phi, h, \tau) = B_\phi(r, \theta, \phi, \tau) \quad (15b)$$

$$B_z(\lambda, \phi, h, \tau) = \sin \alpha B_\theta(r, \theta, \phi, \tau) - \cos \alpha B_r(r, \theta, \phi, \tau) \quad (15c)$$

From these rectangular components of the geomagnetic field, it is possible to construct all others. In particular, the following parameters may be computed:

$$B_H(\lambda, \phi, h, \tau) = \sqrt{B_x^2(\lambda, \phi, h, \tau) + B_y^2(\lambda, \phi, h, \tau)} \quad (\text{Horizontal Intensity}) \quad (16a)$$

$$B_F(\lambda, \phi, h, \tau) = \sqrt{B_H^2(\lambda, \phi, h, \tau) + B_z^2(\lambda, \phi, h, \tau)} \quad (\text{Total Intensity}) \quad (16b)$$

$$B_D(\lambda, \phi, h, \tau) = \tan^{-1} \left\{ \frac{B_y(\lambda, \phi, h, \tau)}{B_x(\lambda, \phi, h, \tau)} \right\} \quad (\text{Declination}) \quad (16c)$$

$$B_I(\lambda, \phi, h, \tau) = \tan^{-1} \left\{ \frac{B_Z(\lambda, \phi, h, \tau)}{B_H(\lambda, \phi, h, \tau)} \right\} \quad (\text{Inclination}) \quad (16d)$$

$$B_G(\lambda, \phi, h, \tau) = \begin{cases} B_D - \phi & \lambda \geq 0 \\ B_D + \phi & \lambda < 0 \end{cases} \quad (\text{Grid Variation}) \quad (16e)$$

1.3 The Computer Algorithm

The Gauss coefficients at the base epoch, T_{EPOCH} , are stored in array C so that the lower half of array C is occupied by the even harmonic Gauss coefficients $g_{nm}(T_{EPOCH})$, while the upper half of array C is occupied by the odd harmonic Gauss coefficients $h_{nm}(T_{EPOCH})$. Table 1 illustrates the details of the storage scheme, which is equivalent to the following mathematical assignments:

$$C_{nm} = \begin{cases} g_{nm} & , m \leq n \\ h_{m,n+1} & , m > n \end{cases} \quad (17)$$

which implies that:

$$g_{nm} = C_{nm} \quad , m \leq n \quad (18a)$$

$$h_{nm} = C_{m-1,n} \quad , m \leq n, m \neq 0 \quad (18b)$$

The annual rates of change of the Gauss coefficients are stored in array CD (which stands for \dot{C}) so that the lower half of array CD is occupied by the even harmonic coefficients \dot{g}_{nm} , while the upper half of the array is occupied by the odd harmonic coefficients \dot{h}_{nm} . Table 2 illustrates the details of the storage scheme for array CD . It is essentially the same as table 1 for array C and corresponds to the following mathematical assignments:

$$\dot{C}_{nm} = \begin{cases} \dot{g}_{nm} & , m \leq n \\ \dot{h}_{m,n+1} & , m > n \end{cases} \quad (19)$$

which implies that:

$$\dot{g}_{nm} = \dot{C}_{nm} \quad , m \leq n \quad (20a)$$

$$\dot{h}_{nm} = \dot{C}_{m-1,n} \quad , m \leq n, m \neq 0 \quad (20b)$$

TABLE 1. ARRANGEMENT OF MAIN FIELD COEFFICIENTS IN ARRAY C_{nm}

$n \setminus m$	0	1	2	3	4	5	6	7	8	9	10	11	12
0	g_{00}	h_{11}	h_{21}	h_{31}	h_{41}	h_{51}	h_{61}	h_{71}	h_{81}	h_{91}	$h_{10,1}$	$h_{11,1}$	$h_{12,1}$
1	g_{10}	g_{11}	h_{22}	h_{32}	h_{42}	h_{52}	h_{62}	h_{72}	h_{82}	h_{92}	$h_{10,2}$	$h_{11,2}$	$h_{12,2}$
2	g_{20}	g_{21}	g_{22}	h_{33}	h_{43}	h_{53}	h_{63}	h_{73}	h_{83}	h_{93}	$h_{10,3}$	$h_{11,3}$	$h_{12,3}$
3	g_{30}	g_{31}	g_{32}	g_{33}	h_{44}	h_{54}	h_{64}	h_{74}	h_{84}	h_{94}	$h_{10,4}$	$h_{11,4}$	$h_{12,4}$
4	g_{40}	g_{41}	g_{42}	g_{43}	g_{44}	h_{55}	h_{65}	h_{75}	h_{85}	h_{95}	$h_{10,5}$	$h_{11,5}$	$h_{12,5}$
5	g_{50}	g_{51}	g_{52}	g_{53}	g_{54}	g_{55}	h_{66}	h_{76}	h_{86}	h_{96}	$h_{10,6}$	$h_{11,6}$	$h_{12,6}$
6	g_{60}	g_{61}	g_{62}	g_{63}	g_{64}	g_{65}	g_{66}	h_{77}	h_{87}	h_{97}	$h_{10,7}$	$h_{11,7}$	$h_{12,7}$
7	g_{70}	g_{71}	g_{72}	g_{73}	g_{74}	g_{75}	g_{76}	g_{77}	h_{88}	h_{98}	$h_{10,8}$	$h_{11,8}$	$h_{12,8}$
8	g_{80}	g_{81}	g_{82}	g_{83}	g_{84}	g_{85}	g_{86}	g_{87}	g_{88}	h_{99}	$h_{10,9}$	$h_{11,9}$	$h_{12,9}$
9	g_{90}	g_{91}	g_{92}	g_{93}	g_{94}	g_{95}	g_{96}	g_{97}	g_{98}	g_{99}	$h_{10,10}$	$h_{11,10}$	$h_{12,10}$
10	$g_{10,0}$	$g_{10,1}$	$g_{10,2}$	$g_{10,3}$	$g_{10,4}$	$g_{10,5}$	$g_{10,6}$	$g_{10,7}$	$g_{10,8}$	$g_{10,9}$	$g_{10,10}$	$h_{11,11}$	$h_{12,11}$
11	$g_{11,0}$	$g_{11,1}$	$g_{11,2}$	$g_{11,3}$	$g_{11,4}$	$g_{11,5}$	$g_{11,6}$	$g_{11,7}$	$g_{11,8}$	$g_{11,9}$	$g_{11,10}$	$g_{11,11}$	$h_{12,12}$
12	$g_{12,0}$	$g_{12,1}$	$g_{12,2}$	$g_{12,3}$	$g_{12,4}$	$g_{12,5}$	$g_{12,6}$	$g_{12,7}$	$g_{12,8}$	$g_{12,9}$	$g_{12,10}$	$g_{12,11}$	$g_{12,12}$

TABLE 2. ARRANGEMENT OF SECULAR VARIATION COEFFICIENTS IN ARRAY \hat{C}_{nm}

n \ m	0	1	2	3	4	5	6	7	8	9	10	11	12
0	\dot{g}_{00}	\dot{h}_{11}	\dot{h}_{21}	\dot{h}_{31}	\dot{h}_{41}	\dot{h}_{51}	\dot{h}_{61}	\dot{h}_{71}	\dot{h}_{81}	\dot{h}_{91}	$\dot{h}_{10,1}$	$\dot{h}_{11,1}$	$\dot{h}_{12,1}$
1	\dot{g}_{10}	\dot{g}_{11}	\dot{h}_{22}	\dot{h}_{32}	\dot{h}_{42}	\dot{h}_{52}	\dot{h}_{62}	\dot{h}_{72}	\dot{h}_{82}	\dot{h}_{92}	$\dot{h}_{10,2}$	$\dot{h}_{11,2}$	$\dot{h}_{12,2}$
2	\dot{g}_{20}	\dot{g}_{21}	\dot{g}_{22}	\dot{h}_{33}	\dot{h}_{43}	\dot{h}_{53}	\dot{h}_{63}	\dot{h}_{73}	\dot{h}_{83}	\dot{h}_{93}	$\dot{h}_{10,3}$	$\dot{h}_{11,3}$	$\dot{h}_{12,3}$
3	\dot{g}_{30}	\dot{g}_{31}	\dot{g}_{32}	\dot{g}_{33}	\dot{h}_{44}	\dot{h}_{54}	\dot{h}_{64}	\dot{h}_{74}	\dot{h}_{84}	\dot{h}_{94}	$\dot{h}_{10,4}$	$\dot{h}_{11,4}$	$\dot{h}_{12,4}$
4	\dot{g}_{40}	\dot{g}_{41}	\dot{g}_{42}	\dot{g}_{43}	\dot{g}_{44}	\dot{h}_{55}	\dot{h}_{65}	\dot{h}_{75}	\dot{h}_{85}	\dot{h}_{95}	$\dot{h}_{10,5}$	$\dot{h}_{11,5}$	$\dot{h}_{12,5}$
5	\dot{g}_{50}	\dot{g}_{51}	\dot{g}_{52}	\dot{g}_{53}	\dot{g}_{54}	\dot{g}_{55}	\dot{h}_{66}	\dot{h}_{76}	\dot{h}_{86}	\dot{h}_{96}	$\dot{h}_{10,6}$	$\dot{h}_{11,6}$	$\dot{h}_{12,6}$
6	\dot{g}_{60}	\dot{g}_{61}	\dot{g}_{62}	\dot{g}_{63}	\dot{g}_{64}	\dot{g}_{65}	\dot{g}_{66}	\dot{h}_{77}	\dot{h}_{87}	\dot{h}_{97}	$\dot{h}_{10,7}$	$\dot{h}_{11,7}$	$\dot{h}_{12,7}$
7	\dot{g}_{70}	\dot{g}_{71}	\dot{g}_{72}	\dot{g}_{73}	\dot{g}_{74}	\dot{g}_{75}	\dot{g}_{76}	\dot{g}_{77}	\dot{h}_{88}	\dot{h}_{98}	$\dot{h}_{10,8}$	$\dot{h}_{11,8}$	$\dot{h}_{12,8}$
8	\dot{g}_{80}	\dot{g}_{81}	\dot{g}_{82}	\dot{g}_{83}	\dot{g}_{84}	\dot{g}_{85}	\dot{g}_{86}	\dot{g}_{87}	\dot{g}_{88}	\dot{h}_{99}	$\dot{h}_{10,9}$	$\dot{h}_{11,9}$	$\dot{h}_{12,9}$
9	\dot{g}_{90}	\dot{g}_{91}	\dot{g}_{92}	\dot{g}_{93}	\dot{g}_{94}	\dot{g}_{95}	\dot{g}_{96}	\dot{g}_{97}	\dot{g}_{98}	\dot{g}_{99}	$\dot{h}_{10,10}$	$\dot{h}_{11,10}$	$\dot{h}_{12,10}$
10	$\dot{g}_{10,0}$	$\dot{g}_{10,1}$	$\dot{g}_{10,2}$	$\dot{g}_{10,3}$	$\dot{g}_{10,4}$	$\dot{g}_{10,5}$	$\dot{g}_{10,6}$	$\dot{g}_{10,7}$	$\dot{g}_{10,8}$	$\dot{g}_{10,9}$	$\dot{g}_{10,10}$	$\dot{h}_{11,11}$	$\dot{h}_{12,11}$
11	$\dot{g}_{11,0}$	$\dot{g}_{11,1}$	$\dot{g}_{11,2}$	$\dot{g}_{11,3}$	$\dot{g}_{11,4}$	$\dot{g}_{11,5}$	$\dot{g}_{11,6}$	$\dot{g}_{11,7}$	$\dot{g}_{11,8}$	$\dot{g}_{11,9}$	$\dot{g}_{11,10}$	$\dot{g}_{11,11}$	$\dot{h}_{12,12}$
12	$\dot{g}_{12,0}$	$\dot{g}_{12,1}$	$\dot{g}_{12,2}$	$\dot{g}_{12,3}$	$\dot{g}_{12,4}$	$\dot{g}_{12,5}$	$\dot{g}_{12,6}$	$\dot{g}_{12,7}$	$\dot{g}_{12,8}$	$\dot{g}_{12,9}$	$\dot{g}_{12,10}$	$\dot{g}_{12,11}$	$\dot{g}_{12,12}$

The numerical values of the Gauss coefficients at the base epoch and their corresponding annual rates of change for the WMM-90 geomagnetic model are listed in table 3. These numerical values are inserted into arrays *C* and *CD* through data statements. The base epoch of the model is also assigned through a data statement. In order to update the GEOMAG algorithm to a new epoch geomagnetic model such as WMM-95, it is necessary to replace only the data statements with the new model coefficients and the new base epoch.

Important parameters in the GEOMAG routine and their mathematical correspondences are:

$A \sim a = 6378.137 \text{ km}$
 $B \sim b = 6356.7523142 \text{ km}$
 $RE \sim R_E = 6371.2 \text{ km}$
 $TIME \sim \tau$
 $EPOCH \sim T_{EPOCH}$
 $DT \sim \tau - T_{EPOCH}$
 $ALT \sim h$
 $SNORM(N,M) \sim S^{nm}$
 $K(N,M) \sim \kappa^{nm}$
 $GLAT \sim \lambda$
 $GLON \sim \phi$
 $SP(M) \sim \sin(m\phi)$
 $CP(M) \sim \cos(m\phi)$
 $ST \sim \sin(\theta)$
 $CT \sim \cos(\theta)$
 $CA \sim \cos(\alpha)$
 $SA \sim \sin(\alpha)$
 $BR \sim B_r$
 $BT \sim B_\theta$
 $BP \sim B_\phi$
 $BX \sim B_x$
 $BY \sim B_y$
 $BZ \sim B_z$
 $BH \sim B_H$
 $DEC \sim B_D$
 $DIP \sim B_I$
 $TI \sim B_{TI}$
 $MAXDEG \sim N$
 $MAXORD \sim M = N$
 $P(N,M) \sim P^{nm}$
 $DP(N,M) \sim \frac{dP^{nm}}{d\theta}$

$$\begin{aligned}
TC &\sim C + (\tau - T_{EPOCH}) \dot{C} \\
CD &\sim \dot{C} \\
Q2 &\sim Q^2
\end{aligned}$$

Note that R_E is not intended to be the mean radius of the WGS-84 ellipsoid. It is the mean radius of a modified IAU-66 ellipsoid.

The GEOMAG algorithm is organized into two modules, each with its own entry point. The first is an Initialization Module. Its purpose is to compute all constants such as the recursion relation factors for the associated Legendre polynomials κ^m , the Schmidt normalization factors S^m , and any other parameters that do not depend on position or time. The entry point for this module is GEOMAG (MAXDEG). The parameter MAXDEG determines the maximum degree and order of the magnetic model to be used in the computations. Normally, MAXDEG = 12, which is the maximum degree and order of the WMM series geomagnetic models. In order to reduce computation time, MAXDEG may be set to a number less than 12 (e.g., 8 or 10). However, the accuracy of the computed magnetic parameters is correspondingly reduced. MAXDEG must be set in the calling program. The second module is the Processing Module, which has the entry point

GEOMG1 (ALT, GLAT, GLON, TIME, DEC, DIP, TI, GV).

The purpose of this module is to compute the magnetic declination, inclination, total intensity, and grid variation of each geodetic position and time supplied to it. The units of the parameters in the argument list of the GEOMG1 entry point are as follows:

ALT ~ kilometers (e.g., 5.314)	(In)
GLAT ~ degrees (e.g., 33.716)	(In)
GLON ~ degrees (e.g., -163.315)	(In)
TIME ~ years (e.g., 1992.427)	(In)
DEC ~ degrees (e.g., -121.734)	(Out)
DIP ~ degrees (e.g., 48.387)	(Out)
TI ~ nanoteslas (e.g., 35781.7)	(Out)
GV ~ degrees (e.g., 51.768)	(Out)


The computed magnetic field parameters are referenced to the WGS-84 ellipsoid. The last parameter, GV, is the grid variation which is computed only in the polar regions (i.e., above + 55° latitude or below - 55° latitude). Outside of this region, a value of -999.0 is dummied in. It is referenced to grid north of a polar stereographic projection. The model is considered valid at altitudes ranging from sea level to 1000 km.

TABLE 3. WMM-90 SCHMIDT NORMALIZED GAUSS COEFFICIENTS (nT)

n	m	g_{nm}	h_{nm}	\dot{g}_{nm}	\dot{h}_{nm}
1	0	-29780.5	.0	16.0	.0
1	1	-1851.7	5407.2	9.3	-13.8
2	0	-2134.3	.0	-11.7	.0
2	1	3062.2	-2278.3	3.7	-12.8
2	2	1691.9	-384.3	1.8	-14.9
3	0	1312.9	.0	2.1	.0
3	1	-2244.7	-284.9	-7.6	3.1
3	2	1246.8	291.7	.0	.8
3	3	808.6	-352.4	-5.8	-11.3
4	0	933.5	.0	-.8	.0
4	1	784.9	249.4	1.0	3.3
4	2	323.5	-232.7	-7.4	3.7
4	3	-421.7	91.3	.8	2.8
4	4	139.2	-296.5	-6.4	.0
5	0	-208.3	.0	1.7	.0
5	1	352.2	40.8	.0	.0
5	2	246.5	148.7	.0	-2.1
5	3	-110.8	-154.6	-2.7	1.2
5	4	-162.3	-67.6	.0	1.2
5	5	-37.2	97.4	3.0	.6
6	0	59.0	.0	.8	.0
6	1	63.7	-14.7	.0	-.6
6	2	60.0	82.2	1.5	-.6
6	3	-181.3	70.0	.0	.0
6	4	.4	-56.2	.0	-2.3
6	5	15.4	-1.4	.0	.0
6	6	-96.0	24.6	.0	.0
7	0	76.1	.0	.5	.0
7	1	-62.1	-78.6	.0	.6
7	2	1.3	-26.7	-.9	.8
7	3	30.2	.1	1.5	.0
7	4	4.7	19.9	2.7	.0
7	5	7.9	17.9	-1.0	.0
7	6	10.1	-21.5	.0	.4
7	7	1.9	-6.8	.0	.0
8	0	22.9	.0	.0	.0
8	1	2.3	9.7	-1.1	.4
8	2	-1.2	-19.3	.0	-.8
8	3	-11.7	6.6	.0	.5
8	4	-17.5	-20.1	-2.1	.3
8	5	2.2	13.4	.0	.5
8	6	5.7	9.8	1.0	.0
8	7	3.0	-19.0	.0	-.7
8	8	-7.0	-9.1	.0	.0

TABLE 3. WMM-90 SCHMIDT NORMALIZED GAUSS COEFFICIENTS (con.)

n	m	g_{nm}	h_{nm}	\dot{g}_{nm}	\dot{h}_{nm}
9	0	3.6	.0	.0	.0
9	1	9.5	-21.9	.0	.0
9	2	-.9	14.3	.0	.0
9	3	-10.7	9.5	.0	.0
9	4	10.7	-6.7	.0	.0
9	5	-3.2	-6.4	.0	.0
9	6	-1.4	9.1	.0	.0
9	7	6.3	8.9	.0	.0
9	8	.8	-8.0	.0	.0
9	9	-5.5	2.1	.0	.0
10	0	-3.3	.0	.0	.0
10	1	-2.6	2.6	.0	.0
10	2	4.5	1.2	.0	.0
10	3	-5.6	2.6	.0	.0
10	4	-3.6	5.7	.0	.0
10	5	3.9	-4.0	.0	.0
10	6	3.2	-.4	.0	.0
10	7	1.7	-1.7	.0	.0
10	8	3.0	3.8	.0	.0
10	9	3.7	-.8	.0	.0
10	10	.7	-6.5	.0	.0
11	0	1.3	.0	.0	.0
11	1	-1.4	.0	.0	.0
11	2	-2.5	1.0	.0	.0
11	3	3.2	-1.6	.0	.0
11	4	.2	-2.2	.0	.0
11	5	-1.1	1.1	.0	.0
11	6	.3	-.7	.0	.0
11	7	-.3	-1.7	.0	.0
11	8	.9	-1.5	.0	.0
11	9	-1.1	-1.3	.0	.0
11	10	2.4	-1.1	.0	.0
11	11	3.0	.6	.0	.0
12	0	-1.3	.0	.0	.0
12	1	.1	.7	.0	.0
12	2	.5	.7	.0	.0
12	3	.7	1.3	.0	.0
12	4	.4	-1.5	.0	.0
12	5	-.2	.3	.0	.0
12	6	-1.1	.2	.0	.0
12	7	.9	-1.1	.0	.0
12	8	-.6	1.2	.0	.0
12	9	.8	-.2	.0	.0
12	10	.2	-1.3	.0	.0
12	11	.4	.6	.0	.0
12	12	.2	.6	.0	.0



SECTION 2. THE 1990 EPOCH WORLD MAGNETIC MODEL (DERIVATION)

2.0 Overview

There were four major data sets available for the 1990 model. These were: the MAGSAT satellite data collected during 1979 and 1980; the DE-2 satellite data collected from 1981 through 1983; Project MAGNET aeromagnetic data collected between 1980 and 1990; and geomagnetic observatory annual magnetic means data collected between 1980 and 1990. The global distribution of these data is illustrated in charts 1 through 4.

Four factors which affect the quality of the model produced and which influence the overall approach taken to produce the model are:

- a. The age of the data relative to the model epoch;
- b. The temporal coherence of the data;
- c. The spatial uniformity of the data; and
- d. The data density.

With respect to these factors, none of the four data sets are ideal. All four data sets, especially the satellite data sets, are dominated by older data. The Project MAGNET data, in addition, are neither temporally coherent nor spatially uniform. Furthermore, the observatory annual means data are sparse and suffer from severe spatial nonuniformity.

The modeling objective is to create two spherical harmonic models. One model characterizes the Earth's main (core-generated) magnetic field at the 1990.0 epoch. The other model characterizes the Earth's secular (slow temporal) magnetic variations of Earth core origin for five years beyond the 1990 epoch.

Given the objective and the available data, the following procedure was adopted:

- a. Use the observatory annual magnetic means to create two definitive secular variation models, the first covering the 5-year interval 1980 to 1985, and the second covering the 5-year interval 1985 to 1990. These are referred to as the 1982.5 and 1987.5 definitive secular variation models, respectively.

- b. Use the observatory annual magnetic means to create, by extrapolation, one predictive secular variation model covering the 5-year interval 1990 to 1995. It is referred to as the 1992.5 predictive secular variation model.

- c. Use the two definitive secular variation models to push the satellite and aircraft magnetic field observations forward or backward, as appropriate, to 1985.0.

PRECEDING PAGE BLANK NOT FILMED




CHART 1. PROJECT MAGNET DATA DISTRIBUTION (FROM SURVEYS PERFORMED DURING THE PERIOD 1980-1989)




CHART 2. MAGSAT DATA DISTRIBUTION

ORIGINAL PAGE IS
OF POOR QUALITY




CHART 3. DE-2 DATA DISTRIBUTION




CHART 4. GEOMAGNETIC OBSERVATORY DISTRIBUTION

d. Create a 1985.0 epoch main field model using the time-adjusted satellite and aircraft magnetic field observations via a weighted least-square inversion.

e. Use the 1987.5 definitive secular variation model to push the spherical harmonic coefficients of the 1985.0 epoch main field model forward to the 1990.0 epoch, thereby yielding the 1990.0 epoch main field model.

f. Combine the 1990 epoch main field model coefficients with the 1992.5 predictive secular variation model coefficients to form the 1990 World Magnetic Model, WMM-90.

A by-product of this procedure is a revised 1985.0 epoch World Chart Model which is obtained by combining the 1985.0 main field coefficients generated in step d with the 1987.5 definitive secular variation model coefficients generated in step a.

2.1 Secular Variation Data Analysis (British Responsibility)

The only data available for secular variation modeling are the observatory magnetic annual means, the first time derivative which provides information concerning the slow (greater than one year) rates of change of various components of the Earth's main magnetic field at various geographic locations (roughly 200) around the world. Because of the sparsity and spatial nonuniformity of this data, it is possible to generate only a degree and order 8 spherical harmonic model of the secular variation. Furthermore, the predictive model is necessarily based on extrapolations of each magnetic component at each observatory site. Examples of observatory annual means from a few selected sites such as Honolulu, Huancayo, Pilar, and Rude Skov, for the X-north, Y-east, and Z-vertically down components of the Earth's magnetic field, are given in figures (1a), (1b), (1c), (1d), (1e) and (1f) through (4a), (4b), (4c), (4d), (4e) and (4f). The discontinuities in the field components at Honolulu are due to repositioning of the observatory at two separate instances. In several instances, the rate of change of one or more field components at an observatory has reversed direction over time intervals as short as two or three years. The sudden, unpredictable nature of the Earth's field is well illustrated by these observatories. The first-order time derivative of these data contains magnetic field contributions from the Earth's core as well as from the ionosphere and magnetosphere. It is difficult to remove the external field effects from these data because much of it is related to the solar cycle and many observatories do not have a sufficiently long history for a detailed analysis. Consequently, some external field effects are not removed from these data at the expense of a somewhat larger uncertainty in the secular variation model coefficients.




FIGURE 1a. NORTH X COMPONENT AT HONOLULU (HON).




FIGURE 1b. EAST Y COMPONENT AT HONOLULU (HON).




FIGURE 1c. VERTICAL Z COMPONENT AT HONOLULU (HON).




FIGURE 1d. DECLINATION D COMPONENT AT HONOLULU (HON).




FIGURE 1e. INCLINATION I COMPONENT AT HONOLULU (HON).




FIGURE 1f. TOTAL INTENSITY F COMPONENT AT HONOLULU (HON).




FIGURE 2a. NORTH X COMPONENT AT HUANCAYO (HUA).




FIGURE 2b. EAST Y COMPONENT AT HUANCAYO (HUA).




FIGURE 2c. VERTICAL Z COMPONENT AT HUANCAYO (HUA).

OBSERVATORY ANNUAL MEANS

HUA
LAT= -12.045 LON= 284.660
ELE= 3313 FT




FIGURE 2d. DECLINATION D COMPONENT AT HUANCAYO (HUA).




FIGURE 2e. INCLINATION I COMPONENT AT HUANCAYO (HUA).




FIGURE 2f. TOTAL INTENSITY F COMPONENT AT HUANCAYO (HUA).




FIGURE 3a. NORTH X COMPONENT AT PILAR (PIL).

OBSERVATORY ANNUAL MEANS

PIL
LAT= -31.667 LON= 296.117
ELE= 336 FT




FIGURE 3b. EAST Y COMPONENT AT PILAR (PIL).




FIGURE 3c. VERTICAL Z COMPONENT AT PILAR (PIL).




FIGURE 3d. DECLINATION D COMPONENT AT PILAR (PIL).




FIGURE 3e. INCLINATION I COMPONENT AT PILAR (PIL).




FIGURE 3f. TOTAL INTENSITY F COMPONENT AT PILAR (PIL).




FIGURE 4a. NORTH X COMPONENT AT RUDE SKOV (RSV).




FIGURE 4b. EAST Y COMPONENT AT RUDE SKOV (RSV).




FIGURE 4c. VERTICAL Z COMPONENT AT RUDE SKOV (RSV).

OBSERVATORY ANNUAL MEANS

RSV
LAT= 55.843 LON= 12.457
ELE= 46 FT




FIGURE 4d. DECLINATION D COMPONENT AT RUDE SKOV (RSV).




FIGURE 4c. INCLINATION I COMPONENT AT RUDE SKOV (RSV).




FIGURE 4f. TOTAL INTENSITY F COMPONENT AT RUDE SKOV (RSV).

Three secular variation models are generated by performing a weighted, least-square fit of the degree and order 8 spherical harmonic model to the first-order time derivative of the observatory annual means. These models were supplied by the British Geological Survey and are given in table 4.

2.2 Main Field Data Analysis (United States Responsibility)

The observatory annual magnetic means were not used in the main field modeling because those data contain, in addition to small external field contributions, some rather large local and regional magnetic biases of crustal origin. A detailed survey at each observatory site would be necessary to remove these biases. Such surveys have rarely been performed due to the prohibitive cost, logistics, and international politics involved.

The MAGSAT data consisted of 30,473 vector magnetic field values selected from 401 of the first 804 orbits. To minimize solar influences, the K_p magnetic index was required to be equal to, or less than, 2 ($K_p \leq 2$). These orbits were individually edited by an interactive graphics process to delete field aligned current effects and spurious data. Also, the following corrections for magnetospheric effects due to the ring current, magnetopause currents, and magnetotail currents were applied:

$$B_x(r, \theta, \phi, \tau) = -q_1^0(\tau) \sin \theta + \{q_1^1(\tau) \cos \phi + s_1^1(\tau) \sin \phi\} \cos \theta \quad (21a)$$

$$B_y(r, \theta, \phi, \tau) = q_1^1(\tau) \sin \phi - s_1^1(\tau) \cos \phi \quad (21b)$$

$$B_z(r, \theta, \phi, \tau) = q_1^0(\tau) \cos \theta + \{q_1^1(\tau) \cos \phi + s_1^1(\tau) \sin \phi\} \sin \theta \quad (21c)$$

where the time-dependent coefficients are functions of the Disturbance Storm Time (Dst) index:

$$q_1^0(\tau) = 19.69 - 0.63Dst(\tau) \quad (22a)$$

$$q_1^1(\tau) = -0.38 - 0.06Dst(\tau) \quad (22b)$$

$$s_1^1(\tau) = -2.90 + 0.17Dst(\tau) \quad (22c)$$

These corrections are derived from the external magnetic field potential:

TABLE 4. SECULAR VARIATION MODELS (units: nanotesles/year)

		1982.5 Epoch		1987.5 Epoch		1992.5 Epoch	
n	m	\dot{g}_n^m	\dot{h}_n^m	\dot{g}_n^m	\dot{h}_n^m	\dot{g}_n^m	\dot{h}_n^m
1	0	22.601	0.000	18.745	0.000	16.013	0.000
1	1	10.491	-20.091	10.554	-17.836	9.259	-13.759
2	0	-14.454	0.000	-12.552	0.000	-11.703	0.000
2	1	3.389	-14.476	3.290	-15.523	3.715	-12.790
2	2	5.043	-20.686	0.656	-15.631	1.767	-14.865
3	0	2.839	0.000	3.644	0.000	2.115	0.000
3	1	-5.747	4.810	-6.918	4.285	-7.596	3.082
3	2	-1.857	3.013	0.000	1.498	0.000	0.844
3	3	-1.130	-10.049	-4.759	-10.351	-5.815	-11.342
4	0	0.000	0.000	0.000	0.000	-0.770	0.000
4	1	0.000	5.277	0.483	3.375	0.968	3.281
4	2	-6.929	1.770	-7.391	2.994	-7.414	3.680
4	3	0.000	4.323	0.510	3.812	0.775	2.799
4	4	-6.192	0.771	-5.343	0.000	-6.361	0.000
5	0	0.952	0.000	0.808	0.000	1.662	0.000
5	1	-0.577	0.000	-0.357	-0.593	0.000	0.000
5	2	-1.578	-0.402	-1.730	0.000	0.000	-2.096
5	3	-3.916	-0.501	-3.250	0.000	-2.699	1.226
5	4	0.000	0.000	0.000	1.712	0.000	1.193
5	5	1.018	0.532	2.001	0.464	3.001	0.650
6	0	0.962	0.000	1.296	0.000	0.751	0.000
6	1	0.000	-1.107	0.000	0.000	0.000	-0.583
6	2	1.678	-0.821	1.799	-1.277	1.451	-0.644
6	3	0.755	-0.428	0.834	0.000	0.000	0.000
6	4	0.000	-0.954	-0.667	-1.664	0.000	-2.266
6	5	0.000	0.349	0.000	0.000	0.000	0.000
6	6	1.437	0.456	0.663	1.381	0.000	0.000
7	0	0.376	0.000	0.670	0.000	0.505	0.000
7	1	-0.645	0.223	-0.483	0.978	0.000	0.599
7	2	0.457	0.321	0.000	0.000	-0.869	0.793
7	3	1.020	0.375	1.010	0.390	1.457	0.000
7	4	1.583	0.880	1.903	0.000	2.650	0.000
7	5	0.893	0.000	0.597	0.000	-1.020	0.000
7	6	0.387	0.467	0.000	0.000	0.000	0.417
7	7	0.000	0.825	0.543	0.000	0.000	0.000
8	0	0.651	0.000	0.237	0.000	0.000	0.000
8	1	0.000	0.459	-0.692	0.399	-1.089	0.427
8	2	-0.176	-0.332	-0.367	-0.195	0.000	-0.809
8	3	0.000	0.330	0.000	0.586	0.000	0.507
8	4	-0.842	-0.268	-1.292	0.519	-2.114	0.349
8	5	-0.222	0.428	0.000	0.528	0.000	0.499
8	6	0.000	-0.967	0.423	-0.742	0.978	0.000
8	7	-0.394	-0.994	0.000	-0.713	0.000	-0.684
8	8	-0.516	0.693	-0.562	0.0000	0.000	0.000

$$V_{ext}(r, \theta, \phi, \tau) = a \sum_{n=1}^{N_{ext}} \sum_{m=0}^n \left(\frac{r}{a}\right)^n \{q_n^m(\tau) \cos m\phi + s_n^m(\tau) \sin m\phi\} P_n^m(\cos \theta) \quad (23)$$

when $N_{ext}=1$, via the relations:

$$B_x = -B_\theta = \frac{1}{r} \frac{\partial V}{\partial \theta} \quad (24a)$$

$$B_y = +B_\phi = -\frac{1}{r \sin \theta} \frac{\partial V}{\partial \phi} \quad (24b)$$

$$B_z = -B_r = \frac{\partial V}{\partial r} \quad (24c)$$

A further correction takes into account the magnetic fields induced in the Earth by the external fields which, because of their time dependence and the generally low but finite conductivity of the crust and mantle, induce electric currents in the crust and mantle, which in turn generate secondary magnetic fields. These secondary fields are of internal origin and primarily affect the g_1^0 coefficients of the internal magnetic potential:

$$V_{int}(r, \theta, \phi, \tau) = a \sum_{n=1}^{N_{int}} \sum_{m=0}^n \left(\frac{a}{r}\right)^{n+1} \{g_n^m(\tau) \cos m\phi + h_n^m(\tau) \sin m\phi\} P_n^m(\cos \theta) \quad (25)$$

Taking derivatives as before with $n=1$ and $m=0$, the magnetic field corrections due to induction effects are:

$$B_x(r, \theta, \phi, \tau) = -\left(\frac{a}{r}\right)^3 g_{11}^0(\tau) \sin \theta \quad (26a)$$

$$B_y(r, \theta, \phi, \tau) = 0 \quad (26b)$$

$$B_z(r, \theta, \phi, \tau) = -2 \left(\frac{a}{r}\right)^3 g_{11}^0(\tau) \cos \theta \quad (26c)$$

where the induced part of the g_1^0 coefficient is given as:

$$g_{11}^0(\tau) = 0.27q_1^0(\tau) \quad (27)$$

The external and induced magnetic field corrections given above were subtracted from the MAGSAT observations. These corrections are based on previous analyses of MAGSAT data by Langel and Estes (1985) and by Quinn, Kerridge, and Barraclough (1986).

No attempts were made to remove magnetic influences due to ionospheric currents such as those generated by solar quiet (*SQ*) currents, auroral electrojet currents, and equatorial electrojet currents, which are located below the MAGSAT orbit altitudes. These influences, though generated external to the Earth's surface, are nevertheless part of $V_{int}(r, \theta, \phi, \tau)$ because their sources are internal to the point of observation. Consequently, separating core-generated fields from crustal and ionospherically generated fields measured by satellite magnetometers is difficult and is still a research matter. Fortunately, fields generated in the Earth's crust and ionosphere are significantly attenuated at satellite altitudes. Therefore, errors in the main field model coefficients due to contamination of the satellite data by these two sources are comparatively small.

MAGSAT was a joint National Aeronautics and Space Administration (NASA)/U.S. Geological Survey mission. These data were supplied by NASA in the form of investigator B tapes.

The DE-2 satellite data set consisted of 5,100 data points gleaned from the low-altitude end of a comparatively eccentric orbit. This data set contained only scalar total intensity measurements of the Earth's magnetic field. However, this data set exhibited a substantially higher rms error relative to the DGRF-80 model than the MAGSAT data. Consequently, for this and other reasons, the DE-2 data were not used in the final main field model determination. This data set originated with M. Sugiura of Japan (formerly of NASA). It was edited by J.R. Ridgeway of Science Applications Research Corporation and it was subsequently supplied to NAVOCEANO by Dr. Robert Langel of NASA.

The Project MAGNET aeromagnetic data consisted of 338 high-level flights ($\geq 15,000$ feet) of vector component measurements. These data are routinely processed by NAVOCEANO at a 2-second sample rate and sent to the National Geophysical Data Center (NGDC) in Boulder, Colorado. A weak low-pass filter with a cut-off wavelength of approximately 7 km is routinely applied to this high-level data. The cut-off wavelength will vary slightly, depending on the average speed of the aircraft, which depends on prevailing wind conditions at the time of flight. Typical flights last 10 to 12 hours and are flown at an average speed of 440 km/hr. They are generally flown at night in order to minimize solar-driven external field effects which contribute to the Daily Variation (*DV*) of the Earth's field. Project MAGNET flights are of long range in remote ocean areas, which precludes the monitoring of *DV*. Therefore, no explicit *DV* corrections are

made to the data. Also, the aircraft's vector magnetometer is calibrated at the NASA Coil Room Facility at the Goddard Space Flight Center in Maryland at least once a year.

The magnetic field observations returned from each Project MAGNET flight are routinely reduced in accordance with the following procedures:

a. Rotate vector measurements from magnetometer coordinates to instantaneous aircraft coordinates. This rotation involves only small misalignments relative to an imaginary coordinate system rigidly attached to the aircraft.

b. Compensate in aircraft coordinates for the perturbing magnetic effects associated with the presence of the aircraft by removing a field phenomenologically modeled as:

$$\vec{B}_C(\tau) = \vec{B}_{Perm} + \vec{\alpha} \vec{B}_M(\tau) + \vec{\beta} \frac{d\vec{B}_M(\tau)}{d\tau} \quad (28)$$

where the first term represents the permanent magnetic field generated by the remnant magnetization of the aircraft's metal parts, the second term represents the field induced in the aircraft's metal structure by the presence of the ambient field $\vec{B}_M(\tau)$, and the third term represents magnetic fields generated by eddy currents created on the aircraft's metal surfaces by the aircraft's motion through the Earth's spatially varying field. Here, $\vec{B}_M(\tau)$ is the magnetic field measured by the magnetometer after it has been rotated into aircraft coordinates as indicated in step a. The compensation model contains 21 coefficients, 3 in the vector \vec{B}_{Perm} , 9 in the 3x3 matrix $\vec{\alpha}$, and 9 in the 3x3 matrix $\vec{\beta}$.

c. Rotate the compensated field from instantaneous aircraft coordinates to geodetic coordinates, taking into account the misalignment of the inertial attitude device relative to the instantaneous aircraft coordinates.

d. Visually edit the data in each flight via interactive graphics techniques.

The compensation coefficients are determined by performing calibration flights at an altitude of 1,500 feet above a designated magnetic observatory. These flights consist of a set of yaw, pitch, and roll maneuvers performed along the four cardinal headings (north, south, east, and west). The coefficients are then determined by a least-squares procedure that minimizes the squared difference between

the observatory field (upward continued and rotated into instantaneous aircraft coordinates using the inertial attitude devices on the aircraft) and the field measured by the aircraft's magnetometer.

Using this minimization technique, the 21 compensation coefficients are determined simultaneously with 6 Euler angles (3 for the magnetometer misalignment mentioned in step a and 3 for the inertial attitude device misalignment mentioned in step c. The overall process is, therefore, nonlinear, requiring several iterations to converge. Note, however, that it is possible to determine only the relative misalignment between the magnetometer axes and the inertial system axes. Therefore, the three magnetometer bias angles are arbitrarily set to zero so that, in practice, only the three inertial system bias angles (Euler angles) are computed.

After compensation and editing, the aeromagnetic data were decimated to a 200-second sample interval (i.e., every hundredth point was selected), yielding 54,656 vector magnetic observations. The resulting Project MAGNET data set was finally converted from geodetic coordinates to spherical coordinates, using the coordinate transformations of the previous section.

For modeling, it is desirable to have all data sets pushed forward or backward to a common epoch. Consequently, the MAGSAT data set, which was originally in spherical coordinates, was pushed forward to 1985.0 via the 1982.5 secular variation model. The portion of the Project MAGNET data set collected prior to 1985.0 was pushed forward to 1985.0 via the 1982.5 secular variation model, while the portion of the Project MAGNET data set collected after 1985.0 was pushed backward to 1985.0 by the 1987.5 secular variation model. Subsequently, a revised 1985.0 epoch main field model was generated by performing a weighted least-squares fit of the degree and order 12 spherical harmonic model to the combined MAGSAT and Project MAGNET data sets. The resulting main field model, when combined with the 1987.5 secular variation model, is referred to as WC-85 (revised). These coefficients are listed in table 5. The 1990.0 main field model was produced by pushing the WC-85 (revised) main field spherical harmonic coefficients forward in time using the 1987.5 secular variation coefficients. The resulting 1990.0 epoch main field model was then combined with the 1992.5 secular variation model to form WMM-90, the coefficients of which are listed in table 3 of section 1.3.

2.3 Mathematical Details of Main Field Inverse Modeling

The modeling procedure used was a modification of that formulated by Cain et al. (1967). The objective was to minimize the chi-square (χ^2) function

$$\chi^2 = \chi_r^2 + \chi_o^2 + \chi_a^2 + \chi_f^2$$

(29)

TABLE 5. WC-85 (REVISED) SCHMIDT NORMALIZED GAUSS COEFFICIENTS

n	m	g_n^m (nT)	h_n^m (nT)	\dot{g}_n^m (nT/yr)	\dot{h}_n^m (nT/yr)
1	0	-29874.2	.0	18.7	.0
1	1	-1904.5	5496.4	10.6	-17.8
2	0	-2071.6	.0	-12.6	.0
2	1	3045.7	-2200.6	3.3	-15.5
2	2	1688.7	-306.1	.7	-15.6
3	0	1294.7	.0	3.6	.0
3	1	-2210.1	-306.4	-6.9	4.3
3	2	1246.8	284.2	.0	1.5
3	3	832.4	-300.7	-4.8	-10.4
4	0	933.5	.0	.0	.0
4	1	782.5	232.5	.5	3.4
4	2	360.5	-247.6	-7.4	3.0
4	3	-424.2	72.2	.5	3.8
4	4	166.0	-296.5	-5.3	.0
5	0	-212.3	.0	.8	.0
5	1	354.0	43.7	-.4	-.6
5	2	255.2	148.7	-1.7	.0
5	3	-94.6	-154.6	-3.3	.0
5	4	-162.3	-76.2	.0	1.7
5	5	-47.2	95.0	2.0	.5
6	0	52.5	.0	1.3	.0
6	1	63.7	-14.7	.0	.0
6	2	51.0	88.6	1.8	-1.3
6	3	-185.4	70.0	.8	.0
6	4	3.8	-47.8	-.7	-1.7
6	5	15.4	-1.4	.0	.0
6	6	-99.3	17.7	.7	1.4
7	0	72.8	.0	.7	.0
7	1	-59.7	-83.5	-.5	1.0
7	2	1.3	-26.7	.0	.0
7	3	25.1	-1.9	1.0	.4
7	4	-4.8	19.9	1.9	.0
7	5	4.9	17.9	.6	.0
7	6	10.1	-21.5	.0	.0
7	7	-.8	-6.8	.5	.0

TABLE 5. WC-85 (REVISED) SCHMIDT NORMALIZED GAUSS COEFFICIENTS (con.)

n	m	g_n^m (nT)	h_n^m (nT)	\dot{g}_n^m (nT/yr)	\dot{h}_n^m (nT/yr)
8	0	21.7	.0	.2	.0
8	1	5.8	7.7	-.7	.4
8	2	.6	-18.3	-.4	-.2
8	3	-11.7	3.7	.0	.6
8	4	-11.0	-22.7	-1.3	.5
8	5	2.2	10.8	.0	.5
8	6	3.6	13.5	.4	-.7
8	7	3.0	-15.4	.0	-.7
8	8	-4.2	-9.1	-.6	.0
9	0	3.6	.0	.0	.0
9	1	9.5	-21.9	.0	.0
9	2	-.9	14.3	.0	.0
9	3	-10.7	9.5	.0	.0
9	4	10.7	-6.7	.0	.0
9	5	-3.2	-6.4	.0	.0
9	6	-1.4	9.1	.0	.0
9	7	6.3	8.9	.0	.0
9	8	.8	-8.0	.0	.0
9	9	-5.5	2.1	.0	.0
10	0	-3.3	.0	.0	.0
10	1	-2.6	2.6	.0	.0
10	2	4.5	1.2	.0	.0
10	3	-5.6	2.6	.0	.0
10	4	-3.6	5.7	.0	.0
10	5	3.9	-4.0	.0	.0
10	6	3.2	-.4	.0	.0
10	7	1.7	-1.7	.0	.0
10	8	3.0	3.8	.0	.0
10	9	3.7	-.8	.0	.0
10	10	.7	-6.5	.0	.0

TABLE 5. WC-85 (REVISED) SCHMIDT NORMALIZED GAUSS COEFFICIENTS (con.)

n	m	g_n^m (nT)	h_n^m (nT)	\dot{g}_n^m (nT/yr)	\dot{h}_n^m (nT/yr)
11	0	1.3	.0	.0	.0
11	1	-1.4	.0	.0	.0
11	2	-2.5	1.0	.0	.0
11	3	3.2	-1.6	.0	.0
11	4	.2	-2.2	.0	.0
11	5	-1.1	1.1	.0	.0
11	6	.3	-.7	.0	.0
11	7	-.3	-1.7	.0	.0
11	8	.9	-1.5	.0	.0
11	9	-1.1	-1.3	.0	.0
11	10	2.4	-1.1	.0	.0
11	11	3.0	.6	.0	.0
12	0	-1.3	.0	.0	.0
12	1	.1	.7	.0	.0
12	2	.5	.7	.0	.0
12	3	.7	1.3	.0	.0
12	4	.4	-1.5	.0	.0
12	5	-.2	.3	.0	.0
12	6	-1.1	.2	.0	.0
12	7	.9	-1.1	.0	.0
12	8	-.6	1.2	.0	.0
12	9	.8	-.2	.0	.0
12	10	.2	-1.3	.0	.0
12	11	.4	.6	.0	.0
12	12	.2	.6	.0	.0

with respect to the 168 internal Gauss coefficients of a degree and order 12 spherical harmonic model, where:

$$\chi_r^2 = \sum_{i=1}^{I_r} w_{r_i} (B_{r_i} - b_{r_i})^2 \quad (30a)$$

$$\chi_\theta^2 = \sum_{i=1}^{I_\theta} w_{\theta_i} (B_{\theta_i} - b_{\theta_i})^2 \quad (30b)$$

$$\chi_\phi^2 = \sum_{i=1}^{I_\phi} w_{\phi_i} (B_{\phi_i} - b_{\phi_i})^2 \quad (30c)$$

$$\chi_F^2 = \sum_{i=1}^{I_F} w_{F_i} (B_{F_i} - b_{F_i})^2 \quad (30d)$$

where the upper case B's refer to the model values of their respective magnetic components, while the lower case b's refer to the observed (measured) values of their respective magnetic components. The subscript i refers to a particular data point, the total number I of which may differ for each magnetic component. Each data point is weighted by a weight factor, w , which depends on several factors:

a. Data type W_m

$$\text{MAGSAT} = 1$$

$$\text{Project MAGNET} = 1/4$$

Project MAGNET observatory airswing calibrations yield rms errors on the order of 35 nT, while MAGSAT rms differences from degree 12 spherical harmonic models yield rms values on the order of 9 nT. Consequently, the relative weight of the two data sets is taken to be $\cong \frac{9}{35} \cong \frac{1}{4}$. This factor characterizes the relative quality of the two data sets.

b. The relative number of data points per equal area ($5^\circ \times 5^\circ$ at the equator) cell; each cell was given equal weight. Therefore, data points corresponding to cells with more than the average number of points per cell, \bar{N} , received less weight and vice versa.

c. The relative rms error of data in a particular flight or orbit relative to the rms error, $\bar{\sigma}$, for all data of the corresponding data type (MAGSAT or Project MAGNET).

d. The relative rms error of data of a specified type in an equal area cell relative to all data of that type, $\bar{\sigma}$.

e. The age of the data relative to the model epoch 1985.0. Thus, data collected five years away from this epoch get a weight of approximately 1/3, while data collected at the model epoch get a weight of 1.

f. Distance of geomagnetic latitude, Θ , from the geomagnetic equator.

$$|\Theta_M| \leq 20^\circ \quad \left\{ \begin{array}{l} w_{\Theta mn} = 1 \text{ for } k=1,2,3(r,\theta,\phi) \\ w_{\Theta mn} = 0 \text{ for } k=4(F) \end{array} \right\} ; \quad n \equiv 1 \quad (31a)$$

$$|\Theta_M| > 20^\circ \quad \left\{ \begin{array}{l} w_{\Theta mn} = 0 \text{ for } k=1,2,3(r,\theta,\phi) \\ w_{\Theta mn} = 1 \text{ for } k=4(F) \end{array} \right\} ; \quad n \equiv 2 \quad (31b)$$

This weighting scheme then takes the following mathematical form:

$$W_{ijklmn} = W_m w_{\Theta mn} \left(\frac{\bar{N}_{km}}{N_{kmj}} \right) \left(\frac{\bar{\sigma}_{km}}{\sigma_{kmi}} \right) \left(\frac{\bar{\sigma}_{km}}{\sigma_{kmj}} \right) e^{-\left\{ \frac{\Delta\tau_i}{\tau} \right\}^2} \quad (32)$$

where the indices correspond to the following:

- ith* - data point
- jth* - equal area cell (1654 total)
- kth* - magnetic component (r, θ, ϕ, F)
- lth* - aircraft flight or satellite orbit
- mth* - data type (MAGSAT, Project MAGNET)
- nth* - geomagnetic latitude band ($n=1$ or $n=2$)

The decay constant τ was arbitrarily chosen to be 5 years, while:

$$\Delta\tau_i = \tau_i - T_{EPOCH} \quad (33)$$

where τ_i is the time of observation in years and T_{EPOCH} is 1985.0.

Table 6 gives the overall rms errors of a particular magnetic component for each of the three separate data sets relative to the DGRF/IGRF series of WMMs. Table 7 lists the number of data points associated with each magnetic component for each of the three data sets. Table 8 lists the average number of data points per 5'x5' equal area cell for each magnetic component for each data set. Rms statistics relative to the DGRF/IGRF series of models for the Project MAGNET data set are further broken down by Project ID and flight number in table 9. Due

TABLE 6. RMS ERRORS RELATIVE TO IGRF/DGRF MODELS

	$\bar{\sigma}_x$ rms (nT)	$\bar{\sigma}_y$ rms (nT)	$\bar{\sigma}_z$ rms (nT)	$\bar{\sigma}_F$ rms (nT)
MAGSAT	14.7	12.0	13.2	12.7
Project MAGNET	101.7	107.9	105.5	96.4
DE-2	---	---	---	122.4

TABLE 7. NUMBER OF RECORDS

	N_x	N_y	N_z	N_F
MAGSAT	30473	30473	30473	30473
Project MAGNET	54656	54656	54656	54656
DE-2	---	---	---	5100

TABLE 8. AVERAGE NUMBER OF RECORDS PER CELL

	\bar{N}_x	\bar{N}_y	\bar{N}_z	\bar{N}_F
MAGSAT	18.4	18.4	18.4	18.4
Project MAGNET	33.0	33.0	33.0	33.0
DE-2	---	---	---	3.1

TABLES 9. PROJECT MAGNET FLIGHT STATISTICS RELATIVE TO IGRF/DGRF
MODELS (RMS units: nT)

<u>PROJECT</u>	<u>FLIGHT</u>	<u>YEAR</u>	<u>JULIAN</u> <u>DAY</u>	<u>RMS</u> <u>X</u>	<u>RMS</u> <u>Y</u>	<u>RMS</u> <u>Z</u>	<u>RMS</u> <u>E</u>
A32-153	6005	1981	129	116.4	92.3	159.0	156.6
A32-153	6006	1981	133	141.4	98.4	106.1	104.6
A32-153	6007	1981	139	223.7	242.1	191.5	200.9
A32-153	6008	1981	143	88.5	121.4	138.6	137.5
A32-153	6009	1981	146	138.3	86.6	105.3	113.9
A32-153	6010	1981	149	132.5	135.3	151.6	151.5
A32-153	6011	1981	153	200.1	115.8	177.9	176.0
A32-153	6012	1981	155	107.8	233.3	107.0	106.8
A32-153	6013	1981	157	283.0	128.6	181.6	175.2
A32-153	6014	1981	159	146.4	166.2	110.6	111.3
A32-153	6015	1981	162	111.3	101.2	135.2	135.8
C32-252	1074	1982	62	60.1	51.9	49.2	73.2
C32-252	2007	1982	64	68.9	96.6	87.4	82.1
C32-252	2009	1982	67	79.4	76.6	85.1	74.0
C32-252	2011	1982	74	84.0	108.4	103.9	103.4
C32-252	2012	1982	77	95.1	74.4	65.7	94.5
C32-252	2013	1982	89	63.4	60.0	64.8	61.8
C32-252	2014	1982	96	80.5	70.8	79.8	76.8
C32-253	1077	1982	135	85.4	68.7	93.7	93.8
C32-253	1080	1982	149	86.0	121.8	58.9	66.3
C32-253	1081	1982	161	133.6	48.8	48.8	126.9
C32-253	1084	1982	171	63.0	54.8	99.1	91.1
C32-253	1085	1982	175	58.4	61.6	78.1	73.5
C32-253	1086	1982	177	164.8	103.3	162.0	185.9
C32-253	1087	1982	180	98.2	87.1	119.7	122.7
C32-253	1088	1982	182	122.5	134.2	160.7	154.8
C32-253	1091	1982	186	112.4	66.2	98.3	100.1
C32-254	4027	1982	231	86.4	91.4	64.1	70.2
C23-245	4028	1982	233	155.3	81.4	81.1	76.4
C32-254	4049	1982	236	120.9	87.9	89.2	78.1
C32-254	5022	1982	243	100.2	71.1	50.6	60.9
C32-254	5023	1982	246	87.9	74.2	67.2	60.8
C32-254	5026	1982	251	88.4	63.5	71.6	84.4
C32-254	5037	1982	260	81.1	79.5	60.3	83.0
C32-254	5030	1982	274	81.1	80.3	83.0	84.0
C32-254	5031	1982	277	131.6	46.9	90.3	81.1
C32-351	1097	1982	304	150.6	91.3	128.3	147.6
C32-351	3074	1982	305	109.4	126.3	63.6	101.4
C32-351	3075	1982	307	105.5	137.6	89.6	99.9
C32-351	4031	1982	309	103.6	57.3	79.9	96.1
C32-351	4032	1982	312	86.5	128.3	88.9	91.8
C32-351	4033	1982	314	94.9	101.6	97.9	100.0
C32-351	4034	1982	320	73.0	92.1	115.1	93.1
C32-351	4035	1982	322	59.1	144.1	64.6	66.8
C32-351	4036	1982	324	71.6	85.6	105.2	100.3
C32-351	5033	1982	327	208.2	191.1	118.5	124.3

TABLES 9. PROJECT MAGNET FLIGHT STATISTICS RELATIVE TO IGRF/DGRF
 MODELS (RMS units: nT)(con.)

<u>PROJECT</u>	<u>FLIGHT</u>	<u>YEAR</u>	<u>JULIAN</u> <u>DAY</u>	<u>RMS</u> <u>X</u>	<u>RMS</u> <u>Y</u>	<u>RMS</u> <u>Z</u>	<u>RMS</u> <u>E</u>
C32-351	4037	1982	332	64.3	75.7	69.8	69.5
C32-351	4038	1982	334	83.3	87.6	89.7	76.5
C32-351	4039	1982	337	72.9	91.8	90.8	84.5
C32-351	4040	1982	339	52.6	67.9	90.9	90.2
C32-351	4041	1982	341	146.6	104.0	81.2	135.6
C32-351	4042	1982	345	83.8	78.9	52.6	82.9
C32-351	4044	1982	350	63.0	83.2	86.0	73.5
C32-351	1098	1982	351	129.4	67.8	145.8	160.9
C32-352	1089	1983	27	64.4	65.0	81.3	78.5
C32-352	1090	1983	31	50.1	80.2	37.3	44.1
C32-352	1099	1983	34	75.6	75.2	101.3	87.3
C32-352	5045	1983	75	98.9	101.5	79.9	98.0
C32-352	5046	1983	78	89.6	80.5	81.6	80.3
C32-352	5047	1983	81	109.5	72.7	83.2	75.3
C32-352	5048	1983	84	212.6	106.5	145.5	130.5
C32-352	4045	1983	87	255.4	236.2	116.9	138.8
C32-352	4046	1983	91	39.4	76.6	56.8	45.1
C32-352	4048	1983	96	59.2	93.9	58.7	69.6
C32-352	1100	1983	99	31.8	35.3	71.1	64.3
C32-353	3076	1983	228	86.3	76.8	111.5	114.6
C32-353	3077	1983	130	64.1	191.7	94.8	76.7
C32-353	3080	1983	161	91.0	71.4	67.8	94.8
C32-353	3081	1983	166	124.0	61.9	115.2	136.6
C32-353	3082	1983	169	96.1	51.1	98.2	93.4
C32-353	3083	1983	171	59.7	121.5	76.2	67.0
C32-353	3084	1983	175	73.2	110.1	96.5	93.4
C32-353	3085	1983	179	91.6	100.1	103.9	114.5
C32-353	3086	1983	183	82.7	64.7	87.7	105.9
C32-353	3087	1983	186	44.8	100.9	64.8	58.9
C32-451	3088	1983	325	73.4	73.7	78.4	83.8
C32-451	3089	1983	327	92.5	66.1	60.9	96.1
C32-451	3090	1983	330	107.6	169.3	112.0	125.5
C32-451	5050	1983	144	93.4	81.6	138.8	134.3
C32-451	5051	1983	336	48.9	49.9	56.8	57.6
C32-451	4051	1983	340	174.0	133.1	103.2	114.6
C32-451	4052	1983	343	114.6	67.4	95.5	105.8
C32-451	4053	1983	346	109.1	130.4	109.4	107.4
C32-451	4054	1983	349	77.8	74.0	94.5	101.6
C32-352	4046	1983	91	39.4	76.6	56.8	45.1
C32-451	1103	1983	354	29.7	35.8	52.8	47.5
C32-452	1108	1984	35	103.7	86.2	110.9	54.4
C32-452	1106	1984	41	115.3	113.8	124.9	122.6
C32-452	5049	1984	45	105.9	58.8	156.2	63.5
C32-452	3091	1984	51	53.2	265.5	242.9	56.3
C32-452	5052	1984	64	120.5	194.8	111.9	97.0
C32-452	4050	1984	67	168.6	175.2	80.7	64.3
C32-452	4055	1984	73	146.1	91.9	174.5	101.3
C32-452	4057	1984	76	61.8	58.1	123.0	44.3
C32-452	4058	1984	78	86.2	68.6	127.7	55.3
C32-452	4059	1984	84	51.3	139.6	158.6	45.2
C32-452	4060	1984	88	28.8	138.5	98.0	38.3

TABLE 9. PROJECT MAGNET FLIGHT STATISTICS RELATIVE TO IGRF/DGRF
 MODELS (RMS units: nT) (con.)

<u>PROJECT</u>	<u>FLIGHT</u>	<u>YEAR</u>	<u>JULIAN</u> <u>DAY</u>	<u>RMS</u> <u>X</u>	<u>RMS</u> <u>Y</u>	<u>RMS</u> <u>Z</u>	<u>RMS</u> <u>E</u>
C32-452	4061	1984	91	76.2	62.7	93.1	90.9
C32-452	1107	1984	93	105.8	79.1	139.6	112.5
C32-453	1109	1984	137	97.5	86.3	116.8	115.4
C32-453	3092	1984	140	163.7	83.1	96.5	83.5
C32-453	3094	1984	157	80.1	99.9	119.2	86.9
C32-453	3095	1984	161	70.8	64.8	63.8	79.6
C32-453	3096	1984	164	71.5	153.6	121.6	68.7
C32-453	3097	1984	171	100.8	71.3	88.8	69.9
C32-453	3098	1984	168	138.9	149.5	115.5	81.9
C32-453	3099	1984	171	114.3	79.5	98.6	107.2
C32-453	3101	1984	176	61.4	72.5	75.3	76.2
C32-453	3100	1984	180	98.4	83.6	113.5	118.0
C32-453	3102	1984	183	78.8	69.8	101.2	101.8
C32-453	3103	1984	186	96.7	78.4	125.3	113.1
C32-453	3104	1984	190	68.7	84.4	79.0	88.2
C32-453	1110	1984	192	83.5	88.6	127.5	122.6
C32-454	1048	1984	215	135.4	111.5	165.6	165.2
C32-454	1075	1984	219	62.7	61.5	96.2	96.6
C32-454	1070	1984	221	59.2	74.2	96.3	95.8
C32-454	1121	1984	224	75.6	86.2	100.3	84.0
C32-454	1122	1984	227	69.4	71.7	88.2	70.5
C32-454	1123	1984	230	54.4	52.2	77.8	70.1
C32-454	1124	1984	237	59.7	62.5	100.3	106.8
C32-454	1117	1984	242	101.4	79.2	126.6	129.0
C32-454	1118	1984	246	44.2	78.5	66.4	57.9
C32-454	1119	1984	249	52.6	55.5	71.1	61.1
C32-454	1120	1984	252	57.9	41.8	83.9	66.1
C32-454	1111	1984	255	74.4	63.4	101.4	100.0
C32-454	1112	1984	258	93.6	91.6	113.1	111.5
C32-454	1114	1984	262	66.3	60.8	42.3	55.4
C32-454	1115	1984	272	34.8	37.4	57.2	52.3
C32-551	1126	1984	290	64.6	69.8	81.9	70.9
C32-551	2015	1984	292	117.5	134.4	44.2	141.8
C32-551	2016	1984	295	54.2	101.1	97.9	94.2
C32-551	7005	1984	298	174.7	91.3	114.3	112.2
C32-551	7006	1984	304	80.4	97.5	75.4	76.0
C32-551	7007	1984	307	218.4	186.7	96.3	96.8
C32-551	4065	1984	310	206.9	218.9	121.1	85.7
C32-551	4066	1984	313	101.5	103.3	81.6	79.7
C32-551	4067	1984	319	70.7	137.9	87.8	59.1
C32-551	4068	1984	321	198.6	160.0	107.2	86.6
C32-551	4069	1984	325	119.4	170.7	97.7	62.9
C32-551	4070	1984	329	76.6	232.9	79.9	63.3
C32-551	4071	1984	333	121.9	124.8	74.6	69.4
C32-551	4072	1984	337	91.2	109.8	104.4	93.2
C32-551	3105	1984	342	84.6	52.4	150.7	97.3
C32-551	1127	1984	345	45.9	48.7	95.5	87.6
C32-552	1125	1985	16	81.6	61.5	77.1	54.4
C32-552	1131	1985	19	87.2	105.9	85.2	54.0
C32-552	1132	1985	27	115.7	106.3	72.2	62.7
C32-552	1133	1985	30	88.6	260.8	138.9	124.5

TABLE 9. PROJECT MAGNET FLIGHT STATISTICS RELATIVE TO IGRF/DGRF
 MODELS (RMS units: nT) (con.)

PROJECT	FLIGHT	YEAR	JULIAN DAY	RMS X	RMS Y	RMS Z	RMS E
C32-552	2017	1985	33	58.0	136.3	49.0	65.1
C32-552	2029	1985	35	46.1	182.4	41.7	39.0
C32-552	2030	1985	37	68.9	198.5	59.2	78.5
C32-552	2031	1985	40	85.4	127.8	46.0	105.1
C32-552	2032	1985	43	62.6	137.2	104.0	111.7
C32-552	2033	1985	46	54.4	113.0	73.8	71.2
C32-552	2034	1985	49	35.3	110.4	48.6	40.4
C32-552	2022	1985	53	33.6	116.8	59.5	46.1
C32-552	2023A	1985	57	40.0	125.1	64.1	51.9
C32-552	2023	1985	61	75.3	127.6	89.7	85.4
C32-552	7009	1984	62	114.5	99.4	107.0	132.0
C32-552	7008	1985	66	73.0	103.3	75.8	73.0
C32-552	7010	1984	69	101.7	104.1	93.0	102.1
C32-552	7011	1985	71	51.4	123.0	65.5	68.5
C32-552	2036	1985	75	78.6	158.4	83.4	83.6
C32-552	1129	1985	80	209.1	201.6	127.2	51.3
C32-552	1130	1985	84	63.3	59.0	71.4	70.1
C32-553	1134	1985	114	135.9	130.2	96.9	75.0
C32-553	3106	1985	116	54.1	112.2	88.0	92.6
C32-553	3108	1985	120	57.3	112.8	74.9	72.2
C32-553	3109	1985	123	62.7	112.7	55.0	56.2
C32-553	3110	1985	126	59.2	99.9	59.2	56.4
C32-553	3107	1985	129	50.1	131.1	52.2	55.8
C32-553	3111	1985	136	101.9	63.2	157.6	72.9
C32-553	3112	1985	140	60.6	79.0	145.9	61.2
C32-553	3113	1985	144	93.0	67.1	82.7	89.7
C32-553	3114	1985	148	61.0	158.4	80.6	61.3
C32-553	3116	1985	154	81.2	75.5	120.8	61.2
C32-553	3117	1985	157	132.3	82.7	120.9	75.1
C32-553	3118	1985	160	129.8	89.1	145.6	106.9
C32-553	3119	1985	169	223.0	145.9	114.4	111.3
C32-553	3121	1985	171	232.4	111.7	127.1	132.9
C32-553	3122	1985	174	134.8	193.1	130.4	122.9
C32-554	1135	1985	196	105.3	123.5	137.1	131.2
C32-554	1137	1985	210	62.2	58.0	69.9	71.6
C32-554	1136	1985	202	60.8	89.1	85.9	85.3
C32-554	1138	1985	213	109.1	115.5	111.9	109.7
C32-554	1139	1985	217	68.0	78.5	85.3	86.3
C32-554	1140	1985	220	155.7	109.2	126.9	134.0
C32-554	6016	1985	230	151.3	158.4	165.6	174.5
C32-554	1144	1985	244	147.6	116.2	186.4	181.8
C32-554	1141	1985	249	96.4	83.0	91.3	92.6
C32-554	1142	1985	250	155.0	128.9	151.0	151.9
C32-554	6017	1985	252	182.3	94.8	136.2	117.9
C32-651	1143	1985	281	65.6	101.2	88.1	72.2
C32-651	4074	1985	285	32.3	148.1	83.1	36.0
C32-651	4075	1985	290	38.0	225.2	85.0	52.8
C32-651	3125	1985	301	72.0	236.2	95.8	70.4
C32-651	3126	1985	305	61.4	110.8	80.4	62.6
C32-651	5053	1985	314	77.3	178.2	105.1	98.0
C32-651	4077	1985	317	97.0	202.1	114.7	112.4

TABLE 9. PROJECT MAGNET FLIGHT STATISTICS RELATIVE TO IGRF/DGRF
MODELS (RMS units: nT) (con.)

<u>PROJECT</u>	<u>FLIGHT</u>	<u>YEAR</u>	<u>JULIAN</u> <u>DAY</u>	<u>RMS</u> <u>X</u>	<u>RMS</u> <u>Y</u>	<u>RMS</u> <u>Z</u>	<u>RMS</u> <u>E</u>
C32-651	5054	1985	321	83.8	129.6	166.1	145.2
C32-651	5055	1985	324	50.6	68.9	74.4	74.2
C32-651	4078	1985	327	78.6	133.7	68.8	68.6
C32-651	4079	1985	331	78.6	152.5	82.6	74.5
C32-651	4080	1985	334	151.6	247.3	182.1	166.7
C32-651	4081	1985	340	89.5	216.9	119.7	89.5
C32-651	4083	1985	343	78.5	96.0	136.6	143.6
C32-651	4084	1985	345	64.8	77.3	75.3	60.7
C32-652	1128	1986	27	52.7	53.2	47.8	53.1
C32-652	2019	1986	32	62.2	54.5	95.4	78.1
C32-652	5059A	1986	36	49.6	39.4	88.6	63.5
C32-652	5058	1986	40	104.6	42.9	137.4	67.5
C32-652	5057	1986	42	84.3	58.1	154.9	92.3
C32-652	5067	1986	47	55.3	61.7	122.5	102.3
C32-652	5068	1986	51	65.3	61.6	127.9	102.5
C32-652	5056	1986	53	99.4	52.0	128.4	86.7
C32-652	5059B	1986	65	63.7	58.7	116.9	61.4
C32-652	5059C	1986	71	54.5	56.6	70.1	64.3
C32-652	5059D	1986	77	44.2	42.8	58.7	41.9
C32-652	5060	1986	79	45.0	71.0	69.4	49.8
C32-652	5061	1986	81	37.0	72.0	94.0	35.8
C32-652	5062	1986	85	54.2	70.0	78.4	54.2
C32-652	5063	1986	88	100.8	74.4	150.5	139.5
C32-652	5065	1986	95	102.7	75.0	122.6	122.2
C32-652	4085	1986	98	57.0	70.3	103.1	95.9
C32-652	3123	1986	101	56.3	54.8	65.6	65.2
C32-652	3124	1986	104	51.9	99.5	82.4	82.6
C32-754	3147	1987	261	135.5	116.5	90.1	98.6
C32-751	3142	1986	297	75.0	72.6	71.5	74.4
C32-751	3130	1986	327	85.1	52.9	83.4	77.5
C32-751	3131	1986	329	107.6	51.1	81.1	103.2
C32-751	3132	1986	334	89.2	50.9	95.7	85.8
C32-751	3133	1986	337	77.2	55.6	71.5	71.6
C32-751	3140	1986	343	69.1	72.8	63.6	60.8
C32-751	3134	1986	345	55.3	58.7	66.1	53.7
C32-751	3141	1986	347	40.7	48.9	64.4	51.4
C32-751	3135	1986	350	66.6	123.2	143.7	52.2
C32-751	3136	1986	353	44.1	70.3	61.1	39.8
C32-751	3138	1986	354	53.4	51.6	55.9	63.5
C32-753	1154	1987	108	107.4	101.8	140.2	138.1
C32-753	6019	1987	147	100.2	125.5	130.4	128.4
C32-753	1164	1987	181	128.8	120.9	135.7	136.7
C32-753	1160	1987	154	90.1	74.1	117.5	98.5
C32-753	1161	1987	156	31.1	76.9	15.7	21.4
C32-754	1159	1987	203	69.9	52.8	71.6	63.2
C32-754	3143	1987	206	92.5	59.7	80.2	94.0
C32-754	3144	1987	212	74.6	52.2	78.7	79.4
C32-754	4098	1987	216	67.6	135.7	97.0	65.1
C32-754	3145A	1987	231	32.8	200.2	100.4	36.8
C32-552	1133	1985	30	88.6	260.8	138.9	124.5
C32-754	5069	1987	233	83.8	181.5	85.2	88.6

TABLE 9. PROJECT MAGNET FLIGHT STATISTICS RELATIVE TO IGRF/DGRF
 MODELS (RMS units: nT) (con.)

PROJECT	FLIGHT	YEAR	JULIAN DAY	RMS X	RMS Y	RMS Z	RMS E
C32-754	5071	1987	251	43.4	54.7	128.0	62.5
C32-754	3145	1987	245	63.3	109.9	78.5	59.7
C32-754	4100	1987	251	64.6	70.3	134.2	61.8
C32-754	3146	1987	246	116.9	81.8	114.4	90.3
C32-851	3148	1987	291	98.6	100.0	103.0	105.9
C32-851	3149	1987	295	61.9	104.6	96.1	80.9
C32-851	3150	1987	299	103.3	88.3	104.1	111.4
C32-851	3152	1987	306	130.9	97.7	116.4	108.3
C32-851	3154	1987	312	69.6	131.4	77.5	69.0
C32-851	3155	1987	316	76.5	60.7	68.1	74.5
C32-851	3156	1987	320	66.1	76.6	81.6	66.7
C32-851	3157	1987	325	81.5	159.6	112.9	88.9
C32-851	3158	1987	29	146.3	87.1	94.3	100.8
C32-851	3159	1987	32	93.8	78.8	110.4	55.5
C32-851	3160	1987	335	63.7	68.6	75.5	73.9
C32-851	3161	1987	348	78.8	45.3	78.0	60.5
C32-852	1167	1988	20	85.2	58.2	101.3	71.7
C32-852	4101	1988	24	42.1	32.6	84.9	33.3
C32-852	4102	1988	27	45.5	67.9	61.1	47.8
C32-852	4103	1988	30	51.7	59.1	68.3	44.3
C32-852	4104	1988	34	103.8	40.7	97.6	57.6
C32-852	4106	1988	39	78.9	70.3	80.6	77.7
C32-852	4107	1988	41	53.9	63.7	80.4	40.2
C32-852	4111	1988	43	84.9	66.2	65.7	70.2
C32-852	4108	1988	49	83.4	56.2	93.5	81.4
C32-852	3162	1988	50	71.9	54.9	82.7	74.2
C32-852	3163	1988	56	58.3	74.1	116.4	67.6
C32-852	3167	1988	59	78.4	131.6	105.8	71.4
C32-852	4110	1988	63	49.2	59.8	94.5	56.6
C32-852	4105	1988	62	71.8	72.3	67.4	63.2
C32-852	3164	1988	77	87.9	49.7	113.9	59.9
C32-952	1177	1989	77	118.1	98.2	139.4	147.2
C32-952	1178	1989	79	115.5	88.6	136.5	147.5
C32-952	1179	1989	81	111.8	79.2	119.8	133.8
C32-952	1180	1989	83	138.4	95.6	122.8	149.6
C32-553	3115	1985	151	122.6	142.2	113.2	88.0
C32-651	3123A	1985	292	53.2	162.1	88.3	63.0
C32-651	3124A	1985	294	56.3	188.8	86.5	64.0
C32-352	5044	1983	69	97.6	88.2	92.9	67.7
C32-853	4113	1988	153	80.3	89.1	114.8	87.9
C32-453	4063	1984	150	71.3	60.2	108.6	78.8
C32-453	4064	1984	152	55.7	53.8	87.6	58.4
C32-951	4122	1988	283	100.9	135.6	151.5	160.6
C32-951	4123	1988	291	96.6	67.8	106.5	92.8
C32-951	4124	1988	295	77.4	66.2	91.0	80.2
C32-951	4125	1988	295	130.2	82.5	75.5	122.6
C32-951	4126	1988	303	103.0	129.4	114.6	92.5
C32-951	4127	1988	310	57.1	77.4	82.7	73.5
C32-951	4120	1988	297	107.7	69.3	80.0	91.0
C32-951	4135	1988	345	71.1	39.9	79.4	48.7
C32-951	5084	1988	324	78.8	44.6	108.0	81.1

TABLE 9. PROJECT MAGNET FLIGHT STATISTICS RELATIVE TO IGRF/DGRF
MODELS.(RMS units: nT) (con.)

<u>PROJECT</u>	<u>FLIGHT</u>	<u>YEAR</u>	<u>JULIAN</u> <u>DAY</u>	<u>RMS</u> <u>X</u>	<u>RMS</u> <u>Y</u>	<u>RMS</u> <u>Z</u>	<u>RMS</u> <u>E</u>
C32-253	1079	1982	145	59.4	53.4	80.5	75.1
C32-853	5073	1988	117	117.5	93.1	261.8	263.4
C32-853	5081	1988	119	73.9	154.1	190.2	182.8
C32-853	5082	1988	122	114.2	110.7	209.3	182.8
C32-853	1168	1988	105	45.9	99.5	66.4	58.6
C32-853	1169	1988	174	82.2	57.7	106.3	58.0
C32-853	5076B	1988	131	72.2	98.1	86.3	84.0
C32-853	5083	1988	124	133.5	60.2	257.0	189.4
C32-853	4114	1988	164	61.5	76.7	85.1	74.5
C32-853	4115	1988	168	108.9	96.5	99.6	87.3
C32-853	4116	1988	171	104.9	66.0	91.4	88.8
C32-951	1171	1988	277	74.8	55.5	79.4	78.2
C32-951	3177	1988	307	62.5	79.5	96.4	87.1
C32-951	4119	1988	281	70.3	71.7	75.5	63.4
C32-951	4121	1988	299	113.5	117.9	195.2	215.4
C32-951	4128	1988	314	73.2	103.4	85.3	84.8
C32-951	4129	1988	318	82.6	81.7	140.2	135.7
C32-951	4130	1988	321	121.6	97.9	107.2	112.2
C32-951	4131	1988	328	73.1	90.9	141.5	126.7
C32-951	4132	1988	331	52.1	89.6	140.1	109.6
C32-951	4133	1988	333	70.6	70.4	66.9	68.8
C32-954	1184	1989	207	104.5	194.1	101.5	109.3
C32-954	1186	1989	212	106.9	171.0	99.2	94.0
C32-954	1188	1989	218	149.6	111.6	94.7	83.0
C32-954	1189	1989	223	99.8	136.8	114.4	111.8
C32-954	1190	1989	228	218.5	160.4	166.2	118.5
C32-954	1196	1989	270	99.7	72.6	79.6	72.7
C32-954	1197	1989	229	173.3	112.3	129.4	86.6
C32-954	1198	1989	234	266.8	79.3	102.3	83.3
C32-954	1199	1989	244	108.4	72.5	66.0	68.9
C32-954	4139	1989	255	102.5	116.5	93.2	78.1
C32-954	1195	1989	267	52.4	119.1	104.3	89.4
C32-954	2057	1989	263	81.3	40.7	107.8	95.3
C32-954	2052	1989	247	103.0	83.9	161.4	173.7
C32-954	2055	1989	258	77.9	68.3	88.2	93.2
C32-954	2056	1989	261	55.2	83.2	173.0	131.6
C32-954	7012	1989	252	99.8	64.4	93.9	45.3

to the uniformity of satellite data, the orbit-by-orbit statistics for MAGSAT and DE-2 data were taken to be the same as for each entire data set for each magnetic component. Note that data occupying cells for which there were fewer than 10 points were discarded due to the presumed unreliability of their cell statistics.

Now, the double summation expression over degree n and order m for $B_r(r, \theta, \phi)$, $B_\theta(r, \theta, \phi)$ and $B_\phi(r, \theta, \phi)$ can be converted to single summation expressions over the coefficient number l which ranges from 1 to 168. Then, we may write:

$$B_r(r, \theta, \phi) = \sum_{l=1}^{168} C_l Q_{rl}(r, \theta, \phi) \quad (34a)$$

$$B_\theta(r, \theta, \phi) = \sum_{l=1}^{168} C_l Q_{\theta l}(r, \theta, \phi) \quad (34b)$$

$$B_\phi(r, \theta, \phi) = \sum_{l=1}^{168} C_l Q_{\phi l}(r, \theta, \phi) \quad (34c)$$

$$B_F(r, \theta, \phi) = \sum_{l=1}^{168} C_l Q_{Fl}(r, \theta, \phi) \quad (34d)$$

where the set of coefficients $\{C_l\}_{l=1}^{168}$ are the Gauss coefficients g_{nm} and h_{nm} arbitrarily arranged so that:

$$C_l = \left\{ \begin{array}{l} g_{nm}; \quad l(n, m) = n(n+1)/2 + m \\ h_{nm}; \quad l(n, m) = n(n-1)/2 + m + 90 \end{array} \right\} \quad (35)$$

This ordering then requires:

$$Q_{rl}(r, \theta, \phi) = \left\{ \begin{array}{l} (n+1) \left(\frac{R_E}{r} \right)^{n+2} \cos m \phi P_n^m(\theta) ; \quad l(n, m) = n(n+1)/2 + m \\ (n+1) \left(\frac{R_E}{r} \right)^{n+2} \sin m \phi P_n^m(\theta) ; \quad l(n, m) = n(n-1)/2 + m + 90 \end{array} \right\} \quad (36a)$$

$$Q_{\theta l}(r, \theta, \phi) = \left\{ \begin{array}{l} - \left(\frac{R_E}{r} \right)^{n+2} \cos m \phi \frac{dP_n^m(\theta)}{d\theta} ; \quad l(n, m) = n(n+1)/2 + m \\ - \left(\frac{R_E}{r} \right)^{n+2} \sin m \phi \frac{dP_n^m(\theta)}{d\theta} ; \quad l(n, m) = n(n-1)/2 + m + 90 \end{array} \right\} \quad (36b)$$

$$Q_{\theta l}(r, \theta, \phi) = \left. \begin{cases} m \left(\frac{R_E}{r} \right)^{n+2} \sin m \phi P_n^m(\theta) / \sin \theta & ; \quad l(n, m) = n(n+1)/2 + m \\ -m \left(\frac{R_E}{r} \right)^{n+2} \cos m \phi P_n^m(\theta) / \sin \theta & ; \quad l(n, m) = n(n-1)/2 + m + 90 \end{cases} \right\} \quad (36c)$$

$$Q_{Fl} = \frac{1}{B_F(r, \theta, \phi)} \{ B_r(r, \theta, \phi) Q_{rl}(r, \theta, \phi) + B_\theta(r, \theta, \phi) Q_{\theta l}(r, \theta, \phi) + B_\phi(r, \theta, \phi) Q_{\phi l}(r, \theta, \phi) \} \quad (36d)$$

These expressions are the most useful forms in which the spherical harmonic equations for the magnetic field components can be cast for a least-squares problem.

Minimization of the chi-square function then requires that

$$\delta \chi^2 = \sum_{j=1}^{168} \frac{\partial \chi^2}{\partial C_j} \delta C_j \quad (37)$$

be a minimum, where the symbol δ means variation. This in turn requires:

$$\frac{\partial \chi^2}{\partial C_j} = 0 \quad j = 1, \dots, 168 \quad (38)$$

Therefore, we must have:

$$\frac{\partial \chi_r^2}{\partial C_j} + \frac{\partial \chi_\theta^2}{\partial C_j} + \frac{\partial \chi_\phi^2}{\partial C_j} + \frac{\partial \chi_F^2}{\partial C_j} = 0 \quad j = 1, \dots, 168 \quad (39)$$

which is a nonlinear system of 168 equations for the 168 unknown coefficient set $\{C_i\}_{i=1}^{168}$. This system of equations is nonlinear since χ^2 depends on B_F which depends nonlinearly on the coefficients through the expression:

$$B_F(r, \theta, \phi) = \sqrt{B_r^2(r, \theta, \phi) + B_\theta^2(r, \theta, \phi) + B_\phi^2(r, \theta, \phi)} \quad (40)$$

where, B_r , B_θ , and B_ϕ all depend linearly on the coefficients.

Consequently, after noting that:

$$\frac{\partial \chi_r^2}{\partial C_j} = \sum_{i=1}^{168} C_i \sum_{i=1}^{l_r} w_{ri} Q_{ri}(r_i, \theta_i, \phi_i) Q_{rj}(r_i, \theta_i, \phi_i) - \sum_{i=1}^{l_r} w_{ri} b_{ri} Q_{rj}(r_i, \theta_i, \phi_i) \quad (41a)$$

$$\frac{\partial \chi_{\theta}^2}{\partial C_j} = \sum_{l=1}^{168} C_l \sum_{i=1}^{l_0} w_{\alpha} Q_{\alpha}(r_i, \theta_i, \phi_i) Q_{\theta_j}(r_i, \theta_i, \phi_i) - \sum_{i=1}^{l_0} w_{\alpha} b_{\alpha} Q_{\theta_j}(r_i, \theta_i, \phi_i) \quad (41b)$$

$$\frac{\partial \chi_{\phi}^2}{\partial C_j} = \sum_{l=1}^{168} C_l \sum_{i=1}^{l_0} w_{\phi} Q_{\phi}(r_i, \theta_i, \phi_i) Q_{\theta_j}(r_i, \theta_i, \phi_i) - \sum_{i=1}^{l_0} w_{\phi} b_{\phi} Q_{\theta_j}(r_i, \theta_i, \phi_i) \quad (41c)$$

$$\frac{\partial \chi_F^2}{\partial C_j} = \sum_{l=1}^{168} C_l \sum_{i=1}^{l_F} w_{F_i} \{ Q_{r_l}(r_i, \theta_i, \phi_i) Q_{r_j}(r_i, \theta_i, \phi_i) + Q_{\alpha}(r_i, \theta_i, \phi_i) Q_{\theta_j}(r_i, \theta_i, \phi_i) + Q_{\phi}(r_i, \theta_i, \phi_i) Q_{\theta_j}(r_i, \theta_i, \phi_i) \} - \sum_{i=1}^{l_F} w_{F_i} b_{F_i} Q_{F_j} \quad (41a)$$

we have:

$$\sum_{l=1}^{168} C_l Q_{l_j} = \mathfrak{R}_j \quad j = 1, \dots, 168 \quad (42)$$

where:

$$Q_{l_j} = \sum_{i=1}^{l_r} w_{r_i} Q_{r_l}(r_i, \theta_i, \phi_i) Q_{r_j}(r_i, \theta_i, \phi_i) + \sum_{i=1}^{l_0} w_{\alpha} Q_{\alpha}(r_i, \theta_i, \phi_i) Q_{\theta_j}(r_i, \theta_i, \phi_i) + \sum_{i=1}^{l_0} w_{\phi} Q_{\phi}(r_i, \theta_i, \phi_i) Q_{\theta_j}(r_i, \theta_i, \phi_i) + \sum_{i=1}^{l_F} w_{F_i} \{ Q_{r_l}(r_i, \theta_i, \phi_i) Q_{r_j}(r_i, \theta_i, \phi_i) + Q_{\alpha}(r_i, \theta_i, \phi_i) Q_{\theta_j}(r_i, \theta_i, \phi_i) + Q_{\phi}(r_i, \theta_i, \phi_i) Q_{\theta_j}(r_i, \theta_i, \phi_i) \} \quad (43)$$

and

$$\mathfrak{R}_j = \sum_{i=1}^{l_r} w_{r_i} b_{r_i} Q_{r_j}(r_i, \theta_i, \phi_i) + \sum_{i=1}^{l_0} w_{\alpha} b_{\alpha} Q_{\theta_j}(r_i, \theta_i, \phi_i) + \sum_{i=1}^{l_0} w_{\phi} b_{\phi} Q_{\theta_j}(r_i, \theta_i, \phi_i) + \sum_{i=1}^{l_F} w_{F_i} b_{F_i} Q_{F_j}(r_i, \theta_i, \phi_i) \quad (44)$$

This system of 168 equations can be written in matrix form as:

$$CQ = \mathfrak{R} \quad (45)$$

which has the inverse:

$$C = Q^{-1}\mathfrak{R} \quad (46)$$

This is not the solution to the problem, however, since the right-hand side of this equation also depends on the unknown coefficients C_i . That is, each element, \mathfrak{R}_i , of the vector \mathfrak{R} depends on $Q_F(r, \theta, \phi)$, which depends on the unknown coefficients C_i in a very nonlinear way.

In order to solve this system of equations, we must iterate. If ρ is the iteration index, then we can let:

$$C_i^{(\rho)} = C_i^{(\rho-1)} + \delta C_i \quad (47)$$

Then, in matrix form, we choose the following iteration scheme:

$$C^{(\rho)} \equiv Q^{-1} \mathfrak{R}^{(\rho-1)} \quad \rho = 1, 2, \dots, \rho_{\max} \quad (48)$$

The maximum number of iterations ρ_{\max} is determined by requiring that:


$$\sum_{i=1}^{168} \delta C_i \leq 1 \text{ nanotesla at } \rho = \rho_{\max} \quad (49)$$

This condition must be tested after each iteration until it is satisfied.

The rate of convergence of the algorithm depends strongly on the amount of noise (i.e., crustal influences, etc.) in the data. Aeromagnetic data have a great deal of crustal noise in them. Filtering the data to remove short wavelength (≤ 700 km) features from the data can improve the convergence rate by an order of magnitude. However, it has been shown that one-dimensional filters along the survey track leave short wavelength biases in the cross-track direction which adversely affect the final model. Consequently, no filtering (except for a very short wavelength (≤ 7 km) low-pass filter) was done on the aeromagnetic data. The number of iterations required for the model was $\rho_{\max} = 14$.

In order to implement the algorithm it is necessary to have an initial guess solution $C^{(0)}$ that is as close as possible to the actual solution. The a priori model coefficients used were the existing WC-85 model coefficients (Quinn, Kerridge, and Barraclough, 1986).

Notice that in this iteration scheme, the Q matrix, which has (168 x 168) elements (as does its inverse Q^{-1}), needs to be computed only once since it does not depend on the coefficients C_i . Note, too, that Q is a symmetric matrix so that only half of the elements in Q actually need to be computed.




SECTION 3. DISCUSSION

3.0 Modeling Results

An indication of the erratic nature of the geomagnetic field is provided by the wandering of the North and South Geomagnetic Poles. The pole movements since 1945 are illustrated in charts 5 and 6 which are based on the International Geomagnetic Reference Field (IGRF) models, WC-85 (revised) and WMM-90. The pole movements illustrate a poorly understood phenomena known as the geomagnetic jerk which occurred around 1970. The South Magnetic Pole movement in particular illustrates a sudden change in direction at about that time. These jerks occur only a few times per century and are thought to be due to a sudden release of magnetic energy built up from the electromagnetic coupling between the top of the fluid core and the lower mantle, both of which have substantial electrical conductivities. The numerical pole positions at one-year intervals for both poles are listed in table 10.


It should be noted that roughly 90 percent of the Earth's magnetic field is contained in the degree 1 spherical harmonic coefficients: g_1^0 , g_1^1 , and h_1^1 . These three coefficients characterize the Earth's magnetic dipole field and form the basis of the geomagnetic coordinate system, which for the 1990 epoch is illustrated in chart 7. The axis of the geomagnetic coordinate system pierces the Earth's surface at the Earth's magnetic dipoles, which are different from the dip poles. The location of the dipole poles is determined when the horizontal (H) component of the dipole field, computed from just the degree $n=1$ coefficients, is equal to zero. The dip poles on the other hand are determined when the horizontal (H) component of the field is computed using all 168 coefficients of the full-degree $n=12$ model is equal to zero. For the WMM-90 model at 1990.0, the North magnetic dipole pole position is located at +79.35 degrees latitude and -71.10 degrees longitude, while the South magnetic dipole pole position is located at -79.35 degrees latitude and +108.86 degrees longitude. The displacement vector for the eccentric dipole for 1990.0 in the usual Earth-fixed spherical coordinate system (i.e., Z-axis is the rotation axis, X-axis points to the prime meridian and the Y-axis is orthogonal to the other two, thereby creating a right-handed system) is 512 km radially outward from the Earth's center, with a colatitude 21.12 degrees and a longitude of 145.70 degrees.

A grid of main field and annual change values of the Earth's magnetic field derived from WMM-90 are tabulated in table 11 for seven basic magnetic field components (X, Y, Z, H, F, D, I). Contours of five of these components (Z, H, F, D, I) for the main field are illustrated in charts 8 through 12. Contours of the annual change of these five components are illustrated in charts 13 through 17. These charts were plotted on a corrected Mercator projection.



1945-1984 DGRF MODELS
 1985-1989 WC-85 (REVISED)
 1990-1995 WMM-90

CHART 5. NORTH MAGNETIC POLE MOVEMENT



1945-1984 DGRF MODELS
 1985-1989 WC-85 (REVISED)
 1990-1995 WMM-90

CHART 6. SOUTH MAGNETIC POLE MOVEMENT

TABLE 10. DIP POLE POSITIONS


	Year	North Pole		South Pole	
		Latitude (degrees)	Longitude (degrees)	Latitude (degrees)	Longitude (degrees)
1	1945.000	73.90	-100.20	-68.15	144.42
2	1946.000	74.05	-100.35	-68.10	144.25
3	1947.000	74.20	-100.45	-68.05	144.08
4	1948.000	74.35	-100.60	-68.00	143.91
5	1949.000	74.50	-100.75	-67.94	143.71
6	1950.000	74.65	-100.85	-67.89	143.53
7	1951.000	74.75	-100.95	-67.75	143.12
8	1952.000	74.85	-101.10	-67.62	142.72
9	1953.000	74.95	-101.20	-67.48	142.31
10	1954.000	75.05	-101.25	-67.34	141.90
11	1955.000	75.20	-101.45	-67.20	141.50
12	1956.000	75.20	-101.35	-67.10	141.24
13	1957.000	75.25	-101.30	-67.00	140.99
14	1958.000	75.25	-101.20	-66.91	140.75
15	1959.000	75.30	-101.15	-66.81	140.50
16	1960.000	75.30	-101.05	-66.70	140.21
17	1961.000	75.35	-101.10	-66.63	140.08
18	1962.000	75.45	-101.15	-66.55	139.93
19	1963.000	75.50	-101.25	-66.48	139.79
20	1964.000	75.55	-101.25	-66.41	139.67
21	1965.000	75.60	-101.35	-66.33	139.51
22	1966.000	75.65	-101.25	-66.27	139.48
23	1967.000	75.70	-101.20	-66.21	139.44
24	1968.000	75.75	-101.10	-66.15	139.41
25	1969.000	75.80	-101.05	-66.09	139.38
26	1970.000	75.90	-101.00	-66.03	139.40
27	1971.000	75.95	-100.90	-65.96	139.40
28	1972.000	76.00	-100.80	-65.90	139.43
29	1973.000	76.05	-100.70	-65.84	139.46
30	1974.000	76.10	-100.60	-65.77	139.46
31	1975.000	76.15	-100.65	-65.74	139.51
32	1976.000	76.30	-100.85	-65.69	139.51
33	1977.000	76.40	-101.05	-65.63	139.49
34	1978.000	76.55	-101.25	-65.58	139.49
35	1979.000	76.55	-101.45	-65.52	139.46
36	1980.000	76.90	-101.70	-65.52	139.46
37	1981.000	77.00	-101.90	-65.43	139.35
38	1982.000	77.10	-102.10	-65.37	139.33
39	1983.000	77.20	-102.30	-65.31	139.32
40	1984.000	77.30	-102.55	-65.26	139.33
41	1985.000	77.60	-102.60	-65.20	139.31
42	1986.000	77.75	-102.80	-65.07	139.06
43	1987.000	77.85	-103.00	-65.02	139.00
44	1988.000	78.00	-103.25	-64.96	138.93
45	1989.000	78.10	-103.40	-64.91	138.87
46	1990.000	78.25	-103.70	-64.86	138.81
47	1991.000	78.35	-103.85	-64.80	138.74
48	1992.000	78.50	-104.15	-64.75	138.69
49	1993.000	78.60	-104.35	-64.69	139.61
50	1994.000	78.70	-104.55	-64.64	138.56
51	1995.000	78.85	-104.80	-64.58	138.48
				-64.53	138.43

Contours of these same five main field magnetic components plus grid variation in the north polar region are given in charts 18 through 23, while contours of their secular variations are given in charts 24 through 29. Similarly, for the south polar region, the main field contours are given in charts 30 through 35, while the corresponding secular variations are given in charts 36 through 41. These polar charts were plotted on a polar stereographic projection. Both the Mercator and polar stereographic charts were generated with respect to the 1984 World Geodetic System (WGS-84) ellipsoid.

3.1 Final Comments

The Polar Orbiting Geomagnetic Survey (POGS) satellite was launched in April of 1990, too late to be used in the 1990 epoch model. WMM-90, having been derived from data sets independent of POGS, will be a useful tool for evaluating POGS data and vice versa. Initial quantitative comparisons between WMM-90 and the POGS data indicate excellent agreement between the two. The POGS data will be used to fabricate the 1995 epoch model. Furthermore, if the satellite remains operational for its maximum expected lifetime of three years, it will for the first time be possible to generate a secular variation model to the same degree and order as the main field (i.e., $N=M=12$).

Looking toward the end of this century and beyond, efforts have been made to secure data for modeling purposes via the Defense Meteorological Satellite Program (DMSP) platform. Efforts are underway to secure scalar data from a boom-mounted POGS-type magnetometer on the S-15 DMSP satellite. This data will support the Epoch 2000 WMM. Further out, efforts are being made to secure full vector magnetic capability from DMSP Block 6 satellites that will operate during the first quarter of the next century.



U. S. NAVAL OCEANOGRAPHIC OFFICE

CHART 7. GEOMAGNETIC COORDINATES

TABLE 11. WMM-90 MAIN FIELD AND ANNUAL CHANGE GRID VALUES

NORTH COMPONENT (X) WMM-90

LAT	0	5	10	15	20	25	30	35	40	45	50	55	L - LONG
90	1834 -6.5	1921 -7.6	2014 -8.5	2076 -10.2	2124 -11.3	2159 -12.5	2172 -13.2	2171 -14.0	2153 -14.7	2120 -15.3	2070 -15.8	2004 -16.1	90
85	4451 -12.1	4558 -13.5	4614 -15.1	4627 -16.9	4594 -18.1	4521 -19.2	4408 -20.4	4255 -21.6	4078 -22.8	3893 -24.0	3611 -24.5	3384 -24.7	85
80	6723 -13.6	6857 -15.8	6919 -17.9	6912 -19.4	6848 -21.6	6718 -23.8	6537 -25.9	6306 -28.1	6027 -30.3	5712 -32.5	5368 -34.7	5003 -36.9	80
75	8799 -11.8	8934 -14.2	8999 -16.4	8998 -18.8	8929 -21.9	8793 -25.2	8600 -28.4	8351 -31.6	8051 -34.8	7708 -38.0	7329 -41.2	6924 -43.6	75
70	10798 -7.8	10818 -10.1	10809 -12.3	10788 -14.2	10721 -16.2	10608 -18.0	10459 -19.7	10274 -21.4	10057 -23.1	9808 -24.8	9508 -26.5	9158 -28.2	70
65	12840 -3.1	12940 -6.3	12984 -9.0	12978 -11.2	12928 -13.0	12838 -14.5	12710 -15.2	12548 -15.9	12351 -16.3	12122 -16.7	11862 -17.0	11576 -17.5	65
60	15098 -1.9	15098 -4.2	15112 -6.5	15089 -8.9	15038 -11.0	14963 -12.8	14874 -14.2	14768 -15.4	14647 -16.2	14510 -16.7	14357 -17.0	14198 -17.5	60
55	17413 5.4	17439 1.1	17422 -2.8	17378 -6.0	17319 -8.4	17253 -10.6	17188 -12.7	17126 -14.7	17070 -16.2	17018 -17.4	16972 -18.4	16929 -19.6	55
50	19953 9.7	19958 4.5	19923 -2.3	19865 -4.1	19801 -7.1	19742 -9.2	19693 -10.6	19666 -12.0	19652 -13.4	19666 -14.6	19708 -16.0	19777 -17.6	50
45	22809 12.3	22808 6.8	22809 1.1	22832 -2.2	22889 -5.2	22936 -7.6	22988 -9.8	23046 -11.9	23111 -13.8	23182 -15.4	23270 -16.8	23378 -18.0	45
40	25277 19.3	25321 13.1	25327 7.2	25317 1.7	25306 -4.2	25299 -8.3	25285 -12.3	25294 -16.0	25328 -19.2	25408 -22.0	25549 -24.2	25757 -26.2	40
35	27872 25.9	27978 17.7	28049 12.0	28103 6.9	28149 2.8	28189 -1.3	28222 -5.3	28252 -9.9	28299 -14.8	28385 -19.4	28519 -23.8	28780 -28.0	35
30	30823 32.7	30912 24.2	30962 16.5	30976 9.6	30929 3.8	30833 -1.3	31014 -6.8	31074 -11.7	31138 -16.6	31228 -21.2	31389 -25.3	31664 -29.0	30
25	32102 37.7	32391 28.0	32645 18.6	32875 14.7	33081 11.1	33253 7.8	33385 4.5	33483 1.1	33570 -2.4	33682 -6.0	33859 -9.6	34120 -13.0	25
20	33245 25.2	33639 21.5	33996 16.0	34321 14.7	34608 11.3	34946 7.8	35032 4.0	35177 0.0	35307 -4.3	35461 -8.6	35678 -12.7	35986 -16.2	20
15	33407 19.4	33901 16.6	34369 13.8	34776 10.8	35132 7.4	35437 3.7	35678 0.0	35861 -3.6	36076 -7.9	36302 -12.0	36559 -16.1	36873 -19.2	15
10	33447 10.6	33921 8.6	34566 6.1	34950 3.1	34484 -0.4	34840 -6.3	35189 -8.3	35484 -12.0	35695 -15.1	36026 -17.1	36428 -18.0	36914 -17.7	10
5	30994 -7.7	31906 -4.5	32338 -1.9	32338 -7.5	32608 -10.7	33009 -14.2	33368 -17.8	33723 -21.4	34119 -24.8	34578 -28.0	35123 -31.2	35748 -34.8	5
0	27469 -13.9	28049 -14.7	28627 -16.4	29164 -18.1	29641 -21.1	30271 -24.0	30987 -26.6	31894 -28.5	32893 -31.3	33983 -34.0	35271 -36.5	36758 -39.0	0

nT
(units: nT)

NORTH COMPONENT (X) WMM-90

L. LONG LAT	60	65	70	75	80	85	90	95	100	105	110	115	L. LONG LAT
90	1923 -16.3	1927 -16.5	1716 -16.4	1595 -16.5	1460 -16.0	1316 -15.6	1159 -15.1	994 -14.5	821 -13.7	643 -12.9	459 -12.0	273 -10.9	90
85	3128 -20.2	2868 -20.2	2611 -19.6	2362 -19.6	2128 -18.2	1913 -17.3	1721 -16.4	1558 -15.8	1418 -14.8	1310 -13.8	1236 -12.6	1181 -11.7	85
80	4628 -23.8	4252 -23.4	3897 -22.8	3547 -22.1	3211 -21.4	2890 -20.5	2599 -19.6	2374 -18.7	2178 -17.8	2030 -16.8	1851 -16.1	1654 -15.2	80
75	6501 -24.6	6076 -24.6	5661 -24.5	5270 -24.3	4918 -24.0	4619 -23.6	4386 -23.2	4231 -22.7	4160 -22.1	4180 -21.5	4291 -20.9	4489 -20.4	75
70	8538 -25.8	8335 -25.0	7939 -24.3	7558 -24.0	7216 -23.6	6928 -23.2	6712 -22.8	6583 -22.3	6547 -21.7	6519 -21.4	6599 -20.8	6785 -20.4	70
65	11270 -28.1	10951 -28.0	10638 -27.8	10326 -27.6	10018 -27.4	9817 -27.2	9649 -27.0	9502 -26.8	9379 -26.5	9280 -26.4	9209 -26.3	9156 -26.2	65
60	14009 -30.6	13829 -30.4	13628 -30.2	13443 -30.0	13278 -29.8	13130 -29.6	13003 -29.4	12892 -29.2	12800 -29.0	12728 -28.8	12673 -28.7	12635 -28.6	60
55	16889 -32.8	16859 -32.7	16818 -32.6	16778 -32.5	16738 -32.4	16701 -32.3	16668 -32.2	16638 -32.1	16612 -32.0	16590 -31.9	16571 -31.8	16555 -31.7	55
50	19670 -35.5	19981 -35.0	20301 -34.2	20625 -33.2	20957 -32.0	21292 -30.2	21629 -28.9	21967 -27.1	22308 -25.2	22652 -23.5	22999 -21.8	23349 -20.1	50
45	22932 -38.2	23173 -37.3	23418 -36.3	23668 -35.2	23926 -34.0	24192 -32.8	24467 -31.6	24750 -30.4	25042 -29.2	25343 -28.0	25653 -26.8	25972 -25.6	45
40	25919 -41.0	26378 -40.1	26859 -39.0	27362 -37.8	27886 -36.6	28431 -35.4	29000 -34.2	29593 -33.0	30211 -31.8	30854 -30.6	31522 -29.4	32215 -28.2	40
35	31999 -44.6	32440 -43.5	32939 -42.2	33459 -40.9	33966 -39.6	34418 -38.3	34785 -37.0	35038 -35.7	35158 -34.4	35143 -33.1	35004 -31.8	34762 -30.5	35
30	34504 -46.1	34967 -44.9	35489 -43.6	36036 -42.3	36561 -40.9	37030 -39.6	37401 -38.3	37660 -37.0	37730 -35.7	37660 -34.4	37445 -33.1	37105 -31.8	30
25	36392 -48.5	36881 -47.3	37425 -46.0	37985 -44.7	38523 -43.4	38994 -42.1	39359 -40.8	39582 -39.5	39642 -38.2	39532 -36.9	39267 -35.6	38865 -34.3	25
20	37439 -49.6	37976 -48.4	38557 -47.1	39145 -45.8	39699 -44.5	40179 -43.2	40544 -41.9	40760 -40.6	40810 -39.3	40689 -38.0	40410 -36.7	39993 -35.4	20
15	37476 -49.6	38095 -48.4	38742 -47.1	39382 -45.8	39978 -44.5	40489 -43.2	40879 -41.9	41119 -40.6	41193 -39.3	41101 -38.0	40859 -36.7	40474 -35.4	15
10	36438 -49.6	37169 -48.4	37912 -47.1	38636 -45.8	39305 -44.5	39888 -43.2	40337 -41.9	40643 -40.6	40790 -39.3	40728 -38.0	40518 -36.7	40224 -35.4	10
5	34301 -48.5	35252 -47.3	36218 -46.0	37199 -44.7	38198 -43.4	39198 -42.1	39896 -40.8	40298 -39.5	40503 -38.2	40523 -36.9	40383 -35.6	40164 -34.3	5
0	34301 -48.5	35252 -47.3	36218 -46.0	37199 -44.7	38198 -43.4	39198 -42.1	39896 -40.8	40298 -39.5	40503 -38.2	40523 -36.9	40383 -35.6	40164 -34.3	0

NORTH COMPONENT (X) WMM-90

E. LONG LAT	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG LAT
90	86 -9.8	-106 -8.6	-295 -7.4	-481 -6.1	-664 -4.7	-843 -3.3	-1014 -1.9	-1177 -0.5	-1332 1.0	-1477 2.4	-1610 3.8	-1731 5.2	90
85	1155 -10.9	1152 -10.0	1169 -9.3	1194 -8.5	1228 -7.8	1263 -7.1	1298 -6.6	1321 -6.2	1331 -6.1	1321 -6.2	1298 -6.0	1233 -5.3	85
80	1670 -14.8	1653 -14.5	1679 -13.9	1716 -13.6	1763 -13.3	1818 -13.0	1873 -12.7	1928 -12.5	1983 -12.2	2038 -12.0	2093 -11.7	2148 -11.5	80
75	4767 -20.0	5113 -19.7	5511 -19.6	5942 -19.5	6385 -19.6	6819 -19.9	7223 -20.2	7576 -20.6	7860 -21.0	8061 -21.3	8168 -21.4	8172 -21.3	75
70	7468 -24.9	7933 -24.8	8459 -24.7	9023 -24.6	9598 -24.6	10155 -24.7	10667 -24.9	11110 -25.1	11462 -25.2	11705 -25.3	11827 -25.3	11821 -25.1	70
65	10681 -28.0	11204 -27.9	11791 -27.8	12411 -27.5	13039 -27.1	13639 -26.6	14181 -26.1	14640 -25.5	14993 -24.9	15223 -24.3	15324 -23.6	15285 -23.9	65
60	14243 -28.4	14757 -28.5	15328 -28.2	15923 -27.5	16517 -26.6	17072 -25.3	17560 -23.8	17956 -22.1	18263 -20.3	18407 -18.6	18443 -16.9	18350 -15.5	60
55	17968 -26.4	18409 -26.5	18891 -26.0	19387 -24.9	19862 -23.4	20293 -21.3	20658 -18.5	20912 -16.2	21073 -13.5	21112 -11.3	21058 -9.2	20881 -8.6	55
50	21691 -22.7	22006 -22.5	22340 -21.8	22671 -20.4	22971 -18.3	23244 -16.1	23381 -13.3	23457 -10.1	23439 -6.9	23323 -3.2	23121 -0.7	22847 3.0	50
45	25288 -18.2	25436 -17.5	25591 -16.3	25704 -14.7	25783 -12.8	25799 -10.3	25739 -8.4	25595 -5.7	25369 -2.8	25070 0.3	24712 3.6	24315 6.6	45
40	28968 -14.8	29229 -14.5	29569 -13.9	29852 -12.6	29972 -10.2	29964 -7.6	29761 -4.9	29410 -2.2	28951 0.5	28463 3.8	27910 7.6	27317 11.6	40
35	31741 -9.5	31513 -8.6	31239 -7.1	30901 -5.2	30502 -3.0	30034 -0.5	29507 2.2	28910 5.0	28278 7.8	27619 10.7	26953 13.6	26319 16.6	35
30	34435 -5.1	34036 -4.2	33568 -2.9	33029 1.5	32419 3.3	31743 5.2	31011 7.1	30248 9.0	29451 11.0	28658 13.0	27808 15.0	27171 16.7	30
25	36661 -1.3	36128 0.2	35511 1.5	34813 3.0	34042 4.5	33211 6.0	32316 7.5	31446 9.0	30556 10.5	29687 12.0	28865 13.5	28139 15.0	25
20	38348 1.8	37832 3.3	37220 4.8	36539 6.3	35808 7.8	34958 9.3	34018 10.8	32978 12.3	31858 13.8	30701 15.3	29568 16.8	28642 18.3	20
15	39656 10.2	38814 13.1	37890 14.9	36926 15.2	35962 13.6	35082 10.2	34162 6.8	33255 3.5	32283 0.1	31262 -3.4	30213 -6.8	29155 -10.2	15
10	39973 14.5	39368 15.2	38675 15.3	37811 14.8	37101 13.3	36271 11.3	35444 8.1	34642 4.0	33879 -1.0	33169 -6.2	32527 -11.2	31963 -15.3	10
5	39912 16.9	39398 14.9	38803 12.9	38150 11.2	37464 10.6	36771 10.1	36091 9.7	35440 9.0	34826 7.5	34250 6.0	33745 4.8	33288 3.2	5
0	39284 16.5	38905 11.9	38450 8.1	37947 5.7	37421 3.1	36896 0.2	36386 -8.5	35907 -11.1	35450 -13.3	35033 -14.0	34650 -12.9	34297 -10.7	0
E. LONG LAT	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG LAT

NORTH COMPONENT (X) WMM-90

LAT	180	185	190	195	200	205	210	215	220	225	230	235	L - LONG
90	-1839	-1953	-2013	-2073	-2123	-2153	-2173	-2170	-2153	-2129	-2078	-2004	90
85	1153	1047	915	761	589	400	203	57	-197	-387	-562	-715	85
80	4496	4349	4136	3863	3537	3166	2763	2338	1906	1478	1069	691	80
75	8071	7865	7560	7167	6686	6139	5543	4914	4270	3630	3013	2434	75
70	11685	11420	11034	10537	9943	9269	8534	7758	6962	6168	5397	4670	70
65	15109	14900	14365	13816	13168	12438	11643	10805	9944	9080	8235	7428	65
60	18132	17796	17349	16807	16169	15463	14699	13893	13061	12222	11390	10583	60
55	20613	20258	19825	19323	18762	18148	17491	16801	16085	15355	14619	13888	55
50	22314	22135	21724	21288	20830	20353	19854	19335	18795	18235	17657	17064	50
45	23899	23889	23401	22921	22479	22088	21673	21201	20780	20408	20098	19768	45
40	24913	24858	24408	23959	23517	23080	22667	22279	21919	21589	21282	20992	40
35	25734	25242	24862	24508	24163	23829	23507	23208	22928	22668	22429	22206	35
30	26542	26034	25669	25442	25247	25083	24941	24820	24720	24643	24582	24536	30
25	27402	26883	26539	26342	26181	26047	25939	25856	25798	25764	25743	25734	25
20	28319	27800	27557	27469	27398	27342	27300	27270	27250	27240	27239	27238	20
15	29007	28580	28276	28085	27990	27913	27855	27815	27793	27781	27776	27772	15
10	31497	31101	30801	30577	30417	30312	30255	30244	30242	30247	30259	30278	10
5	32886	32534	32329	32183	32110	32100	32104	32116	32133	32157	32190	32233	5
0	33964	33642	33523	33400	33278	33237	33207	33187	33170	33157	33149	33144	0

NORTH COMPONENT (X) WMM-90

E. LONG	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG
LAT													LAT
90	-1923	-1827	-1718	-1593	-1468	-1334	-1158	-994	-823	-643	-459	-273	90
85	-841	-934	-989	-1004	-975	-900	-780	-616	-408	-163	123	437	85
80	356	1306	1406	1504	1509	1603	1605	1604	1601	1505	1406	1305	80
75	1002	1205	1405	1604	1800	1905	2002	2007	2009	2006	2004	1808	75
70	1911	1461	1004	821	652	593	547	500	469	440	428	424	70
65	4004	3417	2929	2549	2289	2159	2053	2009	2000	2000	2000	2000	65
60	6678	6004	5424	4954	4610	4404	4342	4429	4558	4723	4906	5083	60
55	9818	9109	8480	7898	7533	7288	7118	7149	7213	7361	7609	7858	55
50	13175	12494	11863	11304	10841	10496	10290	10236	10340	10598	10997	11514	50
45	16468	15863	15303	14739	14262	13877	13481	13481	13503	13679	14000	14442	45
40	19640	18969	18428	17998	17563	17124	16849	16858	16550	16204	15808	15478	40
35	21991	21667	21303	20914	20528	20148	19828	19588	19454	19447	19379	19332	35
30	24128	23954	23723	23439	23118	22782	22460	22183	21983	21884	21809	21807	30
25	25934	25891	25776	25587	25331	25028	24704	24393	24128	23942	23863	23912	25
20	27492	27542	27510	27386	27173	26884	26549	26199	25872	25603	25426	25369	20
15	28825	28923	28923	28835	28638	28345	27987	27596	27212	26909	26650	26450	15
10	29890	29982	29991	29897	29695	29393	29014	28590	28158	27755	27417	27177	10
5	30614	30660	30640	30532	30325	30021	29614	29192	28729	28281	27883	27567	5
0	30949	30821	30853	30730	30508	30184	29860	29529	29204	28869	28548	28228	0
	30905	30790	30821	30697	30475	30151	29826	29504	29179	28854	28533	28213	
	30804	30689	30720	30596	30374	30050	29725	29402	29077	28754	28432	28111	
E. LONG	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG

NORTH COMPONENT (X) WMM-90

L. LONG	300	305	310	315	320	325	330	335	340	345	350	355	L. LONG
LAT													LAT
90	-84 9.28	106 8.6	595 7.4	481 6.1	664 4.7	843 3.3	1016 1.9	1177 .5	1332 -1.0	1477 -2.2	1610 -3.8	1731 -5.2	90
85	122 2.21	1133 10.33	1828 16.1	1983 18.5	2559 23.0	2928 26.8	3273 30.3	3508 32.8	3698 34.8	3878 36.8	4102 39.2	4302 41.2	85
80	1994 17.6	3193 28.9	3718 33.8	3340 30.8	3268 29.8	4279 39.1	4363 40.1	5215 48.5	5628 52.8	5889 55.4	6293 59.5	6548 60.5	80
75	2910 25.9	3514 31.2	4140 37.1	4775 43.5	5400 50.0	6004 56.4	6573 62.1	7096 67.4	7566 72.1	7975 75.5	8319 78.9	8594 82.3	75
70	4578 42.6	5248 48.3	5941 55.1	6636 62.0	7314 68.8	7960 75.6	8559 82.5	9102 88.3	9591 93.1	9991 97.0	10329 100.9	10595 104.8	70
65	6735 64.1	7433 70.8	8152 77.5	8966 85.2	9556 91.9	10202 98.6	10792 105.3	11315 112.0	11767 118.8	12145 125.5	12447 132.2	12678 138.9	65
60	9302 89.8	9995 96.5	10708 103.2	11491 110.9	12079 117.6	12898 126.3	13254 133.0	13737 139.7	14248 146.4	14679 153.1	14939 159.8	14918 166.5	60
55	12120 117.8	12779 124.5	13460 131.2	14132 137.9	14768 144.6	15357 151.3	15869 158.0	16315 164.7	16684 171.4	16976 178.1	17191 184.8	17333 191.5	55
50	14993 146.6	15602 153.3	16243 159.9	16876 166.6	17481 173.3	18035 180.0	18527 186.7	18950 193.4	19300 200.1	19573 206.8	19771 213.5	19895 220.2	50
45	17240 169.2	18290 175.9	18887 182.6	19489 189.3	20075 196.0	20622 202.7	21116 209.4	21546 216.1	21908 222.8	22195 229.5	22404 236.2	22537 242.9	45
40	20223 198.9	20708 205.6	21252 212.3	21758 219.0	22411 225.7	23023 232.4	23583 239.1	24088 245.8	24518 252.5	24852 259.2	25095 265.9	25248 272.6	40
35	22356 220.2	22765 227.3	23272 234.4	23848 241.5	24463 248.6	25084 255.7	25685 262.8	26241 269.9	26733 277.0	27146 284.1	27471 291.2	27709 298.3	35
30	24410 240.7	24428 241.4	24887 247.1	25454 253.8	26101 260.5	26788 267.2	27478 273.9	28134 280.6	28727 287.3	29236 294.0	29651 300.7	29976 307.4	30
25	25453 251.4	25694 253.9	26093 259.6	26639 265.3	27202 271.0	27849 277.7	28486 284.4	29151 291.1	29736 297.8	30237 304.5	30643 311.2	30960 317.9	25
20	26432 261.0	26581 263.5	26902 266.0	27392 271.7	28039 278.4	28702 285.1	29355 291.8	29951 297.5	30489 303.2	30951 308.9	31343 314.6	31668 320.3	20
15	27068 267.6	27119 268.7	27328 270.8	27715 274.5	28255 279.9	28808 285.4	29355 290.9	29851 295.4	30283 300.0	30643 303.6	30921 306.2	31128 308.8	15
10	27342 270.2	27290 269.5	27368 270.2	27593 272.7	27951 276.3	28418 281.0	28955 286.7	29529 292.4	30113 298.1	30696 303.8	31278 309.5	31860 315.2	10
5	27348 270.2	27113 268.7	27023 268.0	27023 268.0	27130 269.1	27328 271.1	27594 273.7	27922 276.9	28308 280.4	28745 284.9	29245 289.9	29798 295.4	5
0	28929 285.9	26570 261.4	26270 258.4	26229 258.0	26248 258.1	26330 258.9	26484 260.4	26709 262.9	26998 265.8	27353 269.3	27778 273.8	28268 278.8	0
LAT													LAT
L. LONG	300	305	310	315	320	325	330	335	340	345	350	355	L. LONG

NORTH COMPONENT (X) WMM-90

LAT	0	5	10	15	20	25	30	35	40	45	50	55	L. LONG
0	27568	29049	29827	29196	28925	29079	29327	29384	29353	29063	29379	29557	0
-5	25825	25809	25808	25826	25807	25827	25808	25825	25805	25815	25818	25809	-5
-10	20479	20767	21027	21336	21806	22218	22729	23348	24124	25028	26076	27108	-10
-15	17199	17265	17393	17584	17858	18329	18778	19481	20339	21345	22448	23590	-15
-20	14441	14298	14249	14303	14496	14857	15409	16153	17068	18110	19225	20362	-20
-25	12343	12056	11898	11868	12025	12382	12946	13698	14600	15598	16636	17670	-25
-30	10858	10615	10418	10398	10558	10929	11461	12151	12929	13800	14772	15613	-30
-35	9285	9071	8818	8737	8661	8661	8668	8668	8668	8668	8668	8668	-35
-40	8016	7807	7528	7384	7282	7223	7209	7209	7209	7209	7209	7209	-40
-45	6993	6816	6576	6389	6253	6163	6113	6113	6113	6113	6113	6113	-45
-50	6208	6059	5831	5624	5437	5271	5131	5023	4931	4852	4788	4738	-50
-55	5753	5624	5418	5234	5070	4929	4809	4707	4620	4546	4482	4428	-55
-60	5191	5080	4884	4706	4547	4408	4289	4187	4095	4012	3948	3894	-60
-65	4612	4516	4331	4161	4007	3868	3744	3634	3536	3448	3378	3320	-65
-70	4004	3919	3744	3584	3437	3304	3184	3076	2978	2890	2820	2768	-70
-75	3475	3396	3231	3081	2944	2820	2709	2609	2518	2436	2372	2320	-75
-80	2998	2921	2761	2616	2484	2364	2256	2159	2072	1994	1934	1882	-80
-85	2525	2451	2296	2151	2021	1904	1798	1702	1615	1536	1474	1420	-85
-90	1440	1373	1218	1073	948	834	731	638	556	484	422	370	-90

NORTH COMPONENT (X) WMM-90

E. LONG LAT	60	65	70	75	80	85	90	95	100	105	110	115	E. LONG LAT
0	34391 14.6	35252 14.0	36112 14.6	36941 17.3	37710 17.7	38388 17.9	38946 18.0	39765 18.2	39634 18.3	39751 18.5	39724 18.5	39564 18.2	0
-5	31540 12.5	32529 12.6	33503 12.5	34439 12.4	35316 12.9	36108 12.8	36795 12.5	37357 12.4	37783 12.1	38068 12.2	38210 12.3	38216 12.1	-5
-10	28303 9.0	29287 9.6	30349 9.9	31390 9.7	32328 9.8	33271 9.7	34029 9.5	34757 9.2	35321 9.1	35729 9.2	36118 9.4	36305 9.5	-10
-15	24718 10.8	25864 10.6	26957 10.2	27999 9.9	28999 9.7	29949 9.5	30839 9.2	31659 8.8	32392 8.8	33019 8.8	33514 8.8	33874 8.8	-15
-20	21484 12.2	22570 12.1	23613 12.4	24617 12.0	25585 12.2	26523 12.3	27431 12.1	28203 11.8	29121 12.4	29860 12.1	30493 12.4	30999 12.5	-20
-25	18672 13.8	19631 13.4	20547 13.0	21430 12.6	22280 12.3	23147 12.1	23992 11.9	24849 11.8	25674 12.0	26464 12.4	27178 12.6	27866 12.8	-25
-30	16509 14.9	17358 14.8	18171 14.9	18950 14.5	19695 14.2	20406 13.9	21082 13.6	21722 13.2	22328 12.8	22902 12.6	23493 12.5	24048 12.3	-30
-35	14671 15.1	15351 15.0	16004 14.9	16650 14.5	17277 14.2	17885 13.9	18472 13.6	19039 13.2	19575 12.9	20078 12.6	20555 12.5	20984 12.3	-35
-40	13361 15.3	13939 15.2	14509 14.9	15071 14.6	15628 14.2	16181 13.9	16729 13.6	17272 13.2	17800 12.9	18313 12.6	18811 12.6	19284 12.7	-40
-45	12343 15.3	12811 15.1	13271 14.8	13724 14.5	14171 14.2	14611 13.9	15045 13.6	15474 13.2	15898 12.9	16317 12.6	16731 12.6	17156 12.7	-45
-50	11338 15.3	11808 15.2	12271 14.9	12727 14.6	13177 14.2	13621 13.9	14059 13.6	14492 13.2	14920 12.9	15343 12.6	15761 12.6	16174 12.7	-50
-55	10743 15.3	11213 15.2	11677 14.9	12134 14.6	12584 14.2	13028 13.9	13466 13.6	13899 13.2	14327 12.9	14750 12.6	15168 12.6	15581 12.7	-55
-60	9979 15.1	10311 15.0	10641 14.8	10967 14.5	11289 14.2	11606 13.9	11918 13.6	12225 13.2	12527 12.9	12824 12.6	13116 12.6	13403 12.7	-60
-65	9149 14.7	9481 14.5	9810 14.3	10137 14.0	10461 13.7	10781 13.4	11097 13.1	11409 12.8	11716 12.5	12019 12.2	12317 12.2	12610 12.3	-65
-70	8258 14.8	8585 14.6	8909 14.4	9230 14.1	9547 13.8	9860 13.5	10169 13.2	10474 12.9	10775 12.6	11071 12.3	11363 12.3	11650 12.4	-70
-75	6915 14.9	7242 14.7	7566 14.5	7887 14.2	8204 13.9	8517 13.6	8826 13.3	9131 13.0	9432 12.7	9729 12.4	10022 12.4	10311 12.5	-75
-80	5509 15.0	5849 14.8	6184 14.6	6514 14.3	6840 14.0	7162 13.7	7480 13.4	7794 13.1	8104 12.8	8409 12.5	8709 12.5	9004 12.6	-80
-85	4261 14.1	4611 13.9	4956 13.7	5296 13.4	5631 13.1	5961 12.8	6286 12.5	6606 12.2	6921 11.9	7231 11.6	7536 11.6	7836 11.7	-85
-90	3155 13.1	3515 12.9	3870 12.7	4220 12.4	4565 12.1	4905 11.8	5240 11.5	5570 11.2	5895 10.9	6215 10.6	6530 10.6	6840 10.7	-90

NORTH COMPONENT (X) WMM-90

L. LONG	120	125	130	135	140	145	150	155	160	165	170	175	L. LONG
LAT													LAT
0	39294 16.5	34905 11.8	38450 11.8	37947 11.4	37421 11.1	36896 10.7	36380 10.3	35902 9.9	35459 9.5	35033 9.1	34650 8.7	34297 8.3	0
-5	39099 13.2	37980 11.8	37588 11.8	37251 11.4	36906 11.0	36592 10.6	36306 10.2	36041 9.8	35806 9.4	35592 9.0	35402 8.6	35238 8.2	-5
-10	38362 10.4	37111 10.1	36791 10.1	36501 9.7	36241 9.3	36011 8.9	35811 8.5	35641 8.1	35501 7.7	35381 7.3	35281 6.9	35201 6.5	-10
-15	38101 10.4	36814 10.1	36541 10.1	36311 9.7	36111 9.3	35941 8.9	35811 8.5	35711 8.1	35631 7.7	35571 7.3	35531 6.9	35501 6.5	-15
-20	38374 10.4	37122 10.1	36811 10.1	36541 9.7	36311 9.3	36111 8.9	35941 8.5	35811 8.1	35711 7.7	35631 7.3	35571 6.9	35531 6.5	-20
-25	38273 10.4	36942 10.1	36611 10.1	36341 9.7	36111 9.3	35941 8.9	35811 8.5	35711 8.1	35631 7.7	35571 7.3	35531 6.9	35501 6.5	-25
-30	38053 10.4	36752 10.1	36411 10.1	36141 9.7	35911 9.3	35741 8.9	35611 8.5	35511 8.1	35431 7.7	35371 7.3	35331 6.9	35301 6.5	-30
-35	38363 11.1	37159 10.8	36822 10.8	36552 10.4	36322 10.0	36152 9.6	36022 9.2	35922 8.8	35842 8.4	35782 8.0	35742 7.6	35712 7.2	-35
-40	38709 11.1	38215 10.8	37865 10.8	37515 10.4	37285 10.0	37055 9.6	36925 9.2	36825 8.8	36745 8.4	36685 8.0	36645 7.6	36615 7.2	-40
-45	38973 11.1	38451 10.8	38081 10.8	37731 10.4	37501 10.0	37271 9.6	37141 9.2	37041 8.8	36961 8.4	36901 8.0	36861 7.6	36831 7.2	-45
-50	39177 11.1	38691 10.8	38321 10.8	37971 10.4	37741 10.0	37511 9.6	37381 9.2	37281 8.8	37201 8.4	37141 8.0	37101 7.6	37071 7.2	-50
-55	39374 11.1	38925 10.8	38555 10.8	38205 10.4	37975 10.0	37745 9.6	37615 9.2	37515 8.8	37435 8.4	37375 8.0	37335 7.6	37305 7.2	-55
-60	39558 11.1	39129 10.8	38759 10.8	38409 10.4	38179 10.0	37949 9.6	37819 9.2	37719 8.8	37639 8.4	37579 8.0	37539 7.6	37509 7.2	-60
-65	39851 11.1	39426 10.8	39056 10.8	38706 10.4	38476 10.0	38246 9.6	38116 9.2	38016 8.8	37936 8.4	37876 8.0	37836 7.6	37806 7.2	-65
-70	40038 11.1	39613 10.8	39243 10.8	38893 10.4	38663 10.0	38433 9.6	38303 9.2	38203 8.8	38123 8.4	38063 8.0	38023 7.6	38003 7.2	-70
-75	40253 11.1	39828 10.8	39458 10.8	39108 10.4	38878 10.0	38648 9.6	38518 9.2	38418 8.8	38338 8.4	38278 8.0	38238 7.6	38208 7.2	-75
-80	40494 11.1	40069 10.8	39699 10.8	39349 10.4	39119 10.0	38889 9.6	38759 9.2	38659 8.8	38579 8.4	38519 8.0	38479 7.6	38449 7.2	-80
-85	40758 11.1	40333 10.8	39963 10.8	39613 10.4	39383 10.0	39153 9.6	39023 9.2	38923 8.8	38843 8.4	38783 8.0	38743 7.6	38713 7.2	-85
-90	41029 11.1	40604 10.8	40234 10.8	39884 10.4	39654 10.0	39424 9.6	39294 9.2	39194 8.8	39114 8.4	39054 8.0	39014 7.6	38984 7.2	-90
LAT													LAT
L. LONG	120	125	130	135	140	145	150	155	160	165	170	175	L. LONG

NORTH COMPONENT (X) WMM-90

L. LONG LAT	180	185	190	195	200	205	210	215	220	225	230	235	L. LONG LAT
0	31964 -4.7	3362 -14.2	3322 -18.5	3300 -24.1	3279 -30.3	3237 -35.2	3204 -40.0	3180 -44.2	3157 -48.3	3136 -52.2	3114 -56.3	3103 -60.7	0
-5	34509 -10.5	34310 -6.6	3387 -6.8	3351 -11.1	3319 -15.4	3272 -19.3	3228 -23.5	3203 -27.2	3181 -30.8	3161 -34.2	3142 -37.7	3128 -41.2	-5
-10	34350 -5.0	34102 -1.2	3378 -6.8	3345 -11.3	3305 -15.6	3264 -19.8	3222 -23.7	3199 -27.4	3178 -30.9	3159 -34.2	3142 -37.7	3130 -41.2	-10
-15	31480 -2.0	33294 -7.4	3303 -11.1	3273 -15.2	3237 -19.1	3198 -22.9	3159 -26.5	3139 -30.0	3120 -33.4	3103 -36.7	3088 -40.0	3079 -43.2	-15
-20	31963 -7.9	31860 -12.5	3169 -18.0	3146 -22.5	3119 -26.8	3087 -30.7	3055 -34.2	3023 -37.4	2989 -40.5	2955 -43.5	2917 -46.0	2879 -48.0	-20
-25	29935 -17.9	29935 -19.3	29874 -22.2	29763 -24.2	29605 -26.5	29416 -28.2	29208 -29.7	29005 -30.9	28809 -32.4	28623 -33.8	28449 -35.2	28286 -36.6	-25
-30	27552 -24.4	27697 -23.6	2737 -23.7	2712 -25.1	2672 -26.4	2627 -27.6	2579 -28.5	2528 -29.4	2474 -30.2	2417 -30.9	2357 -31.5	2294 -32.1	-30
-35	26948 -8.7	25182 -20.3	2538 -25.3	2554 -29.1	2569 -32.2	2574 -34.8	2570 -37.0	2558 -38.9	2538 -40.8	2511 -42.4	2477 -43.8	2436 -45.0	-35
-40	23305 -33.0	23553 -25.3	22825 -28.2	2212 -31.2	2141 -33.8	2070 -36.0	2000 -37.8	1931 -39.3	1864 -40.9	1800 -42.6	1738 -44.0	1679 -45.1	-40
-45	19143 -51.1	19295 -29.5	1825 -32.6	1761 -35.1	1697 -37.2	1634 -38.9	1572 -40.2	1511 -41.7	1451 -42.6	1392 -43.2	1334 -43.7	1278 -44.0	-45
-50	16218 -61.1	16861 -60.6	1737 -62.1	1786 -63.1	1831 -63.8	1872 -64.2	1909 -64.5	1942 -64.7	1971 -64.8	1996 -64.8	2018 -64.7	2036 -64.5	-50
-55	13026 -71.5	13651 -74.1	1427 -75.6	1488 -76.6	1548 -77.2	1606 -77.6	1661 -77.8	1713 -77.9	1761 -77.9	1805 -77.8	1845 -77.6	1881 -77.3	-55
-60	9376 -81.8	10078 -80.8	10718 -80.2	11376 -79.6	11983 -78.9	12560 -78.0	13113 -77.0	13649 -75.9	14178 -74.5	14700 -72.9	15225 -71.2	15752 -69.4	-60
-65	5327 -91.1	6077 -87.1	6814 -83.6	7537 -80.7	8235 -78.5	8908 -76.9	9556 -75.1	10178 -73.2	10783 -71.1	11371 -68.8	11943 -66.2	12497 -63.7	-65
-70	-962 -97.8	-1759 -92.9	-2548 -87.8	-3326 -83.5	-4093 -79.9	-4848 -77.0	-5591 -74.8	-6322 -72.3	-7041 -70.5	-7748 -68.4	-8443 -66.0	-9125 -63.4	-70
-75	-3504 -95.4	-3698 -90.8	-3851 -86.8	-3972 -83.5	-4061 -80.8	-4118 -78.6	-4152 -76.8	-4173 -75.3	-4181 -74.0	-4176 -72.8	-4158 -71.6	-4127 -70.3	-75
-80	-7763 -96.7	-6267 -92.8	-5102 -89.0	-4273 -86.2	-3683 -83.5	-3230 -80.8	-2904 -78.1	-2605 -75.4	-2332 -72.6	-2084 -70.0	-1861 -67.4	-1662 -64.7	-80
-85	-11509 -92.5	-10239 -88.2	-9084 -84.5	-8043 -81.0	-7115 -77.5	-6298 -74.0	-5591 -70.5	-4993 -67.0	-4504 -63.5	-4124 -60.0	-3852 -56.5	-3687 -53.0	-85
-90	-14450 -88.0	-13173 -83.7	-11969 -80.0	-10949 -76.5	-10094 -73.0	-9395 -69.5	-8852 -66.0	-8465 -62.5	-8134 -59.0	-7858 -55.5	-7636 -52.0	-7467 -48.5	-90

NORTH COMPONENT (X) WMM-90

L. LONG LAT	240	245	250	255	260	265	270	275	280	285	290	295	L. LONG LAT
0	30905	30790	30675	30560	30445	30330	30215	30100	29985	29870	29755	29640	0
-5	32828	32713	32598	32483	32368	32253	32138	32023	31908	31793	31678	31563	-5
-10	34751	34636	34521	34406	34291	34176	34061	33946	33831	33716	33601	33486	-10
-15	36674	36559	36444	36329	36214	36099	35984	35869	35754	35639	35524	35409	-15
-20	38597	38482	38367	38252	38137	38022	37907	37792	37677	37562	37447	37332	-20
-25	40520	40405	40290	40175	40060	39945	39830	39715	39600	39485	39370	39255	-25
-30	42443	42328	42213	42098	41983	41868	41753	41638	41523	41408	41293	41178	-30
-35	44366	44251	44136	44021	43906	43791	43676	43561	43446	43331	43216	43101	-35
-40	46289	46174	46059	45944	45829	45714	45599	45484	45369	45254	45139	45024	-40
-45	48212	48097	47982	47867	47752	47637	47522	47407	47292	47177	47062	46947	-45
-50	50135	50020	49905	49790	49675	49560	49445	49330	49215	49100	48985	48870	-50
-55	52058	51943	51828	51713	51598	51483	51368	51253	51138	51023	50908	50793	-55
-60	53981	53866	53751	53636	53521	53406	53291	53176	53061	52946	52831	52716	-60
-65	55904	55789	55674	55559	55444	55329	55214	55099	54984	54869	54754	54639	-65
-70	57827	57712	57597	57482	57367	57252	57137	57022	56907	56792	56677	56562	-70
-75	59750	59635	59520	59405	59290	59175	59060	58945	58830	58715	58600	58485	-75
-80	61673	61558	61443	61328	61213	61098	60983	60868	60753	60638	60523	60408	-80
-85	63596	63481	63366	63251	63136	63021	62906	62791	62676	62561	62446	62331	-85
-90	65519	65404	65289	65174	65059	64944	64829	64714	64600	64485	64370	64255	-90
LAT	240	245	250	255	260	265	270	275	280	285	290	295	L. LONG

NORTH COMPONENT (X) WMM-90

E. LONG	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG
LAT													LAT
0	2629 -45.1	26570 -43.1	26870 -38.3	26029 -34.1	25848 -29.9	25730 -25.9	25684 -22.5	25723 -19.7	25858 -17.5	26103 -15.7	26461 -14.0	26924 -11.8	0
-5	26196 -52.3	26676 -52.3	27173 -51.1	26888 -49.9	26227 -46.6	23810 -43.7	23463 -40.8	23217 -38.0	23099 -35.3	23327 -32.8	23303 -30.3	23612 -29.2	-5
-10	25160 -36.9	24693 -59.6	23812 -61.0	23123 -61.1	22634 -60.7	21780 -59.2	21395 -57.5	20533 -55.2	20373 -53.7	20187 -52.0	20155 -51.4	20263 -50.1	-10
-15	23915 -60.3	23334 -65.0	22323 -68.3	21687 -74.0	20652 -70.2	19843 -72.3	19103 -71.7	18459 -70.4	17943 -68.6	17566 -66.2	17327 -63.5	17213 -60.6	-15
-20	22901 -69.4	21750 -69.2	20859 -74.2	19947 -78.0	19036 -80.7	18152 -82.3	17325 -83.1	16582 -82.9	15943 -81.6	15411 -80.1	14991 -78.4	14670 -76.9	-20
-25	21378 -67.1	20501 -73.4	19579 -76.9	18637 -83.3	17696 -86.8	16782 -89.4	15916 -91.1	15117 -91.7	14395 -91.4	13756 -89.9	13200 -87.2	12728 -85.0	-25
-30	20397 -70.9	19527 -77.2	18605 -82.3	17655 -89.5	16705 -92.6	15778 -95.4	14891 -95.1	14059 -95.9	13290 -95.6	12588 -94.0	11969 -92.6	11411 -91.1	-30
-35	19768 -73.8	18827 -80.7	18019 -87.9	17073 -94.8	16117 -99.1	15178 -101.8	14279 -102.6	13428 -102.8	12638 -102.8	11920 -101.2	11279 -99.7	10729 -98.1	-35
-40	19539 -74.8	18743 -80.3	17863 -86.6	16929 -93.8	15975 -99.8	15032 -102.6	14125 -102.2	13279 -102.9	12497 -102.1	11809 -102.3	11195 -101.5	10695 -101.1	-40
-45	19683 -76.3	18953 -83.8	18123 -91.2	17228 -98.1	16298 -104.8	15373 -109.4	14487 -112.8	13664 -116.4	12923 -119.2	12274 -122.3	11739 -125.0	11298 -128.2	-45
-50	20998 -78.3	19458 -86.8	18718 -95.2	17891 -102.7	17038 -109.8	16179 -116.4	15344 -122.4	14578 -127.0	13898 -132.8	13318 -137.6	12836 -142.1	12464 -146.6	-50
-55	20583 -80.3	20083 -89.8	19471 -99.2	18777 -106.0	18036 -112.8	17285 -119.4	16559 -125.0	15885 -130.6	15288 -135.3	14766 -140.4	14338 -145.1	14002 -149.6	-55
-60	20925 -78.1	20604 -81.5	20170 -89.6	19650 -98.9	19076 -107.4	18480 -116.4	17891 -125.0	17333 -132.6	16824 -140.9	16373 -147.0	15984 -152.0	15656 -156.6	-60
-65	20899 -76.8	20787 -80.8	20366 -89.2	20258 -98.1	19886 -106.8	19475 -115.4	19048 -124.5	18623 -132.1	18214 -140.4	17829 -147.0	17469 -152.0	17133 -156.6	-65
-70	20349 -78.9	20483 -86.3	20957 -95.7	20988 -104.8	20338 -113.8	20228 -122.4	19372 -131.5	19188 -140.8	18181 -149.1	18068 -157.6	17558 -165.0	17177 -171.1	-70
-75	19240 -76.6	19576 -83.2	19911 -91.7	19253 -100.3	20009 -108.7	19989 -117.2	19900 -125.3	19750 -132.0	19543 -138.8	19288 -145.4	18968 -152.0	18601 -156.6	-75
-80	17661 -80.8	16387 -88.9	16614 -98.8	16943 -108.3	16176 -116.0	16315 -124.5	16362 -132.6	16319 -140.4	16189 -148.9	16971 -157.6	18667 -165.0	18278 -171.1	-80
-85	15372 -83.2	16431 -93.7	16989 -103.0	17453 -112.3	17788 -121.8	18028 -130.4	18155 -139.9	18167 -148.4	18078 -157.0	17864 -165.0	17547 -171.1	17119 -175.7	-85
-90	13269 -86.1	14448 -94.0	15948 -104.6	15334 -114.1	14506 -123.1	14157 -132.6	14283 -142.1	14288 -151.6	14168 -160.1	14233 -168.6	13861 -176.1	13479 -181.1	-90
LAT													LAT
E. LONG	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG

EAST COMPONENT (Y) WMM-90

E. LONG	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG
LAT													LAT
90	-1158 -15.1	-094 14.5	-827 13.7	-643 12.0	-458 10.2	-273 10.2	-84 9.8	108 8.8	295 7.4	481 6.1	667 4.7	843 3.3	90
85	-1298 -18.1	-944 16.0	-584 15.4	-225 13.0	126 12.2	464 10.2	782 8.7	1076 6.8	1340 5.0	1570 3.2	1765 1.5	1919 -0.2	85
80	-1469	-1023	-422	169	742	1286	1792	2250	2651	2986	3245	3422	80
75	-1622	-1023	-422	169	742	1286	1792	2250	2651	2986	3245	3422	75
70	-1717	-1061	-410	226	841	1425	1970	2468	2908	3281	3574	3778	70
65	-1738	-1057	-392	251	867	1450	1999	2499	2949	3337	3650	3875	65
60	-1688	-1002	-345	278	863	1416	1930	2409	2835	3211	3522	3751	60
55	-1590	-909	-267	323	863	1277	1823	2245	2629	2967	3248	3458	55
50	-1472	-749	-174	379	870	1368	1709	2065	2385	2663	2887	3053	50
45	-1383	-623	-91	428	872	1458	1595	1890	2149	2343	2493	2588	45
40	-1349	-440	53	464	858	1614	1488	1734	1918	2038	2108	2107	40
35	-1372	-664	-79	394	779	1102	1374	1586	1723	1771	1738	1644	35
30	-1495	-773	-191	273	647	870	1246	1449	1555	1540	1414	1215	30
25	-1717	-979	-394	68	451	228	1049	1308	1398	1331	1119	817	25
20	-2048	-1263	-598	233	193	257	1808	1342	1238	1118	823	430	20
15	-2462	-1689	-1073	267	117	308	2188	1621	1226	862	307	192	15
10	-2968	-2184	-1519	477	198	323	2523	1908	1523	1143	602	157	10
5	-3523	-2748	-2029	104	489	339	2809	2373	1824	1108	408	104	5
0	-4113	-3338	-2630	1963	1323	739	381	223	105	470	1066	1770	0
LAT													LAT
E. LONG	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG

EAST COMPONENT (Y) WMM-90

E. LONG LAT	60	65	70	75	80	85	90	95	100	105	110	115	E. LONG LAT
90	1919	1175	1136	1577	1918	1333	1839	1938	2017	-1978	-1125	-1258	90
85	2058	2103	2145	2349	2709	2858	1850	1837	-1719	-1678	-1438	-1308	85
80	2884	2906	2859	2738	2563	2333	2057	-1749	-1419	-1081	-750	-439	80
75	3510	3505	3405	3312	2931	2569	2139	1657	1141	613	95	-901	75
70	3881	3876	3759	3529	3178	2719	2169	1549	875	-100	-503	-1747	70
65	3998	4005	3888	3639	3259	2768	2123	1403	-618	-203	-1024	-1793	65
60	3884	3904	3798	3558	3170	2695	1988	1188	-363	-539	-1448	-2304	60
55	3583	3606	3512	3286	2920	2411	1763	991	122	-809	-1753	-2652	55
50	3147	3157	3067	2862	2530	2063	1461	733	-101	-1008	-1941	-2841	50
45	2628	2605	2509	2326	2036	1639	1103	659	-293	-1130	-2093	-2861	45
40	2078	2000	1889	1717	1673	1348	723	128	-164	-173	-1959	-2729	40
35	1519	1383	1241	1087	891	646	332	-64	-553	-1134	-1784	-2453	35
30	991	783	605	453	308	150	-40	-1365	-607	-1023	-1524	-2065	30
25	495	213	83	-158	-258	-329	-383	-468	-614	-853	-1193	-1596	25
20	17	-334	-583	-728	-790	-760	-692	-615	-381	-643	-820	-1083	20
15	-473	-882	-1157	-1290	-1290	-1177	-977	-739	-531	-420	-440	-564	15
10	-1018	-1669	-1758	-1869	-1910	-1898	-1763	-868	-493	-219	-1790	-2283	10
5	-1656	-2338	-2428	-2507	-2380	-2064	-1597	-1047	-512	-83	-178	-323	5
0	-2428	-2927	-3207	-3265	-3044	-2623	-2023	-1324	-635	-57	-352	-610	0

EAST COMPONENT (Y) WMM-90

L. LONG	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG
LAT													LAT
90	-317.2	-317.1	-315.3	-312.3	-307.8	-300.4	-182.3	-182.5	-171.8	-159.3	-146.8	-131.6	90
85	-117.4	-100.3	-100.8	-102.8	-104.8	-101.3	-100.9	-102.8	-105.6	-120.6	-126.7	-123.3	85
80	160	-7.5	-8.8	-37.3	-42.9	-40.8	-32.8	-18.7	13	-8.8	-33.6	-8.2	80
75	-821	-117.6	-143.9	-159.4	-164.5	-157.8	-140.0	-111.8	-74.7	-101	19.8	73.1	75
70	-1716	-7.1	-5.2	-27.9	-27.4	-26.6	-23.7	-19.7	-13.5	-3.1	-2.6	-6.2	70
65	-2476	-30.3	-34.2	-39.3	-39.4	-34.3	-30.4	-25.3	-18.2	-10.9	-13.3	-6.2	65
60	-3064	-4.7	-4.6	-4.1	-4.2	-4.0	-3.9	-2.9	-2.4	-1.3	-1.2	9.3	60
55	-3456	-4.3	-5.3	-4.2	-4.7	-4.3	-3.7	-3.0	-2.0	-1.0	-0.7	-9.4	55
50	-3942	-4.2	-6.9	-4.3	-4.3	-6.3	-3.3	-2.8	-1.9	-0.3	-1.2	-11.6	50
45	-3928	-4.3	-4.9	-6.1	-6.3	-4.9	-3.8	-3.5	-1.3	-1.1	-1.0	-11.7	45
40	-3427	-3.7	-4.9	-4.9	-4.3	-4.9	-3.8	-3.9	-1.2	-1.6	-1.4	-3.6	40
35	-1064	-5.8	-3.7	-3.7	-3.2	-3.4	-3.2	-3.1	-1.6	-1.2	-1.8	28.1	35
30	-2570	-11.9	-12.7	-12.1	-12.1	-10.0	-12.4	-10.8	-6.2	-15.6	-18.3	-20.2	30
25	-1984	-14.1	-23.6	-14.8	-12.1	-10.8	-2.9	-3.6	15.7	-10.6	-15.5	-20.1	25
20	-1368	-16.8	-16.2	-16.6	-12.7	-8.6	3.5	4.2	24.6	-3.9	-11.3	-18.9	20
15	-22.5	-21.8	-17.8	-10.9	-2.8	4.9	16.5	12.0	33.6	3.0	6.9	51.5	15
10	-24.3	-22.9	-17.9	-10.0	-2.6	16.2	33.9	32.8	49.8	4.3	37.3	-39.9	10
5	401	-21.8	-16.8	12.3	18.1	24.8	32.4	20.9	46.7	32.9	57.8	60.7	5
0	-799	-18.2	-13.3	19.2	24.1	38.7	35.1	46.8	38.9	37.3	63.8	63.7	0
LAT													LAT
E. LONG	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG

EAST COMPONENT (Y) WMM-90

E. LONG LAT	180	185	190	195	200	205	210	215	220	225	230	235	E. LONG LAT
90	-1159	-994	-821	-643	-459	-273	-84	-104	-295	-681	-664	-843	90
85	-1096	-1154	-1199	-1229	-1239	-1207	-1123	-1065	-942	-783	-598	-367	85
80	-1039	-1133	-1204	-1345	-1443	-1572	-1631	-1726	-1828	-1928	-1913	-1823	80
75	-979	-1004	-1009	-1011	-1012	-1011	-1011	-1011	-1011	-1011	-1011	-1011	75
70	-914	-922	-913	-909	-902	-892	-877	-857	-832	-802	-767	-729	70
65	-848	-832	-816	-799	-782	-764	-745	-725	-702	-675	-645	-612	65
60	-783	-796	-806	-816	-826	-836	-845	-854	-862	-870	-878	-885	60
55	-718	-730	-740	-750	-760	-770	-780	-790	-800	-810	-820	-830	55
50	-653	-665	-675	-685	-695	-705	-715	-725	-735	-745	-755	-765	50
45	-588	-600	-610	-620	-630	-640	-650	-660	-670	-680	-690	-700	45
40	-523	-535	-545	-555	-565	-575	-585	-595	-605	-615	-625	-635	40
35	-458	-470	-480	-490	-500	-510	-520	-530	-540	-550	-560	-570	35
30	-393	-405	-415	-425	-435	-445	-455	-465	-475	-485	-495	-505	30
25	-328	-340	-350	-360	-370	-380	-390	-400	-410	-420	-430	-440	25
20	-263	-275	-285	-295	-305	-315	-325	-335	-345	-355	-365	-375	20
15	-198	-210	-220	-230	-240	-250	-260	-270	-280	-290	-300	-310	15
10	-133	-145	-155	-165	-175	-185	-195	-205	-215	-225	-235	-245	10
5	-68	-80	-90	-100	-110	-120	-130	-140	-150	-160	-170	-180	5
0	-3	-15	-25	-35	-45	-55	-65	-75	-85	-95	-105	-115	0

EAST COMPONENT (Y) WMM-90

E. LONG LAT	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG LAT
90	-1014 -1.9	-1177 -2.4	-1332 -3.0	-1477 -3.8	-1610 -3.8	-1731 -5.2	-1839 -6.5	-1933 -7.7	-2012 -9.1	-2076 -10.2	-2124 -11.3	-2156 -12.3	90
85	-1114 -1.4	-1268 -2.0	-1424 -2.6	-1581 -3.0	-1740 -3.8	-1901 -4.2	-2063 -4.8	-2226 -5.5	-2390 -6.2	-2554 -6.8	-2719 -7.4	-2876 -7.9	85
80	-1270 -2.0	-1511 -2.7	-1754 -3.3	-2000 -3.9	-2248 -4.5	-2498 -5.1	-2750 -5.7	-3003 -6.3	-3257 -6.9	-3512 -7.5	-3768 -8.1	-4025 -8.7	80
75	-2406 -20.6	-2863 -24.0	-3322 -27.4	-3783 -30.8	-4245 -34.2	-4708 -37.6	-5172 -41.0	-5637 -44.4	-6102 -47.8	-6567 -51.2	-7032 -54.6	-7497 -58.0	75
70	3465 -26.3	2810 -24.0	2063 -21.4	1244 -18.4	375 -15.1	-1129 -11.2	-2191 -7.1	-3253 -2.9	-4315 1.0	-5377 3.1	-6439 5.2	-7501 7.3	70
65	4404 -10.5	3666 -27.8	2816 -24.8	1873 -21.5	864 -18.1	-1209 -14.2	-2271 -9.1	-3333 -3.9	-4395 1.0	-5457 3.1	-6519 5.2	-7581 7.3	65
60	3187 -33.0	2608 -30.8	1922 -27.0	1153 -23.2	388 -19.2	-1171 -15.1	-2233 -10.0	-3295 -4.8	-4357 1.0	-5419 3.1	-6481 5.2	-7543 7.3	60
55	3388 -33.8	3010 -30.5	2324 -27.0	1638 -23.2	952 -19.2	266 -15.1	-1301 -10.0	-2363 -4.8	-3425 1.0	-4487 3.1	-5549 5.2	-6611 7.3	55
50	6181 -33.1	5429 -30.9	4677 -27.4	3925 -23.6	3208 -20.2	2491 -16.7	1774 -12.8	1057 -8.9	346 -5.0	-1116 -1.1	-2178 2.8	-3240 6.5	50
45	6376 -31.0	5728 -32.8	5080 -29.8	4432 -26.2	3784 -22.7	3136 -19.1	2488 -15.5	1840 -11.9	1192 -8.3	544 -4.7	-1116 -1.1	-2178 2.8	45
40	6589 -32.9	6022 -36.7	5474 -33.7	4926 -30.5	4378 -27.4	3830 -24.2	3282 -21.0	2734 -17.8	2186 -14.6	1638 -11.4	1090 -8.2	544 -4.7	40
35	6798 -34.8	6426 -40.1	5978 -37.6	5530 -34.4	5082 -31.2	4634 -28.0	4186 -24.8	3738 -21.6	3290 -18.4	2842 -15.2	2394 -12.0	1946 -8.8	35
30	6995 -44.3	6266 -50.1	5999 -46.7	5651 -43.5	5303 -40.3	4955 -37.1	4607 -34.0	4259 -30.8	3911 -27.6	3563 -24.4	3215 -21.2	2867 -18.0	30
25	6684 -40.9	5609 -60.5	4906 -50.6	4203 -40.7	3500 -30.8	2897 -20.9	2294 -11.0	1691 -1.1	1088 8.8	505 -4.7	-1116 -1.1	-2178 2.8	25
20	5368 -53.8	5172 -57.2	4878 -50.8	4584 -44.4	4290 -38.0	3996 -31.6	3702 -25.2	3408 -18.8	3114 -12.4	2820 -6.0	2526 0.4	2232 -3.4	20
15	5083 -62.8	4973 -64.5	4799 -57.9	4643 -51.5	4487 -45.1	4331 -38.7	4175 -32.3	4019 -25.9	3863 -19.5	3707 -13.1	3551 -6.7	3395 0.0	15
10	4884 -76.8	4845 -78.0	4744 -70.7	4652 -64.3	4560 -57.9	4468 -51.5	4376 -45.1	4284 -38.7	4192 -32.3	4100 -25.9	4008 -19.5	3916 -13.1	10
5	4802 -80.2	4801 -82.1	4769 -76.9	4737 -71.7	4705 -66.5	4673 -61.3	4641 -56.1	4609 -50.9	4577 -45.7	4545 -40.5	4513 -35.3	4481 -30.1	5
0	4859 -82.5	4861 -84.4	4853 -79.2	4845 -74.0	4837 -68.8	4829 -63.6	4821 -58.4	4813 -53.2	4805 -48.0	4797 -42.8	4789 -37.6	4781 -32.4	0

EAST COMPONENT (Y) WMM-90

E. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG LAT
90	211- 212	171- 172	131- 132	91- 92	51- 52	11- 12	291- 292	251- 252	211- 212	171- 172	131- 132	91- 92	90
85	111- 112	51- 52	11- 12	291- 292	251- 252	211- 212	171- 172	131- 132	91- 92	51- 52	11- 12	291- 292	85
80	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	80
75	3- 4	31- 32	3- 4	31- 32	3- 4	31- 32	3- 4	31- 32	3- 4	31- 32	3- 4	31- 32	75
70	13- 14	1- 2	13- 14	1- 2	13- 14	1- 2	13- 14	1- 2	13- 14	1- 2	13- 14	1- 2	70
65	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	65
60	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	60
55	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	55
50	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	50
45	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	45
40	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	40
35	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	35
30	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	30
25	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	25
20	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	20
15	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	15
10	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	10
5	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	5
0	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	1- 2	41- 42	0

EAST COMPONENT (Y) WMM-90

E. LONG LAT	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG LAT
0	-1.15	-3.38	-2.85	-2.85	-3.23	-3.85	-3.85	-2.25	-1.05	-4.70	-1.06	-1.70	0
-5	-4.63	-3.84	-2.19	-3.55	-1.22	-3.61	-2.92	-0.52	-1.20	-2.12	-4.47	-2.66	-5
-10	-8.05	-3.34	-2.82	-3.85	-2.82	-3.61	-3.82	-1.23	-1.53	-2.12	-3.45	-3.81	-10
-15	-4.09	-0.64	-2.82	-3.45	-2.82	-3.23	-1.91	-0.20	-2.42	-3.41	-2.70	-4.22	-15
-20	-2.39	-2.99	-3.11	-2.77	-2.82	-2.63	-2.82	-0.45	-3.81	-2.82	-3.45	-3.22	-20
-25	-3.82	-2.25	-2.22	-3.23	-3.23	-2.22	-1.52	-3.81	-2.92	-2.82	-4.18	-2.72	-25
-30	-3.05	-2.67	-2.44	-3.82	-2.44	-3.23	-2.82	-1.03	-2.68	-2.82	-3.23	-2.12	-30
-35	-4.82	-3.45	-2.44	-3.23	-2.44	-2.82	-3.23	-0.32	-3.23	-2.82	-2.82	-2.07	-35
-40	-4.24	-2.67	-2.67	-3.23	-2.67	-2.82	-2.82	-0.45	-2.82	-2.82	-2.82	-2.12	-40
-45	-3.79	-2.82	-2.82	-3.23	-2.82	-2.82	-2.82	-0.32	-2.82	-2.82	-2.82	-2.12	-45
-50	-3.23	-2.82	-2.82	-3.23	-2.82	-2.82	-2.82	-0.32	-2.82	-2.82	-2.82	-2.12	-50
-55	-3.14	-2.82	-2.82	-3.23	-2.82	-2.82	-2.82	-0.32	-2.82	-2.82	-2.82	-2.12	-55
-60	-3.14	-2.82	-2.82	-3.23	-2.82	-2.82	-2.82	-0.32	-2.82	-2.82	-2.82	-2.12	-60
-65	-3.14	-2.82	-2.82	-3.23	-2.82	-2.82	-2.82	-0.32	-2.82	-2.82	-2.82	-2.12	-65
-70	-3.14	-2.82	-2.82	-3.23	-2.82	-2.82	-2.82	-0.32	-2.82	-2.82	-2.82	-2.12	-70
-75	-3.14	-2.82	-2.82	-3.23	-2.82	-2.82	-2.82	-0.32	-2.82	-2.82	-2.82	-2.12	-75
-80	-3.14	-2.82	-2.82	-3.23	-2.82	-2.82	-2.82	-0.32	-2.82	-2.82	-2.82	-2.12	-80
-85	-3.14	-2.82	-2.82	-3.23	-2.82	-2.82	-2.82	-0.32	-2.82	-2.82	-2.82	-2.12	-85
-90	-3.14	-2.82	-2.82	-3.23	-2.82	-2.82	-2.82	-0.32	-2.82	-2.82	-2.82	-2.12	-90

EAST COMPONENT (Y) WMM-90

E. LONG LAT	60	65	70	75	80	85	90	95	100	105	110	115	E. LONG LAT
0	-2228	-2823	-3207	-3344	-3044	-2622	-2022	-1324	-634	-1120	-1324	-1814	0
-5	-1120	-1863	-4128	-4914	-1933	-3118	-2389	-1246	-808	-183	-1863	-1323	-5
-10	-4648	-4948	-5181	-5123	-4728	-4126	-3317	-2349	-1369	-423	-208	-623	-10
-15	-2701	-2123	-6123	-6263	-5855	-5126	-4218	-3123	-2019	-209	-144	-533	-15
-20	-7044	-7501	-7662	-7508	-7043	-6281	-5267	-4089	-2855	-1693	-681	-160	-20
-25	-8455	-8883	-9003	-8807	-8293	-7493	-6423	-5121	-3844	-2555	-1389	-389	-25
-30	-9869	-10252	-10348	-10113	-9275	-8128	-7038	-6123	-4944	-3548	-2243	-1867	-30
-35	-11198	-11570	-11631	-11382	-10827	-9980	-8770	-7523	-6111	-4635	-3207	-1878	-35
-40	-12423	-12779	-12830	-12576	-12022	-11181	-10080	-8764	-7302	-5722	-4248	-2784	-40
-45	-13508	-13857	-13910	-13665	-13128	-12319	-11234	-9938	-8478	-6920	-5329	-3758	-45
-50	-14643	-14789	-14849	-14624	-14118	-13332	-12298	-11938	-9809	-8049	-6613	-4771	-50
-55	-15224	-15557	-15622	-15439	-14958	-14223	-13233	-12024	-10629	-9093	-7465	-5793	-55
-60	-15848	-16159	-16233	-16054	-15618	-14929	-14008	-12857	-11523	-10042	-8458	-6791	-60
-65	-16301	-16581	-16643	-16475	-16078	-15433	-14374	-13503	-12254	-10852	-9333	-7731	-65
-70	-16583	-16816	-16858	-16683	-16201	-15513	-14823	-13942	-12791	-11493	-10073	-8567	-70
-75	-16997	-17205	-17278	-17096	-16632	-15785	-15060	-14168	-13123	-11942	-10644	-9253	-75
-80	-17664	-17778	-17838	-17654	-17183	-16272	-15608	-14597	-13422	-12184	-11008	-9738	-80
-85	-18516	-18570	-18687	-18500	-17911	-17420	-16799	-16054	-14790	-13217	-11744	-9981	-85
-90	-19383	-19388	-19468	-19223	-18568	-17978	-17280	-16473	-15049	-12868	-11469	-9959	-90

EAST COMPONENT (Y) WMM-90

E. LONG	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG
LAT													LAT
0	-799	-1021	-1254	-1824	2412	3077	3789	4480	5159	5737	6159	6376	0
-5	-20.0	-18.0	-17.0	-23.0	2863	3522	4210	4894	5539	6095	6494	6699	-5
-10	-105.6	-136.6	-170.0	-236.8	317.6	384.0	452.0	519.9	583.3	637.7	677.5	699.9	-10
-15	115.3	155.2	201.8	236.8	317.6	405.8	475.2	543.3	606.8	661.7	703.5	728.4	-15
-20	1090	1608	2136	2729	3376	4058	4752	5420	6068	6673	7263	7554	-20
-25	866	1503	2133	2792	3487	4204	4923	5620	6266	6827	7263	7554	-25
-30	5.6	1271	2018	2766	3527	4298	5051	5774	6438	7015	7478	7806	-30
-35	9.2	817	1802	2660	3507	4349	5186	5989	6776	7429	7958	8385	-35
-40	-2.1	664	1487	2478	3424	4334	5194	5989	6703	7321	7833	8230	-40
-45	-8.0	503	1070	1898	2691	3460	4209	4928	5620	6289	6928	7429	-45
-50	-15.0	339	811	1308	1992	2692	3379	4064	4749	5428	6097	6759	-50
-55	-22.9	179	599	1088	1604	2147	2727	3342	3991	4678	5309	5881	-55
-60	-31.8	19	313	728	1249	1809	2409	3048	3726	4444	5101	5698	-60
-65	-40.8	105	423	828	1349	1909	2509	3148	3826	4544	5201	5798	-65
-70	-49.8	202	623	1190	1719	2299	2919	3578	4276	4994	5731	6398	-70
-75	-58.8	399	828	1329	1909	2529	3189	3888	4626	5394	6191	6928	-75
-80	-67.9	592	1028	1599	2249	2969	3729	4528	5366	6244	7161	8098	-80
-85	-77.0	789	1228	1869	2589	3388	4247	5146	6084	7062	8079	9126	-85
-90	-86.0	986	1428	2149	2949	3828	4767	5746	6764	7822	8919	10056	-90
LAT													LAT
E. LONG	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG

EAST COMPONENT (Y) WMM-90

E. LONG	180	185	190	195	200	205	210	215	220	225	230	235	E. LONG
LAT													LAT
0	6376 -17.6	6198 -28.3	5928 -35.6	5636 -38.0	5409 -39.9	5258 -41.6	5177 -42.3	5125 -43.5	5069 -44.2	4998 -45.4	4926 -46.6	4867 -47.2	0
-5	6700 -11.0	6535 -18.7	6375 -27.4	6208 -30.0	6079 -32.4	5925 -36.2	5829 -37.9	5753 -39.1	5671 -40.7	5626 -41.9	5569 -42.8	5481 -43.7	-5
-10	7039 -11.0	6908 -19.8	6789 -29.9	6650 -35.0	6546 -39.6	6428 -44.8	6328 -49.8	6204 -54.9	6098 -59.8	6022 -64.2	5968 -68.6	5923 -72.2	-10
-15	7362 1.6	7306 7.3	7233 17.3	7148 28.8	7073 38.3	7197 48.3	7097 56.6	7006 64.8	6906 72.8	6825 80.6	6743 88.3	6697 95.2	-15
-20	7688 6.5	7687 4.6	7594 2.1	7457 0.0	7317 -0.5	7197 1.3	7097 5.6	7006 11.8	6906 18.8	6825 24.9	6743 31.9	6697 38.8	-20
-25	7996 9.4	8061 8.6	8033 8.3	7949 5.2	7845 3.2	7745 1.5	7658 -0.8	7574 -2.4	7489 -4.1	7388 -5.1	7274 -6.8	7159 -8.2	-25
-30	8274 10.1	8398 10.0	8430 8.2	8397 4.7	8337 1.2	8258 -0.8	8186 -2.5	8125 -4.5	8068 -6.8	8010 -9.2	7946 -12.3	7875 -15.3	-30
-35	8512 8.0	8687 8.1	8772 6.0	8789 3.1	8766 0.2	8726 -1.8	8688 -2.3	8663 -2.9	8654 -2.1	8656 -0.6	8668 1.4	8692 3.2	-35
-40	8705 6.9	8925 4.6	9059 1.4	9128 -2.1	9155 -5.2	9165 -7.3	9178 -12.5	9209 -15.8	9264 -22.2	9341 -27.7	9429 -32.8	9513 -37.2	-40
-45	8849 4.7	9115 1.8	9303 -3.2	9430 -7.4	9521 -10.3	9597 -12.0	9680 -11.6	9784 -9.0	9917 -4.2	10075 1.2	10245 5.1	10408 8.8	-45
-50	8944 3.4	9268 -1.8	9519 -6.7	9718 -10.1	9889 -13.5	10049 -16.8	10217 -19.3	10407 -21.0	10623 -22.3	10858 -22.8	11098 -22.0	11320 -21.2	-50
-55	8983 3.0	9385 -2.4	9723 -7.2	10016 -11.0	10283 -13.3	10540 -15.0	10804 -15.1	11082 -13.8	11375 -11.8	11676 -9.1	11966 -5.3	12222 -1.0	-55
-60	8961 4.1	9471 -1.1	9820 -7.8	10127 -13.2	10406 -17.0	11071 -21.7	11433 -23.3	11794 -23.4	12153 -20.0	12499 -18.1	12816 -14.4	13089 -10.9	-60
-65	8871 8.2	9516 5.6	10101 -1.0	10638 -6.3	11143 -11.3	11618 -16.8	12073 -21.1	12507 -23.7	12918 -26.3	13308 -28.0	13679 -28.9	14029 -29.4	-65
-70	8708 8.6	9507 6.6	10246 -1.6	10921 -7.5	11551 -13.1	12138 -18.6	12673 -23.1	13173 -26.7	13611 -29.1	14001 -30.1	14313 -29.8	14539 -28.9	-70
-75	8475 10.6	9429 10.0	10313 -1.3	11130 -7.9	11881 -13.1	12567 -19.2	13186 -24.6	13735 -29.1	14208 -32.0	14609 -34.5	14900 -35.6	15103 -35.0	-75
-80	8183 11.3	9270 11.2	10283 -1.2	11225 -7.5	12083 -12.8	12859 -19.2	13549 -25.6	14148 -31.1	14653 -35.5	15058 -38.8	15358 -40.8	15551 -41.5	-80
-85	7846 11.0	9032 9.3	10146 -1.4	11176 -7.3	12128 -12.8	12973 -19.2	13738 -25.6	14428 -31.9	14936 -36.6	15368 -40.9	15691 -42.8	15899 -43.6	-85
-90	7489 9.2	8723 10.2	9883 -1.2	10981 -7.4	11990 -12.8	12907 -19.0	13726 -25.6	14446 -31.9	15044 -37.6	15534 -42.2	15906 -45.2	16157 -46.7	-90
LAT													LAT
E. LONG	180	185	190	195	200	205	210	215	220	225	230	235	E. LONG

EAST COMPONENT (Y) WMM-90

E. LONG	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG
LAT													LAT
0	5849 38.5	5861 29.1	5857 10.7	4766 -9.2	4502 -50.9	3988 -51.8	3175 -69.0	2054 -82.0	-863	-928	-8723	-7825	0
-5	5037 36.7	5029 26.7	5023 6.3	4955 -10.9	4741 -32.1	5225	7569 -69.9	2508 -81.2	-1863	-402	-2115	-3847	-5
-10	5352 35.2	5311 23.2	5279 6.5	5208 -13.9	5019 -33.2	5426	3958 -67.4	2977 -78.7	-1689	149	-1549	-3291	-10
-15	5802 29.4	5715 18.2	5658	5557 -12.9	5374 -33.1	5016	4404 -63.7	3482 -71.8	-2252	756	-918	-2152	-15
-20	6361	6262	6153	6038	5846	5497	4916	4053	-2868	1412	-2224	-2938	-20
-25	7029	6919	6802	6675	6462	6103	5632	5886	-2242	2833	-527	-2162	-25
-30	7798	7713	7612	7466	7231	6868	6254	5608	-5281	3896	-3226	-5239	-30
-35	8959	8819	8538	8185	7828	7205	6378	5605	-2073	3702	-2158	-4723	-35
-40	9575	9296	9232	9385	9092	8635	7863	7058	-3724	4547	-4425	-4220	-40
-45	10533	10596	10566	10409	10098	9586	8871	7933	-2828	6772	-3929	-3722	-45
-50	11492	11583	11559	11389	11066	10508	9759	8799	-2024	2668	-4862	-3367	-50
-55	12414	12509	12472	12289	11919	11357	10593	9636	-1328	8997	-5832	-4403	-55
-60	13265	13343	13289	13072	12692	12109	11350	10415	-724	8108	-6806	-1626	-60
-65	14019	14064	13974	13733	13330	12759	12023	11133	10109	8975	-923	6509	-65
-70	14661	14669	14547	14286	13875	13292	12620	11788	10839	9793	8673	7503	-70
-75	15195	15171	15074	14750	14345	13812	13155	12382	11535	10538	9496	8396	-75
-80	15638	15593	15439	15167	14778	14263	13620	12919	12092	11383	10792	9158	-80
-85	15989	15961	15815	15552	15174	14684	14084	13385	12589	11695	10721	9669	-85
-90	16283	16289	16268	16223	16061	15978	16224	16773	17068	17649	18048	18959	-90
LAT													LAT
E. LONG	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG

EAST COMPONENT (Y) WMM-90

E. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG LAT
0	-5930 -65.1	-7354 -49.2	-8513 -51.2	-9339 -63.2	-9763 -74.2	-9785 -74.0	-9532 -69.2	-8770 -63.2	-7899 -68.2	-6818 -61.2	-5922 -67.2	-4975 -68.1	0
-5	-5495 -68.2	-6962 -51.2	-8169 -54.2	-9021 -62.2	-9498 -71.2	-9584 -71.2	-9311 -66.2	-8751 -64.2	-7998 -54.2	-7148 -61.2	-6277 -65.2	-5436 -67.2	-5
-10	-6958 -85.2	-8442 -64.2	-9552 -75.2	-10391 -85.2	-10937 -90.2	-10977 -90.2	-10499 -80.2	-9544 -72.2	-8930 -68.2	-8227 -64.2	-7423 -60.2	-6727 -57.2	-10
-15	-4320 -61.2	-5805 -49.2	-7019 -34.2	-7902 -17.2	-8432 -1.2	-8624 -15.2	-8521 -29.2	-8192 -41.2	-7713 -51.2	-7152 -58.2	-6556 -62.2	-5941 -65.2	-15
-20	-3596 -57.2	-5078 -45.2	-6293 -31.2	-7188 -13.2	-7747 -6.2	-7990 -15.2	-7965 -29.2	-7739 -41.2	-7377 -50.2	-6935 -57.2	-6448 -61.2	-5927 -63.2	-20
-25	-2806 -51.2	-4286 -40.2	-5511 -27.2	-6427 -12.2	-7022 -3.2	-7318 -18.2	-7364 -31.2	-7220 -42.2	-6948 -51.2	-6596 -57.2	-6092 -60.2	-5751 -60.2	-25
-30	-1967 -46.2	-3447 -35.2	-4687 -22.2	-5633 -7.2	-6270 -2.2	-6628 -21.2	-6724 -34.2	-6654 -46.2	-6253 -54.2	-5772 -61.2	-5234 -68.2	-4722 -71.2	-30
-35	-1085 -41.2	-2561 -30.2	-3815 -18.2	-4793 -5.2	-5477 -11.2	-5884 -23.2	-6055 -37.2	-6045 -47.2	-5911 -54.2	-5699 -61.2	-5444 -68.2	-5166 -71.2	-35
-40	-3558 -30.2	-5012 -28.2	-6278 -14.2	-7384 -1.2	-8216 -14.2	-8805 -28.2	-9328 -40.2	-9699 -52.2	-10044 -64.2	-10223 -72.2	-10062 -80.2	-9802 -88.2	-40
-45	-8338 -17.2	-1201 -22.2	-1857 -10.2	-2488 -2.2	-3068 -16.2	-3608 -30.2	-3905 -43.2	-4008 -49.2	-4016 -54.2	-4072 -59.2	-4051 -64.2	-4082 -68.2	-45
-50	-1885 -20.2	-491 -14.2	-751 -4.2	-1051 -5.2	-1335 -16.2	-1661 -27.2	-1819 -35.2	-1899 -41.2	-1881 -45.2	-1823 -49.2	-1767 -53.2	-1726 -56.2	-50
-55	-2088 -47.2	-2833 -9.2	-3632 -22.2	-4458 -35.2	-5115 -48.2	-5627 -61.2	-6019 -73.2	-6299 -85.2	-6468 -97.2	-6523 -109.2	-6467 -121.2	-6434 -133.2	-55
-60	-4722 -14.2	-6333 -28.2	-8024 -41.2	-9709 -54.2	-11378 -67.2	-12257 -80.2	-12874 -93.2	-13252 -106.2	-13481 -119.2	-13572 -132.2	-13528 -145.2	-13454 -158.2	-60
-65	-5246 -8.2	-6008 -5.2	-6823 -22.2	-7709 -35.2	-8678 -48.2	-9704 -61.2	-10781 -74.2	-11912 -87.2	-13197 -100.2	-14640 -113.2	-16276 -126.2	-18080 -139.2	-65
-70	-6309 -13.2	-7114 -11.2	-8036 -19.2	-9071 -32.2	-10217 -45.2	-11484 -58.2	-12871 -71.2	-14488 -84.2	-16326 -97.2	-18393 -110.2	-20684 -130.2	-24248 -143.2	-70
-75	-7255 -5.2	-8087 -1.2	-9006 -2.2	-10024 -10.2	-11147 -23.2	-12384 -36.2	-13837 -49.2	-15504 -62.2	-17393 -75.2	-19526 -88.2	-21924 -101.2	-24588 -114.2	-75
-80	-8021 -13.2	-8869 -11.2	-9802 -19.2	-10830 -32.2	-11963 -45.2	-13204 -58.2	-14553 -71.2	-16112 -84.2	-17881 -97.2	-19870 -110.2	-22089 -123.2	-24528 -136.2	-80
-85	-8542 -13.2	-9469 -11.2	-10337 -19.2	-11370 -32.2	-12517 -45.2	-13774 -58.2	-15141 -71.2	-16718 -84.2	-18427 -97.2	-20276 -110.2	-22285 -123.2	-24444 -136.2	-85
-90	-8794 -13.2	-9668 -11.2	-10479 -19.2	-11534 -32.2	-12784 -45.2	-14057 -58.2	-15534 -71.2	-17231 -84.2	-19050 -97.2	-21009 -110.2	-23028 -123.2	-25187 -136.2	-90

VERTICAL COMPONENT (Z) WMM-90

LAT	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG
90	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	90
85	55294 -12.5	55318 -12.5	55356 -12.7	55407 -12.9	55471 -13.1	55546 -13.5	55632 -13.9	55728 -14.4	55833 -14.9	55944 -15.5	56060 -16.2	56180 -16.9	85
80	53989 -2.2	54021 -2.0	54088 -2.1	54190 -2.3	54326 -2.7	54494 -3.3	54692 -4.0	54918 -4.9	55167 -5.9	55437 -7.1	55723 -8.3	56018 -9.7	80
75	52607 7.1	52631 7.5	52712 7.7	52852 7.6	53048 7.2	53299 6.5	53603 5.6	53956 4.5	54354 3.3	54790 1.9	55258 0.3	55750 -1.4	75
70	51182 13.8	51192 14.7	51278 15.1	51442 15.1	51680 14.7	51992 14.0	52375 13.1	52828 12.0	53345 10.7	53921 9.3	54549 7.8	55217 6.2	70
65	49661 17.8	49668 19.1	49764 19.8	49946 19.9	50212 19.6	50562 18.8	50994 17.9	51507 16.7	52100 15.4	52770 14.1	53508 12.9	54307 11.6	65
60	47930 19.5	47956 21.4	48078 22.5	48287 22.8	48581 22.5	48956 21.8	49414 20.6	49955 19.3	50581 17.8	51292 16.4	52086 15.1	52953 14.0	60
55	45863 18.3	45919 22.5	46090 24.2	46349 25.1	46678 25.0	47083 24.3	47557 22.8	48107 21.0	48726 19.0	49419 16.9	50189 15.1	51021 14.0	55
50	43273 18.7	43319 22.5	43558 25.8	43883 27.6	44278 28.0	44813 27.3	45319 25.9	45869 24.6	46487 23.0	47178 21.7	47946 20.4	48779 19.2	50
45	40096 16.2	40321 22.0	40650 26.6	41053 29.8	41507 31.3	41999 31.1	42528 29.2	43097 25.9	43713 21.7	44379 17.0	45093 12.4	45854 8.3	45
40	36222 11.6	36527 19.6	36938 26.3	37417 31.2	37933 34.0	38474 34.5	39039 32.6	39633 28.6	40257 23.3	40907 17.2	41574 11.1	42251 5.6	40
35	31570 4.6	31936 14.8	32410 23.7	32944 30.5	33503 34.6	34078 35.8	34675 34.0	35301 29.8	35952 23.9	36608 17.1	37246 10.2	37846 4.1	35
30	26988 4.8	26983 14.8	26982 23.7	27243 30.5	28113 34.6	28993 35.8	29318 34.0	29889 29.8	30674 23.9	31363 17.1	31997 10.2	32542 4.1	30
25	19782 18.2	20174 13.8	20668 21.1	21203 27.6	21552 31.3	22020 35.8	22352 34.0	22655 29.8	22904 23.9	23149 17.1	23287 10.2	23417 4.1	25
20	12813 5.3	13138 13.8	13574 21.1	14055 27.6	14553 31.3	15096 35.8	15720 34.0	16453 29.8	17265 23.9	18067 17.1	18757 10.2	19359 4.1	20
15	5453 -39.3	5661 -23.6	5990 -10.2	6373 7.2	6793 7.6	7288 12.1	7907 14.5	8672 19.4	9535 15.8	10389 16.2	11106 17.1	11592 18.7	15
10	-1853 -48.3	-1823 -38.3	-1864 -18.3	-1913 -14.3	-1911 -10.1	-963 -9.3	1158 11.8	1528 15.8	1823 18.3	2128 21.3	2433 24.3	2738 27.3	10
5	-8608 -54.9	-8816 -38.4	-8870 -23.8	-8807 -11.1	-8613 -9.9	-8243 -7.7	-7659 -14.8	-6873 -20.6	-5975 -25.5	-5121 -29.7	-4464 -33.4	-4112 -35.8	5
0	-13161 -148.3	-12836 -148.3	-12736 -132.9	-13077 -110.1	-13229 -112.9	-13228 -93.2	-13327 -75.7	-13418 -58.0	-13468 -41.8	-13498 -26.6	-13508 -11.4	-13528 4.1	0

VERTICAL COMPONENT (Z) WMM-90

E. LONG	60	65	70	75	80	85	90	95	100	105	110	115	E. LONG
LAT													LAT
90	59401	59421	59401	59401	59401	59401	59401	59401	59401	59401	59401	59401	90
85	56302	56421	56541	56658	56769	56872	56967	57052	57127	57191	57248	57283	85
80	56320	56420	56514	56596	56674	56749	56810	56889	56933	56969	56998	57027	80
75	56355	56452	56541	56621	56694	56761	56816	56866	56915	56954	56993	57032	75
70	56393	56488	56578	56663	56744	56821	56894	56963	57028	57088	57143	57193	70
65	56450	56539	56620	56694	56763	56828	56888	56944	57000	57051	57100	57148	65
60	56519	56602	56680	56753	56821	56884	56942	56996	57047	57094	57139	57182	60
55	56599	56681	56759	56832	56900	56963	57021	57075	57126	57173	57217	57259	55
50	56682	56763	56841	56914	56982	57045	57103	57157	57208	57256	57301	57344	50
45	56767	56847	56924	56997	57065	57128	57186	57240	57290	57338	57384	57428	45
40	56854	56933	57009	57081	57148	57211	57269	57323	57373	57420	57466	57511	40
35	56942	57020	57095	57166	57232	57294	57351	57404	57453	57500	57546	57591	35
30	57031	57108	57181	57250	57315	57376	57433	57486	57535	57582	57628	57673	30
25	57120	57196	57268	57336	57400	57459	57514	57565	57613	57659	57704	57748	25
20	57209	57284	57355	57422	57485	57544	57599	57650	57698	57744	57789	57834	20
15	57298	57371	57440	57506	57569	57628	57683	57734	57781	57826	57871	57916	15
10	57387	57458	57525	57589	57649	57705	57757	57805	57850	57894	57938	57982	10
5	57476	57545	57610	57672	57730	57784	57834	57880	57926	57971	58016	58061	5
0	57565	57632	57695	57755	57812	57865	57915	57961	58008	58054	58099	58144	0
LAT													LAT
E. LONG	60	65	70	75	80	85	90	95	100	105	110	115	E. LONG

VERTICAL COMPONENT (Z) WMM-90

LAT	120	125	130	135	140	145	150	155	160	165	170	175	L. LONG
90	58401 -27.5	58401 -28.1	58401 -28.5	58401 -28.6	58401 -28.6	58401 -28.6	58401 -28.6	58401 -28.6	58401 -28.6	58401 -28.6	58401 -28.6	58401 -28.6	90
85	57313 -27.5	57334 -28.1	57344 -28.5	57344 -28.6	57338 -28.8	57329 -28.6	57309 -28.6	57279 -27.8	57248 -27.2	57219 -26.6	57188 -25.9	57157 -25.2	85
80	56432 -27.5	56395 -28.1	56328 -28.5	56238 -28.6	56128 -28.8	56007 -28.6	55879 -28.6	55751 -27.8	55627 -27.2	55513 -26.6	55412 -25.9	55328 -25.2	80
75	55462 -25.4	55293 -26.2	55067 -26.6	54798 -26.6	54498 -26.2	54183 -25.6	53866 -24.6	53563 -23.2	53285 -22.1	53045 -20.7	52849 -19.2	52706 -17.9	75
70	54074 -19.2	53716 -20.0	53263 -20.3	52845 -20.5	52462 -20.2	52109 -20.3	51794 -20.3	51518 -20.3	51281 -20.3	51083 -20.3	50925 -20.3	50807 -20.3	70
65	52977 -9.6	52391 -10.1	51809 -10.6	51272 -10.8	50794 -11.0	50378 -11.2	49994 -11.2	49643 -11.2	49324 -11.2	49036 -11.2	48778 -11.2	48550 -11.2	65
60	51972 -9.9	51355 -10.2	50746 -10.6	50189 -10.8	49694 -11.0	49260 -11.2	48876 -11.2	48542 -11.2	48258 -11.2	48024 -11.2	47840 -11.2	47706 -11.2	60
55	50968 -11.2	50243 -10.8	49525 -10.6	48828 -10.6	48154 -10.7	47503 -10.7	46874 -10.7	46276 -10.7	45709 -10.7	45174 -10.7	44670 -10.7	44196 -10.7	55
50	50013 -26.0	49279 -26.2	48553 -26.2	47844 -26.2	47154 -26.2	46493 -26.2	45860 -26.2	45264 -26.2	44704 -26.2	44179 -26.2	43689 -26.2	43234 -26.2	50
45	49183 -30.1	48307 -31.3	47379 -32.6	46406 -33.8	45394 -35.0	44353 -36.2	43284 -37.4	42196 -38.6	41099 -39.8	39994 -41.0	38881 -42.2	37760 -43.4	45
40	48193 -31.3	47193 -32.6	46143 -34.0	45054 -35.2	43936 -36.4	42789 -37.6	41614 -38.8	40419 -40.0	39204 -41.2	37979 -42.4	36744 -43.6	35499 -44.8	40
35	47193 -32.6	46143 -34.0	45054 -35.2	43936 -36.4	42789 -37.6	41614 -38.8	40419 -40.0	39204 -41.2	37979 -42.4	36744 -43.6	35499 -44.8	34254 -46.0	35
30	46193 -33.9	45143 -35.2	44054 -36.4	42936 -37.6	41789 -38.8	40614 -40.0	39419 -41.2	38204 -42.4	36979 -43.6	35744 -44.8	34499 -46.0	33254 -47.2	30
25	45193 -35.2	44143 -36.4	43054 -37.6	41936 -38.8	40789 -40.0	39614 -41.2	38419 -42.4	37204 -43.6	35979 -44.8	34744 -46.0	33499 -47.2	32254 -48.4	25
20	44193 -36.4	43143 -37.6	42054 -38.8	40936 -40.0	39789 -41.2	38614 -42.4	37419 -43.6	36204 -44.8	34979 -46.0	33744 -47.2	32499 -48.4	31254 -49.6	20
15	43193 -37.6	42143 -38.8	41054 -40.0	39936 -41.2	38789 -42.4	37614 -43.6	36419 -44.8	35204 -46.0	33979 -47.2	32744 -48.4	31499 -49.6	30254 -50.8	15
10	42193 -38.8	41143 -40.0	40054 -41.2	38936 -42.4	37789 -43.6	36614 -44.8	35419 -46.0	34204 -47.2	32979 -48.4	31744 -49.6	30499 -50.8	29254 -52.0	10
5	41193 -40.0	40143 -41.2	39054 -42.4	37936 -43.6	36789 -44.8	35614 -46.0	34419 -47.2	33204 -48.4	31979 -49.6	30744 -50.8	29499 -52.0	28254 -53.2	5
0	40193 -41.2	39143 -42.4	38054 -43.6	36936 -44.8	35789 -46.0	34614 -47.2	33419 -48.4	32204 -49.6	30979 -50.8	29744 -52.0	28499 -53.2	27254 -54.4	0

VERTICAL COMPONENT (Z) WMM-90

L. LONG LAT	180	185	190	195	200	205	210	215	220	225	230	ZYS	L. LONG LAT
90	56401 -21.24	56401 -21.24	56401 -21.24	56401 -21.24	56401 -21.24	56401 -21.24	56401 -21.24	56401 -21.24	56401 -21.24	56401 -21.24	56401 -21.24	56401 -21.24	90
85	57127 -26.0	57097 -25.8	57068 -25.5	57040 -25.2	57013 -24.9	56986 -24.6	56959 -24.3	56932 -24.0	56905 -23.7	56878 -23.4	56851 -23.0	56824 -22.7	85
80	57263 -21.24	57218 -21.0	57190 -20.8	57161 -20.6	57133 -20.4	57105 -20.2	57077 -20.0	57049 -19.8	57021 -19.6	56993 -19.4	56965 -19.2	56937 -19.0	80
75	56618 -16.0	56586 -15.6	56554 -15.2	56522 -14.8	56490 -14.4	56458 -14.0	56426 -13.6	56394 -13.2	56362 -12.8	56330 -12.4	56298 -12.0	56266 -11.6	75
70	55077 -11.24	55092 -11.0	55107 -10.8	55122 -10.6	55137 -10.4	55152 -10.2	55167 -10.0	55182 -9.8	55197 -9.6	55212 -9.4	55227 -9.2	55242 -9.0	70
65	52930 -11.24	52816 -11.0	52702 -10.8	52588 -10.6	52474 -10.4	52360 -10.2	52246 -10.0	52132 -9.8	52018 -9.6	51904 -9.4	51790 -9.2	51676 -9.0	65
60	49393 -17.24	49356 -17.0	49319 -16.8	49282 -16.6	49245 -16.4	49208 -16.2	49171 -16.0	49134 -15.8	49097 -15.6	49060 -15.4	49023 -15.2	48986 -15.0	60
55	45379 -17.24	45312 -17.0	45245 -16.8	45178 -16.6	45111 -16.4	45044 -16.2	44977 -16.0	44910 -15.8	44843 -15.6	44776 -15.4	44709 -15.2	44642 -15.0	55
50	41448 -17.24	41242 -17.0	41036 -16.8	40830 -16.6	40624 -16.4	40418 -16.2	40212 -16.0	40006 -15.8	39800 -15.6	39594 -15.4	39388 -15.2	39182 -15.0	50
45	37242 -17.24	37010 -17.0	36778 -16.8	36546 -16.6	36314 -16.4	36082 -16.2	35850 -16.0	35618 -15.8	35386 -15.6	35154 -15.4	34922 -15.2	34690 -15.0	45
40	33135 -17.24	32903 -17.0	32671 -16.8	32439 -16.6	32207 -16.4	31975 -16.2	31743 -16.0	31511 -15.8	31279 -15.6	31047 -15.4	30815 -15.2	30583 -15.0	40
35	29207 -17.24	29075 -17.0	28943 -16.8	28811 -16.6	28679 -16.4	28547 -16.2	28415 -16.0	28283 -15.8	28151 -15.6	28019 -15.4	27887 -15.2	27755 -15.0	35
30	25425 -17.24	25293 -17.0	25161 -16.8	25029 -16.6	24897 -16.4	24765 -16.2	24633 -16.0	24501 -15.8	24369 -15.6	24237 -15.4	24105 -15.2	23973 -15.0	30
25	21694 -17.24	21562 -17.0	21430 -16.8	21298 -16.6	21166 -16.4	21034 -16.2	20902 -16.0	20770 -15.8	20638 -15.6	20506 -15.4	20374 -15.2	20242 -15.0	25
20	17829 -11.24	17791 -11.0	17753 -10.8	17715 -10.6	17677 -10.4	17639 -10.2	17601 -10.0	17563 -9.8	17525 -9.6	17487 -9.4	17449 -9.2	17411 -9.0	20
15	13816 -26.24	13678 -26.0	13540 -25.8	13402 -25.6	13264 -25.4	13126 -25.2	12988 -25.0	12850 -24.8	12712 -24.6	12574 -24.4	12436 -24.2	12298 -24.0	15
10	9858 -40.24	9855 -40.0	9852 -39.8	9849 -39.6	9846 -39.4	9843 -39.2	9840 -39.0	9837 -38.8	9834 -38.6	9831 -38.4	9828 -38.2	9825 -38.0	10
5	3436 -44.24	3433 -44.0	3430 -43.8	3427 -43.6	3424 -43.4	3421 -43.2	3418 -43.0	3415 -42.8	3412 -42.6	3409 -42.4	3406 -42.2	3403 -42.0	5
0	-3844 -16.00	-3841 -15.8	-3838 -15.6	-3835 -15.4	-3832 -15.2	-3829 -15.0	-3826 -14.8	-3823 -14.6	-3820 -14.4	-3817 -14.2	-3814 -14.0	-3811 -13.8	0

VERTICAL COMPONENT (Z) WMM-90

LAT	240	245	250	255	260	265	270	275	280	285	290	295	LAT
90	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	56401 -21.4	90
85	56759 -22.2	56713 -22.1	56660 -21.6	56603 -21.2	56538 -20.8	56469 -20.5	56395 -20.1	56315 -19.7	56232 -19.3	56145 -18.9	56056 -18.5	55966 -18.2	85
80	57403 -21.2	57389 -21.1	57353 -21.0	57294 -20.9	57210 -20.5	57101 -20.1	56969 -19.5	56813 -18.9	56636 -18.3	56449 -17.7	56229 -17.0	56006 -16.3	80
75	58216 -21.0	58304 -21.0	58346 -21.0	58335 -22.0	58270 -22.1	58149 -22.0	57971 -21.6	57740 -21.0	57461 -20.2	57137 -19.1	56776 -17.8	56387 -16.2	75
70	58926 -20.6	59178 -21.6	59350 -24.2	59434 -24.2	59524 -24.2	59518 -24.2	59111 -26.6	58812 -26.2	58427 -25.5	57963 -24.5	57435 -23.1	56856 -21.3	70
65	59183 -28.2	59644 -28.4	59904 -29.3	60209 -30.3	60501 -30.8	60729 -30.8	60928 -30.8	59911 -31.8	59188 -33.4	58586 -32.7	57984 -31.8	57308 -30.8	65
60	59653 -28.2	59345 -28.2	58896 -28.6	58286 -28.6	57597 -28.7	56806 -28.7	55911 -28.7	54951 -28.4	53854 -28.4	52636 -28.6	51316 -28.9	50001 -29.3	60
55	57121 -35.7	58043 -40.9	58811 -44.1	59394 -47.3	59769 -48.7	59911 -49.7	59806 -50.5	59451 -51.4	58854 -52.4	58036 -53.4	57036 -53.9	55891 -54.3	55
50	54557 -42.6	54861 -42.6	54953 -42.2	54734 -42.5	54288 -42.8	53689 -43.2	52923 -43.8	52005 -44.4	50953 -45.2	49723 -46.1	48389 -47.1	46925 -48.1	50
45	51107 -47.7	52382 -53.1	53518 -57.3	54475 -59.3	55203 -60.4	55653 -60.3	55883 -60.4	55823 -60.4	55419 -61.1	54736 -61.6	52968 -62.7	51580 -64.4	45
40	47019 -55.6	48364 -55.6	49609 -58.9	50897 -62.7	52168 -66.3	53428 -69.3	54623 -72.3	55719 -74.6	56731 -77.1	57652 -79.6	58488 -82.1	59256 -84.4	40
35	42508 -48.7	43863 -53.1	45145 -55.6	46301 -56.8	47266 -57.9	47971 -60.3	48351 -65.0	48323 -67.3	47961 -71.8	47264 -76.4	45997 -80.2	44523 -82.8	35
30	37738 -44.2	39027 -48.4	40279 -52.3	41445 -54.7	42458 -56.8	43248 -58.2	43823 -59.3	44258 -60.4	43549 -63.0	42841 -65.5	41732 -68.1	40276 -72.0	30
25	32748 -36.8	33917 -38.1	35099 -39.9	36226 -42.6	37252 -45.2	38093 -48.2	38809 -50.8	39209 -53.5	39629 -56.2	39838 -58.2	39719 -60.3	39219 -62.8	25
20	27518 -28.9	28543 -28.9	29613 -29.8	30695 -30.8	31729 -31.2	32629 -32.2	33303 -33.0	33869 -33.8	34229 -34.2	34462 -34.2	34603 -34.2	34559 -34.2	20
15	22053 -14.5	22939 -13.9	23895 -13.8	24930 -10.6	25976 -9.8	26949 -9.8	27733 -10.2	28329 -10.2	28756 -10.6	29042 -10.6	29277 -10.6	29068 -10.5	15
10	16407 -20.2	17158 -18.2	18039 -16.8	19030 -15.0	20002 -14.2	20952 -13.2	21868 -12.2	22708 -11.5	23491 -10.3	24229 -9.2	24813 -8.2	25249 -7.2	10
5	10703 -37.6	11368 -37.6	12186 -32.6	13161 -26.2	14252 -19.1	15369 -11.1	16399 -0.8	17287 -0.2	17625 -0.2	17636 -0.2	17156 -0.8	16168 -1.8	5
0	5073 -35.6	5702 -35.6	6485 -30.6	7440 -24.3	8539 -17.3	9703 -10.3	10913 -3.1	12156 -0.2	12323 -0.2	12484 -0.5	12147 -0.9	11285 -100.9	0

VERTICAL COMPONENT (Z) WMM-90

E. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG LAT
90	59401	59401	59401	59401	59401	59401	59401	59401	59401	59401	59401	59401	90
85	55879	55788	55702	55621	55548	55472	55398	55326	55256	55188	55122	55058	85
80	52775	52692	52610	52529	52449	52370	52292	52215	52139	52064	51990	51917	80
75	50977	50895	50814	50734	50654	50575	50496	50418	50341	50264	50188	50112	75
70	50242	50161	50081	50001	49921	49842	49763	49684	49605	49526	49447	49368	70
65	50577	50497	50417	50337	50257	50177	50097	50017	49937	49857	49777	49697	65
60	55813	55733	55653	55573	55493	55413	55333	55253	55173	55093	55013	54933	60
55	56659	56579	56499	56419	56339	56259	56179	56099	56019	55939	55859	55779	55
50	52732	52652	52572	52492	52412	52332	52252	52172	52092	52012	51932	51852	50
45	50051	49971	49891	49811	49731	49651	49571	49491	49411	49331	49251	49171	45
40	66708	66628	66548	66468	66388	66308	66228	66148	66068	65988	65908	65828	40
35	42831	42751	42671	42591	42511	42431	42351	42271	42191	42111	42031	41951	35
30	38557	38477	38397	38317	38237	38157	38077	37997	37917	37837	37757	37677	30
25	34018	33938	33858	33778	33698	33618	33538	33458	33378	33298	33218	33138	25
20	30285	30205	30125	30045	29965	29885	29805	29725	29645	29565	29485	29405	20
15	24455	24375	24295	24215	24135	24055	23975	23895	23815	23735	23655	23575	15
10	19725	19645	19565	19485	19405	19325	19245	19165	19085	19005	18925	18845	10
5	14998	14918	14838	14758	14678	14598	14518	14438	14358	14278	14198	14118	5
0	9904	9824	9744	9664	9584	9504	9424	9344	9264	9184	9104	9024	0
E. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG LAT

VERTICAL COMPONENT (Z) WMM-90

E. LONG LAT	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG LAT
0	-14393	-14393	-15378	-17911	-62351	-62351	-7271	-6181	-2291	-2091	-2291	-2291	0
-5	-18823	-19551	-20090	-21502	-51140	-51140	-69761	-69761	-35881	-32271	-61740	-61740	-5
-10	-19875	-22827	-24552	-36652	-69152	-69152	-10932	-10932	-8752	-24022	-2292	-2292	-10
-15	-20752	-23827	-25112	-30032	-60152	-60152	-10092	-10092	-62192	-2222	-2222	-2222	-15
-20	-20752	-23827	-25112	-30032	-60152	-60152	-10092	-10092	-62192	-2222	-2222	-2222	-20
-25	-24712	-25552	-26352	-32352	-62352	-62352	-62352	-62352	-7092	-2092	-2092	-2092	-25
-30	-24712	-25552	-26352	-32352	-62352	-62352	-62352	-62352	-7092	-2092	-2092	-2092	-30
-35	-24032	-24422	-24982	-32292	-62352	-62352	-62352	-62352	-2222	-2222	-2222	-2222	-35
-40	-24032	-24422	-24982	-32292	-62352	-62352	-62352	-62352	-2222	-2222	-2222	-2222	-40
-45	-24032	-24422	-24982	-32292	-62352	-62352	-62352	-62352	-2222	-2222	-2222	-2222	-45
-50	-24032	-24422	-24982	-32292	-62352	-62352	-62352	-62352	-2222	-2222	-2222	-2222	-50
-55	-24032	-24422	-24982	-32292	-62352	-62352	-62352	-62352	-2222	-2222	-2222	-2222	-55
-60	-24032	-24422	-24982	-32292	-62352	-62352	-62352	-62352	-2222	-2222	-2222	-2222	-60
-65	-24032	-24422	-24982	-32292	-62352	-62352	-62352	-62352	-2222	-2222	-2222	-2222	-65
-70	-24032	-24422	-24982	-32292	-62352	-62352	-62352	-62352	-2222	-2222	-2222	-2222	-70
-75	-24032	-24422	-24982	-32292	-62352	-62352	-62352	-62352	-2222	-2222	-2222	-2222	-75
-80	-24032	-24422	-24982	-32292	-62352	-62352	-62352	-62352	-2222	-2222	-2222	-2222	-80
-85	-24032	-24422	-24982	-32292	-62352	-62352	-62352	-62352	-2222	-2222	-2222	-2222	-85
-90	-24032	-24422	-24982	-32292	-62352	-62352	-62352	-62352	-2222	-2222	-2222	-2222	-90

VERTICAL COMPONENT (Z) WMM-90

E. LONG	60	65	70	75	80	85	90	95	100	105	110	115	L. LONG
LAT													LAT
0	-11418 41.3	-11883 39.9	-12512 38.6	-13229 37.3	-13911 36.0	-14591 34.7	-14871 33.4	-14986 32.1	-14813 30.8	-14413 29.5	-13807 28.2	-13392 26.9	0
-5	-17875 32.7	-18585 32.2	-19476 31.6	-20439 30.9	-21353 30.2	-22336 29.5	-22675 28.8	-22899 28.1	-22772 27.4	-22378 26.7	-21824 26.0	-21242 25.3	-5
-10	-23153 28.2	-24153 27.7	-25107 27.0	-26024 26.3	-26884 25.6	-27684 24.9	-28408 24.2	-30091 23.5	-31115 22.8	-29813 22.1	-29103 21.4	-28279 20.7	-10
-15	-27209 24.7	-28629 24.2	-30115 23.5	-31611 22.8	-33369 22.1	-35119 21.4	-35774 20.7	-36448 20.0	-36899 19.3	-36368 18.6	-35808 17.9	-35278 17.2	-15
-20	-30147 21.2	-31970 20.7	-33926 20.0	-35903 19.3	-37895 18.6	-39888 17.9	-40872 17.2	-41855 16.5	-42400 15.8	-42538 15.1	-42365 14.4	-42001 13.7	-20
-25	-33822 17.7	-35427 17.2	-37280 16.5	-39058 15.8	-40875 15.1	-42628 14.4	-43328 13.7	-43955 13.0	-44525 12.3	-43859 11.6	-43548 10.9	-42991 10.2	-25
-30	-37339 14.2	-39365 13.7	-41680 13.0	-43880 12.3	-45880 11.6	-47695 10.9	-48202 10.2	-48591 9.5	-48874 8.8	-48241 8.1	-47369 7.4	-46199 6.7	-30
-35	-40886 10.7	-42739 10.2	-44856 9.5	-46819 8.8	-48527 8.1	-49980 7.4	-50802 6.7	-51001 6.0	-51108 5.3	-50384 4.6	-49473 3.9	-48226 3.2	-35
-40	-44178 7.2	-46447 6.7	-48980 6.0	-51230 5.3	-53138 4.6	-54805 3.9	-55927 3.2	-56401 2.5	-56756 1.8	-56114 1.1	-55082 0.4	-53696 -0.3	-40
-45	-47447 3.7	-49823 3.2	-52378 2.5	-54830 1.8	-56913 1.1	-58526 0.4	-59643 -0.3	-60169 -1.0	-59893 -1.7	-60267 -2.4	-61169 -3.1	-62213 -3.8	-45
-50	-50853 -0.2	-53419 -0.7	-56105 -1.4	-58787 -2.1	-61250 -2.8	-63403 -3.5	-65126 -4.2	-66327 -4.9	-66943 -5.6	-66221 -6.3	-64936 -7.0	-63969 -7.7	-50
-55	-54047 -6.7	-56724 -6.2	-59513 -5.5	-62318 -4.8	-65123 -4.1	-67929 -3.4	-70729 -2.7	-73521 -2.0	-76221 -1.3	-78921 -0.6	-81621 0.1	-84321 0.8	-55
-60	-57148 -12.2	-60149 -11.7	-63227 -11.0	-66391 -10.3	-69544 -9.6	-72697 -8.9	-75850 -8.2	-78903 -7.5	-81956 -6.8	-84909 -6.1	-87862 -5.4	-90815 -4.7	-60
-65	-60250 -17.7	-63458 -17.2	-66723 -16.5	-70024 -15.8	-73325 -15.1	-76626 -14.4	-79927 -13.7	-83228 -13.0	-86529 -12.3	-89830 -11.6	-93131 -10.9	-96432 -10.2	-65
-70	-63312 -23.2	-66658 -22.7	-70123 -22.0	-73624 -21.3	-77125 -20.6	-80626 -19.9	-84127 -19.2	-87628 -18.5	-91129 -17.8	-94630 -17.1	-98131 -16.4	-101632 -15.7	-70
-75	-66408 -28.7	-69823 -28.2	-73424 -27.5	-77025 -26.8	-80626 -26.1	-84227 -25.4	-87828 -24.7	-91429 -24.0	-95030 -23.3	-98631 -22.6	-102232 -21.9	-105833 -21.2	-75
-80	-69473 -34.2	-73023 -33.7	-76624 -33.0	-80225 -32.3	-83826 -31.6	-87427 -30.9	-91028 -30.2	-94629 -29.5	-98230 -28.8	-101831 -28.1	-105432 -27.4	-109033 -26.7	-80
-85	-72485 -39.7	-76023 -39.2	-79624 -38.5	-83225 -37.8	-86826 -37.1	-90427 -36.4	-94028 -35.7	-97629 -35.0	-101230 -34.3	-104831 -33.6	-108432 -32.9	-112033 -32.2	-85
-90	-75094 -45.2	-78623 -44.7	-82224 -44.0	-85825 -43.3	-89426 -42.6	-93027 -41.9	-96628 -41.2	-100229 -40.5	-103830 -39.8	-107431 -39.1	-111032 -38.4	-114633 -37.7	-90
LAT													LAT
E. LONG	60	65	70	75	80	85	90	95	100	105	110	115	L. LONG

VERTICAL COMPONENT (Z) WMM-90

E. LONG	120	125	130	135	140	145	150	155	160	165	170	175	L. LONG
LAT													LAT
0	-12980	-12860	-12430	-12080	-11650	-11072	-10311	-9371	-8261	-6950	-5524	-4023	0
-5	-20719	-20222	-19855	-19392	-18826	-18118	-17252	-16229	-15013	-13681	-12207	-10692	-5
-10	-29149	-27630	-27221	-26381	-25940	-25173	-24262	-23200	-21978	-20605	-19115	-17576	-10
-15	-38155	-36808	-34074	-33496	-32829	-32015	-31117	-30064	-28819	-27446	-25952	-24408	-15
-20	-48549	-47062	-45546	-43973	-42358	-40521	-37597	-36526	-35141	-33341	-32402	-30918	-20
-25	-60281	-58884	-57319	-55659	-53884	-51949	-49827	-47459	-44869	-42668	-40439	-38007	-25
-30	-73278	-72003	-70616	-69115	-67485	-65734	-63864	-61872	-59769	-57539	-55278	-52878	-30
-35	-88595	-87395	-86085	-84665	-83134	-81485	-79719	-77835	-75842	-73720	-71469	-69094	-35
-40	-106000	-104848	-103585	-102219	-100748	-99163	-97464	-95652	-93728	-91692	-89545	-87288	-40
-45	-127232	-126155	-124968	-123679	-122288	-120795	-119200	-117502	-115702	-113800	-111797	-109694	-45
-50	-152622	-151570	-150405	-149129	-147744	-146251	-144650	-142942	-141128	-139208	-137182	-135051	-50
-55	-183209	-182180	-181045	-179799	-178444	-176981	-175410	-173732	-171946	-170054	-168057	-165956	-55
-60	-219953	-218950	-217845	-216629	-215304	-213871	-212330	-210682	-208928	-207069	-205106	-203041	-60
-65	-263348	-262380	-261315	-260149	-258884	-257521	-256050	-254472	-252788	-251000	-249108	-247113	-65
-70	-313490	-312550	-311515	-310379	-309144	-307811	-306380	-304842	-303198	-301450	-299600	-297649	-70
-75	-370222	-369310	-368305	-367199	-366004	-364721	-363350	-361882	-360318	-358659	-356906	-355051	-75
-80	-433473	-432580	-431595	-430519	-429354	-428101	-426760	-425332	-423808	-422189	-420576	-418869	-80
-85	-503295	-502430	-501475	-500429	-499294	-498071	-496760	-495362	-493878	-492309	-490656	-488919	-85
-90	-579694	-578860	-577935	-576919	-575814	-574621	-573340	-571972	-570518	-568979	-567356	-565649	-90
LAT													LAT
E. LONG	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG

VERTICAL COMPONENT (Z) WMM-90

E. LONG LAT	180	185	190	195	200	205	210	215	220	225	230	235	E. LONG LAT
0	-264.7	-140.0	-138.0	-61.9	-282.8	-137.7	-305.7	-356.4	-387.8	-337.3	-406.0	454.5	0
-5	-283.3	-792.5	-682.0	-591.6	-516.8	-431.8	-388.7	-326.8	-264.8	-205.0	-148.2	28.2	-5
-10	-140.78	-146.99	-111.6	-124.4	-115.4	-107.7	-99.2	-91.4	-83.6	-76.16	-69.08	-62.40	-10
-15	-228.77	-225.5	-201.07	-169.24	-151.1	-148.69	-151.879	-140.21	-139.75	-130.58	-121.84	-113.69	-15
-20	-291.63	-278.58	-264.2	-232.7	-219.03	-227.2	-216.6	-205.7	-196.14	-183.48	-173.24	-163.54	-20
-25	-353.8	-338.8	-323.7	-290.6	-282.2	-266.2	-268.4	-258.5	-248.54	-236.2	-223.2	-213.5	-25
-30	-407.59	-391.1	-376.2	-342.6	-334.1	-322.1	-308.3	-296.5	-286.6	-274.38	-261.98	-252.62	-30
-35	-455.28	-430.23	-415.6	-382.8	-374.2	-361.6	-348.1	-335.7	-324.88	-312.7	-300.25	-289.05	-35
-40	-497.61	-483.28	-468.9	-435.8	-427.2	-414.9	-401.4	-389.1	-378.0	-367.28	-356.55	-348.05	-40
-45	-538.36	-524.7	-510.5	-478.5	-470.8	-458.5	-445.9	-434.7	-424.6	-414.6	-404.33	-395.03	-45
-50	-568.36	-556.0	-543.1	-512.4	-505.3	-493.8	-481.7	-470.6	-460.2	-450.5	-440.89	-432.10	-50
-55	-597.5	-586.36	-575.4	-546.7	-540.3	-529.6	-518.1	-507.5	-507.0	-497.0	-487.82	-479.4	-55
-60	-620.32	-611.02	-601.9	-574.8	-568.5	-558.2	-547.5	-537.6	-537.16	-527.8	-518.53	-510.3	-60
-65	-635.77	-628.11	-620.6	-594.8	-588.6	-578.2	-567.5	-557.6	-557.08	-548.45	-539.79	-532.07	-65
-70	-649.03	-643.97	-638.9	-614.5	-608.7	-600.4	-590.5	-580.9	-581.1	-572.7	-564.2	-556.58	-70
-75	-653.78	-649.5	-645.2	-622.3	-616.6	-606.5	-595.9	-585.7	-586.30	-577.1	-568.0	-559.16	-75
-80	-653.72	-649.08	-644.7	-622.3	-616.6	-606.5	-595.9	-585.7	-586.30	-577.1	-568.0	-559.16	-80
-85	-651.89	-647.5	-643.2	-621.1	-615.4	-605.3	-594.7	-584.4	-585.0	-575.8	-566.6	-557.5	-85
-90	-649.6	-645.3	-641.0	-619.9	-614.2	-604.1	-593.4	-583.0	-583.6	-574.4	-565.2	-556.0	-90

VERTICAL COMPONENT (Z) WMM-90

L. LONG	240	245	250	255	260	265	270	275	280	285	290	295	L. LONG							
LAT	0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	LAT
	5873	5752	5638	5529	5425	5326	5232	5143	5059	4985	4921	4867	4814	4771	4738	4715	4702	4699	4706	
	5730	5614	5503	5397	5296	5200	5109	5023	4937	4856	4780	4709	4643	4582	4526	4475	4428	4385	4346	
	5584	5469	5359	5254	5154	5059	4968	4882	4791	4705	4624	4548	4476	4409	4346	4287	4232	4181	4134	
	5436	5322	5213	5109	5010	4915	4824	4738	4647	4561	4479	4401	4327	4257	4191	4129	4071	4017	3967	
	5287	5174	5066	4963	4864	4770	4680	4594	4512	4434	4360	4290	4224	4162	4104	4050	4000	3954	3911	
	5138	5026	4919	4816	4717	4622	4531	4444	4361	4282	4207	4136	4069	4006	3947	3892	3841	3793	3749	
	4989	4878	4772	4670	4572	4478	4388	4302	4220	4142	4068	3998	3932	3870	3812	3758	3708	3661	3617	
	4840	4730	4625	4524	4427	4334	4244	4158	4076	3998	3924	3854	3788	3726	3668	3614	3564	3517	3473	
	4691	4582	4478	4378	4282	4190	4102	4018	3938	3862	3790	3722	3658	3598	3542	3490	3441	3395	3352	
	4542	4434	4331	4232	4137	4045	3957	3873	3793	3717	3645	3577	3513	3453	3397	3345	3296	3250	3207	
	4393	4286	4184	4086	3992	3902	3816	3734	3656	3582	3512	3446	3384	3326	3272	3222	3175	3131	3089	
	4244	4138	4037	3940	3848	3760	3676	3596	3520	3448	3380	3316	3256	3200	3148	3100	3056	3015	2976	
	4095	3990	3889	3792	3699	3611	3527	3447	3371	3300	3233	3170	3111	3056	3004	2956	2912	2871	2832	
	3946	3842	3742	3645	3552	3464	3380	3300	3224	3152	3084	3020	2960	2904	2852	2804	2760	2719	2680	
	3797	3694	3595	3500	3409	3322	3239	3160	3085	3014	2947	2884	2825	2770	2719	2672	2629	2589	2551	
	3648	3546	3448	3354	3264	3178	3096	3018	2944	2874	2808	2746	2688	2634	2584	2538	2495	2455	2417	
	3499	3398	3299	3204	3114	3028	2946	2868	2794	2724	2658	2596	2538	2484	2434	2387	2343	2302	2263	
	3350	3250	3152	3058	2968	2882	2800	2722	2648	2578	2512	2450	2392	2338	2288	2241	2197	2155	2115	
	3201	3102	3005	2912	2822	2736	2654	2576	2492	2412	2336	2264	2196	2132	2072	2016	1963	1913	1865	
	3052	2954	2858	2764	2674	2588	2506	2428	2354	2284	2218	2156	2098	2044	1994	1947	1903	1861	1821	
	2903	2806	2712	2620	2532	2448	2368	2292	2220	2152	2088	2028	1972	1920	1872	1827	1785	1745	1707	
	2754	2658	2564	2472	2384	2300	2220	2144	2072	2004	1940	1880	1824	1772	1724	1679	1636	1595	1556	
	2605	2510	2418	2328	2242	2160	2082	2008	1938	1872	1810	1752	1698	1648	1601	1557	1515	1475	1437	
	2456	2362	2270	2180	2094	2012	1934	1860	1790	1724	1662	1604	1550	1500	1453	1409	1368	1329	1292	
	2307	2214	2124	2036	1952	1872	1796	1724	1656	1592	1532	1476	1424	1376	1331	1288	1247	1208	1171	
	2158	2066	1978	1892	1810	1732	1658	1588	1522	1460	1402	1348	1298	1252	1209	1168	1129	1092	1056	
	2009	1918	1832	1748	1668	1592	1520	1452	1388	1328	1270	1216	1166	1120	1077	1036	997	960	925	
	1860	1770	1684	1600	1520	1444	1372	1304	1240	1180	1124	1072	1024	980	939	900	863	828	795	
	1711	1622	1538	1456	1378	1304	1234	1168	1106	1048	994	944	898	856	817	781	747	715	685	
	1562	1474	1392	1312	1236	1164	1096	1032	972	916	864	816	772	731	693	658	625	594	565	
	1413	1326	1246	1168	1094	1024	958	896	838	784	734	688	646	608	573	540	509	480	453	
	1264	1178	1098	1022	950	882	818	758	702	650	602	558	518	482	449	419	391	365	341	
	1115	1030	950	874	802	734	670	610	554	502	454	410	370	334	301	271	243	217	193	
	966	882	802	726	654	586	522	462	406	354	306	262	222	186	153	123	95	70	46	
	817	734	654	578	506	438	374	314	258	206	158	114	74	38	5	24	0	0	0	

VERTICAL COMPONENT (Z) WMM-90

E. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG LAT
0	-0905	-8061	-5759	-3153	-1690	-2482	-5151	-7638	-8925	-11418	-12710	-13673	0
-5	-5301	-3547	-1365	-1352	-1581	-6532	-8453	-11522	-13528	-15328	-16750	-17900	-5
-10	-8038	-4878	-2575	-4270	-7238	-9826	-12829	-16428	-19388	-21800	-23854	-25828	-10
-15	-2842	-4219	-5983	-8020	-10301	-12604	-14529	-16141	-18200	-19889	-21326	-22614	-15
-20	-898	-7358	-8818	-10301	-12491	-14399	-16628	-17974	-19558	-21003	-22327	-23528	-20
-25	-897	-8957	-1109	-1281	-1432	-15958	-17554	-19381	-20458	-21641	-22810	-23852	-25
-30	-1150	-1219	-1309	-1439	-1588	-1722	-1858	-1988	-2106	-2202	-2287	-2378	-30
-35	-13829	-14233	-14982	-15981	-1722	-1835	-19451	-20502	-21448	-22269	-22967	-23555	-35
-40	-1609	-16279	-16776	-17523	-18414	-19356	-20227	-21106	-21983	-22845	-22948	-23352	-40
-45	-18573	-1833	-1878	-1932	-1988	-2038	-2082	-2121	-2154	-2182	-2204	-2218	-45
-50	-21479	-21225	-2229	-21433	-2170	-22174	-22589	-22975	-23309	-23588	-23820	-24022	-50
-55	-2527	-2448	-2354	-2272	-2226	-2168	-2095	-2004	-1908	-1808	-1704	-1584	-55
-60	-2992	-2839	-2795	-2765	-2749	-2740	-2737	-2742	-2748	-2742	-2720	-2701	-60
-65	-3344	-3238	-3144	-3094	-3046	-3015	-3002	-3008	-3018	-3028	-3040	-3048	-65
-70	-3813	-3738	-3688	-3674	-3682	-3700	-3728	-3758	-3788	-3808	-3828	-3848	-70
-75	-4278	-4268	-4290	-4330	-4388	-4450	-4528	-4608	-4688	-4768	-4848	-4912	-75
-80	-46974	-4688	-4683	-4682	-4698	-4728	-4768	-4818	-4878	-4938	-4998	-5058	-80
-85	-50268	-5050	-5053	-5088	-5128	-5188	-5248	-5308	-5368	-5428	-5488	-5548	-85
-90	-54094	-54094	-54094	-54094	-54094	-54094	-54094	-54094	-54094	-54094	-54094	-54094	-90

HORIZONTAL COMPONENT (H) WMM-90

E. LONG	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG
LAT													LAT
90	2174 -13.6	2174 -13.6	2174 -13.6	2174 -13.6	2174 -13.6	2174 -13.6	2174 -13.6	2174 -13.6	2174 -13.6	2174 -13.6	2174 -13.6	2174 -13.6	90
85	4636 -16.7	4652 -17.0	4651 -17.3	4632 -17.5	4597 -18.2	4544 -18.9	4475 -19.1	4369 -19.2	4287 -18.3	4170 -18.8	4037 -18.4	3891 -18.4	85
80	6891 -19.7	6925 -18.3	6932 -18.8	6912 -19.2	6864 -19.8	6790 -20.2	6687 -20.6	6555 -20.9	6393 -21.2	6202 -21.5	5981 -21.7	5731 -21.9	80
75	8948 -15.7	8993 -16.5	9009 -17.3	8997 -18.0	8957 -18.6	8886 -19.3	8786 -19.9	8648 -20.5	8477 -21.0	8268 -21.5	8015 -22.1	7722 -22.6	75
70	10927 -11.7	10970 -12.7	10989 -13.5	10982 -14.2	10952 -15.2	10900 -16.0	10828 -17.0	10709 -17.6	10565 -18.3	10382 -19.0	10156 -19.6	9863 -20.4	70
65	12852 -8.5	12883 -9.3	12909 -10.1	12908 -10.8	12956 -11.6	12988 -12.8	12969 -13.9	12894 -14.9	12808 -15.8	12673 -16.7	12488 -17.6	12208 -18.5	65
60	15131 -5.2	15131 -6.2	15116 -7.2	15092 -8.2	15063 -9.2	15022 -10.2	14998 -10.9	14963 -11.5	14919 -12.1	14861 -12.6	14783 -13.1	14677 -13.4	60
55	17486 -2.2	17462 -3.2	17424 -4.2	17381 -5.2	17340 -6.2	17307 -7.2	17284 -7.9	17271 -8.6	17271 -9.2	17280 -9.6	17280 -10.1	17279 -10.3	55
50	20007 0.8	19972 1.8	19922 2.8	19869 3.6	19823 4.4	19782 5.1	19767 5.8	19770 6.3	19799 6.7	19848 7.1	19919 7.4	20016 7.7	50
45	22643 11.7	22619 12.5	22580 13.0	22536 14.0	22497 14.4	22471 15.0	22462 15.2	22476 15.7	22515 16.1	22591 16.9	22710 17.3	22875 17.7	45
40	25333 21.3	25329 22.0	25327 22.2	25327 23.1	25319 23.6	25318 24.4	25329 25.8	25353 26.7	25401 27.6	25468 28.5	25632 29.2	25843 29.5	40
35	27906 31.3	27986 32.6	28049 33.9	28106 35.0	28160 36.3	28211 37.4	28255 38.0	28298 38.7	28352 39.9	28441 40.6	28592 41.1	28827 41.6	35
30	30259 41.3	30423 42.1	30570 43.9	30707 45.0	30836 46.3	30948 47.1	31039 48.2	31108 49.4	31176 50.6	31269 51.6	31323 52.3	31667 52.6	30
25	32488 51.3	32409 52.6	32408 53.9	32278 55.0	32086 56.3	32063 57.1	32003 58.0	32009 58.7	32092 59.9	32208 60.6	32359 61.1	32450 61.6	25
20	34308 61.3	34363 62.7	34408 64.0	34228 65.0	34008 66.3	34050 67.1	34045 68.0	34198 68.7	34328 69.9	34478 70.6	34629 71.1	34882 71.6	20
15	36498 71.3	36499 72.7	36477 74.0	36377 75.0	36337 76.3	36438 77.1	36485 78.0	36585 78.7	36893 79.9	37203 80.6	37509 81.1	37882 81.6	15
10	38283 81.3	38293 82.7	38361 84.0	38473 85.0	38649 86.3	38859 87.1	39069 88.0	39319 88.7	39603 89.9	39927 90.6	40249 91.1	40617 91.6	10
5	40599 91.3	40599 92.7	40668 94.0	40772 95.0	40911 96.3	41071 97.1	41226 98.0	41376 98.7	41619 99.9	41858 100.6	42088 101.1	42401 101.6	5
0	42722 101.3	42722 102.7	42748 104.0	42850 105.0	42971 106.3	43108 107.1	43246 108.0	43376 108.7	43594 109.9	43808 110.6	44018 111.1	44301 111.6	0
LAT													LAT
E. LONG	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG

nT
(units: nT)

HORIZONTAL COMPONENT (H) WMM-90

LAT	60	65	70	75	80	85	90	95	100	105	110	115	L. LONG
90	-3376	-3376	-3376	-3376	-3376	-3376	-3376	-3376	-3376	-3376	-3376	-3376	90
85	-1931	-3560	-3379	-3190	-2996	-2798	-2603	-2407	-2222	-2048	-1896	-1756	85
80	-3453	-5149	-4822	-4527	-4272	-4047	-3846	-3663	-3498	-3358	-3245	-3156	80
75	-7388	-1013	-606	-242	5725	5285	4894	4543	4314	4225	4292	4508	75
70	-9513	-9132	-822	938	782	7442	7074	6769	6503	6282	6118	6025	70
65	11881	10611	10211	9960	9746	10161	9880	9658	9506	9282	9062	10400	65
60	4558	4331	4141	4001	3911	3811	3702	3582	3452	3323	3193	3068	60
55	4921	4332	3771	3201	2602	2002	1581	1261	986	767	597	477	55
50	8107	6230	4330	2450	1050	202	206	512	1081	1681	2289	2912	50
45	5802	3132	222	612	552	242	244	600	1142	1791	2398	2981	45
40	4219	5902	2282	6122	552	222	281	222	2812	2856	2872	2881	40
35	8910	4956	2882	6960	1105	311	316	515	1502	3218	3623	3928	35
30	3204	3248	3284	3349	3399	3448	3478	3503	3516	3518	3518	3518	30
25	8051	8084	8092	8105	8125	8152	8183	8218	8258	8291	8318	8339	25
20	3682	3683	3682	3682	3682	3682	3682	3682	3682	3682	3682	3682	20
15	3787	3787	3787	3787	3787	3787	3787	3787	3787	3787	3787	3787	15
10	3760	3771	3781	3786	3790	3792	3794	3796	3798	3799	3800	3801	10
5	3676	3722	3769	3818	3868	3918	3968	4018	4068	4118	4168	4218	5
0	3478	3517	3554	3593	3632	3671	3710	3749	3788	3827	3866	3905	0

HORIZONTAL COMPONENT (H) WMM-90

E. LONG	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG
LAT	90	85	80	75	70	65	60	55	50	45	40	35	LAT
90	-3376	-3376	-3376	-3376	-3376	-3376	-3376	-3376	-3376	-3376	-3376	-3376	90
85	-1609	-1369	-1213	-1090	-980	-882	-795	-722	-658	-603	-552	-509	85
80	-4858	-4253	-3683	-3156	-2672	-2230	-1830	-1472	-1154	-875	-634	-430	80
75	-838	-5247	-1722	6153	1720	3999	6593	9257	11928	14658	17378	20089	75
70	-2227	-8222	8829	2223	3988	5949	8020	10200	12488	14884	17388	20001	70
65	19869	11907	12278	12933	13538	14092	14599	15068	15498	15889	16241	16554	65
60	14569	12209	12868	13499	14093	14652	15178	15670	16128	16552	16943	17291	60
55	18297	19860	19427	19223	19043	18923	18859	18852	18899	18969	19058	19161	55
50	23959	22419	22829	23184	23474	23693	23840	23923	23953	23937	23875	23768	50
45	25547	25785	25903	26029	26179	26352	26548	26766	26996	27238	27492	27758	45
40	28869	28900	28889	28829	28789	28763	28750	28757	28777	28808	28850	28901	40
35	31889	31717	31603	31428	31209	30956	30670	30362	30034	29688	29327	28954	35
30	34531	34163	33733	33269	32789	32294	31796	31296	30794	30291	29788	29285	30
25	36715	36193	35687	35197	34729	34282	33856	33451	33067	32704	32362	32041	25
20	38378	37768	37053	36353	35678	35028	34404	33807	33237	32694	32178	31689	20
15	39462	38822	38086	37268	36392	35493	34581	33657	32722	31777	30822	29857	15
10	39974	39368	38673	37918	37113	36277	35420	34552	33674	32786	31888	30980	10
5	39914	39403	38811	38179	37508	36805	36081	35337	34574	33792	32991	32182	5
0	39293	38918	38574	38269	37992	37744	37524	37332	37168	37032	36924	36845	0

HORIZONTAL COMPONENT (H) WMM-90

LAT	180	185	190	195	200	205	210	215	220	225	230	235	L - LONG
90	-2174	-2174	-2174	-2174	-2174	-2174	-2174	-2174	-2174	-2174	-2174	-2174	LAT
85	-1591	-1558	-1501	-1491	-1491	-1491	-1491	-1491	-1491	-1491	-1491	-1491	90
80	-1463	-1479	-1474	-1474	-1474	-1474	-1474	-1474	-1474	-1474	-1474	-1474	85
75	-1132	-1070	-1003	-996	-996	-996	-996	-996	-996	-996	-996	-996	80
70	-5251	-5381	-5451	-5451	-5451	-5451	-5451	-5451	-5451	-5451	-5451	-5451	75
65	-8032	-8032	-8032	-8032	-8032	-8032	-8032	-8032	-8032	-8032	-8032	-8032	70
60	-1981	-1981	-1981	-1981	-1981	-1981	-1981	-1981	-1981	-1981	-1981	-1981	65
55	-9202	-9250	-9202	-9202	-9202	-9202	-9202	-9202	-9202	-9202	-9202	-9202	60
50	-8562	-8562	-8562	-8562	-8562	-8562	-8562	-8562	-8562	-8562	-8562	-8562	55
45	-2962	-3379	-3552	-3552	-3552	-3552	-3552	-3552	-3552	-3552	-3552	-3552	50
40	-5112	-509	-2492	-2492	-2492	-2492	-2492	-2492	-2492	-2492	-2492	-2492	45
35	-2988	-2562	-2512	-2512	-2512	-2512	-2512	-2512	-2512	-2512	-2512	-2512	40
30	-2853	-2935	-2992	-2992	-2992	-2992	-2992	-2992	-2992	-2992	-2992	-2992	35
25	-3632	-3432	-3412	-3412	-3412	-3412	-3412	-3412	-3412	-3412	-3412	-3412	30
20	-2802	-2802	-2802	-2802	-2802	-2802	-2802	-2802	-2802	-2802	-2802	-2802	25
15	-3080	-3080	-3080	-3080	-3080	-3080	-3080	-3080	-3080	-3080	-3080	-3080	20
10	-3002	-3166	-3279	-3279	-3279	-3279	-3279	-3279	-3279	-3279	-3279	-3279	15
5	-3438	-3455	-3455	-3455	-3455	-3455	-3455	-3455	-3455	-3455	-3455	-3455	10
0	-3452	-3420	-3384	-3384	-3384	-3384	-3384	-3384	-3384	-3384	-3384	-3384	5
													0
LAT													LAT
L - LONG	180	185	190	195	200	205	210	215	220	225	230	235	L - LONG

HORIZONTAL COMPONENT (H) WMM-90

E. LONG	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG
LAT													LAT
90	-13.6	-13.6	-13.6	-13.6	-13.6	-13.6	-13.6	-13.6	-13.6	-13.6	-13.6	-13.6	90
85	848	949	1094	1272	1471	1684	1904	2128	2355	2578	2796	3008	85
80	-1320	-864	-430	-13.6	704	1180	1666	2147	2619	3076	3515	3933	80
75	3073	2362	1664	1011	661	1016	1388	2370	3068	3747	4394	5003	75
70	5295	4225	3582	3116	2251	2318	2379	2231	2019	1721	1420	1122	70
65	7999	7035	6116	5297	4491	3697	4516	4972	5476	6498	7358	8207	65
60	11102	10128	9276	8323	7654	7254	7189	7469	8026	8723	9414	10168	60
55	14389	13461	12868	11703	10826	10313	10113	10433	10951	11672	12632	13857	55
50	17584	16126	15252	15158	14448	13813	13213	13597	13860	14361	15025	15771	50
45	20652	19808	19114	18411	17753	17208	16846	16720	16850	17217	17764	18412	45
40	22900	22435	21901	21323	20744	20224	19830	19422	19635	19879	20294	20846	40
35	24923	24641	24373	24031	23348	22878	22470	22198	22107	22217	22513	22955	35
30	26616	26093	25572	25058	25566	25135	24724	24397	24211	24200	24370	24698	30
25	28073	28065	27960	27738	27402	27006	26588	26199	25928	25798	25868	26063	25
20	29328	29381	29338	29171	28878	28484	28039	27598	27218	27012	26951	27062	20
15	30318	30392	30379	30226	29949	29553	29084	28599	28168	27853	27697	27516	15
10	31001	31041	31005	30868	30598	30218	29731	29215	28730	28344	28104	28038	10
5	31312	31291	31220	31073	30825	30458	29990	29464	28944	28499	28146	28028	5
0	31283	31178	31054	30898	30663	30327	29885	29369	28826	28328	27934	27687	0
LAT													LAT
E. LONG	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG

HORIZONTAL COMPONENT(H) WMM-90

LAT	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG LAT
90	-2174	-2174	-2174	-2174	-2174	-2174	-2174	-2174	-2174	-2174	-2174	-2174	355 90
85	-3413	-3406	-3590	-3769	-3918	-4064	-4203	-4324	-4405	-4488	-4554	-4603	355 85
80	-4288	-4697	-5039	-5353	-5638	-5894	-6123	-6319	-6489	-6638	-6763	-6864	355 80
75	-5572	-6095	-6570	-6998	-7379	-7713	-8008	-8251	-8460	-8633	-8769	-8873	355 75
70	-7090	-7755	-8313	-8783	-9166	-9468	-9699	-9853	-10048	-10223	-10359	-10457	355 70
65	-8869	-9718	-10358	-10813	-11185	-11479	-11703	-11859	-12021	-12176	-12323	-12461	355 65
60	-11290	-12041	-12753	-13290	-13674	-13911	-14092	-14218	-14299	-14346	-14370	-14372	355 60
55	-13859	-14600	-15253	-15721	-16026	-16180	-16284	-16349	-16376	-16366	-16321	-16254	355 55
50	-16228	-17233	-18051	-18684	-19131	-19393	-19574	-19675	-19707	-19663	-19536	-19328	355 50
45	-19207	-19777	-20280	-20706	-21054	-21324	-21516	-21631	-21669	-21631	-21518	-21332	355 45
40	-21659	-22072	-22448	-22783	-23086	-23266	-23424	-23561	-23578	-23476	-23254	-22922	355 40
35	-24377	-24587	-24687	-24673	-24547	-24309	-24068	-23826	-23584	-23343	-23103	-22864	355 35
30	-26942	-26974	-26932	-26817	-26637	-26393	-26146	-25907	-25676	-25454	-25242	-25040	355 30
25	-29617	-29509	-29367	-29192	-28994	-28783	-28561	-28338	-28115	-27892	-27669	-27446	355 25
20	-32350	-32228	-32089	-31934	-31764	-31580	-31393	-31204	-31014	-30822	-30629	-30436	355 20
15	-35099	-34829	-34529	-34204	-33864	-33510	-33153	-32794	-32433	-32070	-31706	-31341	355 15
10	-37836	-37379	-36822	-36162	-35502	-34842	-34182	-33522	-32862	-32202	-31542	-30882	355 10
5	-40331	-39563	-38729	-37823	-36843	-35790	-34663	-33472	-32226	-30925	-29569	-28158	355 5
0	-42576	-41568	-40464	-39273	-38003	-36666	-35272	-33831	-32343	-30808	-29126	-27300	355 0
LAT	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG LAT

HORIZONTAL COMPONENT (H) WMM-90

E. LONG LAT	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG LAT
0	2335	2833	2874	2833	2923	3008	3056	3087	3153	3208	3258	3300	0
-5	2469	2480	2518	2527	2556	2633	2680	2727	2780	2828	2880	2926	-5
-10	2195	2121	2101	2130	2113	2223	2256	2338	2410	2518	2600	2704	-10
-15	1729	1789	1733	1788	1808	1836	1886	1957	2050	2188	2281	2417	-15
-20	1540	1507	1434	1529	1480	1596	1583	1649	1738	1869	1997	2120	-20
-25	1342	1281	1319	1343	1294	1387	1389	1426	1511	1633	1724	1820	-25
-30	1205	1159	1189	1127	1137	1161	1221	1225	1308	1368	1441	1518	-30
-35	1138	1089	1080	1028	1046	1101	1210	1168	1282	1342	1407	1463	-35
-40	1131	1110	1107	1133	1141	1203	1283	1378	1482	1527	1607	1687	-40
-45	1188	1160	1120	1218	1256	1354	1405	1476	1553	1626	1730	1790	-45
-50	1352	1312	1381	1353	1395	1450	1501	1589	1600	1727	1787	1826	-50
-55	1483	1470	1448	1518	1546	1588	1624	1682	1758	1809	1832	1856	-55
-60	1617	1639	1648	1637	1688	1720	1752	1790	1833	1850	1870	1878	-60
-65	1772	1773	1782	1727	1807	1824	1862	1880	1878	1896	1890	1885	-65
-70	1822	1878	1878	1880	1884	1892	1897	1897	1898	1895	1896	1871	-70
-75	1928	1924	1917	1913	1908	1903	1900	1893	1883	1871	1855	1833	-75
-80	1904	1898	1891	1883	1875	1868	1858	1843	1821	1813	1794	1773	-80
-85	1805	1801	1784	1787	1780	1771	1762	1751	1740	1727	1713	1698	-85
-90	1630	1630	1630	1630	1630	1630	1630	1630	1630	1630	1630	1630	-90

HORIZONTAL COMPONENT (H) WMM-90

E. LONG LAT	60	65	70	75	80	85	90	95	100	105	110	115	E. LONG LAT
0	34476 14.8	35374 8.3	36254 20.3	37083 24.8	37832 24.8	38472 27.9	38999 30.0	39387 30.8	39632	39753	39729	39568 20.9	0
-5	31718 13.6	32757 21.7	33755 28.2	34684 32.9	35523 36.8	36269 39.8	36885 42.5	37398 44.5	37794 45.2	38068 45.4	38212 46.2	38223 46.8	-5
-10	28559 16.2	29302	30082	30788	31408	31938	32380	32736	33005	33196	33314	33378	-10
-15	25384	25998	26694	27372	28022	28638	29212	29746	30248	30718	31156	31562	-15
-20	22608	23284	23922	24522	25084	25608	26094	26542	26952	27324	27658	27954	-20
-25	20498	21262	22002	22708	23382	24024	24634	25212	25758	26272	26754	27204	-25
-30	19162	19992	20802	21592	22352	23082	23782	24452	25092	25702	26282	26832	-30
-35	18452	19322	20182	21022	21832	22612	23362	24082	24772	25432	26072	26682	-35
-40	18262	19172	20022	20892	21732	22542	23322	24082	24822	25532	26212	26862	-40
-45	18302	19252	20142	21052	21922	22762	23572	24352	25112	25852	26572	27272	-45
-50	18462	19452	20382	21332	22242	23122	23982	24822	25642	26442	27222	27982	-50
-55	18632	19652	20622	21612	22562	23482	24382	25262	26122	26972	27802	28612	-55
-60	18722	19772	20782	21812	22802	23762	24702	25622	26532	27432	28322	29192	-60
-65	18692	19772	20822	21882	22962	24022	25082	26142	27202	28262	29322	30372	-65
-70	18482	19582	20682	21792	22922	24082	25242	26402	27562	28722	29882	31042	-70
-75	18072	19202	20342	21502	22682	23882	25082	26282	27482	28682	29882	31082	-75
-80	17492	18662	19862	21082	22322	23582	24862	26162	27462	28762	29962	31162	-80
-85	16835	18032	19262	20522	21802	23102	24422	25762	27122	28482	29842	31202	-85
-90	16302	17522	18782	20082	21402	22742	24102	25482	26882	28282	29682	31082	-90

HORIZONTAL COMPONENT (H) WMM-90

E. LONG LAT	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG LAT
0	39297 16.1	38918 11.4	38474 7.0	37991 5.4	37499 5.2	37026 6.9	36582 10.0	36182 13.5	35824 15.9	35509 16.2	35193 13.7	34884 8.5	0
-5	38113 8.0	37905 6.5	37629 1.3	37329 -1.2	37006 -8.0	36709 -7.9	36469 5.5	36203 11.1	35924 16.2	35619 15.3	35278 17.1	34907 15.3	-5
-10	36381 8.0	36347 9.9	36243 -4.8	36104 -8.2	35957 -8.8	35820 -6.4	35701 -1.4	35605 4.9	35529 11.2	35460 15.7	35378 17.1	35253 14.7	-10
-15	34119 2.4	34253 3.6	34309 -9.2	34322 -12.8	34319 -14.0	34317 -12.7	34324 -9.1	34344 -3.9	34377 1.7	34411 6.2	34424 8.4	34389 7.3	-15
-20	31386 -2.7	31665 -6.6	31861 0.1	32005 2.8	32123 -16.1	32233 -16.5	32345 -15.1	32466 -12.0	32595 -9.0	32728 -5.8	32829 -3.7	32888 -1.7	-20
-25	28272 2.8	28678 0.8	28881 1.8	29235 2.6	29458 5.5	29668 8.6	29872 11.4	30086 14.6	30307 17.0	30524 19.2	30729 21.5	30889 24.8	-25
-30	24803 -8.5	25372 9.2	25778 16.7	26197 25.2	26433 31.1	26733 35.3	27039 37.4	27350 38.8	27667 38.8	27986 37.2	28302 33.2	28554 28.4	-30
-35	21374 4.6	21864 16.1	22322 32.3	22749 45.2	23157 54.8	23561 60.9	23970 64.8	24384 66.5	24813 66.0	25235 63.5	25645 58.5	26025 52.9	-35
-40	17763 -11.2	18212 -8.2	18698 -5.2	19190 -1.9	19695 1.8	20213 4.9	20746 8.6	21294 12.8	21833 16.2	22374 18.6	22909 19.8	23395 19.8	-40
-45	14152 -14.2	14476 -11.6	14823 -8.2	15191 -4.1	15592 -0.8	16002 -5.8	16408 -6.6	16790 -2.5	17200 -10.5	17557 -12.2	17927 -13.2	18298 -12.2	-45
-50	10655 -18.2	10711 -16.1	11035 -11.3	11350 -7.2	11653 -3.7	11935 -0.3	12200 3.1	12453 6.5	12688 9.8	12908 12.5	13121 15.2	13324 17.8	-50
-55	7298 -24.8	7272 -23.7	7330 -20.3	7359 -17.2	7423 -13.1	7481 -9.8	7534 -6.6	7581 -3.5	7623 -0.5	7658 2.5	7687 5.2	7712 7.9	-55
-60	5755 -29.1	4643 -46.3	3359 -30.5	3314 -33.1	4373 -43.7	5239 -52.3	6043 -60.4	6773 -67.7	7428 -74.2	7997 -79.9	8509 -85.0	8959 -89.5	-60
-65	4244 -32.9	4204 -32.9	2826 -28.2	2608 -26.0	1739 -17.3	1828 -18.2	2363 -23.6	2923 -29.2	3408 -34.0	3829 -38.2	4279 -42.7	4749 -47.4	-65
-70	2809 -28.0	6862 -68.6	3320 -33.2	4728 -47.2	6009 -60.0	7278 -72.7	8428 -84.2	9351 -93.5	10114 -101.1	10716 -107.1	11168 -111.6	11470 -114.7	-70
-75	19376 -19.3	3522 -35.2	8878 -88.7	8243 -82.4	7233 -72.3	7388 -73.8	7192 -71.9	7181 -71.8	7339 -73.3	7643 -76.4	8063 -80.6	8282 -82.8	-75
-80	13553 -13.5	13129 -13.1	13224 -13.2	13277 -13.2	13091 -13.0	12859 -12.8	12691 -12.6	12507 -12.5	12309 -12.3	12097 -12.0	11878 -11.8	11653 -11.6	-80
-85	14318 -14.3	14269 -14.2	14272 -14.2	14269 -14.2	14261 -14.2	14251 -14.2	14231 -14.2	14211 -14.2	14191 -14.1	14171 -14.1	14151 -14.1	14131 -14.1	-85
-90	16302 -16.3	16302 -16.3	16302 -16.3	16302 -16.3	16302 -16.3	16302 -16.3	16302 -16.3	16302 -16.3	16302 -16.3	16302 -16.3	16302 -16.3	16302 -16.3	-90

HORIZONTAL COMPONENT (H) WMM-90

E. LONG LAT	180	185	190	195	200	205	210	215	220	225	230	235	E. LONG LAT
0	34557 1.4	34208 -6.6	33844 -14.2	33477 -20.7	33123 -25.2	32793 -29.7	32489 -33.2	32218 -35.8	32078 -37.4	32058 -38.0	32058 -38.0	32058 -38.0	0
-5	35145 8.1	34828 -1.3	34463 -11.7	34066 -20.7	33658 -28.2	33251 -34.7	32863 -40.3	32488 -45.3	32133 -49.9	31796 -53.7	31482 -56.7	31201 -58.7	-5
-10	35802 29.2	34796 3	34354 -14.6	33903 -24.8	33457 -33.7	33025 -41.5	32603 -48.5	32208 -54.8	31844 -60.4	31507 -65.9	31193 -70.5	30913 -74.1	-10
-15	36280 62.3	34084 -7.9	33804 -14.6	33458 -24.8	33073 -33.7	32669 -41.7	32291 -48.7	31953 -54.8	31644 -60.4	31361 -65.5	31095 -70.0	30847 -73.6	-15
-20	32873 228.7	32774 121.1	32588 82.4	32333 42.3	32031 1.6	31707 -20.7	31378 -32.8	31053 -44.3	30732 -55.3	30416 -65.8	30105 -75.8	29800 -85.3	-20
-25	32805 328.5	31003 100.3	30803 71.6	30503 42.9	30203 14.2	29903 -14.5	29603 -24.8	29303 -35.1	29003 -45.4	28703 -55.7	28403 -66.0	28103 -76.3	-25
-30	27085 270.8	28914 289.1	28989 289.9	29011 290.1	29086 290.9	29161 291.7	29236 292.5	29311 293.3	29386 294.1	29461 294.9	29536 295.7	29611 296.5	-30
-35	29360 293.6	29638 296.4	29713 297.1	29788 297.8	29863 298.6	29938 299.4	30013 300.2	30088 301.0	30163 301.8	30238 302.6	30313 303.4	30388 304.2	-35
-40	28817 288.2	28542 285.4	28467 284.7	28392 283.9	28317 283.2	28242 282.5	28167 281.8	28092 281.1	28017 280.4	27942 279.7	27867 279.0	27792 278.3	-40
-45	21271 212.7	21293 212.9	22315 223.2	22337 223.4	22359 223.6	22381 223.8	22403 224.0	22425 224.2	22447 224.4	22469 224.6	22491 224.8	22513 225.0	-45
-50	18606 186.1	19338 193.4	19813 198.1	20234 202.3	20602 206.0	20923 209.2	21203 212.0	21443 214.4	21643 216.4	21803 218.0	21923 219.2	22003 220.0	-50
-55	15823 158.2	16569 165.7	17249 172.5	17871 178.7	18431 184.3	18931 189.3	19371 193.7	19751 197.5	20071 200.7	20331 203.3	20531 205.3	20681 206.8	-55
-60	12870 128.7	13824 138.2	14819 148.2	15835 158.4	16869 168.7	17923 179.2	18997 189.9	20091 200.9	21203 212.0	22331 223.3	23471 234.7	24621 246.2	-60
-65	10348 103.5	11291 112.9	12186 121.9	13037 130.4	13858 138.6	14658 146.6	15438 154.4	16198 162.0	16948 169.5	17688 176.9	18418 184.2	19138 191.4	-65
-70	8763 87.6	967 9.7	10354 103.5	11122 111.2	11881 118.8	12631 126.3	13381 133.8	14131 141.3	14881 148.8	15631 156.3	16381 163.8	17131 171.3	-70
-75	9171 91.7	9807 98.1	10478 104.8	11172 111.7	11881 118.8	12598 126.0	13311 133.1	14034 140.3	14741 147.4	15433 154.3	16101 161.0	16749 167.5	-75
-80	11221 112.2	11597 116.0	11959 119.6	12313 123.1	12661 126.6	13003 130.0	13338 133.4	13668 136.7	13993 139.9	14313 143.1	14628 146.3	14938 149.4	-80
-85	13920 139.2	14333 143.3	14713 147.1	15079 150.8	15431 154.3	15778 157.8	16121 161.2	16461 164.6	16797 168.0	17128 171.3	17455 174.6	17778 177.8	-85
-90	16302 163.0	16302 163.0	16302 163.0	16302 163.0	16302 163.0	16302 163.0	16302 163.0	16302 163.0	16302 163.0	16302 163.0	16302 163.0	16302 163.0	-90

HORIZONTAL COMPONENT (H) WMM-90

LAT	240	245	250	255	260	265	270	275	280	285	290	295	L. LONG
0	332.3	329.1	325.9	322.7	319.5	316.3	313.1	309.9	306.7	303.5	300.3	297.1	0
-5	308.5	305.3	302.1	298.9	295.7	292.5	289.3	286.1	282.9	279.7	276.5	273.3	-5
-10	284.7	281.5	278.3	275.1	271.9	268.7	265.5	262.3	259.1	255.9	252.7	249.5	-10
-15	260.9	257.7	254.5	251.3	248.1	244.9	241.7	238.5	235.3	232.1	228.9	225.7	-15
-20	237.1	233.9	230.7	227.5	224.3	221.1	217.9	214.7	211.5	208.3	205.1	201.9	-20
-25	213.3	210.1	206.9	203.7	200.5	197.3	194.1	190.9	187.7	184.5	181.3	178.1	-25
-30	189.5	186.3	183.1	179.9	176.7	173.5	170.3	167.1	163.9	160.7	157.5	154.3	-30
-35	165.7	162.5	159.3	156.1	152.9	149.7	146.5	143.3	140.1	136.9	133.7	130.5	-35
-40	141.9	138.7	135.5	132.3	129.1	125.9	122.7	119.5	116.3	113.1	109.9	106.7	-40
-45	118.1	114.9	111.7	108.5	105.3	102.1	98.9	95.7	92.5	89.3	86.1	82.9	-45
-50	94.3	91.1	87.9	84.7	81.5	78.3	75.1	71.9	68.7	65.5	62.3	59.1	-50
-55	70.5	67.3	64.1	60.9	57.7	54.5	51.3	48.1	44.9	41.7	38.5	35.3	-55
-60	46.7	43.5	40.3	37.1	33.9	30.7	27.5	24.3	21.1	17.9	14.7	11.5	-60
-65	22.9	19.7	16.5	13.3	10.1	6.9	3.7	0.5	-2.7	-5.9	-9.1	-12.3	-65
-70	-1.9	-5.1	-8.3	-11.5	-14.7	-17.9	-21.1	-24.3	-27.5	-30.7	-33.9	-37.1	-70
-75	-27.1	-30.3	-33.5	-36.7	-39.9	-43.1	-46.3	-49.5	-52.7	-55.9	-59.1	-62.3	-75
-80	-53.3	-56.5	-59.7	-62.9	-66.1	-69.3	-72.5	-75.7	-78.9	-82.1	-85.3	-88.5	-80
-85	-79.5	-82.7	-85.9	-89.1	-92.3	-95.5	-98.7	-101.9	-105.1	-108.3	-111.5	-114.7	-85
-90	-105.7	-108.9	-112.1	-115.3	-118.5	-121.7	-124.9	-128.1	-131.3	-134.5	-137.7	-140.9	-90
LAT	240	245	250	255	260	265	270	275	280	285	290	295	L. LONG

HORIZONTAL COMPONENT (H) WMM-90

L. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	L. LONG LAT
0	27574 -30.0	27568 -27.4	27614 -26.4	27651 -25.6	27629 -25.3	27528 -25.2	27363 -25.2	27176 -25.1	27037 -25.1	27004 -25.1	27119 -25.1	27380 -25.0	0
-5	26766 -37.4	26603 -36.9	26463 -38.0	26284 -40.4	26022 -43.7	25969 -44.0	25843 -44.9	24812 -51.4	24445 -51.2	24206 -49.5	24113 -46.7	24229 -41.5	-5
-10	25944 -43.2	25326 -44.0	25013 -47.3	24644 -51.4	24186 -58.0	23634 -66.4	23022 -74.8	22408 -82.0	21861 -88.1	21441 -87.1	21217 -84.8	21069 -81.8	-10
-15	24303 -51.0	23851 -51.0	23399 -55.1	22894 -60.3	22307 -66.3	21638 -74.2	20917 -83.5	20195 -91.2	19530 -93.0	18966 -88.9	18526 -81.6	18209 -78.6	-15
-20	22885 -59.6	22335 -64.4	21788 -70.8	21203 -78.1	20569 -86.5	19892 -95.8	19168 -104.8	18299 -112.7	17265 -119.6	16000 -126.5	15318 -123.3	15223 -120.3	-20
-25	21861 -68.2	20846 -74.8	20349 -82.8	19714 -91.4	19038 -100.3	18308 -109.3	17537 -118.0	16723 -126.2	15946 -134.6	15259 -142.9	14543 -150.7	13867 -158.6	-25
-30	20901 -77.0	19829 -84.9	19269 -94.0	18558 -103.1	17723 -112.2	16879 -121.2	16041 -130.2	15228 -139.2	14476 -148.2	13828 -157.2	13303 -166.2	12853 -175.2	-30
-35	19798 -85.5	19100 -94.6	18418 -104.3	17733 -114.4	17023 -124.5	16279 -134.6	15507 -144.7	14723 -154.8	13952 -164.9	13212 -175.0	12524 -185.1	11908 -195.2	-35
-40	18749 -94.0	18013 -104.1	17269 -114.3	16569 -124.4	15828 -134.5	15068 -144.6	14297 -154.7	13533 -164.8	12799 -175.0	12102 -185.2	11494 -195.4	10968 -205.5	-40
-45	17700 -102.0	16969 -112.1	16217 -122.2	15494 -132.3	14769 -142.4	14038 -152.5	13306 -162.6	12599 -172.7	11929 -182.8	11303 -192.9	10724 -203.0	10253 -213.1	-45
-50	20178 -110.0	19462 -120.1	18727 -130.2	17981 -140.3	17233 -150.4	16489 -160.5	15753 -170.6	15029 -180.7	14328 -190.8	13652 -200.9	13004 -211.0	12384 -221.1	-50
-55	20797 -118.0	20150 -128.1	19479 -138.2	18787 -148.3	18081 -158.4	17363 -168.5	16647 -178.6	15936 -188.7	15228 -198.8	14524 -208.9	13824 -219.0	13131 -229.1	-55
-60	21327 -126.0	20768 -138.1	20136 -148.2	19458 -158.3	18755 -168.4	18038 -178.5	17317 -188.6	16599 -198.7	15882 -208.8	15167 -218.9	14454 -229.0	13743 -239.1	-60
-65	21848 -134.0	21279 -144.1	20629 -154.2	20003 -164.3	19399 -174.4	18817 -184.5	18257 -194.6	17728 -204.7	17228 -214.8	16756 -224.9	16311 -235.0	15892 -245.1	-65
-70	21305 -142.0	21093 -152.1	20848 -162.2	20583 -172.3	20309 -182.4	20037 -192.5	19779 -202.6	19538 -212.7	19324 -222.8	19143 -232.9	18999 -243.0	18892 -253.1	-70
-75	20563 -150.0	20309 -160.1	20009 -170.2	19771 -180.3	19597 -190.4	19477 -200.5	19411 -210.6	19400 -220.7	19452 -230.8	19558 -240.9	19719 -251.0	19932 -261.1	-75
-80	19297 -158.0	19437 -170.1	19459 -180.2	19456 -190.3	19431 -200.4	19412 -210.5	19411 -220.6	19438 -230.7	19492 -240.8	19572 -250.9	19676 -261.0	19803 -271.1	-80
-85	17940 -166.0	18008 -180.1	18063 -190.2	18107 -200.3	18139 -210.4	18161 -220.5	18172 -230.6	18172 -240.7	18167 -250.8	18151 -260.9	18126 -271.0	18093 -281.1	-85
-90	16302 -174.0	16302 -184.1	16302 -194.2	16302 -204.3	16302 -214.4	16302 -224.5	16302 -234.6	16302 -244.7	16302 -254.8	16302 -264.9	16302 -275.0	16302 -285.1	-90
L. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	L. LONG LAT

TOTAL INTENSITY (F) WMM-90

E. LONG	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG
LAT													LAT
90	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	90
85	55488 -13.9	55513 -13.9	55551 -14.1	55600 -14.3	55661 -14.5	55732 -14.9	55813 -15.3	55901 -15.8	55997 -16.3	56099 -16.8	56206 -17.4	56315 -18.1	85
80	54428 -4.4	54462 -4.2	54531 -4.5	54629 -4.7	54758 -5.2	54915 -5.8	55099 -6.5	55308 -7.3	55537 -8.3	55783 -9.4	56043 -10.6	56311 -11.9	80
75	53363 4.3	53393 4.6	53476 4.7	53612 4.4	53799 4.0	54035 3.2	54318 2.3	54645 1.2	55011 0.0	55410 -1.4	55836 -2.9	56282 -4.4	75
70	52335 11.0	52354 11.2	52443 11.9	52603 12.5	52828 13.2	53122 14.0	53481 14.8	53902 15.6	54381 16.4	54912 17.2	55486 18.0	56095 18.8	70
65	51323 17.9	51337 18.1	51431 18.6	51603 19.3	51857 19.8	52189 20.5	52592 21.2	53072 21.7	53623 22.3	54243 22.8	54928 23.4	55667 24.0	65
60	50261 19.2	50287 19.7	50398 20.6	50591 21.5	50863 22.5	51212 23.5	51640 24.5	52144 25.4	52732 26.3	53402 27.2	54143 28.1	54949 29.0	60
55	49067 19.2	49127 20.8	49273 21.5	49498 22.5	49795 23.5	50162 24.5	50600 25.5	51114 26.4	51706 27.3	52380 28.2	53134 29.1	53962 30.0	55
50	47673 19.8	47789 22.0	47990 23.2	48262 23.5	48595 23.0	48986 21.7	49434 19.9	49945 17.6	50526 15.1	51183 12.7	51915 10.5	52722 8.2	50
45	46047 19.2	46233 22.8	46501 24.0	46832 25.8	47213 27.5	47632 29.2	48095 30.8	48608 32.5	49172 34.2	49798 35.8	50489 37.6	51243 39.4	45
40	44190 19.2	44449 22.9	44787 25.7	45179 27.4	45605 27.7	46057 28.6	46536 29.2	47048 29.5	47601 30.1	48198 30.5	48841 30.8	49528 31.1	40
35	42336 17.8	42463 22.1	42863 25.7	43304 28.0	43766 28.8	44240 27.8	44729 25.1	45243 21.0	45786 15.8	46358 10.1	46952 4.2	47572 -1.2	35
30	39952 15.1	40335 20.0	40778 24.0	41250 28.8	41728 27.8	42207 28.8	42698 28.6	43203 28.3	43735 23.9	44285 17.9	44846 11.9	45408 -3.5	30
25	37751 12.4	38178 16.9	38640 20.5	39121 22.9	39593 23.6	40061 22.5	40530 19.6	41017 15.3	41527 10.0	42054 4.3	42584 -1.3	43109 -6.2	25
20	35687 9.9	36136 13.2	36613 15.7	37088 19.1	37544 17.1	37979 15.5	38408 12.8	38852 8.5	39321 3.8	39813 -0.3	40317 -4.8	40818 -8.8	20
15	33939 8.2	34412 9.8	34895 10.2	35359 9.9	35808 8.8	36251 8.9	36651 8.1	37026 7.5	37329 7.2	37669 7.5	38046 7.1	38447 6.7	15
10	32635 6.5	33144 6.4	33642 6.5	34102 6.7	34505 6.8	34848 6.9	35142 6.8	35382 6.5	35568 6.2	35718 5.8	35828 5.5	35999 5.1	10
5	31787 5.0	32352 5.2	32885 5.3	33355 5.2	33718 5.1	34021 4.9	34236 4.6	34342 4.2	34318 3.8	34258 3.5	34108 3.1	33999 2.7	5
0	31266 3.6	31909 3.7	32491 3.8	32981 3.9	33387 4.0	33709 4.1	33946 4.2	34098 4.3	34166 4.4	34139 4.5	34016 4.6	33799 4.7	0
LAT													LAT
E. LONG	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG

nT
(units: nT)

TOTAL INTENSITY (F) WMM-90

E. LONG LAT	60	65	70	75	80	85	90	95	100	105	110	115	E. LONG LAT
90	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	56443 -21.9	90
85	56646 -18.8	56536 -19.5	56644 -20.2	56748 -20.9	56848 -21.6	56941 -22.3	57026 -23.0	57103 -23.6	57172 -24.2	57228 -24.8	57273 -25.3	57311 -25.8	85
80	56583 -13.2	56854 -14.6	57118 -16.0	57371 -17.4	57607 -18.8	57823 -20.2	58011 -21.7	58172 -23.1	58302 -24.5	58399 -25.5	58463 -26.5	58494 -27.4	80
75	56738 -6.1	57194 -7.9	57643 -9.7	58070 -11.6	58467 -13.5	58824 -15.5	59132 -17.4	59383 -19.4	59572 -21.2	59694 -22.9	59748 -24.4	59735 -25.8	75
70	56725 1.0	57363 -0.7	57994 -2.5	58599 -4.4	59163 -6.2	59667 -8.1	60097 -10.0	60438 -11.9	60678 -13.8	60811 -15.7	60839 -17.6	60758 -19.5	70
65	56631 6.8	57319 13.3	58008 20.0	58703 26.7	59408 33.4	60116 40.1	60826 46.8	61538 53.5	62251 60.2	62964 66.9	63677 73.6	64390 80.3	65
60	55806 9.6	56696 16.3	57591 23.0	58491 29.7	59396 36.4	60306 43.1	61221 49.8	62141 56.5	63066 63.2	63996 69.9	64931 76.6	65871 83.3	60
55	54851 9.8	55781 16.5	56727 23.2	57689 29.9	58660 36.6	59641 43.3	60632 50.0	61633 56.7	62644 63.4	63665 70.1	64696 76.8	65737 83.5	55
50	53591 7.5	54507 14.2	55433 20.9	56370 27.6	57316 34.3	58273 41.0	59240 47.7	60217 54.4	61204 61.1	62201 67.8	63208 74.5	64225 81.2	50
45	52054 3.7	52909 10.4	53788 17.1	54688 23.8	55603 30.5	56534 37.2	57481 43.9	58444 50.6	59422 57.3	60414 64.0	61417 70.7	62431 77.4	45
40	50258 -2.8	51019 -3.9	51805 -5.0	52618 -6.1	53447 -7.2	54291 -8.3	55150 -9.4	56024 -10.5	56913 -11.6	57816 -12.7	58733 -13.8	59664 -14.9	40
35	48215 -4.8	48875 -5.5	49551 -6.2	50242 -6.9	50947 -7.6	51667 -8.3	52401 -9.0	53149 -9.7	53911 -10.4	54686 -11.1	55474 -11.8	56275 -12.5	35
30	45971 -7.9	46538 -8.8	47122 -9.7	47722 -10.6	48337 -11.5	48967 -12.4	49611 -13.3	50269 -14.2	50941 -15.1	51627 -16.0	52327 -16.9	53041 -17.8	30
25	43817 -10.0	44321 -10.9	44844 -11.8	45386 -12.7	45947 -13.6	46527 -14.5	47126 -15.4	47744 -16.3	48381 -17.2	49037 -18.1	49712 -19.0	50405 -19.9	25
20	41312 -11.3	41798 -12.2	42308 -13.1	42841 -14.0	43487 -14.9	44147 -15.8	44821 -16.7	45509 -17.6	46211 -18.5	46937 -19.4	47687 -20.3	48461 -21.2	20
15	39264 -12.6	39787 -13.5	40331 -14.4	40896 -15.3	41483 -16.2	42093 -17.1	42726 -18.0	43382 -18.9	44060 -19.8	44760 -20.7	45492 -21.6	46255 -22.5	15
10	37083 -13.9	37603 -14.8	38144 -15.7	38706 -16.6	39289 -17.5	39893 -18.4	40518 -19.3	41164 -20.2	41831 -21.1	42519 -22.0	43228 -22.9	43958 -23.8	10
5	36704 -13.7	37482 -14.6	38287 -15.5	39117 -16.4	39972 -17.3	40852 -18.2	41756 -19.1	42685 -20.0	43638 -20.9	44615 -21.8	45616 -22.7	46641 -23.6	5
0	36324 -12.1	37316 -13.0	38331 -13.9	39366 -14.8	40431 -15.7	41526 -16.6	42651 -17.5	43806 -18.4	44991 -19.3	46206 -20.2	47451 -21.1	48726 -22.0	0

TOTAL INTENSITY (F) WMM-90

E. LONG LAT	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG LAT
90	5844.8	5844.8	5844.8	5844.8	5844.8	5844.8	5844.8	5844.8	5844.8	5844.8	5844.8	5844.8	90
85	5733.8	5735.5	5736.8	5736.8	5735.5	5734.1	5732.1	5729.8	5727.1	5724.2	5721.8	5718.5	85
80	5849.2	5846.4	5840.9	5833.4	5834.8	5833.4	5802.3	5780.5	5780.9	5769.8	5759.9	5756.5	80
75	5865.8	5852.6	5834.1	5811.9	5806.9	5800.6	5833.8	5807.0	5782.7	5761.2	5743.4	5729.6	75
70	6021.0	6022.8	5991.7	5949.6	5903.5	5855.4	5808.1	5763.2	5722.4	5688.3	5661.2	5642.4	70
65	6027.1	6051.5	5994.8	5929.9	5850.0	5788.3	5718.3	5653.0	5585.3	5547.3	5511.4	5488.2	65
60	6025.5	6011.0	5933.5	5852.6	5751.8	5656.7	5564.9	5479.7	5405.8	5345.4	5301.6	5274.4	60
55	5983.0	5903.9	5807.9	5698.5	5593.3	5497.8	5403.8	5284.8	5167.3	5096.9	5060.9	5036.9	55
50	5827.5	5734.3	5622.3	5497.3	5365.4	5235.5	5107.9	4984.1	4896.9	4849.6	4764.0	4711.9	50
45	5410.9	5135.2	5390.9	5254.6	5117.9	4969.6	4835.3	4714.7	4612.3	4531.6	4474.3	4442.8	45
40	5361.8	5254.6	5126.9	4985.6	4837.7	4691.8	4556.9	4432.8	4330.2	4250.2	4194.6	4164.0	40
35	5080.8	4922.9	4845.7	4705.2	4559.2	4415.7	4281.9	4163.5	4065.1	3989.6	3938.9	3912.2	35
30	4788.8	4686.3	4564.8	4431.0	4292.8	4152.1	4031.7	3923.4	3830.7	3762.5	3718.1	3697.3	30
25	4510.1	4415.9	4304.9	4192.3	4086.3	3933.4	3819.8	3720.6	3639.7	3579.9	3542.5	3526.9	25
20	4269.6	4186.6	4088.8	3980.6	3899.6	3761.8	3662.9	3576.9	3503.8	3451.4	3419.2	3406.6	20
15	4094.8	4022.3	3938.7	3846.8	3752.6	3659.5	3573.3	3496.9	3433.6	3386.1	3355.3	3340.3	15
10	4008.1	3947.0	3876.4	3799.7	3719.3	3640.8	3564.5	3490.0	3437.1	3389.9	3353.3	3332.9	10
5	4023.8	3970.8	3911.9	3846.8	3785.5	3729.0	3641.2	3577.9	3518.5	3462.3	3434.9	3429.8	5
0	4138.1	4029.4	4042.3	3986.7	3927.0	3864.4	3800.7	3737.6	3676.1	3617.3	3562.4	3511.9	0

TOTAL INTENSITY (F) WMM-90

E. LONG LAT	180	185	190	195	200	205	210	215	220	225	230	235	E. LONG LAT
90	56443 -21.5	56443 -21.5	56443 -21.5	56443 -21.5	56443 -21.5	56443 -21.5	56443 -21.5	56443 -21.5	56443 -21.5	56443 -21.5	56443 -21.5	56443 -21.5	90
85	57149 -26.0	57118 -25.8	57088 -25.8	57058 -25.5	57029 -25.2	57000 -25.0	56973 -24.7	56947 -24.4	56921 -24.1	56896 -23.8	56872 -23.5	56849 -23.2	85
80	57449 -31.6	57399 -31.4	57349 -31.2	57299 -30.9	57249 -30.6	57199 -30.3	57149 -30.0	57099 -29.7	57049 -29.4	56999 -29.1	56949 -28.8	56899 -28.5	80
75	57204 -19.6	57158 -19.4	57112 -19.2	57066 -18.9	57020 -18.6	56974 -18.3	56928 -18.0	56882 -17.7	56836 -17.4	56790 -17.1	56744 -16.8	56698 -16.5	75
70	56329 -9.6	56308 -9.4	56287 -9.2	56266 -9.0	56245 -8.8	56224 -8.6	56203 -8.4	56182 -8.2	56161 -8.0	56140 -7.8	56119 -7.6	56098 -7.4	70
65	54783 -1.0	54818 -0.8	54853 -0.6	54888 -0.4	54923 -0.2	54958 0.0	54993 0.2	55028 0.4	55063 0.6	55098 0.8	55133 1.0	55168 1.2	65
60	52854 -9.7	52800 -9.5	52746 -9.3	52692 -9.1	52638 -8.9	52584 -8.7	52530 -8.5	52476 -8.3	52422 -8.1	52368 -7.9	52314 -7.7	52260 -7.5	60
55	50974 -12.3	50920 -12.1	50866 -11.9	50812 -11.7	50758 -11.5	50704 -11.3	50650 -11.1	50596 -10.9	50542 -10.7	50488 -10.5	50434 -10.3	50380 -10.1	55
50	47239 -12.3	47385 -12.1	47531 -11.9	47677 -11.7	47823 -11.5	47969 -11.3	48115 -11.1	48261 -10.9	48407 -10.7	48553 -10.5	48699 -10.3	48845 -10.1	50
45	44341 -15.0	44506 -14.7	44671 -14.4	44836 -14.1	45001 -13.8	45166 -13.5	45331 -13.2	45496 -12.9	45661 -12.6	45826 -12.3	45991 -12.0	46156 -11.7	45
40	41579 -15.0	41750 -14.7	41921 -14.4	42092 -14.1	42263 -13.8	42434 -13.5	42605 -13.2	42776 -12.9	42947 -12.6	43118 -12.3	43289 -12.0	43460 -11.7	40
35	39091 -14.0	39275 -13.7	39459 -13.4	39643 -13.1	39827 -12.8	40011 -12.5	40195 -12.2	40379 -11.9	40563 -11.6	40747 -11.3	40931 -11.0	41115 -10.7	35
30	36980 -21.9	37173 -22.2	37366 -22.5	37559 -22.8	37752 -23.1	37945 -23.4	38138 -23.7	38331 -24.0	38524 -24.3	38717 -24.6	38910 -24.9	39103 -25.2	30
25	35306 -22.0	35492 -21.7	35678 -21.4	35864 -21.1	36050 -20.8	36236 -20.5	36422 -20.2	36608 -19.9	36794 -19.6	36980 -19.3	37166 -19.0	37352 -18.7	25
20	34098 -16.0	34287 -15.7	34476 -15.4	34665 -15.1	34854 -14.8	35043 -14.5	35232 -14.2	35421 -13.9	35610 -13.6	35799 -13.3	35988 -13.0	36177 -12.7	20
15	33383 -16.3	33573 -16.0	33763 -15.7	33953 -15.4	34143 -15.1	34333 -14.8	34523 -14.5	34713 -14.2	34903 -13.9	35093 -13.6	35283 -13.3	35473 -13.0	15
10	33205 -16.3	33405 -16.0	33605 -15.7	33805 -15.4	34005 -15.1	34205 -14.8	34405 -14.5	34605 -14.2	34805 -13.9	35005 -13.6	35205 -13.3	35405 -13.0	10
5	33614 -5.5	33819 -5.2	34024 -4.9	34229 -4.6	34434 -4.3	34639 -4.0	34844 -3.7	35049 -3.4	35254 -3.1	35459 -2.8	35664 -2.5	35869 -2.2	5
0	34658 -1.6	34863 -1.3	35068 -1.0	35273 -0.7	35478 -0.4	35683 -0.1	35888 0.2	36093 0.5	36298 0.8	36503 1.1	36708 1.4	36913 1.7	0

TOTAL INTENSITY (F) WMM-90

E. LONG LAT	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG LAT
90	56443 -21.6	56443 -21.6	56443 -21.6	56443 -21.6	56443 -21.6	56443 -21.6	56443 -21.6	56443 -21.6	56443 -21.6	56443 -21.6	56443 -21.6	56443 -21.6	90
85	56765 -19.2	56720 -19.2	56670 -19.8	56616 -21.4	56557 -21.4	56490 -20.6	56427 -20.2	56356 -19.7	56281 -19.8	56204 -18.8	56126 -19.3	56047 -19.2	85
80	57420 -21.7	57396 -21.5	57353 -21.3	57294 -21.0	57216 -20.6	57114 -20.4	56993 -19.6	56853 -18.9	56696 -18.2	56524 -17.4	56338 -16.5	56144 -15.5	80
75	58297 -20.8	58352 -21.3	58369 -21.6	58344 -21.8	58274 -21.8	58152 -21.6	57995 -21.2	57789 -20.6	57543 -19.8	57260 -18.7	56946 -17.5	56608 -16.1	75
70	59163 -21.2	59363 -22.6	59458 -22.8	59502 -22.8	59569 -22.5	59657 -22.4	59767 -22.3	59901 -21.8	58564 -24.0	58164 -23.0	57709 -21.6	57213 -19.6	70
65	59721 -23.8	60057 -26.2	60301 -28.4	60462 -29.6	60623 -30.7	60784 -31.9	60945 -33.2	61106 -34.5	59459 -30.3	58943 -29.3	58350 -28.0	57693 -26.3	65
60	59694 -28.3	60207 -32.0	60594 -34.7	60858 -36.4	60980 -37.6	60959 -38.2	60768 -39.8	60488 -41.2	59952 -42.8	59348 -44.8	58617 -46.3	57808 -47.8	60
55	59905 -34.6	59586 -38.8	60158 -41.8	60536 -43.6	60772 -44.3	60826 -44.9	60689 -44.9	60359 -44.2	59844 -44.8	59159 -44.2	58332 -44.2	57395 -43.1	55
50	57321 -40.9	58153 -45.3	58854 -48.8	59399 -50.5	59761 -51.1	59918 -51.2	59853 -51.2	59558 -51.4	59039 -51.9	58314 -52.4	57214 -52.2	56379 -52.2	50
45	55050 -46.3	56001 -50.4	56879 -54.6	57502 -56.2	57987 -56.6	58253 -56.6	58273 -56.7	58033 -56.8	57543 -57.1	56807 -57.1	55868 -57.1	54770 -57.1	45
40	52296 -49.8	53315 -53.3	54229 -56.3	54928 -58.0	55583 -58.3	55943 -58.5	56048 -58.6	55876 -58.7	55426 -58.6	54711 -58.2	53693 -57.9	52703 -57.0	40
35	49276 -50.1	50310 -56.7	51256 -60.0	52074 -61.5	52719 -62.1	53146 -62.6	53317 -63.8	53208 -66.3	52818 -69.8	52333 -73.3	51771 -77.1	50992 -80.9	35
30	46181 -50.1	47171 -55.8	48092 -58.8	48904 -60.4	49561 -61.2	50016 -62.4	50229 -63.8	50179 -66.3	49827 -69.5	49203 -76.9	48326 -83.6	47245 -86.4	30
25	43132 -45.3	44028 -48.4	44869 -50.2	45628 -51.5	46249 -52.6	46698 -53.1	46924 -53.3	46800 -53.3	46809 -53.2	46043 -52.7	45276 -52.6	44217 -51.7	25
20	40211 -45.3	40963 -48.4	41685 -50.2	42345 -51.5	42903 -52.6	43313 -53.1	43533 -53.3	43527 -53.3	43276 -53.2	42726 -52.6	42043 -52.6	41117 -51.7	20
15	37491 -43.7	38076 -46.8	38646 -48.6	39189 -49.9	39642 -50.6	39896 -50.6	40169 -50.6	40169 -50.6	39869 -50.6	39526 -50.6	38876 -50.6	38048 -50.6	15
10	35072 -40.7	35668 -43.8	36271 -46.9	36862 -49.0	37463 -50.1	37880 -50.1	37923 -50.1	37908 -50.1	37492 -50.1	36940 -50.1	36226 -50.1	35408 -50.1	10
5	33097 -37.8	33891 -40.9	34694 -44.0	35505 -47.1	36369 -49.2	37119 -50.3	37768 -50.3	38108 -50.3	38888 -50.3	39513 -50.3	39993 -50.3	39358 -50.3	5
0	31692 -35.8	32689 -38.9	33723 -42.0	34779 -45.1	35810 -48.2	36841 -50.3	37781 -50.3	38628 -50.3	39348 -50.3	39957 -50.3	30466 -50.3	29898 -50.3	0
E. LONG LAT	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG LAT

TOTAL INTENSITY (F) WMM-90

E. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	L. LONG LAT
90	56443 -21.0	56443 -21.0	56443 -21.0	56443 -21.0	56443 -21.0	56443 -21.0	56443 -21.0	56443 -21.0	56443 -21.0	56443 -21.0	56443 -21.0	56443 -21.0	90
85	55968 -17.0	55892 -16.0	55818 -15.0	55748 -14.0	55685 -13.0	55629 -12.0	55578 -11.0	55535 -10.0	55503 -9.0	55487 -8.0	55476 -7.0	55474 -6.0	85
80	55943 -14.0	55740 -13.0	55549 -12.0	55345 -11.0	55159 -10.0	54988 -9.0	54836 -8.0	54709 -7.0	54599 -6.0	54506 -5.0	54450 -4.0	54423 -3.0	80
75	56254 -12.0	55891 -11.0	55527 -10.0	55171 -9.0	54839 -8.0	54532 -7.0	54222 -6.0	53967 -5.0	53753 -4.0	53582 -3.0	53459 -2.0	53385 -1.0	75
70	56987 -10.0	56549 -9.0	56107 -8.0	55669 -7.0	55240 -6.0	54829 -5.0	54435 -4.0	54057 -3.0	53702 -2.0	53377 -1.0	53082 0.0	52809 1.0	70
65	56997 -8.0	56569 -7.0	56148 -6.0	55746 -5.0	55362 -4.0	55005 -3.0	54675 -2.0	54371 -1.0	54092 0.0	53838 1.0	53607 2.0	53393 3.0	65
60	56945 -6.0	56523 -5.0	56105 -4.0	55708 -3.0	55330 -2.0	54971 -1.0	54631 0.0	54319 1.0	54035 2.0	53776 3.0	53541 4.0	53328 5.0	60
55	56389 -4.0	55953 -3.0	55528 -2.0	55114 -1.0	54711 0.0	54328 1.0	53964 2.0	53619 3.0	53292 4.0	52982 5.0	52695 6.0	52430 7.0	55
50	55863 -2.0	55431 -1.0	54999 0.0	54577 1.0	54164 2.0	53769 3.0	53392 4.0	53033 5.0	52691 6.0	52366 7.0	52057 8.0	51764 9.0	50
45	55576 -1.0	55146 0.0	54716 1.0	54295 2.0	53882 3.0	53486 4.0	53106 5.0	52741 6.0	52391 7.0	52056 8.0	51735 9.0	51428 10.0	45
40	55101 -0.0	54674 -0.0	54248 -0.0	53823 -0.0	53408 -0.0	52993 -0.0	52588 -0.0	52193 -0.0	51807 -0.0	51430 -0.0	51062 -0.0	50704 -0.0	40
35	48847 -78.2	47557 -74.6	46306 -67.9	45163 -58.9	44129 -48.2	43206 -37.6	42393 -27.0	41690 -16.4	41097 -5.8	40614 -5.1	40241 -5.1	40000 -5.1	35
30	46029 -86.2	44763 -82.5	43532 -75.2	42345 -65.5	41202 -55.8	40113 -46.1	39078 -36.5	38097 -26.9	37170 -17.3	36296 -8.6	35474 -0.0	34704 -9.6	30
25	43064 -82.4	41858 -78.8	40703 -72.3	39598 -62.8	38543 -53.2	37538 -43.6	36583 -34.0	35678 -24.4	34823 -14.8	34018 -5.2	33263 -5.6	32558 -5.6	25
20	40057 -85.7	38939 -82.3	37848 -74.7	36861 -65.6	35964 -56.0	35165 -46.5	34464 -36.9	33861 -27.3	33356 -17.7	32949 -8.1	32641 -8.5	32433 -8.9	20
15	37109 -81.0	36098 -77.6	35123 -72.1	34246 -67.5	33468 -62.8	32789 -58.1	32210 -53.4	31731 -48.7	31352 -44.0	31073 -39.3	30894 -34.6	30805 -29.9	15
10	34274 -80.4	33306 -77.4	32388 -74.5	31531 -71.6	30733 -68.7	30094 -65.8	29515 -62.9	29096 -60.0	28817 -57.1	28678 -53.2	28669 -49.3	28770 -45.4	10
5	31658 -81.8	30925 -78.6	30245 -75.9	29689 -73.2	29248 -70.5	28911 -67.8	28678 -65.3	28550 -62.8	28527 -60.3	28604 -57.8	28781 -55.3	29058 -52.8	5
0	29299 -70.3	28717 -66.7	28208 -63.1	27830 -60.5	27562 -57.9	27404 -55.3	27356 -52.7	27418 -50.1	27490 -47.5	27572 -44.9	27664 -42.3	27766 -39.7	0
LAT													LAT
E. LONG	300	305	310	315	320	325	330	335	340	345	350	355	F. LONG

TOTAL INTENSITY (F) WMM-90

E. LONG	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG
LAT													LAT
0	31366	31009	32497	33881	35347	36880	38709	40799	43043	45432	47879	50367	0
-5	30871	31582	32818	34728	37304	39640	42658	46234	50363	55041	59270	64100	-5
-10	30418	31164	32809	35301	37807	40326	42859	46386	50914	56543	62272	68102	-10
-15	29808	30523	32122	34554	37002	39488	42003	45529	50057	55686	61315	67044	-15
-20	29032	29642	30118	30468	30642	30768	30768	30889	31224	31779	32481	33279	-20
-25	28154	28609	28956	29176	29290	29370	29543	29966	30779	31906	33259	34829	-25
-30	27286	27528	27788	27924	28022	28087	28233	28602	30373	31907	34405	36898	-30
-35	26593	26753	26881	26901	26920	26941	26952	26992	30373	31907	34405	36898	-35
-40	25852	26061	26122	26136	26083	26023	25956	25866	31049	33005	35208	37839	-40
-45	25007	25224	25264	25136	24913	24593	24273	23952	32332	34311	36585	39066	-45
-50	24257	24734	24923	24958	24809	24524	24133	23642	34096	36036	38204	40549	-50
-55	23511	24132	24502	24513	24213	23719	23143	22473	35294	38109	40923	43742	-55
-60	22828	23576	23960	23962	23513	22970	22332	21602	38839	42643	46319	49918	-60
-65	22224	23078	23544	23544	23002	22372	21642	20812	41658	45453	49129	52704	-65
-70	21698	22648	23199	23199	22567	21837	21007	20077	44686	48481	52057	55522	-70
-75	21222	22252	22882	22882	22152	21322	20392	19362	47868	51663	55238	58703	-75
-80	20808	21918	22628	22628	21898	21068	20038	18908	50988	54783	58358	61823	-80
-85	20418	21608	22378	22378	21648	20718	19588	18358	53938	57733	61308	64773	-85
-90	20032	21302	22132	22132	21402	20472	19242	17912	56897	60692	64267	67732	-90
LAT													LAT
E. LONG	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG

TOTAL INTENSITY (F) WMM-90

E. LONG LAT	60	65	70	75	80	85	90	95	100	105	110	115	E. LONG LAT
0	36324	37316	38352	39369	40309	41118	41738	42143	42316	42883	43086	43773	0
-5	36408	37662	38971	40256	41449	42483	43296	43847	44249	44958	44903	43729	-5
-10	36758	38310	39916	41491	42958	44243	45281	46018	46442	46584	46509	46294	-10
-15	37209	39078	40881	42646	44591	46140	47419	48372	48984	49279	49324	49200	-15
-20	37683	39847	42039	44174	46180	47981	49503	50691	51516	52000	52203	52203	-20
-25	38189	40916	43047	45111	47040	48864	51413	52827	53872	54571	54959	55108	-25
-30	38793	41619	43625	45650	47554	49326	52096	54710	57278	59883	57368	57289	-30
-35	39352	42283	44293	46330	48178	50008	52662	56328	57778	58886	59664	60166	-35
-40	40318	43160	45094	46968	48868	50809	52779	57679	59277	60553	61519	62173	-40
-45	41679	44353	47033	49663	52301	54954	56798	58766	60463	61863	62963	63771	-45
-50	43017	45554	48108	50633	53085	55421	57595	59567	61303	62775	63972	64892	-50
-55	44505	46839	49202	51554	53853	56063	58140	60049	61757	63239	64478	65466	-55
-60	46121	48292	50398	52412	54496	56506	58414	60187	61797	63228	64543	65647	-60
-65	47853	49616	51416	53229	55017	56761	58428	59996	61438	62738	63876	64844	-65
-70	48678	51093	53643	55801	57853	59873	58449	59542	60753	61868	62864	63738	-70
-75	51559	52906	53675	54760	55839	56902	57936	58921	59863	60736	61534	62253	-75
-80	53416	54095	54784	55490	56192	56887	57561	58224	58854	59453	60008	60520	-80
-85	55118	55445	55779	56116	56458	56791	57123	57447	57759	58059	58343	58609	-85
-90	56697	56697	56697	56697	56697	56697	56697	56697	56697	56697	56697	56697	-90

TOTAL INTENSITY (F) WMM-90

E. LONG LAT	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG LAT
0	41381 13.0	40929	40423	39967	39270	38644	38007	37376	36761	36173	35624	35119	0
-5	43381 12.1	42985 9.8	42549 8.1	42052 6.2	41529 4.5	40937 2.9	40319 1.5	39675 0.0	39018	38333	37655	36986	-5
-10	45909 10.0	45656 8.2	45271 6.4	44834 4.6	44338 2.8	43780	43165	42497	41777	41012	40211	39391	-10
-15	48978 8.8	48690 7.0	48354 5.2	47958 3.4	47492 1.6	46950	46379	45651	44858	44016	43114	42172	-15
-20	52071 6.5	51853 4.7	51567 2.9	51207	50764	50228	49596	48868	48059	47146	46170	45139	-20
-25	55093 4.2	54955 2.4	54723 0.6	54395	53871	53259	52591	51838	51183	50337	49312	48127	-25
-30	57908 1.9	57806	57609	57298	56886	56350	55793	55129	54343	53476	52524	51498	-30
-35	60420 -0.4	60482	60378	60126	59738	59192	58536	57768	56967	56091	55144	54127	-35
-40	62578 -1.8	62550	62326	62223	62033	61839	61639	61209	60807	60209	59632	58929	-40
-45	64308 -3.0	64596	64663	64528	64211	63732	63119	62221	61225	60007	58627	57050	-45
-50	65344 -4.0	65944	66109	66061	65828	65414	64861	64186	63419	62573	61678	60750	-50
-55	66205 -4.2	66702	66971	67030	66998	66599	66156	65593	64936	64206	63425	62610	-55
-60	69239 -4.2	69809	69776	69359	68807	68188	67489	66725	65968	65150	64254	63278	-60
-65	63939	69656	69609	69275	68701	68067	67351	66577	65753	64889	63974	63028	-65
-70	64478	63088	63369	63316	63148	62858	62467	61983	61413	60773	60169	59503	-70
-75	63884	63627	63802	63623	63317	62907	62415	61845	61209	60509	59758	59033	-75
-80	60983	61393	61351	61057	60634	60198	59656	59021	58316	57554	56736	55859	-80
-85	58854	59078	59278	59256	59004	58727	58424	57993	57536	57059	56547	56007	-85
-90	56497 -80.7	56497 -80.7	56497 -80.7	56497 -80.7	56497 -80.7	56497 -80.7	56497 -80.7	56497 -80.7	56497 -80.7	56497 -80.7	56497 -80.7	56497 -80.7	-90

TOTAL INTENSITY (F) WMM-90

E. LONG LAT	180	185	190	195	200	205	210	215	220	225	230	235	E. LONG LAT
0	3495.8	3423.7	3364.9	2348.9	3313.9	3282.9	3255.5	3231.2	3202.2	3195.9	3183.8	3174.0	0
-5	3633.8	3571.9	3513.1	3457.6	3405.1	3355.6	3309.0	3265.2	3224.2	3186.8	3151.8	3115.4	-5
-10	3897.2	3777.1	3700.1	3626.5	3556.5	3489.4	3424.6	3362.5	3302.1	3244.4	3190.0	3140.1	-10
-15	4121.3	4026.0	3933.7	3844.9	3758.3	3675.8	3595.7	3517.5	3440.9	3366.4	3294.8	3227.1	-15
-20	4407.9	4301.3	4196.3	4094.9	3996.2	3901.3	3809.8	3719.9	3630.8	3543.5	3457.9	3374.8	-20
-25	4700.6	4587.3	4474.3	4364.5	4257.9	4154.7	4054.9	3957.0	3860.3	3765.8	3674.4	3571.6	-25
-30	4987.3	4870.9	4755.8	4643.6	4530.8	4423.5	4320.2	4218.5	4117.4	4015.8	3911.8	3805.8	-30
-35	5260.7	5145.4	5030.6	4917.3	4807.2	4700.1	4586.7	4474.8	4361.3	4246.6	4127.9	4009.9	-35
-40	5518.9	5407.1	5296.5	5187.3	5081.6	4978.9	4876.7	4775.2	4672.9	4565.8	4452.2	4330.4	-40
-45	5759.6	5646.1	5531.8	5420.9	5314.1	5206.6	5102.3	5001.3	4901.7	4803.7	4707.2	4600.8	-45
-50	5980.4	5865.3	5750.9	5639.4	5531.3	5421.4	5317.8	5211.5	5102.2	5001.8	4904.1	4805.8	-50
-55	6177.5	6063.1	5948.3	5835.4	5727.9	5621.1	5518.4	5418.3	5320.2	5225.4	5135.1	5048.3	-55
-60	6342.3	6224.9	6108.8	6000.7	5897.2	5795.6	5697.8	5602.9	5506.7	5412.6	5321.1	5230.2	-60
-65	6441.3	6318.8	6199.3	6084.3	5984.9	5891.0	5803.9	5722.9	5640.1	5563.9	5490.4	5424.7	-65
-70	6469.8	6342.9	6222.9	6117.8	6028.5	5945.3	5872.6	5808.3	5752.0	5698.9	5652.9	5610.1	-70
-75	6403.9	6271.2	6153.8	6051.7	5965.2	5893.9	5838.9	5792.9	5752.0	5714.2	5679.6	5647.2	-75
-80	6260.0	6139.9	6030.9	5936.6	5853.8	5782.7	5728.9	5688.9	5652.6	5622.4	5597.3	5574.4	-80
-85	5983.1	5974.0	5962.5	5958.9	5952.6	5944.9	5937.6	5931.4	5925.1	5919.0	5913.5	5908.8	-85
-90	5649.7	5649.7	5649.7	5649.7	5649.7	5649.7	5649.7	5649.7	5649.7	5649.7	5649.7	5649.7	-90
E. LONG LAT	180	185	190	195	200	205	210	215	220	225	230	235	E. LONG LAT

TOTAL INTENSITY (F) WMM-90

E. LONG	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG
LAT													LAT
0	31892	31988	31928	31779	31839	31941	31793	31928	31849	31950	31850	29898	0
-5	30864	30768	30604	30469	30333	30163	29943	29846	29279	29823	29318	27893	-5
-10	30953	30557	30209	29963	29529	29146	28726	28248	27723	27443	26621	24805	-10
-15	31638	31049	30490	29941	29378	28778	28133	27448	26744	26054	25417	24876	-15
-20	32242	32164	31609	30831	29837	28901	28126	27220	26329	25469	24629	23723	-20
-25	32756	32795	32824	31931	30803	29368	28626	27296	26312	25398	24524	23843	-25
-30	32853	32829	32650	31632	30294	28890	28570	28235	26984	25820	24827	24046	-30
-35	32603	32119	32028	31365	30009	28449	28016	28439	26723	25721	24628	23626	-35
-40	41994	40592	39105	37546	35935	34295	32657	31058	29556	28163	26976	26013	-40
-45	44637	43159	41585	39924	38231	36508	34797	33138	31574	30149	28903	27872	-45
-50	47263	45760	44163	42491	40772	39039	37326	35671	34111	32686	31420	30344	-50
-55	49811	48340	46784	45164	43505	41837	40192	38604	37105	35720	34477	33393	-55
-60	52301	50819	49367	47864	46333	44795	43283	41819	40429	39134	37952	36893	-60
-65	54318	52878	51283	49656	48106	46554	45024	43531	42092	40730	39459	38264	-65
-70	56018	54664	53276	51768	50252	48731	47297	45852	44469	43123	41833	40607	-70
-75	57356	56323	55678	54604	53528	52454	51388	50319	49317	48364	47428	46506	-75
-80	57615	57039	56448	55849	55246	54643	54045	53458	52884	52330	51799	51290	-80
-85	57373	57027	56768	56457	56145	55833	55521	55219	54921	54634	54359	54093	-85
-90	56497	56497	56497	56497	56497	56497	56497	56497	56497	56497	56497	56497	-90
LAT													LAT
E. LONG	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG

TOTAL INTENSITY (F) WMM-90

E. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG LAT
0 0	29299 -70.5	28617	28208	27830	27632	27640	27850	28229	28732	29315	29947	30604	0 0
-5 -5	27828	26839	26499	26308	24909	26485	26848	27325	27868	28651	29379	29824	-5 -5
-10 -10	25668	23333	23142	23226	23273	23592	24866	24859	27320	28053	28827	29625	-10 -10
-15 -15	24468	24223	24151	24258	24529	24941	25442	26030	26757	27485	28248	29035	-15 -15
-20 -20	23311	23508	23593	23703	24048	24509	25058	25650	26289	26952	27658	28354	-20 -20
-25 -25	23392	23723	23729	23848	24188	24287	24820	25368	25931	26501	27073	27652	-25 -25
-30 -30	23529	23260	23272	23468	23839	24275	24762	25326	25982	26322	26851	27462	-30 -30
-35 -35	24150	23829	23762	23871	24343	24696	24876	25243	25583	25891	26169	26394	-35 -35
-40 -40	25312	24872	24720	24672	24810	25029	25275	25512	25718	25890	26039	26149	-40 -40
-45 -45	27071	26516	26169	26003	25972	26019	26104	26193	26267	26326	26375	26438	-45 -45
-50 -50	29471	28797	28309	28272	27966	27637	27558	27504	27462	27436	27430	27464	-50 -50
-55 -55	32473	31716	31109	30637	30275	29960	28472	29607	29477	29391	29357	29391	-55 -55
-60 -60	35967	35169	34494	33929	33462	33077	32764	32515	32327	32205	32155	32190	-60 -60
-65 -65	39776	38987	38294	37692	37178	36742	36381	36091	35975	35933	35972	35974	-65 -65
-70 -70	43664	42337	41388	40707	40208	40269	40403	40111	39892	39749	39663	39710	-70 -70
-75 -75	47603	46293	45238	44443	43939	44018	44598	44341	44148	44023	43969	43920	-75 -75
-80 -80	50821	50380	49976	49611	49287	49006	48771	48582	48442	48352	48319	48336	-80 -80
-85 -85	53845	53614	53403	53211	53042	52897	52776	52660	52611	52570	52557	52571	-85 -85
-90 -90	56497	56497	56497	56497	56497	56497	56497	56497	56497	56497	56497	56497	-90 -90
LAT	300	305	310	315	320	325	330	335	340	345	350	355	LAT
E. LONG	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG

TOTAL INTENSITY (F) WMM-90

E. LONG LAT	0	5	10	15	20	25	30	35	40	45	50	55	L. LONG LAT							
90 90	-12:2	-17:2	-22:2	-14:2	-12:2	-17:2	-14:2	14:2	17:2	12:2	17:2	14:2	90							
85 85	-16:4	-18:2	-9:2	-2:2	8:2	8:2	18:2	14:2	19:2	22:2	25:2	28:2	85							
80 80	-12:2	-8:2	-3:2	7:2	4:2	8:2	12:2	15:2	19:2	22:2	26:2	29:2	80							
75 75	-10:4	-6:2	-2:2	8:2	6:2	8:2	11:2	12:2	18:2	21:2	23:2	26:2	75							
70 70	-9:2	-5:2	-2:2	3:2	5:2	7:2	10:2	13:2	16:2	18:2	20:2	22:2	70							
65 65	-7:2	-6:2	-3:2	3:2	4:2	6:2	8:2	11:2	12:2	15:2	17:2	18:2	65							
60 60	-6:4	-3:2	-1:2	4:2	3:2	5:2	7:2	9:2	11:2	12:2	13:2	14:2	60							
55 55	-5:2	-2:2	5:2	1:2	3:2	4:2	6:2	7:2	8:2	9:2	10:2	11:2	55							
50 50	-6:2	-2:2	5:2	1:2	3:2	3:2	5:2	6:2	6:2	7:2	8:2	8:2	50							
45 45	-3:2	-1:2	5:2	1:2	3:2	3:2	4:2	4:2	5:2	5:2	6:2	6:2	45							
40 40	-2:2	-1:2	5:2	1:2	1:2	2:2	3:2	3:2	4:2	4:2	4:2	4:2	40							
35 35	-2:2	-1:2	5:2	4:2	1:2	2:2	2:2	3:2	3:2	3:2	3:2	3:2	35							
30 30	-2:2	-1:2	5:2	4:2	1:2	1:2	3:2	2:2	2:2	2:2	2:2	2:2	30							
25 25	-2:2	-1:2	5:2	4:2	3:2	1:2	1:2	2:2	2:2	2:2	1:2	1:2	25							
20 20	-2:2	-2:2	5:2	4:2	3:2	2:2	1:2	1:2	2:2	1:2	1:2	1:2	20							
15 15	-4:2	-2:2	-1:2	2:2	3:2	2:2	2:2	1:2	1:2	1:2	1:2	1:2	15							
10 10	-3:2	-2:2	-3:2	1:2	4:2	3:2	2:2	1:2	1:2	1:2	1:2	1:2	10							
5 5	-4:2	-5:2	-3:2	-2:2	-1:2	3:2	3:2	2:2	1:2	1:2	1:2	-1:2	5							
0 0	-8:2	-7:2	-5:2	-3:2	-2:2	-1:2	3:2	2:2	1:2	-1:2	-1:2	-3:2	0							
LAT E. LONG	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20	15	10	5	0	LAT E. LONG

TOTAL INTENSITY (F) WMM-90

E. LONG LAT	60	65	70	75	80	85	90	95	100	105	110	115	E. LONG LAT
90	27:8 14:8	32:8 14:8	37:8	42:8	47:8	52:8	57:8	62:8	67:8	72:8	77:8	82:8	90
85	33:8 9:8	36:8 9:8	39:8 9:8	42:8 9:8	46:8 9:8	48:8 9:8	48:8 9:8	49:7 8:0	50:3 9:3	50:2 6:1	49:4 4:5	47:5 2:2	85
80	31:8 6:2	34:8 6:1	36:8 6:0	37:7 5:9	38:4 5:5	38:2 4:9	36:9 3:9	34:2 2:7	29:9 3:3	24:8 3:0	17:0 1:1	9:8 8:3	80
75	28:4 4:2	30:0 4:1	31:0 4:0	31:4 4:1	30:8 3:2	29:1 2:7	26:9 2:9	21:4 1:4	15:3 1:1	8:3 5:5	1:3 7:4	-5:0 -8:3	75
70	25:8 2:8	25:9 2:7	25:3 2:6	25:9 2:5	23:6 2:7	21:4 1:4	17:9 1:2	13:3 1:3	7:6 1:5	-1:6 -1:2	-5:1 -3:8	-9:2 -9:8	70
65	19:8 1:1	20:8 1:1	20:1 1:7	19:6 1:6	18:9 1:6	15:6 1:6	12:4 1:3	8:3 1:2	-1:5 1:9	-1:2 1:3	-3:8 -6:1	-9:8 -2:2	65
60	15:5 1:1	15:8 1:1	15:6 1:2	14:8 1:2	13:4 1:4	11:6 1:1	8:8 1:0	5:1 3:4	1:9 3:3	-2:3 -2:7	-6:1 -5:8	-9:5 -8:6	60
55	12:8 1:0	12:1 1:1	11:8 1:0	11:0 1:0	9:9 1:1	8:2 1:1	6:0 1:0	3:4 2:9	3:3 -3:8	-2:7 -2:2	-5:8 -5:1	-8:6 -1:2	55
50	9:9 1:0	9:0 1:0	8:7 1:1	8:0 1:0	7:1 1:1	5:8 1:1	4:3 1:1	2:9 1:2	-3:8 -1:9	-2:7 -1:7	-5:1 -4:6	-7:6 -6:5	50
45	6:5 1:1	6:4 1:1	6:1 1:0	5:6 1:0	4:9 1:1	3:8 1:1	2:9 1:1	1:2 1:2	-1:1 -1:2	-2:6 -2:6	-4:6 -3:9	-6:5 -5:4	45
40	4:6 1:2	4:3 1:2	4:0 1:0	3:6 1:0	3:1 1:1	2:4 1:5	1:6 1:5	1:4 1:5	-9 1:2	-2:3 -2:7	-3:9 -3:2	-5:4 -6:4	40
35	3:0 1:0	2:7 1:2	2:4 1:1	2:0 1:0	1:7 1:1	1:5 1:1	1:5 1:1	1:2 1:2	-1:9 -1:8	-1:7 -1:3	-2:5 -1:8	-3:4 -3:8	35
30	1:8 1:8	1:4 1:3	1:1 1:0	1:0 1:0	1:3 1:2	1:3 1:3	1:2 1:2	1:2 1:2	-9 -8	-1:3 -1:3	-1:8 -1:6	-3:6 -3:8	30
25	1:8 1:8	1:3 1:3	1:8 1:8	1:2 1:2	1:4 1:2	1:3 1:3	1:2 1:2	1:2 1:2	-8 -8	-1:3 -1:3	-1:8 -1:6	-3:6 -3:8	25
20	1:9 1:9	1:3 1:3	1:8 1:8	1:1 1:1	1:3 1:3	1:1 1:1	1:1 1:1	1:1 1:1	-8 -8	-1:3 -1:3	-1:6 -1:6	-3:6 -3:8	20
15	1:7 1:7	1:3 1:3	1:8 1:8	1:1 1:1	1:3 1:3	1:1 1:1	1:1 1:1	1:1 1:1	-7 -7	-1:3 -1:3	-1:6 -1:6	-3:6 -3:8	15
10	1:6 1:6	1:2 1:2	1:6 1:6	1:1 1:1	1:3 1:3	1:1 1:1	1:1 1:1	1:1 1:1	-7 -7	-1:3 -1:3	-1:6 -1:6	-3:6 -3:8	10
5	2:6 1:3	3:3 1:3	3:7 1:3	3:7 1:3	3:9 1:3	3:9 1:3	2:3 1:3	1:4 1:3	-3 -3	-1:9 -1:9	-1:3 -1:3	-1:9 -1:9	5
0	4:9 1:3	4:7 1:3	5:1 1:3	5:0 1:3	4:9 1:3	3:9 1:3	3:9 1:3	3:9 1:3	-9 -9	-1:9 -1:9	-1:3 -1:3	-1:9 -1:9	0

DECLINATION (D) WMM-90

E. LONG LAT	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG LAT
90	92:8	92:8	92:8	92:8	92:8	92:8	92:8	92:8	92:8	92:8	92:8	92:8	90
85	43:5	43:9	39:6	36:9	34:6	33:9	32:8	31:9	30:6	29:5	28:6	27:9	85
80	-11:5	-11:7	-11:1	-10:4	-9:8	-8:1	-7:6	-6:5	-5:6	-5:3	-4:7	-4:3	80
75	-9:8	-12:9	-14:6	-15:8	-15:4	-14:9	-13:9	-12:4	-11:6	-10:8	-9:4	-8:2	75
70	-12:9	-15:4	-16:9	-16:7	-15:9	-14:5	-13:4	-12:4	-11:6	-10:6	-9:4	-8:5	70
65	-13:8	-13:7	-13:2	-13:7	-12:6	-11:2	-10:8	-9:8	-8:9	-7:9	-7:8	-7:9	65
60	-12:1	-14:0	-15:0	-15:2	-14:6	-13:6	-12:5	-11:5	-10:5	-9:5	-8:4	-7:9	60
55	-10:9	-12:8	-13:6	-13:0	-12:6	-11:6	-10:4	-9:2	-8:5	-7:8	-7:1	-6:3	55
50	-9:0	-11:9	-11:8	-12:7	-11:9	-10:8	-9:8	-8:9	-7:9	-6:8	-5:8	-4:9	50
45	-8:2	-9:0	-10:3	-10:5	-10:6	-9:6	-8:5	-7:5	-6:4	-5:4	-4:3	-3:3	45
40	-6:6	-7:9	-8:2	-8:7	-8:6	-7:6	-6:9	-5:9	-4:9	-3:8	-2:7	-1:7	40
35	-5:7	-6:6	-6:9	-6:9	-6:4	-5:5	-4:6	-3:6	-2:6	-1:8	-1:0	0:1	35
30	-4:0	-4:9	-4:3	-4:3	-4:7	-4:7	-4:3	-3:7	-3:3	-2:8	-2:0	-1:3	30
25	-3:1	-3:5	-3:4	-3:5	-2:8	-1:9	-1:2	0:4	0:6	1:0	1:5	2:0	25
20	-2:9	-2:7	-2:3	-2:9	-1:5	-1:3	0:2	0:9	1:6	2:3	2:9	3:6	20
15	-1:0	-1:8	-1:8	-1:0	0:3	1:4	2:0	2:7	3:0	3:5	4:0	4:4	15
10	-2:7	-2:0	-1:6	0:0	1:4	2:9	4:0	5:4	6:6	7:3	8:0	8:5	10
5	-2:6	-1:8	-1:3	1:8	2:8	3:9	5:1	6:6	7:6	8:2	9:3	10:6	5
0	-1:8	-1:7	-1:9	2:9	3:7	4:8	5:8	7:1	8:3	9:3	10:1	10:7	0

Deg.
(units : min/yr)

DECLINATION (D) WMM-90

E. LONG LAT	180	185	190	195	200	205	210	215	220	225	230	235	E. LONG LAT
90	147:8 14:8	152:8 14:8	157:8 14:8	162:8 14:8	167:8 14:8	172:8 14:8	177:8 14:8	182:8 14:8	187:8 14:8	192:8 14:8	197:8 14:8	202:8 14:8	207:8 14:8
85	-43:9 -16:6	-47:9 -16:6	-56:7 -16:6	-59:2 -16:6	-64:9 -16:6	-71:9 -16:6	-80:9 -16:6	-88:9 -16:6	-101:8 -16:6	-116:3 -16:6	-131:6 -16:6	-147:1 -16:6	153:1 15:1
80	-15:3 -1:1	-18:3 -1:1	-23:9 -2:2	-26:7 -1:8	-31:8 -2:8	-37:3 -2:3	-46:4 -2:4	-59:1 -2:1	-72:2 -2:2	-85:3 -2:3	-99:8 -2:8	-114:1 -2:1	-127:2 -2:2
75	-9:0 -2:3	-12:8 -2:1	-16:8 -2:1	-21:8 -2:1	-27:8 -2:1	-33:8 -2:1	-38:9 -2:1	-43:8 -2:1	-48:3 -2:1	-53:8 -2:1	-58:8 -2:1	-62:8 -2:1	-67:8 -2:1
70	-7:3 -5:1	-11:8 -5:1	-16:8 -5:1	-21:8 -5:1	-27:8 -5:1	-33:8 -5:1	-38:8 -5:1	-43:8 -5:1	-48:8 -5:1	-53:8 -5:1	-58:8 -5:1	-62:8 -5:1	-67:8 -5:1
65	-6:4 -2:4	-10:1 -2:1	-13:3 -2:1	-17:0 -2:1	-21:3 -2:1	-27:3 -2:1	-33:3 -2:1	-38:7 -2:1	-43:8 -2:1	-48:8 -2:1	-53:8 -2:1	-58:8 -2:1	-62:8 -2:1
60	-9:2 -9:2	-9:8 -9:1	-12:3 -9:1	-15:8 -9:1	-19:1 -9:1	-23:6 -9:1	-27:3 -9:1	-31:3 -9:1	-35:3 -9:1	-39:8 -9:1	-43:8 -9:1	-47:8 -9:1	-51:8 -9:1
55	-9:2 -9:2	-9:3 -9:1	-12:3 -9:1	-15:8 -9:1	-19:1 -9:1	-23:6 -9:1	-27:3 -9:1	-31:3 -9:1	-35:3 -9:1	-39:8 -9:1	-43:8 -9:1	-47:8 -9:1	-51:8 -9:1
50	-6:6 -6:6	-9:2 -9:2	-11:7 -9:1	-14:2 -9:1	-17:7 -9:1	-21:2 -9:1	-24:7 -9:1	-28:2 -9:1	-31:7 -9:1	-35:2 -9:1	-38:7 -9:1	-42:2 -9:1	-45:7 -9:1
45	-6:8 -7:3	-9:2 -9:4	-11:4 -9:1	-13:5 -9:1	-15:7 -9:1	-17:9 -9:1	-19:8 -9:1	-21:8 -9:1	-23:8 -9:1	-25:6 -9:1	-27:5 -9:1	-29:3 -9:1	-31:2 -9:1
40	-7:3 -8:9	-9:4 -9:3	-11:0 -9:1	-12:9 -9:1	-14:3 -9:1	-15:9 -9:1	-17:0 -9:1	-18:8 -9:1	-19:6 -9:1	-21:3 -9:1	-22:8 -9:1	-24:7 -9:1	-26:2 -9:1
35	-8:9 -8:7	-9:3 -9:2	-11:1 -9:1	-12:7 -9:1	-13:0 -9:1	-14:2 -9:1	-15:8 -9:1	-17:8 -9:1	-19:6 -9:1	-21:7 -9:1	-23:2 -9:1	-25:1 -9:1	-27:1 -9:1
30	-8:7 -9:3	-10:2 -9:2	-11:0 -9:1	-12:7 -9:1	-13:4 -9:1	-14:9 -9:1	-16:8 -9:1	-18:2 -9:1	-20:8 -9:1	-22:8 -9:1	-24:8 -9:1	-27:1 -9:1	-29:5 -9:1
25	-9:3 -9:8	-10:4 -9:8	-11:8 -9:8	-13:1 -9:1	-14:7 -9:1	-16:3 -9:1	-18:0 -9:1	-20:4 -9:1	-23:8 -9:1	-26:6 -9:1	-29:3 -9:1	-32:1 -9:1	-35:5 -9:1
20	-9:8 -9:3	-10:9 -9:8	-12:6 -9:8	-14:1 -9:1	-16:0 -9:1	-18:1 -9:1	-20:8 -9:1	-23:1 -9:1	-26:9 -9:1	-29:1 -9:1	-32:8 -9:1	-35:8 -9:1	-39:8 -9:1
15	-10:1 -10:3	-10:3 -10:3	-12:8 -10:3	-14:8 -10:8	-17:3 -10:8	-19:8 -10:8	-22:8 -10:8	-25:8 -10:8	-29:8 -10:8	-32:8 -10:8	-36:8 -10:8	-40:8 -10:8	-44:8 -10:8
10	-10:3 -10:5	-10:3 -10:3	-12:9 -10:4	-14:7 -10:7	-17:3 -10:3	-19:8 -10:3	-22:8 -10:3	-25:8 -10:3	-29:8 -10:3	-32:8 -10:3	-36:8 -10:3	-40:8 -10:3	-44:8 -10:3
5	-10:5 -10:5	-10:5 -10:5	-12:8 -10:8	-14:7 -10:7	-17:3 -10:3	-19:8 -10:3	-22:8 -10:3	-25:8 -10:3	-29:8 -10:3	-32:8 -10:3	-36:8 -10:3	-40:8 -10:3	-44:8 -10:3
0	-10:8 -11:8	-10:8 -10:8	-12:7 -10:7	-14:6 -10:6	-17:2 -10:2	-19:7 -10:2	-22:7 -10:2	-25:7 -10:2	-29:7 -10:2	-32:7 -10:2	-36:7 -10:2	-40:7 -10:2	-44:7 -10:2

DECLINATION (D) WMM-90

E. LONG LAT	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG LAT
90	-152.8 14.8	-147.8 14.8	-142.8 14.8	-137.8 14.8	-132.8 14.8	-127.8 14.8	-122.8 14.8	-117.8 14.8	-112.8 14.8	-107.8 14.8	-102.8 14.8	-97.8 14.8	90
85	125.6	-198.4	-132.3	-131.1	-131.3	-122.8	-114.8	-104.8	-99.9	-93.8	-87.8	-81.6	85
80	74.6	82.1	109.2	-148.5	-121.5	-107.9	-99.6	-93.0	-87.3	-81.9	-76.8	-71.8	80
75	-31.5	51.9	48.9	35.7	-36.2	-48.0	-43.5	-38.5	-30.1	-25.0	-22.3	-20.2	75
70	-40.9	39.4	-35.3	-34.8	-29.8	-17.8	-12.3	-4.9	-20.6	-20.2	-19.2	-17.1	70
65	-32.4	-31.4	-37.9	-30.3	-18.8	-10.3	-14.9	-23.8	-36.8	-42.8	-43.8	-42.1	65
60	-27.9	-41.8	-22.4	-12.4	-10.8	-8.2	-8.1	-17.0	-24.3	-29.4	-32.6	-34.2	60
55	28.8	21.9	18.9	18.9	9.7	2.3	-5.9	-11.8	-17.3	-23.9	-26.0	-28.1	55
50	20.8	19.0	16.5	12.6	9.2	5.3	-3.9	-7.5	-13.0	-17.9	-21.2	-23.9	50
45	18.2	16.8	14.8	12.2	8.8	4.7	-5.1	-8.6	-14.0	-19.3	-22.7	-24.9	45
40	16.2	15.0	13.4	11.2	8.4	4.0	-1.0	-3.6	-7.8	-11.9	-15.3	-17.9	40
35	14.5	13.2	12.2	10.5	8.2	4.3	1.7	-6.2	-6.4	-9.9	-13.2	-16.0	35
30	13.0	12.3	11.2	9.7	7.8	5.3	3.7	-2.8	-7.7	-9.6	-11.7	-14.5	30
25	11.2	11.1	10.3	9.2	7.5	5.4	3.8	-2.2	-8.2	-6.9	-10.4	-13.2	25
20	10.5	10.2	9.5	8.7	7.4	5.3	3.4	-0.8	-9.5	-8.2	-8.3	-12.8	20
15	9.7	9.4	9.1	8.5	7.5	6.0	6.0	1.4	-9.7	-10.8	-9.4	-11.3	15
10	9.8	9.9	9.8	8.6	7.3	6.4	6.8	2.8	-10.9	-10.9	-10.5	-10.5	10
5	8.8	8.9	8.9	8.6	8.0	6.9	5.1	3.1	-10.4	-11.9	-10.9	-9.7	5
0	8.9	9.0	9.0	8.9	8.6	7.8	6.3	4.9	-10.2	-11.3	-11.4	-10.0	0

DECLINATION (D) WMM-90

E. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG LAT
90	-92.2 14.8	-87.2 14.8	-82.2 14.8	-77.2 14.8	-72.2 14.8	-67.2 14.8	-62.2 14.8	-57.2 14.8	-52.2 14.8	-47.2 14.8	-42.2 14.8	-37.2 14.8	90
85	-76.0 16.8	-70.5 15.8	-65.2 15.0	-60.0 14.2	-54.8 13.8	-49.8 13.0	-44.8 12.5	-39.9 11.6	-34.9 11.0	-29.9 10.4	-25.5 9.9	-20.7 9.5	85
80	-67.0 18.0	-62.2 17.7	-57.6 16.1	-52.8 15.4	-48.1 14.8	-43.5 14.0	-38.9 12.8	-34.4 11.6	-29.9 11.0	-25.4 10.4	-21.0 9.9	-16.6 9.5	80
75	-58.5 18.5	-54.8 17.2	-50.9 16.1	-47.0 15.4	-43.0 14.8	-38.9 14.0	-34.8 12.8	-30.7 11.6	-26.6 11.0	-22.5 10.4	-18.4 9.9	-14.4 9.5	75
70	-49.8 19.8	-47.2 18.1	-44.6 17.1	-41.8 16.4	-38.8 15.8	-35.8 15.0	-32.8 14.0	-29.8 13.0	-26.8 12.5	-23.8 11.6	-20.8 11.0	-17.8 10.4	70
65	-41.2 21.2	-40.2 19.8	-38.1 18.1	-35.9 17.4	-33.8 16.8	-31.8 16.0	-29.8 14.8	-27.8 13.6	-25.8 13.0	-23.8 12.4	-21.8 11.6	-19.8 11.0	65
60	-34.5 23.0	-33.5 21.5	-32.8 20.1	-31.8 19.4	-30.8 18.8	-29.8 18.0	-28.8 16.8	-27.8 15.6	-26.8 15.0	-25.8 14.4	-24.8 13.6	-23.8 13.0	60
55	-29.0 25.0	-28.0 23.5	-27.8 22.1	-26.8 21.4	-26.0 20.8	-25.0 20.0	-24.0 18.0	-23.0 16.8	-22.0 16.0	-21.0 15.4	-20.0 14.8	-19.0 14.0	55
50	-24.0 27.0	-23.0 25.5	-22.8 24.1	-21.8 23.4	-21.0 22.8	-20.0 22.0	-19.0 20.0	-18.0 18.8	-17.0 18.0	-16.0 17.4	-15.0 16.8	-14.0 16.0	50
45	-19.0 29.0	-18.0 27.5	-17.8 26.1	-16.8 25.4	-16.0 24.8	-15.0 24.0	-14.0 22.0	-13.0 20.8	-12.0 20.0	-11.0 19.4	-10.0 18.8	-9.0 18.0	45
40	-14.0 31.0	-13.0 29.5	-12.8 28.1	-11.8 27.4	-11.0 26.8	-10.0 26.0	-9.0 24.0	-8.0 22.8	-7.0 22.0	-6.0 21.4	-5.0 20.8	-4.0 20.0	40
35	-9.0 33.0	-8.0 31.5	-7.8 30.1	-6.8 29.4	-6.0 28.8	-5.0 28.0	-4.0 26.0	-3.0 24.8	-2.0 24.0	-1.0 23.4	0.0 22.8	1.0 22.0	35
30	-4.0 35.0	-3.0 33.5	-2.8 32.1	-1.8 31.4	-1.0 30.8	-0.0 30.0	1.0 28.0	2.0 26.8	3.0 26.0	4.0 25.4	5.0 24.8	6.0 24.0	30
25	1.0 37.0	2.0 35.5	3.0 34.1	4.0 33.4	5.0 32.8	6.0 32.0	7.0 30.0	8.0 28.8	9.0 28.0	10.0 27.4	11.0 26.8	12.0 26.0	25
20	6.0 39.0	7.0 37.5	8.0 36.1	9.0 35.4	10.0 34.8	11.0 34.0	12.0 32.0	13.0 30.8	14.0 30.0	15.0 29.4	16.0 28.8	17.0 28.0	20
15	11.0 41.0	12.0 39.5	13.0 38.1	14.0 37.4	15.0 36.8	16.0 36.0	17.0 34.0	18.0 32.8	19.0 32.0	20.0 31.4	21.0 30.8	22.0 30.0	15
10	16.0 43.0	17.0 41.5	18.0 40.1	19.0 39.4	20.0 38.8	21.0 38.0	22.0 36.0	23.0 34.8	24.0 34.0	25.0 33.4	26.0 32.8	27.0 32.0	10
5	21.0 45.0	22.0 43.5	23.0 42.1	24.0 41.4	25.0 40.8	26.0 40.0	27.0 38.0	28.0 36.8	29.0 36.0	30.0 35.4	31.0 34.8	32.0 34.0	5
0	26.0 47.0	27.0 45.5	28.0 44.1	29.0 43.4	30.0 42.8	31.0 42.0	32.0 40.0	33.0 38.8	34.0 38.0	35.0 37.4	36.0 36.8	37.0 36.0	0

DECLINATION (D) WMM-90

E. LONG LAT	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG LAT
0	-8:0	-6:8	-5:9	-5:1	-5:2	-7:4	-5:4	-2:3	-1:2	-0:8	-1:9	-3:1	0
-5	-10:9	-8:9	-7:4	-5:4	-3:9	-3:5	-3:4	-3:2	-1:5	-2:4	-3:7	-5:0	-5
-10	-13:8	-11:8	-8:7	-7:7	-5:8	-5:2	-3:5	-3:6	-3:9	-4:0	-6:8	-7:8	-10
-15	-17:1	-15:0	-12:8	-10:5	-7:3	-6:7	-5:8	-5:9	-7:0	-8:6	-10:3	-11:2	-15
-20	-20:6	-18:6	-16:3	-13:8	-11:7	-10:2	-9:1	-10:2	-11:8	-13:8	-15:7	-17:2	-20
-25	-23:1	-21:8	-19:8	-17:5	-15:8	-14:1	-14:8	-16:3	-18:8	-20:3	-22:3	-23:7	-25
-30	-26:9	-24:3	-22:4	-20:2	-18:2	-18:9	-20:8	-22:4	-24:0	-27:2	-29:1	-30:4	-30
-35	-29:7	-27:2	-24:2	-22:2	-20:7	-24:5	-26:5	-28:4	-30:8	-33:1	-35:8	-36:8	-35
-40	-32:8	-30:8	-28:0	-25:5	-24:4	-28:0	-30:2	-32:7	-35:7	-38:0	-40:2	-41:9	-40
-45	-35:5	-33:0	-30:2	-28:5	-28:8	-31:9	-32:9	-35:2	-38:7	-41:9	-43:8	-46:8	-45
-50	-38:2	-35:7	-32:2	-29:2	-29:3	-31:1	-32:5	-35:0	-41:0	-44:0	-46:8	-49:8	-50
-55	-40:5	-37:9	-34:7	-31:2	-30:8	-33:8	-34:3	-37:9	-42:8	-46:0	-48:2	-51:1	-55
-60	-42:1	-39:9	-36:7	-33:7	-32:7	-35:8	-36:1	-39:8	-46:3	-50:0	-51:9	-54:8	-60
-65	-44:9	-41:2	-37:2	-34:1	-33:4	-36:9	-38:8	-42:1	-48:8	-52:6	-54:0	-57:1	-65
-70	-48:9	-45:3	-41:1	-38:0	-37:5	-40:2	-40:8	-43:8	-47:8	-51:7	-52:7	-55:8	-70
-75	-49:5	-46:1	-42:0	-38:9	-38:3	-41:8	-42:3	-46:2	-50:3	-54:8	-56:8	-60:1	-75
-80	-50:8	-47:2	-43:8	-39:8	-39:0	-42:8	-43:4	-47:7	-53:1	-57:2	-58:1	-61:7	-80
-85	-53:3	-50:7	-46:0	-42:6	-41:3	-45:6	-46:2	-51:9	-56:8	-61:0	-62:1	-65:9	-85
-90	-57:3	-54:3	-49:3	-45:5	-44:3	-48:3	-49:3	-54:3	-60:3	-65:3	-66:3	-70:3	-90

DECLINATION (D) WMM-90

E. LONG LAT	60	65	70	75	80	85	90	95	100	105	110	115	E. LONG LAT
0	-6.0	-4.7	-5.1	-5.0	-4.6	-3.9	-3.0	-1.9	-2.9	-2.9	-1.3	-1.9	0
-5	-6.1	-6.8	-7.0	-6.8	-6.2	-5.2	-4.0	-2.7	-1.4	-2.3	-1.0	-1.1	-5
-10	-9.0	-9.6	-9.7	-9.3	-8.4	-7.3	-5.6	-3.9	1.2	-2.8	-2.4	1.2	-10
-15	-13.0	-13.6	-13.3	-12.6	-11.3	-9.8	-7.8	-5.6	-3.6	-1.7	-2.3	1.1	-15
-20	-18.1	-18.6	-18.0	-17.0	-15.6	-13.3	-10.2	-8.2	-5.1	-3.0	-1.8	2.3	-20
-25	-24.4	-25.3	-23.7	-22.3	-20.6	-17.8	-13.0	-11.1	-8.2	-5.3	-2.9	1.8	-25
-30	-31.0	-30.9	-30.1	-29.6	-29.6	-28.7	-27.3	-16.5	-12.6	-9.9	-5.4	-2.2	-30
-35	-37.6	-37.4	-36.7	-35.3	-33.3	-30.4	-26.8	-22.8	-18.0	-13.6	-9.0	-5.2	-35
-40	-42.9	-43.3	-43.0	-43.0	-42.2	-38.0	-34.6	-30.3	-25.3	-19.8	-14.5	-9.2	-40
-45	-47.6	-48.6	-49.0	-48.2	-47.9	-46.8	-43.6	-39.6	-34.6	-28.8	-22.3	-15.6	-45
-50	-51.5	-53.2	-54.6	-55.1	-55.1	-54.5	-52.0	-50.3	-46.3	-40.9	-34.0	-25.9	-50
-55	-54.8	-57.5	-59.1	-60.8	-62.0	-62.9	-62.6	-61.8	-59.0	-56.4	-51.0	-43.7	-55
-60	-57.8	-60.9	-63.6	-66.3	-68.6	-70.6	-72.1	-73.5	-73.8	-72.9	-72.3	-69.9	-60
-65	-60.7	-64.3	-67.6	-71.1	-74.8	-78.0	-80.7	-82.7	-80.7	-82.0	-82.6	-83.3	-65
-70	-63.8	-67.9	-71.9	-76.0	-80.1	-84.3	-88.2	-92.8	-92.4	-102.2	-107.2	-113.5	-70
-75	-67.5	-73.0	-78.1	-81.1	-85.7	-90.9	-95.6	-100.7	-104.0	-111.7	-118.0	-124.3	-75
-80	-72.3	-77.1	-81.9	-86.9	-91.9	-97.1	-102.4	-107.0	-113.5	-119.3	-125.3	-131.6	-80
-85	-78.8	-83.8	-88.8	-93.8	-98.9	-104.3	-109.6	-115.0	-120.6	-126.0	-131.9	-137.2	-85
-90	-87.3	-92.3	-97.3	-102.3	-107.3	-112.3	-117.3	-122.3	-127.3	-132.3	-137.3	-142.3	-90

DECLINATION (D) WMM-90

E. LONG LAT	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG LAT
0	-1:8	-1:5	-2:9	2:8	3:7	4:8	5:9	7:1	8:8	9:3	10:1	10:5	0
-5	-1:8	-2:1	-3:7	3:5	4:0	5:5	6:6	7:8	8:3	9:8	10:2	10:9	-5
-10	1:7	2:5	3:2	4:1	5:1	6:2	7:3	8:6	9:4	10:4	11:0	11:5	-10
-15	1:8	2:7	3:6	4:6	5:6	6:8	8:9	9:1	10:2	11:1	11:8	12:2	-15
-20	1:6	2:7	3:8	5:9	6:2	7:5	8:8	10:9	11:1	12:0	12:8	13:3	-20
-25	1:9	2:6	4:8	5:8	6:8	8:3	9:7	11:1	12:2	13:3	14:1	14:8	-25
-30	1:7	2:1	4:9	5:8	7:9	9:3	11:9	12:5	13:8	14:9	15:6	16:3	-30
-35	-1:3	1:2	3:8	6:2	8:3	10:6	12:5	14:2	15:1	16:9	17:8	18:4	-35
-40	-4:8	1:3	3:3	4:6	8:0	12:7	14:5	16:5	18:1	19:5	20:3	21:0	-40
-45	-9:1	-3:8	1:9	6:7	10:7	14:2	17:9	19:5	21:2	22:6	23:8	24:5	-45
-50	-12:8	-8:6	1:8	6:6	12:8	16:9	20:5	23:3	25:6	26:8	27:9	28:4	-50
-55	-12:9	-20:1	-7:3	5:9	14:9	21:0	26:8	29:4	31:7	33:2	34:1	34:5	-55
-60	-16:7	-29:2	-24:9	-3:2	17:4	28:9	37:9	49:8	42:8	43:8	46:9	48:9	-60
-65	-21:8	-19:0	-14:2	-18:2	38:8	76:2	38:9	83:8	68:9	64:6	61:3	60:2	-65
-70	-12:0	-12:8	-13:8	-12:0	-17:0	167:5	145:0	126:6	112:6	102:5	94:7	88:9	-70
-75	-13:1	-13:8	-14:7	-12:1	-16:5	-178:4	170:9	158:6	147:6	137:3	129:0	118:8	-75
-80	-14:8	-14:8	-15:1	-15:8	-16:5	-174:3	179:1	170:5	162:9	151:9	142:5	140:4	-80
-85	-14:9	-14:8	-15:4	-16:9	-16:9	-172:6	-178:0	175:4	169:4	163:4	157:4	151:5	-85
-90	-14:7	-15:2	-15:7	-16:2	-16:7	-172:3	-177:3	177:7	172:7	167:5	162:3	157:5	-90

DECLINATION (D) WMM-90

E. LONG LAT	180	185	190	195	200	205	210	215	220	225	230	235	E. LONG LAT
0	10:8	10:8	10:7	10:7	10:6	10:5	10:5	10:4	10:4	10:3	10:3	10:2	0
-5	11:0	10:9	10:8	10:7	10:6	10:5	10:5	10:4	10:4	10:3	10:3	10:2	-5
-10	11:8	11:4	11:3	11:2	11:1	11:0	10:9	10:8	10:8	10:7	10:6	10:5	-10
-15	12:4	12:4	12:2	12:0	11:9	11:7	11:6	11:5	11:4	11:3	11:2	11:1	-15
-20	13:5	13:6	13:5	13:3	13:2	13:0	12:9	12:8	12:7	12:6	12:5	12:4	-20
-25	15:0	15:1	15:0	14:8	14:7	14:5	14:4	14:3	14:2	14:1	14:0	13:9	-25
-30	16:7	16:8	16:8	16:6	16:5	16:3	16:2	16:1	16:0	15:9	15:8	15:7	-30
-35	18:8	19:0	19:0	18:8	18:7	18:5	18:4	18:3	18:2	18:1	18:0	17:9	-35
-40	21:4	21:6	21:6	21:4	21:3	21:1	21:0	20:9	20:8	20:7	20:6	20:5	-40
-45	24:8	24:7	24:7	24:5	24:4	24:2	24:1	24:0	23:9	23:8	23:7	23:6	-45
-50	28:7	28:8	28:7	28:5	28:4	28:2	28:1	28:0	27:9	27:8	27:7	27:6	-50
-55	34:6	34:5	34:5	34:3	34:2	34:0	33:9	33:8	33:7	33:6	33:5	33:4	-55
-60	43:0	43:1	43:1	42:8	42:7	42:5	42:4	42:3	42:2	42:1	42:0	41:9	-60
-65	59:9	57:6	56:8	54:7	53:8	52:4	51:4	50:5	49:5	48:6	47:8	46:8	-65
-70	83:7	79:6	78:4	76:2	75:0	67:8	68:8	68:1	68:0	58:8	56:7	54:5	-70
-75	112:5	106:8	108:8	98:8	98:8	88:0	81:2	78:2	74:6	71:1	67:9	64:4	-75
-80	133:5	126:8	120:7	114:7	109:1	103:7	98:6	91:7	88:9	84:4	80:0	75:6	-80
-85	145:7	139:8	134:3	128:7	123:2	117:8	112:4	107:2	102:1	97:1	92:1	87:2	-85
-90	152:7	147:5	142:7	137:7	132:7	127:7	122:7	117:7	112:7	107:7	102:7	97:7	-90

DECLINATION (D) WMM-90

E. LONG LAT	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG LAT
0	8:9	9:0	9:0	8:9	8:8	7:8	6:9	6:9	-10:8	-11:8	-11:8	-10:8	0
-5	9:9	9:8	9:8	9:8	8:8	8:3	6:8	6:8	-10:8	-11:8	-11:8	-10:8	-5
-10	10:8	10:7	10:7	10:7	9:8	9:2	7:8	6:8	-10:8	-11:8	-11:8	-10:8	-10
-15	11:8	11:7	11:7	11:7	10:8	10:2	9:8	7:8	6:8	-10:8	-10:8	-10:8	-15
-20	12:8	12:6	12:6	12:6	12:8	12:2	10:8	8:8	6:8	-10:8	-10:8	-10:8	-20
-25	14:8	14:8	14:8	14:8	14:8	14:2	13:8	10:8	8:8	6:8	6:8	6:8	-25
-30	16:8	16:8	16:8	16:8	16:8	16:2	15:8	13:8	10:8	8:8	8:8	8:8	-30
-35	19:8	19:7	19:7	19:7	19:8	19:2	18:8	16:8	13:8	11:8	11:8	11:8	-35
-40	23:8	23:5	23:5	23:5	23:8	23:2	22:8	20:8	17:8	15:8	15:8	15:8	-40
-45	25:8	25:8	25:8	25:8	25:8	25:2	24:8	22:8	20:8	18:8	18:8	18:8	-45
-50	29:8	29:5	29:5	29:5	29:8	29:2	28:8	26:8	24:8	22:8	22:8	22:8	-50
-55	33:8	33:8	33:8	33:8	33:8	33:2	32:8	30:8	28:8	26:8	26:8	26:8	-55
-60	39:8	39:8	39:8	39:8	39:8	39:2	38:8	36:8	34:8	32:8	32:8	32:8	-60
-65	47:8	47:8	47:8	47:8	47:8	47:2	46:8	44:8	42:8	40:8	40:8	40:8	-65
-70	57:8	57:8	57:8	57:8	57:8	57:2	56:8	54:8	52:8	50:8	50:8	50:8	-70
-75	69:8	69:8	69:8	69:8	69:8	69:2	68:8	66:8	64:8	62:8	62:8	62:8	-75
-80	79:8	79:8	79:8	79:8	79:8	79:2	78:8	76:8	74:8	72:8	72:8	72:8	-80
-85	89:8	89:8	89:8	89:8	89:8	89:2	88:8	86:8	84:8	82:8	82:8	82:8	-85
-90	92:8	92:8	92:8	92:8	92:8	92:2	91:8	89:8	87:8	85:8	85:8	85:8	-90
E. LONG LAT	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG LAT

DECLINATION (D) WMM-90

E. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG LAT
0	-12:4	-15:5	-15:0	-19:0	-20:7	-20:8	-20:2	-18:8	-17:0	-17:8	-17:6	-18:1	0
-5	-11:8	-15:2	-16:0	-20:1	-21:4	-21:2	-21:2	-20:7	-18:1	-17:6	-17:1	-17:0	-5
-10	-11:1	-14:2	-17:2	-20:3	-21:9	-21:5	-23:0	-23:4	-21:3	-19:7	-17:6	-15:3	-10
-15	-10:3	-16:1	-17:8	-20:2	-22:2	-22:2	-24:0	-23:8	-23:3	-22:2	-20:7	-18:0	-15
-20	-9:0	-13:1	-16:8	-19:8	-22:1	-22:2	-24:7	-25:2	-24:8	-24:2	-23:3	-22:0	-20
-25	-7:6	-11:0	-15:7	-18:6	-22:5	-22:2	-24:2	-25:2	-25:1	-25:6	-25:2	-25:3	-25
-30	-6:8	-10:0	-14:1	-17:1	-20:8	-20:8	-24:2	-25:2	-25:8	-26:1	-26:0	-25:6	-30
-35	-5:4	-9:2	-12:0	-15:7	-18:1	-21:2	-23:2	-24:2	-23:2	-23:6	-23:2	-23:7	-35
-40	-4:5	-8:3	-11:2	-14:8	-18:8	-20:1	-23:0	-24:2	-23:2	-23:9	-24:3	-24:6	-40
-45	-3:7	-7:4	-10:8	-13:2	-17:2	-17:1	-21:4	-22:0	-20:2	-21:2	-22:0	-22:8	-45
-50	-3:4	-6:5	-9:3	-12:2	-15:8	-15:3	-19:5	-19:5	-19:2	-18:2	-19:6	-20:3	-50
-55	-2:9	-5:8	-8:2	-11:4	-14:2	-14:1	-17:8	-17:8	-17:1	-15:2	-16:3	-17:2	-55
-60	-2:2	-4:7	-7:2	-10:2	-13:2	-13:2	-16:3	-16:3	-15:2	-12:8	-14:2	-15:2	-60
-65	-1:8	-3:2	-5:8	-8:5	-11:2	-11:2	-14:2	-14:2	-13:2	-11:0	-13:8	-14:2	-65
-70	-1:0	-2:8	-5:1	-7:8	-10:2	-10:2	-13:2	-13:2	-12:2	-9:8	-12:8	-13:8	-70
-75	-1:1	-1:9	-4:8	-7:2	-10:2	-10:2	-13:2	-13:2	-12:2	-9:2	-12:8	-13:8	-75
-80	-1:0	-1:0	-4:8	-7:2	-10:2	-10:2	-13:2	-13:2	-12:2	-9:2	-12:8	-13:8	-80
-85	-1:0	-1:0	-4:8	-7:2	-10:2	-10:2	-13:2	-13:2	-12:2	-9:2	-12:8	-13:8	-85
-90	-1:0	-1:0	-4:8	-7:2	-10:2	-10:2	-13:2	-13:2	-12:2	-9:2	-12:8	-13:8	-90
LAT	300	305	310	315	320	325	330	335	340	345	350	355	LAT
E. LONG	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG

INCLINATION (I) WMM-90

E. LONG LAT	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG LAT
90	87.8 -0.8	87.8 -0.8	87.8 -0.8	87.8 -0.8	87.8 -0.8	87.8 -0.8	87.8 -0.8	87.8 -0.8	87.8 -0.8	87.8 -0.8	87.8 -0.8	87.8 -0.8	90
85	85.2 -1.0	85.2 -1.0	85.2 -1.0	85.3 -1.0	85.3 -1.0	85.3 -1.0	85.4 -1.0	85.5 -1.0	85.6 -1.0	85.7 -1.1	85.9 -1.1	86.0 -1.0	85
80	82.7 -1.1	82.7 -1.1	82.7 -1.2	82.7 -1.2	82.8 -1.2	82.9 -1.2	83.0 -1.2	83.2 -1.3	83.4 -1.3	83.6 -1.3	83.9 -1.3	84.2 -1.3	80
75	80.3 -1.1	80.3 -1.2	80.3 -1.2	80.3 -1.2	80.4 -1.3	80.5 -1.3	80.7 -1.3	80.9 -1.3	81.1 -1.3	81.4 -1.3	81.7 -1.3	82.1 -1.4	75
70	77.9 -1.0	77.9 -1.0	77.9 -1.1	77.9 -1.1	78.0 -1.2	78.2 -1.2	78.3 -1.2	78.5 -1.3	78.8 -1.3	79.1 -1.3	79.5 -1.3	79.9 -1.3	70
65	75.4 -1.0	75.4 -1.0	75.4 -1.0	75.4 -1.0	75.5 -1.1	75.7 -1.1	75.8 -1.1	76.1 -1.1	76.3 -1.1	76.6 -1.1	76.9 -1.1	77.3 -1.1	65
60	72.5 -1.0	72.5 -1.0	72.5 -1.0	72.6 -1.0	72.8 -1.0	72.9 -1.1	73.1 -1.1	73.3 -1.1	73.6 -1.0	73.8 -1.0	74.2 -1.0	74.5 -0.9	60
55	69.1 -0.9	69.2 -0.9	69.3 -0.8	69.4 -0.8	69.6 -0.8	69.8 -0.8	70.0 -0.8	70.2 -0.8	70.5 -0.7	70.7 -0.6	71.0 -0.6	71.3 -0.5	55
50	65.2 -0.9	65.3 -0.8	65.5 -0.8	65.7 -0.8	65.9 -0.8	66.2 -0.8	66.5 -0.8	66.7 -0.8	66.9 -0.7	67.2 -0.6	67.5 -0.6	67.7 -0.6	50
45	60.5 -0.8	60.7 -0.7	60.8 -0.7	61.1 -0.7	61.5 -0.6	61.9 -0.6	62.3 -0.5	62.5 -0.5	62.7 -0.4	63.0 -0.4	63.3 -0.3	63.5 -0.3	45
40	55.1 -0.6	55.3 -0.5	55.6 -0.5	55.9 -0.5	56.3 -0.5	56.7 -0.4	57.0 -0.4	57.4 -0.4	57.7 -0.3	58.0 -0.3	58.3 -0.2	58.5 -0.2	40
35	48.5 -0.5	48.8 -0.4	49.1 -0.4	49.5 -0.4	50.0 -0.3	50.4 -0.3	50.8 -0.3	51.3 -0.2	51.7 -0.2	52.2 -0.1	52.5 -0.1	52.7 -0.1	35
30	44.9 -0.4	45.2 -0.3	45.5 -0.3	45.8 -0.3	46.3 -0.2	46.7 -0.2	47.1 -0.1	47.4 -0.1	47.7 -0.1	48.1 -0.1	48.4 -0.1	48.7 -0.1	30
25	41.4 -0.3	41.8 -0.2	42.1 -0.2	42.4 -0.2	42.9 -0.1	43.3 -0.1	43.7 -0.1	44.0 -0.1	44.3 -0.1	44.6 -0.1	44.9 -0.1	45.2 -0.1	25
20	37.9 -0.2	38.3 -0.2	38.6 -0.2	38.9 -0.2	39.4 -0.1	39.8 -0.1	40.2 -0.1	40.5 -0.1	40.8 -0.1	41.1 -0.1	41.4 -0.1	41.7 -0.1	20
15	34.4 -0.1	34.8 -0.1	35.1 -0.1	35.4 -0.1	36.0 -0.1	36.4 -0.1	36.8 -0.1	37.1 -0.1	37.4 -0.1	37.7 -0.1	38.0 -0.1	38.3 -0.1	15
10	30.9 -0.1	31.3 -0.1	31.6 -0.1	31.9 -0.1	32.5 -0.1	32.9 -0.1	33.3 -0.1	33.6 -0.1	33.9 -0.1	34.2 -0.1	34.5 -0.1	34.8 -0.1	10
5	27.4 -0.0	27.8 -0.0	28.1 -0.0	28.4 -0.0	29.0 -0.0	29.4 -0.0	29.8 -0.0	30.1 -0.0	30.4 -0.0	30.7 -0.0	31.0 -0.0	31.3 -0.0	5
0	23.9 -0.0	24.3 -0.0	24.6 -0.0	24.9 -0.0	25.5 -0.0	25.9 -0.0	26.3 -0.0	26.6 -0.0	26.9 -0.0	27.2 -0.0	27.5 -0.0	27.8 -0.0	0

INCLINATION (I) WMM-90

E. LONG LAT	60	65	70	75	80	85	90	95	100	105	110	115	E. LONG LAT
90	87:8	87:8	87:8	87:8	87:8	87:8	87:8	87:8	87:8	87:8	87:8	87:8	90
85	86:4 1:0	86:4 1:0	86:6 1:0	86:8 1:0	87:0 1:0	87:2 1:0	87:4 1:0	87:6 1:0	87:8 1:0	87:9 1:0	88:1 1:0	88:2 1:0	85
80	84:5 1:3	84:8 1:3	85:3 1:4	85:5 1:4	85:8 1:4	86:3 1:4	86:6 1:4	86:9 1:4	87:2 1:4	87:4 1:4	87:5 1:4	87:6 1:4	80
75	82:5 1:4	83:0 1:4	83:4 1:4	83:9 1:4	84:4 1:4	84:8 1:4	85:3 1:4	85:6 1:4	85:8 1:4	85:9 1:4	85:9 1:4	85:7 1:0	75
70	80:3 1:3	80:8 1:3	81:2 1:3	81:7 1:3	82:2 1:3	82:8 1:3	83:2 1:3	83:6 1:3	83:8 1:3	83:7 1:3	83:6 1:3	83:5 1:3	70
65	77:8 1:3	78:2 1:3	79:2 1:3	79:7 1:3	79:8 1:3	80:3 1:3	80:6 1:3	80:8 1:3	81:0 1:3	80:8 1:3	80:7 1:3	80:2 1:3	65
60	74:9 1:6	75:3 1:6	75:8 1:6	76:0 1:6	76:7 1:6	77:2 1:6	77:5 1:6	77:6 1:6	77:7 1:6	77:8 1:6	77:3 1:6	76:8 1:6	60
55	71:7 1:6	72:0 1:6	72:6 1:6	72:8 1:6	73:1 1:6	73:6 1:6	73:7 1:6	73:9 1:6	73:9 1:6	73:7 1:6	73:6 1:6	72:9 1:6	55
50	68:0 1:6	68:2 1:6	68:3 1:6	68:8 1:6	69:0 1:6	69:3 1:6	69:6 1:6	69:8 1:6	69:5 1:6	69:4 1:6	69:0 1:6	68:8 1:6	50
45	63:7 1:6	63:8 1:6	64:0 1:6	64:3 1:6	64:3 1:6	64:5 1:6	64:6 1:6	64:6 1:6	64:8 1:6	64:4 1:6	64:8 1:6	63:7 1:6	45
40	58:7 1:6	58:8 1:6	58:8 1:6	58:9 1:6	58:9 1:6	58:9 1:6	59:0 1:6	59:0 1:6	58:9 1:6	58:8 1:6	58:5 1:6	58:0 1:6	40
35	52:8 1:6	52:8 1:6	52:7 1:6	52:7 1:6	52:6 1:6	52:5 1:6	52:5 1:6	52:4 1:6	52:5 1:6	52:3 1:6	52:0 1:6	51:7 1:6	35
30	45:9 1:6	45:8 1:6	45:6 1:6	45:6 1:6	45:2 1:6	45:1 1:6	44:9 1:6	44:8 1:6	44:8 1:6	44:7 1:6	44:6 1:6	44:3 1:6	30
25	37:7 1:6	37:6 1:6	37:3 1:6	37:0 1:6	36:7 1:6	36:4 1:6	36:2 1:6	36:1 1:6	36:0 1:6	36:0 1:6	36:0 1:6	35:8 1:6	25
20	28:8 1:6	28:8 1:6	27:7 1:6	27:3 1:6	26:8 1:6	26:6 1:6	26:5 1:6	26:4 1:6	26:4 1:6	26:2 1:6	26:3 1:6	26:2 1:6	20
15	17:5 1:6	17:5 1:6	16:9 1:6	16:7 1:6	15:8 1:6	15:7 1:6	15:0 1:6	14:9 1:6	14:9 1:6	14:8 1:6	14:6 1:6	14:6 1:6	15
10	5:8 1:6	5:9 1:6	5:2 1:6	5:2 1:6	3:8 1:6	3:6 1:6	3:0 1:6	2:9 1:6	2:5 1:6	2:4 1:6	2:6 1:6	2:8 1:6	10
5	-4:4 1:6	-4:6 1:6	-7:1 1:6	-7:8 1:6	-8:4 1:6	-8:9 1:6	-9:1 1:6	-9:2 1:6	-8:9 1:6	-8:9 1:6	-8:9 1:6	-7:5 1:6	5
0	-18:4 1:6	-18:6 1:6	-19:0 1:6	-19:6 1:6	-20:2 1:6	-20:6 1:6	-20:8 1:6	-20:8 1:6	-20:5 1:6	-19:9 1:6	-19:3 1:6	-18:7 1:6	0
E. LONG LAT	60	65	70	75	80	85	90	95	100	105	110	115	E. LONG LAT

INCLINATION (I) WMM-90

E. LONG LAT	120	125	130	135	140	145	150	155	160	165	170	175	L. LONG LAT
90	87:8	87:8	87:8	87:8	87:8	87:8	87:8	87:8	87:8	87:8	87:8	87:8	90
85	88:6	88:6	88:6	88:6	88:6	88:6	88:6	88:6	88:6	88:6	88:6	88:6	85
80	87:6	87:6	87:6	86:7	86:5	86:2	86:0	85:9	85:6	85:5	85:4	85:4	80
75	85:3	84:9	84:5	84:0	83:9	83:9	82:8	82:6	82:0	82:0	81:8	81:8	75
70	82:7	82:3	81:5	81:1	80:3	79:2	79:2	78:2	78:4	78:1	77:9	77:5	70
65	78:9	78:8	78:3	77:9	76:9	75:8	75:3	74:8	74:2	74:0	73:8	73:5	65
60	76:3	75:3	74:5	73:8	73:2	71:8	71:2	70:9	70:3	69:8	69:6	69:3	60
55	73:8	71:8	70:8	69:5	68:6	67:2	66:9	66:3	65:8	65:5	65:3	65:4	55
50	67:8	67:0	66:0	65:1	64:4	63:3	62:6	61:8	61:3	61:0	61:0	61:1	50
45	62:9	62:1	61:8	60:3	59:2	58:2	57:4	56:8	56:8	56:3	56:0	56:3	45
40	57:8	56:6	55:7	54:7	53:8	52:9	52:2	51:7	51:5	51:2	51:2	52:2	40
35	51:8	50:4	49:3	48:6	47:2	46:9	46:0	46:0	45:9	46:2	46:1	47:4	35
30	43:8	43:2	42:4	41:5	40:7	40:0	39:7	39:4	39:2	40:3	41:1	42:2	30
25	35:3	34:3	34:1	33:5	32:8	32:4	32:0	32:3	32:1	33:7	34:9	36:6	25
20	29:0	28:6	28:4	28:4	28:9	28:7	28:7	28:5	28:5	28:6	28:8	28:3	20
15	23:8	23:2	23:0	22:9	22:7	22:1	21:9	21:8	21:8	21:6	21:8	21:8	15
10	17:7	17:1	16:8	16:4	16:1	15:1	14:9	14:5	14:2	14:0	13:9	13:2	10
5	11:3	10:7	10:3	10:0	9:7	8:8	8:5	8:3	8:2	8:7	8:9	8:3	5
0	5:3	4:7	4:3	4:1	3:7	3:8	3:7	3:5	3:3	3:2	3:1	3:1	0
	-15:3	-18:0	-17:9	-17:6	-17:3	-16:6	-15:7	-14:5	-13:0	-11:1	-8:9	-6:3	
LAT	120	125	130	135	140	145	150	155	160	165	170	175	L. LONG LAT

INCLINATION (I) WMM-90

E. LONG	180	185	190	195	200	205	210	215	220	225	230	235	E. LONG
LAT													LAT
90	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	90
85	88.4	88.4	88.5	88.6	88.6	88.7	88.8	88.9	89.0	89.1	89.2	89.2	85
80	85.4	85.4	85.5	85.7	85.9	86.1	86.4	86.7	87.0	87.4	87.8	88.2	80
75	81.8	81.9	82.1	82.3	82.6	83.0	83.4	83.8	84.0	85.0	85.6	86.3	75
70	77.8	78.3	78.3	78.7	79.2	79.6	80.3	80.9	81.6	82.3	83.8	84.0	70
65	73.8	74.3	74.5	74.8	75.4	76.0	76.8	77.6	78.4	79.6	80.3	81.2	65
60	69.3	70.0	70.3	70.9	71.5	72.3	73.1	74.0	75.0	76.1	77.1	78.2	60
55	65.5	65.8	66.3	66.9	67.6	68.5	69.4	70.4	71.4	72.5	73.6	74.7	55
50	61.3	61.8	62.3	63.0	63.8	64.6	65.6	66.6	67.7	68.8	69.9	71.0	50
45	57.1	57.5	58.3	59.1	59.9	60.8	61.7	62.7	63.8	64.9	66.0	67.1	45
40	52.8	53.6	54.4	55.2	56.1	57.0	57.9	58.8	59.8	60.8	61.9	62.9	40
35	48.3	49.3	50.3	51.2	52.1	53.0	53.8	54.7	55.6	56.6	57.6	58.6	35
30	43.4	44.7	45.8	46.9	47.8	48.6	49.4	50.2	51.1	51.9	52.9	53.8	30
25	37.8	39.6	40.8	41.8	42.8	43.6	44.3	45.1	45.9	46.7	47.6	48.5	25
20	31.5	33.3	34.8	36.0	36.9	37.7	38.4	39.1	39.8	40.6	41.6	42.3	20
15	24.1	26.0	27.6	28.9	29.8	30.6	31.3	32.0	32.8	33.5	34.3	35.1	15
10	15.5	17.4	19.3	20.5	21.3	22.0	22.9	23.8	24.6	25.4	26.2	27.0	10
5	4.8	8.0	9.7	11.0	12.1	12.9	13.7	14.6	15.4	16.3	17.1	17.9	5
0	-4.9	-2.3	-1.3	-1.7	-2.7	-2.7	-3.6	-4.6	-5.6	-6.5	-7.3	-8.2	0
LAT													LAT
E. LONG	180	185	190	195	200	205	210	215	220	225	230	235	E. LONG

INCLINATION (I) WMM-90

E. LONG LAT	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG LAT
90	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	90
85	89.1	89.0	88.9	88.7	88.8	88.8	88.8	87.8	87.6	87.6	87.6	86.9	85
80	88.7	89.1	89.6	89.7	89.3	88.8	88.3	87.8	87.4	86.9	86.4	86.4	80
75	87.0	87.3	88.4	89.0	89.4	89.0	88.4	87.6	86.9	86.2	85.6	84.9	75
70	84.9	85.7	86.5	87.8	87.8	87.9	87.5	86.9	86.1	85.2	84.4	83.6	70
65	82.3	83.3	84.6	85.8	85.6	85.8	85.7	85.3	84.5	83.7	82.9	81.8	65
60	79.3	80.3	81.6	83.1	83.8	83.6	83.3	82.9	82.4	81.5	80.6	79.6	60
55	75.9	76.8	78.0	79.8	79.6	80.8	80.3	80.0	79.6	78.8	77.9	76.9	55
50	72.1	73.6	74.3	75.2	76.0	76.6	76.8	76.8	76.4	75.2	74.8	73.8	50
45	68.2	69.3	70.3	71.1	72.3	73.5	73.8	73.3	73.0	73.5	71.5	70.3	45
40	64.8	65.8	66.8	67.8	68.9	68.8	69.3	69.4	69.3	68.7	67.8	66.7	40
35	59.6	60.7	61.7	62.8	63.7	64.6	65.1	65.3	65.3	64.8	63.8	62.7	35
30	54.8	55.8	56.9	57.9	58.8	59.8	60.5	60.8	60.9	60.5	59.7	58.5	30
25	49.6	50.6	51.5	52.6	53.6	54.7	55.5	56.0	56.3	55.9	55.8	54.8	25
20	43.3	44.3	45.3	46.5	47.7	48.9	49.9	50.7	51.0	50.8	50.1	48.8	20
15	36.0	37.0	38.2	39.5	40.9	42.4	43.8	44.9	45.8	45.2	44.6	43.2	15
10	27.9	28.8	30.3	31.7	33.3	35.0	36.4	37.8	38.7	38.8	38.0	36.8	10
5	18.9	20.8	21.3	23.0	24.8	26.8	28.8	30.2	31.3	31.2	31.3	30.9	5
0	9.8	19.4	18.8	18.8	18.8	17.8	18.8	21.8	23.8	23.8	23.8	23.3	0

INCLINATION (I) WMM-90

E. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG LAT
90	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	87.8	90
85	86.7	86.5	86.3	86.1	86.0	85.8	85.7	85.6	85.6	85.4	85.3	85.2	85
80	85.6	85.2	84.8	84.4	84.1	83.8	83.6	83.4	83.2	83.0	82.8	82.8	80
75	84.3	83.7	83.2	82.7	82.3	81.9	81.5	81.2	80.9	80.7	80.6	80.4	75
70	82.9	82.5	81.9	81.4	80.8	79.7	79.3	78.9	78.6	78.4	78.3	78.2	70
65	80.9	80.1	79.3	78.6	77.9	77.3	76.8	76.4	76.1	75.9	75.6	75.5	65
60	78.6	77.6	76.7	75.9	75.1	74.5	73.8	73.5	73.1	72.9	72.6	72.5	60
55	75.8	74.7	73.7	72.8	71.9	71.2	70.6	70.1	69.7	69.4	69.2	69.1	55
50	73.8	71.9	70.3	68.3	66.3	64.3	62.8	62.8	62.8	62.6	62.6	62.5	50
45	69.1	67.8	66.5	65.3	64.2	63.2	62.4	61.7	61.2	60.9	60.6	60.5	45
40	65.3	63.8	62.4	61.0	59.6	58.5	57.4	56.6	55.9	55.4	55.1	55.0	40
35	61.3	59.6	57.9	56.2	54.7	53.2	51.7	50.0	49.7	49.0	48.8	48.5	35
30	56.9	54.9	53.0	50.9	48.9	48.0	47.2	46.6	46.4	46.3	46.2	46.1	30
25	52.8	50.8	49.2	47.7	46.2	45.0	44.0	43.6	43.6	43.7	43.9	44.0	25
20	47.9	44.9	42.8	40.7	38.7	37.3	36.4	36.0	36.0	36.4	37.1	37.8	20
15	43.2	39.6	36.2	33.5	31.2	29.5	28.6	28.7	29.0	29.8	30.9	31.8	15
10	38.9	34.8	31.3	28.7	26.4	24.2	23.5	23.7	24.1	24.8	26.0	27.0	10
5	34.7	29.7	25.2	21.8	19.0	17.2	16.6	17.0	17.6	18.4	19.8	21.2	5
0	30.8	25.3	20.2	15.3	10.9	6.5	2.8	0.0	0.0	0.0	0.0	0.0	0
E. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG LAT

INCLINATION (I) WMM-90

E. LONG	0	5	10	15	20	25	30	35	40	45	50	55	E. LONG
LAT	0	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	LAT
0	-27.8	-27.5	-27.5	-27.5	-27.5	-27.5	-27.5	-27.5	-27.5	-27.5	-27.5	-27.5	55
-5	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	50
-10	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	45
-15	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	40
-20	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	35
-25	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	30
-30	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	25
-35	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	20
-40	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	15
-45	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	10
-50	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	5
-55	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	0
-60	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	LAT
-65	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	E. LONG
-70	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	0
-75	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	5
-80	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	10
-85	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	15
-90	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	-27.8	20

INCLINATION (I) WMM-90

E. LONG LAT	60	65	70	75	80	85	90	95	100	105	110	115	E. LONG LAT
0	-18.4	-18.4	-19.0	-19.6	-20.2	-20.8	-20.9	-20.8	-20.5	-19.9	-19.3	-18.7	0
-5	-29.8	-29.6	-30.3	-30.5	-31.0	-31.4	-31.6	-31.5	-31.2	-30.6	-29.9	-29.1	-5
-10	-39.0	-39.2	-39.6	-39.6	-40.2	-40.6	-41.0	-40.8	-40.5	-39.8	-39.0	-38.3	-10
-15	-47.0	-47.2	-47.4	-47.4	-48.0	-48.4	-48.9	-48.9	-48.7	-47.9	-47.2	-46.5	-15
-20	-53.1	-53.4	-53.5	-53.4	-54.0	-54.4	-54.5	-54.7	-54.5	-54.0	-54.2	-53.6	-20
-25	-57.1	-57.5	-57.6	-57.5	-58.0	-58.4	-58.5	-58.7	-58.5	-58.0	-58.3	-57.7	-25
-30	-60.4	-60.9	-61.0	-60.9	-61.4	-61.8	-61.9	-62.0	-61.8	-61.3	-61.6	-61.0	-30
-35	-63.2	-63.7	-63.8	-63.7	-64.1	-64.5	-64.6	-64.6	-64.4	-63.9	-64.1	-63.5	-35
-40	-65.8	-66.3	-66.4	-66.3	-66.7	-67.0	-67.1	-67.1	-66.9	-66.4	-66.6	-66.0	-40
-45	-68.0	-68.5	-68.6	-68.5	-68.9	-69.2	-69.3	-69.3	-69.1	-68.6	-68.8	-68.2	-45
-50	-69.8	-70.3	-70.4	-70.3	-70.7	-71.0	-71.1	-71.1	-70.9	-70.4	-70.6	-70.0	-50
-55	-71.0	-71.5	-71.6	-71.5	-71.9	-72.2	-72.3	-72.3	-72.1	-71.6	-71.8	-71.2	-55
-60	-72.0	-72.5	-72.6	-72.5	-72.9	-73.2	-73.3	-73.3	-73.1	-72.6	-72.8	-72.2	-60
-65	-72.8	-73.3	-73.4	-73.3	-73.7	-74.0	-74.1	-74.1	-73.9	-73.4	-73.6	-73.0	-65
-70	-73.4	-73.9	-74.0	-73.9	-74.3	-74.6	-74.7	-74.7	-74.5	-74.0	-74.2	-73.6	-70
-75	-73.8	-74.3	-74.4	-74.3	-74.7	-75.0	-75.1	-75.1	-74.9	-74.4	-74.6	-74.0	-75
-80	-74.0	-74.5	-74.6	-74.5	-74.9	-75.2	-75.3	-75.3	-75.1	-74.6	-74.8	-74.2	-80
-85	-74.2	-74.7	-74.8	-74.7	-75.1	-75.4	-75.5	-75.5	-75.3	-74.8	-75.0	-74.4	-85
-90	-74.3	-74.8	-74.9	-74.8	-75.2	-75.5	-75.6	-75.6	-75.4	-74.9	-75.1	-74.5	-90
LAT													LAT
E. LONG	60	65	70	75	80	85	90	95	100	105	110	115	E. LONG

INCLINATION (I) WMM-90

E. LONG	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG
LAT													LAT
0	-18.3	-18.0	-17.0	-17.5	-17.3	-16.6	-15.7	-14.5	-13.0	-11.2	-8.9	-6.6	0
-5	-28.2	-28.1	-27.0	-27.5	-27.0	-26.3	-25.3	-24.1	-22.7	-20.0	-18.2	-16.0	-5
-10	-37.7	-37.2	-36.8	-36.4	-35.8	-35.1	-34.0	-33.5	-31.7	-30.2	-28.4	-26.5	-10
-15	-45.8	-45.3	-44.8	-44.0	-43.7	-43.0	-42.2	-41.2	-40.0	-38.6	-37.0	-35.4	-15
-20	-52.9	-52.4	-51.8	-51.7	-50.7	-50.1	-49.3	-48.4	-47.3	-46.0	-44.7	-43.3	-20
-25	-59.1	-58.6	-58.0	-57.2	-56.8	-56.3	-55.6	-54.7	-53.2	-51.9	-51.1	-50.0	-25
-30	-64.5	-64.0	-63.5	-62.8	-62.4	-61.7	-61.0	-60.2	-59.3	-58.2	-57.1	-56.0	-30
-35	-69.3	-68.8	-68.3	-67.8	-67.2	-66.5	-65.8	-65.0	-64.1	-63.2	-62.1	-61.0	-35
-40	-73.5	-73.1	-72.7	-72.2	-71.5	-70.9	-70.2	-69.3	-68.4	-67.5	-66.5	-65.4	-40
-45	-77.3	-77.1	-76.7	-76.2	-75.5	-74.8	-74.0	-73.2	-72.2	-71.3	-70.3	-69.3	-45
-50	-81.0	-80.7	-80.4	-79.9	-79.3	-78.5	-77.7	-76.7	-75.8	-74.9	-73.9	-72.9	-50
-55	-83.4	-83.3	-83.0	-82.5	-82.0	-81.2	-80.5	-80.1	-79.1	-78.2	-77.2	-76.2	-55
-60	-85.0	-84.9	-84.7	-84.2	-83.5	-82.8	-82.0	-81.4	-80.3	-79.4	-78.4	-77.4	-60
-65	-84.6	-84.6	-84.5	-84.0	-83.3	-82.6	-81.7	-81.2	-80.1	-79.2	-78.2	-77.2	-65
-70	-82.8	-82.8	-82.8	-82.3	-81.6	-80.9	-80.0	-79.5	-78.4	-77.5	-76.5	-75.5	-70
-75	-80.5	-80.5	-80.5	-80.0	-79.3	-78.6	-77.7	-77.2	-76.1	-75.2	-74.2	-73.2	-75
-80	-78.1	-78.1	-78.1	-77.6	-76.9	-76.2	-75.3	-74.8	-73.7	-72.8	-71.8	-70.8	-80
-85	-75.7	-75.7	-75.7	-75.2	-74.5	-73.8	-72.9	-72.4	-71.3	-70.4	-69.4	-68.4	-85
-90	-73.2	-73.2	-73.2	-72.7	-72.0	-71.3	-70.4	-69.9	-68.8	-67.9	-66.9	-65.9	-90
LAT													LAT
E. LONG	120	125	130	135	140	145	150	155	160	165	170	175	E. LONG

INCLINATION (I) WMM-90


E. LONG LAT	180	185	190	195	200	205	210	215	220	225	230	235	E. LONG LAT
0	-3:9	-2:8	1:6	-7	1:8	2:7	3:6	4:6	5:5	6:4	7:3	8:2	0
-5	-14:8	-13:8	-11:5	-9:8	-8:3	-7:2	-6:7	-5:7	-4:7	-3:3	-2:1	-1:7	-5
-10	-24:6	-22:9	-21:4	-20:1	-18:9	-17:8	-16:8	-15:4	-14:3	-13:6	-12:5	-11:1	-10
-15	-33:7	-32:2	-30:7	-29:5	-28:4	-27:3	-26:2	-25:1	-24:0	-22:8	-21:7	-20:6	-15
-20	-41:8	-40:4	-39:3	-37:9	-36:7	-35:7	-34:6	-33:5	-32:3	-31:2	-30:1	-28:0	-20
-25	-48:8	-47:5	-46:3	-45:1	-44:0	-42:9	-41:9	-40:8	-39:7	-38:6	-37:5	-36:5	-25
-30	-54:8	-53:6	-52:4	-51:3	-50:3	-49:2	-48:2	-47:2	-46:1	-45:1	-44:0	-43:9	-30
-35	-59:8	-58:8	-57:7	-56:7	-55:7	-54:7	-53:7	-52:7	-51:8	-50:8	-49:8	-48:8	-35
-40	-64:4	-63:3	-62:3	-61:3	-60:4	-59:4	-58:5	-57:6	-56:7	-55:7	-54:7	-53:7	-40
-45	-68:3	-67:1	-66:1	-65:1	-64:1	-63:6	-62:7	-61:9	-61:9	-60:9	-59:9	-58:9	-45
-50	-71:9	-70:9	-70:9	-69:9	-68:3	-67:6	-66:8	-65:8	-64:7	-63:8	-62:8	-61:8	-50
-55	-75:2	-74:2	-73:3	-72:4	-71:6	-70:7	-69:8	-68:9	-68:0	-67:0	-65:9	-64:7	-55
-60	-78:1	-77:3	-76:3	-75:4	-74:6	-73:7	-72:8	-71:8	-70:8	-69:8	-68:8	-67:4	-60
-65	-80:8	-79:8	-78:9	-78:0	-77:1	-76:1	-75:8	-74:8	-73:8	-72:7	-71:9	-69:8	-65
-70	-82:3	-81:3	-80:5	-79:6	-78:7	-77:8	-76:8	-75:9	-74:9	-73:9	-72:8	-71:7	-70
-75	-81:8	-81:1	-80:5	-79:8	-79:9	-78:3	-77:5	-76:7	-75:8	-75:9	-74:1	-73:3	-75
-80	-79:6	-79:3	-78:9	-78:4	-78:0	-77:5	-76:9	-76:4	-75:8	-75:2	-74:6	-74:0	-80
-85	-76:5	-76:4	-76:3	-76:1	-75:9	-75:6	-75:3	-75:1	-74:9	-74:6	-74:3	-74:0	-85
-90	-73:2	-73:2	-73:3	-73:3	-73:3	-73:2	-73:2	-73:2	-73:2	-73:2	-73:2	-73:2	-90

INCLINATION (I) WMM-90

E. LONG LAT	240	245	250	255	260	265	270	275	280	285	290	295	E. LONG LAT
0	9:8	19:4	18:8	18:2	18:8	17:8	18:8	21:8	21:1	23:8	23:3	26:2	0
-5	5:8	8:3	10:9	10:7	10:8	8:3	14:5	12:5	14:8	15:0	15:8	18:3	-5
-10	-10:4	-8:8	-7:8	-6:1	-6:1	-8:8	7:8	8:8	4:8	5:7	5:8	-9:2	-10
-15	-19:5	-18:8	-17:8	-18:5	-18:8	-11:8	-9:8	-6:9	-3:9	-2:8	-3:6	-6:0	-15
-20	-27:8	-26:8	-25:8	-24:8	-28:3	-29:5	-18:3	-16:8	-14:2	-13:8	-15:8	-12:8	-20
-25	-35:3	-34:8	-33:8	-31:8	-30:3	-28:3	-29:8	-24:8	-22:3	-21:8	-20:8	-21:3	-25
-30	-42:0	-40:8	-38:8	-38:3	-36:8	-35:8	-33:6	-31:5	-29:8	-28:8	-27:8	-28:2	-30
-35	-47:7	-46:8	-45:8	-44:8	-42:3	-40:7	-39:1	-37:6	-35:8	-34:5	-33:8	-34:0	-35
-40	-52:6	-51:8	-50:8	-48:7	-47:2	-45:5	-43:8	-42:3	-40:7	-39:8	-38:8	-38:1	-40
-45	-56:8	-55:8	-54:3	-52:7	-51:8	-49:8	-47:8	-46:8	-44:2	-43:8	-42:8	-42:8	-45
-50	-60:4	-59:8	-57:8	-56:1	-54:8	-52:8	-51:3	-49:8	-48:8	-47:5	-46:8	-46:6	-50
-55	-63:4	-62:1	-60:8	-59:1	-57:8	-56:8	-54:5	-53:8	-52:3	-51:1	-50:5	-50:8	-55
-60	-66:8	-64:8	-63:6	-62:8	-60:8	-59:8	-57:1	-56:7	-55:8	-54:8	-54:0	-53:8	-60
-65	-68:8	-67:8	-66:8	-64:8	-63:8	-62:3	-61:8	-60:2	-59:8	-58:5	-57:8	-57:3	-65
-70	-70:7	-69:6	-68:5	-67:4	-66:3	-65:8	-64:4	-63:8	-62:8	-62:1	-61:6	-61:1	-70
-75	-72:3	-71:8	-70:8	-69:8	-68:8	-68:0	-67:8	-66:8	-66:0	-65:8	-65:8	-64:8	-75
-80	-73:6	-72:8	-72:1	-71:6	-71:1	-70:5	-69:9	-69:4	-69:4	-68:6	-68:3	-67:9	-80
-85	-73:7	-73:5	-73:3	-72:8	-72:5	-72:3	-71:8	-71:6	-71:3	-71:1	-70:9	-70:7	-85
-90	-73:8	-73:3	-73:2	-72:3	-72:2	-72:2	-71:3	-71:2	-71:2	-71:2	-71:2	-71:2	-90

INCLINATION (I) WMM-90

E. LONG LAT	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG LAT
0	-12:8	-15:8	-18:8	-20:8	-21:0	-20:9	-19:8	-18:7	-18:8	-18:8	-25:1	-26:9	0
-5	-12:6	-16:9	-18:8	-20:6	-20:3	-21:3	-20:3	-24:9	-20:3	-22:3	-24:8	-26:7	-5
-10	-12:7	-15:9	-18:5	-20:3	-21:1	-21:0	-20:1	-26:8	-18:8	-20:7	-22:6	-24:5	-10
-15	-12:7	-19:9	-21:7	-20:3	-20:9	-20:8	-19:8	-29:3	-18:8	-20:6	-23:8	-25:7	-15
-20	-12:8	-20:2	-22:8	-20:8	-21:3	-20:9	-20:4	-34:3	-18:1	-21:7	-25:8	-28:3	-20
-25	-12:8	-23:3	-28:8	-22:8	-23:0	-21:2	-22:8	-40:7	-22:2	-24:8	-32:9	-35:8	-25
-30	-28:6	-31:9	-35:8	-32:8	-33:2	-33:3	-32:7	-47:8	-32:9	-34:9	-43:8	-46:9	-30
-35	-38:8	-40:7	-43:9	-42:9	-43:2	-43:4	-43:0	-54:3	-41:9	-43:7	-52:8	-55:7	-35
-40	-38:8	-48:8	-49:8	-49:2	-47:9	-50:7	-53:3	-55:8	-58:1	-60:9	-67:8	-70:7	-40
-45	-42:3	-46:3	-49:2	-47:8	-50:0	-52:2	-54:4	-56:9	-58:6	-60:8	-67:3	-70:4	-45
-50	-46:8	-47:5	-48:6	-50:8	-51:5	-53:4	-55:1	-56:7	-58:1	-59:3	-66:3	-69:0	-50
-55	-50:2	-52:9	-53:7	-52:6	-53:0	-54:5	-55:7	-56:8	-57:8	-58:6	-59:2	-59:8	-55
-60	-53:6	-53:7	-54:8	-54:6	-55:2	-55:9	-56:7	-57:4	-58:0	-58:6	-59:0	-59:4	-60
-65	-57:8	-57:1	-57:2	-57:4	-57:8	-58:0	-58:4	-58:7	-59:1	-59:4	-59:8	-60:0	-65
-70	-60:8	-60:8	-60:2	-60:4	-60:3	-60:6	-60:7	-60:9	-61:0	-61:2	-61:5	-61:8	-70
-75	-64:3	-64:0	-63:8	-63:7	-63:6	-63:5	-63:5	-63:5	-63:6	-63:7	-63:8	-63:9	-75
-80	-67:6	-67:3	-67:1	-66:9	-66:8	-66:7	-66:6	-66:6	-66:6	-66:6	-66:6	-66:7	-80
-85	-70:5	-70:4	-70:3	-70:1	-70:0	-70:3	-69:9	-69:8	-69:8	-69:8	-69:8	-69:8	-85
-90	-72:8	-72:2	-72:5	-72:2	-72:3	-72:3	-72:3	-72:3	-72:3	-72:3	-72:3	-72:3	-90
LAT													LAT
E. LONG	300	305	310	315	320	325	330	335	340	345	350	355	E. LONG




U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 8. HORIZONTAL INTENSITY (H)

1990.0 at surface of WGS-84 reference ellipsoid.

(nT)


(WMM-90)



U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 9. VERTICAL COMPONENT (Z)

1990.0 at surface of WGS-84 reference ellipsoid.




(nT)

(WMM-90)

U.S. NAVAL OCEANOGRAPHIC OFFICE

1990.0 at surface of WGS-84 reference ellipsoid.

CHART 10. TOTAL INTENSITY (F)




1990.0 of surface of WGS-84 reference ellipsoid

U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 11. DECLINATION (D)

(degrees)


(WMM-90)



1990.0 of surface of WGS-84 reference ellipsoid

U.S. NAVAL OCEANOGRAPHIC OFFICE


CHART 12. INCLINATION (I)



1990.0 of surface of WGS-84 reference ellipsoid.

U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 13. HORIZONTAL INTENSITY (H)




1990.0 at surface of WGS-84 reference ellipsoid.

U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 14, VERTICAL COMPONENT (Z)

(WMM 90)


(WMM 90)



1990.0 at surface of WGS-84 reference ellipsoid.

U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 15. TOTAL INTENSITY (F)




1990.0 at surface of WGS-84 reference ellipsoid.

CHART 16. DECLINATION (D)

(minutes/yr)

(WMM-90)




1990.0 at surface of WGS-84 reference ellipsoid.

U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 17. INCLINATION (I)

(nt)




U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 18. HORIZONTAL INTENSITY (H)

(WMM-90)

(WMM-90)

(m)




1990.0 at surface of WGS-84 reference ellipsoid.

U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 19. VERTICAL COMPONENT (Z)

(nl)




(WMM-90)

U. S. NAVAL OCEANOGRAPHIC OFFICE

1990.0 at surface of WGS-84 reference ellipsoid.

CHART 20. TOTAL INTENSITY (F)

(degrees)




(WMM-90)

1990.0 at surface of WGS-84 reference ellipsoid.

U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 21. DECLINATION (D)

(degrees)




(WMM - 90)

1990.0 at surface of WGS-84 reference ellipsoid.

U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 22. INCLINATION (I)

(degrees)



(WMM-90)


1990.0 at surface of WGS-84 reference ellipsoid.

U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 23. GRID VARIATION (GV)

(nT/yr)

(WMM-90)




U.S. NAVAL GEOGRAPHIC OFFICE

1990.0 at surface of WGS-84 reference ellipsoid.

CHART 24. HORIZONTAL INTENSITY (II)

(nT/yr)



(WMM-90)


1990.0 at surface of WGS-84 reference ellipsoid.

U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 25. VERTICAL COMPONENT (Z)

(n/yr)

(WMM-90)




1990.0 of surface of WGS-84 reference ellipsoid

U.S. NAVAL OCEANOGRAPHIC OFFICE

(minutes/yr)

(WMM-90)




1990 0 of surface of WGS-84 reference ellipsoid

U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 27. DECLINATION (D)

(minutes/yr)

(WMM-90)




1990.0 at surface of WGS-84 reference ellipsoid

U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 28. INCLINATION (I)

(minutes/yr)

(WMM-90)




U.S. NAVAL OCEANOGRAPHIC OFFICE

1990.0 at surface of WGS-84 reference ellipsoid.

CHART 29. GRID VARIATION (GV)

(nt)

(WMM-90)




U.S. NAVAL OCEANOGRAPHIC OFFICE

1990.0 at surface of WGS-84 reference ellipsoid.

CHART 30. HORIZONTAL INTENSITY (H)

(m)

(WMM-90)




1990.0 of surface of WGS-84 reference ellipsoid.

U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 31. VERTICAL COMPONENT (Z)

(nt)

(WMM-90)




U.S. NAVAL OCEANOGRAPHIC OFFICE

1990.0 at surface of WGS-84 reference ellipsoid

CHART 32 TOTAL INTENSITY (F)

(degrees)

(WMM-90)




1990.0 at surface of WGS-84 reference ellipsoid.

U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 33. DECLINATION (D)

(degrees)

(WMM-90)




U.S. NAVAL OCEANOGRAPHIC OFFICE

1990.0 at surface of WGS-84 reference ellipsoid.

CHART 34. INCLINATION (I)

(degrees)

(WMM-90)




U.S. NAVAL OCEANOGRAPHIC OFFICE

1990.0 of surface of WGS-84 reference ellipsoid

CHART 35. GRID VARIATION (GV)

(m/yr)



(WMM-90)


U.S. NAVAL OCEANOGRAPHIC OFFICE

1990.0 at surface of WGS-84 reference ellipsoid.

CHART 36 HORIZONTAL INTENSITY (H)

(nT/yr)

(WMM-90)




1990 0 at surface of WGS 84 reference ellipsoid

U.S. NAVAL OCEANOGRAPHIC OFFICE

CHART 37. VERTICAL COMPONENT (Z)

(n/yr)



(WMM-90)


U.S. NAVAL OCEANOGRAPHIC OFFICE

1990.0 at surface of WGS-84 reference ellipsoid

CHART 38. TOTAL INTENSITY (I)

(WMM-90)

(minutes/yr)




1990.0 at surface of WGS-84 reference ellipsoid

U.S. NAVAL HYDROGRAPHIC OFFICE

CHART 39. DECLINATION (D)

(minutes/yr)

(WMM-90)




1990 U. of surface of WGS-84 reference ellipsoid.

U. S. NAVAL OCEANOGRAPHIC OFFICE

CHART 40. INCLINATION (I)

(minutes/yr)

(WMM-90)



U.S. NAVAL OCEANOGRAPHIC OFFICE

1990.0 at surface of WGS-84 reference ellipsoid

CHART 41. GRID VARIATION (GV)







REFERENCES

- Cain, Joseph C., et al.; A Proposed Model for the International Geomagnetic Reference Field 1965, Journal of Geomagnetism and Geoelectricity, Vol. 19, No. 4, pp. 335-355, 1967. (see appendix)
- Department of Defense World Geodetic System 1984, Technical Report TR 8350.2, Defense Mapping Agency, 1987.
- Langel, Robert A.; The Main Field in Geomagnetism, Vol. 1, Chapter 4, edited by J.A. Jacobs, Academic Press, New York, pp. 249-512, 1987.
- Langel, Robert A. and R. H. Estes; The near-Earth magnetic field at 1980 determined from MAGSAT data, J. Geophys. Res. 90, pp. 2495-2509, 1985.
- Quinn, John M., David J. Kerridge, and David R. Baraclough; World Magnetic Charts for 1985 - spherical harmonic models of the geomagnetic field and its secular variation, Geophys. J.R. Astr. Soc. Vol. 87, pp. 1143-1157, 1986.
- Zmuda, Alfred J.; World Magnetic Survey 1957-1969, International Association of Geomagnetism and Aeronomy (IAGA) Bulletin #28, pp. 186-188, 1971.

APPENDIX

FORTRAN LISTING OF SUBROUTINE GEOMAG
WITH
THE WMM-90 MODEL COEFFICIENTS

PRECEDING PAGE BLANK NOT FILMED



C IF THE REQUIRED DECLINATION ACCURACY IS MORE
C STRINGENT THAN THE WMM SERIES OF MODELS PROVIDE,
C THE USER IS ADVISED TO REQUEST SPECIAL (REGIONAL OR
C LOCAL) SURVEYS BE PERFORMED AND MODELS PREPARED BY
C NAVOCEANO, WHICH OPERATES THE PROJECT MAGNET
C AIRCRAFT AND THE POLAR ORBITING GEOMAGNETIC SURVEY
C (POGS) SATELLITE. REQUESTS OF THIS NATURE SHOULD
C BE MADE THROUGH DMA AT THE ADDRESS ABOVE.
C

C *****

C USAGE: THIS ROUTINE IS BROKEN UP INTO TWO PARTS:
C

- C A) AN INITIALIZATION MODULE, WHICH IS CALLED ONLY
C ONCE AT THE BEGINNING OF THE MAIN (CALLING)
C PROGRAM
- C B) A PROCESSING MODULE, WHICH COMPUTES THE MAGNETIC
C FIELD PARAMETERS FOR EACH SPECIFIED GEODETIC
C POSITION (ALTITUDE, LATITUDE, LONGITUDE) AND TIME

C INITIALIZATION IS MADE VIA A SINGLE CALL TO THE MAIN
C ENTRY POINT (GEOMAG), WHILE SUBSEQUENT PROCESSING
C CALLS ARE MADE THROUGH THE SECOND ENTRY POINT (GEOMG1).
C ONE CALL TO THE PROCESSING MODULE IS REQUIRED FOR EACH
C POSITION AND TIME.

C THE VARIABLE MAXDEG IN THE INITIALIZATION CALL IS THE
C MAXIMUM DEGREE TO WHICH THE SPHERICAL HARMONIC MODEL
C IS TO BE COMPUTED. IT MUST BE SPECIFIED BY THE USER
C IN THE CALLING ROUTINE. NORMALLY IT IS 12 BUT IT MAY
C BE SET LESS THAN 12 TO INCREASE COMPUTATIONAL SPEED AT
C THE EXPENSE OF REDUCED ACCURACY.

C THE PC VERSION OF THIS SUBROUTINE MUST BE COMPILED
C WITH A FORTRAN 77 COMPATIBLE COMPILER SUCH AS THE
C MICROSOFT OPTIMIZING FORTRAN COMPILER VERSION 4.1
C OR LATER.

C *****

C REFERENCES:
C

C JOHN M. QUINN, DAVID J. KERRIDGE, AND DAVID R. BARRACLOUGH,
C WORLD MAGNETIC CHARTS FOR 1985 - SPHERICAL HARMONIC
C MODELS OF THE GEOMAGNETIC FIELD AND ITS SECULAR
C VARIATION, GEOPHYS. J. R. ASTR. SOC. (1986) Vol. 87,
C PP. 1143-1157
C


```

C      DIP      - GEOMAGNETIC INCLINATION (DEG.)          (OUTPUT)
C              DOWN=POSITIVE ANGLES
C              UP=NEGATIVE ANGLES
C      TI       - GEOMAGNETIC TOTAL INTENSITY (NT)        (OUTPUT)
C      GV       - GEOMAGNETIC GRID VARIATION (DEG.)      (OUTPUT)
C              REFERENCED TO GRID NORTH
C              GRID NORTH REFERENCED TO 0 MERIDIAN
C              OF A POLAR STEREOGRAPHIC PROJECTION
C              (ARCTIC/ANTARCTIC ONLY)
C      MAXDEG   - MAXIMUM DEGREE OF SPHERICAL HARMONIC MODEL (INPUT)
C      MOXORD   - MAXIMUM ORDER OF SPHERICAL HARMONIC MODEL

```

```

C *****

```

```

C      NOTE: THIS VERSION OF GEOMAG USES THE WMM-90 GEOMAGNETIC
C      MODEL REFERENCED TO THE WGS-84 GRAVITY MODEL ELLIPSOID

```

```

C *****

```

```

C *****

```

```

C      INITIALIZATION MODULE

```

```

C *****

```

```

C      SUBROUTINE GEOMAG(MAXDEG)

```

```

C      DIMENSION C(0:12,0:12),CD(0:12,0:12),TC(0:12,0:12)
C      DIMENSION P(0:12,0:12),DP(0:12,0:12),SNORM(0:12,0:12)
C      DIMENSION SP(0:12),CP(0:12),FN(0:12),FM(0:12),PP(0:12)
C      REAL K(0:12,0:12)
C      EQUIVALENCE (SNORM,P)

```

```

C      DATA EPOCH/1990.0/

```

```

C
C
C

```


C
C
C

INITIALIZE CONSTANTS

IF (MAXDEG .GT. 12) MAXDEG=12
MAXORD=MAXDEG
PI=3.14159265359
DTR=PI/180.0
SP(0)=0.
CP(0)=1.
P(0,0)=1.
PP(0)=1.
DP(0,0)=0.
A=6378.137
B=6356.7523142
RE=6371.2
A2=A**2
B2=B**2
C2=A2-B2
A4=A2**2
B4=B2**2
C4=A4-B4

C
C
C
C

CONVERT SCHMIDT NORMALIZED GAUSS COEFFICIENTS TO
UNNORMALIZED

SNORM(0,0)=1.
DO 20 N=1,MAXORD
SNORM(N,0)=SNORM(N-1,0)*FLOAT(2*N-1)/FLOAT(N)
J=2
DO 10 M=0,N
K(N,M)=FLOAT((N-1)**2-M**2)/FLOAT((2*N-1)*(2*N-3))
IF (M .GT. 0) THEN
FLNMJ=FLOAT((N-M+1)*J)/FLOAT(N+M)
SNORM(N,M)=SNORM(N,M-1)*SQRT(FLNMJ)
J=1
C(M-1,N)=SNORM(N,M)*C(M-1,N)
CD(M-1,N)=SNORM(N,M)*CD(M-1,N)
ENDIF
C(N,M)=SNORM(N,M)*C(N,M)
CD(N,M)=SNORM(N,M)*CD(N,M)
10 CONTINUE
FN(N)=FLOAT(N+1)
FM(N)=FLOAT(N)
20 CONTINUE
K(1,1)=0.

C
C

OTIME=-1000.
OALT=-1000.
OLAT=-1000.
OLON=-1000.


```

Q1=ALT*Q
Q2=((Q1+A2)/(Q1+B2))**2
CT=SRLAT/SQRT(Q2*CRLAT2+SRLAT2)
ST=SQRT(1.0-CT**2)
R2=ALT**2+2.0*Q1+(A4-C4*SRLAT2)/Q**2
R=SQRT(R2)
D=SQRT(A2*CRLAT2+B2*SRLAT2)
CA=(ALT+D)/R
SA=C2*CRLAT*SRLAT/(R*D)
ENDIF

C
C
IF (GLON .NE. OLON) THEN
DO 40 M=2,MAXORD
SP(M)=SP(1)*CP(M-1)+CP(1)*SP(M-1)
CP(M)=CP(1)*CP(M-1)-SP(1)*SP(M-1)
40 CONTINUE
ENDIF

C
C
AOR=RE/R
AR=AOR**2

C
C
BR=0.
BT=0.
BP=0.
BPP=0.

C
C
DO 70 N=1,MAXORD
AR=AR*AOR
DO 60 M=0,N

C
COMPUTE UNNORMALIZED ASSOCIATED LEGENDRE POLYNOMIALS
AND DERIVATIVES VIA RECURSION RELATIONS

C
IF (ALT .NE. OALT .OR. GLAT .NE. OLAT) THEN
IF (N .EQ. M) THEN
P(N,M)=ST*P(N-1,M-1)
DP(N,M)=ST*DP(N-1,M-1)+CT*P(N-1,M-1)
GO TO 50
ENDIF
IF (N .EQ. 1 .AND. M .EQ. 0) THEN
P(N,M)=CT*P(N-1,M)
DP(N,M)=CT*DP(N-1,M)-ST*P(N-1,M)
GO TO 50
ENDIF
IF (N .GT. 1 .AND. N .NE. M) THEN
IF (M .GT. N-2) P(N-2,M)=0.0
IF (M .GT. N-2) DP(N-2,M)=0.0

```

```

P(N,M)=CT*P(N-1,M)-K(N,M)*P(N-2,M)
DP(N,M)=CT*DP(N-1,M)-ST*P(N-1,M)-K(N,M)*DP(N-2,M)
ENDIF
ENDIF
50 CONTINUE
C
C     TIME ADJUST THE GAUSS COEFFICIENTS
C
IF (TIME .NE. OTIME) THEN
TC(N,M)=C(N,M)+DT*CD(N,M)
IF (M .NE. 0) THEN
TC(M-1,N)=C(M-1,N)+DT*CD(M-1,N)
ENDIF
ENDIF
C
C     ACCUMULATE TERMS OF THE SPHERICAL HARMONIC EXPANSIONS
C
PAR=AR*P(N,M)
IF (M .EQ. 0) THEN
TEMP1=TC(N,M)*CP(M)
TEMP2=TC(N,M)*SP(M)
ELSE
TEMP1=TC(N,M)*CP(M)+TC(M-1,N)*SP(M)
TEMP2=TC(N,M)*SP(M)-TC(M-1,N)*CP(M)
ENDIF
BT=BT-AR*TEMP1*DP(N,M)
BP=BP+FM(M)*TEMP2*PAR
BR=BR+FN(N)*TEMP1*PAR
C
C     SPECIAL CASE: NORTH/SOUTH GEOGRAPHIC POLES
C
IF (ST .EQ. 0.0 .AND. M .EQ. 1) THEN
IF (N .EQ. 1) THEN
PP(N)=PP(N-1)
ELSE
PP(N)=CT*PP(N-1)-K(N,M)*PP(N-2)
ENDIF
PARP=AR*PP(N)
BPP=BPP+FM(M)*TEMP2*PARP
ENDIF
C
C
60 CONTINUE
70 CONTINUE
C
C
IF (ST .EQ. 0.0) THEN
BP=BPP
ELSE
BP=BP/ST
ENDIF

```

```

C
    ROTATE MAGNETIC VECTOR COMPONENTS FROM SPHERICAL TO
    GEODETIC COORDINATES
C
    BX=-BT*CA-BR*SA
    BY=BP
    BZ=BT*SA-BR*CA
C
    COMPUTE DECLINATION (DEC), INCLINATION (DIP), AND
    TOTAL INTENSITY (TI)
C
    BH=SQRT(BX**2+BY**2)
    TI=SQRT(BH**2+BZ**2)
    DEC=ATAN2(BY,BX)/DTR
    DIP=ATAN2(BZ,BH)/DTR
C
    COMPUTE MAGNETIC GRID VARIATION IF THE CURRENT
    GEODETIC POSITION IS IN THE ARCTIC OR ANTARCTIC
    (I.E. GLAT > +55 DEGREES OR GLAT < -55 DEGREES)
C
    OTHERWISE, SET MAGNETIC GRID VARIATION TO -999.0
C
    GV=-999.0
    IF (ABS(GLAT) .GE. 55.) THEN
    IF (GLAT .GT. 0. .AND. GLON .GE. 0.) GV=DEC-GLON
    IF (GLAT .GT. 0. .AND. GLON .LT. 0.) GV=DEC+ABS(GLON)
    IF (GLAT .LT. 0. .AND. GLON .GE. 0.) GV=DEC+GLON
    IF (GLAT .LT. 0. .AND. GLON .LT. 0.) GV=DEC-ABS(GLON)
    IF (GV .GT. +180.) GV=GV-360.
    IF (GV .LT. -180.) GV=GV+360.
    ENDIF
C
    OTIME=TIME
    OALT=ALT
    OLAT=GLAT
    OLON=GLON
C
    RETURN
C
    END

```




DISTRIBUTION LIST

CGFMFLANT (NSAP Advisor)	1
CGFMFPAC (NSAP Advisor)	1
CGMCDEC (NSAP Advisor)	1
CINCLANTFLT (N37C, NSAP Advisor)	2
CINCPACFLT (02M, J37, NSAP Advisor)	3
CINCUSNAVEUR (NSAP Advisor)	1
COMAREASWFORSIXTHFLT (CTF 66)	1
COMINEWARCOM (NSAP Advisor)	1
COMNAVAIRLANT (NSAP Advisor)	1
COMNAVAIRPAC (NSAP Advisor)	1
COMNAVSEASYSKOM (Codes 56Z22, Library Documentation Branch SEA 09B31)	2
COMNAVSURFLANT (NSAP Advisor)	1
COMNAVSURFPAC (NSAP Advisor)	1
COMOPTEVFOR	1
COMPACMISTESTCEN (Codes 1018, 3250, 4024, 5021)	4
COMSEABASEDASWINGSLANT (NAVOCEANO Flt. Rep.)	1
COMSECONDLFT (NSAP Advisor)	1
COMSEVENTHFLT (NSAP Advisor)	1
COMSIXTHFLT (NSAP Advisor)	1
COMSUBDEVRON TWELVE (20B)	1
COMSUBLANT (NSAP Advisor)	1
COMSUBPAC (NSAP Advisor)	1
ALL COMSURFWARDEVGRU	8
COMTHIRDFLT (NSAP Advisor)	1
ALL DPT NAVSCI	6
FASOTRAGRULANT (Det Brunswick, Cecil Field, Jacksonville)	3
FASOTRAGRUPAC (Det Agana, Barbers Point, Cubi Point, Moffett Field, North Island)	5
FCTCLANT (Code 213)	1
FLEASWTRACENLANT	1
FLEASWTRACENPAC	1
FLEBALMISUBTRACEN	1
FLEMINEWARTRACEN	1
FLENUMOCEANCEN	1
NAVAIRCEVCEN (Code 8131)	1
NAVAIRTESTCEN (Technical Information Dept.)	1
NAVAVIONICCEN (Technical Library)	1
NAVCOASTSYSCEN (Technical Information Center - Code 6120)	1
NAVEASTOCEANCEN	1
NAVELEXCEN (Technical Library - Code AL)	1
ALL NAVELEXDET	2
NAVOCEANCOMCEN	2
ALL NAVOCEANCOMDET	47
NAVOCEANO (Maury Oceanographic Library)	100
NAVOCEANSYSCEN (Technical Library - Code 447)	1
NAVPGSCOL	1
NAVPHIBASE	1
NAVPOLAROCEANCEN	1
NAVSHIPWPNSYSSENGSTA (Code 5125)	1

NAVSWC (Technical Library - Code E23)	1
NAVTACSUPPACT (Technical Library)	1
NAVWARCOL (Technical Library)	1
NAVWESTOCEANCEN	1
NAVWPNSUPPCEN (Code 016)	1
NISC (Technical Library - Code 63)	7
NOARL (Codes 245, 302, 352, 370, 372, 550)	1
NRL (Technical Library - Code 2620)	1
NUSC (Technical Library - Code 02152)	1
OPTEVFOR (Technical Library)	1
SUBASE	1
SWFPAC (Technical Library - Code SPB161)	1
SWOSCOLCOM (Technical Library)	1
USNA (Nimitz Library)	1
WPNSTA (Technical Library)	1
ARMY	1
Avionics R&D Act.	1
Eng Topo Lab	1
ESEIA	1
USAATCA-ASO	1
36 Medical DET	1
AIR FORCE	1
AFGWC	1
Ogden AFLC	1
(SPECIAL) (AFLC)	1
CPUSS	1
HQSD	1
USAF Academy (Technical Library)	1
9th SRW/IND	1
31st Test and Evaluation Squadron	1
366th Tectical Fighter Wing	1
403 Rescue and Weather Reconnaissance Wing/DOX	1
815 Weather Reconnaissance Wing/DOT	1
4029th Strategic Reconnaissance Training Squadron	1
6514th Test Squadron	1
DCA (Technical Library)	1
Defense Information School	1
DMACSC	1
DMAHTC (Technical Library)	5
DMAIAGS	1
DNA (Technical Library)	2
DTIC	1
National Defense University	1
Analysis Technology	1
AVCO Systems Vision	1
BGS	1
Boeing Aerospace Company	1
Boeing Commercial Airplane Company	1
Boeing Military Airplane Company	1
Canadian Pacific Airlines	1
Center for Naval Analyses (Technical Library)	1

Center for Potential Field Studies, CSM	1
College Observatory	1
Control Systems Technology Center	1
Danish Meteorological Institute	1
Defense Communications Agency	1
Digital Cartographic Systems	1
Eastern Airlines	1
EG&G/Geometrics	1
ESL	1
General Dynamics	2
General Electric Co.	1
Geophysical Services, Inc.	2
Geosource Marine	1
Goddard Space Flight Center	1
Hughes Aircraft	2
Institute Nazionale Di Geofisica	1
Intergraph Corporation	1
KLM-Royal Dutch Airlines	1
LDGO	1
LITEF	1
Litton	1
Lockheed Corporation	1
Maritime Safety Agency	1
McDonnell Douglas Corporation	1
McDonnell Douglas Helicopter Corp.	1
NOAA/NDBC	1
NOAA/NGDC	3
NOAA/NOS (Codes N/CG22X2, N/CG21X4)	2
Northrop Corporation	1
Shell Offshore, Inc.	1
Singer/Link	1
SIO	1
Systems & Applied Sciences Corp.	1
Systems Control Technology	1
Technical Studies & Analytical Corp.	1
TWR Corporation	1
USGS Denver	3
USGS Fredericksburg	1
USGS Menlo Park	1
WHOI	1



SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE

1 CLASSIFICATION UNCLASSIFIED		15 RESTRICTIVE MARKINGS None	
2 CLASSIFICATION AUTHORITY		3 DISTRIBUTION AVAILABILITY OF REPORT Approved for public release; distribution unlimited.	
4 PERFORMING ORGANIZATION REPORT NUMBER(S) TR 304		5 MONITORING ORGANIZATION REPORT NUMBER(S)	
6a NAME OF PERFORMING ORGANIZATION Naval Oceanographic Office	6b OFFICE SYMBOL (if applicable)	7a NAME OF MONITORING ORGANIZATION Commander, Naval Oceanography Command	
6c ADDRESS (City, State, and ZIP Code) Stennis Space Center, MS 39522-5001		7b ADDRESS (City, State, and ZIP Code) Stennis Space Center, MS 39529-5000	
8a NAME OF FUNDING / SPONSORING ORGANIZATION Naval Oceanographic Office	8b OFFICE SYMBOL (if applicable)	9 PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER	
8c ADDRESS (City, State, and ZIP Code) Stennis Space Center, MS 39522-5001		10 SOURCE OF FUNDING NUMBERS	
		PROGRAM ELEMENT NO	TASK NO
		PROJECT NO	WORK UNIT ACCESSION NO
11 TITLE (Include Security Classification) The Joint US/UK 1990 Epoch World Magnetic Model			
12 PERSONAL AUTHOR(S) Quinn, John M.; Coleman, Rachel J.; Peck, Michael R.; Lauber, Stephen E.			
13a TYPE OF REPORT Technical	13b TIME COVERED FROM 1990 TO 1995	14 DATE OF REPORT (Year, Month, Day) 1991 October	15 PAGE COUNT 217
16 SUPPLEMENTARY NOTATION			
17 COSATI CODES		18 SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	Geomagnetic; World Magnetic Model; WMM-90; GEOMAG: MAGVAR: DE-2; MAGSAT: POGS: Project MAGNET; 1990 Epoch; Spherical Harmonic	
19 ABSTRACT (Continue on reverse if necessary and identify by block number) A detailed summary of the data used, analyses performed, modeling techniques employed, and results obtained in the course of the 1990 Epoch World Magnetic Modeling effort are given. Also, use and limitations of the GEOMAG algorithm are presented. Charts and tables related to the 1990 World Magnetic Model (WMM-90) for the Earth's main field and secular variation in Mercator and polar stereographic projections are presented along with useful tables of several magnetic field components and their secular variation on a 5-degree worldwide grid.			
20 DISTRIBUTION / AVAILABILITY OF ABSTRACT <input checked="" type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS		21 ABSTRACT SECURITY CLASSIFICATION Unclassified	
22a NAME OF RESPONSIBLE INDIVIDUAL John S. Breyer		22b TELEPHONE (Include Area Code) (601) 689-8448	22c OFFICE SYMBOL N62306