

76

N90-10092

**A Comparison of Software for the Modeling and
Control of Flexible Systems**

**Lawrence W. Taylor, Jr.
NASA Langley Research Center**

**Computational Aspects Workshop
July 12-14, 1988 Williamsburg, VA**

Memorandum

To: Whom it may concern

From: 161/Chief Scientist, GCD

Subject: Development of Software for the Control of Flexible Systems

A research program
I propose a cooperative effort among specialists who use or develop software for simulating and analyzing the control of flexible, aerospace systems. A comparison of existing software for modeling control systems and flexible structures, applied to several example problems would be quite valuable. The comparison would indicate computational efficiency and capabilities with respect to handling nonlinearities and graphical output.

Because of the diversity of applications of such software, *no pre-reqs etc.* I believe that the proposed cooperative effort can transcend projects involving specific applications. Comparisons of software capability and efficiency can be made and gaps can be identified. In this way the results of the cooperative effort can provide guidance for individual projects.

Enclosed are several charts which outline the objectives and approach of the proposed cooperative effort. I would appreciate your suggestions and expressions of interest in this matter.

Lawrence W. Taylor, Jr.
Sincerely,

Lawrence W. Taylor, Jr.

Lawrence W. Taylor, Jr.
Mail Stop 161
NASA Langley Research Center
Hampton, VA 23665
(804)-865-4591

PRECEDING PAGE BLANK NOT FILMED

267

PAGE 266 INTENTIONALLY BLANK

OBJECTIVE

"To Evaluate Software for the Control, Analysis, Simulation and Design of Flexible Aerospace Systems....

Which includes:

- **Control Law Dynamics**
- **Actuator/Sensor Dynamics**
- **Structural Dynamics**

And Which is Efficient and Accurate

And Which is Easy to Use."

APPROACH

**Organize Users
and Suppliers**

Select Example Problems

**Compare CSI
Simulation Software**


Identify Gaps in Capability

Example Problems

- **Uniform Beam - Pinned-Pinned**
- **SCOLE (L. Taylor-LaRC)**
- **Translation/Rotation/Flex (Juang-LaRC)**
- **SAFE (70% Deployment) (L. Taylor-LaRC)**
- **Pinhole Occulter (Henry Waites-MSFC)**
- **Manned Space Station**
 - a. **Reboost**
 - b. **Solar Dynamic Pointing**
 - c. **MRMS Operation**
 - d. **Docking**

Others?

Pinned-Pinned Beam



$$m\ddot{u} + c|\dot{u}''|\dot{u}'' + EIu'''' = 0$$

$$u(x,0) = A\sin(\pi x/L)$$

$$A = 1.3 \text{ Ft.}$$

$$L = 130 \text{ Ft.}$$

$$EI = 40,000,000 \text{ Lb/Ft}^2$$

$$m = .09556 \text{ Slugs/Ft}$$

$$c = 280.32$$

$$f_{50}(s) = \frac{K\dot{u}(50,s)}{(1 + Ts)}$$

$$K = -.5$$

$$T = .2 \text{ Sec}$$

Problem:

1. Calculate Time History of $u(65,t)$ $0 < t < 5.26$
2. Plot Time History
3. Calculate Modal Characteristics $1 < k < 10$
4. Express Final Shape in Modal Coordinates

CSI Simulation Software

- NASTRAN
- DISCOS
- TREETOPS(CONTOPS)
- EAL
- LATDYN
- DADS
- Multi-MACS
- ORACLS
- EISPAC
- LINPAC
- Matrix_x
- CTRL-C
- SYSPAC

Information Sheet

NAME of SOFTWARE: DISCOS

RESPONSIBLE PERSON: Harry Frisch
NASA Goddard Space Center
Bldg. 11, Rm. S221A
Greenbelt, MD 20771

CAPABILITIES:

- | | | | |
|--|---|--|-------|
| 1. Nonlinear Kinematics? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 2. Finite Element Modeling? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 3. All Rotational and Translational D.O.F.? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 4. Linked to Distributed Parameters? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 5. Large Amplitudes? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 6. Nonlinear Damping? | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> | _____ |
| 7. Control Law Dynamics? | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> | _____ |
| 8. Sensors and Actuator Dynamics? | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> | _____ |
| 9. Nonlinear Joints? | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> | _____ |
| 10. Distributed Parameter System? | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> | _____ |
| 11. Optimal Control Synthesis? | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> | _____ |
| 12. Sensitivity Functions for P.E. & Design? | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> | _____ |

DOCUMENTATION: Complete. _____

SIZE: 500K _____

LANGUAGE: Fortran 77 + _____

INTERACTIVE: No. _____

GRAPHICS: Plots _____

AVAILABILITY: Free, Nonproprietary _____

Information Sheet

NAME of SOFTWARE: LATDYN

RESPONSIBLE PERSON: Jerry Housner
Mail Stop - 230
NASA Langley Research Center
Hampton, VA 23665

CAPABILITIES:

- | | | | |
|--|---|--|-----------------------------|
| 1. Nonlinear Kinematics? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | <u>2-D.O.F.</u> |
| 2. Finite Element Modeling? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | <u>2-D.O.F.</u> |
| 3. All Rotational and Translational D.O.F.? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | <u>2-D.O.F.</u> |
| 4. Linked to Distributed Parameters? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | <u>2-D.O.F.</u> |
| 5. Large Amplitudes? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | <u>2-D.O.F.</u> |
| 6. Nonlinear Damping? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | <u>Add Code</u> |
| 7. Control Law Dynamics? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | <u>Add Code</u> |
| 8. Sensors and Actuator Dynamics? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | <u>Add Code</u> |
| 9. Nonlinear Joints? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | <u>Add Code</u> |
| 10. Distributed Parameter System? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | <u>2-D.O.F.</u> |
| 11. Optimal Control Synthesis? | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> | <u> </u> |
| 12. Sensitivity Functions for P.E. & Design? | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> | <u> </u> |

DOCUMENTATION: 2-D.O.F. Written, 3-D.O.F. Under Development

SIZE: 400K

LANGUAGE: Fortran 77

INTERACTIVE: Yes

GRAPHICS: Time Histories, Line Drawing, PSD, Movies

AVAILABILITY: Free, Nonproprietary

Information Sheet

NAME: Multibody Analysis & Control Synthesis (MACS)

RESPONSIBLE PERSON: Lawrence W. Taylor
NASA Langley Research Center
Hampton, VA 23665
(804)-865-4591

CAPABILITIES:

- | | | | |
|---|---|--|---------|
| 1. Nonlinear Kinematics? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 2. Finite Element Modeling? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 3. All Rotational and Translational D.O.F.? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 4. Linked to Distributed Parameters? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 5. Large Amplitudes? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 6. Nonlinear Damping? | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> | Not Yet |
| 7. Control Law Dynamics? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 8. Sensors and Actuator Dynamics? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 9. Nonlinear Joints? | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> | Not Yet |
| 10. Distributed Parameter System? | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> | _____ |
| 11. Optimal Control Synthesis? | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> | _____ |

DOCUMENTATION: Incomplete

SIZE: 25K Core Memory

LANGUAGE: FORTRAN 77

INTERACTIVE: No

GRAPHICS: None

AVAILABILITY: No Charge

Information Sheet

NAME of SOFTWARE: TREETOPS (CONTOPS)

RESPONSIBLE PERSON: Ramen Singh
Dynacs Engineering Company
2280 U.S. 19 No., Suite 111
Clearwater, FL 34623

CAPABILITIES:

- | | | | |
|--|---|--|-------|
| 1. Nonlinear Kinematics? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 2. Finite Element Modeling? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 3. All Rotational and Translational D.O.F.? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 4. Linked to Distributed Parameters? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 5. Large Amplitudes? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 6. Nonlinear Damping? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 7. Control Law Dynamics? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 8. Sensors and Actuator Dynamics? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 9. Nonlinear Joints? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 10. Distributed Parameter System? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 11. Optimal Control Synthesis? | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> | _____ |
| 12. Sensitivity Functions for P.E. & Design? | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> | _____ |

DOCUMENTATION: Complete. Course Available.

SIZE: 600K

LANGUAGE: Fortran 77 +

INTERACTIVE: Yes. Sun, MicroVAX, Masscomp

GRAPHICS: Plots, Windows, Movies

AVAILABILITY: Free, Nonpropriety

Information Sheet

NAME of SOFTWARE: _____

RESPONSIBLE PERSON: _____

CAPABILITIES:

- | | | | |
|--|------------------------------|-----------------------------|-------|
| 1. Nonlinear Kinematics? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 2. Finite Element Modeling? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 3. All Rotational and Translational D.O.F.? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 4. Linked to Distributed Parameters? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 5. Large Amplitudes? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 6. Nonlinear Damping? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 7. Control Law Dynamics? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 8. Sensors and Actuator Dynamics? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 9. Nonlinear Joints? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 10. Distributed Parameter System? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 11. Optimal Control Synthesis? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | _____ |
| 12. Sensitivity Functions for P.E. & Design? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | _____ |

DOCUMENTATION: _____

SIZE: _____

LANGUAGE: _____

INTERACTIVE: _____

GRAPHICS: _____

AVAILABILITY: _____

Solution Characteristics

- Time Required - CPU Sec.
- Accuracy
 - a. Modal Characteristics
 - b. Time Histories (PSD)
- Memory Required
- Input
- Output

PANEL DISCUSSION

1. Should We Compare Software for
Control/Modeling?
2. Should We Establish Example Problems?
3. Should This Workshop be Repeated?
.....Changed?
.....Merged?

SESSION III - COMPUTATIONS EFFICIENCY AND CAPABILITY

PRECEDING PAGE BLANK NOT FILMED

281

PAGE 280 INTENTIONALLY BLANK

