



NASA Conference Publication 10020

Report of the First Planning Workshop for CELSS Flight Experimentation


(NASA-CF-10020) REPORT OF THE 1ST PLANNING
WORKSHOP FOR CELSS FLIGHT EXPERIMENTATION
(NASA) 28 P CSCL 05H

N89-13898

Unclas
G3/54 0183251

*Workshop for CELSS
Flight Experimentation
Ames Research Center,
Moffett Field, California
March 1987*

National Aeronautics
and Space Administration
1988



NASA Conference Publication 10020

Report of the First Planning Workshop for CELSS Flight Experimentation

*John W. Tremor
TGS Technology, Inc.
Moffett Field, California*

*Robert D. MacElroy
NASA Ames Research Center
Moffett Field, California*

*Workshop for CELSS
Flight Experimentation
Ames Research Center,
Moffett Field, California
March 1987*

NASA

National Aeronautics and
Space Administration

Ames Research Center
Moffett Field, California 94035
1988

TABLE OF CONTENTS

INTRODUCTION 1

PRESENTATIONS 4

DISCUSSIONS 6

CONCLUSIONS 13

ADDENDUM 1 14

ADDENDUM 2 15

ATTENDEE LIST 19

CELSS BIBLIOGRAPHY 21

PRECEDING PAGE BLANK NOT FILMED

INTRODUCTION

The First Planning Workshop for CELSS Flight Experimentation was convened at Ames Research Center on March 23 and 24, 1987. Its aim was to establish a base upon which a CELSS Flight Experiment Program will be developed during the next several months. The charge given to the First Workshop participants was 1) to identify science requirements for CELSS flight experiments, and 2) to evaluate potential near-term CELSS flight experiment opportunities.

The meeting opened with a presentation by R.D. MacElroy of Ames of a brief overview of the CELSS program and a description of the rationales for CELSS flight experiments. In summary, the purpose of the CELSS program is to develop the scientific and technological base required for the construction and use of a bioregenerative life support system (BLSS) to support crews in extraterrestrial environments. A BLSS utilizes energy to grow photosynthetic organisms whose growth involves absorption of the crew's waste carbon dioxide, recycled water and mineral elements and the concomitant production of food, oxygen, and transpired water. A complete BLSS is capable of continuously recycling most life support materials through the use of waste-processing devices and of continuously regenerating consumed materials.

The potential uses of a BLSS include placement in a Growth Space Station on low Earth orbit (LEO), in a geosynchronous space station, on the surface of the Moon, in transit to Mars, and on the Martian surface. In each of these cases the gravitational and radiation environment is significantly different from that of Earth, where the plants and organisms useful in the BLSS evolved. It is therefore necessary to evaluate the response of higher plants and other organisms to be used in the BLSS, as well as some of the fluid handling machinery, to the space environment.

The gravity parameter is of greatest immediate significance to a space experimentation program. Space radiation, to some extent, can be simulated on the ground and, again to some extent, protected against in flight. Levels of gravity below unity can be achieved effectively only on flight missions. Knowledge of the behavior of systems in these microfields is essential for the design of a BLSS. The gravitational environment of the Space Station and possibly of a transit to Mars is in the microgravity range; lunar gravitational forces are about 1/6 g and Mars surface gravity about 38% of that of Earth.

In the case of Space Station, though it is relatively close to the Earth, costs of resupplying life support materials, including the logistics of resupply, have not been evaluated. It is therefore possible, particularly as the efficiency of a BLSS increases, that bioregeneration will supplement the more traditional life support systems. Transit to Mars may require, for reasons of human health, the imposition of artificial gravity on all or parts of the spacecraft. However, such a decision will not be made for some time. The usefulness of a BLSS, and its efficiency compared to other methods of life support, during a Mars transit has not been fully evaluated. However, the duration of the trip, and the potential need for psychological support of the crew through the supply of fresh food, increases the likelihood that a BLSS will be selected as part of the life support system.




Figure 1.- Development of CELSS flight experiments science requirements.

elements; and initiating technology development. Phase B refines science justifications and requirements and yields a detailed option definition, including technology, costs, and schedules. The Phase C/D sequences are the actual building, deployment, and operation of the experimental device. Reconciliation of science priorities with flight opportunities, budget cycles, equipment readiness, technology barriers, etc., leads to the determination of priorities and the actual costs and timetables required to complete the science objectives.

With the above as introduction and perspective, the participants were better prepared to discuss science requirements and possibilities for flight experimentation. These discussions were led, for the most part, by Frank Salisbury of Utah State University.

These discussions led to several propositions: 1) That perhaps flight-testing could help us answer questions not directly concerned with science; 2) that there were a number of problems— such as gas/liquid interface; 3) that a Detailed Test Objectives (DTO) program would be helpful (e.g., Brown's substrate moisture experiment); and 4) that convection vs. fan-driven air problems probably exist that can only be answered by flight-testing. (The comment was later made that propositions 2 and 4 require expert counsel.) These discussions prompted the agreed-with statement of Steven Schwartzkopf (U.C. Davis) that a flight program must consider two sets of questions: 1) Basic Science Issues and 2) Hardware Issues.

Satisfactory hardware support relates directly back to the concept expressed by Salisbury that, in order to maximize productivity, a stress-free environment must be provided. Therefore, constraining factors of flight must be overcome by hardware design and component flight-testing prior to conducting biological experimentation.

Defining the goal of experimentation to promote increased plant productivity, and in particular, to uncover the effects of flight conditions on productivity, led to a discussion centered around conditions which might affect experiment design and/or CELSS operation. Space radiation, both external (long-wave, ionizing) and internally provided (PAR), and microgravity (to 0.00001) were first considered; then other conditions of flight were regarded as influential, e.g., vibration and acceleration, fluid interfaces, and hardware requirements. The latter were considered in some detail during the second day.

With these considerations as background and the CELSS generic experiments as listed in the "Greenbook" (Addendum 3, not included in this Report) as constituting a kind of checklist, the group outlined a number of desirable end-points, the final product being an "ultimate experiment" unconstrained by limited flight opportunities and conditions of support. This list of CELSS flight experiments went through modifications influenced by subsequent discussion, expressed finally as a priority list of space experimentation important to the design of a CELSS operating with optimal productivity (Table 1).

The following list describes the highest-priority experiments in greater detail.

1. The measurement of possible micro-gravity-induced ethylene production as an indication of plant stress was considered to be important, perhaps vital, in interpreting response to the flight environment.
2. Photosynthesis and respiration studies are critical. They are primary measures of productivity and of gaseous interchange, two major categories of a BLSS (in addition to waste management).
3. Orientation response of stem and root under microgravity conditions is important, especially to hardware configuration and possible countermeasure design.
4. "Seed-to-seed" experiments with crop plants are necessary, especially where the edible product is a flowering vegetable. Production of nonflowering veg-

etables (e.g., lettuce) falls ultimately into this category since seed must be formed to ensure succession, vegetative propagation and exotic technologies (e.g., tissue culture) aside.

5. Partitioning of assimilates is related to the above. It is important to determine the quality and quantity of the major dietary constituents as influenced by growth in flight.
6. Microbial growth must be described because it may affect productivity and constitute a possible pathogenic hazard.
7. The study of reproductive development is important as it relates to fruit development. Flower initiation, pollination, and seed formation may be affected by microgravity. It is important to consider photo and thermal periodicism requirements or the artificial triggering of reproductive development.
8. Morphological development at all stages should be defined, including node elongation, tillering (in cereal grains), release of apical dominance, and tuber and root enlargement.
9. Algae or *lemna* experimentation was proposed as informative of basic productivity, organelle changes, genetic variation, and multigenerations of vegetative growth over relatively short-term studies.

In support of such experimentation, it was again emphasized that engineering tests assume a high priority in assuring satisfactory support of experimental material and in the development of components. Gale noted that, to supplement the effort of formally named PIs, it would be most efficient to have a team of plant physiologists from a variety of backgrounds prepared to analyze plants upon their return in order to extract the greatest amount of information from each experiment. Further, the importance of research on a number of different species as flight candidates for the above studies was mentioned as was a due consideration for acceleration, vibration, and other controls for providing standards of interpretation. This is critical because many plants, for one reason or another, may simply not grow well under flight conditions. Hence, a fair number (e.g., 12-15 species) of successfully ground-tested (in closed systems) plants should be made available.

Pearl Cheng of the Ames Life Sciences Project Office then gave a presentation on the proposed LifeSat reusable satellite. General consensus was that the power limitations of the vehicle would prohibit extensive use by the CELSS flight program, but that simple experiments, perhaps using the plant growth unit (PGU), would be appropriate and would offer the first realistic opportunity to begin addressing CELSS flight issues.

The prioritization of experiments was made with several constraints in mind. Lynn Griffiths spoke of flight opportunities and discussed approaches to minimizing constraints arising from competition for resources and flight time. For Space Station, a well-defined experimental protocol, including mass, power, and volume requirements, and equipment specifications and crew time, is essential. Such a protocol should be

TABLE 2: REQUIREMENTS FOR HARDWARE DEVELOPMENT

I. Basic Hardware Subsystems

A. Light System

1. 0 to 400-2000 $\mu\text{moles}/\text{m}^2/\text{sec} \pm 5\%$
2. Controllable day/night cycle, set points
3. Uniform illumination
4. Wavelengths found in incandescent, fluorescent, and high-intensity discharge (HID) lamps
5. "Lights on/off" indication (intensity monitor optional)

B. Life Support System

1. Atmosphere constituent control (leaf and stem area)
 - a. Total pressure control ($P \pm 10\%$) (monitor within 1 mm Hg)
 - b. Constituents (partial pressures??)
 - 1) O_2 23.8% $\pm 5\%$
 - 2) CO_2 0 to 5000 ppm, $\pm 0.2\%$
 - 3) H_2O (humidity) 10-25 mm Hg $\pm 5\%$ ideal, $\pm 10\%$ acceptable
Controlled humidity
Day/night set points
 - 4) Ethylene <5 ppb (control and monitor)
 - 5) N_2 Makeup to obtain "P" pressure
 - c. Integral gas chromatograph
 - d. Scrubbing system for CO
 - e. Scrubbing system for volatile organics
 - f. Air flow 0.1 to 1 m/sec
100 to 400 vol/hr.
Mixed air (no "dead" areas in chambers)
 - g. Air temperature 10 to 35 $^\circ\text{C} \pm 5^\circ\text{C}$
Day/night set points
1 $^\circ\text{C}$ uniformity within chamber
2. Food/Nutrient Delivery (root zone)
 - a. Liquid nutrient Line-fed membrane/substrate
Use premixed makeup solution
Control pH (continuously)
Monitor conductivity (continuously)
Monitor and control specific elements
in the nutrients (if possible/feasible)
Monitor to trigger addition of pre-set amounts of nutrient
 - b. Nutrient temperature 10 to 35 $^\circ\text{C} \pm \frac{1}{2}^\circ\text{C}$ at setpoints
 - c. Pressure Maintain slightly lower than growth pressure
 - d. Gases O_2 - nutrient > 80% saturated O_2 (7-8 ppm)
 CO_2 - $\leq 1\%$ atm. above solution
 N_2 - makeup to maintain pressure
Ethylene - < 5 ppb
 H_2O - saturated

CONCLUSIONS

Certain summary conclusions can be drawn from the proceedings. There was general agreement that:

1. A CELSS Flight Experimentation Program is necessary based upon:
 - a. the rationale of designing hardware functional in various space mission environments and ultimately in the microgravity and radiation environments of Lunar and Martian bases.
 - b. the definition of science requirements arising from the need to optimize higher plant productivity in CELSS-supported missions.
2. The kind of information necessary for productivity assessment has been identified.
3. Generic experiments necessary to gather that information have been identified and prioritized.
4. General problems of hardware and equipment have been defined.
5. It is necessary for that hardware to provide a stress-free environment, not only to maximize productivity, but to also make more readily identifiable disturbing mission factors.

ADDENDUM 2

SCIENCE REQUIREMENTS

Facilitator: F. B. Salisbury
Utah State University

THE BASIC CELSS PROBLEMS:

1. **PLANT PRODUCTION** – this is the one that can use space experimentation.

And that depends on where and how a CELSS is used: space station, long voyage, Lunar or Martian surface colony.

But future development will determine how it might be used:

How big a problem is weightlessness?

How expensive and how reliable can we make a CELSS?

An important problem of plant production is that of CLOSURE; can we grow highly productive plants in a completely closed system?

2. **FOOD PREPARATION** – most important study, but probably does not need weightlessness experimentation for a while: only after we know whether plant production can be efficient in weightlessness.
3. **WASTE DISPOSAL or RECYCLING** – in the same category as food preparation.
4. **CONTROL SYSTEMS** – likewise, but this also involves question of closure.

THE BASIC FOOD-PRODUCTION PROBLEM: How will weightlessness affect productivity? All other problems are secondary, including all basic problems of the mechanisms of plant growth.

If productivity is reduced (as seems quite possible, based on the few imperfect experiments that have been done), then we will ask why?

Basic research might well be required to solve such a problem.

But first we must see if there is a problem.

SO FAR, PLANTS HAVE NEVER BEEN GROWN IN SPACE IN A RELATIVELY STRESS-FREE ENVIRONMENT!

Actually, plants on Earth have never been grown in completely stress-free environment, although our plants come very close!

WHY DID WE FINALLY ACHIEVE SUCH HIGH YIELDS?

High CO₂: 1200 $\mu\text{mol}/\text{mol}$. But this is "as usual."

Lower temperature than before (means longer life cycle): 20/15 °C.

A range of light levels: 400 to 2000 $\mu\text{mol}/\text{m}^2/\text{s}$.

Shorter photoperiod than before (also longer life cycle): 20 h.

Higher density than before: 2000 plants/ m^2 .

Rock wool, 5 to 10x field.

A bit higher phosphorus than before.

SOME MOST IMPORTANT CONCLUSIONS:

1. Yield is a straight-line function of irradiance! (NO SATURATION!)
2. Efficiency drops with increasing light.
3. At low light levels, efficiency is close to theoretical values.
4. The last tillers to form are not efficient (need unicum).

SO WHAT ARE THE SCIENCE REQUIREMENTS FOR A GOOD CELSS EXPERIMENT IN SPACE?

1. Control of CO₂. (Too high quickly becomes toxic to plants.)
2. Control of temperature; should also cycle.
3. HIGH LIGHT LEVELS!!! (This is absolutely essential for CELSS test.)
4. Control of photoperiod. (Temperature might be more important.)
5. Control of humidity. (Not discussed much, but also important.)
6. A good support system that allows HIGH DENSITIES:
A CANOPY OF PLANTS!
7. TIME to complete a life cycle – or some significant portion of it.
8. Sufficient VOLUME for a mature crop.

WITH THAT AS A STARTER, LET THE COLLECTIVE MIND DETAIL FUTHER REQUIREMENTS.

Attendees to the
First Planning Workshop
for
CELSS Flight Experimentation

Dr. Rod Ballard
NASA Ames Research Center
Mail Stop 240A-3
Moffett Field, CA 94035
415 694 6748

Dr. Sherwood Chang
NASA Ames Research Center
Mail Stop 239-10
Moffett Field, CA 94035
415 694 5733

Ms. Pearl L. Cheng
NASA Ames Research Center
Mail Stop 240A-3
Moffett Field, CA 94035
415 694 6918

Dr. James P. Connolly
NASA Ames Research Center
Mail Stop 213-2
Moffett Field, CA 94035
415 694 6483

Dr. Joe Cowles
Department of Biology
University of Houston
Houston, TX 77004
713 749 3135

Dr. Donald DeVincenzi
Deputy Chief, Life Science Division
NASA Ames Research Center
Mail Stop 239-17
Moffett Field, CA 94035
415 694 5760

Dr. Joseph Gale
Department of Botany
Institute of Life Sciences
Hebrew University of Jerusalem
Jerusalem, 91904 ISRAEL
[01 972] (0)2 585-201

Dr. John J. Givens
NASA Ames Research Center
Mail Stop 244-14
Moffett Field, CA 94035
415 694 5696

Dr. Lynn Griffiths
NASA Headquarters
Code EBX
Washington, D.C. 20546
FTS 453 1525

Mrs. Caye Johnson
NASA Ames Research Center
Mail Stop 240-9
Moffett Field, CA 94035
415 694 5768

Dr. Philip Johnson, Jr.
NASA Johnson Space Center
Code SD3
Houston, TX 77058
FTS 525 7111
713 483 7111

Dr. Harold P. Klein
Department of Biology
The University of Santa Clara
Santa Clara, CA 95053
415 856 7656

Dr. Morris Klein
Department of Botany
Ohio State University
1735 Neil Avenue
Columbus, OH 43210
614 292 5213

Dr. William Knott
Biomedical Office
Code MD-ENV
Kennedy Spacecraft Center, FL 32899
FTS 253 5142
305 853 5142



Controlled Ecological Life Support Systems (CELSS) A Bibliography of CELSS Documents Published as NASA Reports

1. Johnson, Emmett J.: Genetic Engineering Possibilities for CELSS: A Bibliography and Summary of Techniques. NASA CR-166306, March 1982.
2. Hornberger, G.M. and Rastetter, E.B.: Sensitivity Analysis as an Aid in Modelling and Control of (Poorly-Defined) Ecological Systems. NASA CR-166308, March 1982.
3. Tibbitts, T.W. and Alford, D.K.: Controlled Ecological life Support System: Use of Higher Plants. NASA CP-2231, May 1982.
4. Mason, R.M. and Carden, J.L.: Controlled Ecological Life Support System: Research and Development Guidelines. NASA CP-2232, May 1982.
5. Moore, B. and MacElroy, R.D.: Controlled Ecological Life Support System: Biological Problems. NASA CP-2233, May 1982.
6. Aroeste, H.: Application of Guided Inquiry System Technique (GIST) to Controlled Ecological Life Support Systems (CELSS). NASA CR-166312, January 1982.
7. Mason, R.M.: CELSS Scenario Analysis: Breakeven Calculation. NASA CR-166319, April 1980.
8. Hoff, J.E., Howe, J.M. and Mitchell, C.A.: Nutritional and Cultural Aspects of Plant Species Selection for a Controlled Ecological Life Support System. NASA CR-166324, March 1982.
9. Averner, M.: An Approach to the Mathematical Modelling of a Controlled Ecological Life Support System. NASA CR-166331, August 1981.
10. Maguire, B.: Literature Review of Human Carried Microbes' Interaction with Plants. NASA CR-166330, August 1980.
11. Howe, J.M. and Hoff, J.E.: Plant Diversity to Support Humans in a CELSS Ground-Based Demonstrator. NASA CR-166357, June 1982.
12. Young, G.: A Design Methodology for Nonlinear Systems Containing Parameter Uncertainty: Application to Nonlinear Controller Design. NASA CR-166358, May 1982.
13. Karel, M.: Evaluation of Engineering Foods for Controlled Ecological Life Support Systems (CELSS). NASA CR-166359, June 1982.
14. Stahr, J.D., Auslander, D.M., Spear, R.C. and Young, G.E.: An Approach to the Preliminary Evaluation of Closed-Ecological Life Support System (CELSS) Scenarios and Control Strategies. NASA CR-166368, July 1982.
15. Radmer, R., Ollinger, O., Venables, A. and Fernandez, E.: Algal Culture Studies Related to a Closed Ecological Life Support System (CELSS). NASA CR-166375, July 1982.
16. Auslander, D.M., Spear, R.C. and Young, G.E.: Application of Control Theory to Dynamic Systems Simulation. NASA CR-166383, August 1982.

34. Babcock, P.S.: Nonlinear System Controller Design Based on Domain of Attraction: An Application to CELSS Analysis and Control, NASA CR-177401, March 1986.
35. Smernoff, D.T.: Atmosphere Stabilization and Element Recycle in an Experimental Mouse-Algal System, NASA CR-177402, March 1986.
36. Oleson, M., Olson, R.L.: Controlled Ecological Life Support Systems (CELSS): Conceptual Design Option Study, NASA CR-177421, August 1986.
37. Oleson, M., Slavin, F., Liening, R., Olson, R.: Controlled Ecological Life Support Systems (CELSS): Physiochemical Waste Management Systems Evaluation, NASA CR-177422, August 1986.
38. Knox, J.: A Method of Variable Spacing for Controlled Plant Growth Systems in Spaceflight and Terrestrial Agriculture Applications, NASA CR-177447, February 1987.
39. Radmer, P., Arnett, K., Gladue, R., Cox, J., Lieberman, D.: Algal Culture Studies for CELSS, NASA CR-177448, February 1987.
40. Karel, M., Nakhost, Z.: Utilization of Non-Conventional Systems for Conversion of Biomass to Food Components, NASA CR-177449, February 1987.
41. MacElroy, R.D. , Smernoff, D.T., Rummel, J.: Controlled Ecological Life Support Systems: Design, Development and Use of a Ground-Based Plant Growth Module, NASA CP-2479, June 1987.
42. MacElroy, R.D. , Smernoff, D.T.: Regenerative Life Support Systems in Space. (Topical Session of XXVIth COSPAR meeting, Toulouse, France), NASA CP-2480, June 1987.



Report Documentation Page

1. Report No. NASA CP 10020	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle Report of the First Planning Workshop for CELSS Flight Experimentation		5. Report Date November 1988	
		6. Performing Organization Code	
7. Author(s) John W. Tremor (TGS Technology, Inc., Moffett Field, CA) and Robert D. MacElroy		8. Performing Organization Report No. A 88265	
		10. Work Unit No. 199-61-32-01	
9. Performing Organization Name and Address Ames Research Center Moffett Field, CA 94035		11. Contract or Grant No.	
		13. Type of Report and Period Covered Conference Publication	
12. Sponsoring Agency Name and Address National Aeronautics and Space Administration Washington, DC 20546-0001		14. Sponsoring Agency Code	
		15. Supplementary Notes Point of Contact: Robert D. MacElroy, Ames Research Center, M/S 239-4 Moffett Field, CA 94035 (415) 694-5573 or FTS 464-5573	
16. Abstract <p>This report summarizes a workshop held March 23 and 24, 1987 to establish a base upon which a CELSS flight experiment program will be developed. The kind of information necessary for productivity assessment was determined. In addition, generic experiments necessary to gather that information have been identified and prioritized. General problems of hardware and equipment have been defined. The need for the hardware to provide a stress-free environment, not only for productivity, but also to make more readily identifiable disturbing mission factors, was recognized.</p>			
17. Key Words (Suggested by Author(s)) CELSS Flight experiments Life support		18. Distribution Statement Unclassified-Unlimited Subject Category-54	
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified	21. No. of pages 27	22. Price A02