ntrs.nasa.gov/search.jsp?R=19880019563 2020-03-20T05:18:48+00:00Z

76268-CR

Final Scientific Report to

The National Aeronautics and Space Administration

for the

Nuclear and Ionic Charge Distribution Experiment on ISEE-1 and ISEE-3

under Contract NAS5-28704 1 December 1984 to 29 November 1985

G. Gloeckler, Project Director F.M. Ipavich, Co-Investigator A.B. Galvin, Co-Investigator (301-454-3135)

Submitted by

Department of Physics and Astronomy University of Maryland College Park, MD 20742

20 May 1987

R.O. Wales, Technical Officer NASA, GSFC

(NASA-CR-180776) NUCLEAR AND ICNIC CHARGE DISTRIBUTION EXPERIMENT ON ISEE-1 AND ISEE-3 Final Scientific Report, 1 Dec. 1984 - 29 Nev. 1985 (Maryland Univ.) 39 p CSCL 22B N88-28947

Unclas G3/18 > 0076268 The experimental work carried out under this contract is a continuation of that originally performed under Contracts NASS-20062 and NASS-26739. The data analyzed are from the Max-Planck Institut/University of Maryland experiment on ISEE-1 and ISEE-3. Each spacecraft experiment consists of a nearly identical set of three sensors (designated the ULECA, ULEWAT and ULEZEQ sensors) designed to measure the energy spectra and composition of suprathermal and energetic ions over a broad energy range (<3 keV/e to >20 MeV/nucleon). Since the launch of ISEE-1 and -3, the MPE/University of Maryland experiments' have generally performed as expected except for a partial failure of the ULEWAT sensor on ISEE-1 in August 1978. A number of scientific studies have either been completed, initiated, or are at various stages of completion.

A brief summary of Primary Results from our analysis is given below, followed by a more detailed summary of our major accomplishments at the University of Maryland.

- Determination of convective speed, effective temperature and spectral shape of thermal and suprathermal H^+ , He^{++} , and Q > 3 ions in plasmoids in the distant magnetotail.
- First reported measurements of energetic (>100 keV) 0^+ in the earth's plasma sheet.
- Discovery of He⁺ ions in the earth's radiation belts.
- First comparison of simultaneous He/H abundance ratios in the solar wind and diffuse upstream events.
- First measurement of solar wind Fe charge states in coronal hole-associated high speed streams.
- First measurement of the CNO charge states in coronal hole-associated solar wind using heavy ion measurements in upstream events.
- First direct determination of the ionic charge state composition in ³He-rich solar flares.

 Determination of the ionic charge state composition in He⁺-rich solar flares.

3

• In situ observations of cometary pick-up ions at P/Giacobini-Zinner.

Magnetospheric Physics

Suprathermal Ion Composition in the Distant Geomagnetic Tail. The October 1982 to December 1983 excursion of the ISEE-3 spacecraft into the far geomagnetic tail has provided a unique opportunity for studying in some detail and over an extended time period the basic plasma dynamics in this heretofore relatively unexplored region of geospace. The UMD/MPE ULECA sensor is the only instrument on ISEE-3 that is capable of measuring the composition of the suprathermal plasma (~30 to 150 keV/e). We find that suprathermal H^+ , He^{++} , and Q > 3 ions are a persistent feature of the distant tail. Differential intensities for 30 keV protons in the plasma sheet are essentially constant between the lunar distance and 220 R_{E} and about one order of magnitude smaller than in the near earth (<20 R_{E}) plasma sheet, as measured by our nearly identical sensor on ISEE-1.

Suprathermal ions are convected with the local plasma flow during fast moving particle structures (plasmoids) characterized by isotropic energetic electron distributions (measured by the MPE/UMD ULEWAT sensor) preceded by velocity dispersed ions and beaming electrons. We have been able to derive the convection velocity from the measured particle angular distributions in these plasmoids as well as the rest frame distribution functions for 3 to 150 keV/amu H⁺, He⁺⁺, and Q > 3 ions. From a statistical survey of 20 plasmoid events, we showed that the different ion species in the distant tail (>80 R_E) are convected with a common convection velocity, with speeds ranging from ~200 to 1000 km sec⁻¹ and a sample average of ~600 km sec⁻¹. The distribution functions in each event are well represented by exponentials in velocity of

the form $f(v) = f_0 \exp{(-v/v_0)}$, with an average value of v_0 for the 20 events equal to ~380 km sec⁻¹ for protons and ~340 km sec⁻¹ for alpha particles. The average values for proton number density, energy density, and effective temperature are 0.018 cm⁻³, 160 eV/cm³, and 6.1 keV, respectively, with an average He^{++}/H^+ number density ratio of ~0.03 and effective temperature ratio of ~3.3 (roughly proportional to mass). These measurements, coupled with observations of the thermal plasma by the LANL experiment on ISEE-3, imply an efficient acceleration mechanism which is velocity dependent and indicate the importance of the solar wind as the seed plasma. In addition, we presented evidence that these plasmoids have lengths along the convective flow direction of ~80 R_E and have a cross-tail expansion of ~100 km sec⁻¹ during their tailward propagation.

We also analyzed energetic electrons (75-115 keV) and suprathermal (\gtrsim 30 keV) protons measured at the dawn side of the distant magnetosheath at ~50 $R_{\rm E}$ and ~180 $R_{\rm E}$ using the ULECA and ULEWAT sensors on ISEE-3. At ~50 $R_{\rm E}$ the electrons and protons are observed simultaneously in bursts of ~2 minutes duration. The absence of time dispersion indicates that the bursts are of a spatial rather than a temporal nature. The electrons at ~50 $R_{\rm E}$ are field-aligned and stream away from the magnetopause, while the protons exhibit a large parallel anisotropy that is symmetric with respect to the magnetic field in the plasma frame of reference. At ~180 $R_{\rm E}$ the energetic electrons, if any, are below our sensitivity level. However, suprathermal protons that are isotropic in the plasma frame have been observed. We interpreted our results in terms of magnetosheath flux tubes, perhaps the remnants of flux transfer events, which are connected to the tail magnetic field along the distant magnetopause. Up to ~100 $R_{\rm E}$ a coherent plasma sheet exists and particles can leak out along the connected field lines. After convection of these flux

tubes to $\sim\!200~R_{\rm E}$ the suprathermal plasma sheet ions are coupled to the magnetosheath flow. Leakage of plasma sheet particles into the magnetosheath may be an important loss mechanism for the plasma sheet and may explain the exponential decay of energetic particle intensities observed following the plasma sheet recovery.

During the ISEE-3 Geotail Mission three events were identified from the magnetometer data which are consistent with a spacecraft crossing of a magnetotail flux rope. We analyzed energetic electron and proton observations during two of the possible flux rope events. During one event remote sensing of the flux rope with energetic protons revealed that the flux rope is crossed by the spacecraft from south to north. This allowed determination of the handedness of the magnetic field twist and of the flux rope velocity relative to the spacecraft. A minimal flux rope radius of 3 R_E was derived. Energetic proton intensity is highest just inside of the flux rope and decreases towards the core. Energetic electrons are streaming tailward near the outer boundary indicating openess of the field lines and are isotropic through the inner part of the flux rope.

Energetic 0^+ Ions in the Earth's Magnetosphere. It has become increasing apparent that ionospheric ions, especially 0^+ ions, constitute an important and sometimes dominant source for near-earth plasma regimes. However, previously the only reported measurements of 0^+ ions in the earth's magnetosphere have been at energies below ~16 keV. We have reported the first measurements of very energetic (>100 keV) 0^+ ions in the earth's plasma sheet using the ULECA sensor on ISEE-1. We found that substantial fluxes of energetic 0^+ can occur in the recovery phase plasma sheet, with the intensity of 0^+ ions (relative to 0^+ ions) strongly correlated with geomagnetic activity. Our simultaneous observations of energetic 0^+ , He $^{++}$ and 0^+ ions

clearly indicated that both the solar wind and the ionosphere contribute to the production of suprathermal ions in the recovery phase plasma sheet. However, the acceleration mechanism for generating these energetic ions is not known.

We analyzed energetic (~130 keV) 0⁺ ions in the earth's magnetosphere at ~ 16 to 7 $R_{_{\rm I\!P}}$ during the two Coordinated Data Analysis Workshop 6 substorms on March 22, 1979. The behavior of thermal and suprathermal H+ (10-130 keV) and suprathermal He⁺⁺ (30-130 keV/e) ions was also studied. Approximately 15 min before the 1054 UT onset of the first substorm, energetic 0+ ions were observed streaming tailward. H⁺ and He⁺⁺ ions at all energies were generally streaming tailward from ~1059 to 1115 UT, consistent with the presence of a near-earth neutral line during this interval. From 1117 to 1124 UT the ${ t H}^{\dagger}$ and ${
m He}^{++}$ ions were observed flowing earthward, suggesting that at ${\sim}1117$ UT the neutral line retreated tailward. A brief interval in the southern tail lobe, from ~ 1124 to 1126 UT, was highlighted by an intense 0^+ beam streaming tailward: the $0^+/H^+$ ratio at 130 keV was 7 ± 2 . This suggests that high energy 0^+ ions may be accelerated directly out of the ionosphere. The recovery phase of the first substorm began a few minutes later and was characterized by large intensities of nearly isotropic suprathermal ions. The $0^+/H^+$ differential intensity ratio at 130 keV was quite large (~1) during the recovery phase of both substorms. This suggests that the $0^+/H^+$ ratio is relatively constant at equal energy per charge. If confirmed, this result would be of great importance in determining the operative acceleration mechanism.

Interplanetary Phenomena

<u>Diffuse Ion Upstream Events</u>. In a statistical study of 29 well-developed diffuse ion events observed upstream of the earth's bow shock, we compared the

 He^{++}/H^{+} measured by the ULECA sensor at ~30 keV/e on ISEE-1 with the same ratio observed simultaneously in the solar wind by the LANL/MPE plasma instrument on the same spacecraft. This collaboration effort determined that a high correlation exists between the He⁺⁺/H⁺ ratio in upstream events and the same ratio in the solar wind, strongly suggesting that the solar wind is the dominant source for diffuse upstream ions. We also found that the ratio of He^{++} to H^{+} intensities at ~30 keV/e is on the average enhanced by a factor of 1.6 over the solar wind ratio. The enhancement is strongly correlated with Alfven Mach number (significant at the 98% confidence level); however, this correlation is dominated by three events that simultaneously have the lowest Alfven Mach numbers and the lowest enhancement factors (in fact, these three events are depleted in helium). Our results are consistent with the predictions of models for the Fermi acceleration of a seed particle population which is drawn from the solar wind with relatively little compositional bias and is then moderately enhanced in helium during the acceleration process. The identity of this seed population (e.g., the reflected component or shockheated solar wind) has not been established; however our observations of a well-defined Alfven Mach number (~7) below which the diffusive He⁺⁺ ions are depleted relative to the solar wind indicates that the microphysics of the bow shock plays an important role in determining the composition of the seed population.

We presented the first measurements of the charge state composition of heavy (Q > 3) ions in the diffuse component using the ULECA sensor on ISEE-1. We found that the relative charge state distributions for Q > 3 ions at \sim 33, 66, and 130 keV/e are consistent with an invariance of the charge state composition as a function of energy per charge, thus extending our previously reported energy-per-charge ordering for the He⁺⁺/H⁺ ratio in diffuse ion

events. Using the results of the previously mentioned survey (indicating a solar wind origin for these locally accelerated ions), we used the charge state composition of diffuse Q > 3 ions to estimate the charge state composition in the solar wind and hence to estimate the equilibrium coronal temperatures associated with a variety of solar wind flows. Of particular interest are the results we obtained for diffuse ion events occurring during coronal hole-associated high speed streams, since reported solar wind charge state measurements for high-speed streams are very limited. We found an average CNO ionization temperature of $(1.3\pm0.2) \times 10^6$ K for these events, which is consistent with predicted temperatures for coronal holes. Our results also indicated that the equilibrium temperature for coronal hole-associated solar wind is approximately constant over the range of solar wind speeds $(420-680 \text{ km sec}^{-1})$ covered by the diffuse ion events in this survey.

Solar Energetic Particles. Using data from the ULEZEQ sensor on ISEE-3, we determined the ionic charge states of carbon, oxygen, and iron ions in He⁺-rich solar energetic particle events for which the He⁺/He⁺⁺ ratio is greater than 0.3. The mean charge states of C, O, and Fe in these events are 6.0, 7.2, and 14, respectively. While the charge states of O and Fe are both consistent with an average coronal freezing-in temperature of ~2.5 x 10⁶ K, the presence of singly charged He indicates temperatures less than ~8.5 x 10⁴ K. The ionic charge states cannot be explained in terms of a model in which the coronal temperature determines a charge equilibrium which is subsequently frozen-in, nor can they be explained in terms of charge exchange during the passage through the outer corona after acceleration. It appears that either the acceleration and injection process is biased against particles with a high mass-to-charge ratio or that there exist pockets of low temperature plasma regions near the solar surface.

We also presented the first direct determination of the ionic charge state distributions of ${}^3\text{He}$, ${}^4\text{He}$, and Fe during ${}^3\text{He}\text{-Fe}\text{-rich}$ solar energetic particle events using the ULEZEQ sensor on ISEE-3. We found essentially all of the helium to be doubly ionized with ${}^3\text{He}^{+/3}\text{He}^{++} < 0.02$ and ${}^4\text{He}^{+/4}\text{He}^{++} < 0.03$. The mean charge state of Fe was 19±2, which is significantly higher than the value found in solar energetic particle events with a normal composition. The high mean charge state of Fe suggests that high coronal temperatures are characteristic of the source plasma for ${}^3\text{He}\text{-Fe}\text{-rich}$ solar energetic particle events.

Cometary Physics

ICE Encounter with Comet Giacobini-Zinner. On 11 September 1985 the International Cometary Explorer spacecraft (formally named ISEE-3) traversed the tail of comet P/Giacobini-Zinner downstream of the nucleus at a closest-approach distance of 7800 km, thereby making the first in situ measurement at any comet. Using the UMD/MPE ULECA sensor on ICE, we have obtained conclusive evidence for the existence of energetic (~35 to 150 keV), singly charged heavy cometary ions within a distance of ~1.5 x 10^6 km from the comet. These ions are most likely freshly ionized water molecules which have been "picked up" in the region upstream of the comet by the interplanetary electric $v_{\rm SW}$ x $v_{\rm SW}$ field and the magnetic field frozen into the solar wind and then convected downstream to the spacecraft location.

The most direct evidence for establishing the mass of these ions was obtained from an analysis of the energy signals in one of the ULECA solid state detectors and is significant at the 3-sigma level. The analysis clearly indicates that the ions are singly charged and have a mass $\gtrsim 12$ amu. This mass identification is independently supported by analysis of particle directional

information. Transformation of the particle angular distributions observed at $\sim 50,000$ km from the comet during the inbound pass into a rest frame in which the distributions are nearly isotropic requires a transformation velocity which is consistent with the local solar wind velocity if one assumes that these particles are primarily singly ionized with a mass of 18 ± 6 amu. These results indicate that these ions are cometary ions principally from the water group (H_2 0^+ , 0^+ , H_3 0^+ , OH^+).

The existence of a frame of reference in which these water-group ions are isotropic implies that they have undergone strong pitch angle scattering, since their initial pitch angle distributions after ionization is highly anisotropic. Particle energies in the rest frame extend to substantially higher values than would be expected if these ions were <u>locally</u> accelerated or heated. Preliminary analysis indicates that the highest energy ions may have originated in the cometary upstream region (where the solar wind speed was higher by a factor of ~2 than at the observation location) and then accelerated adiabatically as they were convected downstream. Our derived ion density, ~0.1 cm⁻³ at 50,000 km, is consistent with a simple model for the production and transport of pickup ions. The variation of density with distance from the comet is also in reasonable agreement with this simple model.

Routine Data Processing

The University of Maryland Space Physics Group receives, on a regular basis, three types of ISEE data tapes from the IPD at GSFC: MCE tapes, data pool tapes; and telemetry data tapes (i.e., "decom tapes"). Since MPE/UMD has experiments on both the ISEE-1 and ISEE-3 satellites, there are actually two complete sets of tapes involved in the following procedures.

The MCE tapes are processed directly to obtain listings of satellite position and attitude parameters. Spacecraft positional information is especially important for interpreting ISEE-1 data, since the satellite follows a highly eccentric orbit that encompasses interplanetary space, the outer magnetosphere, the tail region, and the radiation belts. The routine processing of ISEE-3 MCE tapes was initiated after that spacecraft left the L1 halo orbit and began its excursion into the distant geomagnetotail and continued, for a time, with the flight of ICE/ISEE-3 to the comet Giacobini-Zinner.

The data pool tapes are routinely processed to obtain detailed listings of magnetic field, solar wind, and energetic particle data. Such information is extremely useful in correlative studies. As a further aid in interpreting our data, the magnetic field data from the ISEE-1 data pool tapes are routinely plotted and, for times the spacecraft is in projected interplanetary space, plots are also included of the calculated time-of-connection of the magnetic field with the bow shock.

The decom tapes received from IPD contain the complete telemetry data of the MPE/UMD experiments. In order to obtain an immediate and overall view of the available data, each decom tape is routinely processed upon receipt to obtain a file-by-file rate summary. A duplicate of each decom tape (as well as data pool and MCE tapes) is mailed to the experiments' co-investigators at the Max-Planck-Institut in Munich, West Germany. There the decoms are used to produce data summaries on microfiche and magnetic tape. The summary tapes produced by MPE are typically received by UMD ~10 months after real time. These tapes are sufficient for most types of analysis, although the original decom tapes are still required for fine temporal resolution. Selected ULECA rates are stripped from the ISEE-1 summary tapes in the generation of "super-

summary" tapes which are then used for the routine plotting of proton rates, Q > 3 ion rates, and He/H rate ratios.

The type of analysis performed on the ISEE tapes changes as different magnetospheric, solar, and interplanetary phenomena become the focus of interest. Therefore, the routine processing procedures and programs do not remain static, but continue to evolve along with the prevailing needs of the scientific staff.

Data Processing for Other Groups and the NSSDC

In addition to the exchange of data for collaborative studies, we make our data available (upon request) to other groups and individuals in the scientific community. In general these requests have involved non-routine data processing and analysis. We have also submitted ISEE data to several Coordinated Data Analysis Workshops.

Data has been submitted by our investigators at MPE, for our experiments, in a timely manner to the National Space Science Data Center, in accordance with "Guidelines for Submitting Data to the National Space Science Data Center".

Data Processing Tape Status

During the period of this contract the following numbers of tapes and microfilm were received from NASA/GSFC. The majority of the tapes received are still on site as processing and analysis continues on all data received to date. Some tapes have been returned to GSFC to clear contractual records.

	ISEE-1	ISEE-3
Decom	122 (thru 10/26/85)	85 (thru 10/19/85)
Data Pool MCE	107 (thru 10/22/85) 53 (thru 10/20/85)	53 (thru 10/26/85) 0

Data Pool Microfilm

10 (thru 8/24/85)

9 (thru 9/14/85)

Tapes and microfiche from co-investigators at the Max-Planck-Institut in Garching, West Germany:

	ISEE-1	ISEE-3
Sum 1	9 (thru 9/22/84)	4 (thru 8/11/84)
Sum 2	8 (thru 9/22/84)	7 (thru 8/11/84)
Microfiche	97	45

Scientific Personnel

Researchers from the University of Maryland, Space Physics Group who participated in these studies include Dr. G. Gloeckler, Dr. F.M. Ipavich, Dr. A.B. Galvin, Dr. G.M. Mason and Dr. L.C. Tan.

Bibliography

An ISEE-1/ISEE-3 chronological Bibliography is included in Appendix A.

ISEE BIBLIOGRAPHY

- A. Papers Accepted by or Submitted to Refereed Journals
- 1. Physics Research
- 1. Hovestadt, D., G. Gloeckler, C.Y. Fan, L.A. Fisk, F.M. Ipavich, B. Klecker, J.J. O'Gallagher and M. Scholer, "Evidence for Solar Wind Origin of Energetic Heavy Ions in the Earth's Radiation Belt", Geophys. Res. Lett., 5, 12, 1055-1057, 1978.
- 2. Scholer, M., G. Gloeckler, F.M. Ipavich, D. Hovestadt, and B. Klecker, "Pitch Angle Distributions of Energetic Protons Near the Earth's Bow Shock", Geophys. Res. Lett., 6, 9, 707-710, 1979.
- 3. Ipavich, F.M., G. Gloeckler, C.Y. Fan, L.A. Fisk, D. Hovestadt, B. Klecker, J.J. O'Gallagher and M. Scholer, "Initial Observations of Low Energy Charged Particles Near the Earth's Bow Shock on ISEE-1", Space Sci. Rev., 23, 93-101, 1979.
- 4. Scholer, M., F.M. Ipavich, G. Gloeckler, D. Hovestadt and B. Klecker, "Upstream Particle Events Close to the Bow Shock and 200 R_E Upstream: ISEE-1 and ISEE-3 Observations", Geophys. Res. Lett., 7, 1, 73-76, 1980.
- 5. Cline, T.L., U.D. Desai, G. Pizzichini, B.J. Teegarden, W.D. Evans, R.W. Klebesadel, J.G. Laros, K. Hurley, M. Niel, G. Vedrenne, I.V. Estodin, A.V. Kouznetsov, V.M. Zenchenko, D. Hovestadt and G. Gloeckler, "Detection of a Fast, Intense and Unusual Gamma Ray Transient", Astrophys. J., 237, L1-L5, 1980.
- 6. Mobius, E., F.M. Ipavich, M. Scholer, G. Gloeckler, D. Hovestadt and B. Klecker, "Observations of a Nonthermal Ion Layer at the Plasmasheet Boundary During Substorm Recovery", J. Geophys. Res., 85, A10, 5143-5148, 1980.
- 7. Scholer, M., F.M. Ipavich, G. Gloeckler and D. Hovestadt, "Conditions for Acceleration of Energetic Ions > 30 keV at the Earth's Bow Shock", J. Geophys. Res., 85, A9, 4602-4606, 1980.
- 8. Ipavich, F.M., A.B. Galvin, G. Gloeckler, M. Scholer and D. Hovestadt, "A Statistical Survey of Ions Observed Upstream of the Earth's Bow Shock: Energy Spectra, Composition and Spatial Variation", J. Geophys. Res., 86, A6, 4337-4342, 1981.
- 9. Scholer, M., F.M. Ipavich and G. Gloeckler, "Beams of Protons and Alpha Particles >30 keV/charge from the Bow Shock", J. Geophys. Res., 86, A6, 4374-4378, 1981.
- 10. Hovestadt, D., G. Gloeckler, H. Hofner, B. Klecker, F.M. Ipavich, C.Y. Fan, L.A. Fisk, J.J. O'Gallagher and M. Scholer, "Singly Charged Energetic Helium Emitted in Solar Flares", Astrophys. J. Lett., 246, L81-L84, 1981.

- 11. Scholer, M., F.M. Ipavich, G. Gloeckler, D. Hovestadt and B. Klecker, "Leakage of Magnetospheric Ions into the Magnetosheath Along Reconnected Field Lines at the Dayside Magnetosphere", J. Geophys. Res., 86, A3, 1299-1304, 1981.
- 12. Scholer, M., F.M Ipavich, G. Gloeckler and D. Hovestadt, "Simultaneous Observations of Energetic Protons Close to the Bow Shock and Far Upstream", J. Geophys., 49, 186-191, 1981.
- 13. Klecker, B., M. Scholer, D. Hovestadt, G. Gloeckler and F.M. Ipavich, "Spectral and Compositional Variations of Low Energy Ions During an Energetic Storm Particle Event", <u>Astrophys. J., 251</u>, 393-401, 1981.
- 14. Scholer, M., D. Hovestadt, F.M. Ipavich and G. Gloeckler, "Upstream Energetic Ions and Electrons: Bow Shock Associated or Magnetospheric Origin?", J. Geophys. Res., 86, All, 9040-9046, 1981.
- 15. Ipavich, F.M., M. Scholer and G. Gloeckler, "Temporal Development of Composition, Spectra and Anisotropies During Upstream Particle Events", J. Geophys. Res., 86, Al3, 11153-11160, 1981.
- 16. Scholer, M., D. Hovestadt, F.M. Ipavich and G. Gloeckler, "Energetic Protons, Alpha Particles and Electrons in Magnetic Flux Transfer Events", J. Geophys. Res., 87, A4, 2169-2175, 1982.
- 17. Scholer, M., D. Hovestadt, F.M. Ipavich, B. Klecker and G. Gloeckler, "Unusual Structure of the Dayside Low-Latitude Magnetopause Energetic Electron Layer", J. Geophys. Res., 87, A4, 2255-2262, 1982.
- 18. Hovestadt, D., B. Klecker, H. Hofner, M. Scholer, G. Gloeckler and F.M. Ipavich, "Ionic Charge State Distribution of He, C, O and Fe in an Energetic Storm Particle Enhancement", Astrophys. J. Lett., 258, L57-L62, 1982.
- 19. Mobius, E., M. Scholer, D. Hovestadt, B. Klecker and G. Gloeckler, "Comparison of Helium and Heavy Ion Spectra in ³He Rich Solar Flares with Model Calculations Based on Stochastic Fermi Acceleration in Alfven Turbulence", Astrophys. J., 259, 397-410, 1982.
- 20. Scholer, M., P.W. Daly, G. Paschmann and T.A. Fritz, "Field Line Topology Determined by Energetic Particles During a Possible Magnetopause Reconnection Event", J. Geophys. Res., 87, A8, 6073-6080, 1982.
- 21. Ipavich, F.M. and M. Scholer, "Thermal and Suprathermal Protons and Alpha Particles in the Earth's Plasma Sheet", J. Geophys. Res., 88, A1, 150-160, 1983.
- 22. Scholer, M. and F.M. Ipavich, "Energetic Ions Upstream of the Earth's Bow Shock During an Energetic Storm Particle Event", J. Geophys. Res., 88, A7, 5715-5726, 1983.

- 23. Scholer, M., F.M. Ipavich, G. Gloeckler and D. Hovestadt, "Acceleration of Low Energy Protons and Alpha Particles at Interplanetary Shock Waves", J. Geophys. Res., 88, A3, 1977-1988, 1983.
- 24. Klecker, B., D. Hovestadt, M. Scholer, G. Gloeckler, F.M. Ipavich and C.Y. Fan, "Energy and Charge Distribution of Energetic Helium Ions in the Outer Radiation Belt of the Earth", J. Geophys., 52, 239-246, 1983.
- 25. Scholer, M. and F.M. Ipavich, "Interaction of Ring Current Ions with the Magnetopause", J. Geophys. Res., 88, A9, 6937-6943, 1983.
- 26. Mobius, E., M. Scholer, D. Hovestadt, G. Paschmann and G. Gloeckler, "Energetic Particles in the Vicinity of a Possible Neutral Line in the Plasma Sheet", J. Geophys. Res., 88, A10, 7742-7752, 1983.
- 27. Scholer, M., G. Gloeckler, D. Hovestadt, F.M. Ipavich, B. Klecker and C.Y. Fan, "Anisotropies and Flows of Suprathermal Particles in the Distant Magnetotail: ISEE-3 Observations", Geophys. Res. Lett., 10, 1203-1206, 1983.
- 28. Ipavich, F.M., J.T. Gosling and M. Scholer, "Correlation Between the He/H Ratios in Upstream Particle Events and in the Solar Wind", J. Geophys. Res., 89, A3, 1501-1507, 1984.
- 29. Galvin, A.B., F.M. Ipavich, G. Gloeckler, D. Hovestadt, B. Klecker and M. Scholer, "Solar Wind Ionization Temperatures Inferred from the Charge State Composition of Diffuse Particle Events", J. Geophys. Res., 89, A4, 2655-2672, 1984.
- 30. Scholer, M., D. Hovestadt, B. Klecker, G. Gloeckler and F.M. Ipavich, "Average Flow of $\sim 70~R_{\rm E}$ and $\sim 220~R_{\rm E}$ in the Geomagnetic Tail", Geophys. Res. Lett., 11, 4, 343-346, 1984.
- 31. Ipavich, F.M., A.B. Galvin, G. Gloeckler, D. Hovestadt, B. Klecker and M. Scholer, "Energetic (>100 keV) 0[†] Ions in the Plasma Sheet", Geophys. Res. Lett., 11, 5, 504-507, 1984.
- 32. Gloeckler, G., M. Scholer, F.M. Ipavich, D. Hovestadt, B. Klecker and A.B. Galvin, "Abundances and Spectra of Suprathermal H, He and Heavy Ions in a Fast Moving Plasma Structure (Plasmoid) in the Distant Geotail", Geophys. Res. Lett., 11, 6, 603-606, 1984.
- 33. Hovestadt, D., B. Klecker, G. Gloeckler, F.M. Ipavich and M. Scholer, "Survey of He⁺/He²⁺ Abundance Ratios in Energetic Particle Events", Astrophys. J. Lett., 282, L39-L42, 1984.
- 34. Hovestadt, D., G. Gloeckler, B. Klecker and M. Scholer, "Ionic Charge State Measurements During He⁺-Rich Solar Particle Events", <u>Astrophys.</u>
 <u>J., 281</u>, 463-467, 1984.
- 35. Scholer, M., G. Gloeckler, B. Klecker, F.M. Ipavich and D. Hovestadt, "Fast Moving Plasma Structures in the Distant Magnetotail", J. Geophys. Res., 89, A8, 6717-6727, 1984.

- 36. Scholer, M., D. Hovestadt, G. Gloeckler, B. Klecker, F.M. Ipavich and R.D. Zwickl, "Magnetospheric Ions and Electrons in the Distant Magnetosheath at ~ 50 R_E and ~ 180 R_E: ISEE-3 Observations", Geophys. Res. Lett., 11, 10, 1098-1101, 1984.
- 37. Scholer, M., G. Gloeckler, D. Hovestadt, F.M. Ipavich, B. Klecker, D.N. Baker, W. Baumjohann, B.T. Tsurutani and R.D. Zwickl, "Simultaneous Observation of the Plasma Sheet in the Near Earth and Distant Magnetotail: ISEE-1 and ISEE-3", Geophys. Res. Lett., 11, 10, 1034-1037, 1984.
- 38. Gloeckler, G., F.M. Ipavich, D. Hovestadt, M. Scholer, A.B. Galvin and B. Klecker, "Characteristics of Suprathermal H and He in Plasmoids in the Distant Magnetotail", Geophys. Res. Lett., 11, 10, 1030-1033, 1984.
- 39. Klecker, B., M. Scholer, D. Hovestadt, G. Gloeckler, F.M. Ipavich, E. Smith and B. Tsurutani, "Correlation Between Proton Anisotropy and Magnetic Field Direction in the Distant Geotail", Geophys. Res. Lett., 11, 10, 1038-1041, 1984.
- 40. Scholer, M., G. Gloeckler, D. Hovestadt, B. Klecker and F.M. Ipavich, "Characteristics of Plasmoidlike Structures in the Distant Magnetotail", J. Geophys. Res., 89, A10, 8872-8876, 1984.
- 41. Klecker, B., D. Hovestadt, G. Gloeckler, F.M. Ipavich, M. Scholer, C.Y. Fan and L.A. Fisk, "Direct Determination of the Ionic Charge Distribution of Helium and Iron in ³He-Rich Solar Energetic Particle Events", Astrophys. J. Lett., 281, 458-462, 1984.
- 42. Luhn, A., B. Klecker, D. Hovestadt, G. Gloeckler, F.M. Ipavich, M. Scholer, C.Y. Fan and L.A. Fisk, "Ionic Charge States of N, Ne, Mg, Si, and S in Solar Energetic Particle Events", Adv. Space Res., 4, 2-3, 161-164, 1984.
- 43. Terasawa, T., M. Scholer and F.M. Ipavich, "Anisotropy Observation of Diffuse Ions (>30 keV/e) Upstream of the Earth's Bow Shock", J. Geophys. Res., 90, A1, 249-260, 1985.
- Ipavich, F.M., A.B. Galvin, M. Scholer, G. Gloeckler, D. Hovestadt and B. Klecker, "Suprathermal O and H Ion Behavior During the 22 March 1979 (CDAW-6) Substorms", J. Geophys. Res. (CDAW-6 Workshop Issue), 90, A2, 1263-1272, 1985.
- 45. Terasawa, T., M. Scholer, F.M. Ipavich, D. Hovestadt, B. Klecker, G. Gloeckler, T.R. Sanderson, K.-P. Wenzel and E.J. Smith, "Particles Upstream of the Pre-dawn Bow Shock: ISEE-3 Observations", Geophys. Res. Lett., 12, 6, 373-376, 1985.
- 46. Scholer, M., N. Sckopke, F.M. Ipavich and D. Hovestadt, "Relation Between Energetic Protons, Electrons and the Thermal Plasma Sheet Population: Plasma Sheet Recovery Events", J. Geophys. Res., 90, A3, 2735-2743, 1985.

- 47. Scholer, M., D.N. Baker, S.J. Bame, W. Baumjohann, G. Gloeckler, F.M. Ipavich, E.J. Smith and B.T. Tsurutani, "Correlated Observations of Substorm Effects in the Near-Earth Region and the Deep Magnetotail", J. Geophys. Res., 90, A5, 4021-4026, 1985.
- 48. Scholer, M., B. Klecker, D. Hovestadt, G. Gloeckler, F.M. Ipavich and A.B. Galvin, "Energetic Particle Characteristics of Magnetotail Flux Ropes", Geophys. Res. Lett., 12, 4, 191-194, 1985.
- 49. Scholer, M., T. Terasawa, D.N. Baker, G. Gloeckler, D. Hovestadt, E.J. Smith, B.T. Tsurutani and R.D. Zwickl, "ISEE-3 Observations During a Plasma Sheet Encounter at 140 R_e: Evidence for Onset of Reconnection at the Distant Neutral Line", J. Geophys. Res., 91, A2, 1451-1458, 1986.
- 50. Mason, G.M., D.V. Reames, B. Klecker, D. Hovestadt and T.T. Von Rosenvinge, "The Heavy Ion Compositional Signature in ³He-Rich Solar Particle Events", Astrophys. J., 303, 2, 849-860, 1986.
- 51. Ipavich, F.M., A.B. Galvin, G. Gloeckler, D. Hovestadt, S.J. Bame, B. Klecker, M. Scholer, L.A. Fisk and C.Y. Fan, "Solar Wind Fe and CNO Measurements in High-Speed Flows", J. Geophys. Res., 91, A4, 4133-4141, 1986.
- 52. Ipavich, F.M., A.B Galvin, G. Gloeckler, D. Hovestadt, B. Klecker and M. Scholer, "Comet Giacobini-Zinner: In Situ Observations of Energetic Heavy Ions", Science, 232, 366-369, 1986.
- 53. Gloeckler, G., D. Hovestadt, F.M. Ipavich, M. Scholer, B. Klecker and A.B. Galvin, "Cometary Pick-up Ions Observed Near Giacobini-Zinner", Geophys. Res. Lett., 13, 3, 251-254, 1986.
- 54. Nishida, A., M. Scholer, T. Teresawa, S.J. Bame, G. Gloeckler, E.J. Smith and R.D. Zwickl, "Quasi-Stagnant Plasmoid in the Middle Tail: A New Pre-expansion Phase Phenomenon", J. Geophys. Res., 91, A4, 4245-4255, 1986.
- Terasawa, B.T. Tsurutani and A.B. Galvin, "Energetic Particle Beams in the Plasma Sheet Boundary Layer Following Substorm Expansion: Simultaneous Near-Earth and Distant Tail Observations", J. Geophys. Res., 91, A4, 4277-4286, 1986.
 - 56. Tan, L.C., G.M. Mason, F.M. Ipavich, G. Gloeckler, R.D. Zwickl and S.J. Bame, "Energetic Proton and Helium Fluxes Associated with Interplanetary Shocks and Their Relation to the Solar Wind Composition", J. Geophys. Res, 91, A10, 11009-11018, 1986.
 - 57. Scholer, M., B. Klecker, D. Hovestadt, G. Gloeckler, F.M. Ipavich, A.B. Galvin, D.N. Baker and B.T. Tsurutani, "Energetic Ion and Electron Beams at the Plasma Sheet Boundary in the Distant Tail", submitted to Magnetotail Physics Monograph, 1986.

- Richardson, I.G., M. Scholer, B.T. Tsurutani, P.W. Daly, D.N. Baker and R.C. Elphic, "Simultaneous Observations of the Near-Earth and Distant Geomagnetic Tail During a Substorm by ISEE-1, ISEE-3 and Geostationary Spacecraft", Planet. Space Sci., 35, 2, 209-226, 1987.
- 59. Tan, L.C., G.M. Mason, G. Gloeckler and F.M. Ipavich, "Downstream Energetic Particles During the November 12, 1978 Interplanetary Shock Event", submitted to J. Geophys. Res., September 1986.
- 60. Beeck, J., G.M. Mason, D.C. Hamilton, G. Wibberenz, H. Kunow, D. Hovestadt and B. Klecker, "A Multi-Spacecraft Study of the Injection and Transport of Solar Energetic Particles", Astrophys. J., in press, 1987.
- 61. Galvin, A.B., F.M. Ipavich, G. Gloeckler, D. Hovestadt, S.J. Bame, B. Klecker and M. Scholer, "Solar Wind Iron Charge States Preceding a Driver Plasma", submitted to J. Geophys. Res., April 1987.

Instrumentation or Techniques

- Hovestadt, D., G Gloeckler, C.Y. Fan, L.A. Fisk, F.M. Ipavich, B. Klecker, J.J. O'Gallagher, M. Scholer, H. Arbinger, J. Cain, H. Hofner, E. Kunneth, P. Laeverenz and E. Tums, "The Nuclear and Ionic Charge Distribution Particle Experiments on the ISEE-1 and ISEE-C Spacecraft", IEEE Trans. GE-16, 3, 166-172, 1978.
- 2. Cline, T.L., G. Gloeckler, D. Hovestadt and B.J. Teegarden, "ISEE-A and ISEE-C Gamma-Ray Burst Detectors", IEEE Trans., GE-16, 3, 173-175, 1978.

3. Review Papers

- 1. Gloeckler, G., "Observations of Energetic Particles in the Near and Far Interplanetary Medium", in <u>Particle Acceleration Mechanisms in Astrophysics</u>, AIP Conf. Proc. No. 56, ed. J. Arons, C. Max and C. McKee, American Institute of Physics, New York, 43-61, 1979.
- 2. Scholer, M., "Energetic Particle Signatures Near Magnetospheric Boundaries", J. Geophys., 52, 176-189, 1983.
- 3. Scholer, M., "Energetic Ions and Electrons and Their Acceleration Processes in the Magnetotail", in Magnetic Reconnection in Space and Laboratory Plasmas, ed. by E.W. Hones, Jr., (Geophysical Monograph 30), American Geophysical Union, Washington, DC, 216-227, 1984.
- 4. Fan, C.Y., G. Gloeckler and D. Hovestadt, "The Composition of Heavy Ions in Solar Energetic Particle Events", UMD PP83-124, 1983, Space Sci. Rev., 38, 143-178, 1984.
- 5. Gloeckler, G. "Characteristics of Solar and Heliospheric Ion Populations Observed Near Earth", Adv. Space Rev., 4, 127-137, 1984.
- 6. Scholer, M., "Acceleration of Energetic Particles at Heliospheric Shocks", Proc. Intl. Symposium on Cosmic Ray Modulation in the Heliosphere, Morioka, Japan, 161-175, 1984.
- 7. Scholer, M., "A Review of ISEE-3 Geotail Suprathermal Ion and Electron Results", Planet. Space Sci., 34, 10, 915-930, 1986.
- 8. Scholer, M., "Diffusive Acceleration", in Collisionless Shocks in the Heliosphere: Reviews of Current Research, ed. by B.T. Tsurutani & R.G. Stone, (Geophysical Monograph 35) American Geophysical Union, Washington, D.C., 287-301, 1985.
- Mason, G.M., "The Composition of Galactic Cosmic Rays and Solar Energetic Particles", Rev. Geophys. Sp. Res., in press, 1987.

- B. Papers Published in Their Entirety in Conference Proceedings
- 1. Hovestadt, D., B. Klecker, G. Gloeckler, F.M. Ipavich, C.Y. Fan and L.A. Fisk, "Temporal Variations of the Anomalous Oxygen (1974-1979) and Disappearance in 1978", Proc. 16th Intl. Cosmic Ray Conf., Japan, 3, MG3-13, 255-260, 1979.
- 2. Scholer, M., F.M. Ipavich, G. Gloeckler, C.Y. Fan, L.A. Fisk, D. Hovestadt, B. Klecker and J.J. O'Gallagher, "Energetic Ions Upstream of the Earth's Bow Shock Observed on ISEE-1 and ISEE-3", Proc. 16th Intl. Cosmic Ray Conf., Japan, 5, SP5-28, 287-291, 1979.
- 3. Ipavich, F.M., A.B. Galvin, G. Gloeckler, D. Hovestadt, B. Klecker, M. Scholer, C.Y. Fan, L.A. Fisk and J.J. O'Gallagher, "Composition and Energy Spectra of Low Energy Ions Observed Upstream of the Earth's Bow Shock on ISEE-1", Proc. 16th Intl. Cosmic Ray Conf., Japan, 3, MG2-3, 140-144, 1979.
- 4. Hovestadt, D., G. Gloeckler, H. Hofner, B. Klecker, C.Y. Fan, L.A. Fisk, F.M. Ipavich, J.J. O'Gallagher and M. Scholer, "Direct Observation of Charge State Abundances of Energetic He, C, O, and Fe Emitted in Solar Flares", Conference Papers, XXIIIrd COSPAR, Budapest, Hungary, June 1980, Adv. Space Res., 1, 61-64, 1981.
- 5. Klecker, B., M. Scholer, D. Hovestadt, C.Y. Fan, L.A. Fisk, G. Gloeckler, F.M. Ipavich and J.J. O'Gallagher, "On Compositional Variations of Heavy Ions During Solar Particle Events", Conference Papers, XXIIIrd COSPAR, Budapest, Hungary, June 1980, Adv. Space Res., 1, 65-68, 1981.
- 6. Hovestadt, D., B. Klecker, E. Mitchell, J.F. Fennell, G. Gloeckler and C.Y. Fan, "Spatial Distribution of Z > 2 Ions in the Outer Radiation Belt During Quiet Conditions", Conference Papers, XXIIIrd COSPAR, Budapest, Hungary, June 1980, Adv. Space Res., 1, 305-308, 1981.
- Mobius, E., F.M. Ipavich, M. Scholer, G. Gloeckler, D. Hovestadt and B. Klecker, "A Non-thermal Ion-Layer with High Anisotropies at the Plasma Sheet Boundary During Substorm Recovery", Conference Papers, XXIIIrd COSPAR, Budapest, Hungary, June 1980, Adv. Space Res., 1, 231-234, 1981.
 - 8. Scholer, M., F.M. Ipavich, G. Gloeckler, D. Hovestadt and B. Klecker, "Energetic Protons and Alpha Particles >30 keV/charge Near the Earth's Magnetopause During a Reconnection Event", Conference Papers, XXIIIrd COSPAR, Budapest, Hungary, June 1980, Adv. Space Res., 1, 141-144, 1981.
 - 9. Gloeckler, G., H. Weiss, F.M. Ipavich, D. Hovestadt, B. Klecker, L.A. Fisk, M. Scholer, C.Y. Fan and J.J. O'Gallagher, "Observations of the Ionization States of Energetic Particles Accelerated in Solar Flares", Proc. 17th Intl. Cosmic Ray Conf., France, 3, SH3.1-7, 136-139, 1981.
 - 10. Hovestadt, D., B. Klecker, G. Gloeckler and F.M. Ipavich, "Ionic Charge State Distribution in Energetic Storm Particle Enhancements", Proc. 17th Intl. Cosmic Ray Conf., France, 3, SH6.2-12, 451-454, 1981.

- 11. Mobius, E., D. Hovestadt, G. Gloeckler, B. Klecker and M. Scholer, "A Comparison of Helium and Heavy Ion Spectra in ³He-rich Solar Flares with a Model Calculation", Proc. 17th Intl. Cosmic Ray Conf., France, 3, SH3.2-3, 166-169, 1981.
- 12. Pesses, M.E., B. Klecker, G. Gloeckler and D. Hovestadt, "Observations of Interplanetary Energetic Charged Particles from Gamma-Ray Line Solar Flares", Proc. 17th Intl. Cosmic Ray Conf., France, 3, SH1.2-10, 36-39, 1981.
- 13. Ipavich, F.M., A.B. Galvin, G. Gloeckler, D. Hovestadt, B. Klecker and M. Scholer, "Iron Charge States Observed in the Solar Wind", Proc. of the Solar Wind 5 Conference, Woodstock, NASA Conf. Pub. 2280, 597-604, 1983.
- 14. Hovestadt, D., B. Klecker and G. Gloeckler, "Survey of He⁺/He²⁺
 Abundance Ratios in Energetic Particle Events", Proc. of the Solar Wind
 5 Conference, Woodstock, NASA Conf. Pub. 2280, 647-652, 1983.
- T-15. Scholer, M., "Interplanetary Shock Effects on Solar and Galactic Cosmic Rays Observational Results", Invited Talks, 8th European Cosmic Ray Symposium, Tecnoprint, 1-16, Bologna, 1983.
 - 16. Hovestadt, D., B. Klecker, M. Scholer, G. Gloeckler and F.M. Ipavich, "Survey of He+/He++ Abundance Ratios in Energetic Particle Events", Proc. 18th Intl. Cosmic Ray Conf., Bangalore, 4, SP2-16, 61-64, 1983.
 - 17. Klecker, B. and M. Scholer, "The Influence of the Ionic Charge Composition on Heavy Ion Abundance Variations During Solar Energetic Particle Events", Proc. 18th Intl. Cosmic Ray Conf., Bangalore, 4, SP5.1-2, 123-126, 1983.
 - 18. Klecker, B., "Propagation of Energetic Particles in the Solar Wind", Adv. Space Res., 2, 11, 285-292, 1983.
- 19. Gloeckler, G., "Characteristics of Solar and Heliospheric Ion Populations Observed Near Earth", presented at the XXV COSPAR, Graz Symposium on Nucleosynthesis and Acceleration of Cosmic Rays, Graz, Austria, June 1984 (invited), Adv. Space Res., 4, 127-137, 1984.
- 20. Scholer, M., "Acceleration of Energetic Particles at Heliospheric Shocks", Proc. Intl. Symposium on Cosmic Ray Modulation in the Heliosphere, Morioka, Japan, 161-175, 1984.
- 21. Terasawa, T., M. Scholer, F.M. Ipavich, D. Hovestadt, B. Klecker, G. Gloeckler, T.R. Sanderson and E.J. Smith, "Particles Upstream of the Distant Bow Shock: ISEE-3 Observations", Proc. Intl. Symposium on Cosmic Ray Modulation in the Heliosphere, Morioka, Japan, 235-242, 1984.
- 22. Gloeckler, G., F.M. Ipavich and D. Hovestadt, "Spatial Dependence of the Local Diffusion Coefficient Upstream of Interplanetary Shocks Deduced from Measurements of Suprathermal H and He in ESP Events", Proc. 19th Intl. Cosmic Ray Conf., San Diego, 4, SH1.5-12, 182-185, 1985.

- 23. Mason, G.M., D.C. Hamilton, G. Gloeckler and B. Klecker, "Radial Transport of 1 MeV/nucleon Ions During the 22 November 1977 Solar Particle Event", Proc. 19th Intl. Cosmic Ray Conf., San Diego, CA, 4, SH3.2-5, 347-350, 1985.
- 24. Mason, G.M., B. Klecker, A.B. Galvin, D. Hovestadt and F.M. Ipavich, "Temporal Variations of the Anomalous Oxygen Component, 1977-1984", Proc. 19th Intl. Cosmic Ray Conf., San Diego, 5, SH4.6-3, 168-171, 1985.
- 25. Mason, G.M., D.V. Reames, D. Hovestadt and T.T. von Rosenvinge, "The Heavy Ion Composition in ³He-rich Solar Flares", Proc. 19th Intl. Cosmic Ray Conf., San Diego, 4, SH2.2-7, 281-284, 1985.
- 26. Luhn, A., D. Hovestadt, B. Klecker, M. Scholer, G. Gloeckler, F. Ipavich, A.B. Galvin, C.Y. Fan and L.A. Fisk, "The Mean Ionic Charges of N, Ne, Mg, Si, and S During Energetic Particle Events", Proc. 19th Intl. Cosmic Ray Conf., San Diego, 4, SH2.1-11, 241-244, 1985.
- 27. Luhn, A. and D. Hovestadt, "Calculations of Heavy Ion Charge State Distributions for Nonequilibrium Conditions", Proc. 19th Intl. Cosmic Ray Conf., San Diego, 4, SH2.1-12, 245-248, 1985.
- 28. Luhn, A., B. Klecker, D. Hovestadt and E. Mobius, "The Mean Ionic Charge of Silicon in ³He-Rich Solar Flares", <u>Proc. 19th Intl. Cosmic Ray Conf.</u>, San Diego, 4, SH2.2-8, 285-288, 1985.
- 29. Evenson, P., D. Hovestadt, P. Meyer and D. Moses, "Energy Spectra of Solar Flare Electrons", Proc. 19th Intl. Cosmic Ray Conf., San Diego, 4, SH1.2-14, 74-77, 1985.
- 30. Tsurutani, B.T., A.L. Brinca, E.J. Smith, R.M. Thorne, F.L. Scarf, J.T. Gosling and F.M. Ipavich, "MHD Waves Detected by ICE at Distances > 28x106 km from Comet Halley: Cometary or Solar Wind Origin?", (Proc. 20th ESLAB Symposium on Comets, Heidelburg, 1986), to be published in Astron. and Astro., 1987.
- 31. Smith, E.J., J.A. Slavin, S.J. Bame, M.F. Thomson, S.W.H. Cowley, I.G. Richardson, D. Hovestadt, F.M. Ipavich, K.W. Ogilvie, M.A. Coplan, T.R. Sanderson, K.-P. Wenzel, F.L. Scarf, A.F. Vinas and J.D. Scudder, "Analysis of the Giacobini-Zinner Bow Wave", (Proc. 20th ESLAB Symposium on Comets, Heidelburg, 1986), to be published in Astron. and Astro., 1987.

C. Talks Presented at Scientific Meetings

- 1. Ipavich, F.M., G. Gloeckler, D. Hovestadt, B. Klecker, M. Scholer, C.Y. Fan, L.A. Fisk and J.J. O'Gallagher, "Observations of Low Energy Charged Particles Near the Earth's Bow Shock on ISEE-1", EOS, 59, 4, SM53, 354, 1978.
- 2. Hovestadt, D., B. Klecker, M. Scholer, G. Gloeckler, F.M. Ipavich, C.Y. Fan, L.A. Fisk and J.J. O'Gallagher, "Composition of Heavy Ions in the Earth's Outer Radiation Zone Observed on ISEE-1", EOS, 59, 4, SM54, 354, 1978.
- 3. Gloeckler, G., F.M. Ipavich, D. Hovestadt, B. Klecker, M. Scholer, C.Y. Fan, L.A. Fisk and J.J. O'Gallagher, "Evidence for a Solar Wind Origin of Heavy Ions in the Earth's Trapped Radiation", <u>Bull. APS</u>, <u>23</u>, 4, AJ15, 510, 1978.
- 4. Ipavich, F.M., G. Gloeckler, M. Scholer, D. Hovestadt and B. Klecker, "Anisotropy and Composition of Energetic Particles in Corotating Events", Bull. APS, 23, 4, AJ12, 509, 1978.
- 5. Hovestadt, D., G. Gloeckler, B. Klecker, C.Y. Fan, L.A. Fisk, F.M. Ipavich, J.J. O'Gallagher and M. Scholer, "Composition Measurements of Heavy Ions in the Earth's Radiation Belt on ISEE-1", presented at the International Symposium on Solar-Terrestrial Physics, Innsbruck, Austria, 29 May 3 June 1978.
- 6. Hovestadt, D., G. Gloeckler, C.Y. Fan, L.A. Fisk, F.M. Ipavich, B. Klecker, J.J. O'Gallagher and M. Scholer, "On the Distribution of Magnetospherically Trapped Heavy Ions", presented at the International Symposium on Solar-Terrestrial Physics, Innsbruck, Austria, 29 May 3 June 1978.
- 7. Ipavich, F.M., G. Gloeckler, L.A. Fisk, D. Hovestadt, B. Klecker, M. Scholer, C.Y. Fan and J.J. O'Gallagher, "Low Energy Ions Observed Near the Earth's Bow Shock on ISEE-1", presented at the International Symposium on Solar-Terrestrial Physics, Innsbruck, Austria, 29 May 3 June 1978.
- 8. Hovestadt, D., B. Klecker, M. Scholer, G. Gloeckler, F. Ipavich, C.Y. Fan, L.A. Fisk and J.J O'Gallagher, "First Results on Solar Flare Particle Observations from ISEE-1", EOS, 59, 12, SC4, 1151, 1978.
- 9. Ipavich, F.M., G. Gloeckler, D. Hovestadt, B. Klecker, M. Scholer, C.Y. Fan, L.A. Fisk and J.J. O'Gallagher, "Low Energy Charged Particles Observed Near the Earth's Bow Shock on ISEE-1", EOS, 59, 12, SS7, 1173, 1978.
- 10. Klecker, B., G. Gloeckler, F.M. Ipavich, D. Hovestadt, M. Scholer, C.Y. Fan and L.A. Fisk, "Energetic Ions and Electrons in the Plasma Sheet During Substorms", EOS, 60, 18, SM114, 358, 1979.

- 11. Scholer, M., G. Gloeckler, F.M. Ipavich, E. Mobius, D. Hovestadt, B. Klecker, C.Y. Fan and L.A. Fisk, "Anisotropies of Energetic Protons Near the Earth's Bow Shock", EOS, 60, 18, SS50, 368, 1979.
- 12. Mobius, E., G. Gloeckler, F.M. Ipavich, M. Scholer, D. Hovestadt, B. Klecker, C.Y. Fan and L.A. Fisk, "Investigation of the Energy Distribution of Protons and Alpha Particles in the Plasma Sheet above 30 keV", EOS, 60, 18, SM11, 345, 1979.
- 13. Galvin, A.B., G. Gloeckler, F.M. Ipavich, D. Hovestadt, B. Klecker, M. Scholer, C.Y. Fan, L.A. Fisk and J.J. O'Gallagher, "Observations of Low Energy Charged Particles Upstream of the Earth's Bow Shock On ISEE-1", EOS, 60, 18, SS51, 369, 1979.
- 14. Ipavich, F.M., A.B. Galvin, G. Gloeckler, D. Hovestadt, B. Klecker, M. Scholer, C.Y. Fan, L.A. Fisk and J.J. O'Gallagher, "Observations of Iron in the Solar Wind: Initial Results from ISEE-3", EOS, 60, 18, SS7, 373, 1979.
 - 15. Klecker, B., M. Scholer, D. Hovestadt, C.Y. Fan, L.A. Fisk, G. Gloeckler, F.M. Ipavich and J.J. O'Gallagher, "Temporal Variations of the Particle Composition During Solar Flares", abstract published in Proc. 16th Intl. Cosmic Ray Conf., Japan, 5, SP2-8, 78, 1979.
 - 16. Klecker, B., D. Hovestadt, G. Gloeckler, C.Y. Fan, L.A. Fisk, F.M. Ipavich, M. Scholer and J.J. O'Gallagher, "On the Composition of Low Energy Cosmic Rays During Interplanetary Particle Enhancements", abstract published in Proc. 16th Intl. Cosmic Ray Conf., Japan, 5, SP2-5, 75, 1979.
 - 17. Hovestadt, D., E. Mobius, G. Gloeckler, C.Y. Fan, L.A. Fisk, F.M. Ipavich, B. Klecker, M. Scholer and J.J. O'Gallagher, "Investigation of the Energy Spectra and Their Temporal Evolution During 3He-rich Events", abstract published in Proc. 16th Intl. Cosmic Ray Conf., Japan, 5, SP2-13, 101, 1979.
 - 18. Fennell, J., D. Hovestadt, B. Klecker and G. Gloeckler, "Energetic Trapped Ions in the Magnetosphere", EOS, 60, 46, SM164, 928, 1979.
 - 19. Ipavich, F.M., A.B. Galvin, G. Gloeckler, M. Scholer, D. Hovestadt and B. Klecker, "Composition and Energy Spectra of Low Energy Ions Observed Upstream of the Earth's Bow Shock", presented at the Upstream Wave and Particle Workshop, Pasadena, CA, April 15-16, 1980.
 - 20. Scholer, M., F.M. Ipavich, G. Gloeckler and D. Hovestadt, "Conditions for Acceleration of Energetic Ions > 30 keV at the Earth's Bow Shock", presented at the Upstream Wave and Particle Workshop, Pasadena, CA, April 15-16, 1980.
 - 21. Scholer, M., F.M. Ipavich, G. Gloeckler, D. Hovestadt and B. Klecker, "A Beam of Protons and Alpha Particles > 30 keV/Charge Originating from the Earth's Bow Shock", presented at the Upstream Wave and Particle Workshop, Pasadena, CA, April 15-16, 1980.

- 22. Ipavich, F.M., A.B. Galvin, G. Gloeckler, M. Scholer, D. Hovestadt and B. Klecker, "Composition and Energy Spectra of Low Energy Ions Observed Upstream of the Earth's Bow Shock", EOS, 61, 17, SS13, 351, 1980.
- 23. Galvin, A.B., G. Gloeckler, F.M. Ipavich, D. Hovestadt, B, Klecker, M. Scholer, C.Y. Fan, L.A. Fisk and J.J. O'Gallagher, "Charge State Analysis of Low Energy Heavy Ions in the Vicinity of the Earth's Bow Shock on ISEE-1", EOS, 61, 17, SS12, 351, 1980.
- 24. Weiss, H., G. Gloeckler, F.M. Ipavich, D. Hovestadt, B. Klecker, M. Scholer, L.A. Fisk and C.Y. Fan, "Energy and Ionic Charge Measurements of Energetic Interplanetary Particle Events from ISEE-3", EOS, 61, 17, SC4, 327, 1980.
- 25. Mobius, E., M. Scholer, F.M. Ipavich, G. Gloeckler, D. Hovestadt and B. Klecker, "Observations of a Non-thermal Ion Layer at the Plasma Sheet Boundary During Substorm Recovery", presented at the 7th MPAe Lindau Workshop on Ion Composition, August, 1980.
- 26. Ipavich, F.M., A.B. Galvin, G. Gloeckler, B. Klecker, D. Hovestadt and M. Scholer, "Composition, Spectral and Spatial Characteristics of Particle Events Observed Upstream of the Earth's Bow Shock", presented at the 7th MPAe Lindau Workshop on Ion Composition, August 1980.
 - 27. Ipavich, F.M., G. Gloeckler, D. Hovestadt, C.Y. Fan, L.A. Fisk, B. Klecker, J.J. O'Gallagher and M. Scholer, "Observations of Solar Wind Iron Based on Simultaneous E/Q and Total Energy Measurements", presented at the 7th MPAe Lindau Workshop on Ion Composition, August 1980.
 - 28. Weiss, H., G. Gloeckler, F.M Ipavich, D. Hovestadt, B. Klecker, M. Scholer, L.A. Fisk, C.Y. Fan and J.J. O'Gallagher, "Direct Observations of Ionization States for Heavy Nuclei of 1 MeV/nuc Solar Flare Ions", EOS, 61, 46, SS25, 1097, 1980.
 - 29. Klecker, B., D. Hovestadt, M.E. Pesses and G. Gloeckler, "Interplanetary Observations of Energetic Charged Particles from the γ-ray Line Solar Flare of 7 June 1980", presented at the American Astronomical Society Meeting, January, 1981, <u>Bull. AAS</u>, <u>12</u>, 4, 890, 1980.
 - 30. Gloeckler, G., H. Weiss, F.M. Tpavich, D. Hovestadt, B. Klecker and M. Scholer, "A Survey of ~1 MeV/nuc He⁺/He⁺⁺ in Solar Flare Particle Events During 1978-9", Bull. APS, 26, 4, AJ8, 542, 1981.
 - 31. Pesses, M.E., G. Gloeckler, B. Klecker and D. Hovestadt, "Observations of Interplanetary Energetic Charged Particles from Gamma Ray Line Solar Flares", EOS, 62, 17, SC16, 350, 1981.
 - 32. Galvin, A.B., F.M. Ipavich and G. Gloeckler, "Charge State Analysis of Low Energy Heavy Ions in Upstream Particle Bursts", EOS, 62, 17, SC26, 352, 1981.
 - 33. Ipavich, F.M., G. Gloeckler and M. Scholer, "Temporal Behavior of Diffuse Ions Upstream and Downstream of the Earth's Bow Shock", EOS, 62, 17, SC25, 351, 1981.

- 34. Mobius, E., D. Hovestadt, G. Gloeckler and F.M. Ipavich, "Survey of ³He in Solar Cosmic Rays During the 1978 to 1980 Period", EOS, 62, 17, SC17, 351, 1981.
- 35. Hovestadt, D., B. Klecker, F.M. Ipavich and G. Gloeckler, "Filamentary Structure of the Magnetopause Electron Boundary Layer", EOS, 62, 17, SM141, 370, 1981.
- 36. Scholer, M., D. Hovestadt, F.M. Ipavich and G. Gloeckler, "Upstream Energetic Ions and Electrons: Bow Shock Associated or Magnetospheric Origin?", EOS, 62, 17, SC27, 352, 1981.
- 37. Klecker, B., M. Scholer and F.M. Ipavich, "Statistical Analysis of Beams of Upstreaming Particles > 30 keV Near the Earth's Bow Shock", EOS, 62, 17, SC24, 351, 1981.
- 38. Scholer, M., F.M. Ipavich, D. Hovestadt, G. Gloeckler and L.A. Fisk, "Spectra and Anisotropies of Ions > 30 keV Near the Earth's Bow Shock", abstract published in Proc. 17th Intl. Cosmic Ray Conf., France, 3, SH6.3-3, 472, 1981.
- 39. Schiferl, S., C.Y. Fan, K.N. Erickson, G. Gloeckler and D. Hovestadt, "Acceleration Mechanisms for Energetic Particles in the Earth's Magnetosphere", abstract published in Proc. 17th Intl. Cosmic Ray Conf., France, 3, SH6.3-12, 491, 1981.
- 40. Gloeckler, G. and D. Hovestadt, "Charge States and Composition of ~1 MeV/nuc Ions in Solar Flare Particles and Energetic Storm Particle Events", EOS, 63, 18, SC22-2, 398, 1981 (invited).
- 41. Terasawa, T., M. Scholer and F.M. Ipavich, "Temporal Development of Intensity and Anisotropies During Upstream Particle Events", EOS, 63, 18, SS31-7, 423, 1982.
- 42. Klecker, B., D. Hovestadt, M. Scholer, G. Gloeckler and F.M. Ipavich, "Direct Determination of the Ionic Charge State Distribution of Heavy Ions in He³ Rich Solar Particle Events", EOS, 63, 18, SC22-4, 399, 1982.
- 43. Scholer, M., "Energetic Particle Signatures During Possible Reconnection Events", EOS, 63, 18, SM42A-6, 415, 1982 (invited).
- '44. Scholer, M., F.M. Ipavich, G. Gloeckler and D. Hovestadt, "Interaction of Interplanetary Shock Associated Particles with the Earth's Bow Shock", EOS, 63, 18, SC31-3, 423, 1982.
- 45. Ipavich, F.M., J. Gosling and M. Scholer, "Simultaneous Observations of the He/H Ratio in the Solar Wind and in the Diffuse Ion Upstream Population", EOS, 63, 18, SC31-1, 423, 1982.
- 46. Galvin, A.B., F.M. Ipavich and G. Gloeckler, "Solar Wind Ionization Temperatures Inferred from the Charge State Analysis of Diffuse Ion Events", EOS, 63, 18, SS32-7, 424, 1982.

- 47. Sung, L.S. Ma, G. Gloeckler and D. Hovestadt, "Composition and Ionization States of Solar Flare-Associated Particles Observed by ISEE-1", EOS, 63, 18, SC22-3, 399, 1982.
- 48. Ipavich, F.M. and M. Scholer, "Anisotropy and Intensity Variations of Diffuse Ions as Functions of Distance Upstream of the Earth's Bow Shock", abstract published in Abstracts 24th COSPAR/STEP, Ottawa, 8.1.2, 215, 1982.
- 49. Scholer, M., F.M. Ipavich, G. Gloeckler and D. Hovestadt, "Energetic Protons and Alpha Particles Near Travelling Interplanetary Shock Waves", abstract published in <u>Abstracts 24th COSPAR/STEP</u>, Ottawa, STPII.3.7, 45, 1982.
- 50. Klecker, B., E. Mobius, D. Hovestadt, G. Gloeckler, L.A. Fisk and M. Scholer, "Direct Determination of the Nuclear and Ionic Charge of Heavy Ions in ³He-Rich Solar Particle Events", presented at the 8th European Cosmic Ray Symposium, Rome, Italy, A2.1, September 1982.
- Analysis of the ³He Environment in Solar Cosmic Rays During the 1978-1980 Period", presented at the 8th European Cosmic Ray Symposium, Rome, Italy, A2.2, September 1982.
- 52. Hovestadt, D., B. Klecker and G. Gloeckler, "Survey of He⁺/He⁺⁺ Abundance Ratios in Energetic Particle Events", presented at the 8th European Cosmic Ray Symposium, Rome, Italy, A2.3, September 1982.
- 53. Ipavich, F.M. and M. Scholer, "Thermal and Suprathermal Protons and Alpha Particles in the Earth's Plasma Sheet", presented at the Geomagnetic Tail Meeting, GSFC, October 1982.
- 54. Sung, L.S. Ma, G. Gloeckler and D. Hovestadt, "Ionization States of Energetic Helium Ions in the Earth's Inner Magnetosphere", EOS, 63, 45, SM32A-07, 1075, 1982.
- Variations of Diffuse Ions Upstream of the Earth's Bow Shock", EOS, 63, 45, SS11-11, 1085, 1982.
 - 56. Klecker, B., D. Hovestadt, E. Mobius and G. Gloeckler, "Ladungszustande Schwerer Ionen Wahrend Solarer Ereignisse mit Anomalen Elementhaufigkeiten", presented at Ag Extraterrestrische Physik, Konstanz, Switzerland, March 1983.
 - 57. Hovestadt, D., B. Klecker and G. Gloeckler, "Statistische Untersuchungen der Haufigkeitsverhaltmisse von He⁺/He⁺⁺ in Solarer Kosmischer Strahlung", presented at Ag Extraterrestrische Physik, Konstanz, Switzerland, March 1983.
 - 58. Ipavich, F.M., G. Gloeckler, A.B. Galvin, D. Hovestadt, M. Scholer and B. Klecker, "Energetic (>100 keV) O[†] Ions in the Earth's Plasma Sheet", EOS, 64, 18, SM31-03, 295, 1983.

- 59. Galvin, A.B., F.M. Ipavich, G. Gloeckler, D. Hovestadt, M. Scholer and B. Klecker, "Spectra and Charge State Composition of Energetic Particles in the Earth's Plasma Sheet", EOS, 64, 18, SM31-02, 295, 1983.
- 60. Gloeckler, G., F.M. Ipavich, D. Hovestadt, B. Klecker, M. Scholer and C.Y. Fan, "First Observations of Protons, Helium and Heavy Ions in the Distant Terrestrial Magnetosphere with ISEE-3", EOS, 64, 18, SM31-01, 295, 1983.
- 61. Sung, L.S. Ma, G. Gloeckler, D. Hovestadt and B. Klecker, "An Investigation of the 0.5 MeV/nuc He and He Ions in the Earth's Outer Radiation Belt", EOS, 64, 18, SM41A-08, 297, 1983.
- 62. Ipavich, F.M., G. Gloeckler, A.B. Galvin, D. Hovestadt, M. Scholer and B. Klecker, "Energetic (>100 keV) O[†] Ions in the Earth's Plasma Sheet", presented at the 18th IUGG/IAGA meeting, Hamburg, West Germany, abstract published in IAGA Bull. #48, PP.12, 329, 1983.
- 63. Ipavich, F.M., A.B. Galvin, G. Gloeckler, D. Hovestadt, M. Scholer and B. Klecker, "Solar Wind Fe Charge States in a Coronal Hole-Associated High Speed Stream", presented at the IUGG/IAGA meeting, Hamburg, West Germany, abstract published in IAGA Bull. #48, 4L.06, 420, 1983.
- 64. Galvin, A.B., F.M. Ipavich, G. Gloeckler, D. Hovestadt, B. Klecker and M. Scholer, "Coronal Equilibrium Temperatures Inferred from the Charge State Analysis of Energetic Particles", presented at the 18th IUGG/IAGA meeting, Hamburg, West Germany, abstract published in IAGA Bull.#48, 4L.07, 420, 1983.
- 65. Mobius, E., M. Scholer, D. Hovestadt, G. Paschmann and G. Gloeckler, "Energetic Particles in the Vicinity of a Possible Neutral Line in the Plasma Sheet", presented at the 18th IUGG/IAGA meeting, Hamburg, West Germany, abstract published in IAGA Bull. #48, G3.33, 379, 1983.
- 66. Gloeckler, G., F.M. Ipavich, D. Hovestadt, B. Klecker, M. Scholer and C.Y. Fan, "First Observations of Protons, Helium and Heavy Ions in the Distant Terrestrial Magnetosphere with ISEE-3", abstract published in Proc. 18th Intl. Cosmic Ray Conf., Bangalore, 3, MG2.2-3, 60, 1983.
- 67. Sung, L. Ma, G. Gloeckler, D. Hovestadt and B. Klecker, "Energetic He and He in the Earth's Outer Radiation Belt", abstract published in Proc. 18th Intl. Cosmic Ray Conf., Bangalore, 3, MG2.2-7, 67, 1983.
- 68. Hamilton, D.C. and G. Gloeckler, "The September 1979 Solar Cosmic Ray Event", abstract published in Proc. 18th Intl. Cosmic Ray Conf., Bangalore, 4, SP2-1, 30, 1983.

- 69. Klecker, B., D. Hovestadt, G. Gloeckler and F.M. Ipavich, "Direct Determination of the Ionic Charge Distribution of Heavy Ions in Fe-Rich Solar Energetic Particle Events", abstract published in Proc. 18th Intl. Cosmic Ray Conf., Bangalore, 4, SP2-17, 65, 1983.
- 70. Klecker, B., D. Hovestadt, M. Scholer, E. Mobius, G. Gloeckler, F.M. Ipavich, C.Y. Fan and L.A. Fisk, "Ionization States of Helium in ³He-Rich Solar Energetic Particle Events", abstract published in <u>Proc. 18th Intl. Cosmic Ray Conf.</u>, Bangalore, <u>4</u>, SP2-15, 60, 1983.
- 71. Scholer, M., B. Klecker, D. Hovestadt and G. Gloeckler, "Energetic Particle Spectra Upstream and Downstream of Interplanetary Shock Waves", abstract published in Proc. 18th Intl. Cosmic Ray Conf., Bangalore, 3, MG4-18, 166, 1983.
- 72. Gloeckler, G., "Flare Triggered Particle Increases Beyond 1 AU", presented at the Solar Wind 5 Conference, Woodstock, November 1983, abstract published in NASA Conf. Pub. 2280, 421, 1983.
- 73. Mason, G.M., D. Hovestadt, B. Klecker and G. Gloeckler, "Radial Transport of ~1 MeV/nucleon Ions During the November 1977 Solar Particle Event", EOS, 64, 45, SC11-06, 789, 1983.
- 74. Klecker, B., M. Scholer, D. Hovestadt, G. Gloeckler and F.M. Ipavich, "Morphology of Suprathermal Protons and Electrons in the Distant Magnetotail", EOS, 64, 45, SM52A-07, 818, 1983.
- 75. Scholer, M., G. Gloeckler, B. Klecker, F.M. Ipavich and D. Hovestadt, "Fast Moving Plasma Structures in the Distant Magnetotail", EOS, 64, 45, SM52A-08, 818, 1983.
- 76. Gloeckler, G., F.M. Ipavich, D. Hovestadt, M. Scholer and B. Klecker, "Energy Spectra of Suprathermal Protons and Alpha Particles in the Distant Magnetotail", EOS, 64, 45, SM52A-06, 817, 1983 (invited).
- -77. Hamilton, D.C., G. Gloeckler and B. Klecker, "Multi-Spacecraft Observations of a Long-Lived Solar Particle Event", EOS, 64, 45, SCII-04, 789, 1983.
- 78. Ipavich, F.M., A.B. Galvin and M. Scholer, "Anisotropy and Intensity Variations of Diffuse Ions Upstream of the Earth's Bow Shock", presented at the Chapman Conference on Collisionless Shock Waves in the Heliosphere, Napa Valley, Feb. 1984.
- 79. Ipavich, F.M., J.T. Gosling and M. Scholer, "Correlation Between the He/H Ratios in Upstream Particle Events and in the Solar Wind", presented at the Chapman Conference on Collisionless Shock Waves in the Heliosphere, Napa Valley, Feb. 1984.
- 80. Ipavich, F.M., A.B. Galvin, G. Gloeckler, M. Scholer, D. Hovestadt and B. Klecker, "Energetic O⁺ Ions in the Earth's Magnetosphere (CDAW-6)", EOS, 65, 28, SM22B-22, 439, 1984.

- 81. Galvin, A.B., F.M. Ipavich, G. Gloeckler, D. Hovestadt, B. Klecker and M. Scholer, "Suprathermal Solar Wind Heavy Ions in the Plasma Sheet", EOS, 65, 28, SM22B-23, 439, 1984.
- 82. Gloeckler, G., F.M. Ipavich, M. Scholer, D. Hovestadt and B. Klecker, "Characteristics of Suprathermal (10-150 keV/e) H and He in Plasmoids in the Distant Geomagnetic Tail", EOS, 65, 16, SM42A-02, 265, 1984.
- 83. Hovestadt, D., M. Scholer, B. Klecker, G. Gloeckler and F.M. Ipavich, "Suprathermal Ions and Electrons of Magnetospheric Origin in the Distant Magnetosheath", EOS, 65, 16, SM42A-03, 265, 1984.
- 84. Scholer, M., B. Klecker, D. Hovestadt, G. Gloeckler and F.M. Ipavich, "Plasma Sheet Dynamics in the Distant Magnetotail at ~70 R_E", EOS, 65, 16, SM42A-01, 265, 1984.
- 85. Baumjohann, W., M. Scholer, D.N. Baker, S.J. Bame, E.J. Smith, B.T. Tsurutani, G. Gloeckler and C.T. Russell, "Correlated Analysis of Substorm Phenomena at Synchronous Orbit, in the Near-Earth Plasma Sheet and at the Distant Magnetotail", EOS, 65, 16, SM42A-05, 265, 1984.
- 86. Klecker, B., M. Scholer, D. Hovestadt, G. Gloeckler, F.M. Ipavich and E.J. Smith, "Correlation Between Proton Anisotropy and Magnetic Field Direction in the Distant Geotail", <u>EOS</u>, 65, 16, SM42A-04, 265, 1984.
- 87. Klecker, B., "Ionization States of Energetic Particles Accelerated in Solar Flares", EOS, 65, 16, SC32-01, 253, 1984 (invited).
- 88. Luhn, A., D. Hovestadt, B. Klecker and G. Gloeckler, "Ionic Charge States of N, Ne, Mg, Si and S in Solar Flare Particle Events", EOS, 65, 16, SC32-03, 253, 1984.
- 89. Gloeckler, G., F.M. Ipavich, A.B. Galvin, D. Hovestadt, M. Scholer and B. Klecker, "Distribution Functions of Suprathermal Protons and Alpha Particles in ESP Events", EOS, 65, 45, SC42-05, 1035, 1984.
- 90. Mason, G.M., D.V. Reames, T.T. von Rosenvinge, B. Klecker and D. Hovestadt, "Heavy Ion Abundances in ³He-rich Solar Flares", EOS, 65, 45, SC42-08, 1036, 1984.
- 91. Luhn, A., D. Hovestadt, B. Klecker and G. Gloeckler, "Ladungszustande der seltenern Elemente N, Ne, Mg, Si and S in He -und ³He-reichen solaren Teilchenereignissen", presented at the Ag Extraterrestrische Physik Conference, Munich, West Germany, March 1985.
- 92. Mason, G.M., B. Klecker and D. Hovestadt, "Temporal Variations of the Anomalous Oxygen Component, 1977-1984", EOS, 66, 18, SC22-03, 329, 1985.
- 93. Galvin, A.B., F.M. Ipavich, G. Gloeckler, D. Hovestadt, B. Klecker and M. Scholer, "Iron Charge States in Fast Solar Wind", EOS, 66, 18, SS42-01, 333, 1985.

- 94. Ipavich, F.M., A.B. Galvin, G. Gloeckler, D.C. Hamilton, D. Hovestadt, G. Kremser, W. Studemann, and B. Wilken, "Energetic Ionospheric Ions in the Outer Magnetosphere", presented at the Chapman Conference on Ion Acceleration, Wellesley, Mass., June 1985.
- 95. Hones, E.W., Jr., G. Gloeckler, T.A. Fritz, F.M. Ipavich, J. Birn and S.J. Bame, "Energy Spectra of Ions Measured in the Near and Distant Magnetotail During Substorms", presented at the Chapman Conference on Ion Acceleration, Wellesley, Mass., June 1985.
- 96. Hamilton, D.C., G.M. Mason and G. Gloeckler, "Constraints on Solar Flare Particle Transport Models from Anisotropy Observations at Voyager 1", Proc. 19th Intl. Cosmic Ray Conf., San Diego, CA, 4, SH3.1-8, 321, 1985.
- 97. Ipavich, F.M., A.B. Galvin, G. Gloeckler, D. Hovestadt, S.J. Bame, B. Klecker, M. Scholer and L.A. Fisk, "Solar Wind Fe Measurements in High Speed Flows", 5th Scientific Assembly of IAGA, Prague, 2, 4.05.03, 329, 1985.
- 98. Galvin, A.B., F.M. Ipavich, G. Gloeckler, D. Hovestadt, B. Klecker and M. Scholer, "Solar Wind Iron Charge States preceding a Driver Plasma", 5th Scientific Assembly of IAGA, Prague, 2, 4.05.04, 329, 1985.
 - 99. Nishida, A., M. Scholer, T. Terasawa, G. Gloeckler, E.J. Smith and R. Zwickl, "Dormant Neutral Line Within the Distant Plasma Sheet: A New Substorm Feature", 5th Scientific Assembly of IAGA, Prague, 2, 3.06.08, 293, 1985.
 - 100. Scholer, M., T. Terasawa, C.T. Russell and F.M. Ipavich, "Correlated Measurements of Diffuse Ions and Low Frequency Waves Upstream of the Earth's Bow Shock", 5th Scientific Assembly of IAGA, Prague, 2, 4.06.10, 333, 1985.
 - 101. Galvin, A.B., F.M. Ipavich, G. Gloeckler, M. Scholer, B. Klecker and D. Hovestadt, "ISEE-3 Observations of Energetic Electrons in the Distant Magnetopause Boundary Layer", Chapman Conference on Magnetotail Physics, Laurel, MD, Abstracts, I.9, 1985 (poster paper).
 - 102. Scholer, M., B. Klecker, D. Hovestadt, G. Gloeckler, F.M. Ipavich, A.B. Galvin, D.N. Baker and B.T. Tsurutani, "Energetic Ion and Electron Beams at the Plasma Sheet Boundary in the Distant Tail: ISEE-3 Observations", Chapman Conference on Magnetotail Physics, Laurel, MD, Abstracts, 38, 1985.
 - 103. Nishida, A., M. Scholer, T. Terasawa, S.J. Bame, G. Gloeckler, E.J. Smith and R.D. Zwickl, "Quasi-stagnant Plasmoid in the Middle Tail: A New Pre-expansion Phase Phenomenon", Chapman Conference on Magnetotail Physics, Laurel, MD, Abstracts, 19, 1985.
 - 104. Baker, D.N., S.J. Bame, J.T. Gosling, R.D. Zwickl, M. Scholer, J.A. Slavin, E.J. Smith and J.F. Fennell, "Propagation of Fast Wave Disturbances Along the Distant Magnetotail", Chapman Conference on Magnetotail Physics, Laurel, MD, Abstracts, II.2, 1985 (poster paper).

- 105. Richardson, I.G., M. Scholer, B.T. Tsurutani, P.W. Daly, R.C. Elphic and D.N. Baker, "Observation of the Formation of a Plasmoid in the Geomagnetic Tail by ISEE-1 and ISEE-3", Chapman Conference on Magnetotail Physics, Laurel, MD, Abstracts, II.10, 1985 (poster paper).
- 106. Mason, G.M., D.C. Hamilton, B. Klecker and D. Hovestadt, "Scatter-Free Interplanetary Propagation of Low Energy Solar Flare Ions", EOS, 66, 46, SC/SS32A-03, 1018, 1985.
- 107. Hovestadt, D., F.M. Ipavich, G. Gloeckler, A.B. Galvin, B. Klecker, M. Scholer, C.Y. Fan and L.A. Fisk, "Measurement of Energetic Ions Produced by Interaction of Cometary Gas with the Solar Wind", EOS, 66, 46, SC/SS21-07, 1014, 1985 (invited).
- 108. Mason, G.M., L.C. Tan, F.M. Ipavich, G. Gloeckler, R.D. Zwickl and S.J. Bame, "Shock Accelerated H and He Fluxes and Their Relation to the Solar Wind Composition", (Washington, DC), BAPS, 31, 4, EG10, 813, 1986.
 - 109. Ipavich, F.M., "Particle Acceleration at Solar Wind Shocks", Symposium of the Division of Astrophysics: Supernovae and Energetic Particles, (Washington, DC), BAPS, 31, 4, DD4, 795, 1986, (invited).
 - 110. Galvin, A.B., F.M. Ipavich, G. Gloeckler, D. Hovestadt, B. Klecker, M. Scholer and S.J. Bame, "Solar Wind Ion Charge States Preceding a Driver Plasma", EOS, 67, 16, SC/SS12-04, 327, 1986.
 - 111. Gloeckler, G., F.M. Ipavich, A.B. Galvin, D. Hovestadt, B. Klecker and M. Scholer, "Distribution Functions of Cometary Pick-up Ions Observed at P/Giacobini-Zinner with ICE", EOS, 67, 16, SC/SS32-02, 332, 1986.
- 112. Ipavich, F.M., G. Gloeckler, A.B. Galvin, D. Hovestadt, B. Klecker, M. Scholer and B. Tsurutani, "In situ Observations of Pickup Ions Near Comet P/Giacobini-Zinner", EOS, 67, 16, SC/SS32-04, 332, 1986.
- 113. Tan, L.C., G.M. Mason, G. Gloeckler and F.M. Ipavich, "Flow Speed and Energy Spectra of Downstream Energetic Particles During the November 12, 1978 Interplanetary Shock Event", EOS, 67, 16, SC/SS21-04, 328, 1986.
- 114. Beeck, J., G.M. Mason, D.C. Hamilton, H. Kunow and D. Hovestadt, "A Three Spacecraft Study of the November 27, 1977 Solar Flare Event," EOS, 67, 16, SC/SS21-03, 328, 1986.
- 115. Mason, G.M., B. Klecker and D. Hovestadt, "Low Energy Scatter-Free Solar Particle Events", EOS, 67, 16, SC/SS21-02, 328, 1986.
- 116. Tsurutani, B.T., E.J. Smith, D.E. Jones and F.M. Ipavich, "Strong MHD Turbulence: Comet Giacobini-Zinner", EOS, 67, 16, SC/SS32-01, 332, 1986.
- 117. Hovestadt, D., B. Klecker, M. Scholer, A.B. Galvin, G. Gloeckler and F.M. Ipavich, "Interaction of Cometary Ions with the Solar Wind", XXVI COSPAR meeting, Toulouse, France, Abstracts, 6.8.2, 78, 1986.
- 118. Scholer, M., D. Hovestadt, B. Kleckler, G. Gloeckler, F.M. Ipavich and A.B. Galvin, "Low Energy Interplanetary Shock Accelerated Particles in

- the Distant Magnetosheath, Magnetotail Lobe, and Plasma Sheet", XXVI COSPAR, Toulouse, France, Abstracts, 6.5.10, 72, 1986.
- 119. Luhn, A., D. Hovestadt and B. Klecker, "The Mean Ionization State of Solar Energetic Particles and The Influence of Non-Equilibrium Effects", XXVI COSPAR, Toulouse, France, Abstracts, 5.P5/6.3, 53, 1986.
- 120. Ipavich, F., "High Energy Plasma", presented at the Session on Cometary Observations and Measurments at the Multi-Comet Mission Workshop, GSFC, September 1986 (invited).
- 121. Tsurutani, B.T., E.J. Smith, R.M. Thorne, J.T. Gosling, S.W.H. Cowley, I.G. Richardson, F. Ipavich and H. Matsumoto, "Cometary MHD Waves: Polarization Mode, and Direction of Propagation, Nonlinear Steepening and Generation Mechanism", presented at the 20th ESLAB Symposium on Comets, Heidelburg, October 1986.
- 122. Slavin, J.A., E.J. Smith, P.W. Daly, K.R. Flammer, G. Gloeckler, B.A. Goldberg, D.J. McComas, F.L. Scarf and J.L. Steinberg, "The P/Giacobini-Zinner Magnetotail", presented at the 20th ESLAB Symposium on Comets, Heidelberg, October 1986.
- 123. Mason, G.M., B. Kleckler and D. Hovestadt, "Focused Transport Model Fits to Scatter-Free ~1 Mev/nuc Solar Flare Events", EOS, 67, 44, SC/SS42-02, 1150, 1986.
- 124. Tan, L.C., G.M. Mason, B. Kleckler and D. Hovestadt, "Flare Particle Origin of >0.4 MeV/nucleon Heavy Ions Associated with Traveling Interplanetary Shocks", EOS, 67, 44, SC/SS42-01, 1150, 1986.
- 125. Galvin, A.B., F.M. Ipavich, G. Gloeckler, D. Hovestadt, M. Scholer, B. Kleckler and S.J. Bame, "Transitional Iron Charge States Preceding a Flare-Generated Driver Plasma", EOS, 67, 44, SC/SS41-11, 1149, 1986.
- 126. Smith, E.J., J.A. Slavin, S.J. Bame, M. Thomsen, S.W. Cowley, I. Richardson, D. Hovestadt, F. Ipavich, M. Coplan, K. Ogilvie, A. Vinas, J. Scudder, J. Sanderson, K.-P. Wenzel and F. Scarf, "Analysis of the Giacobini-Zinner Bow Wave", EOS, 67, 44, SC/SS31-04, 1145, 1986.
- 127. Ng, C.K., G.M. Mason and B. Klecker, "Injection and Scatter-Free Propagation of Helium-3 Rich Solar Events at 1 MeV/nuc", EOS, 68, 16, SC/SS41-12, 382, 1987.
- 128. Galvin, A.B., G. Gloeckler, F.M. Ipavich, M. Scholer, D. Hovestadt and B. Klecker, "Characteristics of Suprathermal (30-50 keV/e) H⁺ and He⁺² Ions during the CDAW-8 Event Intervals", EOS, 68, 16, SM21A-06, 388, 1987.
- 129. Tan, L.C., G.M. Mason, D. Hovestadt and B. Klecker, "Interplanetary Shock Accelerated Heavy Ion Abundances at 0.4 MeV/nucleon and Their Correlation with Abundances in the Preceding Solar Particle Event", to be presented at the 20th Intl. Cosmic Ray Conf., Moscow, SH-4.2-2, 1987.

- 130. Tan, L.C., G.M. Mason, G. Gloeckler and F.M. Ipavich, "Implications of Interplantetary Shock Studies for Understanding the Origin and Propagation of Galactic Cosmic Rays", to be presented at the 20th Intl. Cosmic Ray Conf., Moscow, OG-8.2-15, 1987.
- 131. Mason, G.M. and B. Kleckler, "Scatter-Free Transport of 1 MeV/nucleon Solar Particles", to be presented at the 20th Intl. Cosmic Ray Conf., Moscow, SH-3.2-5, 1987.
- 132. Beeck, J., G.M. Mason, D.C. Hamilton, G. Wibberenz, H. Kunow, D. Hovestadt and B. Kleckler, "A Three Spacecraft Study of the November 22, 1977 Solar Particle Event", to be presented at the 20th Intl. Cosmic Ray Conf., Moscow, SH-3., 1987.
- 133. Tan, L.C., G.M. Mason, F.M. Ipavich, G. Gloeckler, R.D. Zwickl and S.J. Bame, "Energetic Proton and Helium Fluxes Associated with Interplanetary Shocks and Their Relation to the Solar Wind Composition", to be presented at the 20th Intl. Cosmic Ray Conf., Moscow, SH-4.2-1, 1987.
- 134. Tan, L.C., G.M. Mason, G. Gloeckler and F. Ipavich, "Calculation of the Flow Speed of Shock Accelerated Energetic Particle Distribution, and Its Application in Studying the November 12, 1978 Interplanetary Shock Event", to be presented at the 20th Intl. Cosmic Ray Conf., Moscow, SH-4.2-3 1987.
- 135. Galvin, A.B., F.M. Ipavich, G. Gloeckler, M. Scholer, D. Hovestadt and B. Klecker, "Distant Tail Observations of Suprathermal H⁺ and He⁺² Ions During the CDAW-8 Event Intervals", to be presented at the 19th IAGA meeting, Vancouver, August 1987.
- 136. Galvin, A.B., F.M. Ipavich, G. Gloeckler, D. Hovestadt, M. Scholer, B. Klecker and S.J. Bame, "Iron and Silicon-Sulfur Charge States Preceding a Flare-Generated Driver Plasma", to be presented at the 6th International Solar Wind Conference, Estes Park, August 1987.

D. Colloquia, Seminars and Special Lectures

- 1. Ipavich, F.M., "Energetic Particles in Interplanetary Space", Plasma-Astrophysics Seminar, University of Maryland, March 8, 1979.
- 2. Ipavich, F.M., "Composition and Spectra of Low Energy Charged Particles in Geophysical Space: A Survey from ISEE", Goddard-University of Maryland Astrophysics Seminar, March 31, 1980.
- 3. Ipavich, F.M., "Observations of Locally Accelerated Particles in the Region Upstream of the Earth's Bow Shock", University of New Hampshire, August 5, 1980.
- 4. Gloeckler, G., "Initial Observations of Suprathermal Ions in the Distant Geomagnetic Tail with ISEE-3", Seminar, Jet Propulsion Laboratory, Pasadena, June 14, 1983.
- 5. Ipavich, F.M., "Solar Wind Fe Charge States in a Coronal Hole-Associated High Speed Stream", University of Bern, Switzerland, August 25, 1983.
- 6. Gloeckler, G., "Suprathermal Ions Observed with ISEE-3 in the Earth's Distant Magnetotail", Space and Astrophysics Seminar, Goddard/University of Maryland, December 12, 1983.
- 7. Gloeckler, G., "Characteristics of Plasmoids in the Distant Magnetotail: ISEE-3 Observations of Suprathermal H and He", University of New Hampshire, January 19, 1984.
- 8. Gloeckler, G., "Variations of the Local Diffusion Coefficient Upstream of Interplanetary Shocks", University of New Hampshire, March 5, 1985.
- 9. Ipavich, F.M., "The Origin of Upstream Particle Events: Two Viewpoints", with S.M. Krimigis, University of Maryland Space Science Seminar, November 25, 1985.
- 10. Ipavich, F.M., "Particle Acceleration at the Earth's Bow Shock and Travelling Interplanetary Shocks", University of New Hampshire Physics/Earth-Ocean-Space Department Colloquium, January 29, 1986.
 - 11. Gloeckler, G., "Cometary Pick-Up Ions Observed Near Giacobini-Zinner During the Flyby of ICE", University of New Hampshire, Physics/Earth-Ocean-Space Department Colloquium, Durham, February 13, 196.
 - 12. Gloeckler, G., "Cometary Pick-Up Ions Observed Near Giacobini-Zinner During the Flyby of ICE", University of Arizona, Physics Dept. Colloquium, Tucson, February 26, 1986.
 - 13. Gloeckler, g., "Cometary Pick-Up Ions Observed Near Giacobini-Zinner During the Flyby of ICE", Space and Astrophysics Seminar, Goddard/University of Maryland, March 17, 1986.
 - 14. Scholer, M., "Observations and Simulations of Plasmoids in the Geomagnetic Tail", Space Science Seminar, University of Maryland, September 29, 1986.

15. Galvin, A.B., "Iron Measurements in the Solar Wind", Space Science Seminar, University of Maryland, October 6, 1986.

Special Publications

- Galvin, A.B., "Charge States of Heavy Ions in the Energy Range ~30-130 l. keV/Q Observed in Upstream Events Associated with the Earth's Bow Shock", UMD PP82-214, thesis presented in partial fulfillment of the requirements for the degree of Doctor of Philosophy, University of Maryland, May 1982.
- Luhn, A., "Die Ladungszustaende Solarer Energetischer Teilchen", Doctoral thesis, Technical University, Munich, August 1985.