

**NASA
Reference
Publication
1185**

August 1987

Atlas of Wide-Field-of-View
Outgoing Longwave Radiation
Derived From Nimbus 6 Earth
Radiation Budget Data Set—
July 1975 to June 1978

T. Dale Bess and
G. Louis Smith

NASA

**NASA
Reference
Publication
1185**

1987

Atlas of Wide-Field-of-View
Outgoing Longwave Radiation
Derived From Nimbus 6 Earth
Radiation Budget Data Set—
July 1975 to June 1978

T. Dale Bess and
G. Louis Smith

*Langley Research Center
Hampton, Virginia*



National Aeronautics
and Space Administration

Scientific and Technical
Information Office

Introduction

For the past 20 years radiometers aboard orbiting satellites have provided the most comprehensive sets of radiation measurements of the outgoing longwave radiation (OLR) of the Earth on both a regional and a global scale. Beginning in 1975 the third generation of satellite experiments for measuring the radiation budget began. This new series of experiments was referred to as the Earth radiation budget (ERB) experiment (Smith et al. 1977 and Jacobowitz et al. 1979).

The first ERB experiment was launched into a nearly circular Sun-synchronous Earth orbit aboard the Nimbus 6 satellite on June 12, 1975. The ERB instrument package included two Earth-viewing wide-field-of-view (WFOV) radiometers, one of which measured total irradiance and the other of which measured shortwave (SW) irradiance. The difference between the two (Total - SW) is the OLR. These WFOV radiometers viewed the entire Earth's disk from the Nimbus 6 satellite, which had an altitude of 1100 km and Equator crossing times near 12:00 a.m. (noon) and 12:00 p.m. (midnight). The SW channel had a spectral range of 0.2 to 3.8 μm , and the total channel measured the irradiance from 0.2 to 50+ μm . The first data were taken by Nimbus 6 on July 2, 1975. Nimbus 6 continued to collect usable Earth radiation data through June 1978 for a continuous 3-year data set.

This paper is an atlas of monthly averaged OLR results estimated at the top of the atmosphere (denoted by TOA and defined herein to be an altitude of 30 km) for the 3 years of Nimbus 6 operation spanning the time period from July 1975 to June 1978. Jacobowitz et al. (1979) analyzed and published some results of the first 18 months of ERB measurements from the Nimbus 6 WFOV data set. They used the inverse square approximation (geometric shape factor) to determine the radiant exitance at the TOA. No formal publication of the ERB WFOV results of OLR from January 1977 to June 1978 has been released.

The purpose of this atlas is to document all the WFOV OLR results from the 3 years of Nimbus 6 operation in a form that allows analysis of the radiation field of the Earth. The results contained in this atlas were derived with a deconvolution (i.e., a resolution enhancement) technique which represented the WFOV monthly averaged OLR as an expansion of spherical harmonic coefficients (Smith and Green 1981). Tables of these coefficients along with monthly averaged contour maps of OLR results for 3 years are included. Contour maps and spherical harmonic coefficients for the first year of the Nim-

bus 6 ERB experiment WFOV results have previously been documented (Bess, Green, and Smith 1980). However, the results for the first year in this atlas show some improvement over earlier results because of the use of a correction for degradation of the SW channel.

The results documented in this atlas are important for a number of reasons. One relates to the data, which are both broadband and WFOV data. Because the measurements are broadband, the ERB radiometers offer some significant advantages over the instruments aboard NOAA operational-type polar orbiting satellites, which measure upwelling radiation in the narrow spectral regions (0.5 to 0.7 μm in the visible region and 10.5 to 12.5 μm in the infrared region). Winston et al. (1979) published an atlas which documented 4 years of OLR results from the scanning radiometer (SR) on the NOAA operational satellite. Janowiak et al. (1985) also published an atlas of OLR results derived from NOAA operational satellite data which covered the time period from June 1974 to November 1983. The primary disadvantage of measurements made by NOAA operational satellites is that measurements are made in narrow spectral regions which must then be empirically corrected to estimate the broadband OLR. Their big advantage is their very high spatial resolution compared with the WFOV radiometer, which is limited to large scales.

The WFOV instrument is also well suited for measuring large-scale features since its field of view is such that the instrument measures all incident radiation from horizon to horizon. Herein lies one of its advantages since the measured radiation is integrated over a broad variation of angles, and thus is less sensitive to directional models than are data measured with narrow-field-of-view radiometers.

In regards to stability of instruments, scanning radiometers and fixed-WFOV radiometers tend to be very stable over time in the infrared region of the spectrum, but they experience degradation in the shortwave region. However, because of their mechanical simplicity, fixed-WFOV radiometers typically have greater longevity than do scanning radiometers. For instance, the fixed-WFOV radiometer on Nimbus 6 operated uninterrupted for 3 years, and the Nimbus 7 fixed-WFOV radiometer has been operational for over 7 years.

In addition to the data being broadband and WFOV, the method of representing the data using spherical harmonics is important. The spherical harmonic coefficient data set for each month represents a condensation of the OLR field. Some of these coefficients have a physical interpretation attached to them. These coefficients may be analyzed individually or in combination to study different aspects

of the radiation field. The results from Nimbus 6 also represent the beginning of a long-term time series of OLR for the ERB WFOV-type instruments. This 3-year data base takes us into the time period of the second ERB WFOV radiometer, which was flown on the Nimbus 7 satellite in November 1978. The Nimbus 7 data are the subject of another atlas of OLR. Nimbus 7 has been operating continuously for 7 years, and when its data are combined with the data base from Nimbus 6, we have a time series of OLR results covering 10 years. This time series data will be very valuable for doing monthly, annual, and interannual studies of OLR.

The authors are grateful to H. Jacobowitz of NOAA for providing the Nimbus 6 data tapes which made this research possible. Also, many thanks to T. P. Charlock, J. J. Buglia, and W. F. Staylor for their many suggestions and to M. A. Woerner for her programming help along the way.

Data Processing and Analysis

The 3 years of ERB WFOV irradiance data from the Nimbus 6 satellite covering the time period from July 1975 to June 1978 were supplied by NOAA. Only the OLR data are documented in this atlas.

The nominal duty cycle of the ERB radiometer was 2 days on and 2 days off. When the radiometer was turned on, measurements were taken at 4-sec intervals along the orbital track. The data tapes supplied by NOAA contain data reduced by averaging four consecutive measurements, resulting in one averaged value every 16 sec.

Because the Nimbus 6 ERB radiometer was constrained to operate on a duty cycle of 2 days on followed by 2 days off, continuous daily measurements were not possible. This sampling strategy tends to change the true radiant exitance. However, the absence of a continuous daily data set did not seriously constrain monthly averaged WFOV data since the data were smoothed in the averaging process over 1 month and over the large spatial area of the WFOV radiometer. Green and Smith (1978) looked at the temporal variation over six duty cycles of 2 days each for 1 month of Nimbus 6 data. Their results showed very little change from one duty cycle to another on a global and zonal scale. Small changes occurred for some regions.

The other inherent sampling bias characteristic of all Sun-synchronous polar orbiting satellites is that they measure OLR at only two local times. For Nimbus 6, 12:00 a.m. (noon) and 12:00 p.m. (midnight) were the equator crossing times. Because of this sampling bias, diurnal variations cannot be studied.

These tapes were processed by taking daily measurements and averaging over 1 month and over 5° increments in latitude that formed an igloo-type grid system of near-equal-area regions. The igloo grid system is symmetrical about the Equator and has 3 grids at the polar regions from 85° to 90° latitude and 72 grids at the equatorial region from 0° to 5° latitude. Figure 1 is a sketch of the igloo grid system for the Northern Hemisphere showing the number of grids in each 5° latitude region. The total number of near-equal-area grids is 827. The igloo grid system is symmetrical about the Equator, giving a total of 1654 grids over the Earth.




Figure 1. Igloo grid system for near-equal-area grids. Number of grids in each 5° latitude region for one hemisphere is shown.

Some corrections and editing had to be made to the ERB WFOV measurements before they were suitable for data analysis. Sun contamination is a problem which occurs near sunrise and sunset with the WFOV radiometer because the field of view is larger than the Earth's disk. Measurements were eliminated when the solar zenith angle at the nadir (or subsatellite) point was between 99° and 123°. This was the range of angles deleted by investigators when analyzing Nimbus 7 ERB WFOV data (Kyle et al. 1984). When the first year of Nimbus 6 WFOV data was analyzed (Bess, Green, and Smith 1981), solar zenith deletion angles were from 111.5° to 123.5°. However, with the range of solar zenith angles specified by the Nimbus 7 investigators, it was found that another possible source of error in OLR measurements, caused by a thermal transient in SW measurements because of irradiance of the sensor at spacecraft sunset, was eliminated. Other editing had to be performed occasionally because of anomalies in the data that have been well documented (Bess, Green, and Smith 1981).

In addition to the expected editing which had to be made to the WFOV measurements, the Nimbus 6 ERB WFOV radiometer had a systematic error

which caused the WFOV measurements to be low by about 11 percent (Smith et al. 1977). This was the case for both the total and the reflected solar radiation channel. As such, all measurements from the tapes at satellite altitude were increased by 11 percent as a calibration correction.

A correction was also applied to the measurements to account for degradation over time of the SW radiometer. The degradation appears to be strictly a SW radiometer problem, since no measurable degradation occurred during the nighttime portion of the orbit of the total channel radiometer. It seems to be characteristic of SW radiometers to experience degradation over time, not only on ERB satellites, but also on NOAA operational satellites. The degradation, which was confined to the ascending portion of the orbit, caused the OLR to increase in a linear fashion over the 36 months for which Nimbus 6 WFOV measurements are available. The correction for degradation was different for different latitude zones, being generally larger in the tropics and in the middle latitudes. The net result of degradation was to cause the OLR measurements to increase over time at a rate of about 3 to 4 W/m² per year.

To account for the degradation, a ratio-to-centered moving average method was used for 5° latitude regions to remove seasonal effects from the data prior to performing any trend analysis (Smith and Williams 1971). This was necessary so that seasonal variation could be removed before removing the trend from the data. Basically, the ratio-to-centered moving average method determines a monthly seasonal index by dividing the original data for a given month by the 12-month centered moving average and taking the average of that month over time. This was done for each of the 12 months of the year. Dividing each value of the original data set by the appropriate seasonal index gives the percentage by which a given monthly average was above or below the average for the year. After the set of data has been adjusted for seasonal variation, the resulting data give a better representation of the trend and the random effects.

After the data were adjusted for seasonal variations, linear least-squares procedures were applied to the data to determine the slope of the trend line for the time series in each latitude region. The slope gives the rate of degradation in watts per square meter per month in the OLR and is used to determine the correction in OLR for a given month and latitude region. Figure 2 shows these results as a plot of the rate of degradation per month against latitude. The rate is greatest from 60°S to 30°N latitude and peaks between the Equator and 30°N latitude. The rate of degradation drops off at the higher latitudes.




Figure 2. Degradation of shortwave spectral region per month.

After the measurement data were corrected for errors and were time- and space-averaged to obtain regional monthly averages, a deconvolution (resolution enhancement) technique was applied to represent the radiant exitance at the TOA by a truncated series of spherical harmonics. The deconvolution technique takes advantage of the fact that spherical harmonics are the eigenfunctions of the measurements operator and reduces the radiant exitance field from satellite altitude to TOA by dividing by the appropriate eigenvalues. All the results in this atlas are based on this deconvolution technique (Smith and Green 1981 and Bess, Green, and Smith 1981).

The governing equation from which the monthly spherical harmonic coefficients were produced is

$$M(\theta, \phi, t) = \sum_{n=0}^N \sum_{m=0}^n N_n^m P_n^m(\cos \theta) [C_n^m(t) \cos(m\phi) + S_n^m(t) \sin(m\phi)]$$

where $M(\theta, \phi, t)$ is the measurement at the TOA, θ is the colatitude, ϕ is the longitude, t is the time, and P_n^m is the associated Legendre polynomial of degree n and order m . The terms $C_n^m(t)$ and $S_n^m(t)$ are the even and odd real spherical harmonic coefficients, and the normalizing factor is

$$N_n^m = [(2n+1)(n-m)!(2-\delta_0^m)/(n+m)!]^{1/2}$$

where δ_0^m is the Kronecker delta function.

Discussion of Results

Included in this atlas are spherical harmonic coefficients and associated global contour maps of

36 months of Nimbus 6 ERB WFOV outgoing long-wave radiation results. It is not the intent in this atlas to do an in-depth analysis of the data but rather to compile and document the spherical harmonic coefficients and the associated contour maps which can then be used to do many kinds of valuable analysis.

Each table in this atlas contains a set of spherical harmonic coefficients for 1 month of mean values. Results are for a spherical harmonic expansion truncated to the 12th degree. For such a 12th-degree expansion, 169 coefficients are required to specify the radiation field. The coefficients above the stair-step line are the 78 sine terms. With the exception of the first column, the coefficients below the stair-step line are the 78 cosine terms. The first column contains the 13 zonal terms. The sine and cosine terms represent the nonaxisymmetric terms and give a measure of longitudinal variation. The format of the tables makes it very easy to pick off any coefficient. The superscript m is the longitudinal wave number or order and n represents the degree of the spherical harmonic. Thus, in the first column, which represents the zonal terms, m is 0 and n ranges from 0 to 12. Physical interpretations can be associated with some of the zonal terms. Thus, C_0^0 is the global average, C_1^0 is a measure of hemispherical or pole-to-pole difference, and C_2^0 is a measure of Equator-to-pole gradient. It has been shown that over 80 percent of the degree variance is in the zonal terms (Smith and Bess 1983). This variance is because at large scales, Earth-emitted radiation is strongly dependent on latitude.

The monthly averaged spherical harmonic data sets can be used in a variety of ways to study the OLR on regional, zonal, and global scales in the spatial domain and on monthly, annual, and interannual scales in the time domain. One application is to model the global radiation field. The advantage of such models is that they can represent large data sets with relatively few parameters. Another advantage of a spherical harmonic representation is that it provides a mathematical structure that permits one to study separately the latitudinal variations using the zonal coefficients and the longitudinal variations and wave properties using tesseral coefficients. In short, spherical harmonic representation allows the radiation field to be broken into its component parts, which can then be studied separately or in various combinations. For example, the coefficients are well suited for time series analysis, spatial spectra studies, and parameterization studies (Smith and Bess 1983 and Short et al. 1984).

In this atlas each spherical harmonic coefficient set has a companion monthly averaged global contour

map of OLR. The OLR less than 240 W/m^2 is shown as dotted contour lines. The contour interval is 10 W/m^2 , and highs and lows are shown. These contour maps give a "quick look" of how the OLR is varying over monthly, annual, and interannual time scales. With their associated sets of harmonic coefficients, they form a valuable data set for studying many different aspects of our changing climate.

NASA Langley Research Center
Hampton, VA 23665-5225
July 7, 1987

References

- Bess, T. Dale; Green, Richard N.; and Smith, G. Louis 1980: *Deconvolution and Analysis of Wide-Angle Longwave Radiation Data From Nimbus 6 Earth Radiation Budget Experiment for the First Year*. NASA TP-1746.
- Bess, T. Dale; Green, Richard N.; and Smith, G. Louis 1981: Deconvolution of Wide Field-of-View Radiometer Measurements of Earth-Emitted Radiation. Part II: Analysis of First Year of Nimbus 6 ERB Data. *J. Atmos. Sci.*, vol. 38, no. 3, Mar., pp. 474-488.
- Green, Richard N.; and Smith, G. Louis 1978: *Parameter Estimation Applied to Nimbus 6 Wide-Angle Longwave Radiation Measurements*. NASA TP-1307.
- Jacobowitz, H.; Smith, W. L.; Howell, H. B.; Nagle, F. W.; and Hickey, J. R. 1979: The First 18 Months of Planetary Radiation Budget Measurements From the Nimbus 6 ERB Experiment. *J. Atmos. Sci.*, vol. 36, no. 3, Mar., pp. 501-507.
- Janowiak, John E.; Krueger, A. F.; Arkin, P. A.; and Gruber, Arnold 1985: *Atlas of Outgoing Longwave Radiation Derived From NOAA Satellite Data*. NOAA Atlas No. 6, U.S. Dep. of Commerce, Jan.
- Kyle, H. Lee; House, Frederick B.; Ardanuy, Philip E.; Jacobowitz, Herbert; Maschhoff, Robert H.; and Hickey, John R. 1984: New In-Flight Calibration Adjustment of the Nimbus 6 and 7 Earth Radiation Budget Wide Field of View Radiometers. *J. Geophys. Res.*, vol. 89, no. D4, June 30, pp. 5057-5076.
- Short, David A.; North, Gerald R.; Bess, T. Dale; and Smith, G. Louis 1984: Infrared Parameterization and Simple Climate Models. *J. Clim. & Appl. Meteorol.*, vol. 23, no. 8, Aug., pp. 1222-1233.
- Smith, G. Louis; and Bess, T. Dale 1983: Annual Cycle and Spatial Spectra of Earth Emitted Radiation at Large Scales. *J. Atmos. Sci.*, vol. 40, no. 4, Apr., pp. 998-1015.
- Smith, G. Louis; and Green, Richard N. 1981: Deconvolution of Wide Field-of-View Radiometer Measurements of Earth-Emitted Radiation. Part I: Theory. *J. Atmos. Sci.*, vol. 38, no. 3, Mar., pp. 461-473.
- Smith, Lee H.; and Williams, Donald R. 1971: *Statistical Analysis for Business: A Conceptual Approach*. Wadsworth Publ. Co., Inc.

Smith, W. L.; Hickey, J.; Howell, H. B.; Jacobowitz, H.; Hilleary, D. T.; and Drummond, A. J. 1977: Nimbus-6 Earth Radiation Budget Experiment. *Appl. Opt.*, vol. 16, no. 2, Feb., pp. 306-318.

Winston, Jay S.; Gruber, Arnold; Gray, Thomas I., Jr.; Varnadore, Marylin S.; Earnest, Charles L.; and

Mannello, Luke P. 1979: *Earth-Atmosphere Radiation Budget Analyses Derived From NOAA Satellite Data—June 1974–February 1978, Volumes 1 and 2*. U.S. Dep. of Commerce, Aug.

ORIGINAL PAGE IS
OF POOR QUALITY


July 1975

	12	11	10	9	8	7	6	5	4	3	2	1	$\frac{m}{n}$
0	237.288	.992	.071	-.941	-.360	.004	.154	-.689	-1.180	-.084	-.087	-.889	12
1	11.999	2.881	-.179	-1.381	.529	-.830	-.457	.058	.262	1.169	.212	.487	11
2	-21.889	4.768	3.971	-1.415	.865	.212	-.989	.610	.052	1.656	1.114	1.164	10
3	8.642	1.880	2.702	-1.039	.053	-.174	.516	1.223	-.293	-.234	.938	-.309	9
4	-8.517	-.396	-1.735	-2.306	-9.130	-1.577	1.588	.879	-.130	-1.939	-.842	-1.522	8
5	-4.318	-4.987	-3.712	.355	-2.318	-1.305	-.341	-.431	-.372	-1.466	-1.736	-2.055	7
6	4.239	-2.523	-1.970	2.300	-.299	-.350	1.981	-.641	.151	-1.269	.637	.816	6
7	7.102	1.594	.348	.349	.498	.458	2.202	.807	-1.255	.924	2.559	.728	5
8	-5.064	.810	2.092	-1.766	1.543	.496	.843	1.190	2.616	.475	-.655	.653	4
9	-3.660	.423	3.135	.037	.135	-.475	.411	-.026	.080	-.427	-1.602	3.232	3
10	.362	.199	1.529	1.392	-.290	-.470	-.220	.988	-1.477	.344	-1.055	5.336	2
11	.922	.164	-2.598	.070	-.109	-.499	.978	.490	-1.436	-.466	-.365	.364	1
12	1.319	.179	-1.954	-1.091	.937	.163	.350	.239	-.558	.179	-.476	.449	0
$\frac{n}{m}$	0	1	2	3	4	5	6	7	8	9	10	11	12

S_n

C_n

July 1975



August 1975


		12	11	10	9	8	7	6	5	4	3	2	1	m	n
0	238.108	.372	-.120	-.277	.199	-.308	.372	-.272	.095	-.471	-.087	.113	-.407	12	
1	11.037	3.588	.905	-.240	.154	-.090	-.569	.387	.770	1.343	.316	-.428	.329	11	
2	-23.791	3.626	4.450	.376	-.251	.614	-.323	.614	-.494	.984	.613	1.313	2.238	10	
3	10.850	1.178	2.828	1.044	-.535	.740	.513	.979	-.792	-.111	.384	.298	-.119	9	
4	-9.433	-1.079	-2.427	-1.036	-2.974	.095	.045	-.520	-.890	-1.133	-.268	-.390	.214	8	
5	-5.620	-3.463	-2.794	.214	-1.455	-1.784	.386	-1.088	.038	-.134	-1.788	-.203	-.670	7	
6	4.271	-.248	-1.64	2.167	.358	1.027	1.085	-1.229	.357	.368	.433	-.410	-1.181	6	
7	9.232	1.941	.423	.892	.759	.599	.402	1.630	-1.041	-.227	2.827	-.813	-3.647	5	
8	-3.106	-.368	1.701	-1.204	.795	-.924	.848	1.777	.515	.034	-.185	.443	3.982	4	
9	-3.919	-.941	1.116	-1.333	-.037	-.004	.221	.247	-.943	.968	-1.360	2.852	4.656	3	
10	-.977	.107	.826	.887	-.064	.760	-.258	-.320	-1.117	1.245	.015	3.420	-1.146	2	
11	-.667	.428	-1.717	1.028	.388	-.309	.049	.069	-.918	-.192	-.305	.077	-2.976	1	
12	.793	1.535	-1.687	-.398	.468	-.041	.502	-.143	.196	.467	.933	.268	.450		
n	m	0	1	2	3	4	5	6	7	8	9	10	11	12	

C_n^m

S_n^m

ORIGINAL PAGE IS
OF POOR QUALITY

August 1975



~~ORIGINAL PAGE IS
OF POOR QUALITY~~

ORIGINAL PAGE IS
OF POOR QUALITY

September 1975


S_m

C_n

$m \backslash n$	12	11	10	9	8	7	6	5	4	3	2	1	$m \backslash n$
0	234.813												12
1	8.385	1.479											11
2	-25.656	3.031	4.598										10
3	6.632	.654	2.039	.731									9
4	-9.171	-.413	-2.607	-5.26	-4.631								8
5	-3.711	-3.084	-1.959	.391	-1.697	-2.868	.104						7
6	4.619	.042	.979	1.940	.297	.214	1.696						6
7	6.958	1.496	-.601	-.341	-.531	1.022	1.768	1.631					5
8	-3.281	-.598	-.221	-.956	-.433	-.915	.973	.482	1.319				4
9	-3.258	-.549	1.231	.321	.082	-.910	-.142	-1.192	-.060	.328			3
10	1.336	.405	1.058	.767	-.154	-.028	-.280	-.550	-1.744	-.643	-.938		2
11	1.452	-.230	-1.416	-.681	.268	.297	.321	.071	-.172	-.329	-.648	.011	1
12	.722	.434	-.360	-.874	1.074	.002	.175	.010	-.119	-.308	-.596	.165	
$n \backslash m$	0	1	2	3	4	5	6	7	8	9	10	11	12

ORIGINAL PAGE IS
OF POOR QUALITY

September 1975



ORIGINAL PAGE IS
OF POOR QUALITY

October 1975


n	0	1	2	3	4	5	6	7	8	9	10	11	12	m
0	232.344	-610	-328	.762	.495	-262	.141	-254	-211	-083	.353	-561	-.232	12
1	4.817	3.264	.329	.612	-849	-758	.323	-796	.431	-544	-534	-399	1.086	11
2	-27.181	2.923	3.161	1.098	-328	-351	-027	-746	.967	.674	-145	.797	1.358	10
3	3.705	-161	2.534	-.321	-382	-615	-500	.399	-1.493	.567	1.561	1.192	-2.199	9
4	-8.253	-1.069	-2.819	-.353	-1.674	.087	.036	.659	-1.167	-959	1.272	.697	-.531	8
5	-.934	-2.365	-1.675	-.520	.244	-.886	1.118	.059	1.423	.147	-2.301	-.860	1.198	7
6	4.716	.870	2.974	1.136	1.152	.304	1.632	-1.200	-745	2.342	-.043	-788	1.848	6
7	4.982	1.945	.454	.070	1.041	1.368	.746	1.662	-2.127	-1.256	1.521	-.591	-2.703	5
8	-2.472	-.652	.323	-.243	.158	-.250	-.042	-.531	.299	-3.518	-.047	-2.093	1.243	4
9	-3.487	-.825	.761	.344	-.771	-737	-.322	.043	.460	.197	.744	2.596	.778	3
10	.728	.675	-.716	.026	-.271	.269	-.719	-1.63	-2.041	-.808	-.205	6.574	.368	2
11	2.227	-.266	-1.696	-.665	.094	.652	-.088	.961	-.073	.442	-.269	-.369	-1.240	1
12	1.500	.668	.259	.198	.980	-.664	.068	.292	.297	.388	1.598	.399	1.284	
n	0	1	2	3	4	5	6	7	8	9	10	11	12	

S_n^m

C_n^m

ORIGINAL PAGE IS
OF POOR QUALITY

October 1975



ORIGINAL PAGE IS
OF POOR QUALITY


November 1975

	12	11	10	9	8	7	6	5	4	3	2	1	m	n
0	229.218	.905	-.181	.284	.583	-.395	.271	.387	-1.016	-.278	1.134	-.882	-.030	12
1	-.590	1.425	.564	-.381	.012	.141	-.014	-.046	.070	-.803	-.763	-1.033	2.237	11
2	-26.915	2.039	.677	.239	-.064	-.312	-.141	.027	.247	.149	-1.305	1.051	2.003	10
3	-.418	-.180	2.423	.155	-.238	-.904	-.416	-.253	-.464	1.375	1.168	1.815	-3.168	9
4	-4.341	.351	.054	-1.235	-1.443	-.712	-.258	.472	-1.588	-.751	2.178	.029	-1.394	8
5	.612	-7.742	-.327	-.186	-.868	-.310	.291	.958	1.029	-.926	-.699	-.260	2.152	7
6	6.611	.432	2.989	1.352	.800	-.289	1.528	-.060	.321	1.965	-.814	1.589	1.835	6
7	.893	1.598	.988	-.622	.027	1.662	.839	.321	-3.280	.087	.568	-.778	-2.143	5
8	-4.864	-7.90	-.750	-1.321	-1.022	.193	.119	-.478	.625	-2.832	.867	-3.546	.798	4
9	.141	-.721	-.380	.637	-.120	-1.059	-.439	-.318	-.195	-.471	.809	.688	.585	3
10	1.025	1.195	.074	.205	.898	.086	-.251	-.408	-1.043	-1.174	.185	4.205	-.718	2
11	1.477	-.009	-.852	-1.628	.031	.679	.188	.746	1.423	-.538	.164	.676	-.540	1
12	.931	-.558	.301	.113	.853	-.329	-.004	.041	.541	.785	.716	-.095	-.615	
n	0	1	2	3	4	5	6	7	8	9	10	11	12	

C_n^m

S_n^m

November 1975




December 1975

$m \backslash n$	0	1	2	3	4	5	6	7	8	9	10	11	12	$n \backslash m$
0	238.455	.993	-507	.652	-725	.287	.512	-.017	-.459	.190	1.103	-.329	-.605	12
1	-5.857	1.806	.370	-.547	-.278	.600	.257	.142	-.285	-.770	.422	-.397	1.239	11
2	-26.458	.511	.864	1.428	-.558	.235	-.030	-.184	.472	.013	-1.158	.853	1.895	10
3	-2.987	-.133	3.135	.178	-.481	.110	-.438	-.525	-.971	2.003	-.388	.647	-2.672	9
4	-4.031	1.400	.088	-2.335	2.046	.386	-.733	-.083	-.838	-1.074	2.332	-1.017	-.913	8
5	2.158	-.865	.274	-.219	-1.592	-.403	.699	.323	1.853	-2.162	-.769	-.580	2.314	7
6	6.509	.396	3.322	2.835	-1.006	.530	.376	.381	.647	1.988	-3.325	3.274	3.309	6
7	-3.762	.507	.817	-.068	.389	.595	-.622	.179	-2.422	.061	.767	.153	-1.825	5
8	-4.884	-1.362	-1.899	-1.847	-1.224	-.355	.012	-.050	1.777	-3.928	2.213	-4.053	-.294	4
9	2.217	-.372	-1.043	.240	.376	-.938	-.341	-.653	.493	.374	-.189	.189	.771	3
10	.236	1.168	.615	-.278	1.545	.243	-.095	.096	-1.139	-.451	-.778	4.324	1.046	2
11	-.088	.321	-.040	-.610	.507	.884	.619	1.188	.405	-.228	.702	-.779	-1.802	1
12	.868	-.579	-.338	1.217	-.159	.146	-.242	-.180	.545	.476	-.905	.239	.514	
$n \backslash m$	0	1	2	3	4	5	6	7	8	9	10	11	12	

C_n^m

S_n^m

December 1975



January 1976


$n \setminus m$	0	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12
0	229.241	1.045	-1.096	-.363	.657	.149	-.182	.725	-.532	.498	1.686	.021	-.763	12											
1	-7.792	1.423	.604	-.615	.689	.304	.046	.059	.902	-.624	1.055	.311	.987	11											
2	-25.398	.420	.439	.226	-.500	-.480	.402	-1.117	.992	-.189	-1.250	.645	2.495	10											
3	-2.658	.038	2.506	.387	-.130	-.565	.335	-.046	-1.048	2.757	-.805	.182	-1.720	9											
4	-4.411	1.151	.959	-3.435	2.405	-.005	-.146	.392	-1.591	.249	2.032	-1.107	-2.234	8											
5	4.094	-1.940	.266	.843	-.925	.442	-.002	-.101	.917	-3.502	-.591	-.263	1.113	7											
6	6.970	-.457	2.145	3.361	.028	-.481	-.233	-1.447	2.007	.610	-3.357	3.032	2.939	6											
7	-4.547	1.960	.039	.046	.394	.935	.890	1.983	-2.180	1.802	.603	.798	-1.897	5											
8	-3.423	-.443	-1.392	-2.330	-1.263	-.050	.301	.577	.735	-3.492	1.664	-2.293	-.472	4											
9	2.868	-.916	-.083	-1.847	.372	-1.116	-1.035	-1.556	.397	-.794	-.594	-.022	.764	3											
10	-.569	1.129	1.059	.010	1.449	-.017	.630	-1.191	-.153	-.838	.008	2.327	.867	2											
11	-.365	.460	-.327	1.184	-.260	.610	1.041	.393	.198	.166	-.207	.785	-.438	1											
12	.670	-.246	.064	.620	-.243	-.076	-.429	.319	-1.271	.950	.044	-.599	-1.017												
$n \setminus m$	0	1	2	3	4	5	6	7	8	9	10	11	12												

C_n^m

S_n^m

ORIGINAL PAGE IS
OF POOR QUALITY

January 1976




February 1976

	12	11	10	9	8	7	6	5	4	3	2	1	m/n	
0	228.866	.432	-.982	.864	-.195	-.233	.380	.438	-.993	.541	1.261	-.666	-.630	12
1	-7.654	1.631	.472	-.708	.393	.769	-.756	.684	-.490	.638	-.805	1.588	1.588	11
2	-27.108	.770	-2.145	.585	-.081	-.768	.342	.179	.800	-.323	-1.412	1.690	2.222	10
3	-1.824	.191	2.212	1.724	-.060	-1.088	-.028	-.618	-.897	1.783	-.032	.558	-2.397	9
4	-5.174	.513	3.092	-2.380	2.734	-.693	.300	-.078	-1.244	.661	2.341	-1.561	-1.218	8
5	6.006	-1.058	.420	.391	-1.250	-1.305	-.818	1.035	1.631	-1.037	-1.104	-.444	.961	7
6	7.116	.547	1.669	4.315	-1.007	-.241	-.816	-1.750	1.207	1.285	-2.758	3.733	2.542	6
7	-4.920	1.718	-.067	-.647	1.231	1.352	-.053	.394	-3.607	.134	1.493	2.020	-.913	5
8	-4.145	.233	-1.207	-2.016	-.540	-.218	-.191	-.225	-.065	-2.383	1.514	-2.953	.196	4
9	3.765	-1.528	.408	-.163	-.207	-1.434	-.268	-.451	.195	.803	-1.219	-.467	-.141	3
10	1.711	.975	1.227	-.561	1.591	.095	.174	-.693	.111	-.557	.643	2.891	-.317	2
11	.781	.080	-1.022	-.105	.395	.832	-.149	-.135	.431	-.055	-1.492	1.194	-1.559	1
12	-.410	-.745	-.772	.144	-.953	-.012	-.529	.255	.704	.271	-.257	.866	-1.736	
n/m	0	1	2	3	4	5	6	7	8	9	10	11	12	

C_n^m

S_n^m

February 1976



ORIGINAL PAGE IS
OF POOR QUALITY


March 1976

m	12	11	10	9	8	7	6	5	4	3	2	1	n	
0	350.517	1.505	-.271	-.094	.513	.402	.477	.854	-.275	-.646	.170	-1.189	.411	12
1	-3.810	2.039	.720	.970	-.450	.378	-.498	.614	-.194	.417	.622	.061	.061	11
2	-36.977	1.139	-2.031	.391	-.302	-.393	-.094	.206	.796	-1.120	2.578	2.171	2.171	10
3	1.605	-.224	1.027	.521	.752	.619	-.864	-.109	-1.134	.730	.256	.092	-2.007	9
4	-6.030	.595	2.805	-1.480	1.712	.117	-.991	.335	-1.675	-2.027	1.820	-2.353	-1.015	8
5	5.927	-.488	1.260	.952	-.742	-.208	2.252	.568	2.380	-.810	-1.481	-.005	-.529	7
6	5.606	.208	-.277	2.416	-.394	-.471	1.123	-1.202	1.503	2.300	-2.403	4.355	3.420	6
7	-1.987	.199	-1.685	-1.204	.229	2.061	-.115	-.807	-3.495	-.035	1.563	1.079	.253	5
8	-6.691	-.269	.339	-.425	-.180	-.506	-.331	-.119	.736	-3.564	.146	-2.801	1.294	4
9	2.433	.194	1.562	1.172	.127	-.244	-.255	.598	.121	1.101	-1.558	.053	-.675	3
10	4.053	1.328	.793	-.380	1.143	.595	.364	.042	-.858	.609	.263	2.184	-.440	2
11	.215	-.380	-1.049	-.493	.755	-.100	.183	.078	.767	.681	-.492	.011	.017	1
12	-1.571	-.228	-.173	.895	.132	.329	-.271	-.308	-.676	1.108	.239	-.386	.591	
n	0	1	2	3	4	5	6	7	8	9	10	11	12	

C_n^m

S_n^m

March 1976



ORIGINAL PAGE IS
OF POOR QUALITY


April 1976

	12	11	10	9	8	7	6	5	4	3	2	1	m/n	
0	230.867	.304	-1.393	-.190	-.715	-.042	-.865	-.535	-.239	-.146	.380	-1.001	1.042	12
1	.187	2.912	-.560	-.479	-.582	-.286	.541	.796	.571	-.267	.012	-.807	.886	11
2	-28.335	1.655	-1.543	.286	.171	.162	-.448	.137	.450	-.025	-1.147	1.904	1.399	10
3	5.243	.004	-.762	.888	.241	-.434	-.904	-.349	-.923	.345	.410	1.030	-2.599	9
4	-6.171	.151	1.607	-1.726	.168	-.529	-.439	.343	-1.016	-.652	1.732	-1.859	-.760	8
5	2.636	-.837	-.027	-.612	.148	-1.332	1.467	.461	1.341	-.301	-1.395	-.673	-.112	7
6	3.754	.215	-.736	3.197	-.253	.179	.713	-.837	.060	1.235	-1.715	3.001	3.068	6
7	.298	.485	-.927	-.024	-.001	2.151	-.753	-.809	-.3480	.429	2.294	.697	-.346	5
8	-6.974	-1.095	.496	-.725	.059	.471	-.083	-.067	1.291	-2.549	.764	-.903	1.302	4
9	.069	.014	.610	.683	-.373	-.867	.549	.006	.005	.124	-.367	1.653	-.933	3
10	3.938	1.507	.762	.064	.280	-.240	-.475	-.323	-.923	-.821	-2.002	.994	.189	2
11	.268	-.032	-1.337	-.211	.291	.187	-.287	.479	.696	-.042	-.057	-1.387	.371	1
12	-.932	-.081	-.648	.653	.641	.184	.211	.163	-.432	.392	1.647	-.791	-.594	
n/m	0	1	2	3	4	5	6	7	8	9	10	11	12	

C_n^m

S_n^m

April 1976



ORIGINAL PAGE IS
OF POOR QUALITY


May 1976

$m \backslash n$	0	1	2	3	4	5	6	7	8	9	10	11	12	$n \backslash m$
0	292.421	.313	-1.136	.833	-.651	-.197	-.101	.391	.012	-.834	.088	-.013	.460	12
1	5.371	3.056	.334	-.216	.515	.578	.346	.117	-.540	-.318	-.827	-.104	.565	11
2	-25.911	3.098	.229	-.039	-1.024	.383	.073	-.249	.323	.129	-.273	.234	1.451	10
3	7.265	-.231	-.463	.052	.274	-.688	-.048	-.030	-.217	.707	1.352	.798	-.837	9
4	-5.205	.040	-.538	-2.588	-.628	-.798	.058	.299	-.604	-.617	1.132	-.278	-.502	8
5	-1.278	-1.152	-1.698	.417	.017	.865	.025	1.027	1.025	-.424	-1.316	-.924	-.409	7
6	3.219	.018	.188	3.210	.536	.363	.488	.826	-.629	1.016	-.331	1.135	1.645	6
7	4.354	.559	1.087	-.216	.398	.419	.119	-.700	-1.311	-1.421	1.117	.688	-2.127	5
8	-5.130	-.809	1.650	-1.871	.015	-.405	1.151	.087	-.446	-2.994	-.078	-.916	1.750	4
9	-3.417	-.935	.628	.187	.097	-1.223	.473	-.382	-1.688	-.489	-.417	1.379	-.158	3
10	2.660	.221	.837	.318	.423	-.217	-.904	-.823	-1.007	-.599	.062	3.909	.338	2
11	1.832	1.097	-1.250	-.520	.211	.198	.378	.849	.483	.763	-.320	.190	.945	1
12	-.209	.401	-.824	.551	.019	.521	.692	-.313	1.261	.252	.481	-.144	.191	
$n \backslash m$	0	1	2	3	4	5	6	7	8	9	10	11	12	

C_n^m

S_n^m

May 1976



June 1976


$n \backslash m$	0	1	2	3	4	5	6	7	8	9	10	11	12	$m \backslash n$
0	255.318	-0.619	-1.146	-4.02	-5.57	-3.53	-1.57	.125	-1.316	.276	-.362	-.643	1.2	12
1	10.611	5.953	-0.07	.194	-1.011	-.394	-.321	.035	-.098	-.669	.218	.449	1.1	11
2	-23.997	4.213	2.818	1.416	-1.197	.275	.583	-.087	-1.175	1.306	.561	1.453	1.142	10
3	7.726	-1.520	1.719	.280	-.404	.694	.186	.114	-.069	1.465	.926	.903	-.307	9
4	-5.893	-1.114	-1.703	-1.105	-3.891	-.727	.543	.352	-1.002	.020	-.678	.150	-1.834	8
5	-4.173	-2.344	-3.552	-.809	-1.251	-.911	-.101	.280	-.319	-.188	-1.947	-.412	-.008	7
6	6.018	-1.253	-.196	1.817	1.064	-.171	.701	.177	.394	-1.238	-.174	-1.007	1.638	6
7	6.485	1.231	.767	1.384	1.456	.592	.427	.032	-.774	-2.284	2.666	-2.226	-2.595	5
8	-4.331	.976	2.144	-1.005	.932	.049	1.396	.610	-.183	-1.538	.350	.302	1.853	4
9	-4.783	.776	1.285	-.766	.124	.079	.465	.584	-.106	1.408	-.525	6.134	2.261	3
10	2.638	.340	-.496	.907	-.213	.518	.078	1.163	-.991	-.197	-.196	6.697	.128	2
11	.973	-.391	-1.339	-.254	-.074	.444	.349	.399	-1.174	-1.038	.560	-.561	-.447	1
12	.893	.062	.271	.115	.851	-.028	.397	-.696	-.646	.373	1.183	-.986	-.336	
$n \backslash m$	0	1	2	3	4	5	6	7	8	9	10	11	12	

C_n^m

S_n^m

ORIGINAL PAGE IS
OF POOR QUALITY

June 1976



July 1976


ORIGINAL PAGE IS
OF POOR QUALITY

S_n^m

C_n^m

$m \backslash n$	12	11	10	9	8	7	6	5	4	3	2	1	$m \backslash n$	
0	235.405	-1.667	.194	-.152	-.910	.187	.253	.165	-.370	-.033	.493	-1.173	12	
1	14.302	6.461	.669	-.492	-.025	.298	.433	.233	1.420	-.604	.284	-.423	11	
2	-22.629	4.492	3.012	-1.133	.770	.246	.730	.718	1.363	-.578	.846	1.505	10	
3	9.230	-1.761	2.035	1.024	.939	.859	.282	1.505	-.148	.406	.404	1.748	9	
4	-7.616	-1.053	-1.059	-1.310	-4.622	1.047	.979	.832	-6.659	-1.368	1.021	.803	.079	8
5	-4.871	-2.295	-4.292	-1.416	-1.855	-.672	-.776	-1.527	-.507	-.406	-1.226	-2.333	.334	7
6	5.191	-1.394	-1.268	1.706	.054	-.919	.977	.579	-.576	-1.331	-.434	-1.949	.507	6
7	6.673	1.087	1.460	2.594	1.012	.241	1.223	.920	-1.872	-.622	2.608	-1.069	-3.397	5
8	-4.204	.751	2.467	-.912	.912	.134	.691	.309	.316	1.712	.423	2.277	3.392	4
9	-4.033	.842	.799	-.607	.709	.108	1.172	-.097	.153	-.604	0.000	3.898	2.350	3
10	.243	-.395	.015	1.104	-.179	.615	-.723	-1.316	-1.119	1.453	-.756	3.062	-.733	2
11	.789	-.718	-2.024	-.305	-.840	.550	-.116	.176	-.278	-.019	-.532	-.900	-1.138	1
12	1.692	.526	-1.125	.071	.612	-.661	-.298	.817	1.235	-.682	.367	-.938	-2.016	
$n \backslash m$	0	1	2	3	4	5	6	7	8	9	10	11	12	

July 1976



August 1976


m/n	0	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	m/n	
	235.298	.111	-.771	-.363	-.204	-1.324	.101	1.026	-.392	-.453	-.321	-.111	-.230	12													
1	12.873	4.992	.167	.028	.494	.906	.093	-.054	.207	1.428	.302	.409	.094	11													
2	-24.204	4.121	3.362	.757	.879	.508	-.701	.644	.883	.894	.627	1.290	1.799	10													
3	9.144	-1.703	1.819	-.126	.424	1.655	.032	1.624	-.562	-.453	1.608	1.459	-1.731	9													
4	-10.261	-.291	-1.704	-1.603	-6.309	-.365	.166	.539	-1.964	-1.295	.998	.046	-.315	8													
5	-4.593	-1.928	-4.234	-1.815	-2.171	-.919	.438	-.245	-.829	-.939	-2.288	-1.570	.800	7													
6	3.861	-1.101	-.280	1.646	1.624	-.034	1.090	-.481	-1.229	-.207	-.944	-.684	-1.158	6													
7	7.607	.563	1.556	1.333	.296	.658	1.072	.818	-2.280	-.940	2.256	-.876	-4.278	5													
8	-4.651	-.447	3.118	-1.136	.874	.320	.332	.645	.494	.385	1.230	1.634	2.654	4													
9	-3.789	.366	1.126	.652	1.330	-.233	.796	-.619	.312	.194	1.462	4.150	3.321	3													
10	1.042	-.322	.034	2.334	-.453	1.065	.156	.004	-.663	.870	-1.030	3.328	.238	2													
11	.699	-.250	-1.553	-.470	-1.006	1.295	.375	.415	.311	-.370	-.244	-.156	-1.204	1													
12	.958	.872	-1.393	-.777	.879	-.101	-.247	.390	.409	-.162	-.806	.645	-.465														
n/m	0	1	2	3	4	5	6	7	8	9	10	11	12														

C_n^m

S_n^m

ORIGINAL PAGE IS OF POOR QUALITY

August 1976




September 1976

	12	11	10	9	8	7	6	5	4	3	2	1	m/n	
0	232.378	-.078	.684	-1.090	-.533	.364	-.259	1.034	-1.159	-.814	.842	-.249	-.342	12
1	9.233	3.384	-.215	-.878	1.003	.325	.782	.071	-.362	.885	-.338	.145	1.124	11
2	-25.436	4.782	2.091	1.273	1.052	.371	.543	-.876	.651	1.082	-.038	.047	1.371	10
3	6.942	-1.413	.741	-1.242	.652	.441	-.035	-.449	.380	.442	2.122	1.320	-2.541	9
4	-7.688	-2.646	-1.042	-3.139	-3.440	-.161	.079	-.191	-.882	-1.782	.383	.911	-.521	8
5	-2.447	-1.237	-2.667	-.825	-1.467	-1.245	.197	.754	.374	-.890	-1.726	-1.371	1.250	7
6	2.513	1.055	.101	4.003	.371	-.628	1.927	.043	-.751	.340	-.234	-.274	.823	6
7	6.809	.652	.537	1.198	.451	.998	.987	.067	-.2463	-1.792	1.324	-1.420	-4.075	5
8	-3.467	-1.098	.742	-1.169	.176	-1.120	.165	-.919	.914	-.772	.182	-.160	1.671	4
9	-4.003	.863	1.623	.773	-.085	-1.054	-.500	-1.133	.885	.300	-.098	3.452	1.246	3
10	1.277	.835	.364	1.106	-.013	.983	.530	.452	-.322	-.543	.004	4.020	.867	2
11	2.149	-.927	-1.460	-.780	-.224	.081	.007	1.571	-.661	-.792	.335	-.870	1.219	1
12	.842	-.725	-.313	-.713	.350	-.345	-.317	.626	-.767	-.219	-.365	-.274	1.049	
n/m	0	1	2	3	4	5	6	7	8	9	10	11	12	

C_n^m

S_n^m

September 1976




October 1976

$m \backslash n$	0	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12		
0	228.932	.400	.173	-.004	-.425	-.224	-.368	-.262	-.910	-1.218	.857	-.111	.362														
1	4.233	1.951	.097	-.957	.463	-.225	1.003	-.119	.694	-1.079	-1.444	-1.139	1.701														
2	-26.503	1.932	.452	1.313	.039	-.135	.316	.254	.755	1.034	-.584	.626	1.218														
3	2.591	-1.617	1.009	.924	-.306	-.570	-.115	-.275	-1.395	1.418	1.884	1.533	-2.078														
4	-6.610	.782	-.594	-1.220	-3.098	-.588	.143	-.221	-.962	-.914	1.355	.620	-.211														
5	-.102	-.659	-1.593	-.447	-1.212	.179	-.167	.988	2.090	-.008	-1.152	-.642	2.716														
6	5.029	.306	2.357	2.147	1.751	-.397	1.425	-.615	.068	1.352	-.622	.118	2.325														
7	5.369	.806	1.404	1.236	.447	.474	-.367	.178	-3.145	-1.767	.525	-.847	-3.391														
8	-4.227	-.310	-.408	-.838	-.997	-.930	.049	-.616	.482	-2.747	.216	-1.957	.398														
9	-2.704	.889	.560	-.644	.127	-1.521	.250	-1.106	.681	1.177	.677	2.638	.744														
10	2.143	.348	.140	.243	.917	.161	.011	-.337	-1.101	.204	-.103	4.712	.342														
11	2.282	-1.799	-1.666	-.359	.715	1.101	.005	.472	-.430	.111	.256	.020	-.074														
12	.584	-.065	-.026	.173	-.354	-.088	-.979	.064	.634	.467	-.221	-.342	.106														
$n \backslash m$	0	1	2	3	4	5	6	7	8	9	10	11	12														

C_n^m

S_n^m

October 1976



ORIGINAL PAGE IS
OF POOR QUALITY.

November 1976


$m \backslash n$	12	11	10	9	8	7	6	5	4	3	2	1	$m \backslash n$	
0	226.878	.250	-.234	-.137	-.127	-.143	-.019	-.266	.008	-1.331	.999	-.174	-.406	12
1	-2.621	3.131	-.707	-.404	.353	-.069	-.165	-.050	.483	-.948	-.651	-.812	.645	11
2	-24.607	2.013	1.314	1.438	-.739	-.044	-.071	.236	.789	1.668	-1.275	.713	1.784	10
3	.084	-1.805	2.440	-.693	.413	.224	.236	-1.148	-1.902	2.097	1.430	1.987	-2.078	9
4	-3.624	-.487	-.619	-2.621	-1.895	.842	-.266	-.478	-2.021	-1.208	1.937	-.547	-.049	8
5	.070	.064	-1.472	-.387	-.358	.325	1.008	1.872	-2.167	-1.607	-1.024	2.519	2.519	7
6	6.984	1.366	2.129	3.991	1.476	-.513	1.293	-.765	1.831	.383	-1.295	1.915	.982	6
7	2.296	.668	1.719	.434	.382	.266	-.087	.409	-2.422	-.411	-1.100	.498	-4.166	5
8	-4.285	-1.347	-.827	-2.340	-.839	-.360	1.524	.820	.978	-1.691	-.425	-1.910	-.173	4
9	-1.099	.007	-.429	-.103	.540	-.575	.240	-1.435	-.485	.852	2.252	2.108	.675	3
10	1.825	1.912	.179	.217	.212	.244	-.015	-1.158	-1.447	-.259	-.043	4.397	-.697	2
11	1.865	-.863	-1.081	-1.005	.151	.675	.416	.222	-.084	-.298	.040	-.408	-1.342	1
12	1.127	-.865	.618	.606	.305	-.508	-.645	-.211	.376	1.193	.428	.096	.885	
$n \backslash m$	0	1	2	3	4	5	6	7	8	9	10	11	12	

C_n^m

S_n^m

ORIGINAL PAGE IS
OF POOR QUALITY

November 1976




December 1976

$m \backslash n$	12	11	10	9	8	7	6	5	4	3	2	1	$m \backslash n$	
0	228.198	.173	.772	.023	-1.174	-1.220	.345	.127	.070	-0.704	1.292	-1.179	.447	12
1	-8.045	2.072	.902	.359	.880	.825	.052	-0.523	-1.095	-0.857	.085	-0.410	.745	11
2	-24.900	1.495	-0.868	.663	-0.212	.989	.078	-0.082	.762	.757	-2.153	1.134	1.689	10
3	-2.309	-2.229	3.208	.751	-0.467	.543	-0.092	-0.276	-1.466	1.275	1.124	1.070	-2.507	9
4	-1.552	.379	2.660	-3.872	.921	.535	-0.479	-0.214	-1.194	-0.707	2.143	-1.899	-0.910	8
5	.964	2.328	.135	-0.298	-1.677	.226	.227	.527	2.045	-3.954	-2.229	.164	3.605	7
6	7.738	.683	.738	3.694	.541	-0.722	-0.658	-1.104	1.027	.230	-1.729	3.227	1.277	6
7	-1.728	-0.887	1.918	.378	.297	.396	-0.893	1.020	-1.195	1.143	.908	-0.632	-3.531	5
8	-6.120	.129	.942	-2.221	-1.345	-0.083	.626	1.171	.253	-2.093	-0.304	-1.800	.420	4
9	.620	.708	-1.428	-1.023	.784	-0.962	.365	-1.062	.295	.255	.476	2.110	-0.352	3
10	.808	.218	-0.260	.180	2.216	.579	.471	-0.624	-1.125	-0.743	1.451	2.551	-1.278	2
11	-0.034	-0.290	-0.178	-0.011	-0.712	.504	-0.382	.879	.483	-0.301	.424	-0.197	-0.004	1
12	.581	-0.883	-0.065	1.626	-1.294	-0.331	-0.495	.817	-0.289	.249	.175	.745	-0.114	
$n \backslash m$	0	1	2	3	4	5	6	7	8	9	10	11	12	

C_n^m

S_n^m

December 1976



January 1977


m/n	0	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	m/n		
0	227.114	.874	.084	.437	-.102	.729	.262	-.399	-.289	.216	.588	-.937	.010	12														
1	-9.604	2.240	1.150	.105	-.890	.128	-1.041	-.069	-.044	-.721	.962	-.183	.627	11														
2	-24.389	1.577	-1.127	.146	-.414	-.018	-.744	.007	.408	.073	-.053	1.134	1.984	10														
3	-1.785	-1.403	3.484	1.513	-.146	.526	.289	-1.549	-.435	2.356	-.094	1.040	-1.930	9														
4	-.443	.003	3.183	-3.428	2.979	.198	.480	-.394	-.714	-.847	.271	-1.555	-1.418	8														
5	6.809	.876	-.493	-.740	-1.490	1.140	-.861	.244	1.173	-2.610	-1.648	-1.252	3.626	7														
6	7.012	.618	.506	4.304	-.655	-.911	-1.135	-1.781	1.976	1.243	-.304	3.653	2.203	6														
7	-6.445	.392	.871	.468	1.715	-.458	-.876	-.440	-1.447	.567	2.632	.198	-4.155	5														
8	-5.222	.050	-.141	-3.271	-1.138	-.855	.675	-.475	1.302	-.579	-.939	-2.898	.037	4														
9	3.102	-.240	-.423	-.531	-.680	-.429	.451	-.084	.502	.584	-2.193	1.966	.936	3														
10	2.113	.870	.976	1.514	1.905	.840	.358	-.264	-7.25	-1.366	-.531	2.108	-1.139	2														
11	-.751	-1.153	-.780	-.322	-.560	.014	-.345	.365	.081	.355	.037	1.345	-3.056	1														
12	-1.276	-.854	-.565	.110	-.583	.126	-.546	.032	.369	.184	-.155	-.014	.032															
m/n	0	1	2	3	4	5	6	7	8	9	10	11	12															

C_n^m

S_n^m

ORIGINAL PAGE IS
OF POOR QUALITY

January 1977




February 1977

$n \setminus m$	0	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
0	229.090	.775	-.403	.006	-.574	.241	-.009	1.052	-.055	-.093	.933	-1.057	.058	12												
1	-7.489	3.864	.514	-.683	1.598	.540	-.034	-.383	.301	-1.151	1.053	-1.351	.434	11												
2	-26.765	1.291	-.258	.382	-.357	-.950	-.244	-.548	.878	.204	-.895	2.001	2.203	10												
3	-2.988	-1.272	2.508	.066	1.100	.188	.718	-.192	-.834	1.829	-.408	1.506	-.965	9												
4	-4.352	.488	1.405	-3.338	3.778	.116	-.006	-.162	-.703	-.700	1.770	-2.719	-.942	8												
5	8.359	.496	-.597	.550	-1.787	.443	-.876	1.232	1.352	-2.294	-1.941	-.213	1.436	7												
6	6.126	.372	2.066	4.498	-.874	-.021	-1.254	.407	1.133	1.485	-2.331	4.260	3.070	6												
7	-5.255	.823	1.288	-.538	1.136	-.838	.081	.344	-2.751	.925	2.914	-.836	-3.236	5												
8	-5.509	-.478	-.488	-2.221	-.849	-.572	1.751	1.027	.656	-1.527	1.096	-3.043	-1.550	4												
9	2.743	-.187	1.082	.736	-.295	.486	.147	-1.304	-.544	.852	-1.169	2.187	1.272	3												
10	2.971	1.875	.147	.415	1.278	-.126	-.167	.618	-.873	-.127	.284	3.105	.314	2												
11	1.483	-1.458	-1.258	.104	.054	-.187	.312	.340	-.467	-.475	-.614	.350	-3.877	1												
12	-.189	-1.360	.805	.084	-.814	.336	-.616	.249	.069	1.385	.814	-.207	-.989													
$n \setminus m$	0	1	2	3	4	5	6	7	8	9	10	11	12													

C_n^m

S_n^m

February 1977



ORIGINAL PAGE IS
OF POOR QUALITY

March 1977

	12	11	10	9	8	7	6	5	4	3	2	1	m / n
0	229.598	.340	-.398	-.048	-.442	.501	.164	.075	-.702	.379	1.254	-.602	.083
1	-3.105	4.783	.668	-.084	.803	-.274	-.372	-.588	.409	-.390	-.260	-.418	.059
2	-26.379	2.354	-2.519	.285	.079	-.269	.611	-.600	.056	-.522	-1.452	1.739	1.765
3	-.643	-2.595	.991	.468	.037	.424	.259	-.301	-.675	1.825	.847	1.228	-1.322
4	-8.788	.479	3.605	-1.584	1.829	-.654	-.448	.952	.397	0.000	2.184	-2.229	-.078
5	6.288	2.122	-.131	-.832	-.872	.561	.876	1.416	1.437	-1.776	-1.234	-1.445	.898
6	7.477	-.933	-1.065	2.600	.944	.024	-.628	-.801	-.693	.741	-2.063	2.990	2.429
7	-3.181	-1.120	.437	.413	-.412	1.511	-.010	.509	-2.616	.634	1.801	.682	-3.034
8	-7.588	1.119	.715	-1.412	-1.327	-.061	.966	.707	.399	-2.508	.917	-1.874	-.004
9	2.520	1.012	-.069	-.091	.577	-.649	.317	-1.332	.013	.648	-1.125	1.753	-.515
10	3.526	-.647	.671	-.004	.886	-.485	-.185	.124	-.640	-.225	.398	1.629	.180
11	-.002	-.963	.075	.298	-.336	-.269	-.290	.905	-.223	-.214	-.105	-.343	1.094
12	-.305	1.384	-.659	.810	-.474	.389	-.347	.386	-.348	.104	.077	.033	-.224
n / m	0	1	2	3	4	5	6	7	8	9	10	11	12


S_m

C_m

ORIGINAL PAGE IS
OF POOR QUALITY

ORIGINAL PAGE IS
OF POOR QUALITY

March 1977




April 1977

n	0	1	2	3	4	5	6	7	8	9	10	11	12	m
0	291.419	.261	.240	.841	.203	.743	.962	.460	-.226	.332	-1.216	1.444	12	
1	3.821	5.292	-.416	.756	.188	-.650	.296	-.033	-2.068	-.614	-.673	1.322	11	
2	-26.031	1.757	-.927	.373	-.375	-.863	.117	-.743	.258	-.445	.542	.831	10	
3	2.580	-2.763	-.769	.700	-.624	.655	-.104	-.548	-.478	1.553	1.921	.788	9	
4	-7.717	1.061	-.362	-1.581	1.882	-.797	.186	-.752	-2.023	-.416	.847	-.513	8	
5	3.768	.817	-2.965	-1.099	-.925	-1.743	.943	1.821	.431	-1.256	-1.882	-.330	7	
6	4.355	-.297	-.082	1.759	-.671	-.464	.002	-.712	1.036	-.389	-.378	2.217	6	
7	-.655	.901	1.201	1.159	2.442	1.619	-.691	-1.370	-2.558	-.800	1.239	-.882	5	
8	-7.487	-.356	2.139	-.999	1.163	-.714	.173	-.190	.197	-.500	-.392	-1.552	4	
9	1.385	-1.429	.549	-1.025	-.777	-1.184	2.456	-.627	-.629	-.023	-.483	2.268	3	
10	3.246	1.123	.417	-.089	-.127	.677	.985	-.221	-1.267	-.840	-.013	2.885	2	
11	-.483	1.062	-1.197	-.301	-.141	-.584	-1.535	.486	-.535	.547	-.465	-.324	1	
12	-.621	-.157	-.372	1.060	-.597	-.150	-.212	.005	.166	1.092	-.224	-.574	.899	
n	0	1	2	3	4	5	6	7	8	9	10	11	12	m

C_n^m

S_n^m

April 1977



May 1977


ORIGINAL PAGE IS
OF POOR QUALITY

m/n	0	1	2	3	4	5	6	7	8	9	10	11	12	m/n
0	232.513	.129	.272	-.287	.740	-.127	-.395	.876	-.836	-.428	.608	-1.378	.618	12
1	8.790	4.180	.856	-.050	-.585	-.750	.186	.500	.068	-1.020	-1.703	-1.714	.861	11
2	-24.000	2.730	1.068	-.169	-.722	.097	.436	-1.089	.145	-.194	-.412	1.015	.714	10
3	6.401	-.175	.544	1.551	.625	-.617	-.093	-.372	-.980	1.386	1.361	1.570	-2.445	9
4	-5.612	-.102	-1.409	-1.576	-1.615	-.520	.234	.641	-1.464	-.547	.093	-.706	-.627	8
5	-.966	-2.488	-3.598	-1.601	-1.262	-.835	1.179	1.074	.828	-.870	-.747	-.946	1.708	7
6	2.796	-.289	.135	1.695	.230	-.188	.988	.402	-.526	-.465	.494	.569	2.089	6
7	3.150	2.143	1.289	1.424	1.534	1.304	-.421	-.332	-2.849	-.749	.656	-.476	-2.927	5
8	-5.756	-.339	2.429	-.880	.179	.146	.093	1.339	.971	-.695	.627	-.107	.048	4
9	-2.504	-.679	.238	-.767	-.458	-.776	.415	-1.027	-.549	-.558	1.879	2.490	1.486	3
10	3.771	-.030	-.431	.780	.380	-.259	-.124	-.685	-.378	-.144	-.650	4.683	1.226	2
11	1.953	-.521	-.795	-.088	-.301	.055	-.614	1.028	-.019	-.388	-.722	-1.261	.850	1
12	-.085	.590	.099	.146	-.159	.666	-.221	1.022	-.871	-.287	1.226	-.112	-.253	
n/m	0	1	2	3	4	5	6	7	8	9	10	11	12	

C_n^m

S_n^m

May 1977



ORIGINAL PAGE IS
OF POOR QUALITY


June 1977

$m \backslash n$	12	11	10	9	8	7	6	5	4	3	2	1	$m \backslash n$	
0	296.132	-1.252	.456	-.703	.125	.377	-.689	-.106	.057	-.786	-.695	-1.490	-487	12
1	12.479	5.866	1.157	-.600	.647	.253	.086	.529	.711	-.749	-.840	.667	.866	11
2	-22.326	4.127	3.230	.636	-.009	.008	.025	.857	.023	1.578	1.522	1.527	.331	10
3	7.696	-1.391	1.212	.828	.180	.287	.163	.805	-.550	1.519	.661	.928	-.478	9
4	-5.688	-.925	-1.509	-.720	-2.134	-.428	.311	.074	-.676	-1.742	-1.480	1.450	-.323	8
5	-4.785	-3.861	-4.893	-1.488	-1.209	-1.478	-.137	.459	-1.066	-2.714	-1.182	-.307	-.213	7
6	4.813	-.798	-.938	.941	1.114	-1.701	.785	-.082	-.312	-.276	1.492	-1.430	-.430	6
7	5.444	2.978	1.536	1.715	-.323	-.242	2.258	.143	-.627	.356	1.041	-2.502	-3.188	5
8	-4.081	.071	2.742	-.693	-.814	1.428	1.437	.445	.043	-1.128	-.371	1.023	3.185	4
9	-4.792	-.486	.635	-1.066	-.002	.865	0.000	.273	.903	1.099	1.120	4.632	3.908	3
10	2.804	-.915	-.583	.491	.392	-.908	-.789	1.073	.120	.328	6.187	-7.328		2
11	1.458	-1.366	-1.158	-.456	-.125	-.060	-.352	.696	-.926	-.558	.736	-.774	-.779	1
12	1.244	-.078	.176	-.402	1.104	.668	.312	-.300	.392	.150	.831	-1.383	-3.994	
$n \backslash m$	0	1	2	3	4	5	6	7	8	9	10	11	12	

C_m

S_m

June 1977



July 1977


S_n^m

C_n^m

ORIGINAL PAGE IS
OF POOR QUALITY

	12	11	10	9	8	7	6	5	4	3	2	1	m/n	
0	237.174	-.998	-1.148	-.990	-.059	.871	.005	-.008	-.619	.185	.127	-1.218	-.540	12
1	14.767	5.933	1.323	-.082	.365	.476	-.065	.487	.749	1.370	-.602	.086	.617	11
2	-22.458	5.134	4.142	-.938	.635	.321	.608	.275	-1.016	1.007	.604	2.362	.693	10
3	9.865	-1.738	1.755	1.624	.787	1.319	-.608	.070	-.223	.257	1.379	.748	-1.432	9
4	-8.058	-1.094	-1.478	.021	-3.087	-.458	-.697	.954	.558	-1.173	-.287	-.344	-.002	8
5	-6.621	-3.313	-3.989	-1.942	-1.975	-2.313	.688	.220	-1.460	-1.773	-2.045	-.453	.765	7
6	5.093	-1.064	-.421	1.361	.574	.612	1.144	-.918	-1.115	-.872	.424	-.474	-.676	6
7	7.501	1.870	.990	1.031	-.557	.810	1.522	1.158	-.929	.243	1.612	-2.360	-4.173	5
8	-3.994	.255	2.464	-.607	.848	.268	.329	.216	.609	.256	-.182	1.541	4.528	4
9	-4.140	.240	1.345	-.847	1.201	.368	.445	.267	1.220	-.906	2.797	4.698	3.913	3
10	2.606	-1.008	-.218	.959	-.435	-.377	-.378	.592	-.385	-.054	.097	1.776	-.764	2
11	-.037	-2.023	-1.161	1.103	-1.302	.770	-.788	.507	-1.095	-.063	.373	-1.172	-2.212	1
12	.115	.867	-.113	-1.265	.798	.178	-.290	-.089	-.268	.266	.194	.267	.264	
n/m	0	1	2	3	4	5	6	7	8	9	10	11	12	

July 1977



ORIGINAL PAGE IS
OF POOR QUALITY


August 1977

	12	11	10	9	8	7	6	5	4	3	2	1	m	n
0	235.848	1.522	-.280	-.002	.058	-.233	.716	-.181	-.410	-.771	.855	-.876	-.634	12
1	12.993	3.978	.289	.592	-.455	.248	-1.155	-2.413	.708	.792	-.711	-.440	.372	11
2	-24.619	3.973	3.076	2.281	-2.108	.444	-.568	.006	.859	.928	.217	2.120	2.889	10
3	9.969	-1.534	2.200	-1.724	1.007	.001	-.473	1.686	-.107	.135	1.571	2.419	-1.878	9
4	-9.388	-1.492	-.806	-2.329	-3.099	-.880	.378	.409	-.140	-.428	-.241	-.169	.098	8
5	-5.191	-3.167	-4.093	-.918	-2.084	-2.079	2.060	-.765	.770	-.928	-3.408	-.833	.242	7
6	3.658	-.590	-.720	3.222	.105	-1.577	1.835	-3.096	-.912	-.649	.916	-.824	-1.437	6
7	8.741	2.462	1.413	1.779	-.769	.983	1.319	.603	-1.397	-.438	2.075	-2.952	-4.547	5
8	-3.303	1.283	1.992	-1.541	.021	-.010	-.187	1.398	-.013	.041	-1.364	.744	3.495	4
9	-3.618	.242	.558	.030	1.382	.195	.238	-1.478	-.756	1.028	-.241	5.404	3.238	3
10	.113	-1.239	-.092	1.094	.252	.136	1.429	-.850	-.754	.731	-1.908	3.251	-.139	2
11	.209	-1.095	-.875	-.430	-1.558	.072	-.641	-.486	.533	-1.094	.623	3.150	-1.278	1
12	.818	.457	-.710	-.749	.888	.895	-.870	.545	1.131	.623	1.133	-.858	-3.070	
n	0	1	2	3	4	5	6	7	8	9	10	11	12	

C_n

S_n

August 1977




September 1977

	12	11	10	9	8	7	6	5	4	3	2	1	m/n	
0	234.240	.509	.043	.199	-1.488	-.474	-.368	.137	.111	-.207	.896	-.373	-.277	12
1	9.496	3.238	.187	-1.199	.208	1.008	-.712	.185	1.418	.099	.433	-.773	.928	11
2	-25.858	4.156	2.313	-.529	-.206	-.457	.530	.053	1.863	.283	.699	.324	1.773	10
3	7.344	-.483	2.453	-.579	2.181	-1.175	1.200	-.454	-.853	.848	.607	1.498	-1.364	9
4	-9.911	-1.862	-.888	-2.724	-3.482	-.753	1.899	-1.109	-1.666	-.074	-.153	.506	.804	8
5	-3.861	-3.013	-2.967	-1.114	-1.620	-1.315	1.064	-.537	1.429	.758	-2.199	-.068	.829	7
6	3.858	1.026	.241	2.405	.983	-.557	.775	-.201	-.200	-.008	-.516	.381	-.704	6
7	7.765	2.173	.867	1.688	.405	1.102	.348	-.021	-3.143	-1.388	1.074	-2.646	-4.614	5
8	-3.467	-.566	.147	-1.385	-.074	.793	.419	.271	1.323	-1.938	-.097	-.739	1.888	4
9	-3.620	-.604	-.244	-.760	1.113	-.386	-.495	-.126	.055	1.426	.220	4.834	2.646	3
10	.891	-.245	.683	1.377	1.208	-.078	-.523	.089	-2.514	.933	-.409	5.509	.736	2
11	1.140	-.321	-.365	.130	.053	.074	-.135	.695	1.049	.074	-1.176	-.104	.530	1
12	1.108	1.079	.268	-.602	-.559	-.095	-.815	-.386	1.699	-.277	-.260	.564	-.339	
n/m	0	1	2	3	4	5	6	7	8	9	10	11	12	

C_n^m

S_n^m

September 1977



October 1977


	0	1	2	3	4	5	6	7	8	9	10	11	12	m/n
0	230.883													12
1	2.317	2.068												11
2	-26.411	3.698	.653											10
3	3.010	-1.764	1.644	3.211										9
4	-7.425	-.836	.882	.040	-2.550	-.936	1.426							8
5	-2.052	-.546	-1.243	-1.998	-.792	-1.145	.192	1.375	1.882	-.976	-2.340			7
6	5.906	1.280	.868	1.206	.266	-.423	1.748	.551	-.020	-.362	.335	1.882	.602	6
7	6.129	1.311	.883	1.768	.043	.274	.494	-.818	-3.548	-.144	2.411	-1.802	-4.558	5
8	-4.413	-1.269	.611	-1.278	-.093	-1.026	.470	.809	1.458	.907	-.672	-1.593	.090	4
9	-2.876	-.972	-.373	-1.379	.722	-1.574	-1.115	-.711	.739	-.058	1.050	2.297	1.139	3
10	2.081	.554	.388	.143	1.243	.880	-.513	.009	-1.081	1.046	.634	3.571	-.234	2
11	2.987	-.315	-.312	-.789	-.178	.992	.648	1.065	1.085	-.605	-1.258	-.238	.120	1
12	.987	.458	.182	-.008	-.733	.313	-1.000	.320	1.556	1.320	-.321	-.981	.438	
n/m	0	1	2	3	4	5	6	7	8	9	10	11	12	

C_n^m

S_n^m

ORIGINAL PAGE IS
OF POOR QUALITY

October 1977




November 1977

	12	11	10	9	8	7	6	5	4	3	2	1	m/n
0	227.293	-.392	.917	-.268	-.376	-.491	.028	-.931	1.349	1.224	-1.025	-.281	12
1	-3.898	1.405	.172	-.994	.139	.400	-.282	1.021	.165	-1.890	-.880	-.410	11
2	-25.971	2.471	1.340	1.409	-.707	-1.041	.461	.850	.094	-.766	-.501	.948	10
3	-1.061	-.965	2.396	1.851	-1.687	-.795	.074	.823	-.690	2.779	2.094	1.432	9
4	-2.141	-.970	-.473	-1.349	-.736	.728	.002	1.010	-.595	-.876	.932	-.295	8
5	.911	-.836	-1.348	-1.818	-1.062	.083	-.063	-.981	1.556	-1.889	-2.444	.393	7
6	5.875	2.266	1.807	1.393	1.695	.202	.372	-.080	.933	2.890	-.969	.694	6
7	1.601	.885	1.367	1.154	-.132	-.248	-1.718	2.358	-2.499	-.363	-.157	-1.899	5
8	-3.582	-2.200	-.809	-1.902	-1.782	-.716	1.449	1.175	-.122	-3.700	.171	-.779	4
9	-.677	-.001	-.895	-.410	1.551	.033	1.389	-.944	.424	.196	3.753	2.557	3
10	1.618	1.693	-.411	1.424	2.107	.528	-.587	-.731	-1.551	-1.629	-1.412	.626	2
11	1.582	-.715	-.451	-.588	-1.053	.053	-.345	.002	.897	.582	2.428	1.252	1
12	.945	.378	1.056	-.583	-1.315	.394	.495	.134	.963	2.130	-.116	.391	.484
n/m	0	1	2	3	4	5	6	7	8	9	10	11	12

C_n^m

S_n^m

November 1977



December 1977


December 1977													
$m \backslash n$	0	1	2	3	4	5	6	7	8	9	10	11	12
0	226.817	-2.404	-2.112	-1.077	1.175	.598	.877	.250	-.257	-.293	1.201	-1.141	-.653
1	-9.513	.342	1.184	.280	.438	.271	1.027	.813	-.695	-2.210	.528	.059	1.030
2	-25.545	1.701	.007	1.515	-.643	.993	-.620	-1.273	.673	.953	-.167	1.110	1.637
3	-3.975	-1.240	.749	1.507	-.074	-.820	-.298	-1.288	-.508	3.150	-.129	.410	-2.305
4	-2.898	.001	3.143	-.997	1.156	1.237	.810	1.000	-1.509	-.963	.553	-.482	-1.653
5	2.167	1.217	1.789	-1.769	-2.362	.870	.294	1.169	.650	-2.403	-.265	-.099	2.280
6	7.191	.890	-.082	1.725	.153	-.722	.858	-1.220	1.821	2.591	-.512	1.671	1.538
7	-4.058	-.812	.683	1.628	1.961	.067	.333	1.456	-.123	-.113	-.248	-.515	-2.162
8	-5.545	-.651	1.035	-1.500	-1.326	-.594	1.665	-.020	.163	-2.027	-.837	-1.182	.727
9	.188	1.301	-.887	-1.935	-1.392	-.288	1.146	-.178	-.437	.133	1.525	1.717	-.544
10	1.082	.741	.082	.807	2.131	1.034	-.619	.199	-1.668	.134	.382	.247	-1.088
11	.116	-1.940	.819	1.248	.152	1.040	-.778	-1.065	-.729	-.943	.620	-.858	-1.140
12	-.935	-.156	.924	-.008	-1.263	.094	.126	.594	.668	-.107	1.047	.916	-.455
$n \backslash m$	0	1	2	3	4	5	6	7	8	9	10	11	12

C_n^m

S_n^m

ORIGINAL PAGE IS
OF POOR QUALITY

December 1977




January 1978

n	0	1	2	3	4	5	6	7	8	9	10	11	12	m
0	228.377	.006	1.156	-772	-480	.765	-.654	-.556	-.121	.682	1.664	-.482	-.160	12
1	-9.889	3.171	.990	-.053	-.586	-.078	-.160	-.009	.914	-.340	1.729	-.873	1.429	11
2	-24.039	-.310	.413	.995	-1.285	.397	1.493	-.228	.180	-1.021	-1.451	.331	2.603	10
3	-4.319	-2.162	3.221	1.594	1.321	-.743	-.061	-.652	-1.164	2.315	-.786	1.488	-1.863	9
4	-3.961	1.422	2.936	-2.649	1.984	-.022	.224	.867	-.675	-.067	2.941	-.586	-2.113	8
5	5.519	.571	.128	-1.413	-2.447	.888	.365	.760	.912	-2.872	-.626	-.386	2.589	7
6	7.344	-1.795	.232	2.800	-.823	.316	.673	-1.693	.219	.521	-3.188	3.854	3.952	6
7	-6.518	-.369	-.008	1.163	.945	-.275	-.083	.389	-2.913	1.096	.750	1.635	-4.297	5
8	-4.927	.199	-.665	-1.112	-.504	-.269	1.920	-.023	1.567	-1.690	.701	-2.985	-1.862	4
9	1.912	.528	.932	-.972	.067	-.094	.005	-1.022	-.144	1.393	-.663	.947	2.860	3
10	1.186	1.350	.932	-.760	2.319	.118	-1.395	-.778	-.208	-.920	-.184	4.378	1.504	2
11	-.156	-1.081	-.895	.180	.426	-.254	-.118	.201	-.431	-1.516	-.019	-.798	-4.215	1
12	.159	-.343	-.710	.936	-1.350	.393	-.444	.073	-1.242	.985	.091	.879	-.251	
n	0	1	2	3	4	5	6	7	8	9	10	11	12	m

C_n^m

S_n^m

January 1978




February 1978

$n \setminus m$	0	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	$m \setminus n$	
0	227.754	-566	-435	-495	-591	.398	-397	-2.001	.139	-379	.042	-1.345	.631	12													
1	-8.548	2.080	2.100	1.263	-1.191	.146	1.626	-1.185	.570	-1.225	1.759	-583	.616	11													
2	-25.666	.624	-1.121	-841	-1.539	-646	.160	1.209	.189	-367	.946	1.854	.755	10													
3	-2.463	-1.899	2.218	.925	-1.158	-1.869	-875	-1.619	-998	.885	-258	.584	-2.111	9													
4	-3.202	.484	2.873	-964	1.277	.477	.104	-983	-646	-843	-784	-1.564	-0.49	8													
5	7.670	1.278	-1.148	-2.138	-2.142	.022	-1.394	1.025	.841	-1.566	-1.994	-0.67	1.625	7													
6	6.824	-390	-1.943	2.190	-0.12	-1.166	2.350	-1.849	-1.172	.916	.111	2.032	.258	6													
7	-5.785	-800	1.001	1.305	1.337	.747	-287	.151	-2.327	-1.124	1.087	-1.49	-3.222	5													
8	-4.411	1.123	1.009	-1.233	-519	.268	-891	-0.15	2.047	-4.017	-1.855	-1.122	.785	4													
9	2.865	.464	-1.099	.051	-1.190	-841	-399	-837	-1.150	-842	-692	1.369	-1.103	3													
10	2.516	-420	.099	.882	.166	.589	.219	-766	-517	1.794	2.396	1.066	-1.602	2													
11	1.326	-1.254	.272	-344	.023	-1.199	.527	-433	1.404	.264	-1.878	.390	-2.148	1													
12	1.314	.234	-702	.375	1.188	-1.604	-293	.307	.142	.981	-650	.653	.382														
$n \setminus m$	0	1	2	3	4	5	6	7	8	9	10	11	12														

S_n^m

C_n^m

February 1978



March 1978


$n \setminus m$	0	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	
0	229.360	1.015	-.499	-.595	-.474	1.105	-.763	-.325	-.814	.488	1.159	-1.029	.596													
1	-6.095	1.322	.238	.182	-.522	.130	.673	.074	.945	-1.154	.119	-.799	.270													
2	-26.787	2.121	.898	.820	-.163	1.289	.823	.604	.675	-.449	-.203	1.362	2.464													
3	.933	.821	1.045	.795	.803	-.735	.368	-.257	-1.892	1.928	.545	1.344	-2.163													
4	-5.891	-.285	1.922	-.413	.361	-1.228	-.371	-.632	-.777	-.611	.317	-.689	-1.890													
5	6.176	-2.445	1.357	-1.911	-1.142	1.185	-1.165	1.170	.394	-3.097	-1.817	-.681	1.154													
6	5.088	.512	.546	1.873	.125	-.301	1.217	.104	-1.292	1.815	-.737	1.670	3.578													
7	-2.844	1.036	-1.315	.376	.234	.971	-.556	1.933	-1.824	.841	1.175	.377	-3.432													
8	-6.469	-.409	1.814	-.937	-.088	1.179	.862	-.649	-.950	-2.248	-.440	-.351	-.877													
9	2.917	.787	1.884	-1.635	-.517	-.229	.071	-.905	-.396	1.559	-.503	2.392	1.438													
10	2.826	.288	-.072	.331	1.173	-.275	.271	-.403	.766	-.067	.703	1.921	1.024													
11	.307	-1.315	-.311	.369	.378	-.340	-.197	-1.398	1.255	.612	2.604	.733	-3.574													
12	-.935	.133	.366	.759	-.177	1.062	.399	.446	.067	-.432	.068	1.311	.293													
$n \setminus m$	0	1	2	3	4	5	6	7	8	9	10	11	12													

C_n^m

S_n^m

ORIGINAL PAGE IS OF POOR QUALITY

March 1978




April 1978

	12	11	10	9	8	7	6	5	4	3	2	1	m/n	
0	229.763	2.127	-1.605	1.044	-.311	-.747	.639	-.458	-.718	-.057	.775	-1.167	.402	12
1	1.658	1.978	.743	-.028	-1.791	-.723	-.016	-.341	.600	-.145	-.690	-1.588	.864	11
2	-24.510	1.917	-2.710	1.318	-2.823	.758	1.488	.650	.832	.234	-.392	.616	2.511	10
3	6.358	-.325	-.058	1.351	-.158	.462	-.707	-1.161	-.858	.877	.383	1.699	-1.800	9
4	-6.651	.967	1.310	-1.282	-.696	.038	.572	.045	-.233	-.962	.328	-1.037	-.182	8
5	2.700	-1.613	.139	-.509	-1.358	.474	-.648	.750	1.197	-.165	-1.530	-.868	.267	7
6	2.444	-1.004	.381	2.531	.094	-.685	-1.338	.696	-1.184	1.848	-.920	2.692	2.392	6
7	-.841	1.705	-.310	.713	.189	1.605	-.714	.940	-2.551	-.968	1.608	-.046	-1.758	5
8	-7.203	1.023	1.092	-.772	1.130	1.220	-.407	-.504	-1.159	-1.981	-.085	-1.804	1.333	4
9	-.213	-.980	-.165	.153	-.472	-.930	-.658	-.505	-1.385	2.204	-.524	1.444	-.107	3
10	3.681	-.411	.530	1.266	-.329	-1.028	.658	1.104	-1.525	-.476	-1.621	1.916	.274	2
11	1.279	.868	.300	.648	.580	-.724	1.308	.245	.135	.514	-.486	.529	-1.242	1
12	-.108	.657	.160	.172	-.079	.378	-.804	-.753	-.120	.257	.111	.738	.400	
n/m	0	1	2	3	4	5	6	7	8	9	10	11	12	

C_n^m

S_n^m

April 1978



May 1978


		12	11	10	9	8	7	6	5	4	3	2	1	m/n
0	232.164	-.889	-.816	.436	.068	.289	.406	.124	-1.462	-.180	.685	-.348	-.147	12
1	9.333	4.403	1.246	.909	.182	-.573	.117	-2.017	.873	-.429	-1.004	-1.517	.746	11
2	-24.362	2.195	1.161	.624	-1.142	-.849	-.479	-.531	.580	-.114	.166	.635	1.267	10
3	6.682	-1.045	1.352	.339	.989	-.035	.014	-.360	-1.124	1.655	1.499	1.937	-1.541	9
4	-5.428	-.192	-2.798	-1.127	-.993	-1.180	.413	.534	-1.869	-.163	.459	.566	-.756	8
5	-.665	-2.798	-2.530	-1.243	-.705	.230	1.217	.908	1.413	-.551	-1.096	-.874	1.032	7
6	2.771	-.167	2.532	1.229	.800	-.560	-.228	.724	.008	-.387	.036	.261	2.213	6
7	2.987	2.653	.658	1.580	.896	1.183	.127	.035	-1.827	-1.781	-.906	-.495	-3.447	5
8	-5.257	-.247	-.038	-.351	-.341	.865	1.375	-.647	-.562	-2.572	-.514	-1.124	1.471	4
9	-2.711	-1.516	1.143	-7.82	-.083	-1.104	.400	-.100	-.009	.695	1.825	2.985	1.556	3
10	3.702	-.273	.884	-.008	.276	-.425	.577	.052	-1.707	.259	-1.369	5.734	.108	2
11	2.074	-.261	-.655	-.113	-.118	1.057	.239	.394	.221	.469	-.629	-.531	.250	1
12	1.147	.435	.347	.252	.365	.514	-.102	.930	.428	.360	-.294	.202	.758	
n/m	0	1	2	3	4	5	6	7	8	9	10	11	12	

C_n^m

S_n^m

ORIGINAL PAGE IS
OF POOR QUALITY

May 1978




June 1978

	12	11	10	9	8	7	6	5	4	3	2	1	m/n
0	232.714	-.937	-1.752	1.050	.016	-.701	1.691	.395	-.578	.027	-.267	-1.495	12
1	10.886	5.075	-.856	-2.617	.169	.927	.312	1.747	2.636	-.465	-.158	.080	11
2	-22.195	1.145	4.619	-.313	-.235	3.173	.698	2.634	.546	-.398	1.333	-.631	10
3	9.144	-1.431	3.057	1.434	1.010	3.741	.510	.795	-.079	.981	1.858	-.693	9
4	-4.984	1.684	-1.921	-1.654	-2.391	1.344	-.278	1.359	-.078	-.939	-1.409	-.622	8
5	-4.524	-4.020	-4.568	.088	-.894	-.977	2.572	.339	.262	-2.400	-.848	-.977	7
6	3.008	-.666	2.345	1.817	.918	-1.862	-.430	-.997	-.222	-.586	-.860	.388	6
7	6.198	1.400	1.684	-.009	1.385	1.184	1.420	1.727	1.281	-.044	1.637	-1.356	5
8	-1.270	-.560	2.125	.887	.459	1.862	.753	.530	-.450	-1.643	.844	-1.303	4
9	-2.525	-.104	2.295	.815	-1.132	-.433	.722	2.615	.289	.653	1.513	1.738	3
10	2.683	.760	-1.397	.195	-1.011	.727	.105	1.060	.087	.764	-.337	4.496	2
11	.152	.954	-3.160	.629	-.881	1.048	-1.184	.137	1.744	2.402	-1.080	-2.859	1
12	-3.002	.306	-1.095	-.503	-1.546	1.895	.127	.217	1.316	1.255	-1.757	-.019	
n/m	0	1	2	3	4	5	6	7	8	9	10	11	12

C_n^m

S_n^m

June 1978





Report Documentation Page

1. Report No. NASA RP-1185	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle Atlas of Wide-Field-of-View Outgoing Longwave Radiation Derived From Nimbus 6 Earth Radiation Budget Data Set—July 1975 to June 1978		5. Report Date August 1987	6. Performing Organization Code
		8. Performing Organization Report No. L-16325	
7. Author(s) T. Dale Bess and G. Louis Smith		10. Work Unit No. 672-40-05-70	
		11. Contract or Grant No.	
9. Performing Organization Name and Address NASA Langley Research Center Hampton, VA 23665-5225		13. Type of Report and Period Covered Reference Publication	
		14. Sponsoring Agency Code	
12. Sponsoring Agency Name and Address National Aeronautics and Space Administration Washington, DC 20546		15. Supplementary Notes Atlas of Nimbus 7 data for November 1978 to October 1985 is presented in NASA RP-1186, 1987.	
16. Abstract An atlas of monthly mean outgoing longwave radiation global contour maps and associated spherical harmonic coefficients is presented. The atlas contains 36 months of continuous data from July 1975 to June 1978. The data were derived from the first Earth radiation budget experiment, which was flown on the Nimbus 6 Sun-synchronous satellite in 1975. Only the wide-field-of-view longwave measurements are documented in this atlas. The contour maps along with the associated sets of spherical harmonic coefficients form a valuable data set for studying different aspects of our changing climate over monthly, annual, and interannual scales in the time domain and over regional, zonal, and global scales in the spatial domain.			
17. Key Words (Suggested by Authors(s)) Earth radiation budget Variability Longwave outgoing radiation Time series Nimbus 6 Broadband Deconvolution Wide field of view Spherical harmonics		18. Distribution Statement Unclassified—Unlimited Subject Category 47	
19. Security Classif.(of this report) Unclassified	20. Security Classif.(of this page) Unclassified	21. No. of Pages 78	22. Price A05