

- Gas Filter Correlation Radiometry

H. G. Reichle, Jr. (Chairman)
A. R. Barringer; R. Nichols; J. M. Russell III

- Spectral Radiometry and Tropospheric Aerosols

R. S. Fraser (Chairman)
M. Griggs; A. A. Lacis; L. R. McMaster

- Lidar Technology/Measurements

E. V. Browell and D. K. Killinger (Chairmen)
F. Allario; M. Bristow; H-Y Chiu; J. J. Degnan; D. E. Fitzjarrald
W. S. Heaps; C. L. Korb; J. B. Laudenslager, M. P. McCormick
I. S. McDermid; S. H. Melfi; V. A. Mohnen; R. Philbrick
A. Rosenberg; M. M. Sokoloski

The four measurement technology position papers form the bulk of this workshop report. As you will note, of the four measurement technology reports, the report from the lidar measurement technology panel is, by far, the longest. This is due to the fact that the 1981 NASA workshop only considered the role of passive remote sensors in measuring tropospheric trace species from space (see table I). Active remote sensors, i.e., lidar systems, were not considered at all in the earlier workshop.

N87-18249

FUTURE INSTRUMENTATION AND MISSIONS FOR MEASUREMENTS OF TROPOSPHERIC TRACE SPECIES FROM SPACE: WORKSHOP RECOMMENDATIONS

After the four instrument/technology panels completed their assessment of the available and projected instrument possibilities and the required technological/scientific activities to accomplish these objectives, all of the workshop participants were divided into three tropospheric mission panels which cut across instrument/technology lines. The mission panels were asked to: (1) recommend a phased space-measurement program to meet the scientific needs of an aggressive global tropospheric chemistry program for three timeframes: the present, the near term (1986-1992), and from 1992-2000--the period when the EOS is scheduled to become operational, and (2) recommend a supporting research and development program to ensure the successful accomplishment of the objectives of (1).

After their deliberations, the three mission panels reported their recommendations to the entire workshop. Although they differed in their approaches, the recommendations of the three mission panels were almost identical. Their recommendations and potential missions are summarized here and in table III.

The workshop missions panels recommended that gas filter correlation radiometry and high-resolution interferometry be exploited and expanded for measurements of the distribution of tropospheric trace gases. Such instruments and missions were identified and discussed by the panels and several instrument/measurement/mission feasibility studies were recommended by the panels, including:

- A three-layer (lower, middle, and upper troposphere) measurement of carbon monoxide, using a nadir-viewing gas filter correlation radiometer.

- A lower or middle tropospheric measurement of methane, using a nadir-viewing gas filter correlation radiometer.
- A survey of lower, middle, and upper tropospheric trace gases using a nadir-viewing high-resolution interferometer operating in the thermal emission mode.

The mission panels also concluded that lidar systems appear to have the potential of obtaining measurements of tropospheric trace gases and aerosols from space. In anticipation of the actual demonstration of spaceborne lidar measurements of tropospheric trace gases and aerosols, several lidar technology and measurement feasibility studies were considered, including:

- Feasibility studies to consider the potential of obtaining measurements of tropospheric trace gases and aerosols from spaceborne lidar systems. As discussed in this report, the Lidar Measurements and Technology Panel considered tropospheric measurements of the distribution of aerosols, water vapor, ozone, carbon monoxide, methane, and, possibly, ammonia, as well as column measurements of tropospheric nitrogen dioxide and, possibly, nitric oxide and sulfur dioxide.

In addition to the specific instrument/mission recommendations, the panels made several general recommendations that may lead to future spaceborne instruments, techniques, and missions for tropospheric chemistry research. This research may result in more accurate and/or faster algorithms and techniques for the retrieval and inversion of spaceborne radiative data for future tropospheric missions and in the possible development of new technologies for spaceborne measurements of tropospheric trace gases. The panels recommended research into the following areas:

- Basic studies in tropospheric radiative transfer and spectroscopy, e.g., line mixing in carbon dioxide, line shapes (especially for water vapor), and the behavior of the continuum.
- Basic research and development in detectors, coolers, and submillimeter and microwave components for the next generation of tropospheric spaceborne instrumentation; basic research and development aimed at improving existing laser efficiency, lifetime, and spectral quality and the development of new lasers for spaceborne measurements of tropospheric gases.

Spaceborne missions for tropospheric trace gases and aerosols presently available and projected for the future are summarized in table III.

A summary of the workshop, including a discussion of the scientific and technological challenges of obtaining measurements of tropospheric trace gases and aerosols from space, was reported in a paper presented at the American Meteorological Society Second Conference on Satellite Meteorology/Remote Sensing and Applications, Williamsburg, Virginia, May 13 to 16, 1986 (Levine et al., 1986).

REFERENCES

Chameides, W. L. and D. D. Davis, Chemistry in the Troposphere, Chemical and Engineering News, 60, 38-52, Oct. 4, 1982.

Dickinson, R. E. and R. J. Cicerone, Future Global Warmings from Atmospheric Trace Gases, Nature, 319, 109-115, 1986.

Farmer, C. B. and O. F. Raper, High Resolution Infrared Spectroscopy From Space: A Preliminary Report on the Results of the Atmospheric Trace Molecule Spectroscopy (ATMOS) Experiment on Spacelab 3, Spacelab 3 Mission Review, NASA Conference Proceedings, CP-2429, 1986.

Graedel, T. E., The Photochemistry of the Troposphere, The Photochemistry of the Atmospheres: Earth, the Other Planets, and Comets (J. S. Levine, ed.), Academic Press, Orlando, FL, 39-76, 1985.

Graedel, T. E. and J. E. McRae, On the Possible Increase of the Atmospheric Methane and Carbon Monoxide Concentrations During the Last Decade, Geophys. Res. Lett., 7, 977-979, 1980.

Journal of Geophysical Research, Special Section: Global Tropospheric Experiment/Chemical Instrumentation Test and Evaluation Project, J. Geophys. Res., 90, 12,807-12,889, 1985.

Khalil, M. A. K. and R. A. Rasmussen, Carbon Monoxide in the Earth's Atmosphere: Increasing Trend, Science, 224, 54-56, 1984.

Kuhn, W. R., Photochemistry, Composition, and Climate, The Photochemistry of Atmosphere: Earth, the Other Planets, and Comets (J. S. Levine, ed.), Academic Press, Inc., Orlando, FL, 129-163, 1985.

Levine, J. S., Water and the Photochemistry of the Troposphere, Satellite Sensing of a Cloudy Atmosphere: Observing the Third Planet (A. Henderson-Sellers, ed.) Taylor and Francis, London, 123-166, 1984.

Levine, J. S. and F. Allario, The Global Troposphere: Biogeochemical Cycles, Chemistry, and Remote Sensing, Environmental Monitoring and Assessment, 1, 263-306, 1982.

Levine, J. S., J. M. Hoell, Jr. and R. J. McNeal: Space Opportunities for Tropospheric Chemistry Research, American Meteorological Society Second Conference on Satellite Meteorology, Remote Sensing and Applications, Williamsburg, VA, May 13-16, 1986, Preprint Volume, 500-502, 1986.

Levine, J. S., C. P. Rinsland and G. M. Tennille, The Photochemistry of Methane and Carbon Monoxide in the Troposphere in 1950 and 1985, Nature, 318, 254-257, 1985.

Logan, J. A., M. J. Prather, S. C. Wofsy and M. B. McElroy, Tropospheric Chemistry: A Global Perspective, J. Geophys. Res., 86, 7210-7254, 1981.

Mauldin, L. E., N. H. Zaun, M. P. McCormick, J. H. Guy and W. R. Vaughn, Stratospheric Aerosol and Gas Experiment II Instrument: A Functional Description, Optical Engineering, 24, 307-312, 1985.

NASA, Earth Observing System, Volume I, Parts I and II Working Group Report, Tech. Memo. 86129, NASA-Headquarters, Washington, DC, 1984.

National Academy of Sciences, Global Tropospheric Chemistry: A Plan for Action, National Academy Press, Washington, DC, 194 pages, 1984.

National Academy of Sciences, A Strategy for Earth Science From Space in the 1980's and 1990's, Part II: Atmosphere and Interactions With the Solid Earth, Oceans, and Biota, National Academy Press, Washington, DC, 1985.

- McNeal, R. J., J. P. Mugler, Jr., R. C. Harriss and J. M. Hoell, Jr., NASA Global Tropospheric Experiment, EOS, 64, 561-562, 1983.
- Park, J. H., R. Zander, C. B. Farmer, C. P. Rinsland, J. M. Russell III, R. H. Norton and O. F. Raper, Spectroscopic Detection of CH₃Cl in the Upper Troposphere and Lower Atmosphere, Geophys. Res. Lett., 13, 765-768, 1986.
- Ramanathan, V., R. J. Cicerone, H. B. Singh and J. T. Kiehl, Trace Gas Trends and Their Potential Role in Climate Change, J. Geophys. Res., 90, 5547-5566, 1985.
- Rasmussen, R. A. and M. A. K. Khalil, Increase in the Concentration of Atmospheric Methane, Atmos. Environ., 15, 883-886, 1981.
- Reichle, H. G., Jr., S. M. Beck, R. E. Haynes, W. D. Hesketh, J. A. Holland, W. D. Hypes, H. D. Orr, R. T. Sherill, H. A. Wallio, J. C. Casas, M. S. Saylor and B. B. Gormsen, Carbon Monoxide Measurements in the Troposphere, Science, 218, 1024-1026, 1982.
- Reichle, H. G., Jr., V. S. Connors, J. A. Holland, W. D. Hypes, J. C. Casas, B. B. Gormsen, M. S. Saylor and W. D. Hesketh, Middle and Upper Tropospheric Carbon Monoxide Mixing Ratios as Measured by a Satellite Borne Remote Sensor During November 1981, J. Geophys. Res., 91, 10,865-10,887, 1986.
- Rinsland, C. P. and J. S. Levine, Free Tropospheric Carbon Monoxide Concentrations in 1950 and 1951 Deduced From Infrared Total Column Amount Measurements, Nature, 318, 250-254, 1985.
- Rinsland, C. P., J. S. Levine and T. Miles, Concentration of Methane in the Troposphere Deduced From 1951 Infrared Solar Spectra, Nature, 318, 245-249, 1985.
- Wang, W.-C., D. J. Wuebbles, W. M. Washington, R. G. Isaacs and G. Molnar, Trace Gases and Other Potential Perturbations to Global Climate, Reviews of Geophys., 24, 110-140, 1986.
- Woodbury, G. E. and M. P. McCormick, Zonal and Geographical Distributions of Cirrus Clouds Determined From SAGE Data, J. Geophys. Res., 91, 2775-2785, 1986.

TABLE I.- TROPOSPHERIC TRACE GAS MEASUREMENTS FROM SATELLITES
 (National Academy of Sciences (1985))

<u>Gas</u>	<u>Concentration (V/V)</u>
<u>First Level</u>	
H ₂ O	0.05- 0.04
O ₃	40 -100 ppb
CO	0.05- 0.3 ppm
CH ₄	1.7 ppm
<u>Second Level</u>	
N ₂ O	0.3 ppm
NO ₂	0.01- 10 ppb
NH ₃	0.1 - 1 ppb
SO ₂	0.05- 1 ppb
Chlorofluoromethanes	0.2 ppb
HC ₂	0.1 - 1 ppb

TABLE II.- NASA WORKSHOPS AND REPORTS ON TROPOSPHERIC CHEMISTRY
(Listed in Chronological Order)

Levine, J. S. and D. R. Schryer (eds.), Man's Impact on the Troposphere - Lectures in Tropospheric Chemistry, NASA Reference Publication 1022, 376 pages, 1978.

Seinfeld, J. H., F. Allario, W. R. Bandeen, W. L. Chameides, D. D. Davis, E. D. Hinkley, and R. W. Stewart, Report of the NASA Working Group on Tropospheric Program Planning, NASA Reference Publication 1062, 161 pages, 1981.

Schryer, D. R. (ed.), Heterogeneous Atmospheric Chemistry (Proceedings of a workshop held in Albany, NY, June 29-July 3, 1981), Geophysical Monograph 26, American Geophysical Union, Washington, DC, 274 pages, 1982.

NASA, Applying Modeling Results in Designing a Global Tropospheric Experiment (Proceedings of a workshop held in Virginia Beach, VA, July 15-16, 1981), NASA Conference Publication 2235, 94 pages, 1982.

Keafer, L. S. (ed.), Tropospheric Passive Remote Sensing (Proceedings of a workshop held in Virginia Beach, VA, July 20-23, 1981), NASA Conference Publication 2237, 94 pages, 1982.

NASA, Assessment of Techniques for Measuring Tropospheric N_xO_y (Proceedings of a workshop held in Palo Alto, CA, Aug. 16-20, 1982, 62 pages, 1983.

Hoell, J. M. (ed.), Assessment of Techniques for Measuring Tropospheric H_xO_y (Proceedings of a workshop held in Palo Alto, CA, Aug. 16-20, 1982), NASA Conference Publication 2332, 138 pages, 1984.

Crosley, D. R. and J. M. Hoell (eds.), Future Directions for H_xO_y Detection (Proceedings of a workshop held in Menlo Park, CA, Aug. 1985), NASA Conference Publication 2448, 65 pages, 1986.

TABLE III.- TROPOSPHERIC MISSIONS: 1985-2000

<u>Species</u>	<u>Instrument</u>	<u>Comments</u>
1. <u>Past and Present</u>		
CO (Mid Trop.)	MAPS	Flown on Space Shuttle-- two flights (Nov. 1981; Oct. 1984)
H ₂ O, O ₃ , Aerosols (Mid to Upper Trop.)	SAGE II	On ERBS (Launched Oct. 1984)
Several Gases (Mid to Upper Trop.)	ATMOS	SPACELAB 3 (April-May 1985)
Aerosols	AVHRR	NOAA Polar-Orbiting Opera- tional Environmental Satellite (POES)
	VISRR	NOAA Geostationary Operational Environ- mental Satellite (GOES)
	Multispectral Sensors	LANDSAT
2. <u>Potential Future Near-Term Missions (Through 1992)</u>		
CO (Three Layers: Lower, Middle, and Upper Trop.)	Gas Filter Correla- tion Radiometer-- Nadir-Viewing Mode	Should be studied
CH ₄ (Lower or Middle Trop.)	Gas Filter Correla- tion Radiometer-- Nadir-Viewing Mode	Should be studied
Several Gases (Lower, Middle, and Upper Trop.)	High Resolution Inter- ferometer--Thermal Emission Mode)	Should be studied
Aerosols	LITE (Lidar in Space Technology Experi- ment	Planned for 1989 flight of Space Shuttle as a tech- nology demonstration