https://ntrs.nasa.gov/search.jsp?R=19860022817 2020-03-20T13:04:33+00:00Z

.

.

L. 11, Cha spill

1

QUARTERLY PROGRESS REPORT

. ----.

Contract NASB-33982

SPACE PLASMA RESEARCH

April - June 1986

by

Richard H. Comfort

and

James L. Horwitz

Prepared for

National Aeronautics and Space Administration George C. Marshall Space Flight Center Marshall Space Flight Center, Alabama 35812

Submitted by

The University of Alabama in Huntsville School of Science Huntsville, Alabama 35899

July 1986

(NASA-CR-178898) SPACE PLASMA RESEARCH Quarterly Progress Report, Apr Jun. 1986 (Alabama Univ., Huntsville.), 14 p CSCL 201					I	N86-32289		
 			· · · · · · · · · · · · · · · · · · ·		G3/75	43306		

ANALYSIS TECHNIQUES' AND SOFTWARE DEVELOPMENT

Temperature and density analysis in the Automated Analysis Program (for the global empirical model) have been modified to use flow velocities produced by the flow velocity analysis. This should have significant effect only for some portions of the outer plasmasphere and beyond. It will permit the estimate of a better flux density for those regions where the standard RPA analysis cannot be carried out.

Revisions have been started to construct an interactive version of the technique for temperature and density analysis used in the automated analysis program. This will be similar in operation to the current interactive program, but will use the + or - Z-head for temperature analysis and the radial head only for densities. Interactive analysis is desirable for case studies, since it provides the best possible results for a given data set and also provides a clear picture of the quality of the data. These data will also extend the current radial head data set to periods of other local times and magnetic activity conditions.

During this period, we have incorporated a new effect into the parallel equation of motion used in our ion transport calculations. This effect, pointed out recently by Cladis, is essentially a "centrifugal" acceleration on the ion parallel motion given by

<u>V_</u>*<u>db</u>∕dt.

This term contributes an important acceleration to the ion motion when the convection velocity is large and the direction of the

magnetic field is changing significantly along the ion trajectory, as in the tail regions. The resulting energization of O+ can be quite substantial. We hope to have some runs of bulk parameters produced soon.

DATA ANALYSIS AND MODELING

A study of ion and electron heating at high altitudes in the outer plasmasphere has been initiated. It is designed to investigate the mechanisms for heating the plasma in this region and the possible links between this heating and observed heavy ion enhancements. A parametric study to determine the magnitude of the energy source necessary to raise ion temperatures to those observed was catried out with the results reported at the Spring Meeting of the AGU (Ref. 1). This study showed that to properly account for observations in the ionosphere and at high altitudes energy must be put into both the electrons and the ions in a ratio of about 10 to 1. The resultant high temperatures in the model are sufficient to increase the O+ density to values comparable with those observed. Initial results from a collaborative effort with researchers at The University of Michigan suggest that Coulomb interactions involving suprathermal and ring current ions and the thermal plasma can supply the required amount of energy. A detailed case study involving DE 1 and 2 data and modeling is under way.

Results of a related collaborative study involving DE-1 and DE-2

observations, together with theoretical calculations, show that the portion of the energy going to the electrons from the Coulomb interactions just noted is sufficient to drive SAR arcs observed simultaneously. They also demonstrate that the spatial distribution of heating is consistent with the distribution of heating needed to produce the observed SAR arcs (Ref. 2,3). Further analysis of the set of coordinated observations has delineated high and low altitude signatures of SAR arc field lines (Ref. 4,5), among them the heavy ion enhancements near the plasmapause, which we have examined in detail with RIMS observations and are preparing for publication (Ref. 6), and which we are studying further with numerical simulations, as noted above.

The data base of DE-1/RIMS temperatures and densities has been extended to over 100 plasmasphere transits. Results of the * statistical analysis are not qualitatively different from those reported previously. In addition, available ISEE-1/PCE temperatures have been compiled and given a similar statistical treatment. Although the size of the ISEE sample is much smaller than that of RIMS, there is general consistency between the two sets. The quantitative differences of note are a general lower magnitude of dayside temperatures in the ISEE-1/PCE data set and indications of somewhat more spatial structure. While the lower temperatures in the inner L-shells are consistent with the lower level of solar activity for the time frame of the ISEE observations, the lower temperatures in the outer L-shells require a different explanation, since night side temperatures are higher. A nightside heat source in the outer plasmasphere may resolve this difference. These results were

reported to the COSPAR meeting in Toulouse, France (Ref. 7).

•

The statistical study of 1982 data for occurrences of equatorially trapped plasma has been repeated. The previous survey, which utilized only the MSFC summary fiche, has been supplemented with the GSFC summary fiche, which has had the effect of substantially improving the late 1982 coverage. We find that in the post midnight region (1 - 3 LT), the trapped plasma is limited to \pm 5 degrees magnetic latitude, while in the early afternoon (13-15 LT), latitude ranges as high as \pm 30 degrees are found.

This survey has provided a link to earlier ATS-6 and ISEE studies of pancake distributions. Although the most energetic, and most anisotopic plasmas are trapped within a few degrees of the equator, the results of these equatorial interactions extend substantially along the magnetic field line in the afternoom⁴ and dusk region, and these high latitude extensions were previously studied by the Huntsville group.

In work for a COSPAR presentation (Ref. 8) and for the associated JGR and Advances in Space Research papers, we have been examining statistical trends in the density profiles in the plasmasphere. We have obtained a number of interesting statistical results, including the tendency for relatively featureless profiles to occur in the dawn sector and multiple plateau profiles to appear in the dusk-evening side of the plasmasphere. It would appear that these results can be interpreted in terms of the time dependent effects of convection electric fields on the plasmasphere, as discussed, for example, by Chen and Wolf.

SPACECRAFT SHEATH STUDIES

The analysis of electron gun experiments on SCATHA has been extended to include eclipse operations in order to test a hypothesis that there are interactions between the 50-100 eV beam and spacecraft generated photoelectrons. There are limited data in the desired modes, but the tentative conclusion is that our hypothesis is supported by the recently analyzed data. There are similarities between the eclipse and sunlight data, however, which suggest that in our one good eclipse measurement, there is a naturally occurring cold plasma around the satellite, which is interacting with the beam.

LABORATORY PLASMA FLOW STUDIES

The MASSCOMP software to be used in taking and displaying data in the two-ion plasma experiment was tested and is now working satisfactorily. It was decided to analyze the Langmuir probe experimental data by computer. Software development has been initiated for analysis on the VAX system.

It was found that a new signal amplifier needed to be installed in the Differential Ion Flux Probe. This is under way along with several other improvements to the instrumentation.

Drs. Chandler and Horwitz and undergraduate B. Giles attended and presented papers at the Spring AGU Meeting. These and other members of the UAH magnetosphere group were authors or coauthors of nine papers (Ref. 1, 2, 4, 9-14) presented there.

Dr. Olsen presented an invited paper (Ref. 15) at the NATO meeting on spacecraft charging in The Hague, Netherlands.

Drs. Comfort, Horwitz and Olsen presented papers to the XXVI COSPAR Meeting in Toulouse, France. Members of the UAH magnetosphere group were authors or coauthors of 9 papers (Ref. 5, 7, 8, 16-21) presented to various symposia or topical meetings comprising that Meeting.

PUBLICATIONS

In addition to the papers noted above, the following papers are at the indicated stage of the publication cycle.

* Papers published during this period are those on: low energy ions around a magnetspheric satellite (Ref. 22), latitudinal plasma distribution in the dusk bulge (Ref. 23), plasma phenomena in wakes (Ref. 24), upwelling ion source characteristics (Ref. 25), plasma and wave observations in a compressional Pc 5 event (Ref. 26), tail lobe ion spectrometer (Ref. 27), velocity filter mechanism for ion bowl distributions (Ref. 28), and DE – Chatanika observations of

ionosphere / magnetosphere coupling (Ref. 29).

* Papers accepted for publication and in press are those on: ion flows in the plasmasphere (Ref. 30), more Pc 5 plasma and wave observations (Ref. 3^{1}), plasma boundaries in the inner magnetosphere (Ref. 32), potential modulations of the SCATHA spacecraft (Ref. 33), DE-1 and DE-2 measurements of plasmasphere-ionosphere coupling (Ref. 34), electric fields near the plasmapause (Ref. 35), ATS-6 record charging events (Ref. 36), solar wind control of the geomagnetic mass spectrometer (Ref. 37), transport of accelerated low energy ions in the polar magnetosphere (Ref. 38), geomagnetic spectrometer in the magnetotail lobes (Ref. 39), and ion acceleration during plasma expansion into a vacuum (Ref. 40).

Papers submitted for publication and in review are those on:
O++ in the plasmasphere (Ref. 41), plasma measurements at the
magnetic equator (Ref. 42), and parabolic heavy ion flow (Ref. 14).

Papers in draft stage in preparation for submission are those
on: semi-empirical modeling of spin modulation of RPA fluxes
(Ref.43), comparisons of theoretical spacecraft wake models (Ref.
44), plasmasphere and plasmapause characteristics (Ref. 45), and
comparisons of theory and data for the tail lobe ion spectrometer
(Ref. 17).

Pichard H. Comp

Richard H. Comfort

James L. Horwitz

REFERENCES

6 ...

- Chandler, M. O., J. L. Horwitz, R. H. Comfort, and J. T. Ponthieu, Theoretical investigations of O+ and O++ enhancements in the outer plasmasphere, <u>EOS, 67</u>, 336, 1986; presented to the Spring Meeting of the American Geophysical Union, May 19 - 22, 1986, Baltimore, Maryland; also in preparation for submission to <u>J. Geophys. Res.</u>, 1986.
- Cravens, T. E., J. U. Kozyra, A. F. Nagy, R. H. Comfort, and W. K. Peterson, A re-evaluation of the Coulomb collision energy source mechanism for SAR arcs using Dynamics Explorer data, <u>EOS</u>, <u>67</u>, 336, 1986; presented to the Spring Meeting of the American Geophysical Union, May 19 22, 1986, Baltimore, Maryland.
- 3. Kozyra, J. U., T. E. Cravens, A. F. Nagy, W. K. Peterson, R. H. Comfort, and L. H. Brace, The role of ring current O+ in the formation of Stable Auroral Red arcs, to be submitted to <u>J.</u> <u>Geophys. Res.</u>, 1986.
- 4. Kozyra, J. U., T. E. Cravens, A. F. Nagy, D. A Gurnett, R. L. Huff, R. H. Comfort, J. H. Waite, Jr., L. H. Brace, R. A Hoffman, J. D. Winningham, J. L. Burch, and W. K. Peterson, Observations by the Dynamics Explorer satellite of correlated high and low altitude signatures on SAR arc field lines, <u>EOS</u>, <u>67</u>, 336, 1986; presented to the Spring Meeting of the American Geophysical Union, May 19 22, 1986, Baltimore, Maryland.
- 5. Kozyra, J. U., T. E. Cravens, A. F. Nagy, D. A. Gurnett, R. L. Huff, R. H. Comfort, J. H. Waite, Jr., L. H. Brace, R. A. Hoffman, J. D. Winningham, J. L. Burch, and W. K. Peterson, Observations by the Dynamics Explorer satellites of new signatures in particle and field measurements associated with SAR arc field lines at magnetospheric heights, presented to the XXVI COSPAR Meeting, June 30 - July 12, 1986, Toulouse, France; and to be published in <u>Adv. Space Res.</u>, 1986.
- Roberts, W. T., Jr., J. L. Horwitz, R. H. Comfort, J. H. Waite, Jr., J. L. Green, and C. R. Chappell, Heavy ion enhancements in the outer plasmasphere, to be submitted to <u>J. Geophys. Res.</u>, 1986.
- 7. Comfort, R. H., Plasmasphere thermal structure as measured by ISEE-1 and DE-1, invited paper, presented to the XXVI COSPAR Meeting, June 30 - July 12, 1986, Toulouse, France; and to be published in <u>Adv. Space Res.</u>, 1986.
- Horwitz, J. L., R. H. Comfort, and C. R. Chappell, Plasmasphere and plasmapause characteristics as measured by DE-1, invited paper, presented to the XXVI COSPAR Meeting, June 30 - July 12, 1986, Toulouse, France; to be published in <u>Adv. Space Res.</u>, 1986.

9. Orsini, S., M. Candidi and J. L. Horwitz, Observations and a model for the tail lobe ion spectrometer, <u>EOS, 67</u>, 355, 1986; presented to the Spring Meeting of the American Geophysical Union, May 19 - 22, 1986, Baltimore, Maryland; also in preparation for submission to <u>J. Geophys. Res.</u>, 1986.

· ;

- 10. Giles, B. L., C. R. Chappell, J. H. Waite, Jr., T. E. Moore, and J. L. Horwitz, The auroral ion fountain: MLT, L-shell and magnetic activity dependences, <u>EOS, 67</u>, 338, 1986; presented to the Spring Meeting of the American Geophysical Union, May 19 -22, 1986, Baltimore, Maryland; also in preparation for submission to <u>J. Geophys. Res.</u>, 1986.
- 11. Swinney, K., and J. L. Horwitz, Parametric studies of threedimensional ion trajectories in the magnetosphere, <u>EOS</u>, <u>67</u>, 344, 1986; presented to the Spring Meeting of the American Geophysical Union, May 19 - 22, 1986, Baltimore, Maryland; also in preparation for submission to <u>J. Geophys. Res.</u>, 1986.
- 12. Wright, Jr., K. H., N. H. Stone, K. S. Hwang, U. Samir, A preliminary view of the orbiter plasma wake from Spacelab 2, <u>EOS, 67</u>, 348, 1986; presented to the Spring Meeting of the American Geophysical Union, May 19 - 22, 1986, Baltimore, Maryland.
- 13. Hwang, K. S., N. H. Stone, K. H. Wright, Jr., U. Samir, Conditions for the emission of broadband electrostatic waves near the shuttle orbiter, <u>EOS, 67</u>, 348, 1986; presented to the Spring Meeting of the American Geophysical Union, May 19 - 22, 1986, Baltimore, Maryland.
- 14. Horwitz, J. L., Parabolic heavy ion flow in the polar magnetosphere, <u>EOS, 67</u>, 347, 1986; presented to the Spring Meeting of the American Geophysical Union, May 19 - 22, 1986, Baltimore, Maryland; also in preparation for submission to <u>J.</u> <u>Geophys. Res.</u>, 1986.
- 15. Olsen, R. C., and H. A. Cohen, Electron beam experiments at high altitudes, presented to the NATO Meeting on The Aerospace Environment at High Altitudes and Its Implications for Spacecraft Charging and Communications, June 2-6, 1986, the Hague, Netherlands.
- 16. Lockwood, M., J. H. Waite, Jr., T. E. Moore, C. R. Chappell and J. L Horwitz, Low-energy ion flows in the polar magnetosphere, invited paper, presented to the XXVI COSPAR Meeting, June 30 – July 12, 1986, Toulouse, France; to be published in <u>Adv. Space</u> <u>Res.</u>, 1986.
- 17. Candidi, M., J. L. Horwitz and S. Orsini, The tail ion spectrometer effect: theory and observations, presented to the XXVI COSPAR Meeting, June 30 - July 12, 1986, Toulouse, France.

- 18. Brace, L. H., W. Hoegy, and J. L. Horwitz, Signatures of thermal plasma coupling between the ionosphere and plasmasphere, invited paper, presented to the XXVI COSPAR Meeting, June 30 - July 12, 1986, Toulouse, France; to be published in <u>Adv. Space Res.</u>, 1986.
- Olsen, R. C., and H. A. Cohen, Electron beam experiments at high altitudes, presented to the XXVI COSPAR Meeting, June 30 - July 12, 1986, Toulouse, France; and to be published in <u>Adv. Space</u> <u>Res.</u>, 1986.
- 20. Olsen, R. C., and C. R. Chappell, Conical ion distributions near one earth radius, presented to the XXVI COSPAR Meeting, June 30 – July 12, 1986, Toulouse, France; and to be published in <u>Adv.</u> <u>Space Res.</u>, 1986.
- 21. Samir, U., R. H. Comfort, C. R. Chappell, and N. H. Stone, The interaction of a body with the terrestrial plasmasphere parametric representation, presented to the XXVI COSPAR Meeting, June 30 - July 12, 1986, Toulouse, France.
- 22. Samir, U., R. H. Comfort, C. R. Chappell, and N. H. Stone, The distribution of low energy ions in the vicinity of a magnetospheric satellite, <u>J. Geophys, Res.</u>, <u>91</u>, 5725, 1986.
- 23. Decreau, P. M. E., D. Carpenter, C. R. Chappell, R. H. Comfort, J. L. Green. D. A. Gurnett, R. C. Olsen, and J. H. Waite, Jr., Latitudinal plasma distribution in the dusk plasmaspheric bulge: refilling phase and quasi-equilibrium state, <u>J. Geophys^e. Res.</u>, <u>91</u>, 6929, 1986.
- 24. Wright, K. H., D. E. Parks, I. Katz, N. H. Stone, and U. Samir, More on the expansion of a collisionless plasma into the wake of a body, <u>J. Plasma Phys., 35</u>, 119, 1986.
- Moore, T. E., M. Lockwood, M. O. Chandler, J. H. Waite, Jr., C. R. Chappell, A. Persoon, and M. Sugiura, Upwelling O+ ion source characteristics, <u>J. Geophys. Res.</u>, <u>91</u>, 7019, 1986.
- 26. Engebretson, M. J., L. J. Cahill, Jr., J. H. Waite, Jr., D. L. Gallagher, M. O. Chandler, M. Sugiura, and D. R. Weimer, Wave and plasma observations during a compressional Pc 5 wave event August 10, 1982, J. Geophys. Res., 91, 6884, 1986.
- 27. Horwitz, J. L., The tail lobe ion spectrometer, <u>J. Geophys.</u> <u>Res., 91</u>, 5689, 1986.
- Horwitz, J. L., Velocity-filter mechanism for ion bowl distributions (bi-modal conics), <u>J. Geophys. Res.</u>, 91, 4513, 1986.
- 29. Green, J. L., J. H. Waite, Jr., C. R. Chappell, M. O. Chandler, J. R. Doupnik, P. G. Richards, R. Heelis, S. D. Shawhan, and L. H. Brace, Observations of ionospheric magnetospheric coupling: DE and Chatanika coincidences, <u>J. Geophys. Res.</u>, <u>91</u>, 5803, 1986.

30. Chandler, M. O., and C. R. Chappell, The flow of H+ and H+ along magnetic field lines in the plasmasphere, <u>J. Geophys. Res.</u>, in press, 1986.

. 5

- 31. Waite, Jr., J. H., J. F. E. Johnson, C. R. Chappell, D. L. Gallagher, R. C. Olsen, R. H. Comfort, D. Weimer, S. D. Shawhan, W. K. Peterson, and E. G. Shelley, Plasma and wave observations of a Pc 5 wave event, <u>J. Geophys. Res.</u>, in press, 1986.
- 32. Horwitz, J. L., S. Menteer, J. Turnley, C. R. Chappell, J. L. Burch, D. Winningham, J. Craven, D. W. Slater, Plasma boundaries in the inner magnetosphere, <u>J. Geophys. Res.</u>, in press, 1986.
- 33. Craven, P. D., R. C. Olsen, J. Fennell, D. Croley, and T. Aggson, Potential modulations on the SCATHA spacecraft, <u>J.</u> <u>Geophys. Res.</u>, in press, 1986.
- 34. Horwitz, J. L., L. H. Brace, R. H. Comfort, and C. R. Chappell, Dual spacecraft measurements of plasmasphere-ionosphere coupling, <u>J. Geophys. Res.</u>, in press, 1986.
- 35. Olsen, R. C., T. L. Aggson, and B. G. Ledley, Observations of electric fields near the plasmapause, in press <u>J. Geophys. Res.</u>, 1985.
- 36. Olsen, R. C., The record charging events from ATS-6, in press_<u>J.</u> <u>Spacecraft_Rockets</u>, 1985.
- 37. Waite, Jr., J. H., M. Lockwood, T. E. Moore, M. O. Chantler, J. L. Horwitz, and C. R. Chappell, Solar wind control of the geomagnetic mass spectrometer, in press, Proceedings of the Solar Wind-Magnetosphere Coupling Conference, Pasadena, CA, February, 1985.
- 38. Horwitz, J. L., M. Lockwood, J. H. Waite, Jr., T. E. Moore, C. R. Chappell, and M. O. Chandler, Transport of accelerated low-energy ions in the polar magnetosphere, in press, Monograph on Ion Acceleration in the Magnetosphere and Ionosphere, Wellesley, MA, June 3-7, 1985.
- 39. Horwitz, J. L., Geomagnetic spectrometer in the magnetotail lobes, in press, Monograph on Ion Acceleration in the Magnetosphere and lonosphere, Wellesley, MA, June 3-7, 1985.
- 40. Samir, U., N. H. Stone, and K. H. Wright, Ion acceleration: a phenomenon characteristic of the expansion of a plasma into a vacuum, in press, Monograph on Ion Acceleration in the Magnetosphere and Ionosphere, Wellesley, MA, June 3-7, 1985.
- 41. Chandler, M. O., J. J. Ponthieu, T. E. Cravens, A. F. Nagy, and P. G. Richards, Model calculations of minor ion populations in the plasmasphere, submitted to <u>J. Geophys. Res.</u>, 1986.
- 42. Olsen, R. C., S. D. Shawhan, D. L. Gallagher, J. L. Green, C. R. Chappell, and R. R. Anderson, Plasma observations at the Earth's magnetic equator, submitted to <u>J. Geophys. Res.</u>, 1985.

43. Comfort, R. H., and M. O. Chandler, A semi-empirical, analytical model spin for the spin modulation of RPA fluxes, to be submitted to <u>J. Spacecraft Rock.</u>, 1986.

ه بېست رت ه ۲

. 5

- 44. Samir, U., R. H. Comfort, N. H. Stone, and K. H. Wright, Jr., A comparison between plasma wake models for plasmaspheric and ionospheric conditions, to be submitted to <u>Planet. Space Res.</u>, 1986.
- 45. Horwitz, J. L., R. H. Comfort and C. R. Chappell, Plasmasphere and plasmapause characteristics, in preparation for <u>J. Geophys.</u> <u>Res.</u>, 1986.

FINANCIAL STATUS REPORT

CONTRACT NAS8-33982

Total Cumulative Costs incurred as of6/30/86\$1,289,035.10Estimate of cost to complete\$ 60,962.90

ø

Estimated Percentage of Physical Completion 95.48%

Statement relating the Cumulative cost to the percentage of physical completion with explanation of any significant variance: