

General Disclaimer

One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some of the material. However, it is the best reproduction available from the original submission.

OLD DOMINION UNIVERSITY RESEARCH FOUNDATION



DEPARTMENT OF ELECTRICAL ENGINEERING
SCHOOL OF ENGINEERING
OLD DOMINION UNIVERSITY
NORFOLK, VIRGINIA



SOFTWARE DEVELOPMENT FOR INFRASOUND
MEASUREMENT SYSTEM

By

Camille Khalaf

and

John W. Stoughton, Principal Investigator

Final Report

For the period January 3 to May 15, 1983

Prepared for the
National Aeronautics and Space Administration
Langley Research Center
Hampton, Virginia

Under
NAS1-17099
Task Authorization No. 10
Allan J. Zuckerwar, Technical Monitor
Acoustics and Vibration Instruments Section

(NASA-CR-173061) SOFTWARE DEVELOPMENT FOR
INFRASOUND MEASUREMENT SYSTEM Final Report,
3 Jan. - 15 May 1983 (Old Dominion Univ.,
Norfolk, Va.) 63 p HC A04/MF A01 CSCL 09B

N83-34609

Unclas
G3/61 15015

August 1983



DRA

DEPARTMENT OF ELECTRICAL ENGINEERING
SCHOOL OF ENGINEERING
OLD DOMINION UNIVERSITY
NORFOLK, VIRGINIA

SOFTWARE DEVELOPMENT FOR INFRASOUND
MEASUREMENT SYSTEM

By

Camille Khalaf

and

John W. Stoughton, Principal Investigator

Final Report
For the period January 3 to May 15, 1983

Prepared for the
National Aeronautics and Space Administration
Langley Research Center
Hampton, Virginia

Under
NAS1-17099
Task Authorization No. 10
Allan J. Zuckerwar, Technical Monitor
Acoustics and Vibration Instruments Section

Submitted by the
Old Dominion University Research Foundation
P.O. Box 6369
Norfolk, Virginia 23508



August 1983

TABLE OF CONTENTS

	<u>Page</u>
I. INTRODUCTION.....	1
A. General Description.....	1
B. System Description.....	2
a. System Block Diagram.....	2
b. Microphone System.....	2
c. A/D Converter.....	4
d. APPLE Monitor.....	4
e. Disk Drives.....	4
f. Video Display.....	4
g. SILENTYPE Printer.....	4
II. SOFTWARE DESCRIPTION.....	4
A. DAISE Block Diagram.....	4
B. Start Up Procedure.....	5
a. Diskettes Needed.....	5
b. Step by Step Procedures.....	5
C. First Level Subroutines.....	7
a. SAMPLE.....	7
b. PREVIEW.....	9
c. ANALYSIS.....	11
d. CATALOG.....	12
e. EXIT.....	13
D. Second Level Subroutines.....	13
a. SET-UP.....	13
b. COMPUTE.....	15
c. DISPLAY.....	16
d. EXIT.....	17
E. Third Level Subroutines.....	17
a. AMPLITUDE SPECTRUM.....	17
b. POWER SPECTRUM.....	21
c. CORRELATION.....	22
d. EXIT.....	24

TABLE OF CONTENTS - concluded

	<u>Page</u>
F. Data Management.....	24
a. SAMPLE Data.....	24
b. PREVIEW Data.....	25
c. SET-UP Data.....	25
III. COMPUTATION ALGORITHM.....	25
A. First Reference.....	26
B. Second Reference.....	26
C. Algorithm Description.....	27
a. Amplitude Spectrum Computation.....	28
b. Power Spectrum Computation.....	28
c. Algorithm Summary.....	28
IV. REFERENCES.....	30
V. APPENDICES.....	31
A. Memory Map.....	32
B. Time-Frequency Relations.....	33
C. Error Messages.....	34
D. Flow Chart.....	35
E. Complete Listing.....	39
F. Demonstration Run.....	47

LIST OF FIGURES

<u>Figure</u>	<u>Page</u>
1 System Block Diagram.....	3
2 Block Diagram Description of DAISE.....	6
3 Log Sample Frequency Versus Input Constant.....	8

SOFTWARE DEVELOPMENT FOR INFRASOUND MEASUREMENT SYSTEM

By

Camille Khalaf¹ and John W. Stoughton²

I. INTRODUCTION

A. General Description

This manual is a brief description of mainly a software package developed for detection and analysis of infrasounds produced by air turbulence. The software package operates on the APPLE[®] computer with its peripherals, while infrasounds (.1 Hz to 10 Hz) are captured by a condenser microphone system deploying an array of 7 microphones developed by the NASA Acoustic and Vibration Instrumentation Section (AVIS).

The aim of this project is to identify and locate severe weather storms by infrasound as produced by air turbulence. Successful detection and location of severe weather storms will provide a positive basis for the detection and location of large scale clear air turbulence. The signal analysis techniques to be employed are based on the results provided by our software package DAISE (Digital Analysis of Infrasound Experiments). For more information about the microphone system and the auto-correlation technique, please refer to the NASA publication NASA TN D-8327 [1].

The following is a summary of what DAISE provides:

1. Samples raw data from the microphone system with a variable sampling frequency and stores it permanently on floppy disks.
2. Displays raw data, from any single microphone, on the video screen using the high resolution graphics (HGR) mode.

¹ Graduate Research Assistant, Department of Electrical Engineering, Old Dominion University, Norfolk, Virginia 23508.

² Associate Professor, Department of Electrical Engineering, Old Dominion University, Norfolk, Virginia 23508.

*This trade name is used for descriptive purposes only and the authors do not intend any endorsement of the product.

3. Analyzes the data through computing:
 - a. Amplitude spectrum of any channel as phase and magnitude.
 - b. Power or cross-power spectrum between any 2 channels as phase and magnitude.
 - c. Auto-correlation function of any channel or cross-correlation between any two.
4. Displays any of the above functions using HGR mode.
5. Saves results by printing any of the above displays.

B. System Description

a. System Block Diagram

A block diagram of the hardware system is illustrated in Figure 1. All parts are essential for proper operation. However, the user can do without the SILENTYPE®* printer if he does not wish to print any displays generated by the software. A description of the individual parts follows below.

b. Microphone System

This system provides the APPLE®, through an A/D converter, with the raw data needed for analysis. The number of outputs (microphones) could be as many as 8, the maximum channels the A/D can handle at one time.

Note that as long as the rest of the APPLE® system is concerned, this block could be any external source providing an output ranging from 0 to 5 volts.

c. A/D Converter

This block is the way of communication between the APPLE® and the outside world. It is an 8 bit Analog to Digital converter, that takes as many as 8 analog inputs, ranging from 0 to 5 volts, and converts them to an 8 bit digital output (0 to 25 volts). When specified by the user, the APPLE® scans the A/D and, the digital data is transferred into its internal memory.

Note, for proper operation, any channel that is not used on the AID when sampling has to be grounded, otherwise the data on the used channels will be distorted. The AID unit has to be inserted in slot #4 in the back of the APPLE® monitor.

*This trade name is used for descriptive purposes only and the authors do not intend any endorsement of the product.

ORIGINAL PAGE 13
OF POOR QUALITY




Figure 1. System Block Diagram

d. APPLE® Monitor

Obviously, this is the processing unit of the whole system and it communicates with all other blocks. It could be one of the following:

APPLE® computer	-	64 K
APPLE II® computer	-	64 K
APPLE II PLUS® computer	-	64 K

If you remove the cover of your APPLE®, you will see 6 peripheral slots in the back, that is where all the other system blocks have to be connected. Please see the appropriate block description for the slot number in which it should be connected.

Note: Make sure to turn the power off before you try to insert or remove any of the peripheral cords.

e. Disk Drives

Two disk drives are required in order to run the software package. These 2 drives are connected through one peripheral card in one slot, typically slot #6. They use floppy diskettes on which programs and data are stored and retrieved by the APPLE®.

f. Video Display

This block is normally VIDEO 300 provided by APPLE® Computer Inc., but it could be any comparable video system. It must be connected through slot # 0. The user interaction with the system takes place through the video screen as well as plotting results using the high resolution graphics capability of the APPLE®.

g. SILENTYPE® Printer

The SILENTYPE® is the only type of printer that can be interfaced to the system and interact with our software, and must be connected through slot #1. The printer is necessary in the sense that it is the only way of saving your results as printed displays for later use.

II. SOFTWARE DESCRIPTION

A. DAISE Block Diagram

The software structure is very straightforward and can be easily understood by the aid of the diagram on Figure 2. As shown, DAISE consists of 3 levels of subroutines. The first level includes the preliminary work that has to be done before any analysis, the second level is where all the computations take place, while displaying the results of the computations is directed through level 3. Any level is reached only from the previous one and whenever the command EX is entered the control is transferred to the previous level again. Upon execution of any subroutine DAISE will return to the same level from which the subroutine was called. In the next 3 sections the subroutines of all 3 levels are fully described.

B. Start-Up Procedure

a. Diskettes needed

In order to start up the system in addition to the hardware described in section I.B., at least three version 3.3 diskettes are required:

1. DAISE diskette containing the following binary files:

- PASS0
- PASS1 in addition to one text file:
- PASS2 -MASTER
- RUNTIME
- ADC.0
- DAISE.OBJ

2. GPLE diskette, containing two binary files:

- PLE DOS MDVER
- PLE.DM

3. DATA diskette that may or may not contain any files, but it has to be at least initialized.

b. Step by Step Procedure

Step One

Insert DAISE diskette in disk drive 1 and GPLE diskette in disk drive 2, and then boot the system.

ORIGINAL PAGE IS
OF POOR QUALITY




Figure 2. Block Diagram Description of DAISE.

Step Two

Type the command: EXEC MASTER, D1 (cr). This command will execute an executive file that moves DOS to the additional 16K memory card and then loads the compiler run time table for the APPLE® monitor.

Step Three

When indicator lights on both disk drives go off, remove GPLE diskette from disk drive 2 and insert DATA diskette instead.

Step Four

Type the command:

BRUN DAISE.OBJ, D1 (cr)

The diskette in drive 1 will spin for a few seconds, and then the first three lines of DAISE will be printed on the video screen leaving you with the first level subroutines.

C. First Level Subroutines

a. SAMPLE command: SA

Description

This subroutine samples raw data from the microphone system through an A/D converter. The data is an 8 K byte block sampled at 8 channels (microphones), 1024 bytes per channel. The subroutine scans all 8 channels simultaneously and then stores the data on the disk (Drive 2) as 8 binary subfiles.

User Intervention

The user has to intervene twice. First, right after he gives the command SA, he will be asked to input the sampling frequency constant. At this point the APPLE® will be waiting for a real number as input. (See log graph in Figure 3 for range and frequency correspondence). Second, right before storing data on the disks the user is asked to input or file name as a string variable. This variable will be common to all 8 subfile names as: "File"-c"x" where "File" stands for file name specified by the user, x is an integer in the range 1-8 and c designates a channel.

ORIGINAL FIGURES
OF POOR QUALITY




Figure 3. Log Sample Frequency Versus Input Constant.

Example

After you load and run DAISE, the following is displayed on your video screen:

- 1 TYPE COMMAND SA, PR, AM, CA, EX, FOR:
- 2 SAMPLE, PREVIEW, ANALYSIS, CATALOG, EXIT
- 3 ?

AT THIS POINT TYPE "SA" FROM THE KEYBOARD, THEN YOU'LL SEE:

- 4 INPUT SAMPLING FREQUENCY CONSTANT
- 5 ?

NOW TYPE "68". THE APPLE® WILL SPEND 20 SECONDS SAMPLING (51.2 Hz) BEFORE REQUESTING:

- 6 INPUT FILE NAME
- 7 ?

TYPE "TEST". NOW THE APPLE WILL STORE 8 SUBFILES UNDER THE FOLLOWING NAMES:

TEST-C1
TEST-C2
TEST-C3
TEST-C4
TEST-C5
TEST-C6
TEST-C7
TEST-C8

Lines 1, 2, and 3 are printed on the video screen again, then waits for a new command.

Notes

- If an invalid command is typed in line 3 above, DAISE will simply refuse it, print the first 3 lines, and wait for a valid command.

b. PREVIEW, command: PR

Description

The PREVIEW subroutine allows a preview of the raw data sampled and stored on the disk at any earlier time. It displays the data on the video screen using the high resolution graphics display of the APPLE®. The

displayed data consists of only 256 samples out of 1024 belonging to one subfile (channel). To preview another quarter, the user has to call PREVIEW another time. The vertical axis on the display is the voltage axis while the horizontal one is the time axis.

User intervention

At the very beginning of the subroutine the user is asked to input a subfile name. This name, as explained earlier, is of the form "File-name"-c"x" in which the file and the channel are specified. Then the user is asked to input the desired quarter as an integer in the range 1 to 4, representing the first, second, third and fourth 256 sample blocks of the subfile. After these two inputs the axis will be drawn on the display and the APPLE® will wait for a scaling factor for the data. The scaling factor could be any real number by which every data value will be divided before it is printed as a dot on the display. An optimum value for the scale is 1 since this is the value that scales the vertical axis between 0 and 5 volts.

Example

```
1 TYPE COMMAND SA, PR, AN, CA, EX, FOR:
2 SAMPLE.PREVIEW.ANALYSIS.CATALOG.EXIT
3 ?
  PR (cr)
4 INPUT FILE AND CHANNEL
  ?
  TEST-C1 (cr)
5 DESIRED QUARTER?
  ?
  3 (cr)
  (THE AXIS ARE DRAWN)
6 SCALING FACTOR?
  ?
  1 (cr)
```

Now the data will be displayed and the APPLE® goes back to lines 1, 2, and 3

above.

c. ANALYSIS, command: AN

Description

This subroutine includes most of the program since it is the route to all DAISE analysis features. It provides complete spectral as well as correlation analysis of the raw data. By selecting this subroutine you could compute and display the following:

- Ampl. spectrum of any channel as phase and MG.
- Power spectrum of any channel as phase and MG.
- Cross-power between any 2 channels as phase and MG.
- Printing real and imaginary values of any spectral comp. of ampl., power or x-power spectrum
- Auto-correlation function of any channel
- X-correlation between any 2 channels

In addition, you could print any of the above displays on the SILENTYPE® printer.

ANALYSIS leads you to the second level of the block diagram in which you have the choice of executing four different subroutines: SET-UP, COMPUTE, DISPLAY, EXIT. These subroutines will be studied later in this manual.

User intervention

There are many interventions that will not be listed here since they will be listed in second level subroutines. The major decision in ANALYSIS is choosing one out of the 4 subroutines listed above. You could chose any route at any time but for reasons that will be clear later the normal order of execution is:

SET-UP, COMPUTE, DISPLAY and then EXIT, please read about these subroutines before you try to execute any of them.

Example

- 1 TYPE COMMAND SA, PR, AN, CA, ER, FOR:
- 2 SAMPLE, PREVIEW, ANALYSIS, CATALOG, EXIT


```
3 ?
   AN (cr)
4 TYPE COMMAND SE, CO, DI, EX, FOR:
5 SET-UP, COMPUTE, DISPLAY, EXIT
6 ?
   SE (cr)
```

Notes

An invalid command in line 6 above will be ignored, lines 4, 5 and 6 will be printed again, and DAIS will be waiting for a valid command.

d. CATALOG, command: CA

Description

This command lets you look at the contents of the disk in Drive 2, where your data files are stored. The object of this subroutine is to review the file names so you can choose the right file to preview or analyze later. This is done by a normal catalog command of APPLE® software.

User intervention

If the file names do not fit in one screen, just press RETURN to look at the rest of the files. This can be repeated until DAISE returns the beginning of the program.

Example

```
1 TYPE COMMAND SA, PR, AN, CA, EX, FOR:
2 SAMPLE, PREVIEW, ANALYSIS, CATALOG, EXIT
3 ?
   CA (cr)
4 DISK VOLUME 254
5 TEST-C1
6 TEST-C2
. . .
. . .
. . .
12 TEST-C8
```

13 TYPE COMMAND SA, PR, AN, CA, EX, FOR:
14 SAMPLE, PREVIEW, ANALYSIS, CATALOG, EXIT
15 ?

e. EXIT, Command: EX)

Description

This command will simply end the program, with no intervention from the user.

Notes

If DAISE is mistakenly exited, type:

BRUN DAISE.OBJ, D1 (cr)

to start the program again.

D. Second Level Subroutines

Description

SET-UP sets the analysis mode and loads the user specified data from disk into the APPLE® monitor to be ready for computation and analysis. User decisions are very important in this subroutine, therefore, the user is advised to read the computation algorithm section in this manual, preview the data, have a clear idea of what channel(s) are desired, what the interesting part of the data is, and how many averages are needed before attempting to enter this subroutine.

User intervention

- 1 First, input a ref-channel (subfile) name. This is done whether you wish to have an auto or cross-correlation analysis.
- 2 Second, determine the option of AUTO-CORRELATION (AC) or CROSS-CORRELATION (CC). An AUTO-CORRELATION option is the route to (AFTER COMPUTATION) AMPL. and POWER SPECTRUM and AUTO-CORRELATION function of your ref-channel you entered in 1.

While a CC option is the route to AMPL. spec of the ref-channel, x-power spec. between ref-channel and x-channel (that you will specify next and a CROSS-CORRELATION of the two with selection of the CC option.

- 3 You will be asked to input a x-channel (subfile) name.

- 4 The 1 K bytes of data is divided into 8 blocks 128 bytes each. At this point you have to determine the block at which you want the computation to start. Your answer should be in the range of 0 to 7.
- 5 Now you have to specify the number of blocks you want to be operated on by one pass through the compute subroutine. Your answer should be in the range of 1 to 8. Note that this corresponds to the number of times you want your spectral results to be averaged. Also note that a second pass through the computer subroutine will double the number of averages (in 5). However this number is limited to 8 average in any case, i.e.,
- if your answer in 4 is 2
 - if your answer in 5 is 3
 - you can compute twice only.

Please read the description of COMPUTE subroutine to help understand the procedure.

Example

- 1 TYPE COMMAND SE, CO, DI, EX, FOR:
 2 SET-UP, COMPUTE, DISPLAY, EXIT
 3 ?
 SE (cr)
- 4 INPUT REF-CHANNEL
 5 ?
 TEST-C1 (cr)
- 6 TYPE COMMAND AC, CC FOR:
 7 AUTO-CORRELATION OR CROSS-CORRELATION
 8 ?
 CC (cr)
- 9 INPUT CROSS CHANNEL
 10 ?
 TEST-C5 (cr)
- 11 STARTING BLOCK (0 - 7)?
 12 ?
 0 (cr)
- 13 HOW MANY BLOCKS (1-8)?
 14 ?
 2 (cr)
- 15 TYPE COMMAND SE, CO, DI, EX, FOR:
 16 SET-UP, COMPUTE, DISPLAY, EXIT

17 ?

Notes

In case of CC option, ref-channel should be the one that is expected to be delayed in time while the cross-channel is the advanced one.

Warnings

- Once you give the command SE all previous spectral and correlation results are lost and initialized to zero.
- If your answer in line 12 is x and your answer in line 14 is y then $x+y$ has to be < 8 , otherwise DAISE will take you back to line 11.
- If the number of passes through COMPUTE subroutine is z then:
 $(z*y) + x < 8$, otherwise COMPUTE will not execute but rather takes you back to line 1, 2 and 3 above.

b. COMPUTE, command: CO

Description

Most of the computations are done in COMPUTE deploying the FFT routine. After execution, the real and imaginary components of ampl. and power spectrum or ampl. and cross-power spectrum are computed. These components will be the basis for the phase and magnitude displays as well as the correlation function in the third level subroutines.

No results are obtained from COMPUTE unless you go through SET-UP once. Every pass through COMPUTE causes the number of data blocks specified in SET-UP to be operated on and the results are averaged with the previous ones obtained by an earlier pass. There is no user intervention in this subroutine.

Example

Specified by SET-UP: Starting block is 1
 number of blocks is 3

Then, as shown below, the first pass in COMPUTE operates on blocks 1, 2, and 3 while the second operates on blocks 4, 5, and 6.

Example

1 TYPE COMMAND SE, CO, DI, EX, FOR:
2 SET-UP, COMPUTE, DISPLAY, EXIT
3 ?
DI (cr)
4 TYPE COMMAND AS, PS, CR, EX, FOR:
5 AMPLITUDE SPECTRUM, POWER SPECTRUM, CORRELATION, EXIT
6 ?
PS (cr)

d. EXIT, command: EX

Description

This command exits you from the second level subroutines back to the first level.

Example

1 TYPE COMMAND SE, CO, DI, EX, FOR:
2 SET-UP, COMPUTE, DISPLAY, EXIT
3 ?
EX (cr)
4 TYPE COMMAND SA, PR, AN, CA, EX, FOR
5 SAMPLE, PREVIEW, ANALYSIS, CATALOG, EXIT
6 ?

E. Third Level Subroutines

a. AMPLITUDE SPECTRUM, command: AS

Description

AMPLITUDE SPECTRUM generates the phase and magnitude of the amplitude spectrum of the reference channel specified in SET-UP. The viewing options are:

- 1 - Phase display
- 2 - Magnitude display
- 3 - Printing real and imaginary values of spectral components on the video screen.

These 3 options are, in turn, 3 subroutines that are called with commands as the previous ones. The order in which these routines are called is irrelevant and is left to the user's convenience.

1 - PHASE

Command: PH

In this case the first 128 components of the phase are drawn with an argument of + 180' to -180'. Underneath the display, a line is printed containing the name of the reference-channel. Next the user is asked whether he wishes to print the display using the SILENTYPE® printer or not. His answer must be Y (yes) or N (no). If it is a Y, then the SILENTYPE® prints a heading followed by the display, and the control is transferred back to the 3 options above. If the answer is N, then control will be transferred directly to level 3.

Example

```
1 TYPE COMMAND AS, PS, CR, EX, FOR:
2 AMPLITUDE SPECTRUM, POWER SPECTRUM, CORRELATION, EXIT
3 ?
  AS (cr)
4 TYPE COMMAND PH, MG, R & I, EX, FOR:
5 PH-DSPLY, MG-DSPLY, REAL & IM., EXIT
6 ?
  PH (cr)
  (NOW THE PHASE IS PLOTTED)
7 XXXXPHASE PLOT: TEST-C2 XXXX
8 WOULD YOU LIKE TO PRINT THE DISPLAY (Y/N)
9 ?
  Y (cr)
  THE SILENTYPE® WILL PRINT:
  PHASE PLOTXXX TEST-C2XXX 4 AVE
  AND THEN THE DISPLAY IS PRINTED.
10 TYPE COMMAND PH, MG, R & I, EX, FOR
11 PH-DSPLY, MG-DSPLY, REAL & IM., EXIT
```

12 ?

Notes

An invalid command in line 6 or 9 will be refused and the question will be asked again.

Example

```
1  TYPE COMMAND PH, MG, R & I, EX, FOR
2  PH-DSPLY, MG-DSPLY, REAL & IM., EXIT
3  ?
   MG (cr)
4  SUPPRESS SPECTRAL COMPONENTS (Y/N)?
5  ?
   Y (cr)
6  WHICH COMPONENT (0-127)?
7  ?
8  SUPPRESS SPECTRAL COMPONENTS (Y/N)?
9  ?
   N (cr)
10 FULL, HALF, QUARTER DISPLAY (F/H/Q)?
11 ?
   H (cr)
12 SCALING FACTOR?
13 ?
   1 (cr)
14 SCALING FACTOR?
15 ?
   10 (cr)
   (NOW THE MAGNITUDE IS PLOTTED)
16 XXX MG.PLOT:  TEST-C3 XXX
17 WOULD YOU LIKE TO PRINT THE DISPLAY (Y/N)?
18 ?
   N (cr)
19 TYPE COMMAND PH, MG, R & I, EX, FOR:
20 PH-DSPLY, MG-DSPLY, REAL & IM., EXIT
```


21 ?

2 - MAGNITUDE

Command: MG

This option plots for you the first 128 components of the magnitude plot. The vertical axis represents a relative scale while the horizontal one is frequency.

Before plotting the magnitude, the user has to answer the following questions:

i - suppress spectral components (Y/N)?

This allows suppression of relatively large components (i.e. DC comp.) in order to have a better view of the rest of the spectrum by changing the scaling factor. If your answer is yes, then the user will be asked to specify the number of the components which can only be suppressed, one at a time.

ii - Full, half or a quarter display (F/H/Q)?

This allows changing the increment value on the frequency axis by displaying 128, 64 or 32 components.

F corresponds to 128 components

H corresponds to the first 64 components

Q corresponds to the first 32 components

iii - Scaling factor?

This input could be any real number by which all components are divided before they are plotted.

If the scale factor is too small the question will be repeated until the scaling factor is large enough for the components to fit on the APPLE® screen.

After answering these questions the magnitude is plotted. As in the PHASE plot information is printed underneath followed by the option of printing the display.

REAL AND IMAGINARY

Command: R & I

This option allows printing the real and imaginary value of any spectral

component on the video screen. This command prints the values of one component at a time.

Example

```
1 TYPE COMMAND PH, MG, R & I, EX, FOR:
2 PH-DSPLY, MG-DSPLY, REAL & IM., EXIT
3 ?
  R & I (cr)
4 WHICH COMPONENT (0-127)?
5 ?
  2 (cr)
6 REAL PART: 2356.712
7 IM.PART: -175.689
8 TYPE COMMAND PH, MG, R & I, EX, FOR:
9 PH-DSPLY, MG-DSPLY, REAL & IM., EXIT
10 ?
```

Notes

- The frequency resolution on the horizontal axis, in both PHASE and MAGNITUDE, is determined by the sampling frequency specified in the SET-UP.

The relation is $\Delta f = \frac{\text{sampling frequency}}{256}$

- Along with PH, MG and R & I you have the EX command. This command takes DAISE back to level 3 subroutines.
- Suppressing spectral components in MAGNITUDE means setting their values to zero only on the display so that in subsequent passes through MAGNITUDE these components will still be suppressed while a second call of AMPLITUDE SPECTRUM will regenerate them.

b. POWER SPECTRUM, command: PS

Description

POWER SPECTRUM generates the phase and magnitude of the power spectrum of the reference-channel if the auto-correlation option was specified in the SET-UP, or it generates the phase and magnitude of the cross-power spectrum of the reference-channel and cross-channel if the cross-correlation option

was specified.

Next, it leaves the user with the same options listed in the AMPLITUDE SPECTRUM description. From that point on, everything mentioned there is true in this case also and need not be repeated here.

Notes

The comments printed underneath the video displays and above the printed displays will refer in this case, to the power or cross-power spectrum rather than the AMPLITUDE SPECTRUM.

c. CORRELATION, command: CR

Description

This subroutine uses the results of the power, or cross-power, spectrum to generate the auto-correlation, or cross-correlation function by one pass through the inverse FFT.

After generation, the correlation function is displayed and could be printed by the printer.

The vertical axis represents a relative scale of the function while the horizontal one represents the delay time τ .

The number of points plotted is 256 with a time resolution determined by the sampling frequency as:

$$\Delta t = \frac{1}{F_s}$$

User intervention

- 1 At the very beginning, the user has the option of suppressing spectral components in the power spectrum before generating the correlation-function.

This is included here to prevent undesirable components (i.e. noise components) from effecting the correlation results.

- 2 Once the function is generated, the axis will be drawn and the user is asked to input a scaling factor for the display.
- 3 A comment is printed underneath the display specifying the kind of function and the involved channel(s). Next the question:

Display CORR-FN again (Y/N)?

Is asked. This allows viewing the function on a different scale, and could be repeated as many times as desired.

4 Then the option of printing the display on the printer is offered.

Example

1 TYPE COMMAND AS, PS, CR, EX, FCR:
2 AMPLITUDE SPECTRUM, POWER SPECTRUM, CORRELATION, EXIT
3 ?
CR (cr)
4 SUPPRESS ANY SPECTRAL COMPONENTS (Y/N)?
5 ?
Y (cr)
6 WHICH COMPONENT (1-238)?
7 ?
3 (cr)
8 SUPPRESS ANY SPECTRAL COMPONENTS (Y/N)?
9 ?
N (cr)
(AFTER 70 SECONDS OF COMPUTATION THE AXIS ARE DRAWN)
10 SCALING FACTOR?
11 ?
8 (cr)
(THE FUNCTION IS PLOTTED)
12 XXX CROSS-CORR: TEST-C2 CROSS TEST-C7 XXX
13 DSPLY CORR-FN AGAIN (Y/N)?
14 ?
Y (cr)
15 SCALING FACTOR?
16 ?
4 (cr)
(THE OLD FUNCTION IS DELETED AND THE NEW ONE IS PLOTTED)
17 DSPLY CORR-FN AGAIN (Y/N)?
18 ?
N (cr)

- 19 WOULD YOU LIKE TO PRINT THE DISPLAY (Y/N)?
- 20 ?
- N (cr)
- 21 TYPE COMMAND AS, PS, CR, EX, FOR:
- 22 AMPLITUDE SPECTRUM, POWER SPECTRUM, CORRELATION, EXIT
- 23 ?

Notes

- In this subroutine, suppressing spectral components means setting them to zero everywhere in the program and they cannot be generated again.

i.e., A suppressed component in one pass through CORRELATION will still be suppressed in any subsequent passes, as well as in any power spectrum display.

Also note that the DC component is suppressed automatically before computing the correlation-function.

- Once the user answers "N" to the question in line 17 of the example above, the CORRELATION subroutine is exited. Therefore, a second view of the correlation function will require a second pass through the subroutine which in turn means waiting 70 seconds.

d. EXIT, command: EX

Description

This command takes DAISE back to level 2 subroutines.

F. Data Management

Data is stored and transferred between the APPLE® monitor and disk drive 2 at three major subroutines: SAMPLE, PREVIEW and SET-UP.

a. SAMPLE Data

In this case data is sampled at the A/D converter and stored directly in the APPLE® RAM as 8 blocks (channels), 1024 bytes each, stored at the following locations:

Channel 1 starts at 7600 HEX (30208 DEC)

Channel 2 starts at 7A00 HEX (31232 DEC)
Channel 3 starts at 7E00 HEX (3256 DEC)
Channel 4 starts at 8200 HEX (33280 DEC)
Channel 5 starts at 8600 HEX (34304 DEC)
Channel 6 starts at 8A00 HEX (34328 DEC)
Channel 7 starts at 8E00 HEX (36352 DEC)
Channel 8 starts at 9200 HEX (37376 DEC)

These blocks are transferred to disk drive 2 as 8 binary subfiles and the memory space (7600 to 9600 HEX) is freed.

b. PREVIEW Data

In the PREVIEW subroutine one subfile (1 k byte) is loaded from disk drive 2 into the RAM and occupies:

8E00 to 91FF HEX (36352 to 37375 DEC)

Once PREVIEW is exited this 1 K block of data is not accessed by any means.

c. SET-UP Data

In this case one subfile (reference-channel) is loaded from the diskette and stored in locations: 8E00 to 91FF EX(36352 to 37375 DEC) and in the case of cross-correlation the x-channel is stored in 9200 to 95FF HEX (37376 to 38399 DEC)

These 2 blocks of data are accessed by COMPUTE subroutine only.

Notes

- Memory locations 7600 to 95FF are used only for data management throughout DAISE.
- All spectral and correlation results are not stored permanently anywhere and will be lost unless the displays are printed.

III. COMPUTATION ALGORITHM

The algorithm used in DAISE for the computation of AMPLITUDE SPECTRUM and POWER SPECTRUM is based on two algorithms as described by Cooley et al.

[2] and Rader [3]. The reader is advised to review the papers for clear understanding. For our purposes a summary of the two algorithms is presented.

A. First Reference

From reference [2] we can compute the Fourier transform of 2 sets of real data in one pass through a DFT subroutine as follows:

Using the linearity property we see that if $x(n)$ and $y(n)$ are real sequences such that

$X(K)$ is the transform of $x(n)$ and

$Y(K)$ is the transform of $y(n)$

and if we form $s(n) = y(n) + i x(n)$

Then $S(K)$ has the transform

$$S(K) = Y(K) + i X(K) \quad (1)$$

$$\text{and } S^*(N-K) = Y(K) - i X(K) \quad (2) \quad 0 < K < \frac{N}{2}$$

where * designates complex conjugate and N is the total number of points.

Now solving (1) and (2) for $Y(K)$ and $X(K)$ we get:

$$Y(K) = 1/2 [S^*(N-K) + S(K)]$$

$$X(K) = 1/2 [S^*(N-K) - S(K)]$$

Thus, $Y(K)$ and $X(K)$ can be computed by one pass through the DFT with a few extra additions and subtractions.

B. Second Reference

With respect to perform correlation operations as described by Rader [3], let $Y(N)$ be an N points sequence and construct $X(N)$ such that:

$$x(n) = \begin{cases} y(n) & \text{for } 0 < n < \frac{N}{2} \\ 0 & \text{for } \frac{N}{2} < n < N \quad n \in [0, N) \end{cases}$$

If we compute the DFTs of $Y(N)$ and $X(N)$:

$$Y(K) = \text{DFT} \{y(n)\}$$

$$X(K) = \text{DFT} \{x(n)\}$$

and for the product $W(K) = Y^*(K) X(K)$ we have the DFT, $W(K)$ of the sequence

$$w(m) = \sum_{n=0}^{N/2 - 1} x(n) * y(n + m) \quad (2)$$

where m is a lag index.

It is easily seen that $w(m)$ is nothing but the auto-correlation function of $y(n)$ that, having $W(K)$ computed, can be generated by an inverse DFT.

IF $y(n)$ was a continuous series the above procedure can be repeated as many times as desired, considering N points at a time and averaging.

Note that Rader paper is more involved and does not stop at this point, but the above discussion is enough for our need.

C. Algorithm Description

Our algorithm is the merit of both papers. Let $y(n)$ and $x(n)$ be 2 real sequences of length N . The second $\frac{N}{2}$ points of $x(n)$ are padded with zeroes as follows:

- 1) If auto-correlation is desired,

$$x(n) = \begin{cases} y(n) & \text{for } 0 \leq n < N/2 \\ 0 & \text{for } N/2 \leq n < N \end{cases}$$

- 2) If cross-correlation is desired,

$$x(n) = \begin{cases} x(n) & \text{for } 0 \leq n < N/2 \\ 0 & \text{for } N/2 < n < N \end{cases}$$

then $s(n) = y(n) + j x(n)$ is formed and its Fourier transform $S(K) = a(K) + i b(K)$ is obtained by one pass through the FFT routine.

a. Amplitude spectrum computation

We have seen in the first procedure that

$$Y(K) = 1/2 [S^*(N-K) + S(K)]$$

or using the results of the FFT routine,

$$\text{Real part of } Y(K) = 1/2 [a(N-K) + a(K)] = \text{Real part of } Y(N-K)$$

and imaginary part of $Y(K) = 1/2 [-b(N-K) + b(K)] = -\text{Imaginary part of } Y(N-K)$

The last two expressions are the ones used to evaluate the AMPLITUDE SPECTRUM.

b. Power or Cross-Power Spectrum Computation

We saw that $Y(K) = 1/2 [S^*(N-K) + S(K)]$

and its complex conjugate would be

$$Y^*(K) = 1/2 [S^*(N-K) + S^*(K)]$$

so that the POWER SPECTRUM $W(K)$, in the Rader paper can be written as:

$$W(K) = Y^*(K) X(K) = \\ 1/2 [S(N-K) + S^*(K)] \cdot 1/2 [S^*(N-K) - S(K)].$$

Evaluation of the above expression in terms of the output of the FFT routine, $S(K) = a(K) + i b(K)$ yields,

$$\text{Real part of } W(K) = \text{Real part of } W(N-K) = \\ 1/2 [a(K) b(N-K) + a(N-K) b(K)]$$

and imaginary part of $W(K) = -\text{Imaginary part of } W(N-K)$

$$= 1/4 [a^2(N-K) - a^2(K) + b^2(N-K) - b^2(K)]$$

$$\text{where } 0 < K < \frac{N}{2} - 1$$

Again the last two expressions are the ones used for evaluation.

c. Algorithm Summary

Step 1 Load data sequences $y(n)$ and $x(n)$, and then zero pad the second $N/2$ points of $x(n)$.

- Step 2 Form $s(n)$ as $y(n) + i x(n)$ and pass it to the FFT routine to get
- $$S(K) = a(K) + i b(K)$$
- Step 3 Compute the AMPLITUDE SPECTRUM of $y(n)$ and the power (or cross-power) spectrum as specified earlier.
- Step 4 Repeat the above steps as many times as desired and average the results in Step 3. (In DAISE the number of averages is limited to 8).
- Step 5 Pass the power (or cross power) spectrum results to the inverse FFT to obtain the auto (or cross) correlation function.

Notes for the User

- 1 - In DAISE $y(n)$ has been called the reference-channel while $x(n)$ is the cross-channel.
- 2 - Amplitude spectrum of $y(n)$ is computed whether the user specifies the auto-correlation or the cross-correlation option.
- 3 - Our sequences (subfiles) are 1024 points long, divided into 8 blocks, 128 points each. The value of N is 256 points and

$$\frac{N}{2} = 128 = 1 \text{ block.}$$

- 4 - DAISE deploys a 256 point FFT routine so that by one pass through the first 3 steps of the algorithm two blocks of $y(n)$ and 1 block of $x(n)$ (second block is padded with zeros) are operated on. This leaves us with 8 possible passes or averages.

i.e., First average : $y(n) = \{ \text{first and second block} \}$
 $x(n) = \{ \text{first block and 128 zeros} \}$
 Second average : $y(n) = \{ \text{second and 3rd block} \}$
 $x(n) = \{ \text{second block and 128 zeros} \}$
 and so on.

- 5 - In SET-UP subroutine, when the user answers the question "HOW MANY BLOCKS (1-8)?" He is specifying the number of averages desired in one pass through COMPLETE subroutine.

ORIGINAL PAGE IS
OF POOR QUALITY

IV. REFERENCES

1. Holmes, H.K., and A. J. Zuckerwar, "A Unified Acquisition System for Acoustic Data," NASA TN D-8327, 1977.
2. Cooley, J.W., P. Lewis, and P. Welch, "The Fast Fourier Transform Algorithm and its Application," IBM Research Paper RC-1743, 1967.
3. Rader, C.M., "An Improved Algorithm for High Speed Auto Correlation with Application to Spectral Estimation," IEEE Trans. Audio Electroacoustics, Vol. AU-18, pp. 439-441, December 1970.

V. APPENDICES

A. Memory Map

0000 (80000)
2048 (80800)

6063 (817AF)
8192 (82000)

16364 (84000)

26666 (8682A)

30208 (87600)

38400 (89600)

45056 (8B000)

49151 (8BFFF)

APPLE System Use
Compiler Library
Free for future expansion
High-resolution graphics, Page 1
DAISE
Free for future expansion
Raw data buffer
DAISE variables
Free for future expansion

Note

In the above configuration DOS, the disk operating system has been moved to the extra 16 K memory card.

B. Time-Frequency Relations

ORIGINAL PAGE IS
OF POOR QUALITY

F_s = sampling frequency

Δf = frequency resolution (spectral plots)

Δt = time resolution (correlation plots)

Γ = total sampling time (N points)

relations: $\Delta t = \frac{1}{F_s}$

$$\Delta f = \frac{F_s}{N}$$

$$\Gamma = \frac{1}{\Delta f}$$

Examples: a) $F_s = 128$ Hz, $N = 256$

$$\Delta t = \frac{1}{128} = .0078 \text{ seconds}$$

$$\Delta f = \frac{128}{256} = .5 \text{ Hz}$$

$$\Gamma = \frac{1}{.5} = 2 \text{ seconds}$$

b) $F_s = 51.2$ Hz, $N = 256$

$$\Delta t = \frac{1}{51.2} = .02 \text{ seconds}$$

$$\Delta f = \frac{51.2}{256} = .2 \text{ Hz}$$

$$\Gamma = \frac{1}{.2} = 5 \text{ seconds}$$

C. DAISE Error Messages

a. "Out of Range" Errors

- Input in line 1080
Message: "ERROR:QUARTER RANGE IS 1 TO 4, INPUT AGAIN"
- Input in line 1870
Message: "ERROR: YOUR INPUT RANGE IS 0 TO 7, INPUT AGAIN"
- Input to line 1890
Message: "ERROR: YOUR INPUT RANGE IS 1 TO 8, INPUT AGAIN"
- If input in line 1870 plus input in line 1890 is greater than 8
Message: "ERROR: DATA RANGE IS EXCEEDED!"
- Input in line 5513 or line 5724
Message: "ERROR: COMPONENT RANGE IS 0 TO 12, INPUT AGAIN"
- Input in line 5885
Message: "ERROR: COMPONENT RANGE IS 0 TO 128, INPUT AGAIN"

b. DOS Related Errors


If a DOS error occurs while DAISE is storing data on disk after sampling or loading data from disk for PREVIEW or ANALYSIS the corresponding error message will be printed and control will be transferred to the first level subroutines.

Error Messages:


- "ERROR: DISKETTE IS WRITE PROTECTED"
- "ERROR: FILE NOT FOUND"
- "ERROR: DISKETTE VOLUME MISMATCH"
- "ERROR: I/O ERROR"
- "ERROR: DISK IS FULL"
- "ERROR: FILE IS LOCKED"
- "ERROR: BAD FILE NAME"
- "ERROR: UNKNOWN", (if error is not one of the above)

D. Flow Chart


ORIGINAL PAGE IS
OF POOR QUALITY




ORIGINAL PAGE 13
OF POOR QUALITY



ORIGINAL PAGE IS
OF POOR QUALITY



ORIGINAL PAGE IS
OF POOR QUALITY



E. Complete Listing

ORIGINAL VALUES
OF POOR QUALITY

JLIST

```

10 REM
90 D$ = ""
90 ONERR GOTO 400
100 DIM MK(127): DIM PK(127)
103 DIM ZR(128): DIM ZI(128)
105 DIM YR(128): DIM YI(128)
107 DIM AR(255): DIM AI(255)
120 PRINT D$"BLOAD ADC.0,A$300,D1"
140 PRINT "TYPE COMMAND SA, PR, AN, CA, EX, FOR:"
150 PRINT "SAMPLE,PREVIEW,ANALYSIS,CATALOG,EXIT"
160 INPUT A$
170 IF A$ = "SA" THEN GOSUB 500
180 IF A$ = "PR" THEN GOSUB 1000
190 IF A$ = "AN" THEN GOSUB 1500
200 IF A$ = "CA" THEN TEXT : PRINT D$"CATALOG,D2": GOTO 140
210 IF A$ = "EX" THEN GOTO 230
220 GOTO 140
230 END
400 REM DOS ERROR DETECTION
405 DED = PEEK (222)
410 ON DED GOTO 415,415,415,420,415,425,430,435,440,445,450,415,415,415,4
15
415 PRINT "ERROR: UNKNOWN": GOTO 140
420 PRINT "ERROR: DISKETTE IS WRITE PROTECTED": GOTO 140
425 PRINT "ERROR: FILE NOT FOUND": GOTO 140
430 PRINT "ERROR: DISKETTE VOLUME MISMATCH": GOTO 140
435 PRINT "ERROR: I/O ERROR": GOTO 140
440 PRINT "ERROR: DISK IS FULL": GOTO 140
445 PRINT "ERROR: FILE IS LOCKED": GOTO 140
450 PRINT "ERROR: BAD FILE NAME": GOTO 140
500 REM SAMPLE
505 PRINT "INPUT SAMPLING FREQUENCY CONSTANT"
510 INPUT SFD
515 IF SFD < 1 THEN PRINT "ERROR: CONSTANT CAN NOT BE < 1, INPUT AGAIN": GOTO
510
520 POKE 797,SFD
530 CALL 768
535 PRINT "TYPE FILE NAME:"
540 INPUT FI$
550 C1$ = FI$ + "-C1"
551 C2$ = FI$ + "-C2"
552 C3$ = FI$ + "-C3"
553 C4$ = FI$ + "-C4"
554 C5$ = FI$ + "-C5"
555 C6$ = FI$ + "-C6"
556 C7$ = FI$ + "-C7"
557 C8$ = FI$ + "-C8"
560 PRINT D$;"BSAVE";C1$;"",A$7600,L1024,D2"
570 PRINT D$;"BSAVE";C2$;"",A$7A00,L1024,D2"
580 PRINT D$;"BSAVE";C3$;"",A$7E00,L1024,D2"
590 PRINT D$;"BSAVE";C4$;"",A$8200,L1024,D2"

```

```

600 PRINT D$;"BSAVE";C5$;"A$8600,L1024,D2"
610 PRINT D$;"BSAVE";C6$;"A$8800,L1024,D2"
620 PRINT D$;"BSAVE";C7$;"A$8E00,L1024,D2"
630 PRINT D$;"BSAVE";C8$;"A$9200,L1024,D2"
640 RETURN
700 PRINT "WOULD YOU LIKE TO PRINT THE DISPLAY(Y/N)?"
705 INPUT PD$
710 IF PD$ = "Y" THEN GOSUB 800: RETURN
715 IF PD$ = "N" THEN RETURN
720 GOTO 700
800 REM PRINT DSPLY
810 PR# 1
820 L$ = " ": REM CTRL Q
830 PRINT
835 POKE - 12529,255
840 PRINT
845 POKE - 12524,0
850 PRINT
855 POKE - 12528,7
857 TA = T / 4
870 IF K$ = "CR" THEN GOTO 955
890 IF K$ = "AS" THEN GOTO 940
900 IF E = 99 THEN GOTO 925
910 IF F$ = "PH" THEN GOTO 920
915 PRINT "X-POWER***"RCH$" CROSS "XCH$***"TA" AUG***SCALE="A: GOTO 970
920 PRINT "X-POWER***"RCH$" CROSS "XCH$***"TA" AUG": GOTO 970
925 IF F$ = "PH" THEN GOTO 935
930 PRINT "POWER SPEC.***"RCH$***"TA" AUG***SCALE="A: GOTO 970
935 PRINT "PHASE OF POWER SPEC***"RCH$***"TA" AUG": GOTO 970
940 IF F$ = "PH" THEN GOTO 950
945 PRINT "AMPL. SPEC.***"RCH$***"TA" AUG***SCALE="A: GOTO 970
950 PRINT "PHASE OF AMPL. SPEC***"RCH$***"TA" AUG": GOTO 970
955 IF E = 99 THEN GOTO 965
960 PRINT "X-CORR***"RCH$" CROSS "XCH$***"TA" AUG***SCALE="U: GOTO 970
965 PRINT "CORR***"RCH$***"TA" AUG***SCALE="U
970 PRINT
971 PRINT
972 PRINT
973 PRINT L$
974 PR# 0
975 RETURN
1000 REM PREVIEW
1050 PRINT "DESIRED FILE AND CHANNEL?"
1055 INPUT RCH$
1070 PRINT "DESIRED QUARTER(1-4)?"
1080 INPUT Q
1082 IF Q < 1 OR Q > 4 THEN PRINT "ERROR: QUARTER RANGE IS 1 TO 4, INPUT
AGAIN": GOTO 1080
1085 GOSUB 4000
1090 GOSUB 4200
1095 W = 0
1100 GOSUB 1200
1110 PRINT "**** REAL DATA: "RCH$", QR="Q" ****"
1160 RETURN
1200 REM DSPLY REAL DATA OR CORR-FN
1220 HGR : HCOLOR= 7
1225 HPLLOT 0,0 TO 0,159
1230 FOR Y = 159 TO 0 STEP - 32
1235 HPLLOT 0,Y TO 3,Y: NEXT
1240 IF W = 0 THEN GOTO 1265
1245 HPLLOT 0,79 TO 255,79
1250 FOR X = 0 TO 255 STEP 40

```

ORIGINAL PAGE IS
OF POOR QUALITY

```

1255 H PLOT X,79 TO X,76
1260 NEXT X: GOTO 1302
1265 H PLOT 0,159 TO 255,159
1270 FOR X = 0 TO 255 STEP 40
1275 H PLOT X,159 TO X,156
1280 NEXT X
1302 PRINT "SCALING FACTOR?"
1304 INPUT U
1310 FOR X = 0 TO 255
1320 Y = 159 - W - AR(X) * .623 / U
1322 IF Y > 159 THEN GOTO 1302
1324 IF Y < 0 THEN GOTO 1302
1330 H PLOT X + 1,Y
1340 NEXT
1350 RETURN
1500 REM SPECTRUM ANALYSIS
1550 PRINT "TYPE COMMAND SE, CO, DI, EX. FOR:"
1560 PRINT "SET-UP, COMPUTE, DISPLAY, EXIT"
1570 INPUT C$
1580 IF C$ = "SE" THEN GOSUB 1650
1590 IF C$ = "CO" THEN GOSUB 2100
1600 IF C$ = "DI" THEN GOSUB 5000
1610 IF C$ = "EX" THEN GOTO 1630
1620 GOTO 1550
1630 RETURN
1650 REM SET-UP
1700 FOR X = 0 TO 128
1710 ZR(X) = 0
1720 ZI(X) = 0
1730 YR(X) = 0
1740 YI(X) = 0
1750 NEXT
1760 PRINT "INPUT REFERENCE CHANNEL"
1770 INPUT RCH$
1780 PRINT "TYPE COMMAND AC, CC, FOR:"
1790 PRINT "AUTO-CORRELATION, CROSS-CORRELATION"
1800 INPUT B$
1810 IF B$ = "AC" THEN E = 99: GOTO 1860
1820 IF B$ = "CC" THEN GOTO 1840
1830 GOTO 1790
1840 PRINT "INPUT X-CHANNEL"
1850 INPUT XCH$
1860 PRINT "STARTING BLOCK(0-7)?"
1870 INPUT G
1875 IF G < 0 OR G > 7 THEN PRINT "ERROR: YOUR INPUT RANGE IS 0 TO 7, INP
UT AGAIN": GOTO 1860
1880 PRINT "HOW MANY BLOCKS(1-8)?"
1890 INPUT H
1892 IF H < 1 OR H > 8 THEN PRINT "ERROR: YOUR INPUT RANGE IS 1 TO 8, IN
PUT AGAIN": GOTO 1880
1895 T = 2 + H
1900 IF (G + H) > = 9 THEN PRINT "ERROR: DATA RANGE IS EXCEEDED!": GOTO
1860
1910 GOSUB 4000
1920 IF E = 99 THEN GOTO 1940
1930 GOTO 1960
1940 RETURN
1950 REM LOAD CROSS CHANNEL
1960 PRINT D$;"BLOAD";XCH$;" ,A$9200,02"
1970 GOTO 1940
2100 REM COMPUTE
2150 P = 256

```

ORIGINAL P. 4173
OF POOR QUALITY

```

2160 IF (G + H) > = 9 THEN PRINT "ERROR: DATA RANG IS EXCEEDED!": GOTO 1
550
2170 J = 36352 + (G - 1) * 128
2180 FOR Y = 1 TO H
2190 J = J + 128
2200 FOR I = 0 TO 255
2210 AR(I) = PEEK (J + I)
2230 NEXT
2240 IF E = 99 THEN K = J: GOTO 2260
2250 K = J + 1024
2260 FOR I = 0 TO 127
2270 AI(I) = PEEK (K + I)
2280 AI(I + 128) = 0
2285 NEXT
2290 FRD = 1
2300 GOSUB 3000
2302 ZR(0) = ZR(0) + AR(0) * AI(0)
2304 YR(0) = YR(0) + AR(0)
2310 FOR X = 1 TO 128
2320 R = (AR(X)) * (AI(P - X))
2330 S = (AR(P - X)) * (AI(X))
2340 ZR(X) = ZR(X) + (R + S) / 2
2350 R = (AR(P - X)) ^ 2 - (AR(X)) ^ 2
2360 S = (AI(P - X)) ^ 2 - (AI(X)) ^ 2
2370 ZI(X) = ZI(X) - (R + S) / 4
2380 R = AR(P - X) + AR(X)
2390 S = AI(X) - AI(P - X)
2400 YR(X) = YR(X) + R / 2
2410 YI(X) = YI(X) + S / 2
2420 NEXT X
2430 NEXT Y
2435 T = 2 * T
2440 G = G + H
2450 RETURN
3000 REM FFT ROUTINE
3100 M = 8
3110 N = 2 ^ M
3120 N1 = 0: N2 = N - 1
3130 FOR N3 = 1 TO N2
3140 N4 = N
3150 N4 = N4 / 2
3160 IF N1 + N4 > N2 THEN GOTO 3150
3170 N1 = N1 - INT (N1 / N4) * N4 + N4
3180 IF N1 < N3 THEN GOTO 3250
3190 T1 = AR(N3)
3200 AR(N3) = AR(N1)
3210 AR(N1) = T1
3220 T2 = AI(N3)
3230 AI(N3) = AI(N1)
3240 AI(N1) = T2
3250 NEXT N3
3260 REM DO THE COMPLEX TRANSFORM
3270 N4 = 1
3280 N6 = 2 * N4
3290 FOR N3 = 0 TO N4 - 1
3300 A = FRD * N3 * 3.1415927 / N4
3310 C = COS (A)
3320 S = SIN (A)
3330 FOR N7 = N3 TO N - 1 STEP N6
3340 N8 = N7 + N4
3350 T1 = C * AR(N8) - S * AI(N8)
3360 T2 = C * AI(N8) + S * AR(N8)

```

ORIGINAL PAGE IS
OF POOR QUALITY

COPYRIGHT 1975
OF POOR QUALITY

```
3370 AR(N8) = AR(N7) - T1
3380 AI(N8) = AI(N7) - T2
3390 AR(N7) = AR(N7) + T1
3400 AI(N7) = AI(N7) + T2
3410 NEXT N7
3420 NEXT N3
3430 N4 = N6
3440 IF N4 < N THEN GOTO 3280
3442 FOR X = 0 TO 255
3444 AR(X) = AR(X) / 32
3446 AI(X) = AI(X) / 32
3448 NEXT X
3450 RETURN
4000 REM LOAD REF. CHANNEL
4050 PRINT D$;"BLOAD";RCH$;" ,A$8E00,D2"
4060 RETURN
4200 REM LOAD REAL ARRAY WITH ONE QUARTER
4245 X = 36352
4250 ON Q GOTO 4263,4270,4280,4290
4260 J = X: GOTO 4300
4270 J = X + 256: GOTO 4300
4280 J = X + 512: GOTO 4300
4290 J = X + 768
4300 FOR I = 0 TO 255
4310 AR(I) = PEEK (J + I)
4320 NEXT I
4330 RETURN
4745 IF S0$ = "Q" THEN S0 = 8: GOTO 5748
5000 REM DISPLAY
5050 PRINT "TYPE COMMAND PS, AS, CR, EX, FOR:"
5060 PRINT "POWER SPEC, AMPL. SPEC, CORRELATION, EXIT"
5070 INPUT K$
5080 IF K$ = "PS" THEN GOTO 5155
5090 IF K$ = "AS" THEN GOTO 5260
5100 IF K$ = "CR" THEN GOTO 5850
5110 IF K$ = "EX" THEN GOTO 5140
5120 GOTO 5050
5140 RETURN
5150 REM POWER SPECTRUM
5155 REM
5160 FOR X = 0 TO 127
5165 M(X) = SQR ((ZR(X))^2 + (ZI(X))^2)
5170 IF ABS (ZI(X)) < T THEN GOTO 5180
5175 GOTO 5190
5180 IF ZR(X) < = - T THEN P(X) = 3.1415927: GOTO 5230
5185 P(X) = 0: GOTO 5230
5190 IF ABS (ZR(X)) < T THEN GOTO 5200
5195 GOTO 5210
5200 IF ZI(X) > = T THEN P(X) = .5 * 3.1415927: GOTO 5230
5205 P(X) = -.5 * 3.1415927: GOTO 5230
5210 IF ZR(X) > = T THEN P(X) = ATN (ZI(X) / (ZR(X) + .000001)): GOTO 5230
5215 IF ZI(X) > = T THEN P(X) = 3.141592 - ATN (ZI(X) / (- ZR(X))): GOTO 5230
5220 P(X) = - 3.1415927 - ATN (ZI(X) / (- ZR(X)))
5230 NEXT X
5240 GOSUB 5400
5250 GOTO 5050
5260 REM REF-CH SPECTRUM
5265 REM
5267 FOR X = 0 TO 127
5270 M(X) = SQR ((YR(X))^2 + (YI(X))^2)
```



```

5275 IF ABS (YI(X)) < T THEN GOTO 5285
5280 GOTO 5295
5285 IF YR(X) < = - T THEN P(X) = 3.1415927: GOTO 5340
5290 P(X) = 0: GOTO 5340
5295 IF ABS (YR(X)) < T THEN GOTO 5305
5300 GOTO 5315
5305 IF YI(X) > = T THEN P(X) = .5 * 3.1415927: GOTO 5340
5310 P(X) = - .5 * 3.1415927: GOTO 5340
5315 IF YR(X) > = T THEN P(X) = ATN (YI(X) / (YR(X) + .000001)): GOTO 5
340
5320 IF YI(X) > = T THEN P(X) = 3.1415927 - ATN (YI(X) / (- YR(X))): GOTO
5340
5325 P(X) = - 3.141592 - ATN (YI(X) / (- YR(X))): GOTO 5340
5340 NEXT
5350 GOSUB 5400
5360 GOTO 5050
5400 REM PHASE & MAGNITUDE DSPLY
5450 PRINT "TYPE COMMAND PH, M6, R&I, EX"
5470 INPUT F$
5480 IF F$ = "PH" THEN GOTO 5550
5490 IF F$ = "M6" THEN GOTO 5650
5500 IF F$ = "EX" THEN GOTO 5520
5505 IF F$ = "R&I" THEN GOTO 5511
5510 GOTO 5450
5511 PRINT "WHICH SPECTRAL COMPONENT(0-127)?"
5513 INPUT HS
5514 IF HS < 0 OR HS > 127 THEN PRINT "ERROR: COMPONENT RANGE IS 0 TO 12
7, INPUT AGAIN": GOTO 5513
5515 IF K$ = "RS" THEN PRINT "REAL PART: "YR(HS): PRINT "IM. PART: "YI(H
S)
5517 PRINT "REAL PART: "ZR(HS): PRINT "IM. PART: "ZI(HS)
5519 GOTO 5450
5520 RETURN
5540 REM PHASE
5550 HGR : HCOLOR= 7
5560 HPLLOT 0,0 TO 0,159
5562 FOR Y = 144 TO 0 STEP - 18
5564 HPLLOT 0,Y TO 3,Y
5566 NEXT Y
5568 HPLLOT 0,159 TO 272,159
5570 FOR X = 16 TO 272 STEP 8
5572 HPLLOT X,159 TO X,156
5574 NEXT X
5575 GOSUB 5815
5576 HPLLOT 16,72 TO 272,72
5578 FOR X = 0 TO 255 STEP 2
5579 Y = X / 2
5580 Z = 72 - P(Y) * 22.9
5582 HPLLOT X + 16,72 TO X + 16,Z
5584 NEXT X
5612 IF K$ = "RS" THEN PRINT "***** PHASE PLOT: "RCH$ "*****": GOTO 56
18
5614 IF E = 99 THEN PRINT "***** POWER SPEC: "RCH$ "*****": GOTO 5
618
5616 PRINT "== X-POWER SPEC: "RCH$", "XCH$" ==
5618 GOSUB 700
5620 GOTO 5450
5640 REM MAGNITUDE
5650 HGR : HCOLOR= 7
5660 HPLLOT 0,0 TO 0,159
5662 FOR Y = 144 TO 0 STEP - 8
5664 HPLLOT 0,Y TO 3,Y

```

```

5666 NEXT Y
5668 H PLOT 0,159 TO 272,159
5670 FOR X = 16 TO 272 STEP 8
5672 H PLOT X,159 TO X,156
5674 NEXT X
5676 H PLOT 16,144 TO 272,144
5678 GOSUB 5815
5680 PRINT "SUPPRESS SPECTRAL COMPONENTS(Y/N)?"
5690 INPUT E$
5700 IF E$ = "Y" THEN GOTO 5722
5710 IF E$ = "N" THEN GOTO 5741
5720 GOTO 5680
5722 PRINT "WHICH COMPONENT(0-127)?"
5724 INPUT CP
5725 IF CP < 0 OR CP > 127 THEN PRINT "ERROR: COMPONENT RANGE IS 0 TO 12
7, INPUT AGAIN": GOTO 5724
5726 K(CP) = 0
5728 GOTO 5680
5741 PRINT "FULL, HALF, OR QUARTER DSPLY(F/H/Q)?"
5742 INPUT SO$
5743 IF SO$ = "F" THEN SO = 2: GOTO 5748
5744 IF SO$ = "H" THEN SO = 4: GOTO 5748
5745 IF SO$ = "Q" THEN SO = 8: GOTO 5748
5746 GOTO 5741
5748 PRINT "SCALING FACTOR?"
5749 INPUT A
5750 FOR X = 0 TO 255 STEP SO
5755 Y = X / SO
5760 Z = 144 - K(Y) / A
5770 IF Z > 144 OR Z < 0 THEN GOTO 5748
5790 H PLOT X + 16,144 TO X + 16,Z
5800 NEXT
5805 IF E$ = "Y" THEN K(0) = K
5807 IF K$ = "AS" THEN PRINT "***** MAG. PLOT: "RCH$" *****": GOTO 561
8
5810 GOTO 5614
5815 FOR Y = 158 TO 156 STEP - 1
5820 H PLOT 1,Y TO 16,Y: NEXT
5825 FOR X = 1 TO 3
5830 H PLOT X,158 TO X,143
5835 NEXT
5840 RETURN
5850 REM CORRELATION
5860 PRINT "SUPPRESS ANY SPECTRAL COMPONENTS(Y/N)?"
5865 INPUT SC$
5870 IF SC$ = "Y" THEN GOTO 5880
5875 IF SC$ = "N" THEN GOTO 5910
5878 GOTO 5860
5890 PRINT "WHICH COMPONENT(1-128)?"
5895 INPUT WC
5897 IF WC < 1 OR WC > 128 THEN PRINT "ERROR: COMPONENT RANGE IS 1 TO 12
8, INPUT AGAIN": GOTO 5885
5898 ZR(WC) = 0: ZI(WC) = 0
5899 GOTO 5860
5910 AR(0) = 0: AI(0) = 0
5920 FOR X = 1 TO 128
5930 Y = 256 - X
5940 AR(X) = ZR(X)
5950 AR(Y) = ZR(X)
5960 AI(Y) = - ZI(X)
5970 AI(X) = ZI(X)
5980 NEXT

```

ORIGINAL PAGE IS
OF POOR QUALITY

```
5990 FRD = - 1
6000 GOSUB 3000
6005 N = 80
6006 GOSUB 1200
6008 IF E = 99 THEN PRINT "***** AUTO-CORR: "RCH$" *****": GOTO 6012
6010 PRINT "*** X-CORR: "RCH$", "XCH$" ***"
6012 PRINT "DSPLY CORR-FN AGAIN(Y/N)?"
6014 INPUT P$
6016 IF P$ = "Y" THEN GOTO 6006
6018 IF P$ = "N" THEN GOTO 6020
6019 GOTO 6012
6020 GOSUB 700
6030 GOTO 5050
```

F. Demonstration Run

This Appendix consists of a listing of an actual run of DAISE printed by the SILENTYPE® printer. The user is urged to read and follow the execution carefully, since it demonstrates virtually all the capabilities of DAISE and the routes leading there as well as the effects of certain decisions taken during the execution. The raw data sampled is a 10 Hz burst sinusoidal signal with half duty cycle. It was picked up by all microphone systems using Globe microphones, hence the file name.

The sampling frequency constant was inputted as 15, implying 128 Hz frequency, that leaves us with the following resolutions:

$$\text{Frequency resolution} = \frac{128}{256} = .5 \text{ Hz}$$


$$\text{Time resolution} = \frac{1}{128} = .0078 \text{ seconds.}$$

Notes


- 1 DAISE can not print any raw data and what is presented on the next page was printed by a different program for demonstration purposes.
- 2 Whenever a scaling factor is inputted throughout the run, a HGR plot is displayed on the video screen and the message appearing after the scaling factor is what gets printed on the video screen underneath the display.

ORIGINAL PAGE IS
OF POOR QUALITY

****REAL DATA: GLOB2-C1, QR-1 ****



****REAL DATA: GLOB2-C2, QR-1 ****



EXEC MASTER.01

IBRUN DRISE.OBJ.01
TYPE COMMAND SA, PR, AN, CA, EX, FOR:
SAMPLE,PREVIEW,ANALYSIS,CATALOG,EXIT
?SA
INPUT SAMPLING FREQUENCY CONSTANT
?15
TYPE FILE NAME:
?GLOB2
TYPE COMMAND SA, PR, AN, CA, EX, FOR:
SAMPLE,PREVIEW,ANALYSIS,CATALOG,EXIT
?CA

ORIGINAL PAGE IS
OF POOR QUALITY

DISK VOLUME 254

A 002 HELLO
B 006 GLOB2-C1
B 006 GLOB2-C2
B 006 GLOB2-C3
B 006 GLOB2-C4
B 006 GLOB2-C5
B 006 GLOB2-C6
B 006 GLOB2-C7
B 006 GLOB2-C8
TYPE COMMAND SA, PR, AN, CA, EX, FOR:
SAMPLE,PREVIEW,ANALYSIS,CATALOG,EXIT
?PR
DESIRED FILE AND CHANNEL?
?GLOB2-C1
DESIRED QUARTER(1-4)?
?1
SCALING FACTOR?
?1
**** REAL DATA: GLOB2-C1, QR-1 ****
TYPE COMMAND SA, PR, AN, CA, EX, FOR:
SAMPLE,PREVIEW,ANALYSIS,CATALOG,EXIT
?PR
DESIRED FILE AND CHANNEL?
?GLOB2-C2
DESIRED QUARTER(1-4)?
?1
SCALING FACTOR?
?1
**** REAL DATA: GLOB2-C2, QR-1 ****
TYPE COMMAND SA, PR, AN, CA, EX, FOR:
SAMPLE,PREVIEW,ANALYSIS,CATALOG,EXIT
?AN
TYPE COMMAND SE, CO, DI, EX, FOR:
SET-UP, COMPUTE, DISPLAY, EXIT
?SE
INPUT REFERENCE CHANNEL
?GLOB2-C1
TYPE COMMAND AC, CC, FOR:
AUTO-CORRELATION, CROSS-CORRELATION
?CC
INPUT X-CHANNEL
?GLOB2-C2
STARTING BLOCK(0-7)?
?0
HOW MANY BLOCKS(1-8)?

TYPE COMMAND SE, CO, DI, EX, FOR:
SET-UP, COMPUTE, DISPLAY, EXIT

ORIGINAL PAGE IS
OF POOR QUALITY

?CO

TYPE COMMAND SE, DO, DI, EX, FOR:
SET-UP, COMPUTE, DISPLAY, EXIT

?DI

TYPE COMMAND PS, AS, CR, EX, FOR:
POWER SPEC, AMPL. SPEC, CORRELATION, EXIT

?AS

TYPE COMMAND PH, MS, R&I, EX


?PH

***** PHASE PLOT: GLOB2-C1 *****

WOULD YOU LIKE TO PRINT THE DISPLAY(Y/N)?

?Y

PHASE OF AMPL. SPEC***GLOB2-C1***4 AVG



TYPE COMMAND PH, MS, R&I, EX

?MS

SUPPRESS SPECTRAL COMPONENTS(Y/N)?

?N

WHICH COMPONENT(0-127)?

?0

SUPPRESS SPECTRAL COMPONENTS(Y/N)?

?N

FULL, HALF, OR QUARTER DSPLY(F/H/Q)?

?F


SCALING FACTOR?

?1

***** MAG. PLOT: GLOB2-C1 *****

WOULD YOU LIKE TO PRINT THE DISPLAY(Y/N)?

?Y




```

TYPE COMMAND PH, M6, R&I, EX
?M6
SUPPRESS SPECTRAL COMPONENTS(Y/N)?
?N
FULL, HALF, OR QUARTER DSPLY(F/H/Q)?
?H
SCALING FACTOR?
?.5
SCALING FACTOR?
?2
***** MAG. PLOT: GLOB2-C1 *****
WOULD YOU LIKE TO PRINT THE DISPLAY(Y/N)?
?N
TYPE COMMAND PH, M6, R&I, EX
?M6
SUPPRESS SPECTRAL COMPONENTS(Y/N)?
?N
FULL, HALF, OR QUARTER DSPLY(F/H/Q)?
?H
SCALING FACTOR?
?2
***** MAG. PLOT: GLOB2-C1 *****
WOULD YOU LIKE TO PRINT THE DISPLAY(Y/N)?
?N

```



AMPL. SPEC.***GLOB2-C1***4 AUG***SCALE=2



ORIGINAL PAGE IS
OF POOR QUALITY


TYPE COMMAND PH, MG, R&I, EX
?EX
TYPE COMMAND PS, AS, CR, EX, FOR:
POWER SPEC, AMPL. SPEC, CORRELATION, EXIT
?PS
TYPE COMMAND PH, MG, R&I, EX
?MG
SUPPRESS SPECTRAL COMPONENTS(Y/N)?
?Y
WHICH COMPONENT(0-127)?
?0
SUPPRESS SPECTRAL COMPONENTS(Y/N)?
?N
FULL, HALF, OR QUARTER DSPLY(F/H/Q)?
?H
SCALING FACTOR?
?10
SCALING FACTOR?
?100
** X-POWER SPEC: GLOB2-C1, GLOB2-C2 **
WOULD YOU LIKE TO PRINT THE DISPLAY(Y/N)?
?Y

X-POWER***GLOB2-C1 CROSS GLOB2-C2***4 AVG***SCALE=100



TYPE COMMAND PH, MS, R&I, EX
?MS
SUPPRESS SPECTRAL COMPONENTS(Y/N)?
?Y
WHICH COMPONENT(0-127)?
?1
SUPPRESS SPECTRAL COMPONENTS(Y/N)?
?N
FULL, HALF, OR QUARTER DSPLY(F/H/Q)?
?Q
SCALING FACTOR?
?10
SCALING FACTOR?
?20
** X-POWER SPEC: GLOB2-C1, GLOB2-C2 **
WOULD YOU LIKE TO PRINT THE DISPLAY(Y/N)?
?N
TYPE COMMAND PH, MS, R&I, EX
?MS
SUPPRESS SPECTRAL COMPONENTS(Y/N)?
?N
FULL, HALF, OR QUARTER DSPLY(F/H/Q)?
?Q
SCALING FACTOR?
?20
** X-POWER SPEC: GLOB2-C1, GLOB2-C2 **
WOULD YOU LIKE TO PRINT THE DISPLAY(Y/N)?
?Y

X-POWER***GLOB2-C1 CROSS GLOB2-C2***4 AUG***SCALE=20



ORIGINAL DISPLAY IS
OF POOR QUALITY

TYPE COMMAND PH, M6, R&I, EX

?R&I

WHICH SPECTRAL COMPONENT(0-127)?

?1

REAL PART: 6421.46912

IM. PART: 2501.65725

TYPE COMMAND PH, M6, R&I, EX

?R&I

WHICH SPECTRAL COMPONENT(0-127)?

?20

REAL PART: -1202.40875

IM. PART: -2001.91292

TYPE COMMAND PH, M6, R&I, EX

?EX

TYPE COMMAND PS, AS, CR, EX, FOR:

POWER SPEC, AMPL. SPEC, CORRELATION, EXIT

?CR

SUPPRESS ANY SPECTRAL COMPONENTS(Y/N)?

?N

SCALING FACTOR?

?1

SCALING FACTOR?

?4

SCALING FACTOR?

?10

*** X-CORR: GLOB2-C1, GLOB2-C2 ***

DSPLY CORR-FN AGAIN(Y/N)?

?Y

SCALING FACTOR?

?10

*** X-CORR: GLOB2-C1, GLOB2-C2 ***

DSPLY CORR-FN AGAIN(Y/N)?


?N

WOULD YOU LIKE TO PRINT THE DISPLAY(Y/N)?

?Y


ORIGINAL PAGE IS
OF POOR QUALITY

X-CORR***GLOB2-C1 CROSS GLOB2-C2***4 AVG***SCALE=10



TYPE COMMAND PS, AS, CR, EX, FOR:
POWER SPEC, AMPL. SPEC, CORRELATION, EXIT
?CR
SUPPRESS ANY SPECTRAL COMPONENTS(Y/N)?
?Y
WHICH COMPONENT(1-128)?
?1
SUPPRESS ANY SPECTRAL COMPONENTS(Y/N)?
?N
SCALING FACTOR?
?5
*** X-CORR: GLOB2-C1, GLOB2-C2 ***
DSPLY CORR-FN AGAIN(Y/N)?
?N
WOULD YOU LIKE TO PRINT THE DISPLAY(Y/N)?
?Y

X-CORR***GLOB2-C1 CROSS GLOB2-C2***4 AUG***SCALE=5



TYPE COMMAND PS, AS, CR, EX, FOR:
POWER SPEC, AMPL. SPEC, CORRELATION, EXIT
?CR
SUPPRESS ANY SPECTRAL COMPONENTS(Y/N)?
?Y
WHICH COMPONENT(1-128)?
?17
SUPPRESS ANY SPECTRAL COMPONENTS(Y/N)?
?Y
WHICH COMPONENT(1-128)?
?18
SUPPRESS ANY SPECTRAL COMPONENTS(Y/N)?
?Y
WHICH COMPONENT(1-128)?
?19
SUPPRESS ANY SPECTRAL COMPONENTS(Y/N)?
?Y
WHICH COMPONENT(1-128)?
?21
SUPPRESS ANY SPECTRAL COMPONENTS(Y/N)?
?Y
WHICH COMPONENT(1-128)?
?22
SUPPRESS ANY SPECTRAL COMPONENTS(Y/N)?
?Y
WHICH COMPONENT(1-128)?
?23
SUPPRESS ANY SPECTRAL COMPONENTS(Y/N)?
?N

ORIGINAL PAGE IS
OF POOR QUALITY

SCALING FACTOR?

?5

*** X-CORR: GLOB2-C1, GLOB2-C2 ***


DSPLY CORR-FN AGAIN(Y/N)?

?N

WOULD YOU LIKE TO PRINT THE DISPLAY(Y/N)?

?Y

X-CORR***GLOB2-C1 CROSS GLOB2-C2***4 AVG***SCALE=5



TYPE COMMAND PS, AS, CR, EX, FOR:
POWER SPEC, AMPL. SPEC, CORRELATION, EXIT

?PS

TYPE COMMAND PH, MS, R&I, EX

?MS

SUPPRESS SPECTRAL COMPONENTS(Y/N)?

?N

FULL, HALF, OR QUARTER DSPLY(F/H/Q)?

?H

ORIGINAL PAGE IS
OF POOR QUALITY

SCALING FACTOR?

?20

SCALING FACTOR?

?30

SCALING FACTOR?

?100

SCALING FACTOR?

?1000

SCALING FACTOR?

?4000

SCALING FACTOR?


?10000

** X-POWER SPEC: GLOB2-C1, GLOB2-C2 **

WOULD YOU LIKE TO PRINT THE DISPLAY(Y/N)?

?Y

X-POWER***GLOB2-C1 CROSS GLOB2-C2***4 AVG***SCALE=10000




TYPE COMMAND PH, MG, R&I, EX
?MG
SUPPRESS SPECTRAL COMPONENTS(Y/N)?

ORIGINAL PAGE 03
OF POOR QUALITY

?Y
WHICH COMPONENT(0-127)?
?0
SUPPRESS SPECTRAL COMPONENTS(Y/N)?
?N
FULL, HALF, OR QUARTER DSPLY(F/H/Q)?
?H
SCALING FACTOR?
?20
** X-POWER SPEC: GLOB2-C1, GLOB2-C2 **
WOULD YOU LIKE TO PRINT THE DISPLAY(Y/N)?
?Y

X-POWER***GLOB2-C1 CROSS GLOB2-C2***4 AVG***SCALE=20



TYPE COMMAND PH, MG, R&I, EX
?EX
TYPE COMMAND PS, AS, CR, EX, FOR:
POWER SPEC, AMPL. SPEC, CORRELATION, EXIT
?EX
TYPE COMMAND SE, CO, DI, EX, FOR:
SET-UP, COMPUTE, DISPLAY, EXIT
?EX
TYPE COMMAND SA, PR, AN, CA, EX, FOR:
SAMPLE, PREVIEW, ANALYSIS, CATALOG, EXIT
?EX