

General Disclaimer

One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some of the material. However, it is the best reproduction available from the original submission.

Study of behavioral modifications
resulting from
exposure to high LET radiation

Final Report

(NASA-CR-171651) STUDY OF BEHAVIORAL
MODIFICATIONS RESULTING FROM EXPOSURE TO
HIGH LET RADIATION Final Report (Texas A&M
Univ.) 65 p HC A04/MF A01 CSCI 06F
NEE-25350
Unclas
63/52 11737

Dr. R. H. G. ...
College of Veterinary Medicine
Texas A & M University

RESEARCH REPORT

F I N A L R E P O R T

STUDY OF BEHAVIORAL MODIFICATIONS RESULTING FROM EXPOSURE
TO HIGH LET RADIATION

Contract No. NAS9-16375

Principal Investigator: Dan Hightower, D.V.M.
Veterinary Nuclear Medicine Section
Department of Veterinary Physiology and Pharmacology

Bonnie Beaver, D.V.M.
Department of Veterinary Anatomy

Charles L. Hall, D.V.M.
Department of Veterinary Small Animal Medicine

College of Veterinary Medicine
Texas A&M University

TABLE OF CONTENTS

	Page
I. Introduction	4
II. Animal Irradiation	5
III. Behavioral Study	8
IV. Neurologic Studies	23
V. Nuclear Medicine Studies	24
VI. Conclusions	24
VII. Recommendations	29
Appendix I - Error Score for Each Trial of Each Dog	30
Appendix II - Procedure for Cerebral Blood Flow	42
Appendix III - Procedure for Static Brain Scan	44
Appendix IV - Representative EEG's	46

TABLES

	Page
Table 1 - Dog Numbered and Radiation Dose Delivered	9
Table 2 - Twenty-Four Hour Activity Patterns	10
Table 3 - Percentage of Recorded Time Spent in Specific Activities	12
Table 4 - Ratio of Time Spent on an Activity Before and After Radiation	13
Table 5 - The Percentage of Total Errors Committed on Trial 1 (%R1)	17
Table 6 - The Percentage of Total Errors Committed on Trials 1-4 (%R4)	19
Table 7 - The Percentage of Total Errors Committed on Trials 1-5 (%R5)	20
Table 8 - The Visual Ability Score (%P)	21

FIGURES

	Page
Figure 1. Dog skull with the anatomic landmarks and radiation field super-imposed.	6
Figure 2. Sagittal section of the skull with the radiation field super-imposed.	7
Figure 3. Maze Problems 1-12.	15
Figure 4. Brain Scan of Beagle Dog #11, Control.	25
Figure 5. Blood Flow to Brain Study of Beagle Dog #11, Control.	26
Figure 6. Graph of Blood Flow to Total Brain of Beagle Dog #11, Control.	27
Figure 7. Graph of Blood Flow to Each Side of the Brain of Beagle Dog #11, Control.	28

FINAL REPORT

Study of Behavioral Modifications Resulting from Exposure to High LET Radiation

Contract Number NAS9-16375

31 January 1983

I. INTRODUCTION

This document constitutes the final report of studies performed under Contract No. NAS9-16375. Due to circumstances beyond the control of NASA and Texas A&M University, modifications of the contract were required concerning the scope of work. The RFP and original response to it required the irradiation of animals with HZE particles from the BEVALAC accelerator at the University of California. When this was not possible, dogs were irradiated with the gamma rays from a Cobalt-60 therapy source in the College of Veterinary Medicine. It is this study that will be reported herein.

For ease of presentation, this report has been subdivided into the following parts:

- I. Introduction
- II. Animal Irradiations
- III. Behavioral Studies
- IV. Neurologic Studies
- V. Nuclear Medicine Studies
- VI. Conclusions
- VII. Recommendations

While the report is written in sections, it is to be noted that the performance of the studies was an integrated effort. In addition, as a contract requirement, a bibliography concerning radiation effects and

behavioral change has been prepared as a separate document.

II. ANIMAL IRRADIATION

Six beagle dogs were irradiated on September 3, 1982. The radiation source was the Cobalt-60 teletherapy unit used for radiation therapy in the Veterinary Teaching Hospital. The dogs were divided into two groups. One group of six dogs were to be the control group. The other six dogs were further divided into two groups of three dogs each. One group received 1000 rads to the midline of the brain and the other 1750 rads.

Dogs to be irradiated were lightly anesthetized with sodium pentobarbital. They were placed in a sling holder for irradiation. Controls were similarly anesthetized and sham irradiated.

Irradiation was performed with lateral opposing fields to the head. Each field was approximately 7.5 cm high by 10 cm long at a source to skin distance of 80 cm. Figures 1 and 2 illustrate the external "landmarks" used to position the animal and the inner structure of the head that we irradiated.

Very little variation in head thickness was determined between different animals. Thus, an average skin-to-midline depth of 4.38 cm was used for all calculations. Correction for bone attenuation was made assuming a 0.6 cm thick cranium. Tissue equivalent bolus was used when necessary to compensate for irregular head shape. A Victoreen Model 05-595 portable therapy dosimeter with a silicon diode detector (Model 30-490) was used to verify dose received at midline on the surface.


The equation and parameter values required for calculation of the dose rate were taken from "The Physics of Radiology", Johns, H.E. and Cunningham, J.R., Charles C. Thomas Publisher, 1974. These are defined as follows:

$$\dot{D} = (\dot{X}) (A_{eq}) (f_{tissue}) (BSF) (\%DD) (C_{bone})$$

where

(Parietal)
≈ 1 cm ventral to sagittal crest

≈ 1 cm ventral to zygomatic arch



Retro-orbitally

Figure 1. Dog skull with the anatomic landmarks and radiation field super-imposed.

Paracondyloid Process
Paramastoid

ORIGINAL PAGE IS
OF POOR QUALITY




Figure 2. Sagittal section of the skull with the radiation field super-imposed.

\dot{D} = dose rate at 4.38 cm depth, 7.5 x 10 cm field, 80 cm SSD from ^{60}Co gamma rays ($\frac{\text{rads}}{\text{min}}$)

\dot{X} = exposure rate in air at 80.5 cm from source decay corrected to 9/3/82 (R/min)

A_{eq} = Equilibrium air attenuation factor (0.985 for ^{60}Co)

f_{tissue} = rads/Roentgen conversion factor in tissue for ^{60}Co
(0.957 rads/R)

BSF = Back scatter factor for ^{60}Co field, 7.5 x 10 cm (1.031)

%DD = Percent depth dose at 4.38 cm for ^{60}Co field, 7.5 x 10 cm
(0.80859)

C_{bone} = Correction factor for 0.6 cm bone attenuation (0.979)

These calculations were used to determine a dose rate of 55.931 rads/min. Total dosages delivered to each dog are shown in Table 1.

III. BEHAVIORAL STUDY

A. Twenty-Four Hour Activity Patterns.

Each of the twelve dogs was videotaped for twenty-four consecutive hours prior to radiation, approximately four weeks post-radiation, and approximately twelve weeks post-radiation. The videotapes of the three dogs receiving the heavy doses of radiation were evaluated to determine the amount of time each dog spent moving, standing, sitting, and lying while in a 4 x 10 foot kennel area. Times in these activities were recorded to the nearest 10 seconds. In addition, the number of times each dog made major changes between these four activities was counted, as was the number of times each jumped up against the wire walls. Total times calculated for each dog, as found in Table 2, do not equal twenty-four hours because time spent in other activities such as grooming, eating, and eliminating were not included. The pre-radiation data from each dog was used to compare with activity data gathered after radiation.

Table 1

Dog Number and Radiation Dose Delivered

<u>Dog No.</u>	<u>Target Dose (rads)</u>	<u>Actual Dose (rads)</u>	<u>Error</u>
3	1750	1740	-0.6
6	1750	1723	-1.5
7	1750	1737	-0.7
5	1000	994	-0.6
8	1000	1009	+0.9
10	1000	999	-0.1

Table 2
Twenty-Four Hour Activity Patterns*

	Jumping (count)	Moving (min)	Standing (min)	Sitting (min)	Lying (min)	Changes in Behavior (count)
Pre-Radiation Observations						
Dog #3	23	223.0	16.8	48.0	1094.5	389
#6	12	166.2	99.7	33.7	1096.2	663
#7	88	270.0	149.7	122.7	558.8	666
4 Weeks Post-Radiation Observations						
Dog #3	48	142.0	82.0	93.3	926.7	377
#6	10	154.8	123.7	53.5	953.5	472
#7	10	90.7	60.5	85.3	1082.5	313
12 Weeks Post-Radiation Observations						
Dog #3	11	151.7	25.7	435.0	624.2	385
#6	53	166.3	244.2	234.5	756.3	620
#7	87	237.5	107.5	262.5	731.3	437

*Times do not add up to 24 hours because of behaviors performed which are not included in those listed.

In that way each dog served as its own control.

Since there was some discrepancy in total times observed between dogs, each of the four behaviors was calculated as a certain percentage of the observed time. For example, in the initial phase of the study, dog 3 moved 223 minutes, stood 16.8 minutes, sat 48 minutes, and laid 1094.5 minutes, for a total observed time of 1381.3 minutes (23.0 hours). Of this recorded time, 16.13% was spent moving, 1.22% was standing, 3.47% was sitting, and 79.18% was lying. Table 3 shows the comparative percentage data between the three dogs and the three observations of each.

If there was no change in a dog's activity between each test, the numbers of Table 3 should be approximately the same, and in fact in some instances, this is the case. Table 4 makes a comparison between the post-radiation data and that gathered in the control study. To obtain the figures of Table 3, the percent of time spent on an activity in tests 2 and 3 was divided by the percent of time spent on the same activity during the control observation. A correlation of 1.0 would mean that the two pieces of data were identical. A number less than 1.0 indicates that the dog spent less time doing the activity after radiation, and a number greater than 1.0 would signify the opposite.

For dog 3 obvious time differences include the following:

- Test 2 - increases in standing (66 minutes) and sitting (45 minutes)
- decreases in walking (81 minutes)
- Test 3 - increases in standing (9 minutes) and sitting (387 minutes)
- decreases in walking (71 minutes) and lying (470 minutes)

For dog 6 the differences are as follows:

- Test 2 - increases in standing (24 minutes) and sitting (20 minutes)

Table 3

Percentage of Recorded Time Spent in Specific Activities

	Moving (%)	Standing (%)	Sitting (%)	Lying (%)
Pre-Radiation Observations				
Dog #3	16.13	1.22	3.47	79.18
#6	11.91	7.14	2.41	78.54
#7	24.52	13.59	11.14	50.75
4 Weeks Post-Radiation Observations				
Dog #3	11.41	6.59	7.50	74.49
#6	12.04	9.62	4.16	74.17
#7	6.87	4.59	6.47	82.07
12 Weeks Post-Radiation Observations				
Dog #3	12.27	2.08	35.18	50.48
#6	11.87	17.42	16.73	53.97
#7	17.74	8.03	19.61	54.62

Table 4

Ratio of Time Spent on an Activity Before and After Radiation^A

	Moving	Standing	Sitting	Lying
4 Weeks Post-Radiation Observations				
Dog #3	.7074*	5.402**	2.161	.9408
#6	1.011	1.347	1.726	.9444
#7	.2802	.3377	.5808	1.617
12 Weeks Post-Radiation Observations				
Dog #3	.7607	1.705	10.14	.6375
#6	.9966	2.440	6.942	.6872
#7	.7235	.5909	1.760	1.076

*Numbers less than 1.0 indicate a decrease in the behavior after radiation.
 **Numbers greater than 1.0 indicate an increase in the behavior after radiation.

$$A \left(\frac{\% \text{ time pre-radiation}}{\% \text{ time post-radiation}} \right)$$

Test 3 - increases in standing (145 minutes) and
sitting (201 minutes)
- decreases in lying (340 minutes)

Differences for dog 7 are as follows:

Test 2 - increases in lying (524 minutes)
- decreases in moving (179 minutes), standing (89 minutes),
and sitting (37 minutes)

Test 3 - increases in sitting (140 minutes)
- decreases in moving (32 minutes) and standing (42 minutes)

Two other comparisons also support the trend toward a drop in activity during test 2. The number of times dogs 6 and 7 jumped decreased, and both dogs had fewer major changes in activity (Table 2). In the twenty-four hours of test 2, dog 6 changed behaviors 191 fewer times than during the control test 1. Dog 7 changed 353 fewer times and continued the trend in test 3.

Overall, the three dogs, and particularly dog 7, showed an increase in sedentary behaviors following radiation, in test 2. In test 3 the record time tended to shift from lying to standing and sitting. Motion did not change appreciably.

B. Maze Learning Studies.

Each of the twelve dogs was run through a predefined series of twelve mazes (Figure 3). One maze pattern was used each day with eight trials given each dog each day. The 24 x 24 foot square maze was marked off into 4 foot square sections and each time a new square was entered, it was counted. The total number of squares entered on each trial was subtracted from the minimum number of squares necessary to complete the maze. This error score for each trial of each dog is shown in Appendix 1. Test 1 was run prior to radiation, test 2 occurred approximately two weeks post-radiation, and test 3 took place

ORIGINAL PAGE IS
OF POOR QUALITY




Figure 3. Maze Problems 1 - 12.

approximately eleven weeks post-radiation.

The total number of errors for all twelve dogs was 9522 on test 1, 3461 on test 2, and 1814 on test 3, indicating that learning did occur during the investigation. The small number of errors in test 3 make the error score data of that test relatively meaningless. This, however, was a result of the necessitated short time interval between tests.

Total mean errors is the result of dividing the total errors by the number of dogs. The non-radiated six control dogs (1, 2, 4, 9, 11, and 12) had mean errors of 798.7 on test 1, 282.8 on test 2, and 122.2 on test 3. The heavily radiated dogs (3, 6, and 7) had a total mean error score on test 1 of 771.3, essentially the same as that for the control beagles. In tests 2 and 3, however, the total mean errors, 398.7 and 173.0 respectively, were 41% higher than those for the control dogs. The radiated dogs made more errors than did the controls.

To determine when the errors were made, %R1, %R4, and %R5 scores were calculated. Of the total errors made during a test by a specific dog, the percentage of the errors occurring during the first trials each day (%R1) was determined by dividing the errors made in trial 1 by the total errors of the test (Table 5). The six control dogs and the three heavily radiated dogs both had pre-radiation %R1 values of approximately 31%. Thirty-one percent of the mistakes in test 1 occurred on the first trial, 69% occurred during the remaining 7 trials. During test 2 the groups were differentiated, with the control group having 34% of their errors in trial 1, while the radiated dogs made 19% of their errors the first time through. This means the second group had a larger proportion of their errors occurring in later trials. By test 3, the radiated dogs exceeded their test 1 %R1 score.

The percentage of the errors occurring in the first half of the trials,

Table 5

The Percentage of Total Errors Committed on Trial 1 (%R1)^A

	Test 1	Test 2	Test 3
Dog #1* ^B	32.04	36.11	39.25
#2*	25.26	20.37	28.64
#3**	34.30	23.57	45.59
#4*	28.79	21.78	34.38
#5	38.22	38.02	54.55
#6** ^C	27.58	18.59	33.98
#7**	32.69	14.31	35.48
#8	29.89	32.95	35.38
#9*	36.41	31.65	42.86
#10	38.46	49.26	37.14
#11*	37.40	59.34	29.73
#12*	22.61	34.09	29.17
*Control group	30.42	33.89	34.01
**Radiated group	31.52	18.82	38.35

$$^A(\%R1 = \frac{\text{errors in Trial 1}}{\text{total errors}} \times 100)$$

^BDogs 1,2,3,4,5,7,8, and 12 were males.

^CDogs 6,9,10, and 11 were females.

%R4, was determined by dividing the total errors occurring in trials 1-4 by the total number of errors for each dog (Table 6). The control and radiated dogs had approximately equal %R4 scores in pre-radiation test 1, 74% and 79% respectively. While the six control beagles continued to score approximately the same on tests 2 and 3, the radiated dogs had a test 2 score which averaged 63.66% of what it was in test 2, and a test 3 score of 84.44% pre-radiation levels. The lowered %R4 scores indicate that the dogs were making a greater percentage of their mistakes in trials 6, 7, and 8. They were not learning the maze pattern as well as the control dogs.

The percentage of errors occurring in the first five trials, %R5, is shown in Table 7. The test 2 scores of the heavily radiated dogs were still lower than those for controls, although scores for test 3 had returned to more normal levels.

Odd numbered mazes were constructed so that the dogs could easily observe the maze solution. Even numbered mazes presented several alternatives for the animals. Table 8 compares the number of errors which occurred in the odd numbered visual problems. These represented approximately one-third of the errors. Non-visual, even numbered mazes proved more difficult, but there was no variation between the control and heavily radiated groups.

Overall, the three heavily radiated dogs made more errors on the maze learning study. These beagles also did not learn the maze patterns as well or as quickly as did the control dogs.

C. Behavioral Observations.

The pre-radiation phase of this study permitted the researchers to learn each dog's general personality. During the two post-radiation phases, it was then possible to notice whether changes occurred in individual dogs. Specific observations were recorded but their relationship to radiation doses

Table 6

The Percentage of Total Errors Committed in Trials 1-4 (%R4)^A

	Test 1	Test 2	Test 3
Dog #1* ^B	62.41	86.15	64.49
#2*	65.89	63.62	69.90
#3**	87.97	54.51	74.71
#4*	71.34	47.55	68.75
#5	81.00	77.60	81.82
#6** ^C	81.17	50.00	64.08
#7**	69.33	47.28	62.58
#8	83.98	76.88	69.31
#9*	78.22	72.78	72.73
#10	85.47	79.31	78.86
#11*	86.70	78.57	67.57
#12*	77.67	70.45	62.50
*Control group	73.71	69.85	67.66
**Radiated group	79.49	50.60	67.12

$$^A(\%R4 = \frac{\text{errors in Trials 1-4}}{\text{total errors}})$$

^BDogs 1,2,3,4,5,7,8, and 12 were males.

^CDogs 6,9,10, and 11 were females.

Table 7

The Percentage of Total Errors Committed in Trials 1-5 (%R5)^A

	Test 1	Test 2	Test 3
Dog #1* ^B	76.42	91.54	71.03
#2*	70.53	69.02	82.04
#3**	91.22	75.20	81.99
#4*	80.89	61.96	75.00
#5	92.62	84.90	88.18
#6** ^C	85.20	63.46	77.67
#7**	74.73	67.75	79.35
#8	90.04	90.17	80.14
#9*	84.32	81.01	79.22
#10	89.46	84.25	84.57
#11*	90.58	85.71	77.03
#12*	85.11	78.79	70.83
*Control group	81.31	78.01	75.86
**Radiated group	83.72	68.80	79.67

$$^A(\%R5 = \frac{\text{errors in Trials 1-5}}{\text{total errors}} \times 100)$$

^BDogs 1,2,3,4,5,7,8, and 12 were males.

^CDogs 6,9,10, and 11 were females.

Table 8
The Visual Ability Score (%P)^A

	Test 1	Test 2	Test 3
Dog #1* ^B	29.82	29.62	37.38
#2*	26.54	26.82	18.93
#3**	19.98	18.24	19.16
#4*	34.01	19.63	38.54
#5	32.14	5.21***	36.36
#6** ^C	32.74	30.77	42.72
#7**	34.33	40.76	42.58
#8	35.18	29.48	37.18
#9*	26.66	35.44	25.32
#10	29.63	32.51	25.71
#11*	36.01	22.53	50.00
#12*	52.39	22.73	34.38
*Control group	34.24	26.13	34.09
**Radiated group	29.02	29.92	34.82

***Dog was sick on 2 odd numbered and 1 even numbered tests

$$^A(\%P = \frac{\text{errors on odd numbered visual problems}}{\text{total errors}} \times 100)$$

^BDogs 1,2,3,4,5,7,8, and 12 were males.

^CDogs 6,9,10, and 11 were females.

was not established until the conclusion of the study.

Test 2, occurring approximately two weeks post-radiation, had two dogs showing behavior changes from those observed in the initial study.

1) Dog 3, a heavily irradiated dog, had two days in which he was extremely fearful of the events associated with running the maze. A third day did not have the fear reaction, but there was a general lack of enthusiasm for the run. Subsequent days were normal, and no cause could be determined for the apparent expression of fear.

2) Dog 8, a low-dose irradiated beagle, was hospitalized for three days of intestinal upset with accompanying bloody and mucus-filled diarrhea. Recovery was uneventful.

Test 3 was held about eleven weeks post-radiation. Seven dogs showed slight to dramatic behavior changes when compared to their normals established earlier.

1) Dog 2, a control, became more enthusiastic about running through the maze and tended not to be distracted by odors.

2) Dog 3, a heavily irradiated dog, developed a severe head shake which occurred with almost every trial and while the dog was kenneled. The ear canals were normal when this problem started, and only after a couple of weeks of head shaking did they show signs of irritation and infection as a result of the head shaking. This same dog also changed from a very outgoing, social personality to one that became relatively indifferent to his environment and to the people working with him.

3) Dog 6, a heavily irradiated beagle, performed normally in the maze but was difficult to get out of the kennel area.

4) Dog 7, a heavily irradiated dog, also developed a severe head shake which lasted throughout the entire test period. As with dog 3, this dog's ear

canals were clean initially and only became irritated as a result of the head shaking. Dog 7 also had a dramatic personality change. He became much friendlier to people working with him, sought attention in the kennel area, and was almost eager to run the maze. Previously, he had been indifferent to people and lacked motivation to run the maze, often spending time just walking around in it.

5&6) Dogs 8 and 10, beagles which received the low dose of radiation, occasionally would shake their heads; however, the ear canals of both dogs were normal.

7) Dog 9, a low dose irradiated dog, would occasionally show a slightly fearful way of traveling through the maze.

Overall, two control dogs showed slight occasional changes of observable behavior. Two dogs receiving light doses of radiation developed occasional head shaking. All three heavily radiated dogs had some behavior changes, with two of them developing dramatic personality changes and severe head shaking not associated with ear infections.

IV. NEUROLOGIC STUDIES

Screening electroencephalograms were recorded on all dogs under general thiobarbiturate anesthesia on April 21, August 12, and September 8, 1982. All were determined to be normal for size and age.

Pre-irradiation neurologic examination on the same dates revealed no abnormalities in any of the dogs.

Post irradiation electroencephalograms were recorded on November 16, 1982 and again on January 19, 1983. No abnormalities were detected in either irradiated group or the control group. Neurologic examination again was normal for all groups. Representative EEG's are shown in Appendix IV.

Additional evaluation of each dog by computed tomography (CT) scanning of

the skull was accomplished under thiobarbiturate anesthesia on January 19, 1983. There were no differences between irradiated dogs and the control dogs.

V. NUCLEAR MEDICINE STUDIES

All beagles included in these studies had brain scans performed prior to irradiation and twice post irradiation. In addition, a cerebral blood flow study was done during the second post-irradiation scan procedure. See Apperxdices II and III for details of the procedures.

Figure 4 is an example of a brain scan from a dog. Figure 5 is an example of a blood flow study in the same dog. Note that both carotid arteries can be visualized and that the brain is perfused quicker than other parts of the head. Figure 6 is a curve obtained by including the total brain in a computer region of interest and then plotting the time versus activity curve. Figure 7 is the same type of information but obtained from each half of the brain. Thus, a comparison can be made between sides. These are all shown to illustrate the type of data reviewed to reveal the presence of any anatomic or physiologic abnormality.


All data was reviewed in several ways. First, each was studied as a part of the series performed within a matter of 3 days. Next, all data on individual dogs was reviewed together. Lastly, all data from the irradiated groups and control group were reviewed together. No abnormality was detected by any of the data review procedures used.

These results are not surprising. Abnormalities resulting from whole brain irradiation will be expected to appear after a longer post irradiation period. This is the reason we are recommending that this group of dogs be retained for continued study.

VI. CONCLUSIONS

1. Dogs receiving the highest dose of radiation had decreased activity


ORIGINAL PAGE IS
OF POOR QUALITY.




VERTEX



POSTERIOR



LEFT LATERAL



RIGHT LATERAL

Figure 4. Brain Scan of Beagle Dog #11, Control.

ORIGINAL PAGE IS
OF POOR QUALITY




Figure 5. Blood Flow to Brain Study of Beagle #11, Control.

RTA START AT RECORD # : 187

FRAME : 30
TIME FRAME : 1

#11


ORIGINAL PAGE IS
OF POOR QUALITY.

TYPE 01

STARTED TIME	TOTAL COUNT	POINT COUNT
--------------	-------------	-------------

1.00	10	10
2.00	17	7
3.00	23	11
4.00	29	1
5.00	36	1
6.00	43	1
7.00	50	1
8.00	57	1
9.00	64	1
10.00	71	1
11.00	78	1
12.00	85	1
13.00	92	1
14.00	99	1
15.00	106	1
16.00	113	1
17.00	120	1
18.00	127	1
19.00	134	1
20.00	141	1
21.00	148	1
22.00	155	1
23.00	162	1
24.00	169	1
25.00	176	1
26.00	183	1
27.00	190	1
28.00	197	1
29.00	204	1
30.00	211	1
31.00	218	1
32.00	225	1
33.00	232	1
34.00	239	1
35.00	246	1
36.00	253	1
37.00	260	1
38.00	267	1
39.00	274	1
40.00	281	1
41.00	288	1
42.00	295	1
43.00	302	1
44.00	309	1
45.00	316	1
46.00	323	1
47.00	330	1
48.00	337	1
49.00	344	1
50.00	351	1

TOTAL
COUNT



#11

TYPE 02

STARTED TIME	TOTAL COUNT	POINT COUNT
--------------	-------------	-------------

1.00	3	3
2.00	6	5
3.00	16	8
4.00	17	1
5.00	23	6
6.00	27	4
7.00	42	15

Figure 6. Graph of Blood Flow to Total Brain of Beagle #11, Control.

TOTAL
COUNT

DATA STARTS AT RECORD # : 197

FRAMES : 30

WAVE CURVES ON RECORD # 1180

PLTA

WAVE ON RECORD NUMBER# 1180

TIME PER FRAME# 1

ORIGINAL PAGE IS OF POOR QUALITY

#11

TOTAL CHANGED TIME	POINT COUNT CPM-1	POINT COUNT CPM-0
1.00	4	3 00
2.00	4	4 00
3.00	3	3 00
4.00	0	0 00
5.00	5	1 00
6.00	5	3 00
7.00	14	13 00
8.00	57	45 00
9.00	104	112 00
10.00	201	194 00
11.00	245	237 00
12.00	324	281 00
13.00	317	287 00
14.00	284	280 00
15.00	257	217 00
16.00	206	200 00
17.00	180	157 00
18.00	157	141 00
19.00	127	116 00
20.00	116	89 00
21.00	125	95 00
22.00	103	95 00
23.00	109	97 00
24.00	132	102 00
25.00	130	112 00
26.00	103	107 00
27.00	135	105 00
28.00	127	109 00
29.00	125	123 00
30.00	131	119 00
31.00	0	0 00
32.00	0	0 00
33.00	0	0 00
34.00	0	0 00
35.00	0	0 00



Figure 7. Graph of Blood Flow to Each Side of the Brain of Beagle #11, Control.

AREA

TIME: 0

DATE-TIME ID : MED IV DATA #
AND AREA ID FROM 1 TO 230.

levels in the early weeks following irradiation.

2. Dogs receiving the highest dose of radiation made more errors in the maze tests than did unirradiated dogs.

3. Errors made in maze tests by dogs which had received radiation were spread throughout the tests indicating that the dogs did not learn the patterns as well as the control dogs.

4. Personality changes did occur during later phases of the study in 2 of 3 dogs receiving the highest dose of radiation.

5. Headshaking was observed during later phases of the study in 4 of 6 dogs which had been irradiated. This was not associated with inflammation of the external ear canal.

6. No evidence of abnormal blood flow to the brain nor discrete lesions were revealed by the nuclear medicine procedures.

7. No significant changes were observed in the electroencephalograms.

8. CT scans did not reveal any discrete brain lesions.

9. Evaluation procedures selected are appropriate for studies of this type.

VII. RECOMMENDATIONS

One would not ordinarily expect to obtain readily identifiable anatomic or physiologic defects/or deficits at the early times post irradiation and none were found. Behavioral changes can and do occur in the absence of these defects. Thus, we strongly recommend that evaluation procedures of the type described above continue to be used on these dogs. It is only then that definitive information will be forthcoming from this group of valuable experimental animals.

APPENDIX I

TEST #1

DOG 1 PROB.#	TRI #1	1	2	3	4	5	6	7	8	9	10	11	12 TOTAL
1	17	26	0	0	2	4	5	6	7	8	9	10	11
2	17	0	0	0	2	2	7	13	31	1	1	8	11
3	3	0	0	0	0	3	4	3	4	4	0	0	23
4	0	3	18	0	0	0	1	1	1	1	0	4	11
5	58	3	0	0	25	2	1	1	2	1	1	4	12
6	2	9	0	0	3	1	6	4	9	2	0	17	5
7	2	9	2	2	0	2	1	1	0	3	0	1	21
8	1	1	0	0	2	2	1	0	0	0	1	2	41
TOTALS	93	51	23	54	21	42	24	89	19	16	35	263	721

ORIGINAL PAGE IS
OF POOR QUALITY

DOG 2 PROB.#	TRI #1	1	2	3	4	5	6	7	8	9	10	11	12 TOTAL
1	10	11	0	0	4	5	6	7	8	9	10	11	12
2	45	4	2	2	38	1	2	17	193	23	1	1	118
3	4	11	0	0	44	12	1	8	5	1	1	5	17
4	10	22	1	1	24	2	15	20	54	1	0	2	159
5	8	1	0	0	18	36	1	11	11	1	1	1	114
6	62	1	1	1	14	1	12	2	8	2	0	1	27
7	0	1	1	1	13	1	64	80	4	1	1	1	35
8	12	3	36	1	8	2	1	2	4	0	1	2	88
TOTALS	144	51	50	170	57	97	141	285	30	6	13	595	1639

DOG 3 PROB.#	TRI #1	1	2	3	4	5	6	7	8	9	10	11	12 TOTAL
1	20	85	2	4	10	5	4	16	41	9	10	11	12
2	16	20	0	2	46	0	2	5	67	9	0	4	87
3	16	35	1	1	21	3	0	5	31	6	1	4	56
4	2	1	0	18	0	2	0	2	21	2	0	2	27
5	2	0	0	7	2	2	1	2	6	1	1	1	19
6	1	0	1	2	0	2	8	0	5	1	0	3	27
7	1	1	0	3	0	0	11	0	4	0	0	1	23
8	1	0	0	4	1	1	11	2	2	2	1	2	21
TOTALS	59	142	8	111	23	37	33	175	24	4	19	196	831

DOG 4 PROB.#	1	2	3	4	5	6	7	8	9	10	11	12 TOTAL
TRI #1	74	18	7	44	4	2	16	22	7	8	2	226
	5	10	0	6	10	1	2	30	6	3	8	169
	5	1	0	2	2	30	2	28	2	1	1	94
	2	1	1	0	2	0	2	22	2	0	1	71
	2	2	1	2	7	2	11	2	1	1	2	75
	2	2	0	16	24	21	12	10	1	0	2	92
	10	1	0	1	20	1	0	2	0	1	2	40
	1	6	1	2	4	0	0	1	0	1	1	18
TOTALS	101	41	10	73	73	57	45	109	19	15	19	785

DOG 5 PROB.#	1	2	3	4	5	6	7	8	9	10	11	12 TOTAL
TRI #1	47	66	3	19	13	136	16	34	4	0	3	352
	68	1	3	6	10	11	5	4	8	2	2	155
	7	2	3	4	4	16	1	12	4	0	2	143
	7	8	1	3	7	39	0	8	3	0	2	96
	38	1	1	1	3	30	1	12	1	0	1	107
	1	1	1	1	2	1	0	0	1	0	2	21
	10	0	1	1	1	3	0	1	2	0	1	24
	1	1	1	0	1	2	1	0	1	0	1	23
TOTALS	179	80	14	35	41	238	24	71	24	2	14	921

DOG 6 PROB.#	13	7	2	5	27	8	3	28	4	0	2	123
TRI #1	13	3	2	2	7	13	12	29	6	0	2	151
	2	0	0	3	4	1	0	21	2	0	1	52
	8	1	0	1	2	0	1	17	1	0	2	36
	2	4	0	2	1	1	0	1	1	1	2	18
	3	1	0	1	1	1	1	2	0	9	2	34
	1	0	0	0	1	0	1	1	0	0	2	6
	1	0	0	1	2	10	4	1	3	1	2	26
TOTALS	43	16	4	15	45	34	22	100	17	11	15	446

ORIGINAL PAGE IS
OF POOR QUALITY

DOG 7 PROB.#	TRI #1	2	3	4	5	6	7	8	TOTALS	TOTAL
21	53	36	22	94	36	45	3	0	2	22
4	3	5	10	10	8	1	17	0	1	56
1	15	3	1	31	0	14	14	7	8	49
1	20	23	10	1	1	11	3	1	18	21
10	3	1	1	1	1	1	1	1	1	31
2	12	2	1	0	0	1	7	14	3	0
10	21	5	11	1	0	11	2	1	10	16
12	15	12	9	1	30	0	4	1	3	9
61	142	87	65	139	76	84	51	25	46	204
										1037

DOG 8 PROB.#	TRI #1	2	3	4	5	6	7	8	TOTALS	TOTAL
23	13	66	8	37	5	30	2	0	9	45
17	53	21	13	10	29	24	1	0	13	65
56	1	2	2	2	16	24	8	0	4	15
0	0	0	4	1	1	18	1	1	2	11
4	1	0	2	1	4	22	2	8	2	1
1	0	3	1	2	0	3	2	1	1	1
2	2	1	3	1	0	2	4	7	1	0
2	0	1	2	12	5	0	0	0	0	16
105	70	94	35	65	60	113	20	17	32	154
										793

DOG 9 PROB.#	TRI #1	2	3	4	5	6	7	8	TOTALS	TOTAL
1	2	4	5	6	7	8	9	10	11	12
35	11	17	4	2	2	35	0	3	2	89
3	4	7	4	2	5	31	0	1	2	35
11	14	11	1	1	1	12	1	1	2	1
19	0	3	3	1	3	52	0	1	2	2
2	0	4	1	1	1	21	0	1	2	2
2	1	3	1	1	1	11	0	1	2	1
1	0	4	1	2	1	11	0	0	2	2
3	1	3	0	0	3	14	10	1	2	1
76	31	52	18	10	20	197	11	9	16	132
										574

ORIGINAL LISTING
OF POOR QUALITY.

DOG 10PROB.#	1	2	3	4	5	6	7	8	9	10	11	12 TOTAL
TRI #1	46	56	1	10	13	81	10	23	3	1	2	24
	16	2	1	2	30	6	10	15	2	0	0	78
	15	6	1	2	8	9	10	15	2	0	2	42
	1	2	0	5	2	1	5	8	2	0	1	28
	2	0	1	3	2	1	0	2	1	0	1	14
	1	1	0	2	1	0	0	0	1	0	1	22
	1	0	0	1	1	0	0	2	2	1	1	16
	1	1	1	2	2	1	0	3	1	0	1	13
TOTALS	83	68	5	27	59	99	36	74	16	2	9	702

DOG 11PROB.#	1	2	3	4	5	6	7	8	9	10	11	12 TOTAL
TRI #1	35	3	5	17	1	5	18	35	11	0	2	3
	2	8	1	8	3	5	0	11	1	0	1	52
	2	4	0	3	3	2	0	25	2	0	1	48
	3	2	0	1	2	1	1	9	2	1	1	14
	1	2	0	1	2	1	0	2	2	0	2	14
	3	1	0	0	1	0	0	0	2	1	1	12
	3	1	0	0	1	0	0	0	2	0	2	12
	1	1	0	0	2	1	1	0	1	0	0	10
TOTALS	50	22	6	36	17	15	20	81	24	2	13	361

DOG 12PROB.#	1	2	3	4	5	6	7	8	9	10	11	12 TOTAL
TRI #1	10	31	3	10	4	34	1	32	3	1	2	36
	5	9	1	10	2	42	2	21	4	0	0	161
	3	5	0	2	2	45	2	16	2	1	1	125
	3	4	1	4	3	16	0	1	1	0	1	222
	3	7	0	0	1	32	1	0	1	1	0	45
	1	10	0	0	2	3	0	0	1	1	7	53
	1	49	0	1	1	2	1	0	1	1	1	26
	1	10	0	1	1	1	1	0	1	1	1	60
TOTALS	27	125	5	28	16	176	9	60	19	6	15	712

ORIGINAL DATA IS
OF POOR QUALITY

TEST #2- 2 WEEKS POST RADIATION

D06 1	PROB.#	1	2	3	4	5	6	7	8	9	10	11	12 TOTAL
	TRI #1	1	1	0	15	1	25	33	1	7	28	2	17
		0	4	1	10	2	20	3	1	2	0	1	1
		2	8	0	2	0	1	1	0	1	0	2	7
		0	5	1	10	1	1	1	0	1	0	2	2
		1	5	0	1	0	1	0	0	1	0	2	14
		0	0	0	0	1	5	0	0	1	0	2	11
		0	0	0	0	0	1	0	0	1	0	2	7
		0	0	0	0	0	1	0	0	0	0	1	4
		0	0	0	0	0	1	0	0	0	0	1	2
	TOTALS	4	25	2	38	5	55	38	14	30	8	14	35
													260

D06 2	PROB.#	1	2	3	4	5	6	7	8	9	10	11	12 TOTAL
	TRI #1	1	2	0	11	0	4	4	33	19	1	12	11
		0	10	0	9	0	2	15	14	1	0	1	4
		1	4	1	25	0	21	4	5	1	0	1	2
		1	7	1	22	1	9	2	9	1	1	19	17
		1	7	1	9	0	0	1	0	1	0	5	1
		1	17	1	10	1	10	0	1	1	0	4	16
		1	1	1	10	0	11	0	1	2	1	2	2
		1	5	1	25	1	0	13	1	2	1	2	2
		1	54	5	122	3	57	39	65	28	4	46	50
	TOTALS	7	54	5	122	3	57	39	65	28	4	46	50
													481

D06 3	PROB.#	1	2	3	4	5	6	7	8	9	10	11	12 TOTAL
	TRI #1	2	48	1	17	0	10	5	11	2	0	2	17
		1	6	1	18	1	11	2	7	1	1	2	15
		3	3	1	7	1	9	5	15	1	0	9	2
		0	4	0	5	3	1	1	4	0	0	5	2
		2	27	1	8	4	10	5	39	1	0	2	2
		7	3	0	6	3	13	1	41	0	0	1	2
		1	0	1	0	1	1	1	1	0	1	1	2
		1	6	0	0	1	19	0	0	1	1	1	2
		1	97	5	51	14	74	20	119	2	7	23	45
	TOTALS	21	97	5	51	14	74	20	119	2	7	23	45
													483

ORIGINAL PAGE IS
OF POOR QUALITY

DOG 4 PROB.#	1	2	3	4	5	6	7	8	9	10	11	12 TOTAL
TRI #1	8	1	9	13	1	10	2	1	1	3	4	71
	1	12	9	7	9	1	1	1	1	1	4	42
	0	5	0	8	1	1	1	1	1	1	3	29
	0	0	1	0	1	1	1	1	1	1	2	13
	1	1	0	1	1	1	1	1	1	1	2	47
	0	0	1	1	1	1	1	1	1	1	2	56
	0	0	0	10	1	1	1	1	1	1	1	34
	0	1	1	1	1	1	1	1	1	1	1	84
TOTALS	21	21	11	51	5	114	17	11	11	16	31	729

DOG 5 PROB.#	1	2	3	4	5	6	7	8	9	10	11	12 TOTAL
TRI #1	1	24	1	1	1	1	1	1	1	1	1	73
	1	4	1	1	1	1	1	1	1	1	1	37
	1	4	0	1	1	1	1	1	1	1	1	11
	1	21	1	1	1	1	1	1	1	1	1	28
	1	8	0	1	1	1	1	1	1	1	1	14
	1	5	0	1	1	1	1	1	1	1	1	11
	0	3	1	0	1	1	1	1	1	1	1	9
	0	4	0	1	1	1	1	1	1	1	1	9
TOTALS	5	74	4	15	5	37	11	11	11	16	16	192

DOG 6 PROB.#	1	2	3	4	5	6	7	8	9	10	11	12 TOTAL
TRI #1	9	4	1	1	1	1	1	1	1	1	1	24
	1	1	1	1	1	1	1	1	1	1	1	18
	0	0	1	1	1	1	1	1	1	1	1	22
	1	0	1	1	1	1	1	1	1	1	1	9
	1	5	1	1	1	1	1	1	1	1	1	21
	2	5	2	1	1	1	1	1	1	1	1	19
	2	1	0	1	1	1	1	1	1	1	1	17
	1	1	0	1	1	1	1	1	1	1	1	21
TOTALS	8	17	8	14	5	33	10	14	14	16	12	155

ORIGINAL PAGE IS
OF POOR QUALITY

DOG 7	PROB.#	1	2	3	4	5	6	7	8	9	10	11	12	TOTAL
	TRI #1	1	3	0	14	0	12	7	11	0	0	27	1	79
		2	8	0	1	1	1	5	0	2	1	4	11	36
		3	7	0	1	0	0	0	0	3	1	1	3	20
		4	1	2	35	0	2	0	20	1	0	2	2	126
		5	37	0	0	1	20	7	0	1	0	2	2	113
		6	3	0	11	1	1	15	5	1	1	2	1	50
		7	0	1	20	0	15	0	1	1	15	9	0	69
		8	1	1	28	0	5	0	1	1	5	13	1	59
	TOTALS	53	60	7	111	32	55	35	41	11	29	24	21	552

DOG 8	PROB.#	1	2	3	4	5	6	7	8	9	10	11	12	TOTAL
	TRI #1	2	13	1	4	1	6	1	0	1	0	7	6	57
		3	0	1	0	0	0	0	0	0	0	2	11	22
		4	1	0	1	1	1	0	0	0	0	1	2	30
		5	1	0	2	0	0	0	0	0	0	2	11	22
		6	1	0	0	0	0	0	0	0	0	2	2	22
		7	1	0	0	0	0	0	0	0	0	1	1	9
		8	0	0	0	0	0	0	0	0	1	1	2	4
	TOTALS	9	43	11	0	4	0	0	30	9	6	19	37	173

DOG 9	PROB.#	1	2	3	4	5	6	7	8	9	10	11	12	TOTAL
	TRI #1	10	7	0	20	0	0	22	0	2	0	1	33	100
		2	1	0	1	0	0	7	0	1	0	2	1	57
		3	1	0	1	1	0	13	0	1	0	2	2	58
		4	0	0	0	1	0	0	1	0	1	1	1	15
		5	1	1	0	1	10	0	1	0	2	1	1	26
		6	0	0	0	1	0	10	0	0	0	0	2	39
		7	1	0	0	1	1	0	1	1	1	1	2	12
		8	0	0	0	1	1	1	1	1	0	1	1	9
	TOTALS	20	22	6	0	6	98	70	16	12	5	13	43	316

DOG 10	PROB.#	1	2	3	4	5	6	7	8	9	10	11	12	TOTAL
IRI #1		10	4	1	1	1	1	1	1	1	1	2	13	129
2		4	3	1	1	1	1	1	1	1	1	1	1	25
3		3	3	1	1	1	1	1	1	1	1	2	13	25
4		3	3	1	1	1	1	1	1	1	1	2	13	14
5		3	3	1	1	1	1	1	1	1	1	2	13	22
6		1	1	1	1	1	1	1	1	1	1	2	13	19
7		1	1	1	1	1	1	1	1	1	1	2	13	19
8		1	1	1	1	1	1	1	1	1	1	2	13	13
9		1	1	1	1	1	1	1	1	1	1	2	13	9
TOTALS		27	45	25	25	25	25	25	25	25	25	14	33	203

DOG 11	PROB.#	1	2	3	4	5	6	7	8	9	10	11	12	TOTAL
IRI #1		78	3	1	1	1	1	1	1	1	1	1	1	198
2		3	1	1	1	1	1	1	1	1	1	1	1	17
3		1	1	1	1	1	1	1	1	1	1	1	1	9
4		1	1	1	1	1	1	1	1	1	1	1	1	10
5		4	1	1	1	1	1	1	1	1	1	1	1	13
6		1	1	1	1	1	1	1	1	1	1	1	1	8
7		1	1	1	1	1	1	1	1	1	1	1	1	9
8		1	1	1	1	1	1	1	1	1	1	1	1	9
TOTALS		89	15	15	15	15	15	15	15	15	15	11	11	182

DOG 12	PROB.#	1	2	3	4	5	6	7	8	9	10	11	12	TOTAL
IRI #1		9	4	1	1	1	1	1	1	1	1	1	1	45
2		4	4	1	1	1	1	1	1	1	1	1	1	21
3		1	1	1	1	1	1	1	1	1	1	1	1	12
4		1	1	1	1	1	1	1	1	1	1	1	1	15
5		1	1	1	1	1	1	1	1	1	1	1	1	11
6		2	1	1	1	1	1	1	1	1	1	1	1	9
7		1	1	1	1	1	1	1	1	1	1	1	1	9
8		1	1	1	1	1	1	1	1	1	1	1	1	9
TOTALS		10	24	10	10	10	10	10	10	10	10	10	10	132

TEST #3-10 WEEKS POST RADIATION

DOG 1	PROB. #	1	2	3	4	5	6	7	8	9	10	11	12	TOTAL
	TRI #1	0	7	0	4	2	1	1	1	1	1	1	1	15
		0	3	0	0	0	0	1	0	0	0	0	0	1
		0	4	0	0	0	0	1	1	0	1	1	1	8
		1	0	0	0	1	0	1	1	0	1	2	1	7
		0	1	0	0	1	0	1	1	0	1	2	1	7
		1	1	0	1	1	1	0	1	1	0	1	4	10
		1	1	0	1	1	1	0	0	1	0	2	4	11
		0	0	0	1	1	1	0	0	0	0	2	4	10
	TOTALS	8	17	3	10	5	5	7	7	11	5	13	28	107

DOG 2	PROB. #	1	2	3	4	5	6	7	8	9	10	11	12	TOTAL
	TRI #1	1	10	0	15	1	5	4	1	1	2	1	1	18
		0	5	0	12	0	7	1	0	0	0	0	0	59
		1	9	0	9	0	1	0	0	0	0	0	1	38
		0	0	0	12	0	0	0	0	0	0	0	1	23
		0	0	1	10	0	1	1	1	0	0	1	1	24
		0	4	1	8	1	1	1	1	0	0	2	1	25
		0	0	0	4	0	0	0	0	0	0	0	1	19
		0	1	0	2	0	1	0	1	0	0	2	1	10
		0	0	0	2	0	1	0	1	0	0	2	0	8
	TOTALS	2	40	2	78	2	28	7	11	10	5	15	13	205

ORIGINAL PAGE 19
OF POOR QUALITY

DOG 3	PROB. #	1	2	3	4	5	6	7	8	9	10	11	12	TOTAL
	TRI #1	2	78	1	3	1	11	5	7	1	1	1	1	12
		8	0	1	0	1	0	0	0	0	0	0	0	119
		4	4	1	0	0	1	0	7	1	0	2	1	39
		4	4	1	0	0	13	0	0	0	0	2	2	14
		1	1	1	0	1	7	0	1	0	0	2	2	32
		1	1	1	0	1	0	0	0	1	0	2	2	19
		1	1	0	1	1	5	0	0	0	0	1	2	13
		1	1	0	1	1	4	0	10	0	1	2	2	23
		0	2	0	0	1	3	0	0	0	1	2	2	11
	TOTALS	11	99	6	7	8	55	7	21	6	5	12	25	261

ORIGINAL PAGE 18
OF POOR QUALITY

DOG 4 PROB.#	1	2	3	4	5	6	7	8	9	10	11	12 TOTAL
TRI #1	1	7	0	10	2	0	1	0	1	9	1	1
	1	3	0	1	1	1	1	0	0	0	1	33
	1	0	1	0	1	0	0	1	0	1	1	13
	1	0	0	0	0	5	0	0	1	1	2	11
	0	0	0	1	1	0	0	1	1	0	1	12
	0	0	1	1	1	1	0	0	1	0	2	6
	0	0	1	0	1	1	0	1	1	0	2	9
	0	0	1	0	1	1	0	0	1	1	2	7
	1	1	0	1	0	0	1	0	0	1	2	8
TOTALS	5	11	3	14	7	9	7	3	5	13	19	95

DOG 5 PROB.#	1	2	3	4	5	6	7	8	9	10	11	12 TOTAL
TRI #1	1	5	1	4	3	12	6	4	3	0	2	1
	1	2	1	1	1	0	1	1	2	1	1	60
	1	2	1	1	0	1	0	1	2	0	0	12
	1	1	1	1	0	0	1	1	1	0	0	11
	2	1	1	1	0	1	0	1	0	0	0	7
	0	1	1	1	0	1	0	0	0	0	0	7
	0	1	0	1	0	0	0	0	0	0	0	5
	0	1	0	1	0	0	0	0	0	0	0	3
	1	2	0	1	0	0	0	0	0	0	0	5
	7	15	6	11	5	15	8	9	9	2	5	110
TOTALS	7	15	6	11	5	15	8	9	9	2	5	110

DOG 6 PROB.#	1	2	3	4	5	6	7	8	9	10	11	12 TOTAL
TRI #1	4	2	0	12	0	2	2	4	0	1	1	2
	1	3	1	2	1	0	0	1	0	1	1	35
	1	1	1	1	1	1	0	1	0	1	2	14
	1	1	0	1	0	0	0	0	0	1	1	11
	0	0	0	1	1	0	0	0	1	0	1	6
	0	2	0	0	0	1	0	0	0	1	2	14
	0	0	0	0	0	0	0	0	0	0	2	8
	2	1	1	0	0	1	0	1	1	0	2	8
	0	0	1	0	0	0	0	0	0	1	2	7
	9	13	5	18	3	5	4	9	9	6	13	103
TOTALS	9	13	5	18	3	5	4	9	9	6	13	103

DOG 7	PROB.#	1	2	3	4	5	6	7	8	9	10	11	12	TOTAL
	TRI #1	1	3	2	14	2	11	2	0	6	12	1	1	55
		0	3	1	2	1	4	1	0	4	0	1	1	18
		2	1	1	1	1	1	0	0	2	0	1	2	12
		1	1	0	1	0	1	1	1	1	0	3	0	12
		1	4	0	0	1	1	1	13	1	0	2	2	26
		1	0	0	2	1	0	1	1	7	0	1	1	15
		0	1	0	0	0	0	1	0	0	0	2	0	4
		0	0	0	1	0	0	5	1	2	0	2	2	13
	TOTALS	6	13	4	21	6	18	12	16	23	12	15	9	155

DOG 8	PROB.#	1	2	3	4	5	6	7	8	9	10	11	12	TOTAL
	TRI #1	0	30	3	13	1	1	14	18	1	1	2	4	98
		2	6	4	15	2	6	7	3	1	0	2	2	50
		0	1	0	1	1	1	0	0	0	1	1	1	16
		5	3	1	1	2	1	1	0	0	0	3	11	28
		1	2	1	1	2	1	0	1	0	0	2	1	30
		1	1	1	1	2	0	0	0	1	1	1	1	10
		0	7	0	0	1	5	0	4	2	1	1	2	23
		1	1	4	1	2	1	0	0	5	0	1	5	22
	TOTALS	10	52	14	33	13	16	32	34	21	12	13	27	277

DOG 9	PROB.#	1	2	3	4	5	6	7	8	9	10	11	12	TOTAL
	TRI #1	0	7	0	22	1	25	1	5	1	0	1	3	66
		0	8	1	0	2	1	0	0	0	1	1	1	15
		0	1	1	0	1	1	0	0	1	1	1	1	9
		2	1	1	0	2	14	0	1	0	0	1	1	23
		1	1	1	2	1	1	0	0	0	1	1	1	10
		1	1	0	1	1	1	1	1	1	0	2	1	11
		0	1	1	1	1	0	1	0	0	1	1	1	8
		1	1	1	1	2	1	1	0	1	1	1	2	13
	TOTALS	5	21	6	27	11	44	4	7	4	5	9	11	154

ORIGINAL PAGE IS
OF POOR QUALITY

DOB 10PROB.#	1	2	3	4	5	6	7	8	9	10	11	12	TOTAL
TRI #1	2	11	3	3	1	1	1	1	1	1	1	1	13
	1	1	1	1	1	1	1	1	1	1	1	1	13
	1	1	1	1	1	1	1	1	1	1	1	1	13
	1	1	1	1	1	1	1	1	1	1	1	1	13
	1	1	1	1	1	1	1	1	1	1	1	1	13
	1	1	1	1	1	1	1	1	1	1	1	1	13
	1	1	1	1	1	1	1	1	1	1	1	1	13
	1	1	1	1	1	1	1	1	1	1	1	1	13
TOTALS	7	23	7	15	11	53	3	14	11	3	11	22	175

DOB 11PROB.#	1	2	3	4	5	6	7	8	9	10	11	12	TOTAL
TRI #1	2	9	1	1	2	1	1	1	1	1	1	1	22
	1	1	1	1	1	1	1	1	1	1	1	1	13
	1	1	1	1	1	1	1	1	1	1	1	1	13
	1	1	1	1	1	1	1	1	1	1	1	1	13
	1	1	1	1	1	1	1	1	1	1	1	1	13
	1	1	1	1	1	1	1	1	1	1	1	1	13
	1	1	1	1	1	1	1	1	1	1	1	1	13
	1	1	1	1	1	1	1	1	1	1	1	1	13
TOTALS	3	13	1	3	11	9	6	3	7	6	15	10	74

DOB 12PROB.#	1	2	3	4	5	6	7	8	9	10	11	12	TOTAL
TRI #1	2	9	1	1	2	1	1	1	1	1	1	1	28
	1	1	1	1	1	1	1	1	1	1	1	1	13
	1	1	1	1	1	1	1	1	1	1	1	1	13
	1	1	1	1	1	1	1	1	1	1	1	1	13
	1	1	1	1	1	1	1	1	1	1	1	1	13
	1	1	1	1	1	1	1	1	1	1	1	1	13
	1	1	1	1	1	1	1	1	1	1	1	1	13
	1	1	1	1	1	1	1	1	1	1	1	1	13
TOTALS	9	26	3	17	8	9	3	2	7	6	9	10	95

APPENDIX II

APPENDIX II

Procedure for Cerebral Blood Flow

Cerebral blood flows on the irradiated beagles were performed in order to study extracranial and intracranial blood flow. Through this procedure gross abnormalities in the physiology and anatomy of cerebral circulation can be revealed.

I. Materials

A. Instrumentation

1. Maxicamera Scintillation Camera System (General Electric, Medical Systems Division, Milwaukee, Wisconsin)
2. Med IV Series Computer System and Nuclear Medicine Software (General Electric, Medical Systems Division, Milwaukee, Wisconsin)

B. Radiopharmaceutical (Imaging Agent)

Tchnetium-Gluceptate Complex

- a) Gluceptate Sodium Kit (Glucoscan) (New England Nuclear, North Billerica, Mass.)
- b) Sodium Pertechnetate (Tc 99m) obtained from $^{99}\text{Mo} \rightarrow ^{99}\text{Tc}$ generator (Mallinckrodt, St. Louis, Missouri)

II. Scanning Technique

A. Program computer and camera formatter to acquire dynamic study

1. Set computer to acquire 1 frame/second for 30 frames for quantitative evaluation.
2. Set camera formatter to acquire 1 frame/2 seconds for 15 frames for qualitative evaluation.

B. Position the cranium of the beagle in a vertex position in relation to the scintillation camera and secure in place to prevent movement.

Appendix II (cont'd)

II.

- C. Inject approximately 10 mCi of ^{99m}Tc -Glucaptate into cephalic vein of thoracic limb, being careful to keep it out of the camera's field of view.
- D. Simultaneously start acquiring cerebral flow data on the computer and camera formatter.

III. Analysis of Cerebral Blood Flow with Nuclear Medicine Software

- A. Display flow on CRT of computer.
- B. Create summed image from representative frames.
- C. Create region of interest of cerebral area on summed image.
- D. Generate curves of the region of interest for the entire flow period, store, and normalize.
- E. Display and print curves.
- F. Analyze curves.
 - 1. Calculate transit times
 - 2. Calculate slopes

APPENDIX III

APPENDIX III

Procedure for Static Brain Scan

Static brain scans were performed to demonstrate pathophysiologic changes in the brain accompanied by changes in the blood brain barrier. The radiopharmaceutical used penetrates into brain substance after a breakdown of the blood-brain barrier and is used to localize pathophysiological areas.

I. Materials

A. Instrumentation

1. Maxicamera Scintillation Camera System (General Electric, Medical Systems Division, Milwaukee, Wisconsin)
2. Med IV Series Computer System and Nuclear Medicine Software (General Electric, Medical Systems Division, Milwaukee, Wisconsin)

B. Radiopharmaceutical (Imaging Agent)

Tchnetium-Gluceptate Complex

- a) Gluceptate Sodium Kit (Glucoscan) (New England Nuclear, North Billerica, Mass.)
- b) Sodium Pertechnetate (Tc 99m) obtained from $^{99}\text{Mo} \rightarrow ^{99}\text{Tc}$ generator (Mallinckrodt, St. Louis, Missouri)

II. Scanning Technique

- A. Inject approximately 10 mCi of $^{99\text{m}}\text{Tc}$ -Gluceptate into the cephalic vein of a thoracic limb.
- B. Delay 2 hours.
- C. Administer anesthetic agent or tranquilizer if necessary to prevent movement.
- D. Program computer and camera formatter to obtain 100,000 counts for each static image.

Appendix III (cont'd)


II.

- E. Obtain 4 views
 - 1. Vertex
 - 2. Posterior
 - 3. Right lateral
 - 4. Left lateral

III. Analysis of Static Brain Images

- A. Display image on CRT of computer. Adjust contrast enhancement and background erase to enhance abnormal areas. Evaluate for abnormalities.
- B. Evaluate scintiphotos produced on camera formatter for abnormalities.


APPENDIX IV



ORIGINAL PAGE IS
OF POOR QUALITY.

9-9-82


#3 M 1750



ORIGINAL PAGE IS
OF POOR QUALITY.

9-8-82

#6 F 1750



ORIGINAL PAGE IS
OF POOR QUALITY


9-9-82

#7 M 1750

ORIGINAL PAGE IS
OF POOR QUALITY

9-9-82


#5 N 1000




ORIGINAL PAGE IS
OF POOR QUALITY

9-9-82

#8 M 1000




ORIGINAL PAGE IS
OF POOR QUALITY



9-8-82


#10 F 1000

ORIGINAL PAGE IS
OF POOR QUALITY



9-7-82

#12 M Control



Control: 100% 19
OF POOR QUALITY


9-8-82


#11 F Control

ORIGINAL PAGE IS
OF POOR QUALITY.

9-7-92

#4 M Control






ORIGINAL PAGE IS
OF POOR QUALITY

1-21-83

#3 M 1750




ORIGINAL PAGE IS
OF POOR QUALITY

1-20-83


#6 F 1750

ORIGINAL PAGE IS
OF POOR QUALITY



1-19-83

#7 M 1750




ORIGINAL FILE IS
OF POOR QUALITY

1-19-83

#5 M 1000

EKG artifact throughout




UNITED STATES
OF POOR QUALITY

1-21-83

#8 M 1000


ORIGINAL PAGE IS
OF POOR QUALITY



1-20-83


#10 F 1000

CONFIDENTIAL
OF POOR QUALITY



1-24-83


#12 M Control



ORIGINAL PAGE IS
OF POOR QUALITY

1-25-83

#11 F Control



ORIGINAL PAGE IS
OF POOR QUALITY

1-20-83

#4 M Control