

**N82** 26071

TEMPORAL APERTURE MODULATION

**Raymond J. Proctor** 

## Center for Astrophysics and Space Sciences UCSD, San Diego, 92093

## ABSTRACT

The two types of aperture modulation techniques useful to X-ray imaging are reviewed. The use of optimum coded temporal aperture modulation is shown, in certain cases, to offer an advantage over a spatial aperture modulator. Example applications of a diffuse anisotropic X-ray background experiment and a wide field of view hard X-ray imager are discussed.

#### 1. INTRODUCTION

ORIGINAL PAGE IS

OF POOR QUALITY

In all fields of astronomy imaging satisfies the prime need for source locations and structure. In X-ray astronomy imaging also provides a freedom from source confusion and an answer to the question of "which part of the detected flux is source and which part is detector background?". The latter requirement is particularly relevant at photon energies greater than 10 Kev, the regime of "hard X-ray" astronomy. Unfortunately at energies above 10 KeV it is not efficient to use reflecting optics for imaging and some other method is necessary. The means to produce images at energies greater than 10 KeV appear to be limited to aperture modulation, or scanning methods. Aperture modulation is the encoding of the photons incident on a detector such that their angular dependence can be recovered. This method has a multiplex advantage over more classical scanning methods (Fellget 1958) and is thus to be preferred.

## 2. TYPES OF APERTURE MODULATION

There are two basic types of aperture modulation, spatial and temporal aperture modulation. Spatial aperture modulation is a static method providing time independent imaging and is epitomized by Dicke's random pinhole camera (Dicke 1968), whilst temporal aperture modulation is a dynamic method and is epitomized by Mertz's mock interferometer (Mertz 1965) which is more generally known as the rotation modulation collimator of X-ray astronomy (Oda, 1965; Schnopper, 1968). The basic principles of the two methods are illustrated in Fig. 1. The spatial aperture modulator casts an X-ray shadowgram onto the position sensitive detector and hence requires N detector elements to detect N mask elements whilst each element of the temporal aperture modulator detects the full N elements of the modulator, albeit in a finite time. This basic time to produce an image is the image cycle time defined as the time it takes the complete N aperture elements to traverse the detector element. For both methods the reconstruction of the source direction can be achieved by back-projection of the count rate modulation through the mask onto the sky. Both methods have been improved by the use of optimum coded apertures based on Cyclic Difference Sets (Gunson and Polychronopulos, 1976) or one of their less generalized subsets such as PN codes, Hadamard codes or Uniform redundant arrays (Harwit & Sloane, 1979; Fenimore & Cannon, 1978). The optimum encoding allows the unique decoding of complicated point and extended source fields. Optimum coded spatial aperture modulation has been used in X-ray astronomy to image the galactic center between 2 and 10 KeV (Proctor, Skinner and Willmore, 1978) whilst optimum temporel aperture modulation has been used in numerous infra-red spectroscopy and imaging applications (Harwit and Sloane, 1979)

The future of spatial aperture modulation with its time independent imaging has been recognized by many people. An optimum coded telescope to image clusters of galaxies to 3' in the energy range 2 to 25 KeV has been built by the University of Birmingham and is scheduled to fly on Spacelab 2 (Skinner, 1980). Wide field of view spatial aperture modulation cameras have been proposed for the European X80 and Japanese ASTRO B missions to monitor large fractions of the sky for transient sources. At extreme separations between the coded aperture and the detector, the spatial aperture modulation technique allows the possibility of very good angular

## ORIGINAL PAGE IS OF POOR QUALITY

resolution (Hudson and Lin,1978) The Pinhole/Occulter Facility Science Working group has incorporated this feature into a strawman model for a spatially coded aperture modulation telescope for providing 20 arc second images of the sun combined with a Fourier Transform telescope to provide ≈arc second images over a smaller field of view (Hudson et al.,1980). The concept is shown in Fig 2.

#### 3. TEMPORAL APERTURE MODULATORS

When constant or slowly varying X-ray sources are of interest then the technique of temporal aperture modulation can be used. It offers the unique feature that one detector element can produce an image of many elements of sky Thus a high resolution, wide field of view camera can be built. A spatial aperture modulation system cannot provide this option because it is constrained to have N detector elements to image N sky elements, thus it only provides options of high resolution, narrow field of view or poor resolution, wide field of view A high resolution camera normally involves the difficult problem of attitude solution but a high resolution wide field of view camera can see the brighter X-ray sources and generate its own internally consistent attitude solutions. One potential disadvantage appears to be that variable background and source components create image background fluctuations. Provided the time to complete one image cycle of the dynamic mask is less than one minute a temporal modulator will experience no difficulty from normal cosmic ray background variations in near earth orbit. A variable source in the field of view adds a component to the image only of amplitude  $\hat{O}I/\sqrt{2}/N$  where  $\hat{O}I$  is the amplitude change and N is the number of mask elements. Additionally variable sources will have a period uncorrelated with the image cycle period hence over M image cycle periods the residual image fluctuations will be uncorrelated and introduce a further 1/VM reduction in their relative amplitude. Two example instruments, DAXBE and FOXI, will be discussed to illustrate that the features of temporal aperture modulation can be applied to X-ray astronomy.

#### 4. THE DIFFUSE ANISOTROPIC X-RAY BACKGROUND EXPERIMENT ( DAXBE ).

Most cosmic radiations are thought to have "diffuse" background components. The microwave 27 K background and neutrino background are believed to be truly diffuse and date from the "Big Bang" of current cosmology whilst the X-ray background is believed to originate from discrete sources since the epoch of galaxy formation i.e. at redshifts of z≤3. Very little is as yet known about a gravitational radiation background. There may be a difference in the anisotropies of the microwave and neutrino backgrounds which are effectively at redshifts of z≈1000 as compared to the locally produced X-ray background at z≤3 (Wolfe,1970; Fabian & Warwick, 1979; Rees, 1980). Unfortunately the neutrino background has not as yet been observed but microwave observations from balloons have determined a 24 hour anisotropy in the approximate direction of our local supercluster (Conklin, 1969; Smoot et al., 1977; Cheng et al., 1979) Assuming the dipole effect is totally due to the motion of the sun and not intrinsic to the  $27^{\rm V}$ K background then the effect is equivalent to an infall of our galaxy towards the local supercluster at a velocity of 401±19 kms/sec (Cheng et al. 1980). Recent studies on the redshifts of 300 spiral galaxies give a net solar motion with respect to nearby galaxies ( $\leq$ 30 Mpc) of comparable velocity but of widely different direction from the mation with respect to the 27 K background (Rubin et al., 1976; de Vaucouleurs et al , 1981). The 24 hour Jiffuse anisotropy has been measured in the range 2-10 KeV by the HEAO-1 A2 experiment to be 0.005±0.0009 of the diffuse flux (Boldt, 1981). The pole of the distribution lies at the same position as the microwave, at approximately the position of the local supercluster. However Boldt also shows that this anisotropy may not be inconsistent with a reasonable luminosity of X-ray sources in the local supercluster. It may be possible to test this hypothesis if the anisotropy can be detected without using the data from the local supercluster. The situation is made more interesting by the discovery of an inhomogeneity in the universe which is larger than the local supercluster. An apparent deficit in the number of optical galaxies exists in the constellation of Bootes, it is interpreted as a void of size  $10^{6}$  Mpc at a distance of ≈200 Mpc with OM/M≈1 (Kirshner,Oemler,Schecter and Shectman,1981). It is calculated by Kirshner et al. that such an inhomogeneity will give an approximately 150 Km/sec perturbation to our galaxy's velocity relative to distant galaxies (z~1).

In the near future the Cosmic Background Explorer will make very detailed microwave & far infrared observations of the cosmological background radiation to provide the large scale picture of our galaxy's peculiar

## ORIGINAL PAGE IS OF POOR QUALITY

velocity whilst surveys or the redshifts of nearby galaxies will provide the local picture of our galaxy's peculiar velocity. Better X-ray data are needed to complement and complete these studies by providing the intermediate picture and allow the local and cosmological effects to be separated.

#### HOW WELL CAN WE MEASURE THE X-RAY ANISOTROPY?

The basic  $27^{\circ}$ K 24 hour effect has an amplitude of 0.0013 of the diffuse background. In X-rays the Compton-Getting effect (Compton & Getting, 1935), magnifies the amplitude to 0.005 of the diffuse background. Hence our detection sensitivity must be at least 0.001 in order to obtain a 5 sigma detection. The measurement of the anisotropy to an accuracy of at least 0.001 requires an approach free of systematic problems. The requirement is effectively 'o map the sky with sufficient accuracy to exclude known X-ray sources. The conventional method involves the scanning of an asymmetric detector in the local anisotropic radiation field which especially at energies > 20 KeV produces a variable background problem. The use of wide field, optimum coded temporal aperture modulation allows the use of a symmetrical detector and gives a much greater signal to noise ratio such that the local background becomes negligible. The problem of experimental systematic effects should be greatly reduced and because only a single detector element is needed for imaging the experiment is very simple to build and operate.

An example of how such an instrument could be operated is shown in Fig 3. The figure shows no superstructure but only the spinning detectors and coded mask. The detectors are simple detectors of either gas counter or scintillating type optimised for a symmetric response. No position sensitivity is required. The detectors are constrained by the superstructure to see the diffuse background only through the coded aperture. Low level leakage through the superstructure is not critical as only photons coded by the mask are "imaged". The spinning subsatellite receives an optimally modulated count rate from which an image of the fluctuations in a strip of the sky is made. Taking the dimensions of Table 1, the statistical sensitivity of DAXBE in one month is given in Fig 4 in terms of a one sigma sensitivity as a fraction of the diffuse background flux. The sensitivity is per image element if the sensitivity to a 24 hour component of the background is required then this may be considered as the comparison between two hemispheres of sky. Thus the sensitivity is obtained by dividing by  $\sqrt{Q}/4$  where Q is the number of source free image elements used in the analysis. The fundamental limitation on the precision that can be obtained for the anisotropy is from the fluctuation in the individual image element intensities due to sources just below the detection threshold. For the example instrument outlined here (e.g. with 43 elements) the limit is Ôl/1≈0.004 per image element (Warwick,Pye & Fabian,1980). This translates into a 24 hour anisotropy detection of 0.005±0.0006 of the diffuse background. This is much worse than the 5-80 KeV statistical limits from one month of observation, e.g. for 5-15 KeV its ±0.00015 (±12 kms/sec) The statistical limit can be reached if external information on the number of bright extragalactic sources per image element is known because it is mainly the sources just below the detection threshold (~1 UFU for DAXBE) which cause the fluctuations. This information should be forthcoming from optical surveys and ROSAT (the German X-ray sky survey satellite) The presence of high latitude galactic components (>10 times the 2-10 KeV anisotropy) complicates the analysis still further but these components fall more rapidly with energy than the diffuse X-ray flux (lwan et al., 1981) Hence more reliable measurements will be obtained if energies greater than 20 KeV are used where the galactic components are smaller. It is noted that any incomplete galactic component subtraction leaves a 12 hour component and hence the minimisation of the galactic component gives more confidence in any detected 12 hour component. Such components are expected from the shear on the X-ray background produced by large mass inhomogeneities (Fabian & Warwick, 1979).

## 5. FERRIS-WHEEL ORBITING X-RAY IMAGER ( FOXI )

The study of the energy generation mechanisms in active galactic nuclei (AGN's) is complicated by the need to monitor the variability of their total energy output with time (Lightman, these proceedings). Previous observations have shown that the majority of the power emitted by many Seyfert galaxies, some QSO's and Centaurus A lies in the high energy X-ray range. The typical variability observed for AGN's is of order 1 day with the record for the fastest time of variation of  $T \approx 100$  seconds held by NGC 6814 (Tennant et al., 1981). The problem then is to monitor as many AGN's as possible for variability on time scales of minutes to years over

as wide a photon energy range as possible. A possible method uses a Ferris-wheel Orbiting X-ray Imager (FOXI) imaging a strip of the sky every 3-4 secs (an eighth of the rotation period). The concept is shown in Fig 5. FOXI is similar to DAXBE in principle but the dimensions are enormously inflated to 50 meters diameter. The use of a flexible jointed mask which unfurils in orbit, after a Space Shuttle launch, allows such a rotating configuration to be attained. The rotating mask modulates a large solid angle of sky in its rotation thus providing the large field of view neccessary for a survey instrument. To obtain good angular resolution the central detector must be one dimensionally position sensitive in its azimuthal direction and be fixed with respect to the stars i.e. non co-rotating. The parameters of a system composed of 100 cm long, 1cm wide strip detectors imaging 4% of the sky to 3' x 140' over a photon energy range of 3-500 Ke\' are given in Table 2. The instrument would be constrained to image perpendicular to the ecliptic in order to limit differential heating of the mask. This constraint means a complete sky survey would occur every 6 months. The time spent on any one source in this time would be 4 days. The minimum detectable source fluxes are given in Table 3. These minimum fluxes combined with the linear relationship between X-ray and M<sub>0</sub> optical luminosity (Zamorani et al.,1981) suggest that the sensitivity is such that QSO's of the mean or greater L /L<sub>0</sub> ratio will be detected down to M = +15 at 80-120 KeV and down to M = +17 between 3 and 20 KeV. It is noted that the large scatter in the ratio of L /L opt means that some QSO's of M => +15 or > +17 will be detected. The Log N versus M g curve of Bracessi et al.(1980) shows that we would expect  $\ge$  50 QSO's to be detected in the 80-120 KeV.

FOXI was concieved as a free flying satellite but with the advent of long duration manned space stations the working environment should include spin induced "gravity". Such large spinning structures could easily include a coded mask and central detector to perform FOXI type X-ray imaging. Similarly in a future which included O'Neill space colonies a FOXI type imager could be added to the very large ≈1km diameter structures !

ORIGINAL PAGE IS OF POOR QUALITY

# OF PEOR QUALITY

## TABLE 1

## Parameters for DAXBE

General System   -Recoverable ?     Mode   2-4 weeks free flyer   -Recoverable ?     Spin period   #5 seconds   -     Image cycle time   Same as spin period.   -     Sky coverage   40% per rotation   -Precession quickly results in 100%     Data rate   300-2000 bits/s   -Function of mask & spin period.     Attitude   Internal from bright sources.   -     Solutions   -   -     Mask   0.2cmx50cmx300cm diameter   -     Material   Graded Z Tungsten   -     Pattern   15-43 element optimum coding   -Tradeoff     Angular-   24 ° -8 ° x18°   -3 detectors     Dimensions   50cmx20cm diameter   -3 detectors     Material   Xenon and/or Phoswich   -     Energy range   5-10 KeV to 200 KeV.   -     Solid angle   1x20 Steradians   -     2x15 Steradians   -   -     Area to a   3x500cm   -   -     point source   05 for the mask   Coptions:   -     Non-rotating   Allows detection of the whole   -Tradeoff	ПЕМ	VALUE	COMMENTS
Spin period image cycle time Sky coverage   ~5 seconds Same as spin period.   -Precession quickly results in 100%     Data rate   300-2000 bits/s   -Function of mask a spin period.     Attitude   Internal from bright sources.     Solutions   -Function of mask     Mask   0.2cmx50cmx300cm diameter     Material   Graded Z Tungsten     Pattern   15-43 element optimum coding   -Tradeoff     Angular-   24°-8°x18°   -3 detectors     Dimensions   50cmx20cm diameter   -3 detectors     Dimensions   50cmx20cm diameter   -3 detectors     Pattern   15-43 element optimum coding   -Tradeoff     Angular-   24°-8°x18°   -3 detectors     Dimensions   50cmx20cm diameter   -3 detectors     Material   Xenon and/or Phoswich   -     Energy range   5-10 KeV to 200 KeV.   -     Solid angle   1x20 Steradians   -     Area to a   3x500cm   -Allows a factor     point source   0.5 for the mask      Options:   Non-rotating   Allows detection of the whole   -Tradeoff	General System		
Image cycle time Sky coverageSame as spin period.Sky coverage40% per rotation-Precession quickly results in 100%Data rate300-2000 bits/s-Function of mask & spin period.Data rate300-2000 bits/s-Function of mask & spin period.AttitudeInternal from bright sources. SolutionsSolutionsMask0.2cmx50cmx300cm diameter MaterialGraded Z TungstenPattern15-43 element optimum coding Angular- 24°-8 x18°-TradeoffPetectors:3 detectorsDimensions50cmx20cm diameter -3 detectors-3 detectorsDimensions50cmx20cm diameter -3 detectors-3 detectorsAngular- Material24°-8 x18° - 8 x18°-3 detectorsArea to a point source3x500cm-Allows a factor 0.5 for the maskCoptions: Non-rotatingAllows detection of the whole 	Mode	2-4 weeks free flyer	-Recoverable ?
Sky coverage   40% per rotation   -Precession quickly results in 100%     Data rate   300-2000 bits/s   -Function of mask & spin period.     Attitude   Internal from bright sources.   Solutions     Mask   0.2cmx50cmx300cm diameter   -     Material   Graded Z Tungsten   -     Pattern   15-43 element optimum coding   -Tradeoff     Angular -   24°-8° x18°   -3 defectors     Dimensions   50cmx20cm diameter   -3 defectors     Solid angle   1x20 Steradians   -     2x1.5 Steradians   -   -     Area to a   3x500cm   -   -     point source   0.5 for the mask      Voptions:	Spin period	≈5 seconds	
Data rate   300-2000 bits/s   results in 100%     Data rate   300-2000 bits/s   -Function of mask & & spin period.     Attitude   Internal from bright sources.   Solutions     Mask:   0   0.2cmx50cmx300cm diameter     Material   Graded Z Tungsten   -Tradeoff     Pattern   15-43 element optimum coding   -Tradeoff     Angular-   24°-8° x18°   -3 detectors     Dimensions   50cmx20cm diameter   -3 detectors     Material   Xenon and/or Phoswich   -     Energy range   5-10 KeV to 200 KeV.   -     Solid angle   1x20 Steradians   -     2x1.5 Steradians   -   -     Area to a   3x500cm   -     point source   0.5 for the mask      Coptions:   Non-rotating   Allows detection of the whole   -Tradeoff	image cycle time	Same as spin period.	
Attitude   Internal from bright sources.     Solutions   Solutions     Mask   Dimensions   0.2cmx50cmx300cm diameter     Material   Graded Z Tungsten     Pattern   15-43 element optimum coding   -Tradeoff     Angular-   24 -8 x18   -Tradeoff     Resolution   Detectors:   -3 detectors     Dimensions   50cmx20cm diameter   -3 detectors     Material   Xenon and/or Phoswich   -3 detectors     Energy range   5-10 KeV to 200 KeV.   -3 detectors     Solid angle   1x20 Steradians   -Allows a factor     opint source   0.5 for the mast:   Options:     Non-rotating   Allows detection of the whole   -Tradeoff	Sky coverage	40% per rotation	• •
Solutions     Mask:     Dimensions   0.2cmx50cmx300cm diameter     Material   Graded Z Tungsten     Pattern   15-43 element optimum coding   -Tradeoff     Angular-   24°-8° x18°   -Tradeoff     Resolution   -   -     Detectors:   -   -3 detectors     Dimensions   50cmx20cm diameter   -3 detectors     Material   Xenon and/or Phoswich   -     Energy range   5-10 KeV to 200 KeV.   -     Solid angle   1x20 Steradians   -     Area to a   3x500cm   -Allows a factor     opint source   0.5 for the mask:   Options:     Non-rotating   Allows detection of the whole   -Tradeoff	Data rate	300-2000 bits/s	
Mask   Dimensions   0.2cmx50cmx300cm diameter     Material   Graded Z Tungsten     Pattern   15-43 element optimum coding   -Tradeoff     Angular-   24°-8°x18°   -Tradeoff     Resolution   -   -     Detectors:   Dimensions   50cmx20cm diameter  3 detectors     Dimensions   50cmx20cm diameter  3 detectors     Material   Xenon and/or Phoswich	Attitude	Internal from bright sources.	
Dimensions   0.2cmx50cmx300cm diameter     Material   Graded Z Tungsten     Pattern   15-43 element optimum coding   -Tradeoff     Angular-   24 -8 x18   -Tradeoff     Resolution   -   -   -     Detectors:   -   -3 detectors   -3 detectors     Dimensions   50cmx20cm diameter   -3 detectors     Material   Xenon and/or Phoswich   -     Energy range   5-10 KeV to 200 KeV.   -     Solid angle   1x20 Steradians   -     Area to a   3x500cm   -Allows a factor     opint source   0.5 for the mask.     Options:   Non-rotating   Allows detection of the whole   -Tradeoff	Solutions		
Material   Graded Z Tungsten     Pattern   15-43 element optimum coding   -Tradeoff     Angular-   24°-8°x18°   -Tradeoff     Angular-   24°-8°x18°   -Tradeoff     Detectors:	Mask		
Pattern   15-43 element optimum coding   -Tradeoff     Angular-   24°-8°x18°   -Tradeoff     Resolution   -Dimensions   50cmx20cm diameter   -3 detectors     Dimensions   50cmx20cm diameter   -3 detectors     Material   Xenon and/or Phoswich	Dimensions	0.2cmx50cmx300cm diameter	
Angular- Resolution   24°-8°x18°     Resolution   Detectors:     Dimensions   50cmx20cm diameter   -3 detectors     Material   Xenon and/or Phoswich     Energy range   5-10 KeV to 200 KeV.     Solid angle   1x20 Steradians     2x1.5 Steradians   -Allows a factor     point source   0.5 for the mast.     Options:   Non-rotating	Material	Graded Z Tungsten	
Resolution     Detectors:     Dimensions   50cmx20cm diameter   -3 detectors     Material   Xenon and/or Phoswich     Energy range   5-10 KeV to 200 KeV.     Solid angle   1x20 Steradians     2x1.5 Steradians   -Allows a factor     point source   0.5 for the mask.     Options:   Non-rotating	Pattern	15-43 element optimum coding	-Tradeoff
Detectors:   Dimensions   50cmx20cm diameter   -3 detectors     Material   Xenon and/or Phoswich   -3 detectors     Energy range   5-10 KeV to 200 KeV.   -     Solid angle   1x20 Steradians   -     2x1.5 Steradians   -   -     point source   0.5 for the mask.     Options:   Non-rotating   Allows detection of the whole   -Tradeoff	Angular -	24 <sup>°</sup> -8 <sup>°</sup> x18 <sup>°</sup>	
Dimensions   50cmx20cm diameter   -3 detectors     Material   Xenon and/or Phoswich   -3 detectors     Energy range   5-10 KeV to 200 KeV.   -3 detectors     Solid angle   1x2.0 Steradians   -2x1.5 Steradians     Area to a   3x500cm   -Allows a factor     opint source   0.5 for the mask.     Options:   Non-rotating   Allows detection of the whole   -Tradeoff	Resolution		
Material Xenon and/or Phoswich   Energy range 5-10 KeV to 200 KeV.   Solid angle 1x2.0 Steradians   2x1.5 Steradians   Area to a 3x500cm   point source 0.5 for the mask.   Options:   Non-rotating Allows detection of the whole	Detectors:		
Energy range 5-10 KeV to 200 KeV. Solid angle 1x2.0 Steradians 2x1.5 Steradians Area to a 3x500cm -Allows a factor point source 0.5 for the mask Options: Non-rotating Allows detection of the whole -Tradeoff	Dimensions	50cmx20cm diameter	-3 detectors
Solid angle 1x20 Steradians   2x15 Steradians   2x15 Steradians   Area to a 3x500cm   point source 0.5 for the mask   Options: Non-rotating   Non-rotating Allows detection of the whole	Material	Xenon and/or Phoswich	
2x1.5 Steradians   Area to a 3x500cm   point source 0.5 for the mask.   Options: Non-rotating   Non-rotating Allows detection of the whole	Energy range	5-10 KeV to 200 KeV.	
point source 0.5 for the mask Options: Non-rotating Allows detection of the whole -Tradeoff	Solid angle		
Options: Non-rotating Allows detection of the whole -Tradeoff	Area to a	3x500cm <sup>2</sup>	-Allows a factor
Non-rotating Allows detection of the whole -Tradeoff	point source		0.5 for the mask
	Options:		
assessed diffuse DC and not work the Study	Non-rotating	Allows detection of the whole	-Tradeoff
segmented diruse bo and not just the study.	segmented	diffuse BG and not just the	Study.
detector fluctuations in it.	detector	fluctuations in it.	

------

## ORIGINAL FAGE IS OF POOR QUALITY

## TABLE 2

## Parameters for FOXI

	<b>TEM</b>	VALUE	COMMENTS
Gene	rai System		
	Spin period	20-30 seconds	
	Image cycle time	[spin period]/8= 3-4 secs.	
	Sky coverage	4% per rotation	-100% every 6 months
	Data rate	≤30 Kbits/s	
	Attitude	Sun pointed and	-Sources ≥5 UFU
	Solutions	X-ray sources.	seen in one spin.
Masic			
	Dimensions	0.3cmx100cmx5000cm_diamet	er
	Material	Graded Z Tungsten	
	Pattern	8 times a 1023 element cod	e
	Mask element	0.3cm x 2cm x100 cm	
	dimensions		
	Angular-	3' x 140'	
	Resolution		
Detec	tors		
	Dimensions	100cm x 100cm diameter	-3 cylindrical detector blocks.
	Material	Xenon gas counter plus Phoswich	-Xenon on the outside Phoswich inside
	Element size	1cm wide x 5 cm x 100cm	-Xenon and Phoswich
	of a detector		systems are
	"strip"		independent.
	# of detector elements/block	≠300	-On the c.rcum- ference of a cylinder.
	Energy range	Xenon 3-20 KeV	
		Phoswich 20-500 KeV	
	Solid angle	3 x 0 25 steradians	
	Area to a	3x3500cm <sup>2</sup>	-Allows a factor
	point source		05 for the mask

## TABLE 3

FOXI MINIMUM DETECTABLE SOURCE FLUXES (5 SIGMA)

In units of photons.cm<sup>-2</sup> -1 -1

	1 minute	1 hour	4 days
5 - 15 KeV	7x10 <sup>-4</sup> (2 UFU)	-4 1.5x10 (Q.4 UFU)	1.5x10 <sup>-5</sup> (0.04 UFU)
80 - 120 KeV	7x10 <sup>-5</sup>	1.5x 10 <sup>-5</sup>	1.5x10 <sup>-6</sup>
200 - 300 KeV	4x 10 <sup>-5</sup>	8x10 <sup>-6</sup>	8x10 <sup>-7</sup>

ł

OF POSTA PART

## REFERENCES

Boldt, E., Comments on Astrophysics, 1981, 9, 97. Bracessi, A., Zitelli, V., Bonoli, F. and Formiggini, L., 1980, Astron Astroph., 89,80 Cheng, E.S., Saulson, P., Wilkinson, D.T. and Corey, B., 1979, Ap.J., 232, L139 Cheng,E.S.,Boughn,S. and W.Ikinson,D.T., 1980, Bulletin AAs 12, Vol 2,489. Compton, A.H. and Getting, I.A., 1935, Phys. Rev. 47, 817. Conklin, E.A., 1969, Nature, 222,971. de Vaucouleurs, G., Peters, W.L., Bottinelli, L., Gouguenheim, L. and Dicke, R.H., 1968, Ap.J., 153, L101. Fabian, A.C. and Warwick, R.S., 1979, Nature, 280, 39 Feilget, P.B., 1958, J.Phys., Radium, 19, 187 Fernmore, E.E. and Cannon, T.M., 1978, Applied Optics, 17, 337. Gunson, J. and Polychronopulos, B., 1976, Mon. Not. R. Astr. Soc., 177, 485. Harwit, M. and Sloane, NJ.A., 1979, "Hadamard Transform Optics", Acad Pr Hudson, H.S. and Lin, R.P., 1978, Space Sci. Instr., 4, 101. Hudson, H.S., Kohl, J.L., Lin, R.P., MacQueen, R.M., Tandberg-Hanssen, E. and Dabbs, J.R., "The Pinhole/Occulter Facility", 1981, NASA TM-82413. wan, D., Boldt, E.A., Marshall, F.E., Mushotzky, R.F., Shafer, R.A. and Stottlemyer, A., 1981, Ap.J., in press Kirshner, R.P., Oemler, A., Schechter, P.L. and Schectman, S.A., 1981, Ap.J., 248,L57 Mertz, L, 1965, "Transformations in Optics", (New York-Wiley). Oda, M., 1965, Appl.Opt., 4, 143 Proctor, R.J., Skinner, G.K. and Willmore, A.P., 1978, Mon.NoLR Astr. Soc., 185,745 Rees, M.J., "X-ray Astronomy", 1980, Giaconni, R. and Setti, G., (Eds), p377. Rubin, V.C., Thonnard, N., Ford, W.K., Jr. and Roberts, M.S., 1976, ApJ , 81,687 Schnopper,H.W.,Thompson,R.I. and Watt S., 1968, Space Sci Rev., 8, 534 Skinner,G.K., 1980, Journal of the British Interplanetary Society 33,311 Paturei, G., 1981, Ap.J., 248, 408. Smoot, G.F., Gorenstein, M.V. and Muller, R.A., 1977, Phys. Rev. Letters, 39,898 Tennant, A.F., Mushotzky, R.F., Boldt, E.A. and Swank, J.H., 1981, NASA TM-82143. Warwick, R.S., Pye, J.P. and Fabian, A.C., 1980, Mon. Not. R.Astr. Soc, 190, 243 Wolfe,A.M., 1970,Ap.J., 159,L61 Zamorani, G., Henry, J.P., Maccacaro, T., Tananbaum, H., Soltan, A., Avni, Y., Liebert, J., Stocke, J., Strittmatter, P.A., Weymann, R.J., Smith, M.G. and

Condon, J., 1981, Submitted to Ap.J.

342

Carlo Martina Carlos Carlos

#### FIGURE CAPTIONS

#### FIGURE 1

The basic principles of the two methods are shown. The spatial aperture modulator casts an X-ray shadowgram onto the position sensitive detector and hence requires N detector elements to detect N mask elements whilst each element of the temporal aperture modulator detects the full N elements of the modulator. Both methods provide an N element image of the sky.

#### FIGURE 2

The layout of a "Pinhole/Occulter Facility" to be deployed from the Space Shuttle. The 50 meter boom supports a spatially encoded aperture mask to give ≤1 arc second spatial resolution for hard X-rays. For solar observations an occulter will also be used to provide a shadow for coronagraphic observations.

### FIGURE 3

A conceptual Diffuse Anisotropy X-ray Background Experiment (DAXBE) is shown. The concept is for a free-flying internally powered experiment. The spinning sub-satellite causes the individual detectors to see an optimum modulated count rate from separate strips of sky. The total active field of view is  $\approx$ 40% of the sky per rotation. With precession a 100 % coverage can be obtained in a short time. The energy range is detector dependent but 5-200 KeV seems easily achievable.

#### FIGURE 4

The one sigma statistical sensitivity per sky bin of DAXBE in one month  $(2x10^{10} \text{ seconds})$  is shown. It is thought that the effect of source fluctuations and the galactic diffuse component will not significantly degrade the sensitivity (see Text).

#### FIGURE 5


A conreptual Ferris-wheel Orbiting  $\lambda$ -ray imager (FCXI) is shown. The concept is of a free-flying satellite which unfurts in orbit after a Shuttle launch. It is envisaged that the mask would rotate every 20-30 seconds whilst the detector remained fixed relative to the stars. The mask would consist of a basic 1023 element optimum code repeated 8 times to give an image cycle time of one eighth of the spin period. The detector consists of 3 units of 1 meter diameter made up of 1 cm wide gas counter and scintillator strip elements. FOXI will image 4% of the sky every 3-4 seconds with a resolution of 3' x 140' over the photon energy range 3-500 KeV 100% sky coverage is obtained every 6 months. Over 2000 Active Galactic nuclei should be detected (see Text).

## ONE DIMENSIONAL REPRESENTATION OF

## APERTURE MODULATION


SPATIAL MODULATION

TEMPORAL MODULATION




RESPONSE TO A SOLITARY POINT SOURCE

RESPONSE TO A SOLITARY POINT SOURCE




ORIGINAL PAGE 15 OF POOR QUALITY



346

ORIGINAL ARCE IS OF FRIDR QUALITY



# FERRIS-WHEEL ORBITING X-RAY IMAGER

