https://ntrs.nasa.gov/search.jsp?R=19820014373 2020-03-21T08:15:10+00:00Z

11

NASA TECHNICAL MEMORANDUM

NASA TM-76706

NASA TM-76706

to the second second



NASA-TM-76706 19820014373

SOCATA: TB 20 TRINIDAD GIVEN GERMAN DEBUT

B. Malzbender

Translation of "Socata: TB 20 Trinidad gab Deutschland-Debut", Aerokurier, No. 12, December 1981, pp. 1543; 1546-1547.

APR 1 9232

مرتابه و

LANGLEY RESEARCH CENTER LIBRARY, NASA HAMPTON, VIRGINIA

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION WASHINGTON D. C. 20546 MARCH 1982



STANDARD TITLE PAGE

1. Report No. NASA TM-76706	2. Government	Accession No.	3. Recipiont's Co	teleg No.	
4. Title and Subtitle			S. Report Date		
SOCATA: TB 20 TRIN DEBUT	GERMAN	MAF	RCH 1982		
7. Author(a)				milenen Cede	
			8. Performing Org	enization Report No.	
B. Malzbender			10. Work Unit No.		
9. Performing Organization Neme an SCITRAN		11. Contract or Grant No. NASW-3542			
Box 5456			and Pariod Covered		
Santa Barbara, CA 9		Translatio	n		
12. Sponsoring Agency Neme and Add National Aeronautics Washington, D.C. 20	and Space A	dministration			
Washington, D.C. 20	546		14. Sponsoring Age	ncy Codo	
15. Supplementary Notes					
1546 - 1547.					
16. Abstract					
This is a magazi the TB 20 Trinidad. Some pilot impre airplane are given,	essions gai	ned in a fi	st flight	in the	
				•	
				-	
			÷		
7. Key Words (Selected by Author(s)		·			
(Selected by Author(1)		18. Distribution Stat	ement		
		Unclassifie	d - Unlimited	1	
• Lawis 61					
9. Security Clessif. (of this report) Unclassified	linel and files		21. No. of Pogos	22. Price	
	Unclassif	ied	13		

SOCATA:

TB 20 TRINIDAD HAD A DEBUT IN GERMANY

The 250 HP TB 20 aircraft with retractable landing gear and the license F-WDBB is one of the prototypes which is now being prototype tested on the international level after successful flight testing by Socata.

Already up to the first publications in the press (see Aerokurier 4/81 page 396) and especially when presented at Le Bourget in the summer of this year, there was wide public interest for the TB 20 Trinidad, which completes the type spectrum of the TB series. There was also interest at Breitscheid where specialists from far and nearby came to visit by car, in spite of the poor weather, and maybe because of it. Therefore, the test flights were rather short but there was enough time to get a first impression.

Over 100 flight hours have been logged with this series prototype and at the beginning of the demonstration week it landed in Breitscheid coming from Sweden and Denmark. On the following day there was a short presentation of noise measurements at the LBA. This led the Rallye people to give optimistic forecasts about the formalities of prototype acceptance for the following spring. The great interest in the TB 20 is underlined by the fact that out of the ll aircraft planned for the 1982 contingent, seven have already been sold.

This November there were reasons for festivities at the Rallye Germany in Breitscheid. The reason for this was the TB 20 Trinidad the first delivery of which is planned in West Germany for January 1982. For one week the Socata representative in Breitscheid made

*1543

[&]quot;Nos.'in margin indicate foreign text pagination.

the airplane available to the press and customers, and it was available for test flight. The Trinidad is the top model of the TB Family which has become more and more successful. The Trinidad is looking for the upper spectrum of the single motor aircraft on the market. As a French product, it is not affected by the high dollar price except for the engine, and at the present time, Germans can profit from the weakness in the French franc. Bernd Malzbender flew the Trinidad for the Aerokurier Magazine. We give his report. A pilot report will be given in a later Aerokurier issue.

Its introduction into the TB series about two and a half years ago has resulted in a strong rise on the European market, which is reflected in a substantial market fraction of 25% of the new licensing of comparable aircraft. In spite of strong US competition on the European market, this success has encouraged Socata to establish itself in the outer European market.

Good results were achieved in the Australian market where 30 aircraft have been sold. South Africa was very interested in the TB 20 Trinidad. It is no wonder that this aircraft is especially suited for overcoming long distances. It was found that the Socata market strategy with one aircraft seems to be proving itself which was not designed for the European but for the world market.

IMPROVEMENTS

During the development and flight testing of the TB 20, the TB type series was subjected to optical and technical improvements. All of the types of the TB series built in 1982 were equipped with these improvements. In the future doors will be made of metal which improves matching with the airframe and improves the ceiling properties of the airplane. The head clearance at the seats was improved by about three centimeters, by dropping the seats. In addition, the TB series after 1982 will be given a cable trim which allows a finer and more accurate trimming. This change was done through the TB 20



which now offers the possibilities of installing an autopilot. Finally the new TB's have different tank locks, an outer symbol of a change in the wing tanks. The wing capacity is now specified by variable tank sizes and not by the filling connection of various lengths as before. An exact limitation of the tank capacity was not possible in practice.


THE TYPE OFFERINGS ARE FRESHENED UP

At the same time the TB series was completed, Socata decided to restrict the Rallye types. The Garnement (115 kW, 155 HP) and the Gaillard (134 kW, 180 HP) were no longer planned for production which does not mean that these aircraft are no longer available. It is only that the customer, if he decides for one of these two aircraft, will have to deal with price and delivery times. In the 1982 type offerings of the Rallye series, there are the three to four passenger training and cruise machine Galopin (110 ST Fruher with 82 kW engines (100 HP) and the proven glider pulling machine Galérien with 134 kW Lycoming engine (180 HP) which is the only aircraft with an improved noise characteristic of 63.3 dBA. This will certainly be appreciated in Switzerland and Germany.

We should finally mention the Gabier (earlier the Rallye 235 GT) which has a 175 kW engine (235 HP) and a larger airframe which makes it suitable for work assignments. Three aircraft are planned for 1982 in the Socata program, the 119 kW (160 HP) TB 9 Tampico, which can be delivered with an adjustable propeller, the 134 kW (180 HP) TB 10 Tobago with four to five seats and, of course, the five seat 186 kW (250 HP) TB 20 Trinidad with retractable landing gear.

NEW IN THE PROGRAM: ROBIN 3000

The present series will be complemented in 1983 by the 3000 of the firm Robin, and first these will be aircraft which have a




The lines of the TB Family can be seen completely with a retracted landing gear. The preliminary peak model of the TB Family of the French Socata is the TB 20.

lower power than the TB class. It is thinkable that the Socata in the future will participate in the development of the 3000 series Robin.

SERVICE

-

. The great success of the Socata aircraft of the Rallye series and the TB series can be attributed in part to the German selling organization of the Socata which is located in Breitscheid, the company Rallye Germany. An important part of the marketing strategy of Rallye Germany is the customer service already reported in this magazine. Starting with the principle that an aircraft is only as good as its service, Rallye Germany is proud of the fact that no customer has to fly longer than 30 minutes in order to reach any servicing operation of the German service network. Rallye in fall of last year established 16 aviation companies which build the bases



Soft landings are facilitated by the articulated wheel suspension of the TB20 main landing gear

for the well functioning maintenance network. In the spring of 1981, the operators were invited to Tarbes in order to become familiar with the production and assembly methods of the Socata.

For the introduction of the TB 20 Trinidad, the mechanics were invited to Breitscheid in order to become familiar with the maintenance work of the most recent addition to the TB Family. The service contracts which Rallye Germany signed with the companies have the purpose of equalizing the substantial price differences for the same work, that is to establish them at a medium level. After the spring of 1982, routine maintenance work will be performed with the same work expenditure at the installations connected with the Rallye network. After 1982, the customer will be able to exactly establish the cost of a 100 hour check before he turns the aircraft over to the company. For this purpose he multiplies the unit hour cost by the number of hours of the corresponding facility and then arrives at a guaranteed fixed price for the maintenance

and he has to add the expenditures for parts, lubricants, etc.

The training and retraining of the testing and mechanics of the companies associated with the Rallye service network is very important for the Rallye organization in Breitscheid. There are yearly meetings for education, either at the manufacturing plant or at Rallye Germany in Breitscheid.

The hourly expenditures are to be unified according to a uniform service program which is now being implemented. In this way, equipment kits will be offered at unit prices which can be installed.

TB 20: LIKE A ROCKET

During the introduction of the TB 20 Trinidad in West Germany, the Aerokurier Magazine had the opportunity to briefly fly the aircraft in Breitscheid. The short flight does make it possible to discuss first impressions, but there is not enough information for an Aerokurier flight report which we will publish in the spring, as soon as the first mass produced machine is available at Breitscheid.

Far way the Trinidad looks like one of its sisters, the TB 9 or the TB 10. The elevator control surface is somewhat larger compared with these. In contrast to aerodynamically shaped landing gear cowlings on the TB 9 and TB 10, one sees somewhat more of the hydraulic inner lines of the landing gear legs in the Trinidad.

I sat in the spacious cabin and I noticed the substantially improved head clearance by lowering the seats. The aircraft is top instrumented. The right instrument block has two levels, which makes the entire panel more substantial but not unelegant. The landing gear lever with the control lights is directly to the right next to the control horn and is about the only important difference with respect to the instrument panel of the usual TB series.

٠,


7

٦÷

SOCATA TB20 TRINIDAD DATA

Manufacturer						
Manulaccurer			cata			
			rbes		- 1-	
	· · · ·	F1	ankr	210	<u>cn</u>	
prototype		TE	20			
		Tr	inida	ad		
· · · · · · · · · · · · · · · · · · ·						
engine			comin			
m a m 0 a m a m a m		10-540				
performance	kw			34		
f e e	4]			50		
for	0/1	nin	257	(5)		
cylinder				6		
crew + passenge	ne		· 7		4	
			1	+	4	
span	m		9.7	77		
length	m		7.7			
height	m		2.8	35		
wing area	m²		11.9			
aspect ratio			·	8		
cabin dimensior	าร			Ŭ		
length	m		2 6	:2		
width	m		2.5	22		
height	m		1.1			
				. ~		
empty weight	kg		762)		
crew	kg		180			
fuel (max.)	kg		238			
	1		236			
fuel for approa		1	326			
payload (for ma	 					
addl. load	kg	Iuci)	579	•		
baggage (max.)	kor.		50			
max. departure		kg	1341			
area loading kg		ng	113			
			стт —	,		
performance for	• ma	x.				
takeoff wt.	_					
max. speed		kts	168			
-		km/h				
cruise speed fo	r 7	5%				
power at 8000 f		kts	163			
		km/h				
cruise speed fo			-			
power at 12,000			160			
-		km/h	-			
stall speed flaps,						
landing gear re	tra	cted				
		kts	63			
		km/b				
stall speed fla	ps.					
takeoff positio						
ing gear deploy		kts	59			
-0 0		km/b	110			
0		1111/ 13	T TO			

prototype	TB20 Trinidad					
stall speed flaps, in landing position, landing gear deployed						
	kts 53 km/h 99					
ascent performance usable peak altitud	m/s 6.3					
	ft 20000 m 6500					
takeoff roll distantation takeoff distance up						
to 15 m height landing distance	m 479					
from 15 m height landing roll distar	m 530 nce m 230					
max. range for 75% at 8500 ft for 65% at 12000 ft	km 2145 km 1610 km 1725					



Elegant and inviting and comfortable: The cabin of the TB Family. A view into the new TB20.

The 250 HP Lycoming engine immediately starts and its pleasant sounds are noticeable. After the usual checks, I sat up on the runway in Breitscheid and immediately give full power. The TB 20 Trinidad rises up like a rocket. 115 km/h rotation, I have to pull substantially in order to make the nose go up. The large weight of the motor is felt here. I let the airspeed indicator go to 135 km/h and instinctively, I try to trim off the large pull of the control column.

One first has to get adjusted to the rope trim system. Several trim motions are required in order to adjust the desired speed. It is sufficient to adjust this and it can be done very accurately. I operate the landing gear lever and the green control lights turn off which indicate locked landing gear.

The aircraft in the meantime has reached 170 km/h and rises much faster than 1000 ftm (5 m/s). The clouds are rapidly reached and I trim the TB 20 for normal flight. Even though the power has in the meantime been reduced to 75%, the distance instrument soon indicates the 300 km/h mark.

At this speed and the relatively low flight altitude, the dimensions shrink. Very soon we have reached the airport Siegerland and in the last second I am able to tell the airport I am passing over. The interior noise level of the TB 20 is somewhat higher than in the TB 9 and TB 10. Because of the substantially improved quietness of the six cylinder motor, there is a compensation for this.

The French plant pilot demonstrates the TB 20 for slow flight conditions. The landing gear is deployed, the flaps are in the landing <u>configuration</u>. I can see clearly how the speedometer goes below the 100 km/h limit. The aircraft flies with a audible stall indication warning and still can be controlled well, and not only for straight flight. Still no separation phenomena can be felt and I observed the wool threads pasted to the wing, which all lie in the flow direction except for one which points outwards. The flight altitude is too low to make the aircraft tip over, but the stall properties of this aircraft are very substantial which had just been flown at 300 km/h.

We simulate a failure in the electrical system of the landing gear operating system. The landing gear kinematics is designed so that the deployed state is the normal state, and therefore, when the electrical system fails, it is sufficient to operate the emergency button to the left next to the fuses in order to make the landing gear fall out and lock.

During landing, we fly at 140 km/h, I noticed that the ground effect in the TB 20 is much shorter than for already known TB models.

Apparently, we can feel the somewhat larger weight of the Trinidad. The rocketlike acceleration during takeoff are one of the features which I remember very well during this test flight of the TB 20, as well as the rapid development of the flight itself with an extremely steep ascent, the high cruise speed of about 300 km/h and the surprising stall property for slow flight.

This aircraft will be <u>successful</u>; it offers performance, comfort and classy styling at an attractive price.

For 450,000 French francs, the TB 20 is offered in the simplest version. In addition to the standard equipment for the TB 9 and TB 10, the Trinidad has a gasoline flow meter, a flap preselector and a side rudder trim. For the top equipped TB 20, there is complete IFR, including autopilot, but this goes at a price of 550,000 French francs, or 214,500 dm. This is a lot of money, but one gets a lot of aircraft for this.

Bernd Malzbender

End of Document