

## NOTICE

THIS DOCUMENT HAS BEEN REPRODUCED FROM  
MICROFICHE. ALTHOUGH IT IS RECOGNIZED THAT  
CERTAIN PORTIONS ARE ILLEGIBLE, IT IS BEING RELEASED  
IN THE INTEREST OF MAKING AVAILABLE AS MUCH  
INFORMATION AS POSSIBLE

# NASA Contractor Report

(NASA-CR-160963) TESTING OF AIRCRAFT  
PASSENGER SEAT CUSHION MATERIAL, FULL SCALE.  
DATA, VOLUME 2 Final Report, Apr. 1980.-  
Mar. 1981 (Douglas Aircraft Co., Inc.)  
340 p HC A15/MF A01

N81-25050

Unclassified  
CSCL 13L G3/03 26539

NASA CR-160963

## Volume 2

### Testing of Aircraft Passenger Seat Cushion Materials – Full Scale – Data

Kenneth J. Schutter, Dr. James G. Gaume, and Fred E. Duskin

McDonnell Douglas Corporation  
Douglas Aircraft Company  
Long Beach, California 90846

CONTRACT NAS9-16062  
FEBRUARY 1981



National Aeronautics and  
Space Administration

Johnson Space Center  
Houston, TX 77058



## PREFACE

This report is submitted under contract NAS9-16062 and covers the period 11 March 1980 through 10 May 1981. To aid the reader in its use, this report is presented in two volumes. Volume 1 contains test procedures and results of the program performed at Douglas Aircraft Company, McDonnell Douglas Corporation, Long Beach, California. Included as an appendix to Volume 1 is a NASA-JSC report on seat flammability tests performed in December 1980 by NASA. Volume 2 contains plotted test data of the Douglas Aircraft test program. Mr. Fred E. Duskin was Principal Investigator and Program Director at Douglas Aircraft Company and was assisted by the Materials and Producibility Engineering Section.

PRECEDING PAGE BLANK NOT FILMED

## **CONTENTS**

<b>Section</b>		<b>Page</b>
1	<b>INTRODUCTION.....</b>	1
2	<b>SYMBOLS AND ABBREVIATIONS .....</b>	3
3	<b>TEST DATA .....</b>	5
3.1	<b>Cushion Data, Radiant Panel Tests.....</b>	10
3.2	<b>Cushion Data, Fuel Pan Tests .....</b>	163
3.3	<b>Jet-A Fuel Data .....</b>	325

## **ILLUSTRATIONS**

<b>Figure</b>		<b>Page</b>
1	<b>CFS Instrumentation .....</b>	6
2	<b>Cushion Thermocouples Location and Identification.....</b>	7
3	<b>Gas Instrumentation.....</b>	8

## **TABLE**

<b>Table</b>		<b>Page</b>
1	<b>Seat Design Test Configuration .....</b>	9

**PRECEDING PAGE BLANK NOT FILMED**

## **SECTION 1**

### **INTRODUCTION**

**Aircraft passenger seats represent a high percentage of the organic materials used in a passenger cabin. These organics can contribute to a cabin fire if subjected to a severe ignition source such as a postcrash fuel fire.**

**The series of tests reported upon in this report is the fourth phase of a NASA-funded program to improve the fire resistance of aircraft passenger seats. Specifically, it is directed toward identifying materials and design approaches that will improve the fire resistance of contemporary seat cushions. Eight different seat cushion configurations were subjected to two different ignition sources in the Douglas Cabin Fire Simulator. These configurations were selected on the basis of previous laboratory testing and design analysis.**

**SECTION 2**  
**SYMBOLS AND ABBREVIATIONS**

Btu	British thermal unit
°C	Degrees Celsius (centigrade)
Ca	Cardiac arrhythmias
CA	Cardiac arrest
cm	Centimeter
cm <sup>2</sup>	Square centimeter
DAC	Douglas Aircraft Company
°F	Degrees Fahrenheit
ft	Feet
hr	Hour
in.	Inch
kg	Kilogram
kg/m <sup>2</sup>	Kilogram per square meter
kw	Kilowatt
lb	Pound
lb/ft <sup>2</sup>	Pounds per square foot
lb/ft <sup>3</sup>	Pounds per cubic foot
m	Meter
MATS	Multiple Animal Test System
mm	Millimeter
min	Minutes
NASA	National Aeronautics and Space Administration
PARTS	Portable Animal Test System
PCT, %	Percent
PPM	Parts per million
psi	Pounds per square inch
sec	Second
TC	Thermocouple
Ti	Time to incapacitation
W	Watt



PRECEDING PAGE BLANK NOT FILMED

### **SECTION 3**

### **TEST DATA**


Data recorded from the NASA seat tests are presented in this section. The test ID numbers are located in the top left corner of each plot. These are designated NASA 1-8 for the radiant panel tests, NAS 1B-8B for the fuel pan tests, and NASC for the Jet-A fuel baseline tests. Measurement number locations are given in Figures 1, 2, and 3. Seat cushion configurations are listed in Table 1.

PRECEDING PAGE BLANK NOT FILMED



LEGEND: T = THERMOCOUPLE  
P = PHOTOMETER  
C = CALORIMETER

FIGURE 1. CFS INSTRUMENTATION



**FIGURE 2. CUSHION THERMOCOUPLES  
(LOCATION AND IDENTIFICATION)**




FIGURE 3. GAS INSTRUMENTATION

**TABLE 1**  
**SEAT DESIGN TEST CONFIGURATION**

TEST NO.	UPHOLSTERY	FIRE BLOCKING	CUSHION REINFORCEMENT (ADHESIVE R2382 NJ/F)	CUSHION	REMARKS
1	ST4727-112 SUN ECLIPSE WOOL/NYLON (104)	NONE	COTTON MUSLIN 44/40 CNT (226)	2043FA URETHANE	BASELINE
2	ST4727-112 SUN ECLIPSE WOOL/NYLON (104)	400-11 DURETTE BATT (216)	NOMEX III (221)	2043FA URETHANE	FIRE BARRIER
3	ST4727-112 SUN ECLIPSE WOOL/NYLON (104)	VONAR 3/PS (229)	COTTON MUSLIN 44/40 CNT (226)	2043FA URETHANE	FIRE BARRIER
4	20787 KERMEL/WOOL BLEND (101)	NOMEX III (221) 1/2 IN. LS-200 NEOPRENE (317)	NONE	2043FA URETHANE FOAM WITH AIREX (414) CORE	FIRE BARRIER AND FLOTATION
5	20787 KERMEL/WOOL BLEND (101)	NOMEX III (221) 1/2 IN. LS-200 NEOPRENE (317)	NONE	2043FA URETHANE	FIRE BARRIER
6	20787 KERMEL/WOOL BLEND (101)	NONE	NOMEX III (221)	1/2 IN. LS-200 POLYIMIDE FOAM	LIGHTWEIGHT COMBINED CUSHION
7	SEDELLIA BLUE 3177 100% WOOL (117)	NONE	COTTON MUSLIN 44/40 CNT (226)	POLYIMIDE FOAM	FIRE RETARDANT CUSHION
8	SEDELLIA BLUE 3177 100% WOOL (117)	NONE	COTTON MUSLIN 44/40 CNT (226)	POLYIMIDE FOAM WITH AIREX (414) CORE	FIRE RETARDANT CUSHION WITH FLOTATION

### 3.1 CUSHION DATA, RADIANT PANEL TESTS


	Page
NASA 1	Cushion Configuration 1
NASA 2	Cushion Configuration 2
NASA 3	Cushion Configuration 3
NASA 4	Cushion Configuration 4
NASA 5	Cushion Configuration 5
NASA 6	Cushion Configuration 6
NASA 7	Cushion Configuration 7
NASA 8	Cushion Configuration 8

TEST ID NASA1

SEAT TST-OCT 1980 PLOT NO 2

- 1

REFERENCE TIME 09 45 01.000



MEAS. NUMBER CHANNEL ASGN.  
PM1 162  
PM2 164  
PM3 165

TITLE  
PHOTOMETER-MIDDLE TOP  
PHOTOMETER-MIDDLE MIDDLE  
PHOTOMETER-MIDDLE BOTTOM

RANGE  
0 TO 100  
0 TO 100  
0 TO 100


UNITS GRID-SYM  
PCT AA  
PCT AB  
PCT AC

TEST ID NASA1

SEAT TST-OCT 1980 PLOT NO 3

- 1

REFERENCE TIME 09 45 01.000





MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
PW1	166	PHOTOMETER-WEST TOP	0 TO 100	PCT	AA
PW2	167	PHOTOMETER-WEST MIDDLE	0 TO 100	PCT	AB
PW3	168	PHOTOMETER-WEST BOTTOM	0 TO 100	PCT	AC

TEST ID NASA1

SEAT TST-OCT 1980 PLOT NO 4

- 1

REFERENCE TIME 09 45 01.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
CHXE	085	METHANE EXHAUST	0.0 TO 25.0	PCT	AA
COE	084	CARBON MONOXIDE EXHAUST	0.0 TO 25.0	PCT	BA

TEST ID NASA1

SEAT TST-OCT 1980 PLOT NO 5 - 1

REFERENCE TIME 09 45 01.000



MEAS. NUMBER CHANNEL ASGN.  
CO2E 090  
O2E 094

TITLE  
CARBON DIOXIDE EXHAUST  
OXYGEN EXHAUST

RANGE  
0.0 TO 25.0  
0.0 TO 25.0


UNITS GRID-SYM  
PCT AA  
PCT BA

TEST ID NASA1

SEAT TST-OCT 1980 PLOT NO 6

- 1

REFERENCE TIME 09 45 01.000



MEAS. NUMBER CHANNEL ASGN.  
S CU 150  
S CL 151

TITLE  
CALORIMETER UPPER  
CALORIMETER LOWER


RANGE  
0.0 TO 18.0  
0.0 TO 18.0

UNITS GRID-SYM  
WATT/CM<sup>2</sup> AA  
WATT/CM<sup>2</sup> BA

TEST ID NASA1

SEAT TST-OCT 1980 PLOT NO 7 - 1

REFERENCE TIME 09 45 01.000


MEAS. NUMBER  
S TSL1  
S TSL2CHANNEL ASGN.  
101  
102TITLE  
TEMP-SEAT LEFT FRONT  
TEMP-SEAT LEFT MIDDLERANGE  
0 TO 1000  
0 TO 1000UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA1

SEAT TST-OCT 1980 PLOT NO 8

- 1

REFERENCE TIME 09 45 01.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
\$ TSL3	103	TEMP-SEAT LEFT REAR	0 TO 1000	DEG C	AA
\$ TSC1	104	TEMP-SEAT CENTER FRONT	0 TO 1000	DEG C	AB

TEST ID NASA1

## SEAT TST-OCT 1980 PLOT NO 9

- 1

REFERENCE TIME 09 45 01.000



MEAS. NUMBER CHANNEL ASGN.  
6 TSC2 105  
8 TSC3 106

TITLE  
TEMP-SEAT CENTER MIDDLE  
TEMP-SEAT CENTER REAR


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA1

SEAT TST-OCT 1980 PLCT NO 10 - 1

REFERENCE TIME 09 45 01.000



MEAS. NUMBER CHANNEL ASGN.  
S TSR1 107  
S TSR2 108

TITLE  
TEMP-SEAT RIGHT FRONT  
TEMP-SEAT RIGHT MIDDLE


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA!

SEAT TSI-OCT 1980 PLOT NO 11 - 1

REFERENCE TIME 09 45 01.000



MEAS. NUMBER CHANNEL ASGN.  
S TSR3 109  
S TBL1 110

TITLE  
TEMP-SEAT RIGHT REAR  
TEMP-BACK LEFT BOTTOM


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA1

SEAT TST-OCT 1980 PLOT NO 12 - 1

REFERENCE TIME 09 45 01.000



MEAS. NUMBER CHANNEL ASGN.  
S TBL2 111  
S TBL3 112

TITLE  
TEMP-BACK LEFT MIDDLE  
TEMP-BACK LEFT TOP

RANGE  
0 TO 1000  
0 TO 1000


UNITS GR'D-SYM  
DEG C AA  
DEG C AB

TEST ID NASA1

SEAT TST-OCT 1980 PLOT NO 13

- 1

REFERENCE TIME 09 45 01.000



MEAS. NUMBER CHANNEL ASGN.  
S TBC1 113  
S TBC2 114

TITLE  
TEMP-BACK CENTER BOTTOM  
TEMP-BACK CENTER MIDDLE

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA1

SEAT TST-OCT 1980 PLOT NO 14

- 1

REFERENCE TIME 09., 01.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
S TBC3	115	TEMP-BACK CENTER TOP	0 TO 1000	DEG C	AA
S TBRI	116	TEMP-BACK RIGHT BOTTOM	0 TO 1000	DEG C	AB

TEST ID NASA1

SEAT TST-OCT 1980 PLOT NO 15 - 1

REFERENCE TIME 09 45 01.000



MEAS. NUMBER CHANNEL ASGN.  
S TBR2 117  
S TBR3 118

TITLE  
TEMP-BACK RIGHT MIDDLE  
TEMP-BACK RIGHT TOP

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA1

SEAT TST-OCT 1980 PLOT NO 16

- 1

REFERENCE TIME 09 45 01.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	AID-SYM
8 TCL	119	TEMP-CEILING LEFT	0 TO 1000	DEG C	AA
8 TCR	120	TEMP-CEILING RIGHT	0 TO 1000	DEG C	AB

TEST ID NASA1

SEAT TST-OCT 1980 PLOT NO 17

REFERENCE TIME G9 45 01.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
S TCM	121	TEMP-CEILING MIDDLE	0 TO 1000	DEG C	A9
S TCM	122	TEMP-CEILING WEST	0 TO 1000	DEG C	AB

TEST ID: NASA1

SEAT TST-OCT 1980 PLOT NO 18 - 1

REFERENCE TIME 09 45 01.000



MEAS. NUMBER CHANNEL ASGN.  
S TRC 123  
S TAO 124

TITLE  
TEMP-ANIMAL CAGE  
TEMP-AIR OUT


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA1

SEAT TST-OCT 1980 PLOT NO 19 - 1

REFERENCE TIME 09 45 01.000



MEAS. NUMBER  
S DPC

CHANNEL ASGN.  
098

TITLE  
CABIN DELTA PRESSURE


RANGE  
-250 TO 250

UNITS GRID-SYM  
MM H2O AA

TEST ID NASA1

SEAT TST-OCT 1980 PLOT NO 20 - 1

REFERENCE TIME 09 45 01.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
S TLC	125	TEMP-LOAD CELL	0 TO 200	DEG C	AA
S WL	149	WEIGHT LOSS	0.0 TO 10.0	KG	BA

TEST ID NASA2

SEAT TST-OCT 1980 PLOT NO 2

- 1

REFERENCE TIME 10 05 16.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
PM1	163	PHOTOMETER-MIDDLE TOP	0 TO 100	PCT	AA
PM2	164	PHOTOMETER-MIDDLE MIDDLE	0 TO 100	PCT	AB
PM3	165	PHOTOMETER-MIDDLE BOTTOM	0 TO 100	PCT	AC

TEST ID NASA2

SEAT TST-OCT 1980 PLOT NO 3 - 1

REFERENCE TIME 10 05 16.000





MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
PW1	166	PHOTOMETER-WEST TOP	0 TO 100	PCT	AA
PW2	167	PHOTOMETER-WEST MIDDLE	0 TO 100	PCT	AB
PW3	168	PHOTOMETER-WEST BOTTOM	0 TO 100	PCT	AC

TEST ID NASA2

SEAT TST-OCT 1980 PLOT NO 4 - 1

REFERENCE TIME 10 05 16.000





MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
CHIE	085	METHANE EXHAUST	0.0 TO 25.0	PCT	AA
COE	084	CARBON MONOXIDE EXHAUST	0.0 TO 25.0	PCT	BA

TEST ID NASA2

SEAT TST-OCT 1980 PLOT NO 5 - 1

REFERENCE TIME 10 05 16.000



MEAS. NUMBER CHANNEL ASGN.  
CO2E 090  
O2E 094

TITLE  
CARBON DIOXIDE EXHAUST  
OXYGEN EXHAUST



RANGE  
0.0 TO 25.0  
0.0 TO 25.0

UNITS GRID-SYM  
PCT AA  
PCT BA

TEST ID NASA2

SEAT TST-OCT 1980 PLOT NO 6 - 1

REFERENCE TIME 10 05 16.000




MEAS. NUMBER CHANNEL ASGN.  
S CU 150  
S CL 151

TITLE  
CALORIMETER UPPER  
CALORIMETER LOWER

RANGE  
0.0 TO 18.0  
0.0 TO 18.0

UNITS GRID-SYM  
WATT/CM<sup>2</sup> AA  
WATT/CM<sup>2</sup> BA




TEST ID NASA2

## SEAT TST-OCT 1980 PLOT NO 8

- 1

REFERENCE TIME 10 05 16.000



MEAS. NUMBER	CHANNEL ASGN.
8 TSL3	103
8 TSC1	104

TITLE
TEMP-SEAT LEFT REAR
TEMP-SEAT CENTER FRONT

RANGE
0 TO 1000
0 TO 1000


UNITS	GRID-SYM
DEG C	AA
DEG C	AB

TEST ID NASA2

SEAT TST-OCT 1980 PLOT NO 9

- 1

REFERENCE TIME 10 05 16.000



MEAS. NUMBER CHANNEL ASGN.  
# TSC2 105  
# TSC3 106

TITLE  
TEMP-SEAT CENTER MIDDLE  
TEMP-SEAT CENTER REAR


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA2

SEAT TST-OCT 1980 PLOT NO 10 - 1

REFERENCE TIME 10 05 16.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
8 TSR1	107	TEMP-SEAT RIGHT FRONT	0 TO 1000	DEG C	AA
8 TSR2	108	TEMP-SEAT RIGHT MIDDLE	0 TO 1000	DEG C	AB

TEST ID NASA2

SEAT TST-OCT 1980 PLOT NO 11 - 1

REFERENCE TIME 10 05 16.000



MEAS. NUMBER CHANNEL ASGN.  
S TSR3 109  
S TBL1 110

TITLE  
TEMP-SEAT RIGHT REAR  
TEMP-BACK LEFT BOTTOM


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA2

SEAT TST-OCT 1980 PLOT NO 12 - 1

REFERENCE TIME 10 GS 16.000



MEAS. NUMBER	CHANNEL ASGN.
S TBL2	111
S TBL3	112

TITLE
TEMP-BACK LEFT MIDDLE
TEMP-BACK LEFT TOP


RANGE
0 TO 1000
0 TO 1000

UNITS	GRID-SYM
DEG C	AA
DEG C	AB

TEST ID NASA2

SEAT TST-OCT 1980 PLOT NO 13 - 1

REFERENCE TIME 10 05 16.000



MEAS. NUMBER CHANNEL ASGN.  
S TBC1 113  
S TBC2 114

TITLE  
TEMP-BACK CENTER BOTTOM  
TEMP-BACK CENTER MIDDLE

RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA2

SEAT TST-OCT 1980 PLOT NO 14

- 1


REFERENCE TIME 10 05 16.000

D

E

G

F



MEAS. NUMBER CHANNEL ASGN.  
8 TBC3 115  
8 TBR1 116

TITLE  
TEMP-BACK CENTER TOP  
TEMP-BACK RIGHT BOTTOM


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA2

SEAT TST-OCT 1980 PLOT NO 15 - 1

REFERENCE TIME 10 05 16.000



MEAS. NUMBER	CHANNEL ASGN.
S TBR2	117
S TBR3	118

TITLE
TEMP-BACK RIGHT MIDDLE
TEMP-BACK RIGHT TOP


RANGE
0 TO 1000
0 TO 1000

UNITS	GRID-SYM
DEG C	AA
DEG C	AB

TEST ID NASA2

SEAT TST-OCT 1980 PLOT NO 16 - 1

REFERENCE TIME 10 05 16.000



MEAS. NUMBER CHANNEL ASGN.  
S TCL 119  
S TCR 120

TITLE  
TEMP-CEILING LEFT  
TEMP-CEILING RIGHT


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA2

SEAT TST-OCT 1980 PLOT NO 17 - 1

REFERENCE TIME 10 05 16.000



MEAS. NUMBER CHANNEL ASGN.  
S TCM 121  
S TCM 122

TITLE  
TEMP-CEILING MIDDLE  
TEMP-CEILING WEST


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA2

SEAT TST-OCT 1980 PLOT NO 18 - 1

REFERENCE TIME 10 05 16.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
8 TRC	123	TEMP-ANIMAL CAGE	0 TO 1000	DEG C	AA
8 TAO	124	TEMP-AIR OUT	0 TO 1000	DEG C	AB

TEST ID NASA2

SEAT TST-OCT 1980 PLOT NO 19 - 1

REFERENCE TIME 10 05 16.000



MEAS. NUMBER  
S DPC

CHANNEL ASGN.  
098

TITLE  
CABIN DELTA PRESSURE



RANGE  
-250 TO 250

UNITS GRID-SYM  
MM H2O AA

TEST ID NASA2

SEAT TST-OCT 1980 PLOT NO 20 - 1

REFERENCE TIME 10 05 16.000



MEAS. NUMBER CHANNEL ASGN.  
S TLC 125  
S WL 149

TITLE  
TEMP-LOAD CELL  
WEIGHT LOSS


RANGE  
0 TO 200  
0.0 TO 10.0

UNITS GRID-SYM  
DEG C AA  
KG BA

TEST ID NASA3

SEAT TST-OCT 1980 PLOT NO 2 - 1

REFERENCE TIME 13 11 05.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
PM1	163	PHOTOMETER-MIDDLE TOP	0 TO 100	PCT	AA
PM2	164	PHOTOMETER-MIDDLE MIDDLE	0 TO 100	PCT	AB
PM3	165	PHOTOMETER-MIDDLE BOTTOM	0 TO 100	PCT	AC

TEST ID NASA3

SEAT TST-OCT 1980 PLOT NO 3 - 1

REFERENCE TIME 13 11 05.000



MEAS. NUMBER CHANNEL ASGN.


PM1 166  
PM2 167  
PM3 168TITLE  
PHOTOMETER-WEST TOP  
PHOTOMETER-WEST MIDDLE  
PHOTOMETER-WEST BOTTOMRANGE  
0 TO 100  
0 TO 100  
0 TO 100UNITS GRID-SYM  
PCT AA  
PCT AB  
PCT AC

TEST ID NASA3

SEAT TST-OCT 1980 PLOT NO 4

~ 1

REFERENCE TIME 13 11 05.000



MEAS. NUMBER CHANNEL ASGN.  
CHXE 085  
COE 084

TITLE  
METHANE EXHAUST  
CARBON MONOXIDE EXHAUST


RANGE  
0.0 TO 25.0  
0.0 TO 25.0

UNITS GRID-SYM  
PCT AA  
PCT BA

TEST ID NASA3

SEAT TST-OCT 1980 PLOT NO 5 - 1

REFERENCE TIME 13 11 05.000



MEAS. NUMBER CHANNEL ASGN.  
CO2E 090  
O2E 094

TITLE  
CARBON DIOXIDE EXHAUST  
OXYGEN EXHAUST

RANGE  
0.0 TO 25.0  
0.0 TO 25.0



UNITS GRID-SYM  
PCT AA  
PCT BA

TEST ID NASA3

SEAT TST-OCT 1986 PLOT NO 6

- 1

REFERENCE TIME 13 11 05.000

B  
T  
U  
/  
F  
T  
2B  
T  
U  
/  
F  
T  
2

RELATIVE TIME IN SEC


MEAS. NUMBER CHANNEL ASGN.  
6 CU 150  
6 CL 151TITLE  
CALORIMETER UPPER  
CALORIMETER LOWERRANGE  
0.0 TO 18.0  
0.0 TO 18.0UNITS GRID-SYM  
WATT/CM<sup>2</sup> AA  
WATT/CM<sup>2</sup> BA

TEST ID NASA3

SEAT TST-OCT 1980 PLOT NO 7

- 1

REFERENCE TIME 13 11 05.000



MEAS. NUMBER CHANNEL ASGN.  
S TSL1 101  
S TSL2 102

TITLE  
TEMP-SEAT LEFT FRONT  
TEMP-SEAT LEFT MIDDLE

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AB  
DEG C AB

TEST ID NASA3

SEAT TST-OCT 1980 PLOT NO 8

- 1

REFERENCE TIME 13 11 05.000



MEAS. NUMBER CHANNEL ASGN.  
\$ TSL3 103  
\$ TSC1 104

TITLE  
TEMP-SEAT LEFT REAR  
TEMP-SEAT CENTER FRONT

RANG.  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA3

SEAT TST-OCT 1980 PLOT NO 9

- 1

REFERENCE TIME 13 11 05.000



MEAS. NUMBER	CHANNEL ASGN.
\$ TSC2	105
\$ TSC3	106

TITLE
TEMP-SEAT CENTER MIDDLE
TEMP-SEAT CENTER REAR


RANGE
0 TO 1000
0 TO 1000

UNITS	GRID-SYM
DEG C	AA
DEG C	AB

TEST ID NASA3

SEAT TST-OCT 1980 PLOT NO 10 - 1

REFERENCE TIME 13 11 05.000



MEAS. NUMBER CHANNEL ASGN.  
S TSR1 107  
S TSR2 108

TITLE  
TEMP-SEAT RIGHT FRONT  
TEMP-SEAT RIGHT MIDDLE


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA3

SEAT TST-OCT 1980 PLOT NO 11 - 1

REFERENCE TIME 13 11 05.000



MEAS. NUMBER CHANNEL ASGN.  
A TSR3 109  
A TBL1 110

TITLE  
TEMP-SEAT RIGHT REAR  
TEMP-BACK LEFT BOTTOM


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA3

SEAT TST-OCT 1980 PLOT NO 12 - 1

REFERENCE TIME 13 11 05.000



MEAS. NUMBER CHANNEL ASGN.  
S TBL2 111  
S TBL3 112

TITLE  
TEMP-BACK LEFT MIDDLE  
TEMP-BACK LEFT TOP


RANGE  
0 TO 1000  
0 TO 1000

UNITS DEG C GRID-SYM  
AA  
AB

TEST ID NASA3

SEAT TST-OCT 1980 PLOT NO 13 - 1

REFERENCE TIME 13 11 05.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
6 TBC1	113	TEMP-BACK CENTER BOTTOM	0 TO 1000	DEG C	AA
3 TBC2	114	TEMP-BACK CENTER MIDDLE	0 TO 1000	DEG C	AB

TEST ID NASA3

SEAT TST-OCT 1980 PLOT NO 14 - 1

REFERENCE TIME 13 11 05.000



MEAS. NUMBER CHANNEL ASGN.  
S TBC3 115  
S TBRI 116

TITLE  
TEMP-BACK CENTER TOP  
TEMP-BACK RIGHT BOTTOM


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA3

SEAT TST-OCT 1980 PLOT NO 15 - 1

REFERENCE TIME 13 11 05.000



MEAS. NUMBER CHANNEL ASGN.  
6 TBR2 117  
5 TBR3 118

TITLE  
TEMP-BACK RIGHT MIDDLE  
TEMP-BACK RIGHT TOP


RANGE  
0 TO 1000  
0 TO 1000

UNITS DEG C GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA3

SEAT TST-OCT 1980 PLOT NO 16 - 1

REFERENCE TIME 13 11 05.000



MEAS. NUMBER CHANNEL ASGN.  
S TCL 119  
S TCR 120

TITLE  
TEMP-CEILING LEFT  
TEMP-CEILING RIGHT


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA3

SEAT TST-OCT 1980 PLOT NO 17 - 1

REFERENCE TIME 13 11 05.000



MEAS. NUMBER CHANNEL ASGN.  
\$ TCM 121  
\$ TCM 122

TITLE  
TEMP-CEILING MIDDLE  
TEMP-CEILING WEST


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA3

SEAT TST-OCT 1980 PLOT NO 18 - 1

REFERENCE TIME 13 11 05.000



MEAS. NUMBER CHANNEL ASGN.  
S TRC 123  
S TAO 124

TITLE  
TEMP-ANIMAL CAGE  
TEMP-AIR OUT


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA3

SEAT TST-OCT 1980 PLOT NO 19 - 1

REFERENCE TIME 13 11 05.000



MEAS. NUMBER CHANNEL ASGN.  
S DPC 098

TITLE  
CABIN DELTA PRESSURE



RANGE  
-250 TO 250

UNITS GRID-SYM  
MM H2O AA

TEST ID NASA3

SEAT TST-OCT 1980 PLOT NO 20 - 1

REFERENCE TIME 13 11 05.000



MEAS. NUMBER CHANNEL ASGN.  
S TLC 125  
S WL 149

TITLE  
TEMP-LOAD CELL  
WEIGHT LOSS


RANGE  
0 TO 200  
0.0 TO 10.0

UNITS GRID-SYM  
DEG C AA  
KG BA

TEST ID NASA4

SEAT TST-OCT 1980 PLOT NO 2 - 1

REFERENCE TIME 14 22 01.000



MEAS. NUMBER	CHANNEL ASGN.
PM1	163
PM2	164
PM3	165

TITLE
PHOTOMETER-MIDDLE TOP
PHOTOMETER-MIDDLE MIDDLE
PHOTOMETER-MIDDLE BOTTOM

RANGE
0 TO 100
0 TO 100
0 TO 100


UNITS	GRID-SYM
PCT	AB
PCT	AB
PCT	AC

TEST ID NASA4

SEAT TST-OCT 1980 PLOT NO 3

- 1

REFERENCE TIME 14 22 01.000



MEAS. NUMBER	CHANNEL ASGN.
PW1	166
PW2	167
PW3	168

TITLE
PHOTOMETER-WEST TOP
PHOTOMETER-WEST MIDDLE
PHOTOMETER-WEST BOTTOM


RANGE
0 TO 100
0 TO 100
0 TO 100

UNITS	GRID-SYM
PCT	AA
PCT	AB
PCT	AC

TEST ID NASA4

SEAT TST-OCT 1980 PLOT NO 4 - 1

REFERENCE TIME 14 22 01.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
CHIE	085	METHANE EXHAUST	0.0 TO 25.0	PCT	AA
COE	084	CARBON MONOXIDE EXHAUST	0.0 TO 25.0	PCT	BA

TEST ID NASA4

SEAT TST-OCT 1980 PLOT NO 5

- 1

REFERENCE TIME 14 22 01.000



MEAS. NUMBER CHANNEL ASGN.  
C02E 090  
O2E 094

TITLE  
CARBON DIOXIDE EXHAUST  
OXYGEN EXHAUST



RANGE  
0.0 TO 25.0  
0.0 TO 25.0

UNITS GRID-SYM  
PCT AA  
PCT BA

TEST ID NASA4

SEAT TST-OCT 1980 PLOT NO 6 - 1

REFERENCE TIME 14 22 01.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
S CU	150	CALORIMETER UPPER	0.0 TO 18.0	WATT/CM <sup>2</sup>	AA
S CL	151	CALORIMETER LOWER	0.0 TO 18.0	WATT/CM <sup>2</sup>	BA

TEST ID NASA4

SEAT TST-OCT 1980 PLOT NO 7

- 1

REFERENCE TIME 14 22 01.000



MEAS. NUMBER CHANNEL ASGN.  
S TSL1 101  
S TSL2 102

TITLE  
TEMP-SEAT LEFT FRONT  
TEMP-SEAT LEFT MIDDLE

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA4

SEAT TST-OCT 1980 PLOT NO 8

- 1

REFERENCE TIME 10 22 01.000



MEAS. NUMBER	CHANNEL ASGN.
# TSL3	103
# TSC1	104

TITLE
TEMP-SEAT LEFT REAR
TEMP-SEAT CENTER FRONT

RANGE
0 TO 1000
0 TO 1000


UNITS	GRID-SYM
DEG C	AA
DEG C	AB

TEST ID NASA4

SEAT TST-OCT 1980 PLOT NO 9

- 1

REFERENCE TIME 14 22 01.000



MEAS. NUMBER CHANNEL ASGN.  
S TSC2 105  
S TSC3 106

TITLE  
TEMP-SEAT CENTER MIDDLE  
TEMP-SEAT CENTER REAR


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA4

SEAT TST-OCT 1980 PLOT NO 10 - 1

REFERENCE TIME 14 22 01.000



MEAS. NUMBER CHANNEL ASGN.  
S TSR1 107  
S TSR2 108

TITLE  
TEMP-SEAT RIGHT FRONT  
TEMP-SEAT RIGHT MIDDLE


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA4

SEAT TST-OCT 1980 PLOT NO 11 - 1

REFERENCE TIME 14 22 01.000



MEAS. NUMBER CHANNEL ASGN.  
8 TSR3 109  
8 TBL1 110

TITLE  
TEMP-SEAT RIGHT REAR  
TEMP-BACK LEFT BOTTOM


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA4

SEAT TST-OCT 1980 PLOT NO 12 - 1

REFERENCE TIME 14 22 01.000



MEAS. NUMBER CHANNEL ASGN.  
S TBL2 111  
S TBL3 112

TITLE  
TEMP-BACK LEFT MIDDLE  
TEMP-BACK LEFT TOP


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA4

SEAT TST-OCT 1980 PLOT NO 13 - 1

REFERENCE TIME 14 22 01.000



MEAS. NUMBER CHANNEL ASGN.  
S TBC1 113  
S TBC2 114

TITLE  
TEMP-BACK CENTER BOTTOM  
TEMP-BACK CENTER MIDDLE


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA4

SEAT TST-OCT 1980 PLOT NO 14 - 1

REFERENCE TIME 14 22 01.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
8 TBC3	115	TEMP-BACK CENTER TOP	0 TO 1000	DEG C	AA
8 TBR1	116	TEMP-BACK RIGHT BOTTOM	0 TO 1000	DEG C	AB

TEST ID NASA#

SEAT TST-OCT 1980 PLOT NO 15

- 1

REFERENCE TIME 14 22 01.000



MEAS. NUMBER CHANNEL ASGN.  
6 TBR2 117  
6 TBR3 118

TITLE  
TEMP-BACK RIGHT MIDDLE  
TEMP-BACK RIGHT TOP


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA4

SEAT TST-OCT 1980 PLOT NO 16 - 1

REFERENCE TIME 14 22 01.000



MEAS. NUMBER CHANNEL ASGN.  
A TCL 119  
B TCR 120

TITLE  
TEMP-CEILING LEFT  
TEMP-CEILING RIGHT


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA4

SEAT TST-OCT 1980 PLOT NO 17 - 1

REFERENCE TIME 14 22 01.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
5 TCR	121	TEMP-CEILING MIDDLE	0 TO 1000	DEG C	AA
8 TCM	122	TEMP-CEILING WEST	0 TO 1000	DEG C	AB

TEST ID NASA4

SEAT TST-OCT 1980 PLOT NO 18

- 1

REFERENCE TIME 14 22 01.000



MEAS. NUMBER CHANNEL ASGN.  
6 TRC 123  
6 TAO 124

TITLE  
TEMP-ANIMAL CAGE  
TEMP-AIR OUT


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA4

SEAT TST-OCT 1980 PLOT NO 19 - 1



REFERENCE TIME 14 22 01.000

MEAS. NUMBER      CHANNEL ASGN.  
8 DPC            098TITLE  
CABIN DELTA PRESSURERANGE  
-250 TO 250UNITS GRID-SYM  
MM H2O    MM

TEST ID NASA4

SEAT TST-OCT 1980 PLOT NO 20 - 1

REFERENCE TIME 14 22 01.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
8 TLC	125	TEMP-LOAD CELL	0 TO 200	DEG C	AA
8 WL	149	WEIGHT LOSS	0.0 TO 10.0	KG	BA

TEST ID NASA5

SEAT TST-OCT 1980 PLOT NO. 2 - 1

REFERENCE TIME 11 05 00.000



MEAS. NUMBER	CHANNEL ASGN.
PR1	163
PR2	164
PR3	165

TITLE
PHOTOMETER-MIDDLE TOP
PHOTOMETER-MIDDLE MIDDLE
PHOTOMETER-MIDDLE BOTTOM


RANGE
0 TO 100
0 TO 100
0 TO 100

UNITS	GRID-SYM
PCT	AA
PCT	AB
PCT	AC

TEST ID NASA5

SEAT TST-OCT 1980 PLOT NO 3 - 1

REFERENCE TIME 11 05 00.000





MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
PM1	166	PHOTOMETER-WEST TOP	0 TO 100	PCT	AA
PM2	167	PHOTOMETER-WEST MIDDLE	0 TO 100	PCT	AB
PM3	168	PHOTOMETER-WEST BOTTOM	0 TO 100	PCT	AC

TEST ID NASA5

SEAT TST-OCT 1980 PLOT NO 4 - 1

REFERENCE TIME 11 05 00.000



MEAS. NUMBER CHANNEL ASGN.  
CHXE 085  
COE 084

TITLE  
METHANE EXHAUST  
CARBON MONOXIDE EXHAUST



RANGE  
0.0 TO 25.0  
0.0 TO 25.0

UNITS GRID-SYM  
PCT AA  
PCT BA

TEST ID NASA5

SEAT TST-OCT 1980 PLOT NO 5 - 1

REFERENCE TIME 11 05 00.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
CO2E	090	CARBON DIOXIDE EXHAUST	0.0 TO 25.0	PCT	AA
O2E	094	OXYGEN EXHAUST	0.0 TO 25.0	PCT	BA

TEST ID NASA5

SEAT TST-OCT 1980 PLOT NO 6

- 1

REFERENCE TIME 11 05 00.000



MEAS. NUMBER CHANNEL ASGN.  
S CU 150  
S CL 151

TITLE  
CALORIMETER UPPER  
CALORIMETER LOWER


RANGE  
0.0 TO 18.0  
0.0 TO 18.0

UNITS GRID-SYM  
WATT/CM<sup>2</sup> AA  
WATT/CM<sup>2</sup> BA

TEST ID NASA5

## SEAT TST-OCT 1980 PLOT NO 7 - 1

REFERENCE TIME 11 05 00.000



MEAS. NUMBER CHANNEL ASGN.  
8 TSL1 101  
8 TSL2 102

TITLE  
TEMP-SEAT LEFT FRONT  
TEMP-SEAT LEFT MIDDLE

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AB  
DEG C AB

TEST ID NASA5

SEAT TST-OCT 1980 PLOT NO 8

- 1

REFERENCE TIME 11 05 00.000



MEAS. NUMBER CHANNEL ASGN.  
S TSL3 103  
S TSC1 104

TITLE  
TEMP-SEAT LEFT REAR  
TEMP-SEAT CENTER FRONT

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRIP-SYM  
DEG C AA  
DEG C AB

TEST ID NASA5

SEAT TST-OCT 1980 PLOT NO 9

- 1

REFERENCE TIME 11 05 00.000



MEAS. NUMBER CHANNEL ASGN.  
S TSC2 105  
S TSC3 106

TITLE  
TEMP-SEAT CENTER RIDDLE  
TEMP-SEAT CENTER REAR


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AA

TEST ID NASA5

SEAT TST-OCT 1980 PLOT NO 10 - 1

REFERENCE TIME 11 05 00.000



MEAS. NUMBER CHANNEL ASGN.  
6 TSR1 107  
6 TSR2 108

TITLE  
TEMP-SEAT RIGHT FRONT  
TEMP-SEAT RIGHT MIDDLE


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA5

## SEAT TST-OCT 1.80 PLOT NO 11

REFERENCE TIME 11 05 00.000



MEAS. NUMBER CHANNEL ASGN.  
8 TSR3 109  
8 TBL1 116

TITLE  
TEMP-SEAT RIGHT REAR  
TEMP-BACK LEFT BOTTOM


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRU-SYM  
DEG C AA  
DEG C AB

TEST ID NASA5

SEAT TST-OCT 1980 PLOT NO 12 - 1

REFERENCE TIME 11 05 00.000



MEAS. NUMBER CHANNEL ASGN.  
S TBL2 111  
S TBL3 112

TITLE  
TEMP-BACK LEFT MIDDLE  
TEMP-BACK LEFT TOP

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AA  
DEG C AB

C - 2

TEST ID NASA5

SEAT TST-OCT 1980 PLOT NO 13 - 1

REFERENCE TIME 11 05 00.000



MEAS. NUMBER	CHANNEL ASGN.
S TBC1	113
S TBC2	114

TITLE
TEMP-BACK CENTER BOTTOM
TEMP-BACK CENTER MIDDLE


RANGE
0 TO 1000
0 TO 1000

UNITS	GRID-SYM
DEG C	AA
DEG C	AB

TEST ID NASA5

SEAT TST-OCT 1980 PLOT NO 14 - 1

REFERENCE TIME 11 05 00.000



MEAS. NUMBER CHANNEL ASGN.  
A TBC3 115  
B TBRI 116

TITLE  
TEMP-BACK CENTER TOP  
TEMP-BACK RIGHT BOTTOM


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA5

SEAT TST-OCT 1980 PLOT NO 15 - 1

REFERENCE TIME 11 05 00.000



MEAS. NUMBER CHANNEL ASGN.  
6 TBR2 117  
6 TBR3 118

TITLE  
TEMP-BACK RIGHT MIDDLE  
TEMP-BACK RIGHT TOP


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA5

SEAT TST-OCT 1980 PLOT NO 16 - 1

REFERENCE TIME 11 05 00.000



MEAS. NUMBER CHANNEL ASGN.  
8 TCL 119  
8 TCR 120

TITLE  
TEMP-CEILING LEFT  
TEMP-CEILING RIGHT


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA5

SEAT TST-OCT 1980 PLOT NO 17 - 1

REFERENCE TIME 11 05 00.000




MEAS. NUMBER CHANNEL ASGN.  
6 TCM 121  
6 TCM 122

TITLE  
TEMP-CEILING MIDDLE  
TEMP-CEILING WEST

RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
A TRC	123	TEMP-ANIMAL CAGE	0 TO 1000	DEG C	AA
B TAO	129	TEMP-AIR OUT	0 TO 1000	DEG C	AB

TEST ID NASA5

SEAT TST-OCT 1980 PLOT NO 19 - 1

REFERENCE TIME 11 05 00.000



MEAS. NUMBER CHANNEL ASGN.  
8 DPC 098

TITLE  
CABIN DELTA PRESSURE

RANGE  
-250 TO 250



UNITS GRID-SYM  
MM H2O AA

TEST ID NASA5

SEAT TST-OCT 1980 PLOT NO 20

- 1

REFERENCE TIME 11 05 00.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
8 TLC	125	TEMP-LOAD CELL	0 TO 200	DEG C	AA
8 WL	149	WEIGHT LOSS	0.0 TO 10.0	KG	BA

TEST ID NASA6

SEAT TST-OCT 1980 PLOT NO 2 - 1

REFERENCE TIME 10 00 01.000



MEAS. NUMBER	CHANNEL ASGN.
PR1	163
PR2	164
PR3	165

TITLE
PHOTOMETER-MIDDLE TOP
PHOTOMETER-MIDDLE MIDDLE
PHOTOMETER-MIDDLE BOTTOM

RANGE
0 TO 100
0 TO 100
0 TO 100


UNITS	GRID-SYM
PCT	AA
PCT	AB
PCT	AC

TEST ID NASA6

SEAT TST-OCT 1980 PLOT NO 3

- 1

REFERENCE TIME 10'00 01.000





MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
PW1	166	PHOTOMETER-WEST TOP	0 TO 100	PCT	AA
PW2	167	PHOTOMETER-WEST MIDDLE	0 TO 100	PCT	AB
PW3	168	PHOTOMETER-WEST BOTTOM	0 TO 100	PCT	AC

TEST ID NASA6

SEAT TST-OCT 1980 PLOT NO 4

REFERENCE TIME 10 00 01.000



MEAS. NUMBER CHANNEL ASGN.  
CHME 085  
COE 084

TITLE  
METHANE EXHAUST  
CARBON MONOXIDE EXHAUST

RANGE  
0.0 TO 25.0  
0.0 TO 25.0


UNITS GRID-SYM  
PCT AA  
PCT BA

TEST ID NASA6

SEAT TST-OCT 1980 PLOT NO 3

- 1

REFERENCE TIME 10 00 01.000



MEAS. NUMBER CHANNEL ASGN.  
CO2E 090  
O2E 094

TITLE  
CARBON DIOXIDE EXHAUST  
OXYGEN EXHAUST


RANGE  
0.0 TO 25.0  
0.0 TO 25.0

UNITS GRID-SYM  
PCT AP  
PCT BA

TEST ID NASA6

SEAT TST-OCT 1980 PLOT NO 6 - 1

REFERENCE TIME 10 00 01.000



MEAS. NUMBER CHANNEL ASGN.  
8 CU 150  
8 CL 151

TITLE  
CALORIMETER UPPER  
CALORIMETER LOWER


RANGE  
0.0 TO 18.0  
0.0 TO 18.0

UNITS GRID-SYM  
WATT/CM<sup>2</sup> AA  
WATT/CM<sup>2</sup> BA

TEST ID NASA6

SEAT TST-OCT 1980 PLOT NO 7 - 1

REFERENCE TIME 10 00 01.000



MEAS. NUMBER CHANNEL ASGN.  
# TSL1 101  
# TSL2 102

TITLE  
TEMP-SEAT LEFT FRONT  
TEMP-SEAT LEFT MIDDLE

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA6

SEAT TST-OCT 1980 PLOT NO 8

- 1

REFERENCE TIME 10 00 01.000



MEAS. NUMBER	CHANNEL ASGN.
A TSL3	103
B TSC1	104

TITLE
TEMP-SEAT LEFT REAR
TEMP-SEAT CENTER FRONT

RANGE
0 TO 1000
0 TO 1000


UNITS	GRID-SYM
DEG C	AA
DEG C	AB

TEST ID NASA6

SEAT TST-OCT 1980 PLOT NO 9

- 1

REFERENCE TIME 10 00 01.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
8 TSC2	105	TEMP-SEAT CENTER RIDDLE	0 TO 1000	DEG C	AB
8 TSC3	106	TEMP-SEAT CENTER REAR	0 TO 1000	DEG C	AB

TEST ID NASA6

SEAT TST-OCT 1980 PLOT NO 10 - 1

REFERENCE TIME 10 00 01.000



MEAS. NUMBER CHANNEL ASGN.  
S TSR1 107  
S TSR2 108

TITLE  
TEMP-SEAT RIGHT FRONT  
TEMP-SEAT RIGHT MIDDLE

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA6

SEAT TST-OCT 1980 PLOT NO 11

- 1

REFERENCE TIME 10 00 01.000



MEAS. NUMBER CHANNEL ASEN.  
8 TSR3 109  
8 TBL1 110

TITLE  
TEMP-SEAT RIGHT REAR  
TEMP-BACK LEFT BOTTOM


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA6

SEAT TST-OCT 1980 PLOT NO 12 - 1

REFERENCE TIME 10 00 01.000



MEAS. NUMBER CHANNEL ASGN.  
S TBL2 111  
S TBL3 112

TITLE  
TEMP-BACK LEFT MIDDLE  
TEMP-BACK LEFT TOP


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA6

SEAT TST-OCT 1980 PLOT NO 13 - 1

REFERENCE TIME 10 00 01.000



MEAS. NUMBER CHANNEL ASGN.  
S TBC1 113  
S TBC2 114

TITLE  
TEMP-BACK CENTER BOTTOM  
TEMP-BACK CENTER MIDDLE


RANGE  
0 TO 1600  
0 TO 1600

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA6

SEAT TST-OCT 1980 PLOT NO 14 - 1

REFERENCE TIME 10 00 01.000



MEAS. NUMBER CHANNEL ASGN.  
S TBC3 115  
S TBR1 116

TITLE  
TEMP-BACK CENTER TOP  
TEMP-BACK RIGHT BOTTOM

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA6

SEAT TST-OCT 1980 PLOT NO 15

- 1

REFERENCE TIME 10 00 01.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
S TBR2	117	TEMP-BACK RIGHT MIDDLE	0 TO 1000	DEG C	AA
S TBR3	118	TEMP-BACK RIGHT TOP	0 TO 1000	DEG C	AB

TEST ID NASA6

SEAT TST-OCT 1980 PLOT NO 16 - 1

REFERENCE TIME 10 00 01.000



MEAS. NUMBER CHANNEL ASGN.  
S TCL 119  
S TCR 120

TITLE  
TEMP-CEILING LEFT  
TEMP-CEILING RIGHT


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA6

SEAT TST-OCT 1980 PLOT NO 17 - 1

REFERENCE TIME 10 00 01.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
8 TCM	121	TEMP-CEILING MIDDLE	0 TO 1000	DEG C	AA
8 TCM	122	TEMP-CEILING WEST	0 TO 1000	DEG C	AB

TEST ID NASA6

SEAT TST-OCT 1986 PLOT NO 18 - 1

REFERENCE TIME 10 00 01.000



MEAS. NUMBER CHANNEL ASGN.  
S TRC 123  
L TAO 124

TITLE  
TEMP-ANIMAL CAGE  
TEMP-AIR OUT


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA6

SEAT TST-OCT 1980 PLOT NO 19 - 1

REFERENCE TIME 10 00 01.000



MEAS. NUMBER  
8 DPC

CHANNEL ASGN.  
098

TITLE  
CABIN DELTA PRESSURE


RANGE  
-250 TO 250

UNITS GRID-SYM  
MM H2O AA

TEST ID NASA6

SEAT TST-OCT 1980 PLOT NO 20 - 1

REFERENCE TIME 10 00 01.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
\$ TLC	125	TEMP-LOAD CELL	0 TO 200	DEG	AA
\$ ML	149	WEIGHT L755	0.0 TO 10.0	KG	BA

TEST ID NASA7

SEAT TST-OCT 1980 PLOT NO 2 - 1

REFERENCE TIME 13 17 58.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
PM1	163	PHOTOMETER-MIDDLE TOP	0 TO 100	PCT	AA
PM2	164	PHOTOMETER-MIDDLE MIDDLE	0 TO 100	PCT	AB
PM3	165	PHOTOMETER-MIDDLE BOTTOM	0 TO 100	PCT	AC

TEST ID NASA7

SEAT TST-OCT 1980 PLOT NO 3 - 1

REFERENCE TIME 13 17 58.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
PM1	166	PHOTOMETER-WEST TOP	0 TO 100	PCT	AA
PM2	167	PHOTOMETER-WEST MIDDLE	0 TO 100	PCT	AB
PM3	168	PHOTOMETER-WEST BOTTOM	0 TO 100	PCT	AC

TEST ID NASAT

SEAT TST-OCT 1980 PLOT NO 4 - 1

REFERENCE TIME 13 17 58.000



MEAS. NUMBER CHANNEL ASGN.  
CHXE 085  
COE 084

TITLE  
METHANE EXHAUST  
CARBON MONOXIDE EXHAUST



RANGE  
0.0 TO 25.0  
0.0 TO 25.0

UNITS GRID-SYM  
PCT AA  
PCT BA

TEST ID NASA7

SEAT TST-OCT 1980 PLOT NO 5 - 1

REFERENCE TIME 13 17 58.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
C02E	090	CARBON DIOXIDE EXHAUST	0.0 TO 25.0	PCT	AA
O2E	094	OXYGEN EXHAUST	0.0 TO 25.0	PCT	BA

TEST ID NASA7

SEAT TST-OCT 1980 PLOT NO 6

- 1

REFERENCE TIME 13 17 58.000


B  
T  
U  
/  
F  
T  
2B  
T  
U  
/  
F  
T  
2

MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
S CU	150	CALORIMETER UPPER	0.0 TO 18.0	WATT/CM <sup>2</sup>	AA
S CL	151	CALORIMETER LOWER	0.0 TO 18.0	WATT/CM <sup>2</sup>	BA

TEST ID NASA7

## SEAT TST-OCT 1980 PLOT NO 7 - 1

REFERENCE TIME 13 17 58.000



MEAS. NUMBER CHANNEL ASGN.  
S TSL1 101  
S TSL2 102

TITLE  
TEMP-SEAT LEFT FRONT  
TEMP-SEAT LEFT MIDDLE

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA7

SEAT TSI-OCT 1980 PLOT NO 8

- 1

REFERENCE TIME 13 17 58.000




MEAS. NUMBER CHANNEL ASGN.  
# TSL3 103  
# TSC1 104

TITLE  
TEMP-SEAT LEFT REAR  
TEMP-SEAT CENTER FRONT

RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA7 SEAT TST-OCT 1980 PLOT NO 9 - 1 REFERENCE TIME 13 17 58.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
A TSC2	105	TEMP-SEAT CENTER MIDDLE	0 TO 1000	DEG C	AA
B TSC3	106	TEMP-SEAT CENTER REAR	0 TO 1000	DEG C	AB

TEST ID NASA7

SEAT TST-OCT 1980 PLOT NO 10 - 1

REFERENCE TIME 13 17 58.000



MEAS. NUMBER CHANNEL ASGN.  
S TSR1 107  
S TSR2 108

TITLE  
TEMP-SEAT RIGHT FRONT  
TEMP-SEAT RIGHT MIDDLE


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AB  
DEG C AB

TEST ID NASAT

SEAT TST-OCT 1980 PLOT NO 11 - 1

REFERENCE TIME 13 17 58.000



MEAS. NUMBER CHANNEL ASGN.  
8 TSR3 109  
8 TBL1 110


TITLE  
TEMP-SEAT RIGHT REAR  
TEMP-BACK LEFT BOTTOM

RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA/T  
SEAT TST-OCT 1980 PLOT NO 12 - 1

REFERENCE TIME 13 17 58.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
1 TBL2	111	TEMP-BACK LEFT MIDDLE	0 TO 1000	DEG C	AA
1 TBL3	112	TEMP-BACK LEFT TOP	0 TO 1000	DEG C	AB

TEST ID NASA7

SEAT TST-OCT 1980 PLOT NO 13 - 1

REFERENCE TIME 13 17 58.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
8 TBC1	113	TEMP-BACK CENTER BOTTOM	0 TO 1000	DEG C	AA
8 TBC2	114	TEMP-BACK CENTER MIDDLE	0 TO 1000	DEG C	AB

TEST ID NASA/T

SEAT TST-OCT 1980 PLOT NO 14

- 1

REFERENCE TIME 13 17 50.000



MEAS. NUMBER CHANNEL ASGN.  
S TBC3 115  
S TBR1 116

TITLE  
TEMP-BACK CENTER TOP  
TEMP-BACK RIGHT BOTTOM

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA7


SEAT TST-OCT 1980 PLOT NO 15

- 1

REFERENCE TIME 13 17 58.000



MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
8 TBR2	117	TEMP-BACK RIGHT MIDDLE	0 TO 1000	DEG C	AA
8 TBR3	118	TEMP-BACK RIGHT TOP	0 TO 1000	DEG C	AB



MEAS. NUMBER CHANNEL ASGN.

8 TCL 119  
8 TCR 126

TITLE  
TEMP-CEILING LEFT  
TEMP-CEILING RIGHT


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA7

SEAT TST-OCT 1986 PLOT NO 17 - 1

REFERENCE TIME 13 17 56.000



MEAS. NUMBER CHANNEL ASGN.

8 TCM 121  
8 TCM 122

TITLE  
TEMP-CEILING MIDDLE  
TEMP-CEILING WEST

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA7

SEAT TST-OCT 1980 PLOT NO 18

- 1

REFERENCE TIME 13 17 58.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
S TRC	123	TEMP-ANIMAL CAGE	0 TO 1000	DEG C	AA
S TAO	124	TEMP-AIR DUT	0 TO 1000	DEG C	AB

TEST ID NASAT

SEAT TST-OCT 1980 PLOT NO 19 - 1

REFERENCE TIME 13 17 58.000




MEAS. NUMBER  
S DPC

CHANNEL ASGN.  
098

TITLE  
CABIN DELTA PRESSURE

RANGE  
-250 TO 250


UNITS GRID-SYM  
mm H2O AA



TEST ID NASA8

SEAT TST-OCT 1980 PLOT NO 2 - 1

REFERENCE TIME 10 02 44.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
PM1	163	PHOTOMETER-MIDDLE TOP	0 TO 100	PCT	AA
PM2	164	PHOTOMETER-MIDDLE MIDDLE	0 TO 100	PCT	AB
PM3	165	PHOTOMETER-MIDDLE BOTTOM	0 TO 100	PCT	AC

TEST ID NASA8

SEAT TST-OCT 1980 PLOT NO 3

- 1

REFERENCE TIME 10 02 44.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
PW1	166	PHOTOMETER-WEST TOP	0 TO 100	PCT	AA
PW2	167	PHOTOMETER-WEST MIDDLE	0 TO 100	PCT	AB
PW3	168	PHOTOMETER-WEST BOTTOM	0 TO 100	PCT	AC

TEST ID NASA8

SEAT TST-OCT 1980 PLOT NO 4 - 1

REFERENCE TIME 10 02 44.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
CHME	085	METHANE EXHAUST	0.0 TO 25.0	PCT	AA
COE	084	CARBON MONOXIDE EXHAUST	0.0 TO 25.0	PCT	BA

TEST ID NASA8

SEAT TST-OCT 1980 PLOT NO 5 - 1

REFERENCE TIME 10 02 44.000





MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
C02E	090	CARBON DIOXIDE EXHAUST	0.0 TO 25.0	PCT	AA
O2E	094	OXYGEN EXHAUST	0.0 TO 25.0	PCT	BA

TEST ID NASA8

SEAT TST-OCT 1980 PLOT NO 6

- 1

REFERENCE TIME 10 02 44.000


B  
T  
U  
/  
F  
T  
2B  
T  
U  
/  
F  
T  
2

MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS
S CU	150	CALORIMETER UPPER	0.0 TO 18.0	WATT/CM <sup>2</sup> AA
S CL	151	CALORIMETER LOWER	0.0 TO 18.0	WATT/CM <sup>2</sup> BA

TEST ID NASA8

SEAT TST-OCT 1980 PLOT NO 7 - 1

REFERENCE TIME 10 02 44.000



MEAS. NUMBER CHANNEL ASGN.  
8 TSL1 101  
8 TSL2 102

TITLE  
TEMP-SEAT LEFT FRONT  
TEMP-SEAT LEFT MIDDLE

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AA  
DEG C PB

TEST ID NASA8

SEAT TST-OCT 1988 PLOT NO 8

- 1

REFERENCE TIME 10 02 44.000



MEAS. NUMBER

CHANNEL ASSN.

8 TSL3

103

8 TSC1

104

TITLE  
TEMP-SEAT LEFT REAR  
TEMP-SEAT CENTER FRONT

RANGE  
0 TO 1000  
0 TO 1000


UNITS  
DEG C AA  
DEG C AB

TEST ID NASA8

SEAT TST-OCT 1980 PLOT NO 9

- 1

REFERENCE TIME 10 02 44.000




MEAS. NUMBER CHANNEL ASGN.

TITLE  
TEMP-SEAT CENTER MIDDLE  
TEMP-SEAT CENTER REARRANGE  
0 TO 1000  
0 TO 1000UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA8

SEAT TST-OCT 1980 PLOT NO 10 - 1

REFERENCE TIME 10 02 44.000



MEAS. NUMBER CHANNEL ASGN.  
\$ TSR1 107  
\$ TSR2 106

TITLE  
TEMP-SEAT RIGHT FRONT  
TEMP-SEAT RIGHT MIDDLE

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA8

SEAT TST-OCT 1980 PLOT NO 11

- 1

REFERENCE TIME 10 02 44.000



MEAS. NUMBER CHANNEL ASGN.  
6 TSR3 109  
8 TBL1 110

TITLE  
TEMP-SEAT RIGHT REAR  
TEMP-BACK LEFT BOTTOM


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA8

SEAT TST-OCT 1980 PLOT NO 12 - 1

REFERENCE TIME 10 02 44.000




MEAS. NUMBER CHANNEL ASGN.  
S TBL2 111  
S TBL3 112

TITLE  
TEMP-BACK LEFT MIDDLE  
TEMP-BACK LEFT TOP

RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA8 SEAT TST-OCT 1980 PLOT NO 13 - 1 REFERENCE TIME 10 02 44.000



MEAS. NUMBER CHANNEL ASGN.  
# TBC1 113  
\$ TBC2 114

TITLE  
TEMP-BACK CENTER BOTTOM  
TEMP-BACK CENTER MIDDLE


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA8

SEAT TST-OCT 1980 PLOT NO 14 - 1

REFERENCE TIME 10 02 44.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
# TBC3	115	TEMP-BACK CENTER TOP	0 TO 1000	DEG C	AA
# TBRI	116	TEMP-BACK RIGHT BOTTOM	0 TO 1000	DEG C	AB

TEST ID NASA8

SEAT TST-OCT 1980 PLOT NO 15

- 1

REFERENCE TIME 10 02 44.000



MEAS. NUMBER CHANNEL ASGN.  
S TBR2 117  
S TBR3 118

TITLE  
TEMP-BACK RIGHT MIDDLE  
TEMP-BACK RIGHT TOP


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA8

SEAT TST-OCT 1980 PLOT NO 16 - 1

REFERENCE TIME 10 02 44.000



MEAS. NUMBER CHANNEL ASGN.  
S TCL 119  
S TCR 120

TITLE  
TEMP-CEILING LEFT  
TEMP-CEILING RIGHT


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA8

SEAT TST-OCT 1980 PLOT NO 17 - 1


REFERENCE TIME 10 02 44.000

MEAS. NUMBER  
s TCMCHANNEL ASGN.  
121  
122TITLE  
TEMP-CEILING MIDDLE  
TEMP-CEILING WESTRANGE  
0 TO 1000  
0 TO 1000UNITS DEG C DEG C  
GRID-SYM AA AB

TEST ID NASA8

SEAT TST-OCT 1980 PLOT NO 18 - 1


REFERENCE TIME 10 02 44.000



MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
6 TRC	123	TEMP-ANIMAL CAGE	0 TO 1000	DEG C	AA
8 TAO	124	TEMP-AIR DUT	0 TO 1000	DEG C	AB

160  
100

TEST ID NASA8 SEAT TST-OCT 1980 PLOT NO 19 - 1 REFERENCE TIME 10 02 44.000




MEAS. NUMBER 8 DPC	CHANNEL ASGN. 098	TITLE CABIN DELTA PRESSURE	RANGE -250 TO 250	UNITS GRID-SYM MM H2O AA
-----------------------	----------------------	-------------------------------	----------------------	-----------------------------

TEST ID NASA8

SEAT TST-OCT 1980 PLOT NO 20 - 1

REFERENCE TIME 10 02 44.000



MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
8 TLC	125	TEMP-LOAD CELL	0 TO 200	DEG C	AA
8 WL	149	WEIGHT LOSS	0.0 TO 10.0	KG	BA


### **3.2 CUSHION DATA, FUEL PAN TESTS**

	<b>Page</b>
NAS 1B	Cushion Configuration 1
NAS 2B	Cushion Configuration 2
NAS 3B	Cushion Configuration 3
NAS 4B	Cushion Configuration 4
NAS 5B	Cushion Configuration 5
NAS 6B	Cushion Configuration 6
NAS 7B	Cushion Configuration 7
NAS 8B	Cushion Configuration 8

TEST ID NASIB

SEAT TST-OCT 1980 PLOT NO 1 - 1

REFERENCE TIME 09 51 40.000



MEAS. NUMBER	CHANNEL ASGM.
PE1	160
PE2	161
PE3	162

TITLE
PHOTOMETER-EAST TOP
PHOTOMETER-EAST MIDDLE
PHOTOMETER-EAST BOTTOM

RANGE
0 TO 100
0 TO 100
0 TO 100


UNITS	GRID-SYM
PCT	AA
PCT	AB
PCT	AC

TEST ID NAS18

SEAT TST-OCT 1980 PLOT NO 2

- 1

REFERENCE TIME 09 51 40.000



MEAS. NUMBER CHANNEL ASGN.  
PM1 163  
PM2 164  
PM3 165

TITLE  
PHOTOMETER-MIDDLE TOP  
PHOTOMETER-MIDDLE MIDDLE  
PHOTOMETER-MIDDLE BOTTOM

RANGE  
0 TO 100  
0 TO 100  
0 TO 100


UNITS GRID-SYM  
PC. AA  
PCT AB  
PCT AC

TEST ID NAS18

SEAT TST-OCT 1980 PLOT NO 3

- 1

REFERENCE TIME 09 51 40.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
PW1	166	PHOTOMETER-WEST TOP	0 TO 100	PCT	AA
PW2	167	PHOTOMETER-WEST MIDDLE	0 TO 100	PCT	AB
PW3	168	PHOTOMETER-WEST BOTTOM	0 TO 100	PCT	AC

TEST ID NASIB

SEAT TST-OCT 1980 PLOT NO 4 - 1

REFERENCE TIME 00 51 40.00




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
CHME	085	METHANE EXHAUST	0.0 TO 25.0	PCT	AA
CDE	084	CARBON MONOXIDE EXHAUST	0.0 TO 25.0	PCT	BA

TEST ID NASIB

SEAT TST-OCT 1980 PLOT NO 5

- 1

REFERENCE TIME 09 51 40.000



MEAS. NUMBER CHANNEL ASGN.  
CO2E 090  
O2E 094

TITLE  
CARBON DIOXIDE EXHAUST  
OXYGEN EXHAUST

RANGE  
0.0 TO 25.0  
0.0 TO 25.0



UNITS GRID-SYM  
PCT AA  
PCT BA

TEST ID NAS1B

SEAT TST-OCT 1980 PLOT NO 6

+ 1

REFERENCE TIME 09:51:40.000



MEAS. NUMBER CHANNEL ASGN.  
S CU 150  
S CL 151

TITLE  
CALORIMETER UPPER  
CALORIMETER LOWER


RANGE  
0.0 TO 18.0  
0.0 TO 18.0

UNITS GRID-SYM  
WATT/CM<sup>2</sup> AA  
WATT/CM<sup>2</sup> BA

TEST ID NAS1B

SEAT TST-OCT 1980 PLOT NO 7 - 1

REFERENCE TIME 09 51 40.000



MEAS. NUMBER CHANNEL ASGN.  
S TSL1 101  
S TSL2 102

TITLE  
TEMP-SEAT LEFT FRONT  
TEMP-SEAT LEFT MIDDLE

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS1B

SEAT TST-OCT 1980 PLOT NO 8

- 1

REFERENCE TIME 09 51 40.000



MEAS. NUMBER CHANNEL ASGN.  
S TSL3 103  
S TSC1 104

TITLE  
TEMP-SEAT LEFT REAR  
TEMP-SEAT CENTER FRONT

RANGE  
0 TO 1000  
0 TO 1000


UNITS DEG C GRID-SYM  
DEG C AB

TEST ID NAS1B

SEAT TST-OCT 1980 PLOT NO 9

- 1

REFERENCE TIME 09 51 40.000



MENS. NUMBER CHANNEL ASGN.  
S TSC2 105  
S TSC3 106

TITLE  
TEMP-SEAT CENTER MIDDLE  
TEMP-SEAT CENTER REAR


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS1B

SEAT TST-OCT 1980 PLOT NO 10 - 1

REFERENCE TIME 09 51 40.000



MEAS. NUMBER CHANNEL ASGN.  
8 TSR1 107  
9 TSR2 108

TITLE  
TEMP-SEAT RIGHT FRONT  
TEMP-SEAT RIGHT MIDDLE


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS18

SEAT TST-OCT 1980 PLOT NO 11 - 1

REFERENCE TIME 09 51 40.000



MEAS. NUMBER

CHANNEL ASGN.


TITLE  
TEMP-SEAT RIGHT REAR  
TEMP-BACK LEFT BOTTOMRANGE  
0 TO 1000  
0 TO 1000UNITS GRID-SYM  
DEG C AA  
DEG C ABS TSR3  
S TBL1109  
110

TEST ID NAS1B

SEAT TST-OCT 1980 PLOT NO 12

- 1

REFERENCE TIME 09 51 40.000



MEAS. NUMBER

CHANNEL ASGN.

TITLE  
TEMP-BACK LEFT MIDDLERANGE  
0 TO 1000UNITS DEG C GRID-SYM  
AA

S TBL2

111

TEMP-BACK LEFT TOP

0 TO 1000

DEG C AB


S TBL3

112

TEST ID NAS16

SEAT TST-OCT 1980 PLOT NO 13 - 1

REFERENCE TIME 09 51 40.000



MEAS. NUMBER CHANNEL ASGN.  
S TBC1 113  
S TBC2 114

TITLE  
TEMP-BACK CENTER BOTTOM  
TEMP-BACK CENTER MIDDLE


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASIB

SEAT TST-OCT 1980 PLOT NO 14 - 1

REFERENCE TIME 09 51 40.000



MEAS. NUMBER	CHANNEL ASGN.
S TBCJ	115
S TBR1	116

TITLE
TEMP-BACK CENTER TOP
TEMP-BACK RIGHT BOTTOM


RANGE
0 TO 1000
0 TO 1000

UNITS	GRID-SYM
DEG C	AA
DEG C	AB

TEST ID NASIB

SEAT TST-OCT 1980 PLOT NO 15 - 1

REFERENCE TIME 09 51 40.000



MEAS. NUMBER CHANNEL ASGN.  
S TBR2 117  
S TBR3 118

TITLE  
TEMP-BACK RIGHT MIDDLE  
TEMP-BACK RIGHT TOP


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID 04518

SEAT TST-OCT 1980 PLOT NO 16 - 1

REFERENCE TIME 09 51 40.000



MEAS. NUMBER CHANNEL ASGN.  
S TCL 119  
S TCR 120

TITLE  
TEMP-CEILING LEFT  
TEMP-CEILING RIGHT


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AB  
DEG C AB

TEST ID NASIB

SEAT TST-OCT 1980 PLOT NO 17 - 1

REFERENCE TIME 09 51 40.000



MEAS. NUMBER CHANNEL ASGN.  
S TCM 121  
S TCH 122

TITLE  
TEMP-CEILING MIDDLE  
TEMP-CEILING WEST


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS1B

SEAT TST-OCT 1980 PLOT NO 18 - 1

REFERENCE TIME 09 51 40.000



MEAS. NUMBER CHANNEL ASGN.  
3 TRC 123  
8 TAG 124

TITLE  
TEMP-ANIMAL CAGE  
TEMP-AIR OUT

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID MASIB

SEAT TST-OCT 1980 PLOT NO 19

- 1

REFERENCE TIME 09 51 40.000



MEAS. NUMBER  
S DPC


CHANNEL ASGN.  
098

TITLE  
CABIN DELTA PRESSURE

RANGE  
-250 TO 250

UNITS GRID-SYM  
MM H2O MM

TEST ID NAS1B      SEAT TST-OCT 1980 PLOT NO 20 - I      REFERENCE TIME 09 51 40.000



MEAS. NUMBER      CHANNEL ASGN.  
S TLC            125  
S WL            149

TITLE  
TEMP-LOAD CELL  
WEIGHT LOSS


RANGE  
0 TO 200  
0.0 TO 10.0

UNITS      GRID-SYM  
DEG C      AA  
KG      BA

TEST ID NAS2B

SEAT TST-OCT 1980 PLOT NO 1 - 1

REFERENCE TIME 14 08 03.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
FE1	160	PHOTOMETER-EAST TOP	0 TO 100	PCT	AA
PE2	161	PHOTOMETER-EAST MIDDLE	0 TO 100	PCT	AB
PE3	162	PHOTOMETER-EAST BOTTOM	0 TO 100	PCT	AC

TEST ID NAS2B

SEAT TST-OCT 1980 PLOT NO 2

- 1

REFERENCE TIME 14 08 03.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
PR1	163	PHOTOMETER-MIDDLE TOP	0 TO 100	PCT	AA
PR2	164	PHOTOMETER-MIDDLE MIDDLE	0 TO 100	PCT	AB
PR3	165	PHOTOMETER-MIDDLE BOTTOM	0 TO 100	PCT	AC

TEST ID NAS2B

SEAT TST-OCT 1980 PLOT NO 3 - 1

REFERENCE TIME 14 08 03.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
PW1	166	PHOTOMETER-WEST TOP	0 TO 100	PCT	AA
PW2	167	PHOTOMETER-WEST MIDDLE	0 TO 100	PCT	AB
PW3	168	PHOTOMETER-WEST BOTTOM	0 TO 100	PCT	AC

TEST ID NAS2B

SEAT TST-OCT 1980 PLOT NO 3

- 2

REFERENCE TIME 14 08 03.000



MEAS. NUMBER	CHANNEL ASGN.
PW1	166
PW2	167
PW3	168

TITLE
PHOTOMETER-WEST TOP
PHOTOMETER-WEST MIDDLE
PHOTOMETER-WEST BOTTOM



RANGE
0 TO 100
0 TO 100
0 TO 100

UNITS	GRID-SYM
PCT	AA
PCT	AB
PCT	AC

TEST ID NAS2B

SEAT TST-OCT 1980 PLOT NO 4 - I

REFERENCE TIME 14 08 03.000



MEAS. NUMBER CHANNEL ASGN.  
CHXE 085  
COE 084

TITLE  
METHANE EXHAUST  
CARBON MONOXIDE EXHAUST

RANGE  
0.0 TO 25.0  
0.0 TO 25.0


UNITS GRID-SYM  
PCT AA  
PCT BA

TEST ID NAS2B

SEAT TST-OCT 1980 PLOT NO 5

- 1

REFERENCE TIME 14 08 03.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
CO2E	090	CARBON DIOXIDE EXHAUST	0.0 TO 25.0	FCT	AA
O2E	094	OXYGEN EXHAUST	0.0 TO 23.0	FCT	BA

TEST ID NAS2B

SEAT TST-OCT 1980 PLOT NO 6

- 1

REFERENCE TIME 14 08 03.000



MEAS. NUMBER CHANNEL ASGN.  
S CU 150  
S CL 151

TITLE  
CALORIMETER UPPER  
CALORIMETER LOWER

RANGE  
0.0 TO 18.0  
0.0 TO 18.0


UNITS GRID-SYM  
WATT/CM<sup>2</sup> AA  
WATT/CM<sup>2</sup> BA

TEST ID NAS2B

SEAT TST-OCT 1980 PLOT NO 7

- 1

REFERENCE TIME 14 08 03.000



MEAS. NUMBER CHANNEL ASGN.  
S TSL1 101  
S TSL2 102

TITLE  
TEMP-SEAT LEFT FRONT  
TEMP-SEAT LEFT MIDDLE

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS2B

SEAT TST-OCT 1980 PLOT NO 8

- 1

REFERENCE TIME 14 08 03.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
1 TSL3	103	TEMP-SEAT LEFT REAR	0 TO 1000	DEG C	AA
2 TSC1	104	TEMP-SEAT CENTER FRONT	0 TO 1000	DEG C	AB

TEST ID NAS28

SEAT TST-OCT 1980 PLOT NO 2

- 1

REFERENCE TIME 14 08 03.000



MEAS. NUMBER CHANNEL ASGN.  
S TSC2 105  
S TSC3 106

TITLE  
TEMP-SEAT CENTER MIDDLE  
TEMP-SEAT CENTER REAR


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS2B

SEAV TST-OCT 1980 PLOT NO 10 - 1

REFERENCE TIME 14 08 03.000



MEAS. NUMBER CHANNEL ASGN.  
S TSR1 107  
S TSR2 108

TITLE  
TEMP-SEAT RIGHT FRONT  
TEMP-SEAT RIGHT MIDDLE


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS2B

SEAT TST-OCT 1980 PLOT NO 11 - 1

REFERENCE TIME 14 08 03.000



MEAS. NUMBER CHANNEL ASGN.  
S TSR3 109  
S TBL1 110

TITLE  
TEMP-SEAT RIGHT REAR  
TEMP-BACK LEFT BOTTOM


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS2B

SEAT TST-OCT 1980 PLOT NO 12 - 1

REFERENCE TIME 14 08 03.000



MEAS. NUMBER CHANNEL ASGN.  
S TBL2 111  
S TBL3 112

TITLE  
TEMP-BACK LEFT MIDDLE  
TEMP-BACK LEFT TOP


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS2B

SEAT TST-OCT 1980 PLOT NO 13

REFERENCE TIME 14 08 03.000



MEAS. NUMBER CHANNEL ASGN.  
S TBC1 113  
S TBC2 114

TITLE  
TEMP-JACK CENTER BOTTOM  
TEMP-BACK CENTER MIDDLE


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS2B

SEAT TST-OCT 1980 PLOT NO 14 - 1

REFERENCE TIME 14 08 03.000



MEAS. NUMBER CHANNEL ASGN.  
S TBC3 115  
S TBRI 116

TITLE  
TEMP-BACK CENTER TOP  
TEMP-BACK RIGHT BOTTOM

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS2B

SEAT TST-OCT 1980 PLOT NO 15

- 1

REFERENCE TIME 14 08 03.000



MEAS. NUMBER CHANNEL ASGM.  
S TBR2 117  
S TBR3 118

TITLE  
TEMP-BACK RIGHT MIDDLE  
TEMP-BACK RIGHT TOP


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS28

SEAT TST-OCT 1980 PLOT NO 16 - 1

REFERENCE TIME 14 08 03.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
1 TCL	119	TEMP-CEILING LEFT	0 TO 1000	DEG C	AA
2 TCR	120	TEMP-CEILING RIGHT	0 TO 1000	DEG C	AB

TEST ID NAS28

SEAT TST-OCT 1980 PLOT NO 17 - 1

REFERENCE TIME 14 08 03.000



MEAS. NUMBER CHANNEL ASGN.  
8 TCM 121  
8 TCM 122

TITLE  
TEMP-CEILING MIDDLE  
TEMP-CEILING WEST


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS28

SEAT TST-OCT 1980 PLOT NO 18 - 1

REFERENCE TIME 14 08 03.000



MEAS. NUMBER CHANNEL ASGN.  
S TRC 123  
S TAO 124

TITLE  
TEMP-ANIMAL CAGE  
TEMP-AIR OUT


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AB  
DEG C AB

TEST ID NAS2B

SEAT TST-OCT 1980 PLOT NO 19 - 1

REFERENCE TIME 14 08 03.000



MEAS. NUMBER CHANNEL ASGN.  
8 DPC 098

TITLE  
CABIN DELTA PRESSURE



RANGE  
-250 TO 250

UNITS GRID-SYM  
MM H<sub>2</sub>O AA

TEST ID NAS2B

SEAT TST-OCT 1980 PLOT NO 20 - 1

REFERENCE TIME 14 08 03.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
S TLC	125	TEMP-LOAD CELL	0 TO 200	DEG C	AA
S WL	149	WEIGHT LOSS	0.0 TO 10.0	KG	BA

TEST ID NASSB

SEAT TST-OCT 1980 PLOT NO 1 - 1

REFERENCE TIME 14 23 31.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
PE1	160	PHOTOMETER-EAST TOP	0 TO 100	PCT	AA
PE2	161	PHOTOMETER-EAST MIDDLE	0 TO 100	PCT	AB
PE3	162	PHOTOMETER-EAST BOTTOM	0 TO 100	PCT	AC

TEST ID NASA

SEAT TST-OCT 1980 PLOT NO 2

- 1

REFERENCE TIME 14 23 31.000



MEAS. NUMBER	CHANNEL ASGN.
PR1	163
PR2	164
PR3	165

TITLE
PHOTOMETER-MIDDLE TOP
PHOTOMETER-MIDDLE MIDDLE
PHOTOMETER-MIDDLE BOTTOM

RANGE
0 TO 100
0 TO 100
0 TO 100


UNITS	GRID-SYM
PCT	AA
PCT	AB
PCT	AC

TEST ID NAS38

SEAT TST-OCT 1980 PLOT NO 3

- 1

REFERENCE TIME 14 23 31.000





MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
PW1	166	PHOTOMETER-WEST TOP	0 TO 100	PCT	AA
PW2	167	PHOTOMETER-WEST MIDDLE	0 TO 100	PCT	AB
PW3	168	PHOTOMETER-WEST BOTTOM	0 TO 100	PCT	AC

TEST ID NAS3B

SEAT TST-OCT 1980 PLOT NO 4 - 1

REFERENCE TIME 14 23 31.000



MEAS. NUMBER CHANNEL ASGN.  
CHXE 085  
COE 084

TITLE  
METHANE EXHAUST  
CARBON MONOXIDE EXHAUST

RANGE  
0.0 TO 25.0  
0.0 TO 25.0


UNITS GRID-SYM  
PCT AA  
PCT BA

TEST ID NAS38

SEAT TST-OCT 1980 PLOT NO 5

- 1

REFERENCE TIME 14 23 31.000



MEAS. NUMBER CHANNEL ASGN.  
CO2E 090  
O2E 094

TITLE  
CARBON DIOXIDE EXHAUST  
OXYGEN EXHAUST

RANGE  
0.0 TO 25.0  
0.0 TO 25.0



UNITS GRID-SYM  
PCT AA  
PCT BA

TEST ID NAS3B

SEAT TST-OCT 1980 PLOT NO 6

- 1

REFERENCE TIME 14 23 31.000



MEAS. NUMBER	CHANNEL ASGN.
s CU	150
s CL	151

TITLE
CALORIMETER UPPER
CALORIMETER LOWER

RANGE
0.0 TO 18.0
0.0 TO 18.0


UNITS GRID-SYM
WATT/CM <sup>2</sup> AA
WATT/CM <sup>2</sup> BA

TEST ID NAS3B

SEAT TST-OCT 1980 PLOT NO 7

- 1

REFERENCE TIME 14 23 31.000



MEAS. NUMBER CHANNEL ASGM.  
S TSL1 101  
S TSL2 102

TITLE  
TEMP-SEAT LEFT FRONT  
TEMP-SEAT LEFT MIDDLE


RANGE  
0 TO 1000  
0 TO 1000

UNITS DEG C GRID-SYM AA AB

TEST ID NAS3B

SEAT TST-OCT 1980 PLOT NO 8 - 1

REFERENCE TIME 14 23 31.000



MEAS. NUMBER CHANNEL ASGN.  
8 TSL3 103  
8 TSC1 104

TITLE  
TEMP-SEAT LEFT REAR  
TEMP-SEAT CENTER FRONT

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS38

SEAT TST-OCT 1980 PLOT NO 9

- 1

REFERENCE TIME 14 23 31.000



MEAS. NUMBER	CHANNEL ASGN.
\$ TSC2	105
\$ TSC3	106

TITLE
TEMP-SEAT CENTER MIDDLE
TEMP-SEAT CENTER REAR


RANGE
0 TO 1000
0 TO 1000

UNITS	GRID-SYM
DEG C	AB
DEG C	AB

TEST ID NAS3B

SEAT TST-OCT 1980 PLOT NO 10 - 1

REFERENCE TIME 14 23 31.000



MEAS. NUMBER CHANNEL ASGN.  
S TSR1 107  
S TSR2 108

TITLE  
TEMP-SEAT RIGHT FRONT  
TEMP-SEAT RIGHT MIDDLE


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS3B

SEAT TST-OCT 1980 PLOT NO 11 - 1

REFERENCE TIME 14 23 31.000



MEAS. NUMBER CHANNEL ASGN.  
S TSR3 109  
S TBL1 110

TITLE  
TEMP-SEAT RIGHT REAR  
TEMP-BACK LEFT BOTTOM


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS38

SEAT TST-OCT 1980 PLOT NO 12 - 1

REFERENCE TIME 14 23 31.000



MEAS. NUMBER CHANNEL ASGN.  
S TBL2 111  
S TBL3 112

TITLE  
TEMP-BACK LEFT MIDDLE  
TEMP-BACK LEFT TOP

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS3B

SEAT TST-OCT 1980 PLOT NO 13

- 1

REFERENCE TIME 14 23 31.000



MEAS. NUMBER CHANNEL ASGN.  
S TBC1 113  
S TBC2 114

TITLE  
TEMP-BACK CENTER BOTTOM  
TEMP-BACK CENTER MIDDLE


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS3B

SEAT TST-OCT 1950 PLOT #3 14 - 1

REFERENCE TIME 14 23 31.000



MEAS. NUMBER CHANNEL ASGN.  
S TBC3 115  
S TBR1 116

TITLE  
TEMP-BACK CENTER TOP  
TEMP-BACK RIGHT BOTTOM

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS38

## SEAT TST-OCT 1980 PLOT NO 15

- 1

REFERENCE TIME 14 23 31.000



MEAS. NUMBER CHANNEL ASGN.  
S TBR2 117  
S TBR3 118

TITLE  
TEMP-BACK RIGHT MIDDLE  
TEMP-BACK RIGHT TOP

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS3B

SEAT TST-OCT 1980 PLOT NO 16

- 1

REFERENCE TIME 14 23 31.000



MEAS. NUMBER CHANNEL ASGN.  
S TCL 119  
S TCR 120

TITLE  
TEMP-CEILING LEFT  
TEMP-CEILING RIGHT


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AB  
DEG C AB

TEST ID HAS1B

SEAT TST-OCT 1980 PLOT NO 17 - 1

REFERENCE TIME 14 23 31.000



MEAS. NUMBER CHANNEL ASGN.  
s TCM 121  
s TCV 122

TITLE  
TEMP-CEILING MIDDLE  
TEMP-CEILING WEST

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS3B

SEAT TST-OCT 1980 PLOT NO 18

- 1

REFERENCE TIME 14 23 31.000



MEAS. NUMBER CHANNEL ASGN.  
S TRC 123  
S TAG 124

TITLE  
TEMP-ANIMAL CAGE  
TEMP-AIR OUT


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS3B

SEAT TST-OCT 1980 PLOT NO 19 - 1


REFERENCE TIME 14 23 31.000

MEAS. NUMBER  
S DPCCHANNEL ASGN.  
098TITLE  
CABIN DELTA PRESSURERANGE  
-250 TO 250UNITS GRID-SYM  
MM H2O AA

TEST ID NAS3B

SEAT TST-OCT 1980 PLOT NO 20 - 1

REFERENCE TIME 14 23 31.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
S TLC	125	TEMP-LOAD CELL	0 TO 20°	DEG C	AA
S WL	149	WEIGHT LOSS	0.0 TO 10.0	KG	BA

TEST ID NAS4B

SEAT TST-OCT 1980 PLOT NO 1 - 1

REFERENCE TIME 13 51 05.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
PE1	160	PHOTOMETER-EAST TOP	0 TO 100	PCT	AA
PE2	161	PHOTOMETER-EAST MIDDLE	0 TO 100	PCT	AB
PE3	162	PHOTOMETER-EAST BOTTOM	0 TO 100	PCT	AC

TEST ID NAS48

SEAT TST-OCT 1980 PLOT NO 2

- 1

REFERENCE TIME 13 51 05.000



MEAS. NUMBER	CHANNEL ASGN.
PM1	163
PM2	164
PM3	165

TITLE
PHOTOMETER-MIDDLE TOP
PHOTOMETER-MIDDLE MIDDLE
PHOTOMETER-MIDDLE BOTTOM


RANGE
0 TO 100
0 TO 100
0 TO 100

UNITS	GRID-SYM
PCT	AA
PCT	AB
PCT	AC

TEST ID NASA8

SEAT TST-OCT 1980 PLOT NO 3 - 1

REFERENCE TIME 13 51 05.000



MEAS. NUMBER	CHANNEL ASGN.
PW1	166
PW2	167
PW3	168

TITLE
PHOTOMETER-WEST TOP
PHOTOMETER-WEST MIDDLE
PHOTOMETER-WEST BOTTOM


RANGE
0 TO 100
0 TO 100
0 TO 100

UNITS	GRID-SYM
PCT	AA
PCT	AB
PCT	AC

TEST ID NASMB

SEAT TST-OCT 1980 PLOT NO 4 - 1

REFERENCE TIME 13 51 05.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
CH4E	085	METHANE EXHAUST	0.0 TO 25.0	PCT	AA
COE	084	CARBON MONOXIDE EXHAUST	0.0 TO 25.0	PCT	BA

TEST ID NAS48

SEAT TST-OCT 1980 PLOT NO 5

- 1

REFERENCE TIME 13 51 05.000



MEAS. NUMBER CHANNEL ASGN.  
CO2E 090  
O2E 094

TITLE  
CARBON DIOXIDE EXHAUST  
OXYGEN EXHAUST

RANGE  
0.0 TO 25.0  
0.0 TO 25.0



UNITS GRID-SYM  
PCT AA  
PCT BA

TEST ID NAS4B

SEAT TST-OCT 1980 PLOT NO 6

- 1

REFERENCE TIME 13 51 05.000



MEAS. NUMBER	CHANNEL ASGN.
s CU	150
s CL	151

TITLE
CALORIMETER UPPER
CALORIMETER LOWER

RANGE
0.0 TO 18.0
0.0 TO 18.0


UNITS GRID-SYM
WATT/CM <sup>2</sup> AA
WATT/CM <sup>2</sup> BA

TEST ID NAS4B

SEAT TST-OCT 1980 PLOT NO 7

- 1

REFERENCE TIME 13 51 05.000



MEAS. NUMBER	CHANNEL ASGN.
\$ TSL1	101
\$ TSL2	102

TITLE
TEMP-SEAT LEFT FRONT
TEMP-SEAT LEFT MIDDLE

RANGE
0 TO 1000
0 TO 1000


UNITS	GRID-SYM
DEG C	AA
DEG C	AB

TEST ID NAS4B

SEAT TST-OCT 1980 PLOT NO 8

- 1

REFERENCE TIME 13 51 05.000



MEAS. NUMBER CHANNEL ASGN.  
S TSL3 103  
S TSC1 104

TITLE  
TEMP-SEAT LEFT REAR  
TEMP-SEAT CENTER FRONT

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS4B

SEAT TST-OCT 1980 PLOT NO 9

- 1

REFERENCE TIME 13 51 05.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
1 TSC2	105	TEMP-SEAT CENTER MIDDLE	0 TO 1000	DEG C	AA
2 TSC3	106	TEMP-SEAT CENTER REAR	0 TO 1000	DEG C	AB

TEST ID NAS48

SEAT TST-OCT 1986 PLOT NO 10 - 1

REFERENCE TIME 13 51 05.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
8 TSR1	107	TEMP-SEAT RIGHT FRONT	0 TO 1000	DEG C	AA
8 TSR2	108	TEMP-SEAT RIGHT MIDDLE	0 TO 1000	DEG C	AB

TEST ID NASH6

SEAT TST-OCT 1980 PLOT NO 11 - 1

REFERENCE TIME 13 51 05.000



MEAS. NUMBER CHANNEL ASGN.  
S TSR3 109  
S TBL1 110

TITLE  
TEMP-SEAT RIGHT REAR  
TEMP-BACK LEFT BOTTOM


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS4B

SEAT TST-OCT 1980 PLCT NO 12 - 1

REFERENCE TIME 13 31 05.000



MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE
S TBL2	111	TEMP-BACK LEFT MIDDLE	0 TO 1000
S TBL3	112	TEMP-BACK LEFT TOP	0 TO 1000


UNITS	GRID-SYM
DEG C	AA
DEG C	AB

TEST ID NAS48

SEAT TST-OCT 1980 PLOT NO 13

- 1

REFERENCE TIME 13 51 05.000



MEAS. NUMBER CHANNEL ASGN.  
S TBC1 113  
S TBC2 114

TITLE  
TEMP-BACK CENTER BOTTOM  
TEMP-BACK CENTER MIDDLE


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS4B

SEAT TST-OCT 1980 PLOT NO 14 - 1

REFERENCE TIME 13 51 05.000




MEAS. NUMBER CHANNEL ASGN.  
S TBC3 115  
S TBRI 116

TITLE  
TEMP-BACK CENTER TOP  
TEMP-BACK RIGHT BOTTOM

RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS4B SEAT TST-OCT 1980 PLOT NO 15 - 1 REFERENCE TIME 13 51 05.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
\$ TBR2	117	TEMP-BACK RIGHT MIDDLE	0 TO 1000	DEG C	AA
\$ TBR3	118	TEMP-BACK RIGHT TOP	0 TO 1000	DEG C	AB

TEST ID NAS4B

SEAT TST-OCT 1980 PLOT NO 16 - 1

REFERENCE TIME 13 51 05.000



MEAS. NUMBER CHANNEL ASGN.  
S TCL 119  
S TCR 120

TITLE  
TEMP-CEILING LEFT  
TEMP-CEILING RIGHT


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS4B

SEAT TST-OCT 1980 PLOT NO 17 - 1

REFERENCE TIME 13 51 05.000



MEAS. NUMBER CHANNEL ASGN.  
s TCM 121  
s TCM 122

TITLE  
TEMP-CEILING MIDDLE  
TEMP-CEILING WEST


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS48

SEAT TST-OCT 1980 PLOT NO 18 - 1

REFERENCE TIME 13 51 05.000



MEAS. NUMBER CHANNEL ASGN.  
S TRC 123  
A TAQ 124

TITLE  
TEMP-ANIMAL CAGE  
TEMP-AIR OUT

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS4B

SEAT TST-OCT 1980 PLOT NO 19

- 1

REFERENCE TIME 13 51 05.000



MEAS. NUMBER CHANNEL ASGN.  
8 DPC 098

TITLE  
CABIN DELTA PRESSURE

RANGE  
-250 TO 250


UNITS GRID-SYM  
MM H2O AB

TEST ID NAS48

SEAT TST-OCT 1980 PLOT NO 20

- 1

REFERENCE TIME 13 51 05.000



MEAS. NUMBER CHANNEL ASGN.  
S TLC 125  
S ML 149

TITLE  
TEMP-LOAD CELL  
WEIGHT LOSS


RANGE  
0 TO 200  
0.0 TO 10.0

UNITS GRID-SYM  
DEG C AA  
KG BA

TEST ID NAS98

SEAT TST-OCT 1990 PLOT NO 1 - 1

REFERENCE TIME 16 44 19.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
PE1	160	PHOTOMETER-EAST TOP	0 TO 100	PCT	AB
PE2	161	PHOTOMETER-EAST MIDDLE	0 TO 100	PCT	AB
PE3	162	PHOTOMETER-EAST BOTTOM	0 TO 100	PCT	AC

TEST ID NASSB

SEAT TST-OCT 1980 PLOT NO 2

- 1

REFERENCE TIME 16 44 19.000



MEAS. NUMBER CHANNEL ASGN.

PM1 163  
PM2 164  
PM3 165

TITLE  
PHOTOMETER-MIDDLE TOP  
PHOTOMETER-MIDDLE MIDDLE  
PHOTOMETER-MIDDLE BOTTOM


RANGE  
0 TO 100  
0 TO 100  
0 TO 100

UNITS GRID-SYM  
PCT AA  
PCT AB  
PCT AC

TEST ID NASSB

SEAT TST-OCT 1980 PLOT NO 3 - 1

REFERENCE TIME 16 44 19.000





MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
PM1	166	PHOTOMETER-WEST TOP	0 TO 100	PCT	AA
PM2	167	PHOTOMETER-WEST MIDDLE	0 TO 100	PCT	AB
PM3	168	PHOTOMETER-WEST BOTTOM	0 TO 100	PCT	AC

TEST ID NASSB

SEAT TST-OCT 1980 PLOT NO 4 - 1

REFERENCE TIME 16 44 19.000




MEAS. NUMBER CHANNEL ASGN.  
CHXE 085  
COE 084

TITLE  
METHANE EXHAUST  
CARBON MONOXIDE EXHAUST

RANGE  
0.0 TO 25.0  
0.0 TO 25.0

UNITS GRID-SYM  
PCT AA  
PCT BA




TEST ID NAS58

SEAT TST-OCT 1980 PLOT NO 6

- 1

REFERENCE TIME 16 44 19.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
5 CU	150	CALORIMETER UPPER	0.0 TO 18.0	WATT/CM <sup>2</sup>	AA
5 CL	151	CALORIMETER LOWER	0.0 TO 18.0	WATT/CM <sup>2</sup>	BA

TEST ID NAS58

SEAT TST-OCT 1980 PLOT NO 7

- 1

REFERENCE TIME 16 44 19.000



MEAS. NUMBER CHANNEL ASGN.  
\$ TSL1 101  
\$ TSL2 102

TITLE  
TEMP-SEAT LEFT FRONT  
TEMP-SEAT LEFT MIDDLE

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASSB

SEAT TST-OCT 1980 PLOT NO 8

- 1

REFERENCE TIME 16 44 19.000



MEAS. NUMBER CHANNEL ASGN.  
\$ TSL3 103  
\$ TSC1 104

TITLE  
TEMP-SEAT LEFT REAR  
TEMP-SEAT CENTER FRONT

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS5B

SEAT TST-OCT 1980 PLOT NO 9

- 1

REFERENCE TIME 16 44 19.000



MEAS. NUMBER CHANNEL ASGN.  
8 TSC2 105  
8 TSC3 106

TITLE  
TEMP-SEAT CENTER MIDDLE  
TEMP-SEAT CENTER REAR


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS5B

SEAT TST-OCT 1980 PLOT NO 10 - 1

REFERENCE TIME 16 44 19.000



MEAS. NUMBER CHANNEL ASGN.  
S TSR1 107  
S TSR2 108

TITLE  
TEMP-SEAT RIGHT FRONT  
TEMP-SEAT RIGHT MIDDLE


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASSB

SEAT TST-OCT 1980 PLOT NO 11 - 1

REFERENCE TIME 16 44 19.000



MEAS. NUMBER CHANNEL ASGN.  
S TSR3 109  
S TBL1 110

TITLE  
TEMP-SEAT RIGHT REAR  
TEMP-BACK LEFT BOTTOM


RANGE  
0 TO 1000  
0 TO 1000

UNITS DEG C GRID-SYM  
DEG C AB  
DEG C AB

TEST ID NASSB

SEAT TST-OCT 1980 PLOT NO 12 - 1

REFERENCE TIME 16 44 19.000




MEAS. NUMBER CHANNEL ASGN.  
S TBL2 111  
S TBL3 112

TITLE  
TEMP-BACK LEFT MIDDLE  
TEMP-BACK LEFT TOP

RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASS8 SEAT TST-OCT 1980 PLOT NO 13 - 1 REFERENCE TIME 16 44 19.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
S TBC1	113	TEMP-BACK CENTER BOTTOM	0 TO 1000	DEG C	AA
S TBC2	114	TEMP-BACK CENTER MIDDLE	0 TO 1000	DEG C	AB

TEST ID NAS5B

SEAT TST-OCT 1980 PLCT NO 14 - 1

REFERENCE TIME 16 44 19.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
S TBC3	115	TEMP-BACK CENTER TOP	0 TO 1000	DEG C	AA
S TBRI	116	TEMP-BACK RIGHT BOTTOM	0 TO 1000	DEG C	AB

TEST ID NAS5B

SEAT TST-OCT 1980 PLOT NO 15 - 1

REFERENCE TIME 16 44 19.000



MEAS. NUMBER CHANNEL ASGN.  
S TBR2 117  
S TBR3 118

TITLE  
TEMP-BACK RIGHT MIDDLE  
TEMP-BACK RIGHT TOP


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AB  
DEG C AB

TEST ID NASSB

SEAT TST-OCT 1980 PLOT NO 16 - 1

REFERENCE TIME 16 44 19.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
8 TCL	119	TEMP-CEILING LEFT	0 TO 1000	DEG C	AA
8 TCR	120	TEMP-CEILING RIGHT	0 TO 1000	DEG C	AB

TEST ID NASSB

SEAT TST-OCT 1980 PLOT NO 17

REFERENCE TIME 16 44 19.000



MEAS. NUMBER CHANNEL ASGN.  
S TCM 121  
S TCM 122

TITLE  
TEMP-CEILING MIDDLE  
TEMP-CEILING WEST


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AB  
DEG C AB

TEST ID NASSB

SEAT TST-OCT 1980 PLOT NO 18 - 1

REFERENCE TIME 16 44 19.000





MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
8 TRC	123	TEMP-ANIMAL CAGE	0 TO 1000	DEG C	AA
8 TAO	124	TEMP-AIR OUT	0 TO 1000	DEG C	AB

TEST ID NASSB

SEAT TST-OCT 1980 PLOT NO 19 - 1

REFERENCE TIME 16 44 19.000

MEAS. NUMBER CHANNEL ASGN.  
S DPC 098TITLE  
CABIN DELTA PRESSURERANGE  
-250 TO 250UNITS GRID-SYM  
MM H<sub>2</sub>O AA




TEST ID NAS6B

SEAT TST-OCT 1980 PLOT NO 1

- 1

REFERENCE TIME 10 22 04.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
PE1	160	PHOTOMETER-EAST TOP	0 TO 100	PCT	AB
PE2	161	PHOTOMETER-EAST MIDDLE	0 TO 100	PCT	AB
PE3	162	PHOTOMETER-EAST BOTTOM	0 TO 100	PCT	AC

TEST ID NAS6B

SEAT TST-OCT 1980 PLOT NO 2 - 1

REFERENCE TIME 10 22 04.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
PR1	163	PHOTOMETER-MIDDLE TOP	0 TO 100	PCT	AA
PR2	164	PHOTOMETER-MIDDLE MIDDLE	0 TO 100	PCT	AB
PR3	165	PHOTOMETER-MIDDLE BOTTOM	0 TO 100	PCT	AC

TEST ID NAS6B

SEAT TST-OCT 1980 PLOT NO 3 - 1

REFERENCE TIME 10 22 04.000



MEAS. NUMBER	CHANNEL ASGN.
PM1	166
PM2	167
PM3	168

TITLE
PHOTOMETER-WEST TOP
PHOTOMETER-WEST MIDDLE
PHOTOMETER-WEST BOTTOM



RANGE
0 TO 100
0 TO 100
0 TO 100

UNITS	GRID-SYM
PCT	AA
PCT	AB
PCT	AC

TEST ID NAS6B

SEAT TST-OCT 1980 PLOT NO 4 - 1

REFERENCE TIME 10 22 04.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
CHIE	085	METHANE EXHAUST	0.0 TO 25.0	PCT	AA
COE	084	CARBON MONOXIDE EXHAUST	0.0 TO 25.0	PCT	BA

TEST ID NASAB

SEAT TST-OCT 1980 PLOT NO 5

- 1

REFERENCE TIME 10 22 04.000



MEAS. NUMBER CHANNEL ASGN.  
CO2E 090  
O2E 094

TITLE  
CARBON DIOXIDE EXHAUST  
OXYGEN EXHAUST

RANGE  
0.0 TO 25.0  
0.0 TO 25.0



UNITS GRID-SYM  
PCT AA  
PCT BA

TEST ID NAS6B

SEAT TST-OCT 1980 PLOT NO 6

- 1

REFERENCE TIME 10 22 04.000


MEAS. NUMBER  
s CUCHANNEL ASGN.  
150  
151TITLE  
CALORIMETER UPPER  
CALORIMETER LOWERRANGE  
0.0 TO 18.0  
0.0 TO 18.0UNITS GRID-SYM  
WATT/CM<sup>2</sup> AA  
WATT/CM<sup>2</sup> BA

TEST ID NAS6B

SEAT TST-OCT 1980 PLOT NO 7

- 1

REFERENCE TIME 10 22 04.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
S TSL1	101	TEMP-SEAT LEFT FRONT	0 TO 1000	DEG C	AA
S TSL2	102	TEMP-SEAT LEFT MIDDLE	0 TO 1000	DEG C	AB

TEST ID NAS6B

SEAT TST-OCT 1980 PLOT NO 8

- 1

REFERENCE TIME 10 22 04.000



MEAS. NUMBER CHANNEL ASGN.  
s TSL3 103  
s TSC1 104

TITLE  
TEMP-SEAT LEFT REAR  
TEMP-SEAT CENTER FRONT

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AB  
DEG C AB

TEST ID NAS6B

SEAT TST-OCT 1980 PLOT NO 9

- 1

REFERENCE TIME 10 22 04.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
s TSC2	105	TEMP-SEAT CENTER MIDDLE	0 TO 1000	DEG C	AA
s TSC3	106	TEMP-SEAT CENTER REAR	0 TO 1000	DEG C	AB

TEST ID NAS6B

SEAT TST-OCT 1980 PLOT NO 10 - 1

REFERENCE TIME 10 22 04.000



MEAS. NUMBER CHANNEL ASGN.  
# TSR1 107  
# TSR2 108

TITLE  
TEMP-SEAT RIGHT FRONT  
TEMP-SEAT RIGHT MIDDLE


RANGE  
0 TO 1000  
0 TO 1000

UNITS DEG C GRID-SYM AA  
DEG C AB

TEST ID NAS6B

SEAT TST-OCT 1980 PLOT NO 11 - 1

REFERENCE TIME 10 22 04.000



MEAS. NUMBER CHANNEL ASGN.  
S TSR3 109  
S TBL1 110

TITLE  
TEMP-SEAT RIGHT REAR  
TEMP-BACK LEFT BOTTOM

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AB  
DEG C AB

TEST ID NAS6B

SEAT TST-OCT 1980 PLOT NO 12

- 1

REFERENCE TIME 10 22 04.000



MEAS. NUMBER CHANNEL ASGN.  
S TBL2 111  
S TBL3 112

TITLE  
TEMP-BACK LEFT MIDDLE  
TEMP-BACK LEFT TOP

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AB  
DEG C AB

TEST ID NAS68

SEAT TST-OCT 1980 PLOT NG 13

- 1

REFERENCE TIME 10 22 04.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
s TBC1	113	TEMP-BACK CENTER BOTTOM	0 TO 1000	DEG C	AA
s TBC2	114	TEMP-BACK CENTER MIDDLE	0 TO 1000	DEG C	AB

TEST ID NAS68

SEAT TST-OCT 1980 PLOT NO 14 - 1

REFERENCE TIME 10 22 04.000



MEAS. NUMBER CHANNEL ASGN.  
S TBC1 115  
D TBR1 116

TITLE  
TEMP-BACK CENTER TOP  
TEMP-BACK RIGHT BOTTOM


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA8

SEAT TST-OCT 1980 PLOT NO 15 - 1

REFERENCE TIME 10 22 04.000




MEAS. NUMBER CHANNEL ASGN.  
S TBR2 117  
S TBR3 118

TITLE  
TEMP-BACK RIGHT MIDDLE  
TEMP-BACK RIGHT TOP

RANGE  
0 TO 1003  
0 TO 1000

UNITS DEG C GRID-SYM  
DEG C AA  
DEG C AB



MEAS. NUMBER CHANNEL ASGN.

S TCL 119

S TCR 120

TITLE

TEMP-CEILING LEFT

TEMP-CEILING RIGHT

RANGE

0 TO 1000

0 TO 1000

UNITS GRID-SYM


DEG C AB

DEG C AB

TEST ID NAS6B

SEAT TST-OCT 1980 PLOT NO 17 - 1

REFERENCE TIME 10 22 04.000



MEAS. NUMBER CHANNEL ASGN.  
S TCR 121  
S TCM 122

TITLE  
TEMP-CEILING MIDDLE  
TEMP-CEILING WEST


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS68

SEAT TST-OCT 1980 PLOT NO 18 - 1

REFERENCE TIME 10 22 04.000



MEAS. NUMBER CHANNEL ASGN.  
s TRC 123  
s TAG 124

TITLE  
TEMP-ANIMAL CAGE  
TEMP-AIR OUT


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS6B

SEAT TST-OCT 1980 PLOT NO 19 - 1

REFERENCE TIME 10 22 04.000



MEAS. NUMBER CHANNEL ASGN.  
8 DPC 098

TITLE  
CABIN DELTA PRESSURE



RANGE  
-250 TO 250

UNITS GRID-SYM  
MM H2O AA

TEST ID NAS6B

SEAT TST-OCT 1980 PLOT NO 20 - 1

REFERENCE TIME 10 22 04.000




RELATIVE TIME IN SEC

MEAS. NUMBER	CHANNEL ASGN	TITLE	RANGE	UNITS	GRID-SYM
S TLC	125	TEMP-LOAD CELL	0 TO 200	DEG C	AA
S WL	149	WEIGHT LUSS	0.0 TO 10.0	KG	BA

TEST ID NAS7B

SEAT TST-OCT 1980 PLOT NO 1 - 1

REFERENCE TIME 10 43 50.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
P21	160	PHOTOMETER-EAST TOP	0 TO 100	PCT	AA
P22	161	PHOTOMETER-EAST MIDDLE	0 TO 100	PCT	AB
P23	162	PHOTOMETER-EAST BOTTOM	0 TO 100	PCT	AC

TEST ID NAS7B

SEAT TST-OCT 1980 PLOT NO 2 - 1

REFERENCE TIME 10 43 50.000



MEAS. NUMBER CHANNEL ASGN.  
PM1 163  
PM2 164  
PM3 165

TITLE  
PHOTOMETER-MIDDLE TOP  
PHOTOMETER-MIDDLE MIDDLE  
PHOTOMETER-MIDDLE BOTTOM

RANGE  
0 TO 100  
0 TO 100  
0 TO 100


UNITS GRID-SYM  
PCT AA  
PCT AB  
PCT AC

TEST ID NAS7B

SEAT TST-OCT 1980 PLOT NO 3

- 1

REFERENCE TIME 10 43 50.000





MEAS. NUMBER	CHANNEL NIGN.	TITLE	RANGE	UNITS	GRID-SYM
PM1	166	PHOTOMETER-WEST TOP	0 TO 100	PCT	AA
PM2	167	PHOTOMETER-WEST MIDDLE	0 TO 100	PCT	AB
PM3	168	PHOTOMETER-WEST BOTTOM	0 TO 100	PCT	AC

TEST ID NAS7B

SEAT TST-OCT 1980 PLOT NO 4 - 1

REFERENCE TIME 10 43 50.000



RELATIVE TIME IN SEC

MEAS. NUMBER CHANNEL ASGN.  
CHIE 085  
COE 084

TITLE  
METHANE EXHAUST  
CARBON MONOXIDE EXHAUST

RANGE  
0.0 TO 25.0  
0.0 TO 25.0


UNITS GRID-SYM  
PCT AA  
PCT BA

TEST ID NAS78

SEAT TST-OCT 1980 PLOT NO 5

- 1

REFERENCE TIME 10 43 50.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
CO2E	090	CARBON DIOXIDE EXHAUST	0.0 TO 25.0	PCT	AA
O2E	094	OXYGEN EXHAUST	0.0 TO 24.0	PCT	BA

TEST ID NAS7B

SEAT TST-OCT 1980 PLOT NO 3

- 1

REFERENCE TIME 10 43 50.000



MEAS. NUMBER CHANNEL ASGN.

b CU 150  
b CL 151

TITLE  
CALORIMETER UPPER  
CALORIMETER LOWER

RANGE  
0.0 TO 18.0  
0.0 TO 18.0


UNITS GRID-SYM  
WATT/CM2 RA  
WATT/CM2 RA

TEST ID NAS7B

SEAT TST-OCT 1980 PLOT NO 7

- 1

REFERENCE TIME 10 43 50.000



MEAS. NUMBER CHANNEL ASGN.  
S TSL1 101  
S TSL2 102

TITLE  
TEMP-SEAT LEFT FRONT  
TEMP-SEAT LEFT MIDDLE

RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB


C-4

TEST ID NAST8

## SEAT TST-OCT 1980 PLOT NO 8

- 1

REFERENCE TIME 10 43 50.000

D  
E  
G  
F

MEAS. NUMBER CHANNEL ASGN.  
S TSL3 103  
S TSC1 104

TITLE  
TEMP-SEAT LEFT REAR  
TEMP-SEAT CENTER FRONT

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AB  
DEG C AB

TEST ID MH-78

SEAT TST-OCT 1980 PLOT NO 9

- 1 -

REFERENCE TIME 10 43 50.000




MEAS. NUMBER CHANNEL ASGN.  
8 TSC2 105  
8 TSC3 106

TITLE  
TEMP-SEAT CENTER MIDDLE  
TEMP-SEAT CENTER REAR

RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS7B SEAT TST-OCT 1980 PLOT NO 10 - 1 REFERENCE TIME 10 43 50.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
S TSR1	107	TEMP-SEAT RIGHT FRONT	0 TO 1000	DEG C	AA
S TSR2	108	TEMP-SEAT RIGHT MIDDLE	0 TO 1000	DEG C	AB

TEST ID NAS7B

SEAT TST-OCT 1980 PLOT NO 11 - 1

REFERENCE TIME 10 43 50.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
5 TSR3	109	TEMP-SEAT RIGHT REAR	0 TO 1000	DEG C	AA
4 TBL1	110	TEMP-BACK LEFT BOTTOM	0 TO 1000	DEG C	AB

TEST ID NAS7B

SEAT TST-OCT 1986 PLOT NO 12 - 1

REFERENCE TIME 10 43 50.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
S TBL2	111	TEMP-BACK LEFT MIDDLE	0 TO 1000	DEG C	AA
S TBL3	112	TEMP-BACK LEFT TOP	0 TO 1000	DEG C	AB

TEST ID NAS78

SEAT TST-OCT 1980 PLOT NO 13

- 1

REFERENCE TIME 10 43 50.000



MEAS. NUMBER CHANNEL ASGN.  
S TBC1 113  
S TBC2 114

TITLE  
TEMP-BACK CENTER BOTTOM  
TEMP-BACK CENTER MIDDLE


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS78

SEAT TST-OCT 1980 PLOT NO 14 - 1

REFERENCE TIME 10 43 50.000




MEAS. NUMBER CHANNEL ASGN.  
S TBC3 115  
S TBRI 116

TITLE  
TEMP-BACK CENTER TOP  
TEMP-BACK RIGHT BOTTOM

RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS7B SEAT TST-OCT 1980 PLOT NO 15 - 1 REFERENCE TIME 10 #3 50.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
S TBR2	117	TEMP-BACK RIGHT MIDDLE	0 TO 1000	DEG C	AA
S TBR3	118	TEMP-BACK RIGHT TOP	0 TO 1000	DEG C	AB

TEST ID NAS7B

SEAT TST-OCT 1980 PLOT NO 16 - 1

REFERENCE TIME 10 43 50.000



MEAS. NUMBER CHANNEL ASGN.  
S TCL 119  
S TCR 120

TITLE  
TEMP-CEILING LEFT  
TEMP-CEILING RIGHT


RANGE  
0 TO 1000  
0 TO 1000

UNITS DEG C DEG C  
GRID-SYM AA AB

TEST ID NAS78

SEAT TST-NCT 1980 PLOT NO 17 - 1

REFERENCE TIME 10 43 50.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
s TCM	121	TEMP-CEILING MIDDLE	0 TO 1000	DEG C	AB
s TCM	122	TEMP-CEILING WEST	0 TO 1000	DEG C	AB

TEST ID NAS7B

SEAT TST-OCT 1980 PLOT NO 18 - 1

REFERENCE TIME 10 43 50.000



MEAS. NUMBER CHANNEL ALIGN.  
S TRC 123  
S TAO 124

TITLE  
TEMP-ANIMAL CAGE  
TEMP-AIR OUT


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG F AB  
DEG C AB

TEST ID N/57B

SEAT TST-OCT 1980 PLOT NO 19 - 1



REFERENCE TIME 10 43 50.000

MEAS. NUMBER  
S DPCCHANNEL ASGN.  
098TITLE  
CABIN DELTA PRESSURERANGE  
-250 TO 250UNITS GRID-SYM  
MM H<sub>2</sub>O AA

TEST ID NAS78

SEAT TST-OCT 1980 PLOT NO 20 - 1

REFERENCE TIME 10 43 50.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
S TLC	125	TEMP-LOAD CELL	0 TO 200	DEG C	AA
S WL	149	WEIGHT LOSS	0.0 TO 10.0	KG	BA

TEST ID NAS88

SEAT TST-OCT 1980 PLOT NO 1

- 1

REFERENCE TIME 13 10 08.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
PE1	160	PHOTOMETER-EAST TOP	0 TO 100	PCT	AA
PE2	161	PHOTOMETER-EAST MIDDLE	0 TO 100	PCT	AB
PE3	162	PHOTOMETER-EAST BOTTOM	0 TO 100	PCT	AC

TEST ID NASA8

SEAT TST-OCT 1980 LOT NO 2

- 1

REFERENCE TIME 13 10 08.000



MEAS. NUMBER	CHANNEL ASGN.
PM1	163
PM2	164
PM3	165

TITLE
PHOTOMETER-MIDDLE TOP
PHOTOMETER-MIDDLE MIDDLE
PHOTOMETER-MIDDLE BOTTOM


RANGE
0 TO 100
0 TO 100
0 TO 100

UNITS	GRID-SYM
PCT	AA
PCT	AB
PCT	AC

TEST ID NAS88

SEAT TST-OCT 1980 PLOT NO 3 - 1

REFERENCE TIME 13 10 08.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
PW1	166	PHOTOMETER-WEST TOP	0 TO 100	PCT	AA
PW2	167	PHOTOMETER-WEST MIDDLE	0 TO 100	PCT	AB
PW3	168	PHOTOMETER-WEST BOTTOM	0 TO 100	PCT	AC

TEST ID NAS88

SEAT TST-OCT 1980 PLOT NO 4 - 1

REFERENCE TIME 13 10 08.000





MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
CHIE	085	METHANE EXHAUST	0.0 TO 25.0	PCT	AA
COE	084	CARBON MONOXIDE EXHAUST	0.0 TO 25.0	PCT	BA

TEST ID NAS88

SEAT TST-OCT 1980 PLOT NO 5 - 1

REFERENCE TIME 13 10 08.000



RELATIVE TIME IN SEC

MEAS. NUMBER CHANNEL ASGN.  
C02E 090  
O2E 094

TITLE  
CARBON DIOXIDE EXHAUST  
OXYGEN EXHAUST

RANGE  
0.0 TO 25.0  
0.0 TO 25.0


UNITS GRID-SYM  
PCT AA  
PCT BA

TEST ID NAS88

SEAT TST-OCT 1980 PLOT NO 6

- 1

REFERENCE TIME 13 10 08.000



MEAS. NUMBER CHANNEL ASGN.  
s CU 150  
s CL 151

TITLE  
CALORIMETER UPPER  
CALORIMETER LOWER


RANGE  
0.0 TO 18.0  
0.0 TO 18.0

UNITS GRID-SYM  
WATT/CM<sup>2</sup> AA  
WATT/CM<sup>2</sup> BA

TEST ID NAS88

SEAT TST-OCT 1980 PLOT NO 7 - 1

REFERENCE TIME 13 10 08.000



MEAS. NUMBER CHANNEL ASGN.  
S TSL1 101  
S TSL2 102

TITLE  
TEMP-SEAT LEFT FRONT  
TEMP-SEAT LEFT MIDDLE

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS88

SEAT TST-OCT 1980 PLOT NO 8

- 1

REFERENCE TIME 13 10 08.000



MEAS. NUMBER	CHANNEL ASGN.
S TSL3	103
S TSC1	104

TITLE
TEMP-SEAT LEFT REAR
TEMP-SEAT CENTER FRONT

RANGE
0 TO 1000
0 TO 1000


UNITS	GRID-SYM
DEG C	AA
DEG C	AB

TEST ID NAS88

SEAT TST-OCT 1980 PLOT NO 9

- 1

REFERENCE TIME 13 10 08.000



MEAS. NUMBER CHANNEL ASGN.  
S TSC2 105  
S TSC3 106

TITLE  
TEMP-SEAT CENTER MIDDLE  
TEMP-SEAT CENTER REAR


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS88

SEAT TST-OCT 1980 PLOT NO 16 - 1

REFERENCE TIME 13 10 08.000



MEAS. NUMBER	CHANNEL ASGN.
S TSR1	107
S TSR2	108

TITLE
TEMP-SEAT RIGHT FRONT
TEMP-SEAT RIGHT MIDDLE

RANGE
0 TO 1000
0 TO 1000


UNITS	GRID-SYM
DEG C	AB
DEG C	AB

TEST ID NASA:

SEAT TST-OCT 1980 PLOT NO 11

- 1

REFERENCE TIME 13 10 08.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
TSR3	109	TEMP-SEAT RIGHT REAR	0 TO 1000	DEG C	AA
TBL1	110	TEMP-BACK LEFT BOTTOM	0 TO 1000	DEG C	AB

TEST ID NAS88

SEAT TST-OCT 1980 PLOT NO 12 - 1

REFERENCE TIME 13 10 08.000




MEAS. NUMBER CHANNEL ASGN.  
S TBL2 111  
S TBL3 112

TITLE  
TEMP-BACK LEFT MIDDLE  
TEMP-BACK LEFT TOP

RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA8 SEAT TST-OCT 15 PLUT NO 13 - 1 REFERENCE TIME 13 10 08.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
8 TBC1	113	TEMP-BACK CENTER BOTTOM	0 TO 1000	DEG C	AA
8 TBC2	114	TEMP-BACK CENTER MIDDLE	0 TO 1000	DEG C	AB

TEST ID NAS88

SEAT TST-OCT 1980 PLOT NO 14 - 1

REFERENCE TIME 13 10 08.000



MEAS. NUMBER CHANNEL ASGN.  
S TBC3 115  
S TBR1 116

TITLE  
TEMP-BACK CENTER TOP  
TEMP-BACK RIGHT BOTTOM


RANGE  
0 TO 1000  
0 TO 1000

UNITS DEG C GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS88

SEAT TST-OCT 1980 PLOT NO 15 - 1

REFERENCE TIME 13 10 08.000



MEAS. NUMBER CHANNEL ASGN.  
S TBR2 117  
S TBR3 118

TITLE  
TEMP-BACK RIGHT MIDDLE  
TEMP-BACK RIGHT TOP

RANGE  
0 TO 1000  
0 TO 1000


UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASA8

SEAT TST-OCT 1980 PLOT NO 16

- 1

REFERENCE TIME 13 10 06 000



MEAS. NUMBER CHANNEL ASGN.  
S TCL 119  
S TCR 120

TITLE  
TEMP-CEILING LEFT  
TEMP-CEILING RIGHT


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS88

SEAT TST-OCT 1980 PLOT NO 17 - 1

REFERENCE TIME 13 10 08.000



MEAS. NUMBER CHANNEL ASGN.  
S TCM 121  
S TCM 122

TITLE  
TEMP-CEILING MIDDLE  
TEMP-CEILING WEST


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NAS8B

SEAT TST-OCT 1980 PLOT NO 18 - 1

REFERENCE TIME 13 10 08.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
S TRC	123	TEMP-ANIMAL CAGE	0 TO 1000	DEG C	AA
S TAO	124	TEMP-AIR OUT	0 TO 1000	DEG C	AB

TEST ID NAS88

SEAT TST-OCT 1980 PLOT NO 19 - 1

REFERENCE TIME 13 10 08.000



MEAS. NUMBER CHANNEL ASGN.  
s DPC 098

TITLE  
CABIN DELTA PRESSURE



RANGE  
-250 TO 250

UNITS GRID-SYM  
MM H<sub>2</sub>O AA

TEST ID NAS88

SEAT TST-OCT 1980 PLOT NO 20 - 1

REFERENCE TIME 13 10 08.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
S TLC	125	TEMP-LOAD CELL	0 TO 200	DEG C	AA
S WL	149	WEIGHT LOSS	0.0 TO 10.0	KG	BA

### **3.3 JET A FUEL DATA**

TEST ID NASC

SEAT TST-OCT 1980 PLOT NO 1 - 1

REFERENCE TIME 15 40 15.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
PE1	160	PHOTOMETER-EAST TOP	0 TO 100	PCT	AA
PE2	161	PHOTOMETER-EAST MIDDLE	0 TO 100	PCT	AB
PE3	162	PHOTOMETER-EAST BOTTOM	0 TO 100	PCT	AC

TEST ID NASC

SEAT TST-OCT 1980 PLOT NO 2

- 1

REFERENCE TIME 15 40 15.000



MEAS. NUMBER	CHANNEL ASGN.
PM1	163
PM2	164
PM3	165

TITLE
PHOTOMETER-MIDDLE TOP
PHOTOMETER-MIDDLE MIDDLE
PHOTOMETER-MIDDLE BOTTOM

RANGE
0 TO 100
0 TO 100
0 TO 100


UNITS	GRID-SYM
PCT	AR
PCT	AB
PCT	AC

TEST ID NASA

SEAT TST-OCT 1980 PLOT NO 3

- 1

REFERENCE TIME 15 40 15.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
PW1	166	PHOTOMETER-WEST TOP	0 TO 100	PCT	AA
PW2	167	PHOTOMETER-WEST MIDDLE	0 TO 100	PCT	AB
PW3	168	PHOTOMETER-WEST BOTTOM	0 TO 100	PCT	AC

TEST ID NASC

SEAT TST-OCT 1980 PLOT NO 4 - 1

REFERENCE TIME 15 40 15.000



MEAS. NUMBER CHANNEL ASGN.  
CH4E 085  
COE 084

TITLE  
METHANE EXHAUST  
CARBON MONOXIDE EXHAUST

RANGE  
0.0 TO 25.0  
0.0 TO 25.0


UNITS GRID-SYM  
PCT AA  
PCT BA

TEST ID NASC

SEAT TST-OCT 1980 PLOT NO 5

- 1

REFERENCE TIME 15 40 15.000





MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
C02E	090	CARBON DIOXIDE EXHAUST	0.0 TO 25.0	PCT	AA
O2E	094	OXYGEN EXHAUST	0.0 TO 25.0	PCT	BA

TEST ID NASC

SEAT TST-OCT 1980 PLOT NO 6

- 1

REFERENCE TIME 15 40 15.000




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
S CU	150	CALORIMETER UPPER	0.0 TO 18.0	WATT/CM <sup>2</sup>	A3
S CL	151	CALORIMETER LOWER	0.0 TO 18.0	WATT/CM <sup>2</sup>	B4

TEST ID NASC

SEAT TST-OCT 1980 PLOT NO 14

- 1

REFERENCE TIME 15 40 15.000



MEAS. NUMBER CHANNEL ASGN.  
8 TCL 119  
6 TCR 120

TITLE  
TEMP-CEILING LEFT  
TEMP-CEILING RIGHT


RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB

TEST ID NASC

SEAT TST-OCT 1980 PLOT NO 17 - 1

REFERENCE TIME 15 40 15.000




MEAS. NUMBER CHANNEL ASGN.  
S TCM 121  
S TCM 122

TITLE  
TEMP-CEILING MIDDLE  
TEMP-CEILING WEST

RANGE  
0 TO 1000  
0 TO 1000

UNITS GRID-SYM  
DEG C AA  
DEG C AB




MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
S TRC	123	TEMP-ANIMAL CAGE	0 TO 1000	DEG C	AA
S TA2	124	TEMP-AIR OUT	0 TO 1000	DEG C	AB

TEST ID NASC

SEAT TST-OCT 1980 PLOT NO 19 - 1

REFERENCE TIME 15 40 15.000



MEAS. NUMBER  
S DPC

CHANNEL ASGN.  
098

TITLE  
CABIN DELTA PRESSURE



RANGE  
-250 TO 250

UNITS GRID-SYM  
MM H2O AA

TEST ID NASC

SEAT TST-OCT 1980 PLOT NO 20 - 1

REFERENCE TIME 15 40 15.000



MEAS. NUMBER	CHANNEL ASGN.	TITLE	RANGE	UNITS	GRID-SYM
S TLC	125	TEMP-LOAD CELL	0 TO 200	DEG C	AA
S WL	149	WEIGHT LOSS	0.0 TO 10.0	KG	BA