NASA TECHNICAL MEMORANDUM

NASA TM 75496

ANNOYANCE DUE TO NOISE AND AIR POLLUTION TO THE RESI-DENTS OF HEAVILY FREQUENTED STREETS

H. U. Wanner, Brigit Wehrli, J. Nemecek, V. Turrian

Translation of "Die Belaestigung der Anwohner verkehrsreicher Strassen durch Laerm und Luft-verunreinigungen", Sozial - und Praeventivmedizin, Vol. 22, p. 108-122, 1977.

NASA-TM-75496 19800019332

LIBRARY COPY

MAY 1 1980

LANCLEY RESEARCH CENTER LIBRARY, NASA HAMPTON, VIRGINIA

;

	•		STANDARD TITLE PAGE
NASA°'YM-75496	2. Government A	accossion No.	3. Recipient's Catalog No.
4. Title and Subtitle Annoyar Air Pollution to t	nce Due to	Noise and	5. Regari Data APRIL 1980
ily Frequented Str	reets.	ts of heav-	6. Performing Organization Code
7. Aviker(s) H. U. Wann J. Nemecek, V. Turr	er, Brigit	Wehrlin,	B. Performing Organization Report No.
v. Nemecek, v. luri	Tall		10. Work Unit No.
9. Performing Organization Name on	d Address		11. Contract or Grant No
SCITRAN Box 5456 Santa Barbara, CA 9			13. Type of Report and Period Covered Translation
National Aeronautics Langley Research Ce	and Space Adnter, Hampt	iministration on VA 2366	14. Sponsoring Agency Code
verkehrsreicher S gen", Sozial - un 1977	trassen dur	ch Laerm ur	rigung der Anwohner de Luftverunreinigun- Vol. 22, p. 108-122,
sity and building de to traffic noise an annoyance felt is de vels and/or air polexist interactions	ensity were d air pollue pendent no lution condetted the condetted the ctions shou	e questioned ation. The ot only on t centrations, e residentia	he measured noise le-
one rimites and seam	uarus.		
	. •		
17. Key Words (Selected by Author(s)		18. Distribution Stat	
ir. Rey mores (Selected by Author(s),		to. Distribution State	ement
		Unclassific	d - Unlimited
9. Security Closest, (of this report) Unclassificad		ii, (of itid yaya) Lud	23

. .

THE ANNOYANCE DUE TO NOISE AND AIR POLLUTION TO THE RESIDENTS OF HEAVILY FREQUENTED STREETS

H. U. Wanner, Brigit Wehrli, J. Nemecek, and Verena Turrian*

HOW LARGE IS THE DEGREE AND THE FREQUENCY OF NOISE AND AIR POLLUTION ANNOYANCE UNDER INNER-CITY COND-ITIONS? THE SUBJECTIVE RESPONSE TO THE ANNOYANCES THAT ARE USED TO DEFINE LIMITING VALUES WERE DETER-MINED IN INQUIRTES IN THE CITY OF ZURICH.

1. INTRODUCTION AND DEFINITION OF THE PROBLEM

Environmental hygiene is nowadays not only concerned with /108**
the identification of toxic effects by foreign substances in water
and air, but more and more with environmental conditions that are
not immediately the cause of illness. Such environmental conditions, for instance noise and air pollution, nevertheless may
be the cause for physiological change processes (such as biochemical changes or reactions of the central nervous system) or they
are felt subjectively as an annoyance.

Such annoyances through emissions into the environment whatever their type may reduce the physical and psychological health and, in this sense, they are an impairment of health according to the definition of the WHO. In order to assess the damage to health caused by the environment, it is necessary to develop criteria for the degree of annoyance. In this endeavor one encounters several problems of measurement technique in that simple physiological parameters or inquiries with respect to one particular annoyance factor are not sufficient. On the

^{*} Institut für Hygiene und Arbeitsphysiologie "EidgenÖssische Technische Hochschule, CH-8092 Zurich ** Numbers in margins indicate foreign pagination.

the contrary, it is necessary to compare statements with respect to different disturbance factors. In this respect of importance are data on direct reactions and behavioral changes, aside from the statements on the annoyance level, so that it becomes possible to estimate the degree to which an intended behavior has been impaired or prevented.

Additional factors of importance in influencing the degree and type of annoyance are habituation and sensitizing; in addition, there are the effects of generalization and transfer, that is the response to certain disturbances by its general social importance. As a consequence of this complexity, the annoyance by traffic noise, to quote an example, cannot be the same for all people. Young and old people, and inhabitants of various quarters will respond by different value scales and reactions. At this point, the question as to formation of representative groups appears, in particular, with respect to the definition of permissible levels and limiting values.

Previous investigations on annoyance by traffic noise were based on relationships between the number of annoyed persons and the measured level of noise. This type of "dose-effect relation-ship" is basic for an assessment of the degree of annoyance; however, whenever one wants to determine the level of permissible noise to be defined for a given group of persons, difficulties appear. This type of assessment requires the inclusion of additional boundary conditions, such as the influence of additional factors and the response to specific sources of disturbance. It would also be desirable to check the subjective annoyance against other, for instance, physiological studies.

The current work compares the annoyance due to two primary sources in city traffic. that is. noise and air pollution; the effect of the local situation is taken into account as much as possible. We have questioned the inhabitants of streets in four quarters with different traffic density and building density.

The program is part of a research project on air pollution on roads [8] supported by the "Schweizerische Nationalfonds."

2. DESCRIPTION OF THE QUARTERS

The streets of our study are in the older, relatively central section of the city of Zurich. In the case of three of the quarters, the streets have high traffic density and are immediately adjacent to the living quarters: Wehntalerstrasse, Winterthurerstrasse, and Langstrasse. The quarter "Oerlikon" with purely local traffic was chosen for comparison purposes.

OERLIKON (OE): Residential area with multi-family houses /109 and some small one-family houses on landscaped lots. The age of the buildings is between 20 and 40 years. On the whole, the building density is low with lots of greenery; the quarter is situated between two major traffic arteries.

WEHNTALERSTRASSE (WE): Residential quarter along a major artery; multi-family houses of similar construction, all about 40 years old. Relatively low building density with lots of greenery. Two groups may be distinguished in this quarter: houses situated directly along the road, and houses farther back, behind the first row. The first group will be called "up front" (WE,), the second "behind" (WE,).

WINTERTHURERSTRASSE (WI): Residential area with a few offices. Situated at a traffic artery with streetcars. Multifamily houses of similar construction, age about 50 - 60 years. High density, no gardens.

LANGSTRASSE (LA): Residential and commercial area, mixed offices, restaurants. Multi-family houses, mostly old and partly in bad repair. Very high density. No gardens.

Table 1 shows the noise levels measured in the four quarters. The measurements were made on 2 days each in summer and

winter, each time during 24 hour periods. In 3 of the quarters additional measurements were made, 30 minutes each; this allows to determine the average level in a quarter. The three traffic arteries are typical for inner-city streets with high traffic density and noise levels. By contrast, Oerlikon is considered a relatively quiet inner-city residential area.

Table 2 shows the major measurements of <u>air pollution</u>. The gaseous components were measured in each quarter at 20 - 25 locations simultaneously in summer and winter. Suspended dust was measured during a year at a location in Oerlikon, one at Wehntalerstrasse, and one at Langstrasse. The measuring technique and the health implications of these measurements were already published elsewhere in detail [1, 6].

Quarter	DERLIKON	HEHRTALE PSTREESE	WEITERTHURERSTRASSE	UNGSTRACSE
Building type and location of the measuring	क्रिक्ट्री १३ १५०३ है। १३ १५०३	ක්රිලේඛ්ය ක්රිලේඛ්ය		
location	_ = 4500 m	. S 25		ui aznuza i
Traffic density (yehicles)	der		1	
hour):	147	514	1668	990
During the day (06-22 h)	28	94 .	366	594
During the night (22-06 h)	1-7	. 4	l plus	2
Number of lanes	,	1	streetcar	,

Figure 1. Schematic representation of the four quarters. Wehntalerstrasse: 2 groups

y = "up front" (houses next to the street) and

h = "behind" (houses in the back)

• = Noise (continuous measurements for 24 hours)

0 = Noise (30 minute measurements)

 \Box ' = gaseous component of air pollution (30 minute measurements)

= suspended dust (long-term measurement, one year)

3. METHODOLOGY OF QUESTIONING

The questioning was carried out in <u>written form</u> through questionnaires. In the case of the Langstrasse, Wehntalerstrasse, and Winter-

thurerstrasse all inhabitants along about 1 km were included; in the case of Langstrasse, the inhabitants of the first houses on streets branching off were also included. In the case of Oerlikon, the inhabitants of 10 streets in the quarter were included. In households with several adult members one particular person was addressed in order to obtain a homogeneous sample with respect to age and sex.

TABLE 1. NOISE LEVEL IN THE FOUR QUARTERS. AVERAGE VALUES OF 4 CONTINUOUS MEASUREMENTS EACH DURING 24 HOURS. IN PARENTHESES THE RANGE OF THE 30 MINUTE SAMPLES AT ADDITIONAL LOCATIONS (SEE FIGURE 1).

Noise level	Quarte	r .					<i>;</i>
OE WEN	WEV		-				
During the day			 67	73	74		
ե ₅₀ եչ		71 (62-77)	61	86	84	•	
teq	62 (57-70)	61 (56-67)	70	77	77		
During the nig	sht (22	- 06)					
t ₅₀	67	42	40 .	50	67		·
r1	53	50	73 62	69 .	83 73		

TABLE 2. ATR POLLUTION IN THE FOUR QUARTERS. AVERAGE VALUES OF THE GASEOUS COMPONENTS (30 MINUTE SAMPLES, MEASURING DAYS DURING THE SUMMER OF 1975 AND THE WINTER OF 1975/76. SUSPENDED DUST: WEEKLY SAMPLES BETWEEN OCTOBER 1975 AND SEPTEMBER 1976). FOR THE LOCATION OF THE MEASURING PLACES SEE FIGURE 1.

Noise level						
MOTPE TEACT	OE	wE _h	WEV	w:	i).	
Carbon monoxide (ppm)	0.8	1.0	1.6	7.2	1,,5	
Nitrogen monoxide (ppb)	11	28	61	•	291	
Nitrogen dioxide (ppb)	21	21	29		52	
Carbohydrates without methane (ppm)	o. 5	0,3	0.4	•	2.6	
Sulfur dioxide (ppb)	. 11	10	13	•	54	
Formaldehyde (ppb)	9	,	10	-	36 J	4 ×
Particulate matter(µg/m ³)					· · · · · · · · · · · · · · · · · · ·	

A total of 1958 persons were addressed, 1297 replied; thus, the <u>return percentage</u> was 66%. By quarter the figures were 71% for Oerlikon, 67% for Wehntalerstrasse, 75% for Winterthurerstrasse, and 50% for Langstrasse.

4. COMPARABILITY OF THE QUARTERS WITH RESPECT TO THE SOCIAL STTUATION

The most important social structures in a quarter are age and social distribution of the inhabitants and the time during which they have lived in the quarter.

There are significant differences in the <u>age structure</u> of the quarters in that the quarters with the oldest buildings, that is Winterthurerstrasse and Langstrasse, also have a greater age of the inhabitants. As a result, the percentage of 60-year old persons is different in the quarters: /110

_	Oerlikon	28%
	Wehntalerstrasse	21%
_	Winterthurerstrasse	40%
_	Langstrasse'	42%

The comparison figure of the percentage of 60-year old persons among the adults of the entire city of Zurich is 30% [2].

The <u>social structure</u> of the inhabitants in the quarters is slightly, but not significantly different. The professional structure and the income distribution are essentially comparable. Most of the inhabitants belong to the lower middle class (workers and white-collar workers with an average income of about 3000 sfr).

However, there are some <u>educational differences</u>. The majority of the male inhabitants had finished Sekundarschule with subsequent job training. The inhabitants of Langstrasse have

a somewhat lower educational level (23% of the males did only attend Volksschule), whereas the inhabitants of Winterthurer-strasse have a somewhat higher level (34% attended a Mittelschule).

The percentage of non-employed persons (housewives, social security recipients) among the persons questioned is also comparable; this may be of importance for the annoyance problem. There is a higher percentage of social security recipients in Langstrasse and Winterthurerstrasse, but it is compensated by a higher percentage of housewives in Oerlikon and Wehntalerstrasse.

TABLE 3. FREQUENCY OF ANNOYANCE DUE TO TRAFFIC NOISE, RELATED TO THE TIME OF DAY WITH THE MAXIMUM DISTURANCE

Quarter	N	Seldom or never	Often annoyed					the largest case of per			
		annoyed		sons who were often dis-							
								al of of-			
						rbec		sons).			
				06-09	09-19	19-22	127-05				
OΣ	375	42	16	16	19	25	40				
we _h	91	18	4 5	2	27	27	44				
WE	248	6	67	8	26	28	39	•			
WI	228	5	. 71	18	35	19	29				
ī.	191	6	72	3	- 10	15	72	•			

The <u>number of years</u> during which the inhabitants had lived in the quarters was essentially the same. Since all quarters are established since a long time, more than half of the inhabitants lived in their quarters more than 10 years, about 25% lived there for 4-10 years, and 25 % lived in their quarters for less than 3 years.

In summary we conclude that the social structure of the four quarters is not significantly different with the result that the social boundary conditions should not influence the response to noise and air pollution.

5. SUBJECTIVE RESPONSE TO NOISE AND AIR POLLUTION

Table 3 summarizes the data on the <u>frequency</u> of disturbances by traffic noise, in relation to the time of day with most of the annoyance. The questionnaire requested a time of maximum annoyance; only a number answer was possible.

TABLE 4. DEGREE OF ANNOYANCE DUE TO TRAFFIC NOISE, IN RELATION TO THE TIME OF DAY WITH MAXIMUM ANNOYANCE. CLASSIFI—CATION OF THE DEGREE ACCORDING TO THE "NOISE THERMO-METER": 0-3 WEAK, 4-7 MEDIUM, 8-10 STRONG.

Quarter	Maximun		Maximuthe n		oyance.	during
			0116 11.	Igno		
	Total	Degree of annoyance Weak Medium Strong	Total		e of an Medium	noyance Strong
		•	N	•		- 1
OB	228	63 30 7	148	69	24	7
wz _h	60	28 52 20	31	31	38	31
WE	156	12 52 36	92	3	39	58
WI	162	4 39 57	66	. ,	39	52
LA	67	12 49 39	124	6) 9	55
	1			<u> </u>	Ì	<u> </u>

We have found that with the exception of Oerlikon a large percentage of the people, in the case of houses directly on heavy-traffic streets even the majority, felt annoyed frequently. However, the time of day with maximum annoyance differs. As a whole, the largest percentage of people was annoyed during the night, except in the case of Winterthurerstrasse; however, the figures are only significant at the houses in the back of ("behind") wehntalerstrasse and on Langstrasse.


We have in addition to the frequency of annoyance, obtained data on the <u>intensity</u>. The degree of subjectively felt annoyance was measured by asking the respondents to classify their

response on a "noise thermometer" which had been previously tested [9]; the scale ranges from 0 to 10. Level 0 means no noise disturbance, level 10 that the annoyance is unbearable.

Table 4 shows a summary of the degree of annoyance during day and night hours. We find, as we did with respect to frequency, that with the exception of the Winterthurerstrasse the percentage of annoyed people is larger during the night.

Figure 2 shows these statements as a function of the corresponding noise levels. The relationship between the measured noise levels (average noise level L_{50} and equivalent continuous noise level L_{eq}) and the amount of annoyance is more pronounced during the day than during the night. Nevertheless, neither L_{50} nor L_{eq} show a clear correlation with the percentage of strongly annoyed individuals. The following points are of interest:

percentage of strongly auring the day (06-22 h) annoyed persons



Percentage of strongly during the night (22-06 h) annoyed persons




Figure 2. Noise pollution and subjective annoyance: during the the day and during the night.

/111

- Given the same noise level (both L_{50} and L_{eq}) the percentage of strongly annoyed persons during the day is 39% at Langstrasse, but 57% at Winterthurerstrasse. In the same range of L_{eq} values 7% in Oerlikon were strongly annoyed; the corresponding value at the houses in the back of Wehntalerstrasse was 20%. The discrepancies are even more obvious during the night: Oerlikon 7% and 31% at the rear end of Wehntalerstrasse, with the L_{50} and L_{eq} values about the same.
- The percentage of strongly annoyed persons <u>during the night</u> is about the same as the front end of Wehntalerstrasse, on Langstrasse, and Winterthurerstrasse, although the noise levels were quite different. Even with $L_{\rm eq}$ values in the range of 61-65 dB(A) more than 50% of the inhabitants are strongly disturbed; however, the percentages do not increase with increasing noise levels.
- Particularly high are the percentages of strongly disturbed persons <u>during the night</u> in the cases where the houses are directly on traffic arteries. Taking the group which responded by the thermometer value of 10 (unbearable), we quote the persons on Langstrasse: 75% quoted maximum disturbances during the night.

The sensitivity during the night is equally obvious in Figure 3. Although the L_{eq} values are lower during the night (this is particularly pronounced in the case of WE_h), the percentage of strongly annoyed persons is significantly increased in the case of Wehntalerstrasse and Langstrasse.

Figure 4 shows the dependence of the number of strongly annoyed persons on the <u>traffic frequency</u>. The correlation is fairly good <u>during the day</u>. Thus, it is conceivable that the difference between the percentages of strongly annoyed persons between the Winterthurerstrasse and Langstrasse has to do with traffic frequency. There is the complication that

in the case of Winterthurerstrasse additional disturbances by the streetcars occur; they were not included in the questionnaires. By contrast, <u>during the night</u> the picture is essentially the same as the one with respect to the noise level: Already at a traffic frequency of 100 vehicles/hour on the average (Wehntalerstrasse) 50% of the persons are strongly annoyed. This percentage does not increase with traffic density and was even obtained for the 600 vehicles/hour in the case of Langstrasse.




Figure 3. Comparison of noise level and subjective annoyance; during the day and during the night.

— day (06-22 h)




Figure 4. Annoyance due to noise as a function of traffic frequency; during the day and during the night.

TABLE 5. FREQUENCY AND DEGREE OF ANNOYANCE DUE TO AIR POLLUTION.
PERCENTAGES OF "OFTEN" DISTURBED PERSONS AND OF "STRONG-LY" DISTURBED PERSONS (SCALE RANGE 8-10).
/112

Quarter	N	Often	annoyedo a (%)	persons	Strongly	annoyed (%)	' person
CE	480		13				
WEh	97	* • .	25			12	
we _v	263		45			26	:
WI	248		73			50	
ĹA	209		· 64			47	

As we did in the case of traffic noise, the frequency and intensity of the subjective annoyance was researched in the case of <u>air pollution</u>: Again, the intensity was determined by the interrogated persons themselves on a "thermometer."

Table 5 summarizes the degree and the frequency of annoyance and of the level of actual pollution is not very good; the amount of pollution is clearly largest on Langstrasse. This is due to two factors: on the one hand, the gaseous pollutants (with the CO and NO₂ components) are difficult to observe by the victims, while there is a strong correlation between the annoyance by noise and by pollution so that we may assume that the inhabitants of a street with a high noise level automatically assume that the degree of pollution, too, is very high.

In summary, we find the following correlations among the annoyance measures:

- Frequency of annoyance due to air pollution and frequency of annoyance due to noise $\gamma = 0.78$
- Intensity of disturbance due to air pollution and intensity of disturbance due to noise: $\gamma = 0.72$.

This relationship is represented in fig. 5. We see that in the case of Wehntalerstrasse the number of people disturbed by air pollution is 2 to 3 times as high as in Oerlikon, although the emission concentration is fairly low in Wehntalerstrasse. The number of people complaining about air pollution is about as high in Winterthurerstrasse as in Langstrasse, although in the latter location the concentration of gaseous as well as suspended pollutants is about twice as high. The fact that we obtain everywhere high correlations between the subjective annoyance by noise and by air pollution probably means that the annoyance felt by air pollution depends on the intensity of annoyance due to noise.




Figure 5. Comparison of the subjective annoyance due to noise and due to air pollution.

TABLE 6. INTENSITY OF ANNOYANCE DUE TO NOISE AND AIR POLLUTION AS A FUNCTION OF AGE. BASED ON THE "THERMOMETER" WITH THE SCALE RANGE 8-10 = STRONGLY ANNOYED.

Age group (years)		N	Percentage of by noise (%)	strongly ar by air	nnoyed persons pollution(%)
< 30		241	16	22	
30 - 50		410	23	. 32	
> 50	:	634	34	37	

6. SOCIAL INFLUENCES AND THE INFLUENCE OF THE LOCATION OF THE LIVING QUARTERS

The strongest influence with respect to the subjective annoyance is presented by age both in case of noise and air pollution (see Table 6).

The stronger reaction by older people is also seen in the difference of the individual reactions. Older people are more often scared by a noise event, and they take more frequently sleeping pills because of the noise (see Section 7).

We have not found an influence of the <u>duration of habitation</u> with respect to noise annoyance which would lead to some getting use to the noise, or conversely, a successive sensibilization.

The <u>location of the living quarters</u> were generally of little importance for the degree of annoyance due to noise. There was a weak correlation with the height above ground: The inhabitants of the ground floor and the first level up were a little less frequently disturbed to a large degree than the inhabitants of floors higher up.

There is a certain influence of the <u>location of the rooms</u> with respect to noise annoyance: The percentage of persons who feel "strongly disturbed" by noise is significantly higher, if the living or bedroom faces the street. This difference is only noticeable, if the house is directly on the street. The degree of annoyance due to air pollution does not depend on the location of the rooms.

7. CONSEQUENCES AND REACTIONS

The most important health impairments due to noise have to do with sleeplessness. Table 7 shows that 35 to 40% of the

inhabitants of quarters with z high noise level complain about disturbances of the <u>recreative functions</u> (sleep and recreation). About a third of the inhabitants of these quarters also complain about disturbances of communicative functions. This type of disturbance is a little less pronounced on Langstrasse than on Wehntalerstrasse and Winterthurerstrasse, although the noise levels are about the same. This situation is similar to the one already noted with respect to the intenstiy of disturbances; note, in particular, the day-time situation on Lanstrasse and Winterthurerstrasse (see Table 4).

TABLE 7. DISTURBANCES OF LIVING FUNCTIONS DUE TO NOISE.

/113

Living function		Perce turba		of	frequent		dis-	
			0E	WE _h	WE _V	WI	LA Q	
Recreative funct	ions							
(sleep, recreati	on)		7	21	39	35	40 .	
Communicative fur (Radio, TV, tele	nctions		5	20	30-	30	22	
Productive funct (work)	ions		1	4.	12	19	15	

TABLE 8. REACTIONS TO NOISE ANNOYANCE

Reactions	Percentage			$\circ f$	frequentereactions		
		OE •	WE _h	WE _V	WI	LA •	
Consumption of sleeping pills and tranquilizers		10	27	28	23	33	
Use of ear plugs	•	7	13	.17	21	30	
Closing the windows (during the day)		11	21	60	69	57	
Improving the insulation of		2	11	13	29	24	
the living quarters.	<u></u>						

There are basically two types of reactions: Reactions that are aimed at an improved adaptation, and the solution of moving

out. Table 8 shows a summary of this type of "adaptation reactions." Aside from the pervasive reaction of closing the windows the sleeping-pill consumption and the use of ear plugs are most frequent. The statements are closely correlated with the percentage of "strongly annoyed" persons in the respective quarters. Considering people older than 50 years, responsible for a larger percentage of "strongly annoyed" persons, we find an increase of individuals taking sleeping pills because of the noise problem to 28% by comparison with the group of 30-50 year old people (21%) and the group below 30(9%).

TABLE 9. INTENT TO MOVE OUT DUE TO NOISE AND AIR-POLLUTION PROBLEMS (MULTIPLE STATEMENTS POSSIBLE)

Quarter	N		Percent intenti		inhabitant	s with m	oving
L			Due to	noise	Due	e to air	pollution
		,•	•	• .			
OE	451		i	•		6	
we _h	> 97		17.			3	
WEV	263		. 32		* * *	14	
W1	248		35			127	
ند	209	•	38				

A clear difference among the quarters is shown by moving intentions (Table 9). If one considers the age of the respondents it is clear that younger people are more ready to move out. The reasons for the moving intentions may be different; in any case, younger people do not consider the living situation as definitive. The older people have, presumably, a closer relationship with their quarters; this may be the reason for their more "individually defensive" reaction against disturbances, such as taking sleeping pills and using ear plugs against noise. The largest differences are found on Winterthurerstrasse: Here, 57% of the people below 30 would like to move out, but only 26% of the people older than 50.

8. CONCLUSIONS

We find the following general conclusions: Among the inhabitants of quarters with traffic arteries of high vehicle frequences about two thirds are frequently disturbed by noise and air pollution, half are "strongly" disturbed; the percentage of people who are "occasionally", "weakly", or "never" disturbed is less than 10%. By comparison, in the case of the Oerlikon quarter with its local traffic the percentage of the "strongly" disturbed people is only 7%, whereas about two thirds of the people claim to be "mildly" disturbed, 40% "seldom" or "never." In general, the annoyance is more pronounced at night, in particular by older people. The same behavior is evidenced by the different reactions to the noise annoyance: About a third of the inhabitants of quarters next to traffic arteries complain about sleeplessness, about the same number of people use sleeping pills or tranquilizers, about 25% experience disturbances of their communicative functions, and a third has plans to move out either because of noise or airpollution annoyance. By comparison, in the case of the Oerlikon quarter, the values are between 5 and 10%.

If one compares the frequency and the intensity of the subjective annoyance with the measured noise levels or the concentrations of dust or gaseous pollutants, the four quarters we have investigated do not present a clear picture. For instance, the percentage of people who are "strongly" disturbed in the off-street houses on Wehntalerstrasse, both during the day and during the night, is significantly higher than in Oerlikon; this is in spite of the essentially similar levels of noise and air pollution. The location next to traffic artery probably influences the reactions, even if the row of houses between the specific location and the artery significantly reduces the noise level and the air pollution. Additional problems, related to the high /114

traffic volume, such as the increased accident risk, the difficulty to cross the street, the separation of a formerly unified quarter by the artery, may influence on the subjective annoyance by noise and air pollution. The inhabitants of Oerlikon, by contrast (some of them being the owners of one-family houses with gardens), have a more positive reaction to their living area. As a result, the percentage of "strongly" annoyed people by noise (at a relatively high level, in fact) remains below 10%.

An "influence of the quarter" of another type is probably responsible for some of the responses from Langstrasse: Here, the percentage of "strongly" annoyed people is noticeably smaller than in the case of the otherwise similar Winterthurerstrasse quarter (including the smaller amount of disturbances of the communicative functions); this may have to do with the fact that Langstrasse with its many offices, businesses and restaurants has intrinsically a higher noise level which is accepted, in particular, since quite a few of the inhabitants are related to these business enterprises. In summary we conclude that the noise level alone does not allow conclusions as to the percentage of annoyed individuals. One must take the specific details of a quarter into account.

TABLE 10. Noise levels and the quality of living areas [10]

· · · · · · · · · · · · · · · · · · ·		
L ₅₀ in dB(A)	Percentage of	Evaluation of the quality
During the day	annoyed persons	living area
Up to 50	3 - 5	Quiet living area
51-60	5 -12	Living area with average
		noise disturbances
61-65	20-25	High noise level; measures
		ought to be taken.
above 65	above 50	Very high noise level;
		drastic , changes required.

A relatively good correlation was found between the percentage of "strongly" disturbed persons during the day and the traffic frequency. By contrast during the night, about 50% of the people thought to be "strongly" annoyed at an average level of 100 vehicles per hour, and this number did not increase even at the level of 600 vehicles/hour. Additional indications to the effect that the traffic frequency is an important parameter in evaluating the intensity of disturbances are found in Swedish investigations [5]. The best correlation here was found with the frequency of truck traffic. Further studies have to show that these tentative conclusions have a general validity.

Of particular importance for the establishment of limiting values are the often highly significant differences in the subjective annoyances between day and night. We find that during the night the percentage of people who are "strongly" disturbed is larger than during the day; this is in contradiction to a study made in Vienna, where it was found that during the day more people are disturbed by noise than during the night [4]. Aside from this discrepancy, the Vienna study has also shown a very good correlation between annoyance by noise and by air pollution, with the noise being the crucial factor.

If we compare our results on the four inner-city quarters with those of the study "Wohnen im Neubau" [living in new housing areas], [9], and the "Flugarmstudie" [Aircraft noise study], [3], which contain the results of questionnaires on traffic noise, we see that in these studies, during the day, the L_{50} levels were around 56-60 dB(A) and resulted in about 10% of "strongly" disturbed persons, that is about the same number we found in Oerlikon. On the 66-70 dB(A) level, these studies had about 50% or just a little more than we found on the front portion of Wehntalerstrasse at corresponding noise levels. The disturbances of communicative functions and reactions at

comparable noise levels were of the same order of magnitude. A study in Paris [2] obtained a relation between the subjective noise annoyance and the general satisfaction with the living area; this study regarded the satisfaction with the living room as an input variable for the intensity of the noise annoyance.

Table 10 shows a noise-level classification on the basis of the two studies in Switzerland [9]. On this basis, the noise disturbance on Wehntalerstrasse, Winterthurerstrasse, and Langstrasse (L₅₀ values between 67 and 74 dB(A) during the day and between 48 and 67 dB(A) during the night) is very high; this is in agreement with more than 50% of the people being "strongly" annoyed by noise. It is obvious that in these quarters the critical limit for noise annoyance beyond which health-impairing events due to noise disturbance occur in increasing numbers has been exceeded. Drastic changes, either by architectural or traffic means, must be undertaken. Similar measures should be contemplated in the case of the rear end of Wehntalerstrasse with its 20 - 25% "strongly" annoyed persons.

Questionable are still the evaluation criteria for permissible noise levels during the night; it is clear, however, that a situation in which more than 50% of the inhabitants are "strongly" disturbed by noise, as is the case with the above streets, is not within permissible limits.

If plans are made with respect to nominal and limiting values or if improvements are mapped out, the evaluations of the type studied in this work on noise and air-pollution annoyance should be taken into account. The specifics of inner-city quarters must clearly be considered. Not answered is the question as to additional parameters: aside from the noise level /115 the amount of air pollution, the traffic frequency and the type of traffic, the architectural structure and the location of the quarters should be included.

REFERENCES

- 1. Deuber, A., Meier, M., Satish, J., Sommer, H. J. und Wanner, H. U. Die raumliche Verteilung von Morotrfahrzeugabgasen in Situationen unterschiedlicher Bebauung, (The spatial distribution of vehicle exhaust emissions under conditions of different architectural structures) Wasser-Energie-Luft 69, No. 3, 31-38 (1977).
- 2. Center Scientifique et technique due batiment CSTB, Etude de la gene due au trafic automobile urbain, compte rendu scientifique, dans: (Annoyance study of inner-city car traffic; scientific study in) CSTB 1971.
- 3. Graf, P. Meier, H.P., und Muller, R., Wissenschaftlicher Bericht der Fluglarmuntersuchung (Scientific results of a study of aircraft noise) Eidg. Luftamt, Bern 1974).
- 4. Osterreichisches Institut fur Raumplanung, Subjektive Beurteilung und objektives Ausmass von Immissionen, eine Untersuchung in neun ausgewahlten Strassen Wiens. (Subjective response to, and objective measurements of emissions studied on nine selected streets in Vienna), Wien 1975.
- 5. Rylander, R., Sorensen, S., and Kajland, A., Traffic noise exposure and annoyance reactions, Journal of Sound and Vibration 47, 237-242 (1976).
- 6. Satish, J., et Wanner, H. U. Source et importance de la pollution de l'air a l'interieur des batiments. (The source and importance of air pollution inside of buildings), Sozial und Praventivmedizin 21, 124-125 (1976).
- 7. Statistisches Jahrbuch der Stadt Zurich Statistical Almanac of the City of Zurich. 1975.
- 8. Wanner, H. U., Deuber, A., Satish, J., Meier, M., und Sommer, H. J. Luftverunreinigung in der Umbgebung von Strassen. (Air pollution near city streets). Sozial und Praventivmedizin 21, 122-123 (1976).
- 9. Wehrli, B., Huser, S., Egli, H. Bakke, P., und Grandjean, E., Wohnen im Neubau-Eine interdisziplinare Untersuchung uber die Wohnbedingungen in Zurcher Neubauwohnungen und deren Beurteilung durch die Bewohne. (Living in new buildings. An interdisciplinary study of the living conditions in new buildings in Zurich and the evaluation by the inhabitants.) (Verlag Paul Haupt, Bern 1976).

QUESTIONNAIRE USED TO CONDUCT STUDY ON "ANNOYANCE DUE TO NOISE AND AIR POLLUTION TO THE RESIDENTS OF HEAVILY FREQUENTED STREETS"

H.U. Wanner, B. Wehrli, et al.

Eidgenossiche Technische Hochschule Zurich; Institut fuer Hygiene und Arbeitsphysiologie, 1977, 6 p.

LIBRARY COPY

JUN 4 1981

LANGLE: RESEARON CENTER LIBRARY, NASA HAMPTON, VIRGINIA

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION WASHINGTON D.C. 20546 MAY 1981

1. Report No.	2. Government Acce	ssion No. 3	. Recipient's Catalo	og No.	
4. Title and Subtile' QUESTIONNAIRE USED TO CONDUCT. STUDY ON "ANNOYANCE DUE TO NOISE AND AIR POLLUTION TO RESIDENTS OF HEAVILY FREQUENTED STREETS		TR -	5. Report Date MAY 1981 6. Performing Organization Code		
		QUENTED			
7. Author(s)		. •	, Parforming Organi	zation Report No.	
H.U. Wanner,	B. Wehrli, et al.	10	. Work Unit No.		
9. Performing Organization Nam	ne and Address		. Contract or Grant NASW- 3198	No.	
SCITRAN Box 5456		13	13. Type of Report and Pariod Covered		
Santa Barbara, CA			Translation		
12. Sponsoring Agency Nome one National Aeronaut Washington, D.C.	Address ics and Space Adm 20546	inistration 14	i. Spensering Agenc	y Code	
15. Supplementery Notes					
	siche Technische ene und Arbeits		_		
Federal Te questions the degree and the an	ennaire is presentation of annoyance of annoyance of air Annoyance Due to Heavily Frequents	y, Zurich. sions of the From traffic pollution. Noise and Ai	It asks environmer noise, r Pollution t	nt,	
17. Key Words (Selected by Au	thor(s))	18. Distribution State Unclassifie	ment d - Unlimited	ı	
19. Security Classif, (of this re Unclassified	port) 29. Security Class Unclassif	•]	21. No. of Pages	22. Price	

Federal Technical Academy Zurich
Institute for Hygiene and Work Physiology

CH-8006 Zurich Clausiusstrasse 25 Telephone (01) 32 62 11

QUESTIONNAIRE

Please fill out as completely as possible and return within 8 days in the enclosed envelope (unstamped).

Your replies will be kept strictly confidential.

Thank you.

1. Below is a list of characteristics describing a living environment. Please place an x in each line for the characteristic which best /1* describes your immediate environment. Do not omit any lines and place an x in only one box in each line.

Here is an example with the pair of characteristics "inviting" - "inhospitable":

inhospitable

poor

[][][][][] invit

If, in your opinion, your immediate environment is very inviting, place an x at the extreme right; if you consider your immediate environment very inhospitable, place an x at the extreme left. If your opinion falls in between, place an x in the box which corresponds to your opinion.

inhospitable	inviting
monotonous	exciting
dead	lively
strange	familiar
threatening	safe
roisy	quiet
dirty	clean
bad smelling	pleasant smelling
foreign	native .
indifferent	helpful
narrow-minded	broad-minded
boring	entertaining
gloomy gloomy	bright
unfriendly	friendly
N -2 /2 -2	•

Numbers in margin indicate foreign pagination

wealthy

۷.	Do you have the window open in your bedroom at night?
	frequently
	noise
3.	You know that many people today are distrubed by traffic noise. Fow is your situation, are you bothered at home by traffic noise? frequently
	If "frequently", "occasionally" or "seldom", at what time does traffic noise disturb you the most? (only one entry, please) in the morning (6-9)[] during the day (9-19)[] evenings (19-22)[] nights(22-6)[]
4.	Does it happen that the traffic noise
	frequently occasionally seldom never
	- startles you [] [
	- is harmful to your peace and relaxation
	- disturbs you at work ······ [] []

5.	Has the traffic noise led you or a member of your	family for	example
		yes	no
	- to use cotton (Ohropax) or similar		· - ¬
	means at night		
	- to take sleeping pills or tranquilizers		
	- to keep the window closed during the day	• • • • •	
	- to have your home better insulated against		
	noise		
	- to have discussed with a doctor possible		
	damages to your health	[]	
6.	Do you have a balcony facing the street?		
		•	
	yes[] no[]		
	If yes, do you use the balcony		
	frequently[]		
	occasionally[]		
	seldom		
	never[]		
	If "seldom" or "never" do you have a specific rea	ison?	
	too small		,
	too little sun[]		,
	noise[]		•
	dust		
	bad smell[]		
	other		
7.	Does it happen that you close your window at home	because of	dust
	or exhaust fumes?		
	frequently[]		
	occasionally[]		r
	seldom[]	•	
	never[]		

If "frequently" or	"occasionally", mostly a	it what time of the year?
Winter	[]	
Summer		
The whole yea	r[]	
	t of your house, are you	bothered by car exhaust
fumes?		·
frequently	• • • • • • • • • • • • • • • • • • • •	
occasionally		
seldom	[]	
never	[]	• •
. Assume this is a	thermometer with which ye	ou could measure how much
traffic noise and	air pollution bothers you	u at home.
are almost unbeara Where would you pe	ble; the 0 mark that the	ir pollution in your home y don't bother you at all oise and air pollution on
Traffic Noise		Air Pollution
10	unbearable bother	10 - A-
9		9
8		8
7		7
6		6
5		5
	. •	
4		4
3		3
2		2
1		1
0	no bother at all	0
∠		

rinarry, we do have so	everal statis	stical questi	ons; would yo	ou please
check the applicable	boxes:		·	-
Age:	21 - 30 · · · · · · · · · · · · · · · · · ·		[]	
<u>Sex</u> :	female			
Present occupation:			self	spouse
Worker, skilled worker business and technical official	l employee, official,self	-employed		
Income (Francs per mor	oth)		se1f	spouse
less than 2,000 2,000 - 3,000 - 4,000 over 4,000				
Education: elementary school secondary school, trachigh school, universit	le school			spouse
How long have you live	ed in your pr	esent dwelli	<u>ng?</u>	
Less than 1 year 1 - 3 years 4 - 10 years over 10 years				

On which litoor do you live	# *
Ground floor	•••••
1st floor	[]
2nd floor	[]
3rd floor	[]
4th floor and up	•••••
Which rooms of your dwell:	ing are facing the street?
(main thoroughfare)	
Living room	••••••
bedroom	•••••
Children's room	
kitchen, bath, toilet	
other room	•••••
How do you rate the rent	,
cheap	<u> </u>
appropriate	
too high	•••••
Have you occasionally tho	ught of moving out?
yes[]	no[]
If yes, for what reason?	· · · · · · · · · · · · · · · · · · ·
Change of work or residen	ce[]
space reasons	
noise	
	• • • • • • • • • • • • • • • • • • • •
Do you smoke?	
never	. []
occasionally	. []
regularly	. []
Does anyone else smoke in	
never	
occasionally	
regularly	
6	-
U .	