

**NASA Technical Memorandum 78534**

**Aerodynamic Interactions From  
Reaction Controls for Lateral  
Control of the M2-F2 Lifting-Body  
Entry Configuration at Transonic  
and Supersonic Mach Numbers**

**Rodney O. Bailey and Jack J. Brownson**  
*Ames Research Center*  
*Moffett Field, California*



National Aeronautics  
and Space Administration

**Scientific and Technical  
Information Branch**

1979

## NOTATION

The data on the lateral-directional characteristics are referred to the body system of axes. The moment center is located at 55% of the body reference length from the nose (49.6% of the actual length) and 7% of the length below the cone axis. The reference length and area are based on the length and area of the basic M2 (see ref. 4). Zero angle on all control surfaces is defined as the position where the control surface is tangent with the model surface at the control hinge line. The coefficients and symbols used are defined as follows:

- A\* nozzle throat area
- A<sub>e</sub> nozzle exit area
- b reference span, 24.2 cm (0.793 ft)
- C<sub>l</sub> rolling-moment coefficient,  $\frac{\text{rolling moment}}{qSb}$
- C<sub>m</sub> pitching-moment coefficient,  $\frac{\text{pitching moment}}{qS\bar{l}}$
- C<sub>n</sub> yawing-moment coefficient,  $\frac{\text{yawing moment}}{qSb}$
- $\bar{l}$  reference length, 50.8 cm (1.667 ft)
- M free-stream Mach number
- P<sub>c</sub> nozzle chamber pressure, kN/m<sup>2</sup>
- P<sub>j</sub> jet exit static pressure, kN/m<sup>2</sup>
- P<sub>r</sub>  $\frac{P_j}{P_\infty}$ , jet exit static to free-stream static-pressure ratio
- P<sub>∞</sub> free-stream static pressure, kN/m<sup>2</sup>
- q free-stream dynamic pressure, kN/m<sup>2</sup>
- Re Reynolds number, based on reference length  $\bar{l}$
- R gas constant, N-m/kg-K
- S reference planform area, 896 cm<sup>2</sup> (0.9647 ft<sup>2</sup>)
- s spanwise location of jet nozzles measured from centerline
- T gas total temperature, K

- $\alpha$  angle of attack, referenced to the cone axis, deg  
 $\beta$  angle of sideslip, referenced to the cone axis, deg;  $\sqrt{M^2 - 1}$   
 $\gamma$  specific heat ratio,  $\frac{C_p}{C_v}$   
 $\delta_a$  differential deflection angle of upper flap for aileron control  
 $(\delta_{u_R} - \delta_{u_L})$ , right roll is positive aileron, deg  
 $\delta_j$   $\theta_N + \Delta v$ , initial jet-flow inclination angle (see appendix), deg  
 $\delta_L$  deflection angle of lower flap, trailing edge down is positive  
(see fig. 2(b)), deg  
 $\delta_r$  differential deflection angle of rudders  $(\delta_{r_L} + \delta_{r_R})$  each rudder deflects  
only outward, left rudder is positive, deg  
 $\delta_{rf}$  rudder-flare deflection angle  $0.5(\delta_{r_L} - \delta_{r_R} - |\delta_r|)$ , deg  
 $\delta_t$  cant angle of nozzle, referenced to model plane of symmetry, deg  
 $\delta_u$  average deflection angle of upper flaps,  $\frac{\delta_{u_R} + \delta_{u_L}}{2}$ , deg  
 $\Delta$  incremental value  
 $\theta_N$  nozzle exit internal wall angle, referenced to nozzle centerline  
(see fig. 2(d)), deg  
 $v$  Prandtl-Meyer angle, deg

#### Subscripts

- f full scale  
j conditions at jet exit  
L left  
m model  
R right

AERODYNAMIC INTERACTIONS FROM REACTION CONTROLS FOR LATERAL CONTROL  
OF THE M2-F2 LIFTING-BODY ENTRY CONFIGURATION AT TRANSONIC AND  
SUPERSONIC MACH NUMBERS

Rodney O. Bailey and Jack J. Brownson

Ames Research Center

SUMMARY

Wind-tunnel tests were conducted to determine the interaction of reaction jets for roll control on the Ames M2-F2 lifting-body entry vehicle. Moment interactions are presented for a Mach number range of 0.6 to 1.7, a Reynolds number range of  $1.2 \times 10^6$  to  $1.6 \times 10^6$  (based on model reference length), an angle-of-attack range of  $-9^\circ$  to  $20^\circ$ , and an angle-of-sideslip range of  $-6^\circ$  to  $6^\circ$  at an angle of attack of  $6^\circ$ . The reaction jets produce roll control with small adverse yawing moment, which can be offset by the horizontal thrust component of canted jets.

INTRODUCTION

Lifting-body entry vehicles entering the atmosphere will depend on reaction controls for pitch, yaw, and roll control until the aerodynamic controls take effect. Consideration has been given to employing reaction controls throughout the flight envelope for nontrimming control, that is, pitch damping and roll and yaw control. The direct effects of the thrust of reaction jets on the forces and moments of the vehicle can be readily estimated. The interference effects of the reaction jets on the aerodynamics of the vehicles are not readily determined. Previous studies have been made of the effects of a jet issuing perpendicular to a flat plate,<sup>1</sup> but little has been done in an area as complicated as the aft portion of a lifting body.

Prior wind tunnel and flight testing of the Ames M2-F2 lifting body has indicated that the degree of roll control with the ailerons was adequate, but that the adverse yaw associated with the ailerons was undesirable (refs. 1 to 4). This was an important factor leading to the crash of the M2-F2 flight vehicle.

---

<sup>1</sup>Reichenau, David E. A.: Interference Effects Produced By a Cold Jet Issuing Normal to the Airstream from a Flat Plate at Transonic Mach Numbers. AEDC-TR-67-220, October 1967. No Foreign Distribution.

The present investigation was undertaken to determine the interaction effects of reaction control jets used for roll control. Two gases, CO<sub>2</sub> and air, were used in the jet simulation. The effect of jet nozzle position on these interactions at various elevon and rudder control deflections was investigated through a range of angles of attack and sideslip.

## MODEL

Photographs of the 1/12-scale model of the M2-F2 are shown in figure 1 and the model dimensions are presented in figure 2. The model was constructed of a fiberglass shell fitted to a steel plate that incorporated a mounting for a six-component strain-gage balance. The lower flap of the model was built in two sections; the sections were flat and were not curved at the edges to fit the body contour, as shown in the drawing. The two sections of the lower flap were always deflected together and the center gap was always taped closed. All control hinge lines were always sealed. Zero angle on all control surfaces is defined as that position where the control surface is tangent with the model surface at the control hinge line.

The reaction control jets were simulated by the use of cold gas flowing in converging/diverging nozzles. The location of the nozzles relative to the aft surface of the model is shown in figure 2(c). The design of the nozzles is discussed in the appendix. Figure 2(d) illustrates a typical nozzle configuration and gives the pertinent dimensions for both nozzles.

The nozzles were supported from the sting (fig. 1(c)). The nozzles were not in contact with the model, so no nozzle thrust loads were taken on the balance.

## TESTS

The tests were conducted in the Ames 6- by 6-Foot Wind Tunnel over a Mach number range of 0.6 to 1.7. Most of the data were obtained in a Reynolds number range of  $1.2 \times 10^6$  to  $1.6 \times 10^6$  based on model reference length with some data obtained at Reynolds numbers up to  $4.5 \times 10^6$  based on model reference length. Aerodynamic characteristics were measured through an angle-of-attack range of  $-9^\circ$  to  $20^\circ$ , and through an angle-of-sideslip range of  $-6^\circ$  to  $6^\circ$  at an angle of attack of  $6^\circ$ .

The gases used for jet simulation were air and CO<sub>2</sub>. High pressure air was used for the major portion of the testing because a large quantity was readily available. Carbon dioxide was selected because the specific heat ratio ( $\gamma = 1.28$ ) was near that of decomposed hydrogen peroxide ( $\gamma = 1.27$ ). Carbon dioxide was used for a limited portion of the test in an effort to assess the quality of the simulation obtained by the use of air and to evaluate the effect of changing the propellant gas specific heat ratio. The pressure ratios (jet static to free-stream static) were selected to simulate the conditions of the flight envelope of the M2-F2 vehicle, as shown in figure 3.

A comparison of the thermodynamic and gas dynamic parameters of the full-scale and model jets is given in table 1.

The tests were conducted with a boundary-layer transition strip of grit particles around the forebody, 10 cm back from the nose, and a strip on each side of the leading edge of each edge of the vertical surface.

### CORRECTIONS AND ACCURACY

The angles of attack and of sideslip of the model were corrected for stream-angle effects. No base pressure adjustments were made to the data.

The uncertainties in the test results, based on calibrations and the repeatability of the data, are estimated to be as follows:

Test condition uncertainty							
Mach number		±0.01					
Angles of attack and sideslip, deg		±.1					
Control angles, deg		±.3					
Data uncertainty							
Data parameter	Nominal Mach number						
	0.25	0.6	0.8	0.9	1.1	1.3	1.7
Yawing moment	±0.0010	±0.0005	±0.0005	±0.0008	±0.0005	±0.0003	±0.0003
Rolling moment	±.0024	±.0015	±.0007	±.0007	±.0009	±.0003	±.0003
Pitching moment	±.0005	±.0005	±.0005	±.0025	±.0010	±.0010	±.0005

### RESULTS AND DISCUSSION

Figures 4 and 5 illustrate the variation of the jet interactions with angle of attack for two of the configurations tested. Data for the other configurations are presented in table 2. Figures 4 and 5 show that the downward-firing jet on the left produced most of the jet interactions for the variables considered in this investigation. The moment increments are nearly independent of angle of attack except near Mach 1.0 at negative angles of attack, as illustrated in figures 4(c), 4(d), 5(c), and 5(d).

#### Effect of Jet Exit Pressure Ratio

Figure 6 illustrates the effects of jet-exit pressure ratio on the moment interaction for three values of free-stream Mach number. The effect of increased jet-exit pressure ratio on the model is interpreted as the effect of increased altitude on the flight vehicle. The values of altitude shown on the

second abscissa scale are based on an assumed value of  $2.117 \times 10^6$  N/m<sup>2</sup> for flight vehicle nozzle chamber pressure.

The effect of increased jet-exit pressure ratio or increased altitude at a constant Mach number is seen to be generally an increased interaction, either positive or negative.

Figure 7 illustrates the effect of Reynolds number on the jet interactions at Mach numbers of 0.6 and 1.1. Reynolds number has no significant effect on the jet interactions at these two Mach numbers.

#### Jet Simulation Comparison

Results are shown in figure 8 for nozzles Nos. 1 and 2 at the outboard location with no canting. Nozzle No. 1 was designed to simulate the full-scale jet with air as propellant. Nozzle No. 2 was a scale model of the flight hardware with CO<sub>2</sub> as propellant (table 1). It was expected then that nozzle No. 1 with air and nozzle No. 2 with CO<sub>2</sub> would cause about the same amount of aerodynamic interference, if indeed the significant jet parameters were being simulated. Figure 8 illustrates that these two configurations give results that are in quite good agreement.

It is also noted in figure 8 that when air was used as propellant in nozzle No. 2 the interaction in general tended to be somewhat larger in magnitude than with the other two configurations. The increased magnitude of the interaction is attributed to the increased nozzle exit momentum and mass flow. The exit mass flow and momentum are proportional to  $\gamma_j M_j^2$ . The value of this parameter, as is shown in table 1, was considerably larger with air flow in the No. 2 nozzle than with either of the other two configurations.

Figure 9 presents a comparison of the interactions caused by the air simulation and the CO<sub>2</sub> simulation with the nozzles canted 15° and the left-hand nozzle moved into the 61% semispan location. It is seen that the agreement again is excellent over the range of  $\alpha$  and Mach numbers with the exception of  $\alpha$  less than about 6° at Mach 0.9.

The effect of canting the nozzles is illustrated in figure 10. Upward-directed nozzles outboard and downward-directed nozzles inboard (see fig. 2(c)), to provide a favorable yawing moment from the horizontal thrust component, also decrease the interaction increments. Most of the reduction was with the downward-directed nozzle. The degree of canting for the flight vehicle would be dependent on a study of handling characteristics as to how much favorable yawing moment is desired.

Figures 11 to 13 show that spanwise location of the nozzle has a considerable effect on the interaction increments. Movement of the downward-directed nozzle inboard reduces the increments throughout the Mach number range. The interaction increments due to the upward-directed nozzle increase with inboard movement at subsonic Mach numbers and decrease at supersonic Mach numbers. The nozzle positions resulting in the smallest interaction increments through the Mach number range are the upward-directed nozzles in the

most outboard location and the downward-directed nozzles in the most inboard location tested. The larger interaction increments of an intermediate location of the downward-directed nozzle may be acceptable with the larger roll effectiveness of the longer moment arm.

The influence of deflection of the upper and lower flaps may be seen in figure 14. Except for  $M = 0.9$ , flap deflection does not produce any large effect on the interactions or any noticeable trends with deflection. At  $M = 0.9$  there is a reduction of the yawing- and rolling-moment interaction with a reduction of the lower flap deflection.

Rudder deflection (fig. 15) and yawing of the model (fig. 16) had little effect on the interactions.

A comparison of lateral-directional control with reaction jets and with aileron is shown in figure 17. The flight vehicle, without the center fin, required rudder-aileron interconnect to counteract the adverse yaw. Reaction jets of nearly twice the thrust of those simulated would be required to give the same roll power as  $20^\circ$  of aileron.

#### CONCLUSIONS

Results of an investigation of the use of reaction jets for roll control on the M2-F2 lifting-body vehicle can be summarized as follows:

1. Reaction jets for roll produced favorable rolling-moment interactions, and unfavorable yawing-moment interactions.
2. Jet simulation with either air or  $\text{CO}_2$  produced similar interactions when jet static pressure ratio, angle of nozzle exit flow, and the parameter  $(\gamma M^2/\beta)_j$  were matched to full-scale values.
3. The interactions are nearly constant with angle of attack except near Mach 1.0 at negative angles of attack.
4. Canting of the nozzles reduced the interactions and provided favorable yawing moments from the horizontal components of the thrust.
5. Inboard movement of the downward firing nozzles reduced the interactions at all Mach numbers. Inboard movement of the upward firing nozzles reduced the interactions at supersonic Mach numbers and increased interactions at subsonic Mach numbers.
6. Deflection of control surfaces had no appreciable effect on the interactions.

Ames Research Center  
National Aeronautics and Space Administration  
Moffett Field, California 94035, April 26, 1979




## APPENDIX

### NOZZLE DESIGN

Testing reaction controls on the M2 model required the simulation of hot gas jets in order to evaluate the aerodynamic interference caused by these jets. The flight vehicle reaction-control rockets use hydrogen peroxide as propellant. Decomposed hydrogen peroxide results in a mixture of superheated steam and oxygen. This mixture has a specific heat ratio of approximately 1.27, a total temperature of 1013.9 K, and a gas constant of 374.9 N-m/kg-K. It is not possible to duplicate all these properties with a cold gas. For example, air has a specific heat ratio of 1.40 at 288.9 K and a gas constant of 287.3 N-m/kg-K. It is seen that none of the values for air compare favorably with those of decomposed hydrogen peroxide.

Jet simulation on a model involves two separate problem exercises. The problems are usually caused by the fact that the model jet is a different gas and has a different specific heat ratio than the full-scale jet. Because of this it is not possible to duplicate the full-scale jet in every respect. Therefore, the investigator must first evaluate the circumstances and determine which of the full-scale jet characteristics are important and will affect the result of the investigation. Secondly, the investigator must select a propellant gas and design nozzles for the model such that the most significant of these important jet characteristics are duplicated. This is necessary, even after careful evaluation and selection of parameters, because all the desired jet characteristics cannot usually be duplicated.

Evaluation of the M2 configuration (fig. 2(a)) indicated that the jet characteristics that influence jet-exit effects and upstream (windward side with jet exiting normal to a flat plate) interference effects are the most important. Jet-exit effects are generally considered to be those effects that are not influenced by jet-free-stream mixing action, usually a distance of the order of one or two jet diameters downstream, along the nozzle centerline, from the nozzle exit (sketch (a) below).



Sketch (a)

Jet-exit effects could influence the model base pressures near the jets and upstream interference effects from the jet expansion region would affect the pressure on the upper and lower flap surfaces of the vehicle forward of the jets. For a jet exhausting normal to a surface (see footnote 1), it is found that upstream interference effects caused by the jet are much easier to duplicate than are downstream (leeward side of jet) effects. In other words, if only upstream effects are of concern, the jet simulation need not be as exact as if downstream-interference duplication is also required. It is also concluded from this reference that the best duplication of upstream interference is achieved when values of  $p_j/p_\infty$ ,  $\delta_j$ ,  $\Delta v$ , and exit momentum are duplicated. In reference 5 it is pointed out that matching of  $p_j/p_\infty$  and  $\delta_j$  is required if jet exit effects are to be duplicated between model and full scale.

Reference 6 is a summary and a review of various techniques used for jet simulation in ground test facilities. This reference indicates that there is a strong requirement for the duplication of  $p_j/p_\infty$ ,  $\delta_j$ ,  $(\gamma M^2/\beta)_j$ ,  $(RT)_j$ , and jet-exit momentum when evaluating aerodynamic interference effects. The importance of these parameters in simulation studies is verified by experimental data presented.

The jet characteristics and variables just discussed were selected as being relevant to aerodynamic interference; other jet-vehicle interactions, such as heat transfer and acoustic fatigue, were not considered in this evaluation. Duplication of all these parameters simultaneously with cold gas is not possible. These parameters must be ranked in order of estimated overall importance and the most important variables simulated as well as possible. A detailed discussion of jet characteristics and variables and the effect of each on the jet plume is contained in reference 6. The following paragraph is a brief summary of the effect of the pertinent variables; for detailed information the references, particularly reference 6, should be consulted.

This discussion is made under the assumptions that the free-stream conditions are matched,  $(\gamma_\infty, M_\infty)_{\text{model}} = (\gamma_\infty, M_\infty)_{\text{flight}}$ , and that the specific heat ratio of the gases for the model and full-scale jets are not equal. It is desired that  $p_j/p_\infty$ ,  $(\delta_j, \Delta v)$ ,  $(\gamma M^2/\beta)_j$ , exit momentum, and  $(RT)_j$  be duplicated (the variables are listed here in an estimated order of importance). These variables are interdependent to some extent. (The ratio of jet-exit to free-stream static pressure affects a large number of the jet parameters.) Boundary shape,  $(\delta_j, \Delta v)$ , transmitted shock strength, mass flow, momentum, and thrust are all dependent on the value of  $p_j/p_\infty$ . These parameters affect the plume-free-stream interaction in both the jet-exit region and in the jet-expansion region (sketch (a)). Assuming that the investigation is conducted with matched  $p_j/p_\infty$  and free-stream conditions, the exit momentum per unit area (proportional to  $\gamma_j M_j^2$ ) and the parameter  $(\gamma M^2/\beta)_j$  are the most influential variables relating to jet-expansion region aerodynamic interference. The exit momentum and  $(\gamma M^2/\beta)_j$  affect the depth of penetration of the jet into the deflecting flow and influence the interaction several nozzle diameters from the nozzle exit in the jet direction. The initial jet-flow inclination angle  $\delta_j$  is the initial angle of the plume, relative to the nozzle centerline, and is determined by  $\Theta_N$  and  $\Delta v$ ;  $\Delta v$  in turn is determined by

$p_j/p_\infty$  and  $\gamma$ . The initial plume angle  $\delta_j$  must be matched between model and full scale in order to duplicate the jet-exit effects. Available data indicate that the value of  $(RT)_j$  influences the rate of mixing between the plume and the free-stream flow and is thus concerned with the interference caused by the jet-downstream region.

The value of  $p_j/r_\infty$  can be duplicated by control of total pressure to the jet nozzle and thus does not affect the design of the jet nozzle for the model. The requirement that the parameter  $(\gamma M^2/\beta)_j$  be duplicated dictated the exit Mach number and therefore the area ratio of the model nozzle. The requirement that  $\delta_j$  be matched determines the value of  $\theta_N$ . The geometry of the nozzle is determined by these variables and the size is fixed by the model-scale factor. The exit momentum per unit area is fixed once exit Mach number and  $p_j/p_\infty$  are specified (for a given gas). The value of the product  $(RT)_j$  was not simulated for this investigation.

The value of the simulation parameters for model and full-scale conditions are compared in table 1. The estimated value of  $\delta_j$  for model and full scale are compared as a function of  $p_j/p_\infty$  in figure 18. The slight difference shown is caused by the effect of  $\gamma$  on  $\Delta v$  as a function of  $p_j/p_\infty$ .

#### REFERENCES

1. Mort, Kenneth W.; and Gamse, Berl: Low-Speed Wind-Tunnel Tests of a Full-Scale M2-F2 Lifting Body Model. NASA TM X-1347, 1967.
2. Mort, Kenneth W.; and Gamse, Berl: Full-Scale Wind-Tunnel Investigation of the Longitudinal Aerodynamic Characteristics of the M2-F2 Lifting Body Flight Vehicle. NASA TN D-3330, 1966.
3. Holleman, Euclid C.: Stability and Control Characteristics of the M2-F2 Lifting Body Measured During 16 Glide Flights. NASA TM X-1593, 1968.
4. Keener, Earl R.; and Brownson, Jack J.: Wind-Tunnel Investigation of the Aerodynamic Characteristics of the M2-F2 Lifting Body Entry Configuration at Transonic and Supersonic Speeds and Selected Reynolds Numbers. NASA TM X-2511, 1972.
5. Love, Eugene S.; Grigsby, Carl E.; Lee, Louise P.; and Woodling, Mildred J.: Experimental and Theoretical Studies of Axisymmetric Free Jets. NASA TR R-6, 1959.
6. Pindzola, M.: Jet Simulation in Ground Test Facilities. AGARDograph 79, Nov. 1963.

TABLE 1.- COMPARISON OF PARAMETER VALUES

Parameter	Full-scale value (90% H <sub>2</sub> O <sub>2</sub> )	Simulation		
		Air	CO <sub>2</sub> (geometric simulation)	Air in CO <sub>2</sub> nozzle
$A_e/A^*$ , <sup>a</sup>	9.4	4.526	9.4	9.4
$M_j$	3.435	3.07	3.47	3.85
$\gamma_j$	1.27	1.4	1.28	1.4
$T_j$ , K	1013.9	288.9	288.9	288.9
$(RT)_j$	380,111	83,000	54,463	83,000
$\theta_N$	18°	18°	18°	18°
$(\gamma M^2/\beta)_j$	4.55	4.55	4.63	5.59
$(\gamma M^2)_j$	14.94	13.19	15.41	20.75
$P_r$	0.265-5.0	0.13-11.0	0.13-4.0	0.5-3.5

<sup>a</sup>Assumes full-scale value of  $p_c = 2.117 \times 10^6$  N/m<sup>2</sup> (307 psia) and is constant.

TABLE 2.- INDEX TO DATA LISTINGS

Page	$\delta_u$ , deg	$\delta_z$ , deg	$\delta_r$ , deg	Span, L	Span, R	$\delta_t$ , deg	Nozzle	Gas
12	-20	35	0	0.925	0.025	0	1	Air
13	↓	↓	↓	↓	↓	↓	↓	↓
14	↓	↓	↓	↓	↓	↓	↓	↓
15	↓	↓	↓	↓	↓	↓	↓	↓
16	↓	↓	↓	.615	.615	↓	↓	↓
17	↓	↓	↓	↓	↓	↓	↓	↓
18	↓	↓	↓	↓	↓	↓	↓	↓
19	↓	↓	↓	↓	↓	↓	↓	↓
20	↓	↓	↓	.770	.770	↓	↓	↓
21	↓	↓	↓	.770	.770	↓	↓	↓
22	↓	↓	↓	.925	.925	15	↓	↓
23	↓	↓	↓	.925	↓	15	↓	↓
24	↓	↓	↓	.615	↓	0	↓	↓
25	↓	↓	↓	.615	↓	15	↓	↓
26	↓	↓	↓	.770	↓	↓	↓	↓
27	↓	↓	↓	.615	↓	↓	↓	↓
28	↓	↓	+5/-5	↓	↓	↓	↓	↓
29	↓	↓	-5	↓	↓	↓	↓	↓
30	↓	↓	-10	↓	↓	↓	↓	↓
31	↓	↓	-10	↓	↓	↓	↓	↓
32	↓	↓	-10	↓	↓	↓	↓	↓
33	-20/-10	25	0	↓	↓	↓	↓	↓
34	-10	25	↓	↓	↓	↓	↓	↓
35	↓	25	↓	↓	↓	↓	↓	↓
36	↓	15	↓	.925	↓	15/0	↓	↓
37	↓	15	↓	.925	↓	↓	↓	↓
38	-20	35	↓	.615	↓	↓	2	CO <sub>2</sub>
39	↓	↓	↓	.615	↓	↓	↓	↓
40	↓	↓	↓	.615	↓	↓	↓	↓
41	↓	↓	↓	.925	↓	↓	↓	↓
42	↓	↓	↓	.925	↓	0	↓	↓
43	↓	↓	↓	.615	↓	15	1	Air
44	↓	↓	↓	↓	↓	↓	1	↓
45	↓	↓	↓	↓	↓	↓	1	↓
46	↓	↓	↓	↓	↓	↓	2	↓
47	↓	↓	↓	↓	↓	↓	2	↓



δ <sub>1</sub> = -20°		δ <sub>2</sub> = 35°		δ <sub>r</sub> = 0		Span L = 0.925		Span R = 0.925		δ <sub>t</sub> = 0		Nozzle no. J		Gas		Air									
α	β	C <sub>m</sub>	C <sub>n</sub>	C <sub>l</sub>	P <sub>rL</sub>	P <sub>rR</sub>	P <sub>t</sub>	α	β	C <sub>m</sub>	C <sub>n</sub>	C <sub>l</sub>	P <sub>rL</sub>	P <sub>rR</sub>	P <sub>t</sub>	α	β	C <sub>m</sub>	C <sub>n</sub>	C <sub>l</sub>	P <sub>rL</sub>	P <sub>rR</sub>	P <sub>t</sub>		
		M= .798		R= 1.405						M= .907		R= 1.461													
-8.92	.00	.0167	-.0002	.0009			709.	-8.71	.00	.0138	.0014	.0002			709.	-8.71	.00	.0138	.0014	.0002					703.
-4.11	.00	.0123	.0001	.0008			710.	-3.96	.00	.0073	-.0013	.0012			708.	-3.96	.00	.0073	-.0013	.0012					703.
-0.05	.00	.0051	.0003	.0016			708.	.13	.00	-.0063	-.0012	.0011			709.	.13	.00	-.0063	-.0012	.0011					702.
3.97	.00	-.0003	.0012	.0015			709.	4.16	.00	-.0096	.0008	.0011			707.	4.16	.00	-.0096	.0008	.0011					704.
8.02	.00	-.0052	-.0003	.0023			712.	8.24	.00	-.0173	.0019	.0017			710.	8.24	.00	-.0173	.0019	.0017					702.
12.08	.00	-.0109	.0005	.0025			710.	12.30	.00	-.0241	.0016	.0019			708.	12.30	.00	-.0241	.0016	.0019					703.
16.15	.00	-.0121	.0017	.0022			708.	16.38	.01	-.0342	.0008	.0019			707.	16.38	.01	-.0342	.0008	.0019					702.
18.95	.00	-.0076	.0011	.0025			707.	19.21	.01	-.0204	.0011	.0023			709.	19.21	.01	-.0204	.0011	.0023					701.
-0.07	.00	.0054	.0009	.0014			709.	.16	.00	-.0042	-.0013	.0012			706.	.16	.00	-.0042	-.0013	.0012					706.
		M= .812		R= 1.420						M= .899		R= 1.461													
-8.79	.00	.0159	-.0021	.0014	1.54		709.	-8.65	.00	.0153	.0008	.0007	2.91		703.	-8.65	.00	.0153	.0008	.0007	2.91				703.
-4.14	.00	.0114	-.0024	.0018	1.61		708.	-3.94	.00	.0060	-.0025	.0014	2.91		703.	-3.94	.00	.0060	-.0025	.0014	2.91				703.
-0.08	.00	.0039	-.0032	.0026	1.64		709.	.14	.00	-.0080	-.0012	.0013	2.93		700.	.14	.00	-.0080	-.0012	.0013	2.93				700.
3.97	.00	-.0031	.0023	.0024	1.62		707.	4.16	.00	-.0085	-.0043	.0024	2.87		701.	4.16	.00	-.0085	-.0043	.0024	2.87				701.
8.02	.00	-.0079	.0038	.0034	1.64		706.	8.24	.00	-.0164	-.0044	.0038	2.91		701.	8.24	.00	-.0164	-.0044	.0038	2.91				701.
12.05	.00	-.0124	.0036	.0039	1.62		710.	12.31	.00	-.0278	-.0045	.0037	2.97		703.	12.31	.00	-.0278	-.0045	.0037	2.97				703.
16.12	.00	-.0137	.0036	.0039	1.63		708.	16.35	.01	-.0293	-.0058	.0040	2.94		701.	16.35	.01	-.0293	-.0058	.0040	2.94				701.
18.96	.01	-.0105	.0042	.0044	1.63		708.	19.22	.01	-.0414	-.0094	.0051	2.94		702.	19.22	.01	-.0414	-.0094	.0051	2.94				702.
-0.06	.00	.0029	-.0027	.0028	1.67		709.	.13	.00	-.0037	-.0041	.0018	2.94		702.	.13	.00	-.0037	-.0041	.0018	2.94				702.
		M= .813		R= 1.420						M= .895		R= 1.461													
-8.85	.00	.0187	-.0018	.0025	1.54	1.60	708.	-8.64	.00	.0207	.0003	.0026	2.93	2.85	703.	-8.64	.00	.0207	.0003	.0026	2.93	2.85			703.
-4.03	.00	.0131	-.0025	.0028	1.62	1.58	708.	-3.95	.00	.0093	-.0044	.0037	2.94	2.85	702.	-3.95	.00	.0093	-.0044	.0037	2.94	2.85			702.
-0.09	.00	.0064	-.0030	.0037	1.62	1.58	707.	.12	.00	-.0007	-.0056	.0037	2.94	2.88	702.	.12	.00	-.0007	-.0056	.0037	2.94	2.88			702.
3.95	.00	.0004	-.0031	.0039	1.61	1.58	708.	4.15	.00	-.0036	-.0064	.0044	2.91	2.86	702.	4.15	.00	-.0036	-.0064	.0044	2.91	2.86			702.
8.02	.00	-.0059	-.0042	.0046	1.63	1.59	708.	8.22	.00	-.0134	-.0062	.0054	2.89	2.85	702.	8.22	.00	-.0134	-.0062	.0054	2.89	2.85			702.
12.07	.00	-.0115	-.0039	.0049	1.62	1.58	709.	12.29	.01	-.0221	-.0069	.0056	2.91	2.85	703.	12.29	.01	-.0221	-.0069	.0056	2.91	2.85			703.
16.13	.01	-.0111	-.0037	.0049	1.57	1.58	708.	16.35	.01	-.0287	-.0086	.0058	2.91	2.85	703.	16.35	.01	-.0287	-.0086	.0058	2.91	2.85			703.
19.17	.01	-.0086	-.0041	.0053	1.62	1.59	708.	19.23	.01	-.0310	-.0109	.0062	2.92	2.86	701.	19.23	.01	-.0310	-.0109	.0062	2.92	2.86			701.
-0.08	.00	.0062	-.0029	.0038	1.62	1.59	709.	.11	.00	.0011	-.0070	.0039	2.89	2.85	703.	.11	.00	.0011	-.0070	.0039	2.89	2.85			703.
		M= .803		R= 1.419						M= .898		R= 1.467													
-8.83	.00	.0182	-.0007	.0017	.82	.80	709.	-8.64	-.00	.0169	.0026	.0011	1.35	1.36	704.	-8.64	-.00	.0169	.0026	.0011	1.35	1.36			704.
-4.12	.00	.0129	-.0009	.0019	.84	.79	709.	-3.90	.00	.0076	-.0025	.0025	1.34	1.36	703.	-3.90	.00	.0076	-.0025	.0025	1.34	1.36			703.
-0.09	.00	.0064	-.0011	.0029	.82	.77	709.	.09	.00	.0013	-.0053	.0029	1.35	1.35	702.	.09	.00	.0013	-.0053	.0029	1.35	1.35			702.
3.97	.00	.0001	-.0012	.0026	.79	.78	708.	4.19	.00	-.0080	-.0023	.0027	1.37	1.37	702.	4.19	.00	-.0080	-.0023	.0027	1.37	1.37			702.
8.00	.00	-.0044	-.0028	.0036	.80	.77	709.	8.23	.00	-.0143	-.0023	.0035	1.36	1.35	702.	8.23	.00	-.0143	-.0023	.0035	1.36	1.35			702.
12.08	.00	-.0113	-.0015	.0033	.81	.76	709.	12.29	.00	-.0202	-.0035	.0040	1.34	1.34	702.	12.29	.00	-.0202	-.0035	.0040	1.34	1.34			702.
16.17	.01	-.0113	-.0015	.0037	.81	.76	709.	16.35	.01	-.0271	-.0033	.0037	1.36	1.36	702.	16.35	.01	-.0271	-.0033	.0037	1.36	1.36			702.
19.10	.01	-.0081	-.0014	.0037	.81	.76	709.	19.22	.01	-.0283	-.0036	.0036	1.36	1.35	701.	19.22	.01	-.0283	-.0036	.0036	1.36	1.35			701.
-0.09	.00	.0058	-.0012	.0028	.81	.76	706.	.15	.00	.0010	-.0048	.0027	1.35	1.34	704.	.15	.00	.0010	-.0048	.0027	1.35	1.34			704.



$\delta_u = -20^\circ$ $\delta_l = 35^\circ$ $\delta_r = 0$ Span L = 0.925   Span R = 0.925 $\delta_t = 0$ Nozzle no. 1   Gas   Air							
$\alpha$	$\beta$	$C_m$	$C_n$	$C_l$	$P_{F_L}$	$P_{F_R}$	$P_t$
M = 1.100				R = 1.551			
-8.53	-0.00	.0179	.0027	-.0003			705.
-3.65	-0.00	.0054	.0032	-.0003			717.
.42	-0.00	-.0074	.0017	.0006			705.
4.47	.00	-.0183	.0011	.0013			718.
8.52	.00	-.0257	.0018	.0010			718.
12.59	.00	-.0308	.0009	.0012			703.
16.70	.00	-.0415	.0006	.0009			707.
19.53	.01	-.0508	.0010	.0010			709.
.39	-0.00	-.0066	.0021	.0006			707.
M = 1.105				R = 1.565			
-8.40	-0.00	.0170	.0021	-.0001	1.81		712.
-3.65	-0.00	.0048	.0019	-.0002	1.82		710.
.42	-0.00	-.0080	.0005	.0011	1.84		710.
4.46	.00	-.0198	-.0002	.0016	1.83		707.
8.53	.00	-.0271	.0003	.0016	1.81		709.
12.61	.00	-.0320	-.0005	.0017	1.81		709.
16.67	.00	-.0419	-.0009	.0015	1.80		709.
19.52	.01	-.0506	-.0001	.0014	1.79		707.
.41	-0.00	-.0075	.0009	.0011	1.81		713.
M = 1.102				R = 1.518			
-8.35	-0.00	.0175	.0019	-.0004	1.84	1.84	697.
-3.65	-0.00	.0057	.0003	.0011	1.83	1.83	704.
.41	.01	-.0066	-.0019	.0023	1.81	1.81	709.
4.46	.00	-.0188	-.0024	.0026	1.82	1.82	706.
8.53	.00	-.0260	-.0020	.0024	1.82	1.82	704.
12.62	.00	-.0330	-.0021	.0022	1.82	1.82	711.
16.68	.01	-.0415	-.0025	.0027	1.81	1.81	708.
19.52	.01	-.0499	-.0011	.0026	1.81	1.81	704.
.41	.00	-.0069	-.0017	.0024	1.82	1.82	711.
M = 1.102				R = 1.524			
-8.33	-0.00	.0166	.0009	.0005	3.83		708.
-3.64	-0.00	.0044	.0002	.0009	3.84		709.
.41	.00	-.0087	-.0017	.0019	3.86		710.
4.48	.00	-.0206	-.0027	.0027	3.83		712.
8.54	.00	-.0283	-.0019	.0024	3.79		716.
12.60	.00	-.0322	-.0028	.0025	3.77		710.
16.66	.01	-.0418	-.0032	.0026	3.74		718.
19.52	.01	-.0516	-.0029	.0027	3.62		709.
.42	.00	-.0083	-.0017	.0020	3.85		709.
M = 1.099				R = 1.532			
-8.32	-0.00	.0177	.0010	.0010	3.82	3.82	707.
-3.64	-0.00	.0050	-.0020	.0023	3.84	3.84	714.
.44	.00	-.0084	-.0049	.0036	3.92	3.92	708.
4.45	.00	-.0188	-.0046	.0037	3.83	3.83	709.
8.53	.00	-.0264	-.0044	.0036	3.80	3.80	708.
12.60	.00	-.0313	-.0045	.0033	3.77	3.77	707.
16.67	.01	-.0418	-.0046	.0035	3.40	3.80	704.
19.54	.01	-.0507	-.0033	.0032	3.75	3.75	707.
.41	.00	-.0065	-.0051	.0037	3.87	3.87	702.
M = 1.113				R = 1.553			
.41	.00	-.0075	.0017	.0012			704.
.42	.00	-.0078	-.0009	.0025	1.84	1.84	714.
.42	.00	-.0078	-.0043	.0039	3.88	3.88	712.
.42	.00	-.0074	-.0092	.0057	6.98	6.98	710.
.41	.00	-.0069	-.0133	.0071	11.60	11.60	707.
$\delta_u = -20^\circ$ $\delta_l = 35^\circ$ $\delta_r = 0$ Span L = 0.925   Span R = 0.925 $\delta_t = 0$ Nozzle no. 1   Gas   Air							
$\alpha$	$\beta$	$C_m$	$C_n$	$C_l$	$P_{F_L}$	$P_{F_R}$	$P_t$
M = 1.101				R = 2.771			
-8.51	-0.00	.0185	.0034	-.0006			1273.
-3.57	-0.00	.0046	.0026	-.0001			1272.
.50	-0.00	-.0088	.0013	.0006			1272.
4.62	.00	-.0186	.0010	.0010			1273.
8.77	.00	-.0287	.0011	.0010			1273.
12.92	.01	-.0336	.0003	.0010			1273.
17.09	.01	-.0423	.0001	.0010			1274.
19.95	.01	-.0525	.0005	.0010			1273.
.52	-0.00	-.0074	.0019	.0005			1273.
M = 1.101				R = 2.759			
-8.34	-0.00	.0181	.0013	-.0006	3.83	3.83	1273.
-3.61	-0.00	.0052	-.0018	-.0020	3.83	3.83	1275.
.47	.00	-.0060	-.0045	.0032	3.72	3.72	1273.
4.62	.00	-.0196	-.0041	.0033	3.82	3.82	1272.
8.77	.00	-.0280	-.0040	.0032	3.82	3.82	1272.
12.89	.01	-.0338	-.0041	.0027	3.91	3.81	1273.
17.08	.01	-.0432	-.0040	.0025	3.82	3.82	1272.
19.98	.01	-.0533	-.0029	.0024	3.83	3.83	1273.
.50	.00	-.0067	-.0045	.0033	3.82	3.82	1272.
M = 1.097				R = 4.486			
-8.40	-0.00	.0187	.0041	-.0008			2122.
-3.55	-0.01	.0056	.0030	-.0003			2124.
.56	-0.00	-.0088	.0012	.0007			2123.
4.93	.00	-.0200	.0005	.0012			2120.
9.13	.00	-.0275	.0011	.0010			2122.
13.40	.01	-.0346	.0003	.0010			2122.
17.67	.01	-.0440	-.0007	.0012			2122.
20.20	.02	-.0536	-.0000	.0011			2121.
.68	-0.00	-.0081	.0014	.0008			2122.
M = 1.096				R = 4.443			
-8.41	-0.01	.0187	.0015	.0009	3.81	3.81	2121.
-3.52	-0.00	.0055	-.0023	.0023	3.81	3.81	2120.
.68	.00	-.0078	-.0043	.0032	3.84	3.84	2120.
4.91	.00	-.0213	-.0042	.0031	3.88	3.88	2122.
9.14	.01	-.0283	-.0039	.0030	3.80	3.80	2121.
13.36	.01	-.0346	-.0043	.0026	3.80	3.80	2122.
17.66	.02	-.0451	-.0049	.0030	3.82	3.82	2120.
20.21	.02	-.0542	-.0035	.0026	3.81	3.81	2122.
.66	-0.00	-.0081	-.0042	.0033	3.84	3.84	2122.

$\delta_u = -20^\circ$   $\delta_l = 35^\circ$   $\delta_r = 0$

Span L = 0.925

Span R = 0.925

$\delta_t = 0$

Nozzle no. 1 Gas

Air

$\alpha$	$\beta$	$C_m$	$C_n$	$C_l$	$P_{rL}$	$P_{rR}$	$P_t$
M = 1.297		k = 1.565					
-8.59	.00	.0202	.0009	.0003			709.
-3.91	.00	.0120	.0016	.0003			707.
.16	.00	.0038	.0016	.0008			707.
4.21	.00	-.0047	.0016	.0012			707.
8.29	.00	-.0129	.0022	.0013			707.
12.38	.00	-.0225	.0023	.0014			708.
16.47	.01	-.0353	.0019	.0014			707.
19.31	.01	-.0453	.0014	.0013			707.
.18	.00	.0040	.0018	.0008			707.
M = 1.298		k = 1.544					
-8.81	.00	.0201	-.0004	.0007	4.39		707.
-3.92	.00	.0111	-.0000	.0010	4.44		708.
.13	.00	.0029	.0000	.0016	4.42		708.
4.20	.00	-.0061	-.0004	.0020	4.40		708.
8.30	.00	-.0142	.0001	.0021	4.30		709.
12.38	.00	-.0239	.0002	.0020	4.34		708.
16.46	.01	-.0364	.0000	.0019	4.33		708.
19.32	.01	-.0460	-.0008	.0021	4.35		708.
.17	.00	.0029	.0001	.0014	4.35		708.
M = 1.299		k = 1.543					
-9.66	.00	.0200	-.0004	.0010	4.40	4.23	707.
-3.91	.00	.0112	-.0004	.0012	4.37	4.22	707.
.14	.00	.0029	-.0004	.0018	4.25	4.23	707.
4.21	.00	-.0060	-.0012	.0023	4.38	4.22	707.
8.27	.00	-.0139	-.0009	.0026	4.38	4.22	707.
12.38	.00	-.0236	-.0008	.0024	4.40	4.20	707.
16.42	.01	-.0358	-.0004	.0025	4.37	4.21	709.
19.33	.01	-.0458	-.0002	.0024	4.37	4.22	707.
.14	.00	.0032	-.0005	.0018	4.35	4.20	708.
M = 1.298		k = 1.544					
-8.63	.00	.0203	.0004	.0007	2.60	2.51	707.
-3.91	.00	.0116	.0003	.0009	2.59	2.51	707.
.15	.00	.0033	.0004	.0015	2.52	2.50	707.
4.21	.00	-.0054	.0000	.0018	2.58	2.51	707.
8.29	.00	-.0135	.0001	.0021	2.60	2.50	707.
12.38	.00	-.0230	.0006	.0020	2.58	2.49	707.
16.45	.01	-.0355	.0004	.0022	2.57	2.49	708.
19.32	.01	-.0456	.0006	.0023	2.58	2.49	708.
.15	.00	.0037	.0007	.0014	2.59	2.50	707.

$\alpha$	$\beta$	$C_m$	$C_n$	$C_l$	$P_{rL}$	$P_{rR}$	$P_t$
M = 1.711		k = 1.414					
-4.07	.00	.0107	.0002	-.0000			702.
-.05	.00	.0030	.0011	.0000			704.
3.99	.00	-.0046	.0019	.0001			704.
8.06	.00	-.0134	.0022	.0001			704.
12.13	.00	-.0229	.0021	.0002			703.
16.17	.00	-.0339	.0020	.0005			708.
19.05	.00	-.0433	.0017	.0007			708.
-.05	.00	.0032	.0016	-.0000			702.
M = 1.699		k = 1.424					
-8.87	.00	.0208	-.0002	-.0000	3.64		711.
-4.09	.00	.0107	.0003	.0001	3.60		709.
-.04	.00	.0025	.0005	.0003	3.70		707.
3.99	.00	-.0053	.0011	.0004	3.70		707.
8.06	.00	-.0143	.0012	.0005	3.66		707.
12.13	.00	-.0234	.0011	.0006	3.69		707.
16.18	.00	-.0348	.0006	.0008	3.67		707.
19.04	.01	-.0438	.0006	.0011	3.69		707.
-.00	.00	.0027	.0009	.0003	3.68		707.
M = 1.696		k = 1.416					
-8.87	.00	.0206	-.0002	-.0000	3.64	3.36	707.
-4.10	.00	.0104	.0001	.0001	3.72	3.38	707.
-.04	.00	.0025	.0007	.0004	3.60	3.40	707.
4.01	.00	-.0055	.0012	.0004	3.67	3.38	707.
8.05	.00	-.0142	.0008	.0005	3.63	3.38	707.
12.09	.00	-.0235	.0006	.0008	3.64	3.38	707.
16.20	.00	-.0348	.0008	.0011	3.62	3.36	708.
19.01	.01	-.0438	.0005	.0013	3.60	3.37	707.
-.05	.00	.0026	.0011	.0004	3.65	3.39	707.
M = 1.700		k = 1.410					
-8.83	.00	.0200	-.0006	.0001	5.14	4.84	708.
-4.10	.00	.0103	-.0001	.0003	5.05	4.86	707.
-.05	.00	.0025	.0004	.0006	5.20	4.88	707.
4.01	.00	-.0055	.0004	.0004	5.04	4.85	707.
8.06	.00	-.0145	.0005	.0009	5.14	4.85	707.
12.13	.00	-.0239	.0005	.0012	5.11	4.86	708.
16.18	.01	-.0351	.0005	.0013	5.15	4.84	707.
19.02	.01	-.0440	.0005	.0014	5.14	4.85	707.
-.04	.00	.0026	.0009	.0006	5.16	4.87	707.

Span L = 0.615		Span R = 0.615		Nozzle no. 1		Gas		Air							
$\delta_a = -20^\circ$	$\delta_2 = 35^\circ$	$\delta_r = 0$	$\delta_t = 0$	$\delta_a = 0$	$\delta_2 = 0$	$\delta_r = 0$	$\delta_t = 0$	$\delta_a = 0$	$\delta_2 = 0$						
$\alpha$	$\beta$	$C_m$	$C_n$	$C_l$	$P_{rL}$	$P_{rR}$	$P_t$	$\alpha$	$\beta$	$C_m$	$C_n$	$C_l$	$P_{rL}$	$P_{rR}$	$P_t$
		$M = .592$		$k = 1.187$											
-8.97	.00	.0173	.0002	.0009			701.	-8.77	.00	.0163	-.0006	.0009			707.
-9.39	.00	.0123	.0003	.0012			703.	-9.12	.00	.0119	-.0003	.0009			706.
-9.83	.00	.0073	-.0000	.0019			707.	-9.08	.00	.0050	-.0001	.0015			708.
-9.86	.00	.0043	-.0001	.0019			702.	-9.98	.00	-.0016	.0006	.0014			710.
-11.69	.00	.0011	-.0007	.0030			702.	-8.02	.00	-.0066	-.0006	.0022			708.
-15.73	.00	-.0022	-.0013	.0036			701.	-12.09	.00	-.0122	.0001	.0023			708.
-18.52	.00	-.0050	-.0012	.0040			702.	-16.12	.00	-.0126	.0005	.0023			708.
-9.40	.01	-.0079	-.0000	.0013			702.	-19.16	.01	-.0095	.0011	.0023			709.
							702.	-9.08	.00	.0051	.0001	.0017			708.
		$M = .593$		$k = 1.192$											
-9.11	.00	.0155	.0005	.0017	1.54		702.	-8.89	.00	.0151	-.0003	.0010	1.62		709.
-9.38	.00	.0097	.0005	.0020	1.54		702.	-9.11	.00	.0100	-.0002	.0011	1.63		710.
-9.89	.00	.0048	-.0010	.0027	1.54		702.	-9.05	.00	.0029	-.0004	.0013	1.63		710.
-9.87	.00	.0010	-.0013	.0028	1.54		701.	-9.98	.00	-.0013	.0001	.0016	1.63		710.
-11.64	.00	-.0017	-.0020	.0035	1.54		702.	-8.02	.00	-.0083	-.0010	.0024	1.62		711.
-15.72	.00	-.0051	-.0029	.0041	1.54		702.	-12.08	.00	-.0139	-.0008	.0029	1.63		709.
-18.54	.00	-.0073	-.0030	.0053	1.54		702.	-16.13	.01	-.0140	-.0001	.0028	1.63		709.
-9.41	.00	-.0085	-.0026	.0054	1.54		702.	-19.16	.01	-.0105	.0003	.0028	1.63		709.
					1.57		702.	-9.08	.00	.0132	-.0003	.0021	1.64		709.
		$M = .593$		$k = 1.193$											
-9.13	.00	.0151	.0003	.0018	1.57	1.50	702.	-8.82	.00	.0130	-.0020	.0041	1.61	1.56	709.
-9.32	.00	.0112	.0027	.0018	1.57	1.51	702.	-9.12	.00	.0179	-.0024	.0043	1.61	1.55	710.
-9.80	.00	.0119	-.0034	.0018	1.54	1.51	702.	-9.08	.00	.0113	-.0020	.0052	1.63	1.55	709.
-9.87	.00	.0043	-.0041	.0023	1.54	1.51	701.	-9.98	.00	.0050	-.0018	.0053	1.63	1.55	709.
-11.65	.00	.0085	-.0039	.0042	1.54	1.51	701.	-8.04	.00	.0002	-.0023	.0059	1.62	1.55	709.
-15.73	.00	.0059	-.0041	.0048	1.54	1.51	701.	-12.08	.00	-.0057	-.0017	.0059	1.63	1.55	709.
-18.53	.00	.0041	-.0041	.0043	1.54	1.51	702.	-16.14	.01	-.0048	-.0013	.0050	1.63	1.55	709.
-9.40	.00	-.0027	-.0065	.0023	1.54	1.51	702.	-19.16	.01	-.0024	-.0008	.0056	1.63	1.55	709.
					1.54	1.52	702.	-9.09	.00	.0117	-.0015	.0051	1.63	1.55	709.
		$M = .593$		$k = 1.196$											
-8.95	.00	.0202	-.0011	.0035	.57	.54	702.	-8.82	-.00	.0148	-.0008	.0001			700.
-9.38	.00	.0157	-.0009	.0035	.58	.52	701.	-9.32	-.00	.0047	-.0029	.0009			703.
-9.87	.00	.0113	-.0011	.0041	.57	.52	700.	-9.11	-.00	-.0016	-.0040	.0010			701.
-9.83	.00	.0077	-.0015	.0041	.57	.53	701.	-8.15	.00	-.0107	.0007	.0007			703.
-11.71	.00	.0048	-.0021	.0053	.57	.53	702.	-9.27	.00	-.0140	.0013	.0014			702.
-15.70	.00	.0014	-.0023	.0059	.57	.53	701.	-12.24	.00	-.0235	.0010	.0016			702.
-18.52	.00	-.0014	-.0022	.0060	.57	.53	701.	-16.37	.01	-.0113	.0008	.0014			701.
-9.39	.00	-.0020	-.0028	.0071	.57	.53	703.	-19.20	.01	-.0414	.0004	.0018			703.
					.57	.53	701.	-9.13	.00	-.0033	-.0019	.0010			700.
		$M = .903$		$k = 1.510$											
-8.72	.00	.0115	-.0017	.0009	2.92		704.	-3.93	.00	.0020	-.0030	.0012	2.93		702.
-9.15	.00	.0090	-.0025	.0012	2.93		702.	-4.16	.00	-.0106	-.0007	.0010	2.93		701.
-9.24	.00	.0070	-.0003	.0018	2.93		704.	-8.24	.00	-.0250	-.0008	.0025	2.92		702.
-12.24	.00	-.0250	-.0008	.0025	2.92		702.	-16.36	.01	-.0332	-.0012	.0027	2.92		701.
-18.36	.01	-.0332	-.0012	.0027	2.92		701.	-19.19	.01	-.0378	-.0029	.0031	2.90		702.
-9.16	.00	.0047	-.0025	.0010	2.92		702.	-9.16	.00	.0047	-.0025	.0010	2.92		702.
		$M = .900$		$k = 1.504$											
-8.61	.00	.0176	-.0021	.0026	2.92	2.80	703.	-3.94	.00	.0091	-.0036	.0029	2.93	2.82	702.
-9.10	.00	.0032	-.0047	.0032	2.92	2.82	701.	-4.16	.00	-.0028	-.0033	.0037	2.92	2.82	704.
-9.24	.00	.0117	-.0024	.0046	2.93	2.83	702.	-8.24	.00	-.0177	-.0024	.0046	2.93	2.82	700.
-12.25	.00	-.0210	-.0032	.0046	2.93	2.82	700.	-16.36	.01	-.0270	-.0030	.0040	2.91	2.81	702.
-18.36	.01	-.0270	-.0030	.0040	2.91	2.80	703.	-19.20	.01	-.0344	-.0049	.0044	2.90	2.80	703.
-9.14	.00	.0028	-.0044	.0030	2.93	2.83	704.	-9.14	.00	.0028	-.0044	.0030	2.93	2.83	704.



$\delta_u = -20^\circ$		$\delta_l = 35^\circ$		$\delta_r = 0$		Span L = 0.615		Span R = 0.615		$\delta_t = 0$		Nozzle no. 1		Gas	Air
$\alpha$	$\beta$	$C_m$	$C_n$	$C_l$	$P_{rL}$	$P_{rR}$	$P_t$	$\alpha$	$\beta$	$C_m$	$C_n$	$C_l$	$P_{rL}$	$P_{rR}$	$P_t$
		$M = 0.604$		$M = 1.231$						$M = 0.904$		$M = 1.524$			
-9.00	.00	.0173	.0017	.0008			708.	-8.66	.00	.0131	.0014	.0000			701.
-9.39	.00	.0126	.0015	.0011			709.	-9.93	.00	.0053	.0011	.0009			701.
-9.69	.00	.0080	.0013	.0015			709.	-9.12	.00	.0027	.0015	.0009			700.
3.64	.00	.0043	.0008	.0020			709.	4.15	.00	.0094	.0003	.0006			702.
7.68	.00	.0013	.0006	.0024			709.	8.22	.00	.0149	.0016	.0014			701.
11.72	.00	.0074	.0004	.0032			709.	14.21	.00	.0240	.0016	.0014			702.
15.74	.00	.0051	.0002	.0035			708.	16.34	.01	.0311	.0012	.0012			702.
18.55	.00	.0055	.0002	.0042			708.	19.29	.01	.0345	.0003	.0021			702.
-9.37	.00	.0041	.0012	.0016			709.	-9.12	.00	.0026	.0013	.0009			702.
		$M = 0.609$		$M = 1.234$						$M = 0.903$		$M = 1.525$			
-9.02	.00	.0156	.0005	.0018	1.53		709.	-8.65	.00	.0140	.0005	.0005	2.23		703.
-9.39	.00	.0107	.0004	.0021	1.53		709.	-9.93	.00	.0050	.0016	.0010	2.24		702.
-9.69	.00	.0061	.0006	.0027	1.53		709.	-9.11	.00	.0018	.0024	.0013	2.24		702.
3.64	.00	.0022	.0012	.0031	1.53		709.	4.14	.00	.0123	.0004	.0013	2.24		702.
7.68	.00	.0009	.0015	.0034	1.53		709.	8.24	.00	.0189	.0017	.0028	2.25		703.
11.72	.00	.0047	.0023	.0045	1.54		709.	12.29	.00	.0267	.0040	.0035	2.25		702.
15.77	.00	.0072	.0018	.0044	1.54		709.	16.34	.01	.0299	.0034	.0036	2.25		702.
18.58	.00	.0076	.0024	.0054	1.53		708.	19.23	.01	.0368	.0056	.0043	2.25		703.
-9.33	.00	.0058	.0006	.0025	1.53		709.	-9.12	.00	.0049	.0018	.0011	2.25		702.
		$M = 0.609$		$M = 1.234$						$M = 0.900$		$M = 1.521$			
-9.10	.00	.0220	.0016	.0051	1.54	1.52	709.	-8.65	.00	.0195	.0004	.0021	2.24	2.27	703.
-9.50	.00	.0167	.0019	.0054	1.54	1.51	709.	-9.95	.00	.0109	.0024	.0031	2.21	2.21	702.
-9.67	.00	.0119	.0022	.0040	1.54	1.51	709.	-9.11	.00	.0014	.0046	.0031	2.22	2.22	701.
3.64	.00	.0077	.0024	.0063	1.54	1.51	708.	4.14	.00	.0081	.0036	.0037	2.23	2.23	703.
7.68	.00	.0042	.0025	.0068	1.54	1.51	709.	8.24	.00	.0134	.0040	.0046	2.22	2.22	702.
11.73	.00	.0004	.0026	.0067	1.54	1.51	709.	12.29	.00	.0229	.0051	.0049	2.22	2.22	702.
15.76	.00	.0024	.0030	.0071	1.54	1.51	709.	16.34	.01	.0301	.0059	.0047	2.23	2.23	702.
18.59	.00	.0028	.0034	.0077	1.54	1.51	709.	19.21	.01	.0374	.0074	.0050	2.23	2.23	702.
-9.35	.00	.0119	.0022	.0057	1.53	1.52	708.	-9.13	.00	.0006	.0046	.0033	2.22	2.22	701.
		$M = 0.802$		$M = 1.454$											
-8.78	.00	.0163	.0005	.0008			708.								
-9.12	.00	.0123	.0006	.0008			707.								
-9.08	.00	.0049	.0006	.0014			708.								
3.98	.00	.0015	.0016	.0012			710.								
8.01	.00	.0061	.0005	.0020			708.								
12.04	.00	.0129	.0008	.00.3			708.								
16.13	.00	.0123	.0015	.0023			708.								
18.98	.01	.0084	.0017	.0023			708.								
-9.03	.00	.0047	.0006	.0018			708.								
		$M = 0.805$		$M = 1.454$											
-8.79	.00	.0158	.0004	.0014	1.63		708.								
-9.12	.00	.0108	.0004	.0017	1.64		708.								
-9.08	.00	.0039	.0015	.0027	1.64		707.								
3.96	.00	.0024	.0005	.0022	1.64		708.								
8.02	.00	.0081	.0021	.0035	1.64		707.								
12.07	.00	.0147	.0015	.0034	1.63		710.								
16.13	.00	.0139	.0006	.0031	1.64		709.								
18.99	.01	.0100	.0007	.0034	1.64		708.								
-9.04	.00	.0032	.0012	.0025	1.63		710.								
		$M = 0.805$		$M = 1.454$											
-8.79	.00	.0213	.0008	.0036	1.61	1.54	708.								
-9.13	.00	.0164	.0017	.0043	1.63	1.55	707.								
-9.08	.00	.0089	.0020	.0051	1.63	1.55	708.								
3.95	.00	.0026	.0017	.0049	1.63	1.54	708.								
8.01	.00	.0034	.0024	.0058	1.63	1.54	707.								
12.07	.00	.0102	.0019	.0053	1.63	1.55	707.								
16.12	.01	.0105	.0014	.0050	1.63	1.55	708.								
18.98	.01	.0075	.0010	.0049	1.61	1.55	707.								
-9.05	.00	.0087	.0016	.0051	1.63	1.55	710.								

D <sub>1</sub> = 20°		S <sub>1</sub> = 35°		S <sub>2</sub> = 0		Span I = 0.015		Span R = 0.015		S <sub>3</sub> = 0		Worrie no. 1 Gas		Air	
α	β	C <sub>m</sub>	C <sub>n</sub>	C <sub>l</sub>	P <sub>rL</sub>	P <sub>rR</sub>	P <sub>t</sub>	α	β	C <sub>m</sub>	C <sub>n</sub>	C <sub>l</sub>	P <sub>rL</sub>	P <sub>rR</sub>	P <sub>t</sub>
M = 1.07				M = 1.514				M = 1.301				M = 1.602			
-2.57	.02	.014	.002	-.003				-2.65	.01	.014	.004	.000			
-3.25	.03	.062	.024	.001			676	-3.21	.02	.015	.013	.000			700
.41	.00	.008	.012	.010			676	.15	.00	.004	.014	.001			700
4.43	.00	.017	.007	.014			676	4.40	.00	.008	.013	.001			704
8.52	.00	.028	.008	.016			677	8.48	.00	.014	.019	.001			708
12.67	.00	.047	.006	.016			677	12.47	.01	.025	.021	.002			706
16.82	.01	.069	.004	.017			676	16.83	.01	.036	.015	.002			709
19.51	.01	.095	.004	.015			676	19.42	.01	.047	.015	.002			707
.39	.00	.004	.012	.012			676	.15	.00	.015	.016	.002			705
M = 1.063				M = 1.527				M = 1.299				M = 1.657			
-4.37	.00	.016	.002	.002	3.25		697	-4.42	.00	.014	.007	.001	4.44		707
-3.68	.00	.045	.002	.001	3.27		695	-3.69	.00	.045	.004	.001	4.44		707
.37	.00	.007	.006	.002	3.21		697	.19	.00	.015	.002	.002	4.45		706
4.42	.00	.015	.001	.004	3.21		696	4.20	.00	.006	.002	.002	4.45		708
8.49	.00	.026	.001	.007	3.23		695	8.30	.00	.019	.001	.002	4.47		707
12.66	.00	.043	.000	.004	3.23		697	12.37	.01	.024	.001	.002	4.45		707
16.81	.01	.067	.002	.004	3.22		697	16.44	.01	.036	.001	.002	4.43		707
19.57	.01	.091	.001	.004	3.22		694	19.42	.01	.047	.002	.002	4.43		707
.41	.00	.006	.004	.004	4.16			.15	.00	.015	.001	.002	4.45		707
M = 1.103				M = 1.585				M = 1.287				M = 1.684			
-2.53	.00	.014	.001	.003	3.24	3.44	702	-2.51	.00	.019	.000	.000	4.40	4.28	708
-3.25	.00	.034	.002	.001	3.26	3.44	702	-3.27	.00	.007	.002	.001	4.43	4.30	709
.40	.00	.006	.016	.002	3.26	3.47	707	.15	.00	.006	.003	.001	4.47	4.33	705
4.46	.00	.026	.019	.002	3.27	3.48	707	4.21	.00	.007	.003	.001	4.47	4.30	707
8.51	.00	.047	.002	.007	3.26	3.46	706	8.41	.00	.015	.005	.001	4.40	4.27	707
12.60	.00	.067	.001	.004	3.26	3.46	706	12.37	.01	.024	.000	.002	4.41	4.28	706
16.69	.01	.089	.000	.004	3.27	3.48	710	16.43	.01	.036	.001	.002	4.43	4.29	709
19.71	.01	.051	.001	.004	3.27	3.48	707	19.36	.01	.047	.005	.002	4.42	4.28	707
.40	.00	.005	.001	.002	3.27	3.50	705	.17	.00	.007	.006	.001	4.44	4.31	709

$\delta_a = -20^\circ$		$\delta_l = 35^\circ$		$\delta_r = 0$		Span I = 0.77		Span R = 0.77		$\delta_t = 0$		Nozzle no. 1		Gas	Air
$\alpha$	$\beta$	$C_m$	$C_n$	$C_l$	$P_{T_L}$	$P_{T_R}$	$P_t$	$\alpha$	$\beta$	$C_m$	$C_n$	$C_l$	$P_{T_L}$	$P_{T_R}$	$P_t$
		$M = .609$				$k = 1.224$									
-9.22	.00	.0172	.0010	.0014			709.	-8.79	.00	.0138	.0010	.0001			702.
-4.37	.00	.0126	.0006	.0020			710.	-3.93	.00	.0051	.0010	.0008			703.
-0.37	.00	.0082	.0006	.0025			708.	.12	.00	.0039	.0015	.0008			702.
3.64	.00	.0045	.0002	.0031			709.	4.17	.00	.0106	.0013	.0004			701.
7.68	.00	.0010	.0001	.0035			709.	8.23	.00	.0140	.0020	.0013			703.
11.69	.00	.0021	.0010	.0044			707.	12.28	.00	.0228	.0015	.0014			702.
15.75	.00	.0048	.0007	.0045			709.	16.37	.01	.0335	.0010	.0014			705.
18.71	.00	.0053	.0010	.0059			708.	19.22	.01	.0477	.0013	.0014			704.
-0.35	.00	.0082	.0008	.0030			708.	.14	.00	.0032	.0013	.0007			702.
		$M = .606$				$k = 1.223$									
-9.01	.00	.0152	.0023	.0034	1.68		708.	-8.58	.00	.0132	.0004	.0004	2.99		703.
-4.40	.00	.0103	.0028	.0041	1.68		707.	-3.94	.00	.0044	.0022	.0011	2.39		702.
-0.37	.00	.0056	.0032	.0047	1.67		709.	.11	.00	.0050	.0045	.0015	2.99		702.
3.64	.00	.0015	.0035	.0049	1.67		709.	4.18	.00	.0099	.0049	.0022	2.98		702.
7.70	.00	.0018	.0042	.0057	1.68		710.	8.23	.00	.0188	.0050	.0035	3.01		702.
11.72	.00	.0054	.0052	.0067	1.68		709.	12.28	.01	.0291	.0062	.0040	3.01		703.
15.74	.00	.0084	.0054	.0073	1.68		709.	16.32	.01	.0336	.0099	.0046	3.00		704.
18.54	.00	.0088	.0055	.0078	1.68		709.	19.21	.01	.0417	.0119	.0053	2.99		704.
-0.34	.00	.0056	.0031	.0047	1.68		712.	.10	.00	.0079	.0049	.0015	2.99		702.
		$M = .605$				$k = 1.221$									
-9.05	.00	.0184	.0027	.0052	1.68	1.67	707.	-8.64	.00	.0189	.0003	.0021	2.98	2.99	702.
-4.35	.00	.0130	.0029	.0054	1.68	1.67	710.	-3.91	.00	.0102	.0051	.0036	2.38	3.00	702.
-0.37	.00	.0077	.0041	.0061	1.68	1.67	706.	.12	.00	.0032	.0082	.0039	2.99	3.00	701.
3.64	.00	.0037	.0043	.0066	1.68	1.67	707.	4.16	.00	.0053	.0074	.0044	2.98	3.00	701.
7.69	.00	.0009	.0051	.0076	1.68	1.67	709.	8.19	.00	.0151	.0075	.0052	2.98	3.00	702.
11.73	.00	.0029	.0057	.0079	1.67	1.66	709.	12.27	.01	.0214	.0094	.0060	2.97	2.99	701.
15.77	.00	.0058	.0050	.0078	1.67	1.67	709.	16.34	.01	.0298	.0121	.0061	2.98	3.00	704.
18.55	.00	.0067	.0057	.0089	1.67	1.66	708.	19.39	.01	.0327	.0146	.0072	2.98	2.99	702.
-0.39	.00	.0077	.0038	.0059	1.67	1.67	709.	.09	.00	.0022	.0083	.0041	2.79	3.01	701.
		$M = .605$				$k = 1.223$									
-9.22	.00	.0182	.0011	.0039	.92	.90	708.	-8.79	.00	.0162	.0025	.0008	1.32	1.29	704.
-4.39	.00	.0127	.0014	.0043	.92	.90	709.	-3.93	.00	.0075	.0019	.0021	1.32	1.29	702.
-0.39	.00	.0080	.0023	.0048	.92	.90	709.	.10	.00	.0010	.0057	.0030	1.31	1.28	701.
3.64	.00	.0042	.0025	.0052	.92	.90	709.	4.14	.00	.0086	.0029	.0028	1.33	1.30	703.
7.69	.00	.0013	.0031	.0059	.92	.90	708.	8.22	.00	.0121	.0031	.0035	1.33	1.30	703.
11.70	.00	.0024	.0039	.0068	.92	.89	709.	12.28	.00	.0241	.0039	.0040	1.32	1.29	702.
15.77	.00	.0053	.0032	.0069	.92	.89	709.	16.37	.01	.0291	.0051	.0039	1.33	1.30	702.
18.59	.00	.0060	.0041	.0079	.92	.89	709.	19.21	.01	.0349	.0067	.0042	1.32	1.28	702.
-0.33	.00	.0078	.0021	.0048	.92	.90	707.	.18	.00	.0003	.0051	.0027	1.33	1.30	702.
		$M = .609$				$k = 1.232$									
3.65	.00	.0040	.0017	.0044	.92	.90	709.	.11	.00	.0015	.0034	.0020	.70	.67	702.
3.65	.00	.0041	.0026	.0052	.92	.89	709.	.11	.00	.0004	.0053	.0031	1.32	1.29	702.
3.64	.00	.0040	.0043	.0068	1.67	1.67	709.	.12	.00	.0028	.0082	.0043	3.00	3.02	701.
3.64	.00	.0030	.0065	.0074	2.67	2.68	709.	.10	.00	.0032	.0100	.0049	3.61	3.73	701.
3.65	.00	.0043	.0004	.0035			709.	.12	.00	.0054	.0012	.0011			703.
								.12	.00	.0043	.0014	.0011			702.

$\delta_u = -20^\circ$		$\delta_1 = 35^\circ$		$\delta_T = 0$		Span I = 0.77		Span R = 0.77		$\delta_t = 0$		Nozzle no. 1		Gas	Air
$\alpha$	$\beta$	$C_m$	$C_n$	$C_l$	$F_{xL}$	$F_{xR}$	$P_t$								
		$M = 1.099$		$K = 1.611$											
-8.52	.00	.0173	.0030	.0006			777.								
-3.64	.00	.0054	.0030	.0000			709.								
.38	.00	.0061	.0017	.0008			707.								
4.46	.00	.0180	.0012	.0015			709.								
8.51	.00	.0253	.0016	.0011			709.								
12.59	.00	.0313	.0010	.0013			734.								
16.66	.01	.0414	.0005	.0015			709.								
19.59	.01	.0512	.0013	.0013			710.								
.39	.00	.0065	.0020	.0009			777.								
		$M = 1.101$		$K = 1.607$											
-4.34	.00	.0153	.0008	.0006	4.77		777.								
-3.65	.00	.0060	.0000	.0017	4.74		707.								
.42	.00	.0084	.0013	.0019	4.09		777.								
4.45	.00	.0195	.0021	.0026	4.07		777.								
8.54	.00	.0272	.0017	.0027	4.36		777.								
12.60	.00	.0339	.0033	.0028	4.34		777.								
16.70	.01	.0440	.0041	.0029	4.12		708.								
19.59	.01	.0529	.0060	.0031	4.09		705.								
.41	.00	.0081	.0011	.0020	4.11		776.								
		$M = 1.103$		$K = 1.606$											
-4.41	.00	.0174	.0001	.0015	4.07	4.08	704.								
-3.65	.00	.0051	.0033	.0030	4.06	4.08	778.								
.44	.00	.0071	.0064	.0043	4.08	4.09	774.								
4.47	.00	.0190	.0047	.0037	4.05	4.06	708.								
8.55	.00	.0278	.0045	.0038	4.04	4.10	709.								
12.60	.00	.0325	.0051	.0035	4.05	4.06	777.								
16.69	.01	.0429	.0050	.0034	3.84	3.08	704.								
19.59	.01	.0419	.0056	.0037	4.05	4.06	702.								
.41	.00	.0068	.0062	.0043	4.09	4.11	708.								
		$M = 1.100$		$K = 1.599$											
-4.34	.00	.0171	.0016	.0006	1.72	1.89	708.								
-3.66	.00	.0059	.0000	.0015	1.93	1.89	704.								
.40	.00	.0067	.0019	.0025	1.94	1.91	706.								
4.45	.00	.0189	.0019	.0028	1.91	1.88	710.								
8.53	.00	.0278	.0016	.0025	1.94	1.91	710.								
12.59	.00	.0336	.0018	.0022	1.94	1.91	710.								
16.69	.01	.0413	.0020	.0026	1.93	1.89	709.								
19.51	.01	.0504	.0009	.0026	1.93	1.90	709.								
.42	.00	.0068	.0016	.0026	1.93	1.90	707.								



δ <sub>u</sub> = -20°		δ <sub>l</sub> = 35°		δ <sub>r</sub> = 0		Span L = 0.925		Span R = 0.925		δ <sub>t</sub> = 15		Nozzle no. 1		Gas		Air							
α	β	C <sub>m</sub>	C <sub>n</sub>	C <sub>l</sub>	P <sub>FL</sub>	P <sub>FR</sub>	P <sub>t</sub>	α	β	C <sub>m</sub>	C <sub>n</sub>	C <sub>l</sub>	P <sub>FL</sub>	P <sub>FR</sub>	P <sub>t</sub>	α	β	C <sub>m</sub>	C <sub>n</sub>	C <sub>l</sub>	P <sub>FL</sub>	P <sub>FR</sub>	P <sub>t</sub>
M <sub>∞</sub> = 0.499      k = 1.489								M <sub>∞</sub> = 0.802      k = 1.479															
0.13	0.00	-0.0030	-0.0013	0.0009			702.	-4.067	0.00	0.0167	-0.0001	0.0009				708.							
0.12	0.00	-0.0015	-0.0026	0.0017	0.76	0.73	702.	-4.010	0.00	0.0123	-0.0002	0.0012				712.							
0.14	0.00	-0.0011	-0.0026	0.0021	1.36	1.32	702.	-3.907	0.00	0.0052	-0.0001	0.0017				710.							
0.12	0.00	0.0013	-0.0037	0.0032	2.87	2.80	702.	3.997	0.00	-0.0004	0.0010	0.0017				707.							
0.12	0.00	0.0007	-0.0030	0.0032	2.93	2.85	702.	8.003	0.00	-0.0059	0.0000	0.0023				711.							
								12.010	0.00	-0.0125	0.0006	0.0024				709.							
								16.014	0.01	-0.0115	0.0008	0.0027				707.							
								18.997	0.01	-0.0082	0.0013	0.0029				709.							
								-0.10	0.00	0.0056	0.0005	0.0021				708.							
M <sub>∞</sub> = 0.607      k = 1.224								M <sub>∞</sub> = 0.903      k = 1.437															
3.067	0.00	0.0047	-0.0003	0.0033			709.	-8.093	0.00	0.0167	-0.0020	0.0018	1.63			709.							
3.067	0.00	0.0039	-0.0010	0.0041	0.58	0.56	709.	-4.008	0.00	0.0113	-0.0026	0.0023	1.62			709.							
3.067	0.00	0.0034	-0.0010	0.0045	1.01	0.99	709.	-0.07	0.00	0.0037	-0.0029	0.0031	1.64			709.							
								3.996	0.00	-0.0030	-0.0020	0.0031	1.65			709.							
								8.004	0.00	-0.0001	-0.0032	0.0037	1.65			710.							
								12.008	0.00	-0.0132	-0.0029	0.0039	1.65			710.							
								16.013	0.01	-0.0138	-0.0025	0.0040	1.66			709.							
								18.998	0.01	-0.0104	-0.0023	0.0044	1.65			708.							
								-0.02	0.00	0.0041	-0.0022	0.0031	1.64			709.							
																709.							
M <sub>∞</sub> = 0.608      k = 1.222								M <sub>∞</sub> = 0.802      k = 1.435															
-0.37	0.00	0.0005	0.0007	0.0027			709.	-8.083	0.00	0.0178	-0.0012	0.0023	1.64	1.58		710.							
-0.37	0.00	0.0023	-0.0004	0.0032	0.53	0.56	708.	-4.008	0.00	0.0127	-0.0021	0.0030	1.63	1.58		710.							
-0.37	0.00	0.0077	-0.0014	0.0042	1.01	0.97	709.	-0.07	0.00	0.0037	-0.0012	0.0023	1.64	1.58		709.							
								3.996	0.00	-0.0030	-0.0020	0.0031	1.65			709.							
								8.004	0.00	-0.0001	-0.0032	0.0037	1.65			710.							
								12.008	0.00	-0.0132	-0.0029	0.0039	1.65			710.							
								16.013	0.01	-0.0138	-0.0025	0.0040	1.66			709.							
								18.998	0.01	-0.0104	-0.0023	0.0044	1.65			708.							
								-0.02	0.00	0.0041	-0.0022	0.0031	1.64			709.							
																709.							
M <sub>∞</sub> = 0.606      k = 1.217								M <sub>∞</sub> = 0.893      k = 1.478															
-9.06	0.00	0.0176	-0.0012	0.0036	1.61	1.55	708.	-8.065	0.00	0.0152	-0.0006	0.0006				701.							
-4.09	0.00	0.0122	-0.0016	0.0039	1.40	1.55	709.	-3.994	0.00	0.0064	-0.0011	0.0010				702.							
-0.35	0.00	0.0071	-0.0022	0.0043	1.59	1.54	710.	0.12	0.00	-0.0037	-0.0014	0.0010				700.							
3.65	0.00	0.0035	-0.0023	0.0048	1.60	1.55	709.	4.16	0.00	-0.0095	0.0010	0.0008				701.							
7.69	0.00	0.0001	-0.0028	0.0054	1.59	1.55	708.	8.22	0.00	-0.0148	0.0017	0.0016				701.							
11.73	0.00	-0.0038	-0.0027	0.0057	1.59	1.55	709.	12.30	0.00	-0.0234	0.0011	0.0015				700.							
15.76	0.00	-0.0064	-0.0028	0.0062	1.61	1.56	710.	16.35	0.01	-0.0290	0.0010	0.0016				701.							
18.56	0.00	-0.0068	-0.0032	0.0067	1.60	1.56	710.	19.23	0.01	-0.0371	0.0003	0.0023				702.							
-0.31	0.00	0.0073	-0.0020	0.0046	1.60	1.55	709.	0.18	0.00	-0.0034	-0.0014	0.0010				700.							
M <sub>∞</sub> = 0.607      k = 1.218								M <sub>∞</sub> = 0.899      k = 1.488															
-9.01	0.00	0.0101	-0.0020	0.0028	1.59		709.	-8.063	0.00	0.0149	0.0018	0.0003	2.93			702.							
-4.07	0.00	0.0108	-0.0024	0.0034	1.59		708.	-3.993	0.00	0.0061	0.0000	0.0007	2.95			703.							
-0.38	0.00	0.0063	-0.0026	0.0040	1.60		708.	0.12	0.00	-0.0031	-0.0011	0.0014	2.96			702.							
3.66	0.00	0.0025	-0.0027	0.0044	1.60		707.	4.17	0.00	-0.0096	-0.0021	0.0015	2.96			704.							
7.69	0.00	-0.0008	-0.0030	0.0047	1.59		709.	8.23	0.00	-0.0183	-0.0031	0.0033	2.96			702.							
11.73	0.00	-0.0046	-0.0036	0.0056	1.59		709.	12.27	0.01	-0.0244	-0.0050	0.0041	2.94			701.							
15.75	0.00	-0.0071	-0.0033	0.0056	1.59		709.	16.36	0.01	-0.0350	-0.0062	0.0040	2.95			702.							
18.70	0.00	-0.0073	-0.0033	0.0062	1.59		708.	19.24	0.01	-0.0408	-0.0082	0.0048	2.95			702.							
-0.29	0.00	0.0063	-0.0022	0.0038	1.60		707.	0.19	0.00	-0.0028	-0.0013	0.0012	2.94			702.							
M <sub>∞</sub> = 0.607      k = 1.214								M <sub>∞</sub> = 0.903      k = 1.491															
-9.21	0.00	0.0176	0.0005	0.0018			709.	-8.067	0.00	0.0187	0.0024	0.0015	2.95	2.87		702.							
-4.00	0.00	0.0131	0.0005	0.0020			709.	-3.994	0.00	0.0112	-0.0025	0.0029	2.95	2.87		702.							
-0.36	0.00	0.0084	0.0001	0.0025			708.	4.16	0.00	-0.0075	-0.0035	0.0033	2.96	2.88		703.							
3.65	0.00	0.0046	-0.0000	0.0029			709.	8.24	0.00	-0.0159	-0.0042	0.0042	2.96	2.88		702.							
7.71	0.00	0.0013	-0.0004	0.0034			709.	12.31	0.00	-0.0261	-0.0059	0.0046	2.96	2.87		704.							
11.73	0.00	-0.0022	-0.0009	0.0040			709.	16.35	0.01	-0.0278	-0.0069	0.0049	2.91	2.83		702.							
15.77	0.00	-0.0048	-0.0010	0.0049			709.	19.23	0.01	-0.0397	-0.0102	0.0059	2.94	2.85		705.							
18.56	0.00	-0.0052	-0.0009	0.0050			709.	0.13	0.00	0.0015	-0.0034	0.0030	2.91	2.86		702.							
-0.38	0.00	0.0085	0.0005	0.0027			709.																

δ <sub>u</sub> = -20°		δ <sub>v</sub> = 35°		δ <sub>w</sub> = 0		Span L = 0.925		Span R = 0.925		δ <sub>t</sub> = 15		Nozzle no. 1		Gas		Air															
α	β	C <sub>m</sub>	C <sub>n</sub>	C <sub>z</sub>	F <sub>RL</sub>	F <sub>RR</sub>	F <sub>t</sub>	α	β	C <sub>m</sub>	C <sub>n</sub>	C <sub>z</sub>	F <sub>RL</sub>	F <sub>RR</sub>	F <sub>t</sub>	α	β	C <sub>m</sub>	C <sub>n</sub>	C <sub>z</sub>	F <sub>RL</sub>	F <sub>RR</sub>	F <sub>t</sub>								
		M= 1.092		M= 1.581						M= 1.099		M= 1.481																			
-8.53	.00	.0181	.0026	.0005			709.	-8.87	.00	.0201	.0002	.0000			707.	-8.87	.00	.0201	.0002	.0000			707.	-8.87	.00	.0201	.0002	.0000			707.
-3.04	.00	.0049	.0026	.0006			709.	-4.09	.00	.0109	.0009	.0000			707.	-4.09	.00	.0109	.0009	.0000			707.	-4.09	.00	.0109	.0009	.0000			707.
.40	.00	-.0069	.0017	.0013			707.	-.04	.00	.0031	.0015	.0002			707.	-.04	.00	.0031	.0015	.0002			707.	-.04	.00	.0031	.0015	.0002			707.
4.44	.00	-.0183	.0010	.0021			709.	4.42	.00	-.0048	.0020	.0007			707.	4.42	.00	-.0048	.0020	.0007			707.	4.42	.00	-.0048	.0020	.0007			707.
8.55	.00	-.0246	.0010	.0019			710.	8.10	.00	-.0133	.0024	.0004			707.	8.10	.00	-.0133	.0024	.0004			707.	8.10	.00	-.0133	.0024	.0004			707.
12.61	.00	-.0318	.0007	.0020			708.	12.13	.00	-.0227	.0021	.0004			707.	12.13	.00	-.0227	.0021	.0004			707.	12.13	.00	-.0227	.0021	.0004			707.
16.67	.01	-.0412	.0004	.0013			709.	16.20	.00	-.0342	.0019	.0007			707.	16.20	.00	-.0342	.0019	.0007			707.	16.20	.00	-.0342	.0019	.0007			707.
19.58	.01	-.0506	.0010	.0019			708.	19.04	.01	-.0438	.0019	.0009			707.	19.04	.01	-.0438	.0019	.0009			707.	19.04	.01	-.0438	.0019	.0009			707.
.46	.00	-.0074	.0016	.0016			702.	-.04	.00	.0033	.0010	.0003			707.	-.04	.00	.0033	.0010	.0003			707.	-.04	.00	.0033	.0010	.0003			707.
		M= 1.099		M= 1.574						M= 1.099		M= 1.464																			
-8.40	.00	.0166	.0011	.0010	3.94		707.	-8.84	.00	.0196	-.0002	.0004	5.14		707.	-8.84	.00	.0196	-.0002	.0004	5.14		707.	-8.84	.00	.0196	-.0002	.0004	5.14		707.
-3.63	.00	.0040	.0003	.0018	3.97		704.	-4.10	.00	.0102	-.0003	.0005	5.18		708.	-4.10	.00	.0102	-.0003	.0005	5.18		708.	-4.10	.00	.0102	-.0003	.0005	5.18		708.
.42	.00	-.0087	-.0015	.0025	3.97		704.	-.05	.00	.0023	.0003	.0004	5.21		708.	-.05	.00	.0023	.0003	.0004	5.21		708.	-.05	.00	.0023	.0003	.0004	5.21		708.
4.49	.00	-.0202	-.0020	.0037	3.94		705.	4.00	.00	-.0048	.0007	.0009	5.23		707.	4.00	.00	-.0048	.0007	.0009	5.23		707.	4.00	.00	-.0048	.0007	.0009	5.23		707.
8.53	.00	-.0279	-.0014	.0028	3.93		707.	8.10	.00	-.0143	.0007	.0010	5.20		707.	8.10	.00	-.0143	.0007	.0010	5.20		707.	8.10	.00	-.0143	.0007	.0010	5.20		707.
12.61	.00	-.0328	-.0025	.0031	3.92		706.	12.13	.00	-.0235	.0011	.0009	5.20		707.	12.13	.00	-.0235	.0011	.0009	5.20		707.	12.13	.00	-.0235	.0011	.0009	5.20		707.
16.67	.01	-.0422	-.0030	.0023	3.84		707.	16.20	.00	-.0350	.0010	.0017	5.20		707.	16.20	.00	-.0350	.0010	.0017	5.20		707.	16.20	.00	-.0350	.0010	.0017	5.20		707.
19.58	.01	-.0522	-.0022	.0040	3.81		706.	19.15	.01	-.0446	.0009	.0014	5.20		706.	19.15	.01	-.0446	.0009	.0014	5.20		706.	19.15	.01	-.0446	.0009	.0014	5.20		706.
.42	.00	-.0043	-.0012	.0024	4.04		706.	-.05	.00	.0025	.0007	.0008	5.24		706.	-.05	.00	.0025	.0007	.0008	5.24		706.	-.05	.00	.0025	.0007	.0008	5.24		706.
		M= 1.100		M= 1.583						M= 1.099		M= 1.457																			
-8.53	.00	.0175	.0012	.0015	3.94	3.87	704.	-8.79	.00	.0198	-.0001	.0007	5.22	5.03	707.	-8.79	.00	.0198	-.0001	.0007	5.22	5.03	707.	-8.79	.00	.0198	-.0001	.0007	5.22	5.03	707.
-3.65	.00	.0050	-.0021	.0032	3.94	3.88	706.	-4.10	.00	.0105	-.0002	.0008	5.27	5.07	707.	-4.10	.00	.0105	-.0002	.0008	5.27	5.07	707.	-4.10	.00	.0105	-.0002	.0008	5.27	5.07	707.
.40	.00	-.0067	-.0043	.0044	3.94	3.85	703.	-.05	.00	.0026	.0001	.0010	5.26	5.05	709.	-.05	.00	.0026	.0001	.0010	5.26	5.05	709.	-.05	.00	.0026	.0001	.0010	5.26	5.05	709.
4.44	.00	-.0195	-.0033	.0037	3.95	3.86	707.	4.03	.00	-.0053	-.0001	.0016	5.28	5.07	707.	4.03	.00	-.0053	-.0001	.0016	5.28	5.07	707.	4.03	.00	-.0053	-.0001	.0016	5.28	5.07	707.
8.50	.00	-.0265	-.0037	.0041	3.93	3.81	705.	8.08	.00	-.0142	.0003	.0014	5.25	5.04	705.	8.08	.00	-.0142	.0003	.0014	5.25	5.04	705.	8.08	.00	-.0142	.0003	.0014	5.25	5.04	705.
12.61	.01	-.0322	-.0039	.0040	3.91	3.82	707.	12.14	.00	-.0236	.0002	.0015	5.24	5.04	705.	12.14	.00	-.0236	.0002	.0015	5.24	5.04	705.	12.14	.00	-.0236	.0002	.0015	5.24	5.04	705.
16.67	.01	-.0412	-.0041	.0040	3.97	3.76	706.	16.18	.00	-.0347	.0009	.0015	5.22	5.02	708.	16.18	.00	-.0347	.0009	.0015	5.22	5.02	708.	16.18	.00	-.0347	.0009	.0015	5.22	5.02	708.
19.57	.01	-.0512	-.0026	.0037	3.84	3.79	707.	19.05	.01	-.0438	.0008	.0017	5.24	5.04	706.	19.05	.01	-.0438	.0008	.0017	5.24	5.04	706.	19.05	.01	-.0438	.0008	.0017	5.24	5.04	706.
.48	.00	-.0060	-.0040	.0047	4.00	3.90	705.	-.03	.00	.0027	.0004	.0011	5.26	5.08	707.	-.03	.00	.0027	.0004	.0011	5.26	5.08	707.	-.03	.00	.0027	.0004	.0011	5.26	5.08	707.
		M= 1.302		M= 1.600						M= 1.301		M= 1.585																			
-8.40	.00	.0199	.0013	.0004			707.	-8.67	.00	.0193	-.0001	.0017	4.45	4.29	708.	-8.67	.00	.0193	-.0001	.0017	4.45	4.29	708.	-8.67	.00	.0193	-.0001	.0017	4.45	4.29	708.
-3.92	.00	.0112	.0017	.0003			707.	-3.92	.00	.0111	-.0010	.0021	4.44	4.32	707.	-3.92	.00	.0111	-.0010	.0021	4.44	4.32	707.	-3.92	.00	.0111	-.0010	.0021	4.44	4.32	707.
.17	.00	.0048	.0018	.0010			707.	.16	.00	.0023	-.0009	.0024	4.46	4.34	707.	.16	.00	.0023	-.0009	.0024	4.46	4.34	707.	.16	.00	.0023	-.0009	.0024	4.46	4.34	707.
4.21	.00	-.0056	.0016	.0014			708.	4.21	.00	-.0065	-.0016	.0030	4.47	4.35	707.	4.21	.00	-.0065	-.0016	.0030	4.47	4.35	707.	4.21	.00	-.0065	-.0016	.0030	4.47	4.35	707.
8.31	.00	-.0133	.0019	.0015			707.	8.29	.00	-.0141	-.0018	.0033	4.46	4.34	707.	8.29	.00	-.0141	-.0018	.0033	4.46	4.34	707.	8.29	.00	-.0141	-.0018	.0033	4.46	4.34	707.
12.38	.01	-.0226	.0020	.0015			707.	12.38	.01	-.0236	-.0012	.0033	4.43	4.31	709.	12.38	.01	-.0236	-.0012	.0033	4.43	4.31	709.	12.38	.01	-.0236	-.0012	.0033	4.43	4.31	709.
16.47	.01	-.0355	.0010	.0016			707.	16.47	.01	-.0366	-.0005	.0026	4.44	4.32	708.	16.47	.01	-.0366	-.0005	.0026	4.44	4.32	708.	16.47	.01	-.0366	-.0005	.0026	4.44	4.32	708.
19.52	.01	-.0468	.0013	.0014			707.	19.33	.01	-.0471	.0001	.0023	4.44	4.32	708.	19.33	.01	-.0469	-.0009	.0031	4.45	4.32	708.	19.33	.01	-.0469	-.0009	.0031	4.45	4.32	708.
.16	.00	.0032	.0020	.0011			707.	.17	.00	.0024	-.0007	.0024	4.47	4.38	708.	.17	.00	.0024	-.0007	.0024	4.47	4.38	708.	.17	.00	.0024	-.0007	.0024	4.47	4.38	708.
		M= 1.303		M= 1.591						M= 1.301		M= 1.585																			
-8.44	.00	.0191	-.0003	.0012	4.45		708.	-8.67	.00	.0193	-.0001	.0017	4.45	4.29	708.	-8.67	.00	.0193	-.0001	.0017	4.45	4.29	708.	-8.67	.00	.0193	-.				

$\alpha_1 = -20^\circ$ $\beta_1 = 35^\circ$ $\delta_{r1} = 0$ $\text{Span I} = 0.615$								$\text{Span R} = 0.625$ $\beta_2 = 0$ $\text{Nozzle inlet}$ $\text{Gas}$ $\text{Air}$							
$\alpha$	$\beta$	$C_m$	$C_n$	$C_l$	$P_{rL}$	$P_{rR}$	$P_t$	$\alpha$	$\beta$	$C_m$	$C_n$	$C_l$	$P_{rL}$	$P_{rR}$	$P_t$
$M = 0.608$ $k = 1.0224$								$M = 0.601$ $k = 1.505$							
-4.07	.00	.0172	.0010	.0006			77.0	-4.07	.00	.0134	.0016	.0001			77.0
-4.40	.00	.0125	.0012	.0007			77.0	-3.94	.00	.0055	.0000	.0000			77.0
-3.35	.00	.0078	.0010	.0004			77.0	.12	.00	.0042	.0011	.0007			77.0
3.67	.00	.0047	.0005	.0015			77.0	4.16	.00	.0106	.0013	.0008			77.0
7.69	.00	.0011	.0002	.0019			77.0	8.24	.00	.0160	.0022	.0012			77.0
11.73	.00	-.0025	-.0003	.0024			77.0	12.30	.00	-.0255	.0017	.0017			77.0
15.73	.00	-.0025	-.0003	.0024			77.0	16.38	.00	-.0309	.0011	.0013			77.0
19.75	.00	-.0053	-.0004	.0031			77.0	19.43	.01	-.0470	.0003	.0018			77.0
18.60	.00	-.0057	-.0001	.0031			77.0	.10	.00	-.0026	-.0011	.0009			77.0
-3.38	.00	.0080	.0013	.0012			77.0								
$M = 0.606$ $k = 1.0226$								$M = 0.602$ $k = 1.5097$							
-9.04	.00	.0135	.0000	.0011	1.54		77.0	-8.67	.00	.0124	.0004	.0003	2.37		77.0
-4.40	.00	.0084	.0004	.0017	1.54		77.0	-3.93	.00	.0031	-.0017	.0007			77.0
-3.35	.00	.0037	.0001	.0022	1.54		77.0	.13	.00	-.0038	-.0024	.0011			77.0
3.65	.00	-.0001	.0001	.0025	1.54		77.0	4.15	.00	.0119	.0000	.0009			77.0
7.69	.00	-.0034	-.0008	.0032	1.54		77.0	8.23	.00	-.0144	.0000	.0009			77.0
11.71	.00	-.0071	-.0012	.0041	1.54		77.0	12.31	.00	-.0270	.0012	.0017			77.0
15.73	.00	-.0098	-.0014	.0048	1.54		77.0	16.39	.00	-.0378	.0004	.0021			77.0
18.61	.00	-.0161	-.0013	.0049	1.54		77.0	19.32	.01	-.0435	-.0013	.0026			77.0
-3.37	.00	.0038	.0001	.0020	1.54		77.0	.17	.00	-.0052	-.0027	.0012			77.0
$M = 0.608$ $k = 1.0231$								$M = 0.600$ $k = 1.5090$							
-9.06	.00	.0151	.0010	.0014	1.54	1.53	77.0	-8.74	.00	.0170	.0011	.0014	2.36		77.0
-4.36	.00	.0096	.0012	.0020	1.54	1.54	77.0	-3.94	.00	.0075	-.0033	.0008	2.37	2.36	77.0
-3.35	.00	.0049	.0004	.0024	1.54	1.54	77.0	.12	.00	-.0007	-.0052	.0032	2.36	2.36	77.0
3.65	.00	-.0009	.0001	.0032	1.54	1.54	77.0	4.13	.00	.0113	-.0015	.0024	2.37	2.36	77.0
7.69	.00	-.0027	-.0003	.0035	1.54	1.54	77.0	8.23	.00	-.0161	.0000	.0032	2.36	2.36	77.0
11.73	.00	-.0063	-.0004	.0045	1.54	1.54	77.0	12.30	.00	-.0265	.0009	.0034	2.36	2.36	77.0
15.77	.00	-.0090	-.0007	.0049	1.54	1.54	77.0	16.40	.01	-.0324	-.0016	.0034	2.36	2.36	77.0
18.60	.00	-.0095	-.0010	.0052	1.54	1.54	77.0	19.25	.01	-.0374	-.0031	.0040	2.36	2.36	77.0
-3.36	.00	.0049	.0007	.0026	1.54	1.54	77.0	.12	.00	.0002	-.0044	.0030	2.36	2.37	77.0
$M = 0.794$ $k = 1.0434$								$M = 1.102$ $k = 1.5385$							
-8.79	.00	.0165	.0001	.0005			77.0	-8.43	.00	.0173	.0024	.0003			77.0
-4.12	.00	.0120	.0003	.0005			77.0	-3.94	.00	.0057	.0024	-.0001			77.0
-3.08	.00	.0053	.0004	.0015			77.0	.40	.00	-.0071	.0019	.0008			77.0
3.95	.00	-.0008	.0014	.0009			77.0	4.45	.00	.0141	.0014	.0014			77.0
8.00	.00	-.0057	.0004	.0017			77.0	8.56	.00	-.0265	.0020	.0011			77.0
12.07	.00	-.0125	.0011	.0021			77.0	12.59	.00	-.0319	.0012	.0012			77.0
16.13	.00	-.0121	.0013	.0020			77.0	16.64	.00	-.0413	.0009	.0011			77.0
19.04	.00	-.0085	.0015	.0024			77.0	19.57	.01	-.0493	.0017	.0012			77.0
-3.07	.00	.0049	.0007	.0014			77.0	.41	.00	-.0073	.0027	.0009			77.0
$M = 0.808$ $k = 1.0453$								$M = 1.103$ $k = 1.5393$							
-8.79	.00	.0152	-.0008	.0008	1.54		77.0	-8.36	.00	.0173	.0031	.0004	3.25		77.0
-4.12	.00	.0103	-.0004	.0012	1.54		77.0	-3.93	.00	.0044	.0027	.0000	3.27		77.0
-3.10	.00	.0026	-.0001	.0019	1.54		77.0	.40	.00	-.0072	.0016	.0009	3.27		77.0
3.97	.00	-.0040	.0009	.0015	1.54		77.0	4.45	.00	.0119	.0011	.0015	3.21		77.0
8.04	.00	-.0083	.0000	.0023	1.54		77.0	8.56	.00	-.0268	.0016	.0015	3.25		77.0
12.07	.00	-.0144	.0001	.0027	1.54		77.0	12.61	.00	-.0327	.0010	.0014	3.25		77.0
16.15	.00	-.0144	.0004	.0028	1.54		77.0	16.68	.00	-.0415	.0011	.0015	3.20		77.0
19.04	.00	-.0110	.0014	.0024	1.54		77.0	19.64	.01	-.0511	.0017	.0015	3.24		77.0
-3.06	.00	.0025	.0003	.0020	1.54		77.0	.43	.00	-.0076	.0019	.0010	3.27		77.0
$M = 0.800$ $k = 1.0430$								$M = 1.101$ $k = 1.5392$							
-8.78	.00	.0165	.0001	.0013	1.54	1.54	77.0	-8.44	.00	.0185	.0024	.0004	3.23	3.27	77.0
-4.12	.00	.0114	.0002	.0014	1.54	1.54	77.0	-3.93	.00	.0063	.0003	.0014	3.24	3.27	77.0
-3.09	.00	.0039	-.0000	.0025	1.54	1.54	77.0	.41	.00	-.0067	-.0014	.0024	3.25	3.25	77.0
3.99	.00	-.0025	.0004	.0022	1.54	1.54	77.0	4.49	.00	.0116	-.0003	.0024	3.25	3.25	77.0
8.04	.00	-.0042	.0000	.0029	1.54	1.54	77.0	8.56	.00	-.0259	-.0004	.0024	3.25	3.24	77.0
12.08	.00	-.0135	.0005	.0029	1.54	1.54	77.0	12.62	.00	-.0321	-.0004	.0024	3.25	3.24	77.0
16.13	.00	-.0138	.0010	.0028	1.54	1.54	77.0	16.67	.00	-.0409	-.0000	.0026	3.23	3.23	77.0
19.08	.00	-.0103	.0011	.0032	1.54	1.54	77.0	19.61	.01	-.0505	.0013	.0024	3.22	3.22	77.0
-3.09	.00	.0042	.0006	.0025	1.54	1.54	77.0	.41	.00	-.0056	-.0012	.0028	3.24	3.24	77.0

No. 1507		No. 1507		No. 1507		No. 1507		No. 1507		No. 1507		No. 1507		No. 1507	
Q	P	C <sub>1</sub>	C <sub>2</sub>	C <sub>3</sub>	P <sub>1</sub>	P <sub>2</sub>	P <sub>3</sub>	Q	P	C <sub>1</sub>	C <sub>2</sub>	C <sub>3</sub>	P <sub>1</sub>	P <sub>2</sub>	P <sub>3</sub>
14681	0.1	0.0204	0.010	0.007			7.76	14681	0.1	0.0201	0.009	0.006			7.76
14682	0.1	0.0115	0.016	0.011			7.76	14682	0.1	0.0115	0.006	0.004			7.76
14683	0.1	0.0042	0.021	0.015			7.76	14683	0.1	0.0042	0.015	0.011			7.76
14684	0.1	0.0054	0.019	0.013			7.76	14684	0.1	0.0054	0.017	0.008			7.76
14685	0.1	0.0141	0.027	0.021			7.76	14685	0.1	0.0141	0.020	0.008			7.76
14686	0.1	0.0077	0.024	0.017			7.76	14686	0.1	0.0077	0.021	0.008			7.76
14687	0.1	0.0056	0.019	0.011			7.76	14687	0.1	0.0056	0.022	0.008			7.76
14688	0.1	0.0042	0.025	0.018			7.76	14688	0.1	0.0042	0.021	0.008			7.76
14689	0.1	0.0041	0.028	0.018			7.76	14689	0.1	0.0041	0.018	0.008			7.76
14690	0.1	0.0041	0.028	0.018			7.76	14690	0.1	0.0041	0.018	0.008			7.76
14691	0.1	0.0041	0.028	0.018			7.76	14691	0.1	0.0041	0.018	0.008			7.76
14692	0.1	0.0041	0.028	0.018			7.76	14692	0.1	0.0041	0.018	0.008			7.76
14693	0.1	0.0041	0.028	0.018			7.76	14693	0.1	0.0041	0.018	0.008			7.76
14694	0.1	0.0041	0.028	0.018			7.76	14694	0.1	0.0041	0.018	0.008			7.76
14695	0.1	0.0041	0.028	0.018			7.76	14695	0.1	0.0041	0.018	0.008			7.76
14696	0.1	0.0041	0.028	0.018			7.76	14696	0.1	0.0041	0.018	0.008			7.76
14697	0.1	0.0041	0.028	0.018			7.76	14697	0.1	0.0041	0.018	0.008			7.76
14698	0.1	0.0041	0.028	0.018			7.76	14698	0.1	0.0041	0.018	0.008			7.76
14699	0.1	0.0041	0.028	0.018			7.76	14699	0.1	0.0041	0.018	0.008			7.76
14700	0.1	0.0041	0.028	0.018			7.76	14700	0.1	0.0041	0.018	0.008			7.76







$\alpha_u = -20^\circ$ $\alpha_l = 35^\circ$ $\beta_p = -5^\circ$ Span I = 0.015    Span R = 0.026 $\beta_t = 15^\circ$ Nozzle no. 1    Gas    Air															
$\alpha = 1.434$					$\alpha = 1.301$										
$\alpha$	$\beta$	$C_m$	$C_n$	$C_l$	$F_{T_L}$	$F_{T_R}$	$F_x$	$\alpha$	$\beta$	$C_m$	$C_n$	$C_l$	$F_{T_L}$	$F_{T_R}$	$F_x$
$\alpha = 1.434$					$\alpha = 1.301$										
-0.5	-0.0	0.0157	0.0092	-0.0025			711.	-0.7	-0.0	0.0205	0.0075	-0.0011			708.
-0.12	-0.0	0.0169	0.0108	-0.0024			710.	-3.92	-0.0	0.0119	0.0071	-0.0004			708.
-0.5	-0.0	0.031	0.0126	-0.0050			710.	-1	-0.0	0.0037	0.0072	-0.0005			708.
3.9	-0.0	0.0041	0.013	-0.0031			710.	4.2	-0.0	0.0053	0.008	-0.0002			708.
7.9	-0.0	0.0089	0.0115	-0.0018			708.	8.4	-0.0	0.0128	0.0091	-0.0000			707.
12.5	-0.0	0.0155	0.0128	-0.0018			710.	12.37	-0.0	0.0227	0.0085	-0.0002			707.
16.5	-0.0	0.0168	0.0132	-0.0016			711.	16.39	-0.0	0.0358	0.0078	-0.0003			708.
19.5	-0.0	0.0108	0.0138	-0.0016			711.	22	-0.0	0.0031	0.008	-0.0004			708.
-0.7	-0.0	0.0025	0.0126	-0.0050			709.								
$\alpha = 1.437$					$\alpha = 1.301$										
-0.5	-0.0	0.0148	0.0052	-0.0023	1.437		710.	-0.7	-0.0	0.0158	0.0073	-0.0013	4.54		704.
-0.12	-0.0	0.0088	0.0102	-0.0024	1.437		708.	-3.91	-0.0	0.0115	0.0071	-0.0010	4.44		704.
-0.5	-0.0	0.0008	0.0113	-0.0023	1.437		708.	-13	-0.0	0.0029	0.0082	-0.0005	4.44		709.
3.9	-0.0	0.0063	0.0132	-0.0024	1.437		708.	4.18	-0.0	0.0053	0.008	-0.0002	4.44		708.
7.9	-0.0	0.0118	0.0111	-0.0011	1.437		710.	8.4	-0.0	0.0137	0.008	-0.0000	4.44		708.
12.5	-0.0	0.0181	0.0123	-0.0011	1.437		710.	12.37	-0.0	0.0226	0.0077	-0.0001	4.44		709.
16.5	-0.0	0.0169	0.0129	-0.0010	1.437		709.	16.36	-0.0	0.0356	0.0076	-0.0004	4.44		707.
19.5	-0.0	0.0132	0.0129	-0.0007	1.437		708.	19.12	-0.0	0.0458	0.0070	-0.0003	4.44		707.
-0.7	-0.0	0.0008	0.0115	-0.0024	1.437		709.	22	-0.0	0.0028	0.008	-0.0005	4.44		708.
$\alpha = 1.433$					$\alpha = 1.302$										
-0.5	-0.0	0.0157	0.0092	-0.0020	1.433	1.433	710.	-0.7	-0.0	0.0158	0.0072	-0.0012	4.44	4.36	709.
-0.11	-0.0	0.0092	0.0108	-0.0019	1.433	1.433	708.	-3.91	-0.0	0.0114	0.0075	-0.0010	4.42	4.36	709.
-0.5	-0.0	0.0018	0.0113	-0.0018	1.433	1.433	708.	-11	-0.0	0.0033	0.0075	-0.0004	4.41	4.36	708.
3.9	-0.0	0.0047	0.0132	-0.0018	1.433	1.433	708.	4.18	-0.0	0.0058	0.0075	-0.0000	4.41	4.36	707.
7.9	-0.0	0.0100	0.0111	-0.0008	1.433	1.433	708.	8.4	-0.0	0.0130	0.0074	-0.0000	4.41	4.36	708.
12.5	-0.0	0.0168	0.0123	-0.0008	1.433	1.433	708.	12.37	-0.0	0.0224	0.0074	-0.0000	4.41	4.36	708.
16.5	-0.0	0.0163	0.0128	-0.0008	1.433	1.433	708.	16.36	-0.0	0.0349	0.0070	-0.0004	4.42	4.39	707.
19.5	-0.0	0.0122	0.0128	-0.0007	1.433	1.433	708.	19.12	-0.0	0.0458	0.0068	-0.0004	4.42	4.37	708.
-0.7	-0.0	0.0017	0.0120	-0.0018	1.433	1.433	708.	22	-0.0	0.0032	0.0078	-0.0006	4.41	4.36	708.
$\alpha = 1.406$					$\alpha = 1.2697$										
-0.5	-0.0	0.0175	0.0114	-0.0024			708.	-0.7	-0.0	0.0205	0.0067	-0.0003			709.
-3.9	-0.0	0.0057	0.0117	-0.0022			707.	-3.9	-0.0	0.0109	0.0058	-0.0007			708.
-0.5	-0.0	0.0072	0.0128	-0.0014			708.	-1	-0.0	0.0028	0.0059	-0.0004			707.
3.9	-0.0	0.0185	0.0106	-0.0008			707.	4.2	-0.0	0.0051	0.0066	-0.0004			707.
7.9	-0.0	0.0258	0.0117	-0.0011			708.	8.4	-0.0	0.0136	0.0065	-0.0003			707.
12.5	-0.0	0.0318	0.0100	-0.0007			708.	12.37	-0.0	0.0232	0.0061	-0.0002			707.
16.5	-0.0	0.0407	0.0089	-0.0009			708.	16.36	-0.0	0.0349	0.0059	-0.0000			707.
19.5	-0.0	0.0511	0.0092	-0.0005			708.	19.12	-0.0	0.0439	0.0057	-0.0002			707.
3.8	-0.0	0.0071	0.0109	-0.0013			708.	-0.7	-0.0	0.0031	0.0065	-0.0006			708.
$\alpha = 1.000$					$\alpha = 1.2698$										
-0.5	-0.0	0.0183	0.0127	-0.0028	1.000		707.	-0.7	-0.0	0.0208	0.0067	-0.0004	5.23		707.
-3.9	-0.0	0.0055	0.0114	-0.0011	1.000		708.	-3.9	-0.0	0.0117	0.0052	-0.0007	5.22		708.
-0.1	-0.0	0.0078	0.0105	-0.0014	1.000		708.	-1	-0.0	0.0030	0.0054	-0.0005	5.23		707.
3.9	-0.0	0.0192	0.0105	-0.0004	1.000		707.	4.2	-0.0	0.0051	0.006	-0.0004	5.23		707.
7.9	-0.0	0.0270	0.0112	-0.0007	1.000		707.	8.4	-0.0	0.0136	0.006	-0.0003	5.21		706.
12.5	-0.0	0.0335	0.0088	-0.0006	1.000		708.	12.37	-0.0	0.0229	0.0060	-0.0003	5.21		707.
16.5	-0.0	0.0413	0.0091	-0.0008	1.000		708.	16.36	-0.0	0.0340	0.0059	-0.0001	5.26		708.
19.5	-0.0	0.0523	0.0098	-0.0006	1.000		708.	19.12	-0.0	0.0432	0.0057	-0.0000	5.22		707.
3.8	-0.0	0.0067	0.0110	-0.0015	1.000		708.	-0.7	-0.0	0.0034	0.0064	-0.0007	5.19		707.
$\alpha = 1.000$					$\alpha = 1.2699$										
-0.5	-0.0	0.0179	0.0127	-0.0024	1.000	1.000	711.	-0.7	-0.0	0.0208	0.0067	-0.0004	5.23	5.10	707.
-3.9	-0.0	0.0063	0.0105	-0.0014	1.000	1.000	703.	-3.9	-0.0	0.0113	0.0049	-0.0006	5.25	5.12	707.
-0.1	-0.0	0.0077	0.0097	-0.0004	1.000	1.000	708.	-1	-0.0	0.0032	0.0046	-0.0005	5.23	5.09	707.
3.9	-0.0	0.0184	0.0093	-0.0003	1.000	1.000	706.	4.2	-0.0	0.0046	0.0055	-0.0001	5.23	5.09	707.
7.9	-0.0	0.0267	0.0096	-0.0000	1.000	1.000	707.	8.4	-0.0	0.0135	0.0059	-0.0000	5.22	5.09	707.
12.5	-0.0	0.0315	0.0086	-0.0000	1.000	1.000	707.	12.37	-0.0	0.0228	0.0052	-0.0001	5.20	5.08	709.
16.5	-0.0	0.0421	0.0081	-0.0001	1.000	1.000	712.	16.37	-0.0	0.0338	0.0053	-0.0001	5.22	5.09	707.
19.5	-0.0	0.0515	0.0088	-0.0001	1.000	1.000	712.	19.12	-0.0	0.0432	0.0055	-0.0001	5.22	5.09	707.
-0.1	-0.0	0.0074	0.0088	-0.0004	1.000	1.000	709.	-0.7	-0.0	0.0030	0.0060	-0.0006	5.22	5.10	707.







α <sub>1</sub> = -20°		β <sub>1</sub> = 35°		δ <sub>1</sub> = -10°		Span L = 0.615		Span R = 0.925		δ <sub>2</sub> = 15°		Nozzle no. 1		Gas		Air								
α	β	C <sub>m</sub>	C <sub>n</sub>	C <sub>l</sub>	P <sub>FL</sub>	P <sub>FR</sub>	P <sub>c</sub>	α	β	C <sub>m</sub>	C <sub>n</sub>	C <sub>l</sub>	P <sub>FL</sub>	P <sub>FR</sub>	P <sub>c</sub>	α	β	C <sub>m</sub>	C <sub>n</sub>	C <sub>l</sub>	P <sub>FL</sub>	P <sub>FR</sub>	P <sub>c</sub>	
M = 1.232								M = 1.499																
-9.22	.00	.0341	-.0003	-.0002			711.	-9.21	.00	.0313	-.0005	-.0000				702.								
-6.40	.00	.0307	-.0000	-.0000			711.	-9.92	.00	.0240	-.0000	-.0001				702.								
-3.59	.00	.0282	-.0002	-.0002			710.	.00	.00	.0202	-.0005	-.0001				701.								
3.71	.00	.0257	-.0001	-.0003			710.	.00	.00	.0186	-.0005	-.0001				702.								
7.73	.00	.0234	-.0000	-.0015			709.	.00	.00	.0188	-.0011	-.0010				702.								
11.66	.00	.0198	-.0010	-.0017			709.	12.22	.00	.0061	-.0007	-.0012				702.								
15.57	.00	.0165	-.0013	-.0027			709.	16.30	.01	.0040	-.0002	-.0015				703.								
18.49	.00	.0142	-.0015	-.0041			709.	19.18	.01	-.0018	-.0005	-.0015				702.								
-9.37	.00	.0223	-.0002	-.0006			709.	.00	.00	.0201	-.0009	-.0001				703.								
M = 1.224								M = 1.491																
-9.22	.00	.0334	-.0015	-.0002	1.57		709.	-9.70	.00	.0325	-.0015	-.0010	2.93			703.								
-6.39	.00	.0297	-.0005	-.0003	1.57		709.	-3.55	.00	.0279	-.0015	-.0010	2.92			702.								
-3.59	.00	.0270	-.0004	-.0005	1.57		709.	.00	.00	.0243	-.0024	-.0023	2.93			702.								
3.71	.00	.0217	-.0005	-.0015	1.56		709.	.00	.00	.0222	-.0022	-.0020	2.93			702.								
7.73	.00	.0180	-.0012	-.0027	1.57		709.	.00	.00	.0178	-.0017	-.0022	2.92			702.								
11.66	.00	.0151	-.0017	-.0031	1.57		709.	12.22	.00	.0082	-.0003	-.0007	2.92			703.								
15.57	.00	.0120	-.0013	-.0041	1.57		709.	16.30	.01	.0073	-.0007	-.0007	2.92			703.								
18.49	.00	.0105	-.0008	-.0024	1.57		709.	19.18	.01	-.0038	-.0001	-.0015	3.01			703.								
-9.39	.00	.0221	-.0000	-.0005	1.57		709.	.00	.00	.0239	-.0043	-.0023	2.92			702.								
M = 1.217								M = 1.502																
-9.19	.00	.0350	-.0004	-.0001	1.57	1.56	709.	-9.00	.00	.0341	-.0011	-.0006	2.92	2.97	704.									
-6.39	.00	.0309	-.0005	-.0005	1.57	1.56	709.	-3.53	.00	.0325	-.0011	-.0003	2.92	2.97	703.									
-3.59	.00	.0278	-.0001	-.0010	1.56	1.56	709.	.00	.00	.0288	-.0020	-.0004	2.93	2.98	703.									
3.71	.00	.0220	-.0007	-.0025	1.57	1.56	709.	.00	.00	.0240	-.0028	-.0021	2.92	2.97	702.									
7.73	.00	.0191	-.0005	-.0032	1.57	1.56	709.	.00	.00	.0198	-.0005	-.0020	2.91	2.97	702.									
11.66	.00	.0159	-.0014	-.0035	1.57	1.56	709.	12.22	.00	.0101	-.0004	-.0013	2.92	2.98	703.									
15.57	.00	.0127	-.0010	-.0032	1.57	1.56	709.	16.30	.01	.0085	-.0005	-.0015	2.92	2.97	703.									
18.49	.00	.0105	-.0005	-.0023	1.57	1.56	709.	19.18	.01	-.0049	-.0005	-.0013	2.90	2.96	703.									
-9.37	.00	.0225	-.0001	-.0010	1.58	1.56	709.	.00	.00	.0297	-.0019	-.0004	2.90	2.96	702.									
M = 1.492								M = 1.572																
-9.00	.00	.0358	-.0002	-.0001			709.	-9.54	.00	.0411	-.0006	-.0001				706.								
-6.13	.00	.0333	-.0007	-.0002			709.	-3.63	.00	.0384	-.0003	-.0002				702.								
-3.26	.00	.0280	-.0008	-.0008			709.	.00	.00	.0355	-.0003	-.0005				706.								
3.71	.00	.0230	-.0002	-.0008			709.	.00	.00	.0337	-.0001	-.0008				707.								
7.73	.00	.0190	-.0002	-.0018			709.	.00	.00	.0305	-.0007	-.0004				706.								
12.01	.00	.0131	-.0007	-.0018			709.	12.55	.00	-.0091	-.0005	-.0008				707.								
16.16	.00	.0135	-.0013	-.0014			709.	16.51	.00	-.0176	-.0010	-.0006				706.								
18.53	.01	.0170	-.0022	-.0014			709.	19.58	.01	-.0273	-.0016	-.0008				706.								
-9.10	.00	.0280	-.0000	-.0007			709.	.00	.00	.0168	-.0000	-.0005				704.								
M = 1.491								M = 1.587																
-9.07	.00	.0350	-.0003	-.0008	1.61		710.	-9.52	.00	.0405	-.0000	-.0002	3.00			710.								
-6.13	.00	.0321	-.0011	-.0002	1.61		709.	-3.67	.00	.0379	-.0013	-.0004	3.02			705.								
-3.26	.00	.0264	-.0014	-.0010	1.62		709.	.00	.00	.0357	-.0010	-.0003	3.02			707.								
3.71	.00	.0202	-.0004	-.0012	1.62		709.	.00	.00	.0338	-.0002	-.0008	3.02			706.								
7.73	.00	.0157	-.0005	-.0026	1.62		709.	.00	.00	.0303	-.0001	-.0006	3.00			709.								
12.02	.00	.0103	-.0006	-.0022	1.62		709.	12.55	.00	-.0031	-.0001	-.0006	3.00			709.								
16.16	.00	.0124	-.0014	-.0014	1.62		709.	16.59	.00	-.0110	-.0003	-.0008	3.02			709.								
18.57	.01	.0169	-.0018	-.0012	1.63		710.	19.53	.01	-.0196	-.0004	-.0009	3.00			709.								
-9.11	.00	.0263	-.0005	-.0009	1.62		709.	.00	.00	.0280	-.0017	-.0012	3.02			708.								
M = 1.484								M = 1.574																
-9.32	.00	.0362	-.0012	-.0002	1.61	1.58	710.	-9.44	.00	.0415	-.0004	-.0014	3.02	3.02	706.									
-6.11	.00	.0331	-.0003	-.0006	1.62	1.58	710.	-3.63	.00	.0391	-.0016	-.0021	3.01	3.06	707.									
-3.26	.00	.0277	-.0010	-.0017	1.62	1.58	709.	.00	.00	.0374	-.0014	-.0023	3.02	3.08	705.									
3.71	.00	.0217	-.0004	-.0018	1.62	1.58	709.	.00	.00	.0354	-.0015	-.0014	3.02	3.03	710.									
7.73	.00	.0168	-.0003	-.0031	1.62	1.58	709.	.00	.00	.0321	-.0017	-.0019	3.05	3.00	709.									
12.02	.00	.0113	-.0003	-.0028	1.62	1.58	709.	12.55	.00	-.0092	-.0006	-.0018	3.04	3.02	709.									
16.16	.00	.0136	-.0010	-.0017	1.62	1.58	709.	16.58	.01	-.0178	-.0003	-.0018	3.06	3.01	707.									
18.57	.00	.0178	-.0021	-.0014	1.61	1.58	709.	19.52	.01	-.0277	-.0006	-.0018	3.01	3.06	712.									
-9.11	.00	.0276	-.0000	-.0016	1.62	1.59	709.	.00	.00	.0169	-.0003	-.0024	3.03	3.08	710.									

$\delta_u = -20^\circ$		$\delta_l = 25^\circ$		$\delta_r = 0$		Span I = 0.615		Span R = 0.925		$\delta_t = 15^\circ$		Nozzle no. 1		Gas	Air				
$\alpha$	$\beta$	$C_m$	$C_n$	$C_l$	$P_{xL}$	$P_{xR}$	$P_t$	$\alpha$	$\beta$	$C_m$	$C_n$	$C_l$	$P_{xL}$	$P_{xR}$	$P_t$				
$M = 1.301$								$M = 1.576$											
-9.0	.00	.0034	-.0004	.0004			7.4	-9.0	.00	.0001	-.0011	-.0000			77.7				
-9.12	.00	.0281	-.0005	.0004			7.7	-9.0	.00	.0214	-.0009	-.0000			77.7				
4.17	.00	.0207	.0002	.0004			7.7	-9.0	.00	.0145	-.0001	.0000			77.7				
8.24	.00	.0129	.0011	.0007			7.7	3.93	.00	.0075	.0007	.0000			77.7				
12.31	.00	.0055	.0015	.0004			7.7	7.86	.00	-.0000	.0017	-.0001			77.7				
16.38	.01	-.0037	.0017	.0007			7.8	12.04	.00	-.0008	.0019	-.0002			77.7				
19.43	.01	-.0268	.0015	.0004			7.7	16.13	.01	-.0184	.0021	-.0002			77.7				
23.48	.00	.0212	-.0002	.0004			7.7	19.11	.01	-.0269	.0022	-.0001			77.7				
								23.06	.00	.0148	.0004	-.0000			77.7				
$M = 1.300$								$M = 1.576$											
-9.07	.00	.0342	-.0007	.0004	4.34	4.32	77.7	-9.07	.00	.0297	-.0012	-.0002	5.16	5.16	77.7				
-9.12	.00	.0277	-.0012	.0004	4.34	4.33	77.7	-9.12	.00	.0215	-.0009	-.0001	5.11	5.11	77.7				
4.17	.00	.0209	.0004	.0004	4.37	4.37	77.7	-9.15	.00	.0150	-.0002	-.0002	5.04	5.04	77.7				
8.24	.00	.0131	.0004	.0003	4.42	4.42	77.7	3.93	.00	.0090	.0009	.0002	5.17	5.17	77.7				
12.31	.01	-.0040	.0015	.0004	4.41	4.41	77.7	7.86	.00	.0001	.0017	-.0001	5.13	5.13	77.7				
16.38	.01	-.0168	.0016	.0004	4.41	4.41	77.7	12.04	.00	-.0000	.0017	-.0004	5.21	5.21	77.7				
19.43	.01	-.0242	.0013	.0007	4.40	4.40	77.7	16.14	.00	-.0140	.0019	-.0003	5.27	5.27	77.7				
23.48	.00	.0210	-.0003	.0007	4.40	4.40	77.7	19.11	.01	-.0243	.0022	-.0001	5.27	5.27	77.7				
								23.06	.00	.0154	.0000	-.0003	5.13	5.13	77.7				
$M = 1.298$								$M = 1.573$											
-9.10	.00	.0371	-.0004	.0010	4.33	4.32	77.7	-9.10	.00	.0301	-.0009	-.0001	5.13	5.09	77.7				
-9.12	.00	.0282	-.0017	.0011	4.34	4.33	77.7	-9.11	.00	.0219	-.0010	-.0001	5.15	5.07	77.7				
4.15	.00	.0209	.0007	.0009	4.31	4.34	77.7	-9.14	.00	.0154	-.0003	-.0002	5.17	5.09	77.7				
8.24	.00	.0133	.0003	.0007	4.34	4.33	77.7	3.93	.00	.0085	-.0001	.0002	5.14	5.09	77.7				
12.31	.00	.0059	.0002	.0012	4.34	4.33	77.7	7.86	.00	.0003	.0009	.0002	5.18	5.09	77.7				
16.38	.01	-.0039	.0004	.0011	4.34	4.33	77.7	12.04	.00	-.0078	.0009	.0000	5.19	5.12	77.7				
19.43	.01	-.0161	.0007	.0013	4.34	4.33	77.7	16.14	.00	-.0174	.0020	-.0001	5.24	5.14	77.7				
23.48	.01	-.0261	.0013	.0011	4.34	4.33	77.7	19.11	.01	-.0241	.0021	-.0000	5.14	5.07	77.7				
27.53	.00	.0213	-.0005	.0004	4.34	4.33	77.7	23.06	.00	.0155	-.0002	-.0001	5.20	5.12	77.7				
<hr/>																			
$\delta_u = -10^\circ$		$\delta_l = 25^\circ$		$\delta_r = 0$		Span I = 0.615		Span R = 0.925		$\delta_t = 15^\circ$		Nozzle no. 1		Gas	Air				
$\alpha$	$\beta$	$C_m$	$C_n$	$C_l$	$P_{xL}$	$P_{xR}$	$P_t$	$\alpha$	$\beta$	$C_m$	$C_n$	$C_l$	$P_{xL}$	$P_{xR}$	$P_t$				
$M = .607$								$M = 1.209$											
-9.20	.00	.0008	.0013	.0008			77.0	-9.25	.00	-.0091	-.0020	.0017			77.0				
-9.38	.00	-.0011	.0006	.0014			77.0	-9.13	.00	-.0047	.0017	.0004			77.0				
3.87	.00	.0029	.0010	.0017			77.0	-9.09	.00	-.0090	.0015	.0012			77.0				
7.69	.00	.0078	.0016	.0018			77.0	3.93	.00	-.0165	.0011	.0012			77.0				
11.67	.00	.0124	.0017	.0026			77.0	7.95	.00	-.0221	.0024	.0008			77.0				
15.72	.00	.0172	.0007	.0032			77.0	12.00	.00	-.0221	.0024	.0008			77.0				
19.72	.00	.0191	.0004	.0034			77.0	16.04	.00	-.0268	.0015	.0020			77.0				
23.72	.00	.0200	.0001	.0037			77.0	19.00	.00	-.0251	.0020	.0019			77.0				
27.72	.00	.0028	.0006	.0010			77.0	23.00	.00	-.0211	.0020	.0016			77.0				
								27.00	.00	-.0095	.0018	.0012			77.0				
$M = .609$								$M = 1.213$											
-9.12	.00	.0000	.0018	-.0002	1.57		77.0	-9.12	.00	-.0069	.0058	-.0017	1.43		77.0				
-9.34	.00	-.0015	.0008	.0004	1.57		77.0	-9.12	.00	-.0047	.0078	-.0007	1.43		77.0				
-9.40	.00	-.0055	.0003	.0021	1.54		77.0	-9.14	.00	-.0099	.0014	.0009	1.42		77.0				
3.85	.00	.0121	.0003	.0030	1.58		77.0	3.93	.00	-.0202	.0008	.0016	1.42		77.0				
7.68	.00	.0171	.0004	.0036	1.58		77.0	7.68	.00	-.0264	.0011	.0020	1.42		77.0				
11.68	.00	.0216	-.0001	.0038	1.58		77.0	12.04	.00	-.0302	.0000	.0030	1.41		77.0				
15.71	.00	.0215	-.0003	.0037	1.57		77.0	16.04	.00	-.0253	.0015	.0017	1.42		77.0				
19.73	.00	.0193	.0002	.0032	1.57		77.0	19.07	.01	-.0208	.0025	.0013	1.42		77.0				
23.72	.00	-.0057	.0002	.0020	1.57		77.0	23.00	.00	-.0101	.0016	.0009	1.42		77.0				
								27.00	.00	-.0058	.0056	-.0010	1.42	1.57	77.0				
$M = .607$								$M = 1.212$											
-9.13	.00	.0016	.0022	.0003	1.57	1.54	77.0	-9.11	.00	-.0036	.0024	.0002	1.42	1.57	77.0				
-9.38	.00	-.0010	.0014	.0004	1.57	1.54	77.0	-9.08	.00	-.0086	.0006	.0014	1.42	1.58	77.0				
3.83	.00	.0118	.0008	.0030	1.57	1.54	77.0	3.93	.00	-.0189	.0003	.0025	1.41	1.57	77.0				
7.63	.00	.0167	.0008	.0039	1.57	1.54	77.0	7.63	.00	-.0255	.0015	.0024	1.42	1.57	77.0				
11.65	.00	.0212	.0006	.0039	1.57	1.54	77.0	12.04	.00	.0291	-.0003	.0012	1.42	1.57	77.0				
15.69	.00	.0216	-.0003	.0034	1.57	1.54	77.0	16.07	.00	-.0245	.0001	.0025	1.42	1.57	77.0				
19.74	.00	.0191	.0002	.0034	1.57	1.54	77.0	19.09	.01	-.0194	.0020	.0016	1.41	1.57	77.0				
23.75	.00	-.0062	.0003	.0027	1.57	1.54	77.0	27.00	.00	-.0086	.0006	.0018	1.42	1.57	77.0				

$\delta_u = -10^\circ$ $\delta_l = 25^\circ$ $\delta_T = 0$ Span L = 0.615   Span R = 0.925 $\delta_t = 15^\circ$ Nozzle no. 1 Gas   Air									
$\alpha$ $\beta$ $C_m$ $C_n$ $C_l$ $F_{xL}$ $F_{yR}$ $F_z$					$\alpha$ $\beta$ $C_m$ $C_n$ $C_l$ $F_{xL}$ $F_{yR}$ $F_z$				
$M = 1.480$					$M = 1.297$ $M = 1.562$				
-8.76	-0.00	-0.0189	-0.0021	0.0019				773.	
-3.51	0.00	-0.0147	0.0002	0.0008				772.	
4.14	0.00	-0.0141	0.0006	0.0012				772.	
8.27	-0.00	-0.0077	0.0111	-0.0025				772.	
12.41	0.00	-0.0122	0.0054	0.0001				774.	
16.54	0.00	-0.0206	0.0018	0.0014				774.	
19.67	0.01	-0.0261	0.0017	0.0014				773.	
23.80	0.01	-0.0321	0.0008	0.0021				773.	
27.93	0.00	-0.0141	0.0006	0.0014				774.	
-8.79	-0.00	-0.0132	-0.0011	0.0000	2.99			773.	
-3.52	0.00	-0.0113	0.0067	-0.0064	2.91			774.	
4.10	0.00	-0.0104	0.0040	-0.0015	2.91			699.	
8.13	-0.00	-0.0052	0.0135	-0.0045	2.91			772.	
12.16	0.00	-0.0107	0.0045	-0.0013	2.92			773.	
16.19	0.00	-0.0159	0.0018	0.0074	2.92			770.	
19.22	0.01	-0.0238	0.0015	0.0088	2.95			771.	
23.25	0.01	-0.0294	0.0016	0.0010	2.95			699.	
27.28	0.00	-0.0100	0.0037	-0.0010	2.94			770.	
-8.76	-0.00	-0.0111	-0.0031	0.0011	2.92	2.87		773.	
-3.53	0.00	-0.0078	-0.0029	0.0014	2.90	2.85		773.	
4.13	0.00	-0.0069	0.0011	0.0002	2.91	2.86		772.	
8.16	-0.00	-0.0025	0.0159	-0.0050	2.91	2.86		772.	
12.19	0.00	-0.0120	0.0045	-0.0001	2.91	2.86		772.	
16.22	0.00	-0.0189	-0.0001	0.0020	2.90	2.85		773.	
19.25	0.01	-0.0232	0.0001	0.0017	2.90	2.85		772.	
23.28	0.01	-0.0283	0.0009	0.0012	2.91	2.85		771.	
27.31	0.00	-0.0088	0.0012	0.0006	2.90	2.85		770.	
-8.79	-0.00	0.0098	0.0004	0.0004				778.	
-3.57	-0.00	0.0003	-0.0007	0.0009				777.	
4.14	0.00	-0.0093	0.0001	0.0011				777.	
8.17	0.00	-0.0204	0.0003	0.0017				778.	
12.20	0.00	-0.0273	0.0013	0.0009				779.	
16.23	0.00	-0.0327	0.0009	0.0011				779.	
19.26	0.01	-0.0385	0.0009	0.0017				779.	
23.29	0.01	-0.0451	0.0018	0.0013				779.	
27.32	0.00	-0.0100	0.0007	0.0011				779.	
-8.81	-0.00	0.0088	0.0001	0.0005	3.86			715.	
-3.58	0.00	0.0003	-0.0007	0.0009	3.90			777.	
4.15	0.00	-0.0095	-0.0006	0.0010	3.91			776.	
8.18	0.00	-0.0208	0.0006	0.0011	3.90			711.	
12.21	0.00	-0.0277	0.0014	0.0010	3.90			709.	
16.24	0.00	-0.0334	0.0010	0.0014	3.90			709.	
19.27	0.01	-0.0402	0.0013	0.0016	3.93			708.	
23.30	0.01	-0.0466	0.0021	0.0014	3.93			708.	
27.33	0.00	-0.0098	-0.0005	0.0012	3.92			709.	
-8.80	-0.00	0.0100	-0.0012	0.0013	3.86	3.79		709.	
-3.59	0.00	0.0012	-0.0027	0.0017	3.90	3.80		704.	
4.16	0.00	-0.0084	-0.0027	0.0022	3.90	3.82		704.	
8.19	0.00	-0.0197	-0.0018	0.0021	3.91	3.83		704.	
12.22	0.00	-0.0271	-0.0011	0.0020	3.87	3.80		709.	
16.25	0.00	-0.0329	-0.0009	0.0024	3.87	3.80		709.	
19.28	0.00	-0.0393	-0.0000	0.0023	3.86	3.79		708.	
23.31	0.01	-0.0459	0.0014	0.0022	3.86	3.79		709.	
27.34	0.00	-0.0089	-0.0021	0.0021	3.89	3.83		709.	
-8.78	0.00	0.0104	-0.0008	0.0007				777.	
-3.59	0.00	0.0081	-0.0009	0.0004				779.	
4.18	0.00	0.0018	-0.0004	0.0011				772.	
8.20	0.00	-0.0057	0.0015	0.0009				778.	
12.23	0.00	-0.0174	0.0024	0.0009				777.	
16.26	0.00	-0.0201	0.0023	0.0005				778.	
19.29	0.01	-0.0311	0.0020	0.0010				778.	
23.32	0.01	-0.0399	0.0013	0.0011				778.	
27.35	0.00	0.0013	0.0010	0.0009				777.	
-8.77	0.00	0.0125	-0.0002	0.0007	4.35			775.	
-3.62	0.00	0.0066	-0.0003	0.0004	4.37			778.	
4.12	0.00	0.0011	-0.0000	0.0010	4.37			778.	
8.14	0.00	-0.0055	0.0011	0.0009	4.37			777.	
12.17	0.00	-0.0126	0.0023	0.0008	4.37			778.	
16.20	0.01	-0.0207	0.0020	0.0012	4.37			777.	
19.23	0.01	-0.0311	0.0015	0.0013	4.37			777.	
23.26	0.01	-0.0440	0.0017	0.0013	4.37			777.	
27.29	0.00	0.0013	0.0003	0.0009	4.37			777.	
-8.77	0.00	0.0130	-0.0010	0.0011	4.34	4.31		778.	
-3.62	0.00	0.0069	-0.0013	0.0013	4.34	4.31		777.	
4.15	0.00	0.0016	-0.0008	0.0013	4.34	4.31		777.	
8.17	0.00	-0.0053	0.0004	0.0014	4.34	4.33		777.	
12.20	0.00	-0.0123	0.0005	0.0015	4.37	4.29		777.	
16.23	0.01	-0.0203	0.0011	0.0016	4.37	4.29		778.	
19.26	0.01	-0.0306	0.0011	0.0017	4.34	4.31		778.	
23.29	0.01	-0.0427	0.0015	0.0016	4.34	4.31		778.	
27.32	0.00	0.0017	-0.0007	0.0014	4.34	4.31		778.	

δu = -10°		δz = 25°		δr = 0		Span I = 0.925		Span R = 0.925		δt = 0		Nozzle no. 1		Gas	Air	
α	β	C <sub>m</sub>	C <sub>n</sub>	C <sub>z</sub>	F <sub>YL</sub>	F <sub>YR</sub>	F <sub>z</sub>	α	β	C <sub>m</sub>	C <sub>n</sub>	C <sub>z</sub>	F <sub>YL</sub>	F <sub>YR</sub>	F <sub>z</sub>	
		M = 0.67		K = 1.194												
-9.1	00	0007	0005	0004				-9.74	00	00161	0021	0016				702.
-9.34	00	0009	0010	0007				-3.93	00	00152	0004	0004				702.
-9.36	00	0010	0010	0014				0.10	00	00138	0006	0009				702.
3.66	00	00074	0004	0011				4.13	00	00084	0015	00028				702.
7.65	00	00123	0003	0020				8.17	00	00135	0050	0000				702.
11.63	00	00170	0010	0023				12.25	00	00213	0020	0009				702.
15.64	00	00153	0015	0031				16.29	00	00762	0016	0012				701.
18.62	00	00201	0019	0036				19.21	01	00313	0008	0015				701.
-9.36	00	00028	0010	0012				0.10	00	00139	0007	0011				701.
		M = 0.11		K = 1.203												
-9.18	00	00021	00042	0015	1.54		711.	-9.78	00	00151	0010	0008	1.40			701.
-9.34	00	00041	00053	0025	1.54		710.	-3.93	00	00132	0021	0001	1.70			701.
-9.38	00	00066	00052	0022	1.54		710.	0.12	00	00135	0025	0004	1.40			701.
3.66	00	00113	00044	0033	1.54		710.	4.13	00	00109	0083	0016	1.79			702.
7.67	00	00162	00044	0040	1.54		710.	8.19	00	00145	0015	0002	1.43			702.
11.63	00	00212	00045	0045	1.54		710.	12.25	00	00228	0020	0027	1.41			702.
15.64	00	00232	0006	0054	1.54		710.	16.28	01	00293	0047	0031	1.79			702.
18.65	00	00243	00067	0054	1.54		709.	19.24	01	00344	0067	0041	1.78			703.
-9.34	00	00063	00044	0040	1.54		710.	0.11	00	00139	0025	0008	1.70			701.
		M = 0.77		K = 1.201												
-9.13	00	00001	00042	0028	1.54	1.54	709.	-9.67	00	00132	0012	0012	1.41	1.76		701.
-9.38	00	00026	00044	0036	1.54	1.54	709.	-3.92	00	00118	0014	0007	1.41	1.77		701.
-9.37	00	00053	00055	0047	1.54	1.54	709.	0.11	00	00120	0011	0013	1.41	1.77		701.
3.66	00	00097	00044	0041	1.54	1.54	709.	4.12	00	00094	0044	0004	1.40	1.76		700.
7.70	00	00143	00053	0052	1.54	1.54	709.	8.18	00	00148	0008	0024	1.40	1.76		700.
11.65	00	00192	00044	0054	1.54	1.54	709.	12.23	00	00219	0043	0039	1.40	1.76		700.
15.67	00	00214	00072	0063	1.54	1.54	709.	16.28	01	00279	0058	0044	1.79	1.76		700.
18.67	00	00233	00074	0064	1.54	1.54	709.	19.23	01	00331	0080	0048	1.79	1.75		700.
-9.37	00	00052	00055	0039	1.54	1.54	712.	0.12	00	00122	0017	0013	1.42	1.78		699.
		M = 0.808		K = 1.427												
-9.68	00	00105	00016	0003			709.	-9.62	00	00096	0007	0002				707.
-9.11	00	00052	00001	0001			709.	-3.64	00	00005	0002	0005				709.
-9.7	00	00096	00002	0007			710.	0.12	00	00095	0006	0005				708.
3.66	00	00167	0006	0008			709.	4.44	00	00204	0007	0007				709.
7.68	00	00224	0010	0018			710.	8.49	00	00271	0015	0005				708.
12.65	00	00271	0001	0019			713.	12.54	00	00314	0012	0008				708.
16.68	00	00252	0006	0016			710.	16.61	00	00391	0013	0008				709.
18.67	01	00217	0015	0014			709.	19.52	01	00457	0018	0010				704.
-9.10	00	00075	0001	0010			709.	0.15	00	00094	0008	0007				704.
		M = 0.804		K = 1.414												
-9.68	00	00104	00012	0000	1.74		710.	-9.50	00	00091	0000	0004	3.44			709.
-9.12	00	00064	00029	0013	1.42		712.	-3.63	00	00020	00016	0013	3.70			709.
-9.05	00	00121	00036	0022	1.44		713.	0.39	00	00114	00019	0016	3.67			707.
3.66	00	00198	00033	0018	1.44		713.	4.47	00	00212	00019	0018	3.45			710.
7.68	00	00259	00036	0027	1.44		710.	8.50	00	00288	00010	0014	3.45			707.
12.65	01	00301	00050	0034	1.44		711.	12.57	00	00348	00017	0018	3.44			709.
16.65	01	00282	00044	0040	1.44		710.	16.61	01	00408	00018	0021	3.42			707.
18.67	01	00250	00056	0043	1.44		710.	19.64	01	00471	00014	0023	3.46			707.
-9.08	00	00122	00030	0027	1.44		710.	0.40	00	00109	00018	0017	3.47			707.
		M = 0.809		K = 1.424												
-9.63	00	00078	00016	0010	1.45	1.42	710.	-9.61	00	00100	00010	0012	3.67	3.61		709.
-9.11	00	00059	00032	0022	1.46	1.43	709.	-3.66	00	00004	00033	0021	3.70	3.64		703.
-9.08	00	00100	00048	0033	1.47	1.45	708.	0.37	00	00092	00044	0029	3.40	3.54		702.
3.68	00	00174	00050	0038	1.49	1.46	708.	4.44	00	00204	00043	0028	3.41	3.56		711.
8.01	00	00243	00041	0036	1.47	1.44	709.	8.50	00	00285	00042	0026	3.44	3.57		711.
12.61	01	00278	00061	0046	1.46	1.44	708.	12.54	00	00328	00040	0027	3.44	3.58		708.
16.66	01	00266	00071	0050	1.73	1.70	708.	16.64	01	00410	00037	0028	3.64	3.62		712.
18.67	01	00237	00066	0050	1.75	1.71	708.	19.56	01	00471	00024	0029	3.64	3.59		709.
-9.07	00	00101	00046	0035	1.73	1.71	710.	0.40	00	00100	00042	0029	3.65	3.59		107.
		M = 0.694		K = 1.473												
-9.74	00	00161	0021	0016				-9.78	00	00151	0010	0008	1.40			701.
-3.93	00	00152	0004	0004				-3.93	00	00132	0021	0001	1.70			701.
0.10	00	00138	0006	0009				0.12	00	00135	0025	0004	1.40			701.
4.13	00	00084	0015	00028				4.13	00	00109	0083	0016	1.79			702.
8.17	00	00135	0050	0000				8.19	00	00145	0015	0002	1.43			702.
12.25	00	00213	0020	0009				12.25	00	00228	0020	0027	1.41			702.
16.29	00	00762	0016	0012				16.29	00	00293	0047	0031	1.79			702.
19.21	01	00313	0008	0015				19.24	01	00344	0067	0041	1.78			703.
0.10	00	00139	0007	0011				0.11	00	00139	0025	0008	1.70			701.
		M = 0.99		K = 1.474												
-9.78	00	00151	0010	0008	1.40		701.	-9.78	00	00151	0010	0008	1.40			701.
-3.93	00	00132	0021	0001	1.70		701.	-3.93	00	00132	0021	0001	1.70			701.
0.12	00	00135	0025	0004	1.40		701.	0.12	00	00135	0025	0004	1.40			701.
4.13	00	00109	0083	0016	1.79		702.	4.13	00	00109	0083	0016	1.79			702.
8.19	00	00145	0015	0002	1.43		702.	8.19	00	00145	0015	0002	1.43			702.
12.25	00	00228	0020	0027	1.41		702.	12.25	00	00228	0020	0027	1.41			702.
16.28	01	00293	0047	0031	1.79		702.	16.28	01	00293	0047	0031	1.79			702.
19.24	01	00344	0067	0041	1.78		703.	19.24	01	00344	0067	0041	1.78			703.
0.11	00	00139														

$\delta_u = -10^\circ$		$\delta_l = 15^\circ$		$\delta_r = 0$		Span L = 0.615		Span R = 0.925		$\delta_t = 15^\circ$		Nozzle no. 1		Gas	Air
$\alpha$	$\beta$	$C_m$	$C_n$	$C_l$	$C_r$	$C_{L,R}$	$C_{L,R}$	$C_m$	$C_n$	$C_l$	$C_r$	$C_{L,R}$	$C_{L,R}$		
		Ma = .607		k = 1.212											
-9.20	.00	.0143	-.0002	-.0004				-.0053	-.0003	-.0001					705.
-9.37	.00	.0146	-.0003	-.0006				-.0093	-.0027	-.0014					706.
-9.40	.00	.0145	-.0003	-.0001				-.0102	-.0006	-.0010					709.
-9.38	.00	.0152	-.0001	-.0005				-.0087	-.0011	-.0011					708.
3.63	.00	.0129	-.0007	-.0010				-.0059	-.0004	-.0004					707.
7.65	.00	.0109	-.0005	-.0011				-.0049	-.0004	-.0015					708.
11.67	.00	.0089	-.0003	-.0014				-.0005	-.0006	-.0014					709.
15.69	.00	.0081	-.0007	-.0020				-.0147	-.0013	-.0014					708.
18.49	.00	.0089	-.0006	-.0027				-.0119	-.0001	-.0009					706.
-9.34	.00	.0151	-.0009	-.0004				-.0049	-.0011	-.0010					707.
-9.33	.00	.0153	-.0002	-.0007				Ma = .605					k = 1.232		
		Ma = .605		k = 1.222											
-9.23	.00	.0146	-.0014	-.0014	1.40	1.56	709.	-.0045	-.0025	-.0009	1.42				710.
-9.35	.00	.0135	-.0025	-.0016	1.40	1.56	708.	-.0069	-.0018	-.0004	1.43				709.
-9.39	.00	.0134	-.0044	-.0027	1.60	1.56	707.	-.0095	-.0025	-.0010	1.41				706.
3.63	.00	.0111	-.0043	-.0029	1.59	1.56	707.	-.0056	-.0043	-.0019	1.45				709.
7.63	.00	.0087	-.0052	-.0041	1.59	1.55	706.	-.0031	-.0032	-.0014	1.43				708.
11.63	.00	.0065	-.0050	-.0046	1.59	1.55	706.	-.0019	-.0037	-.0024	1.42				709.
15.67	.00	.0062	-.0054	-.0050	1.58	1.55	707.	-.0024	-.0038	-.0027	1.41				708.
18.49	.00	.0059	-.0052	-.0051	1.58	1.55	707.	-.0114	-.0036	-.0028	1.40				710.
-9.39	.00	.0136	-.0043	-.0028	1.56	1.54	707.	-.0091	-.0020	-.0010	1.45				709.
		Ma = .609		k = 1.232											
-9.20	.00	.0170	-.0017	-.0004	1.40		709.	-.0089	-.0025	-.0001	1.44	1.59			709.
-9.39	.00	.0116	-.0026	-.0009	1.59		709.	-.0115	-.0030	-.0014	1.42	1.58			706.
-9.38	.00	.0119	-.0038	-.0017	1.58		708.	-.0119	-.0046	-.0025	1.43	1.58			709.
3.63	.00	.0095	-.0040	-.0018	1.57		708.	-.0081	-.0056	-.0027	1.42	1.58			706.
7.67	.00	.0070	-.0047	-.0031	1.57		708.	-.0050	-.0034	-.0025	1.44	1.58			709.
11.64	.00	.0049	-.0053	-.0035	1.58		709.	-.0037	-.0040	-.0030	1.42	1.58			709.
15.66	.00	.0049	-.0049	-.0043	1.57		708.	-.0087	-.0057	-.0037	1.42	1.58			709.
18.45	.00	.0043	-.0047	-.0044	1.57		707.	-.0056	-.0040	-.0027	1.41	1.57			708.
-9.37	.00	.0119	-.0030	-.0020	1.57		707.	-.0040	-.0051	-.0046	1.41	1.57			708.
		Ma = .608		k = 1.232											
-9.20	.00	.0170	-.0017	-.0004	1.40		709.	-.0089	-.0025	-.0001	1.44	1.59			709.
-9.39	.00	.0116	-.0026	-.0009	1.59		709.	-.0115	-.0030	-.0014	1.42	1.58			706.
-9.38	.00	.0119	-.0038	-.0017	1.58		708.	-.0119	-.0046	-.0025	1.43	1.58			709.
3.63	.00	.0095	-.0040	-.0018	1.57		708.	-.0081	-.0056	-.0027	1.42	1.58			706.
7.67	.00	.0070	-.0047	-.0031	1.57		708.	-.0050	-.0034	-.0025	1.44	1.58			709.
11.64	.00	.0049	-.0053	-.0035	1.58		709.	-.0037	-.0040	-.0030	1.42	1.58			709.
15.66	.00	.0049	-.0049	-.0043	1.57		708.	-.0087	-.0057	-.0037	1.42	1.58			709.
18.45	.00	.0043	-.0047	-.0044	1.57		707.	-.0056	-.0040	-.0027	1.41	1.57			708.
-9.37	.00	.0119	-.0030	-.0020	1.57		707.	-.0040	-.0051	-.0046	1.41	1.57			708.
		Ma = .608		k = 1.232											
-9.20	.00	.0170	-.0017	-.0004	1.40		709.	-.0089	-.0025	-.0001	1.44	1.59			709.
-9.39	.00	.0116	-.0026	-.0009	1.59		709.	-.0115	-.0030	-.0014	1.42	1.58			706.
-9.38	.00	.0119	-.0038	-.0017	1.58		708.	-.0119	-.0046	-.0025	1.43	1.58			709.
3.63	.00	.0095	-.0040	-.0018	1.57		708.	-.0081	-.0056	-.0027	1.42	1.58			706.
7.67	.00	.0070	-.0047	-.0031	1.57		708.	-.0050	-.0034	-.0025	1.44	1.58			709.
11.64	.00	.0049	-.0053	-.0035	1.58		709.	-.0037	-.0040	-.0030	1.42	1.58			709.
15.66	.00	.0049	-.0049	-.0043	1.57		708.	-.0087	-.0057	-.0037	1.42	1.58			709.
18.45	.00	.0043	-.0047	-.0044	1.57		707.	-.0056	-.0040	-.0027	1.41	1.57			708.
-9.37	.00	.0119	-.0030	-.0020	1.57		707.	-.0040	-.0051	-.0046	1.41	1.57			708.
		Ma = .608		k = 1.232											
-9.20	.00	.0170	-.0017	-.0004	1.40		709.	-.0089	-.0025	-.0001	1.44	1.59			709.
-9.39	.00	.0116	-.0026	-.0009	1.59		709.	-.0115	-.0030	-.0014	1.42	1.58			706.
-9.38	.00	.0119	-.0038	-.0017	1.58		708.	-.0119	-.0046	-.0025	1.43	1.58			709.
3.63	.00	.0095	-.0040	-.0018	1.57		708.	-.0081	-.0056	-.0027	1.42	1.58			706.
7.67	.00	.0070	-.0047	-.0031	1.57		708.	-.0050	-.0034	-.0025	1.44	1.58			709.
11.64	.00	.0049	-.0053	-.0035	1.58		709.	-.0037	-.0040	-.0030	1.42	1.58			709.
15.66	.00	.0049	-.0049	-.0043	1.57		708.	-.0087	-.0057	-.0037	1.42	1.58			709.
18.45	.00	.0043	-.0047	-.0044	1.57		707.	-.0056	-.0040	-.0027	1.41	1.57			708.
-9.37	.00	.0119	-.0030	-.0020	1.57		707.	-.0040	-.0051	-.0046	1.41	1.57			708.
		Ma = .608		k = 1.232											
-9.20	.00	.0170	-.0017	-.0004	1.40		709.	-.0089	-.0025	-.0001	1.44	1.59			709.
-9.39	.00	.0116	-.0026	-.0009	1.59		709.	-.0115	-.0030	-.0014	1.42	1.58			706.
-9.38	.00	.0119	-.0038	-.0017	1.58		708.	-.0119	-.0046	-.0025	1.43	1.58			709.
3.63	.00	.0095	-.0040	-.0018	1.57		708.	-.0081	-.0056	-.0027	1.42	1.58			706.
7.67	.00	.0070	-.0047	-.0031	1.57		708.	-.0050	-.0034	-.0025	1.44	1.58			709.
11.64	.00	.0049	-.0053	-.0035	1.58		709.	-.0037	-.0040	-.0030	1.42	1.58			709.
15.66	.00	.0049	-.0049	-.0043	1.57		708.	-.0087	-.0057	-.0037	1.42	1.58			709.
18.45	.00	.0043	-.0047	-.0044	1.57		707.	-.0056	-.0040	-.0027	1.41	1.57			708.
-9.37	.00	.0119	-.0030	-.0020	1.57		707.	-.0040	-.0051	-.0046	1.41	1.57			708.
		Ma = .608		k = 1.232											
-9.20	.00	.0170	-.0017	-.0004	1.40		709.	-.0089	-.0025	-.0001	1.44	1.59			709.
-9.39	.00	.0116	-.0026	-.0009	1.59		709.	-.0115	-.0030	-.0014	1.42	1.58			706.
-9.38	.00	.0119	-.0038	-.0017	1.58		708.	-.0119	-.0046	-.0025	1.43	1.58			709.
3.63	.00	.0095	-.0040	-.0018	1.57		708.	-.0081	-.0056	-.0027	1.42	1.58			706.
7.67	.00	.0070	-.0047	-.0031	1.57		708.	-.0050	-.0034	-.0025	1.44	1.58			709.
11.64	.00	.0049	-.0053	-.0035	1.58		709.	-.0037	-.0040	-.0030	1.42	1.58			709.
15.66	.00	.0049	-.0049	-.0043	1.57		708.	-.0087	-.0057	-.0037	1.42	1.58			709.
18.45	.00	.0043	-.0047	-.0044	1.57		707.	-.0056	-.0040	-.0027	1.41	1.57			708.
-9.37	.00	.0119	-.0030	-.0020	1.57		707.	-.0040	-.0051	-.0046	1.41	1.57			708.
		Ma = .608		k = 1.232											
-9.20	.00	.0170	-.0017	-.0004	1.40		709.</								

$\delta_u = -10^\circ$     $\delta_l = 25^\circ$     $\delta_r = 0$    Span L = 0.925   Span R = 0.925    $\delta_t = 0$    Nozzle no. 1   Gas   Air

$M = 1.302$     $M = 1.566$

$\alpha$	$\beta$	$C_m$	$C_n$	$C_l$	$Pr_L$	$Pr_R$	$P_t$
-8.00	.00	.0126	.0063	.0004			77.7
-3.92	.00	.0068	.0035	.0005			77.7
.13	.00	.0016	.0009	.0007			77.7
4.20	.00	.0055	.0017	.0007			77.7
8.23	.00	.0124	.0021	.0008			77.6
12.30	.00	.0205	.0022	.0009			77.6
16.37	.01	.0303	.0020	.0009			77.7
19.35	.01	.0391	.0015	.0008			77.7
.17	.00	.0014	.0011	.0006			77.7

$M = 1.300$     $M = 1.567$

$\alpha$	$\beta$	$C_m$	$C_n$	$C_l$	$Pr_L$	$Pr_R$	$P_t$
-8.73	.00	.0127	.0002	.0005	4.41		77.7
-3.92	.00	.0063	.0006	.0009	4.49		77.7
.12	.00	.0005	.0007	.0013	4.37		77.7
4.17	.00	.0064	.0002	.0014	4.35		77.7
8.25	.00	.0134	.0005	.0014	4.42		77.7
12.30	.01	.0215	.0004	.0014	4.37		77.7
16.37	.01	.0320	.0002	.0017	4.47		77.7
19.25	.01	.0399	.0001	.0015	4.41		77.7
.17	.00	.0006	.0007	.0013	4.39		77.6

$M = 1.298$     $M = 1.564$

$\alpha$	$\beta$	$C_m$	$C_n$	$C_l$	$Pr_L$	$Pr_R$	$P_t$
-4.74	.00	.0136	.0014	.0017	4.37	4.31	77.6
-3.92	.00	.0097	.0020	.0014	4.38	4.31	77.7
.14	.00	.0010	.0017	.0013	4.32	4.30	77.6
4.19	.00	.0062	.0020	.0020	4.37	4.30	77.7
8.25	.00	.0131	.0016	.0020	4.42	4.36	77.5
12.32	.01	.0214	.0007	.0017	4.35	4.32	77.5
16.37	.01	.0316	.0004	.0019	4.36	4.31	77.6
19.31	.01	.0396	.0008	.0018	4.35	4.31	77.6
.12	.00	.0012	.0017	.0020	4.37	4.31	77.5

$M = 1.762$     $M = 1.452$

$\alpha$	$\beta$	$C_m$	$C_n$	$C_l$	$Pr_L$	$Pr_R$	$P_t$
-8.96	.00	.0118	.0008	.0004			77.7
-4.11	.00	.0063	.0004	.0005			77.7
.11	.00	.0063	.0004	.0004			77.7
4.04	.00	.0019	.0002	.0004			77.7
8.04	.00	.0037	.0003	.0004			77.7
12.11	.00	.0106	.0004	.0004			77.7
16.12	.00	.0182	.0001	.0004			77.7
19.16	.01	.0251	.0004	.0004			77.7
.17	.00	.0021	.0015	.0003			77.7

$M = 1.699$     $M = 1.439$

$\alpha$	$\beta$	$C_m$	$C_n$	$C_l$	$Pr_L$	$Pr_R$	$P_t$
-8.97	.00	.0120	.0000	.0002	5.12		77.7
-4.10	.00	.0067	.0007	.0004	5.12		77.7
.14	.00	.0016	.0007	.0004	5.22		77.7
4.19	.00	.0047	.0005	.0004	5.16		77.7
8.04	.00	.0109	.0003	.0002	5.12		77.7
12.09	.00	.0185	.0003	.0002	5.14		77.7
16.12	.01	.0274	.0001	.0007	5.14		77.7
19.02	.01	.0347	.0004	.0004	5.11		77.7
.16	.00	.0018	.0005	.0004	5.18		77.6

$M = 1.698$     $M = 1.430$

$\alpha$	$\beta$	$C_m$	$C_n$	$C_l$	$Pr_L$	$Pr_R$	$P_t$
-4.65	.00	.0174	.0003	.0004	5.14	5.03	77.6
-4.10	.00	.0070	.0009	.0005	5.15	5.03	77.6
.16	.00	.0019	.0002	.0007	5.17	5.06	77.6
4.17	.00	.0047	.0001	.0008	5.23	5.11	77.6
8.04	.00	.0107	.0001	.0007	5.21	5.11	77.6
12.06	.00	.0182	.0008	.0008	5.14	5.06	77.6
16.11	.00	.0272	.0004	.0009	5.14	5.07	77.6
19.08	.01	.0345	.0007	.0011	5.14	5.04	77.6
.16	.00	.0020	.0005	.0007	5.13	5.05	77.7



α <sub>0</sub> = -20°		α <sub>1</sub> = 35°		β <sub>T</sub> = 0		Span I = 0.615		Span R = 0.925		β <sub>0</sub> = 0		Nozzle nr. 2		Gas		CO <sub>2</sub>											
α	β	C <sub>m</sub>	C <sub>m</sub>	C <sub>L</sub>	P <sub>FL</sub>	P <sub>FR</sub>	P <sub>0</sub>	α	β	C <sub>m</sub>	C <sub>m</sub>	C <sub>L</sub>	P <sub>FL</sub>	P <sub>FR</sub>	P <sub>0</sub>	α	β	C <sub>m</sub>	C <sub>m</sub>	C <sub>L</sub>	P <sub>FL</sub>	P <sub>FR</sub>	P <sub>0</sub>				
		Ma = 0.606		Ma = 1.016						Ma = 0.611		Ma = 1.016						Ma = 0.605		Ma = 1.016							
-9.17	0.0	0.222	0.007	0.0001			709.	3.67	0.0	0.002	0.007	0.000			709.	-9.17	0.0	0.002	0.007	0.000			709.				
-9.39	0.0	0.178	0.007	0.001			709.	3.68	0.0	0.001	0.004	0.000	1.5	0.0	709.	-9.39	0.0	0.001	0.004	0.000	1.5	0.0	709.				
3.68	0.0	0.127	0.007	0.000			709.	3.69	0.0	0.002	0.001	0.000	1.5	0.0	709.	3.68	0.0	0.002	0.001	0.000	1.5	0.0	709.				
7.64	0.0	0.091	0.003	0.000			709.	3.70	0.0	0.007	0.010	0.000	1.5	0.0	709.	7.64	0.0	0.007	0.010	0.000	1.5	0.0	709.				
11.63	0.0	0.062	0.000	0.000			709.	3.71	0.0	0.007	0.004	0.000	1.5	0.0	709.	11.63	0.0	0.007	0.004	0.000	1.5	0.0	709.				
15.69	0.0	0.028	0.000	0.000			709.	3.72	0.0	0.007	0.004	0.000	1.5	0.0	709.	15.69	0.0	0.007	0.004	0.000	1.5	0.0	709.				
18.63	0.0	0.003	0.001	0.000			709.	3.73	0.0	0.007	0.004	0.000	1.5	0.0	709.	18.63	0.0	0.007	0.004	0.000	1.5	0.0	709.				
20.43	0.0	0.007	0.005	0.000			709.	3.74	0.0	0.005	0.004	0.000	1.5	0.0	709.	20.43	0.0	0.005	0.004	0.000	1.5	0.0	709.				
22.14	0.0	0.024	0.013	0.000			709.	3.75	0.0	0.005	0.004	0.000	1.5	0.0	709.	22.14	0.0	0.005	0.004	0.000	1.5	0.0	709.				
		Ma = 0.605		Ma = 1.016						Ma = 0.605		Ma = 1.016						Ma = 0.604		Ma = 1.016							
-9.17	0.0	0.172	0.002	0.000	1.5	0.0	709.	-9.17	0.0	0.0214	0.011	0.000			709.	-9.17	0.0	0.0173	0.001	0.000			709.				
-9.39	0.0	0.128	0.004	0.000	1.5	0.0	709.	-9.39	0.0	0.015	0.004	0.000			709.	-9.39	0.0	0.015	0.004	0.000			709.				
3.68	0.0	0.089	0.000	0.000	1.5	0.0	709.	3.68	0.0	0.043	0.012	0.000			709.	3.68	0.0	0.043	0.012	0.000			709.				
7.64	0.0	0.067	0.000	0.000	1.5	0.0	709.	7.64	0.0	0.003	0.003	0.000			709.	7.64	0.0	0.003	0.003	0.000			709.				
11.63	0.0	0.027	0.000	0.000	1.5	0.0	709.	11.63	0.0	0.005	0.010	0.000			709.	11.63	0.0	0.005	0.010	0.000			709.				
15.69	0.0	0.005	0.000	0.000	1.5	0.0	709.	15.69	0.0	0.004	0.011	0.000			709.	15.69	0.0	0.004	0.011	0.000			709.				
18.63	0.0	0.007	0.000	0.000	1.5	0.0	709.	18.63	0.0	0.004	0.011	0.000			709.	18.63	0.0	0.004	0.011	0.000			709.				
20.43	0.0	0.007	0.000	0.000	1.5	0.0	709.	20.43	0.0	0.004	0.011	0.000			709.	20.43	0.0	0.004	0.011	0.000			709.				
		Ma = 0.604		Ma = 1.016						Ma = 0.604		Ma = 1.016						Ma = 0.604		Ma = 1.016							
-9.17	0.0	0.190	0.010	0.000	1.5	1.69	709.	-9.17	0.0	0.005	0.007	0.000	1.5	1.69	709.	-9.17	0.0	0.005	0.007	0.000	1.5	1.69	709.				
-9.39	0.0	0.133	0.005	0.000	1.5	1.69	709.	-9.39	0.0	0.017	0.002	0.000	1.5	1.69	709.	-9.39	0.0	0.017	0.002	0.000	1.5	1.69	709.				
3.68	0.0	0.091	0.000	0.000	1.5	1.69	709.	3.68	0.0	0.007	0.005	0.000	1.5	1.69	709.	3.68	0.0	0.007	0.005	0.000	1.5	1.69	709.				
7.64	0.0	0.068	0.000	0.000	1.5	1.69	709.	7.64	0.0	0.007	0.005	0.000	1.5	1.69	709.	7.64	0.0	0.007	0.005	0.000	1.5	1.69	709.				
11.63	0.0	0.019	0.000	0.000	1.5	1.69	709.	11.63	0.0	0.009	0.002	0.000	1.5	1.69	709.	11.63	0.0	0.009	0.002	0.000	1.5	1.69	709.				
15.69	0.0	0.004	0.000	0.000	1.5	1.69	709.	15.69	0.0	0.009	0.002	0.000	1.5	1.69	709.	15.69	0.0	0.009	0.002	0.000	1.5	1.69	709.				
18.63	0.0	0.004	0.000	0.000	1.5	1.69	709.	18.63	0.0	0.009	0.002	0.000	1.5	1.69	709.	18.63	0.0	0.009	0.002	0.000	1.5	1.69	709.				
20.43	0.0	0.004	0.000	0.000	1.5	1.69	709.	20.43	0.0	0.009	0.002	0.000	1.5	1.69	709.	20.43	0.0	0.009	0.002	0.000	1.5	1.69	709.				
		Ma = 0.607		Ma = 1.017						Ma = 0.605		Ma = 1.016						Ma = 0.605		Ma = 1.016							
-9.17	0.0	0.203	0.010	0.000	1.5	1.69	709.	-9.17	0.0	0.0220	0.005	0.000	1.5	1.69	709.	-9.17	0.0	0.0220	0.005	0.000	1.5	1.69	709.				
-9.39	0.0	0.150	0.009	0.000	1.5	1.69	709.	-9.39	0.0	0.0170	0.006	0.000	1.5	1.69	709.	-9.39	0.0	0.0170	0.006	0.000	1.5	1.69	709.				
3.68	0.0	0.109	0.008	0.000	1.5	1.69	709.	3.68	0.0	0.009	0.006	0.000	1.5	1.69	709.	3.68	0.0	0.009	0.006	0.000	1.5	1.69	709.				
7.64	0.0	0.069	0.000	0.000	1.5	1.69	709.	7.64	0.0	0.021	0.005	0.000	1.5	1.69	709.	7.64	0.0	0.021	0.005	0.000	1.5	1.69	709.				
11.63	0.0	0.035	0.001	0.000	1.5	1.69	709.	11.63	0.0	0.007	0.005	0.000	1.5	1.69	709.	11.63	0.0	0.007	0.005	0.000	1.5	1.69	709.				
15.69	0.0	0.000	0.000	0.000	1.5	1.69	709.	15.69	0.0	0.004	0.006	0.000	1.5	1.69	709.	15.69	0.0	0.004	0.006	0.000	1.5	1.69	709.				
18.63	0.0	0.002	0.000	0.000	1.5	1.69	709.	18.63	0.0	0.002	0.006	0.000	1.5	1.69	709.	18.63	0.0	0.002	0.006	0.000	1.5	1.69	709.				
20.43	0.0	0.003	0.000	0.000	1.5	1.69	709.	20.43	0.0	0.003	0.006	0.000	1.5	1.69	709.	20.43	0.0	0.003	0.006	0.000	1.5	1.69	709.				
-9.17	0.0	0.108	0.013	0.000	1.5	1.69	709.	-9.17	0.0	0.009	0.001	0.000	1.5	1.69	709.	-9.17	0.0	0.009	0.001	0.000	1.5	1.69	709.				
-9.39	0.0	0.068	0.013	0.000	1.5	1.69	709.	-9.39	0.0	0.009	0.001	0.000	1.5	1.69	709.	-9.39	0.0	0.009	0.001	0.000	1.5	1.69	709.				
3.68	0.0	0.041	0.007	0.000	1.5	1.69	709.	3.68	0.0	0.009	0.004	0.000	1.5	1.69	709.	3.68	0.0	0.009	0.004	0.000	1.5	1.69	709.				
7.64	0.0	0.009	0.007	0.000	1.5	1.69	709.	7.64	0.0	0.009	0.004	0.000	1.5	1.69	709.	7.64	0.0	0.009	0.004	0.000	1.5	1.69	709.				
11.63	0.0	0.009	0.007	0.000	1.5	1.69	709.	11.63	0.0	0.009	0.004	0.000	1.5	1.69	709.	11.63	0.0	0.009	0.004	0.000	1.5	1.69	709.				
15.69	0.0	0.009	0.007	0.000	1.5	1.69	709.	15.69	0.0	0.009	0.004	0.000	1.5	1.69	709.	15.69	0.0	0.009	0.004	0.000	1.5	1.69	709.				
18.63	0.0	0.009	0.007	0.000	1.5	1.69	709.	18.63	0.0	0.009	0.004	0.000	1.5	1.69	709.	18.63	0.0	0.009	0.004	0.000	1.5	1.69	709.				
20.43	0.0	0.009	0.007	0.000	1.5	1.69	709.	20.43	0.0	0.009	0.004	0.000	1.5	1.69	709.	20.43	0.0	0.009	0.004	0.000	1.5	1.69	709.				
		Ma = 0.607		Ma = 1.018						Ma = 0.609		Ma = 1.016						Ma = 0.609		Ma = 1.016							
-9.17	0.0	0.214	0.008	0.000	1.5	1.69	709.	-9.17	0.0	0.0215	0.006	0.000	1.5	1.69	709.	-9.17	0.0	0.0215	0.006	0.000	1.5	1.69	709.				
-9.39	0.0	0.171	0.010	0.000	1.5	1.69																					











$\alpha_1 = 20^\circ$		$\alpha_2 = 35^\circ$		$\beta_T = 0$		Span I = 0.015		Span R = 0.025		$\beta_L = 15^\circ$		Nozzle no. 1 Gas		Air	
$\alpha$	$\beta$	$C_m$	$C_n$	$C_l$	$F_{T_L}$	$F_{T_R}$	$F_D$	$\alpha$	$\beta$	$C_m$	$C_n$	$C_l$	$F_{T_L}$	$F_{T_R}$	$F_D$
No. 1.007															
0.00	0.00	0.0173	0.0002	0.0001				0.00	0.00	0.0195	0.0000	0.0000			710.
0.00	0.00	0.0067	0.0019	0.0000				0.00	0.00	0.0061	0.0000	0.0000			710.
0.00	0.00	0.0028	0.0007	0.0001				0.00	0.00	0.0072	0.0000	0.0000			710.
0.00	0.00	0.0071	0.0000	0.0000				0.00	0.00	0.0170	0.0000	0.0000			710.
0.00	0.00	0.0139	0.0023	0.0000				0.00	0.00	0.0200	0.0000	0.0000			710.
0.00	0.00	0.0235	0.0010	0.0000				0.00	0.00	0.0200	0.0000	0.0000			710.
0.00	0.00	0.0282	0.0017	0.0000				0.00	0.00	0.0240	0.0000	0.0000			710.
0.00	0.00	0.0320	0.0000	0.0000				0.00	0.00	0.0300	0.0000	0.0000			710.
0.00	0.00	0.0011	0.0000	0.0000				0.00	0.00	0.0000	0.0000	0.0000			710.
No. 1.001															
0.00	0.00	0.0187	0.0002	0.0001	1.00			0.00	0.00	0.0181	0.0000	0.0000	1.00		711.
0.00	0.00	0.0068	0.0013	0.0000	1.00			0.00	0.00	0.0060	0.0000	0.0000	1.00		710.
0.00	0.00	0.0036	0.0000	0.0000	1.00			0.00	0.00	0.0069	0.0000	0.0000	1.00		710.
0.00	0.00	0.0070	0.0000	0.0000	1.00			0.00	0.00	0.0181	0.0000	0.0000	1.00		710.
0.00	0.00	0.0118	0.0013	0.0000	1.00			0.00	0.00	0.0200	0.0000	0.0000	1.00		710.
0.00	0.00	0.0200	0.0010	0.0000	1.00			0.00	0.00	0.0200	0.0000	0.0000	1.00		710.
0.00	0.00	0.0282	0.0010	0.0000	1.00			0.00	0.00	0.0240	0.0000	0.0000	1.00		710.
0.00	0.00	0.0320	0.0000	0.0000	1.00			0.00	0.00	0.0300	0.0000	0.0000	1.00		710.
0.00	0.00	0.0000	0.0000	0.0000	1.00			0.00	0.00	0.0000	0.0000	0.0000	1.00		710.
No. 1.003															
0.00	0.00	0.0175	0.0011	0.0000	1.00	1.00		0.00	0.00	0.0187	0.0000	0.0000	1.00	1.00	710.
0.00	0.00	0.0070	0.0000	0.0000	1.00	1.00		0.00	0.00	0.0067	0.0000	0.0000	1.00	1.00	710.
0.00	0.00	0.0130	0.0000	0.0000	1.00	1.00		0.00	0.00	0.0063	0.0000	0.0000	1.00	1.00	710.
0.00	0.00	0.0197	0.0000	0.0000	1.00	1.00		0.00	0.00	0.0175	0.0000	0.0000	1.00	1.00	710.
0.00	0.00	0.0290	0.0000	0.0000	1.00	1.00		0.00	0.00	0.0200	0.0000	0.0000	1.00	1.00	710.
0.00	0.00	0.0365	0.0000	0.0000	1.00	1.00		0.00	0.00	0.0301	0.0000	0.0000	1.00	1.00	710.
0.00	0.00	0.0400	0.0000	0.0000	1.00	1.00		0.00	0.00	0.0391	0.0000	0.0000	1.00	1.00	710.
0.00	0.00	0.0000	0.0000	0.0000	1.00	1.00		0.00	0.00	0.0000	0.0000	0.0000	1.00	1.00	710.
0.00	0.00	0.0000	0.0000	0.0000	1.00	1.00		0.00	0.00	0.0000	0.0000	0.0000	1.00	1.00	710.
No. 1.006															
0.00	0.00	0.0063	0.0000	0.0000				0.00	0.00	0.0074	0.0000	0.0000			710.
0.00	0.00	0.0025	0.0000	0.0000				0.00	0.00	0.0075	0.0000	0.0000			710.
0.00	0.00	0.0035	0.0000	0.0000				0.00	0.00	0.0075	0.0000	0.0000			710.
0.00	0.00	0.0045	0.0000	0.0000				0.00	0.00	0.0075	0.0000	0.0000			710.
0.00	0.00	0.0070	0.0000	0.0000				0.00	0.00	0.0075	0.0000	0.0000			710.
0.00	0.00	0.0092	0.0000	0.0000				0.00	0.00	0.0075	0.0000	0.0000			710.
No. 1.001															
0.00	0.00	0.0060	0.0011	0.0000				0.00	0.00	0.0075	0.0021	0.0000			710.
0.00	0.00	0.0030	0.0000	0.0000				0.00	0.00	0.0074	0.0019	0.0000			710.
0.00	0.00	0.0050	0.0000	0.0000				0.00	0.00	0.0074	0.0019	0.0000			710.
0.00	0.00	0.0036	0.0000	0.0000				0.00	0.00	0.0074	0.0019	0.0000			710.
0.00	0.00	0.0018	0.0000	0.0000				0.00	0.00	0.0069	0.0007	0.0000			710.
0.00	0.00	0.0030	0.0000	0.0000				0.00	0.00	0.0045	0.0074	0.0000			710.
0.00	0.00	0.0045	0.0000	0.0000				0.00	0.00	0.0029	0.0120	0.0000			710.
0.00	0.00	0.0000	0.0000	0.0000				0.00	0.00	0.0000	0.0071	0.0000			710.
No. 1.000															
0.00	0.00	0.0033	0.0011	0.0000				0.00	0.00	0.0080	0.0020	0.0000			710.
0.00	0.00	0.0020	0.0011	0.0000				0.00	0.00	0.0081	0.0020	0.0000			710.
0.00	0.00	0.0021	0.0020	0.0000				0.00	0.00	0.0074	0.0017	0.0000			710.
0.00	0.00	0.0005	0.0030	0.0000				0.00	0.00	0.0066	0.0000	0.0000			710.
0.00	0.00	0.0010	0.0000	0.0000				0.00	0.00	0.0036	0.0050	0.0000			710.
0.00	0.00	0.0000	0.0000	0.0000				0.00	0.00	0.0013	0.0101	0.0000			710.
0.00	0.00	0.0030	0.0000	0.0000				0.00	0.00	0.0074	0.0023	0.0000			710.
0.00	0.00	0.0039	0.0013	0.0000				0.00	0.00	0.0000	0.0000	0.0000			710.

$\delta_1 = -80^\circ$		$\delta_2 = 35^\circ$		$\delta_3 = 0$		Span I = 0.615		Span II = 0.925		$\delta_4 = 15^\circ$		Bozzle No. 1	Gas	Air													
$\alpha$	$\beta$	$C_{D1}$	$C_{D2}$	$C_{D3}$	$P_{D1}$	$P_{D2}$	$P_{D3}$	$\alpha$	$\beta$	$C_{D1}$	$C_{D2}$	$C_{D3}$	$P_{D1}$	$P_{D2}$	$P_{D3}$												
No. 1.209							No. 1.247							No. 1.445							No. 1.464						
10007	000	00225	0007	00001				10007	000	00216	00003	00000				707a											
10008	000	00152	0022	00001				10008	000	00114	0000	00001				707a											
10009	000	00090	0021	00004				10009	000	00033	00015	00000				707a											
10010	000	00040	0023	00004				10010	000	00008	00020	00009				707a											
10011	000	00110	0020	00009				10011	000	00139	00024	00007				707a											
10012	000	00223	0020	00011				10012	000	00230	00022	00006				707a											
10013	000	00340	0021	00013				10013	000	00345	00017	00007				707a											
10014	000	00451	0021	00012				10014	000	00443	00016	00011				707a											
10015	000	00560	0024	00004				10015	000	00534	00015	00001				707a											
No. 1.301							No. 1.347							No. 1.701							No. 1.644						
10016	000	00200	0009	00004	2050			10016	000	00202	00006	00002	3070			707a											
10017	000	00122	0010	00001	2062			10017	000	00112	00003	00001	3070			707a											
10018	000	00044	0010	00007	2063			10018	000	00032	00009	00002	3070			707a											
10019	000	00021	0020	00002	2067			10019	000	00009	00017	00004	3070			707a											
10020	000	00222	0023	00012	2062			10020	000	00137	00020	00004	3070			707a											
10021	000	00342	0021	00014	2060			10021	000	00233	00014	00006	3070			707a											
10022	000	00452	0012	00014	2060			10022	000	00347	00016	00007	3070			707a											
10023	000	00544	0021	00004	2065			10023	000	00439	00014	00011	3070			707a											
No. 1.200							No. 1.246							No. 1.600							No. 1.600						
10024	000	00210	0000	00002	2063	2067	707a	10024	000	00207	00005	00003	3070	3071		707a											
10025	000	00120	0017	00002	2072	2063	707a	10025	000	00112	00004	00004	3070	3070		707a											
10026	000	00040	0019	00004	2061	2060	707a	10026	000	00034	00012	00004	3070	3070		707a											
10027	000	00020	0020	00012	2062	2061	707a	10027	000	00007	00017	00005	3070	3070		707a											
10028	000	00123	0015	00014	2064	2060	707a	10028	000	00135	00014	00004	3070	3070		707a											
10029	000	00221	0019	00014	2062	2060	707a	10029	000	00231	00017	00004	3070	3070		707a											
10030	000	00347	0017	00014	2060	2062	707a	10030	000	00344	00016	00011	3070	3070		707a											
10031	000	00443	0010	00017	2061	2061	707a	10031	000	00437	00017	00014	3070	3070		707a											
10032	000	00540	0021	00004	2065	2065	707a	10032	000	00537	00016	00003	3070	3071		707a											






$\delta_u = -20^\circ$     $\delta_l = 35^\circ$     $\delta_r = 0$    Span I = 0.615   Span II = 0.925    $\delta_e = 15^\circ$    Nozzle no. 2   Gas: Air

Span I = 0.615


$\alpha$	$\beta$	$C_m$	$C_n$	$C_l$	$P_{T1}$	$P_{T2}$	$P_t$
0.0	0.0	0.0000	0.0000	0.0000			77.6
0.0	0.0	0.0107	0.0075	0.0219			77.6
0.0	0.0	0.0214	0.0150	0.0438			77.6
0.0	0.0	0.0321	0.0225	0.0657			77.6
0.0	0.0	0.0428	0.0300	0.0876			77.6
0.0	0.0	0.0535	0.0375	0.1095			77.6
0.0	0.0	0.0642	0.0450	0.1314			77.6
0.0	0.0	0.0749	0.0525	0.1533			77.6
0.0	0.0	0.0856	0.0600	0.1752			77.6
0.0	0.0	0.0963	0.0675	0.1971			77.6
0.0	0.0	0.1070	0.0750	0.2190			77.6
0.0	0.0	0.1177	0.0825	0.2409			77.6
0.0	0.0	0.1284	0.0900	0.2628			77.6
0.0	0.0	0.1391	0.0975	0.2847			77.6
0.0	0.0	0.1498	0.1050	0.3066			77.6
0.0	0.0	0.1605	0.1125	0.3285			77.6
0.0	0.0	0.1712	0.1200	0.3504			77.6
0.0	0.0	0.1819	0.1275	0.3723			77.6
0.0	0.0	0.1926	0.1350	0.3942			77.6
0.0	0.0	0.2033	0.1425	0.4161			77.6
0.0	0.0	0.2140	0.1500	0.4380			77.6
0.0	0.0	0.2247	0.1575	0.4599			77.6
0.0	0.0	0.2354	0.1650	0.4818			77.6
0.0	0.0	0.2461	0.1725	0.5037			77.6
0.0	0.0	0.2568	0.1800	0.5256			77.6
0.0	0.0	0.2675	0.1875	0.5475			77.6
0.0	0.0	0.2782	0.1950	0.5694			77.6
0.0	0.0	0.2889	0.2025	0.5913			77.6
0.0	0.0	0.2996	0.2100	0.6132			77.6
0.0	0.0	0.3103	0.2175	0.6351			77.6
0.0	0.0	0.3210	0.2250	0.6570			77.6
0.0	0.0	0.3317	0.2325	0.6789			77.6
0.0	0.0	0.3424	0.2400	0.7008			77.6
0.0	0.0	0.3531	0.2475	0.7227			77.6
0.0	0.0	0.3638	0.2550	0.7446			77.6
0.0	0.0	0.3745	0.2625	0.7665			77.6
0.0	0.0	0.3852	0.2700	0.7884			77.6
0.0	0.0	0.3959	0.2775	0.8103			77.6
0.0	0.0	0.4066	0.2850	0.8322			77.6
0.0	0.0	0.4173	0.2925	0.8541			77.6
0.0	0.0	0.4280	0.3000	0.8760			77.6
0.0	0.0	0.4387	0.3075	0.8979			77.6
0.0	0.0	0.4494	0.3150	0.9198			77.6
0.0	0.0	0.4601	0.3225	0.9417			77.6
0.0	0.0	0.4708	0.3300	0.9636			77.6
0.0	0.0	0.4815	0.3375	0.9855			77.6
0.0	0.0	0.4922	0.3450	1.0074			77.6
0.0	0.0	0.5029	0.3525	1.0293			77.6
0.0	0.0	0.5136	0.3600	1.0512			77.6
0.0	0.0	0.5243	0.3675	1.0731			77.6
0.0	0.0	0.5350	0.3750	1.0950			77.6
0.0	0.0	0.5457	0.3825	1.1169			77.6
0.0	0.0	0.5564	0.3900	1.1388			77.6
0.0	0.0	0.5671	0.3975	1.1607			77.6
0.0	0.0	0.5778	0.4050	1.1826			77.6
0.0	0.0	0.5885	0.4125	1.2045			77.6
0.0	0.0	0.5992	0.4200	1.2264			77.6
0.0	0.0	0.6099	0.4275	1.2483			77.6
0.0	0.0	0.6206	0.4350	1.2702			77.6
0.0	0.0	0.6313	0.4425	1.2921			77.6
0.0	0.0	0.6420	0.4500	1.3140			77.6
0.0	0.0	0.6527	0.4575	1.3359			77.6
0.0	0.0	0.6634	0.4650	1.3578			77.6
0.0	0.0	0.6741	0.4725	1.3797			77.6
0.0	0.0	0.6848	0.4800	1.4016			77.6
0.0	0.0	0.6955	0.4875	1.4235			77.6
0.0	0.0	0.7062	0.4950	1.4454			77.6
0.0	0.0	0.7169	0.5025	1.4673			77.6
0.0	0.0	0.7276	0.5100	1.4892			77.6
0.0	0.0	0.7383	0.5175	1.5111			77.6
0.0	0.0	0.7490	0.5250	1.5330			77.6
0.0	0.0	0.7597	0.5325	1.5549			77.6
0.0	0.0	0.7704	0.5400	1.5768			77.6
0.0	0.0	0.7811	0.5475	1.5987			77.6
0.0	0.0	0.7918	0.5550	1.6206			77.6
0.0	0.0	0.8025	0.5625	1.6425			77.6
0.0	0.0	0.8132	0.5700	1.6644			77.6
0.0	0.0	0.8239	0.5775	1.6863			77.6
0.0	0.0	0.8346	0.5850	1.7082			77.6
0.0	0.0	0.8453	0.5925	1.7301			77.6
0.0	0.0	0.8560	0.6000	1.7520			77.6
0.0	0.0	0.8667	0.6075	1.7739			77.6
0.0	0.0	0.8774	0.6150	1.7958			77.6
0.0	0.0	0.8881	0.6225	1.8177			77.6
0.0	0.0	0.8988	0.6300	1.8396			77.6
0.0	0.0	0.9095	0.6375	1.8615			77.6
0.0	0.0	0.9202	0.6450	1.8834			77.6
0.0	0.0	0.9309	0.6525	1.9053			77.6
0.0	0.0	0.9416	0.6600	1.9272			77.6
0.0	0.0	0.9523	0.6675	1.9491			77.6
0.0	0.0	0.9630	0.6750	1.9710			77.6
0.0	0.0	0.9737	0.6825	1.9929			77.6
0.0	0.0	0.9844	0.6900	2.0148			77.6
0.0	0.0	0.9951	0.6975	2.0367			77.6
0.0	0.0	1.0058	0.7050	2.0586			77.6
0.0	0.0	1.0165	0.7125	2.0805			77.6
0.0	0.0	1.0272	0.7200	2.1024			77.6
0.0	0.0	1.0379	0.7275	2.1243			77.6
0.0	0.0	1.0486	0.7350	2.1462			77.6
0.0	0.0	1.0593	0.7425	2.1681			77.6
0.0	0.0	1.0700	0.7500	2.1900			77.6
0.0	0.0	1.0807	0.7575	2.2119			77.6
0.0	0.0	1.0914	0.7650	2.2338			77.6
0.0	0.0	1.1021	0.7725	2.2557			77.6
0.0	0.0	1.1128	0.7800	2.2776			77.6
0.0	0.0	1.1235	0.7875	2.2995			77.6
0.0	0.0	1.1342	0.7950	2.3214			77.6
0.0	0.0	1.1449	0.8025	2.3433			77.6
0.0	0.0	1.1556	0.8100	2.3652			77.6
0.0	0.0	1.1663	0.8175	2.3871			77.6
0.0	0.0	1.1770	0.8250	2.4090			77.6
0.0	0.0	1.1877	0.8325	2.4309			77.6
0.0	0.0	1.1984	0.8400	2.4528			77.6
0.0	0.0	1.2091	0.8475	2.4747			77.6
0.0	0.0	1.2198	0.8550	2.4966			77.6
0.0	0.0	1.2305	0.8625	2.5185			77.6
0.0	0.0	1.2412	0.8700	2.5404			77.6
0.0	0.0	1.2519	0.8775	2.5623			77.6
0.0	0.0	1.2626	0.8850	2.5842			77.6
0.0	0.0	1.2733	0.8925	2.6061			77.6
0.0	0.0	1.2840	0.9000	2.6280			77.6
0.0	0.0	1.2947	0.9075	2.6499			77.6
0.0	0.0	1.3054	0.9150	2.6718			77.6
0.0	0.0	1.3161	0.9225	2.6937			77.6
0.0	0.0	1.3268	0.9300	2.7156			77.6
0.0	0.0	1.3375	0.9375	2.7375			77.6
0.0	0.0	1.3482	0.9450	2.7594			77.6
0.0	0.0	1.3589	0.9525	2.7813			77.6
0.0	0.0	1.3696	0.9600	2.8032			77.6
0.0	0.0	1.3803	0.9675	2.8251			77.6
0.0	0.0	1.3910	0.9750	2.8470			77.6
0.0	0.0	1.4017	0.9825	2.8689			77.6
0.0	0.0	1.4124	0.9900	2.8908			77.6
0.0	0.0	1.4231	0.9975	2.9127			77.6
0.0	0.0	1.4338	1.0050	2.9346			77.6
0.0	0.0	1.4445	1.0125	2.9565			77.6
0.0	0.0	1.4552	1.0200	2.9784			77.6
0.0	0.0	1.4659	1.0275	3.0003			77.6
0.0	0.0	1.4766	1.0350	3.0222			77.6
0.0	0.0	1.4873	1.0425	3.0441			77.6
0.0	0.0	1.4980	1.0500	3.0660			77.6
0.0	0.0	1.5087	1.0575	3.0879			77.6
0.0	0.0	1.5194	1.0650	3.1098			77.6
0.0	0.0	1.5301	1.0725	3.1317			77.6
0.0	0.0	1.5408	1.0800	3.1536			77.6
0.0	0.0	1.5515	1.0875	3.1755			77.6
0.0	0.0	1.5622	1.0950	3.1974			77.6
0.0	0.0	1.5729	1.1025	3.2193			77.6
0.0	0.0	1.5836	1.1100	3.2412			77.6
0.0	0.0	1.5943	1.1175	3.2631			77.6
0.0	0.0	1.6050	1.1250	3.2850			77.6
0.0	0.0	1.6157	1.1325	3.3069			77.6
0.0	0.0	1.6264	1.1400	3.3288			77.6
0.0	0.0	1.6371	1.1475	3.3507			77.6
0.0	0.0	1.6478	1.1550	3.3726			77.6
0.0	0.0	1.6585	1.1625	3.3945			77.6
0.0	0.0	1.6692	1.1700	3.4164			77.6
0.0	0.0	1.6799	1.1775	3.4383			77.6
0.0	0.0	1.6906	1.1850	3.4602			77.6
0.0	0.0	1.7013	1.1925	3.4821			77.6
0.0	0.0	1.7120	1.2000	3.5040			77.6
0.0	0.0	1.7227	1.2075	3.5259			77.6
0.0	0.0	1.7334	1.2150	3.5478			77.6
0.0	0.0	1.7441	1.2225	3.5697			77.6
0.0	0.0	1.7548	1.2300	3.5916			77.6
0.0	0.0	1.7655	1.2375	3.6135			77.6
0.0	0.0	1.7762	1.2450	3.6354			77.6
0.0	0.0	1.7869	1.2525	3.6573			77.6
0.0	0.0	1.7976	1.2600	3.6792			77.6
0.0	0.0	1.8083	1.2675	3.7011			77.6
0.0	0.0	1.8190</					



(a) Model.


Figure 1.- Model photographs.

ORIGINAL PAGE IS  
OF POOR QUALITY



(b) Front view of installed model.


Figure 1.- Continued.



(c) Rear view of installed model.


Figure 1.- Concluded.

SPRING PIGEON  
OF POOR QUALITY




(a) Three-view drawing.

Figure 2.- Model dimensions, given in fraction of model reference length (L = 50.8 cm).




Rudder detail:  
Outer panel only deflects




Cone axis

Line of tangents between side flat and elliptical surfaces



Lower flaps



Sta. 0.226

Sta.	y	z
0.100	0	0
0.113	0.024	
0.126	0.030	
0.150	0.036	
0.176	0.038	0.044
0.200	0.038	0.063
0.226	0.038	0.056
0.250	0.038	0.065
0.276	0.035	0.062
0.300	0.031	0.046
0.326	0.026	0.037
0.350	0.020	0.028
0.375	0.014	0.018
0.400	0.007	0.008
0.417	0	0

Canopy coordinates



Contr./	Chord lengths	Sta.	Line of tangents	z
		0.873		0
		0.811		0.009
Rudder	0.083	0.838		0.081
Upper flap	0.103	0.865		0.088
Lower flap	0.130	0.892		0.092
		0.919		0.092
		0.946		0.091
		0.973		0.086
		1.108		0.087

Sta.	y	z
0.226	0.808	0
	0.808	0.010
	0.831	0.021
	0.827	0.031
	0.823	0.042
	0.818	0.048
	0.811	0.054
	0	0.068

(b) Component details.

Figure 2.- Continued.

Note: Dimensions are in fraction of model reference length




(c) Nozzle exit locations.

Figure 2.- Continued.



Note: Dimensions are in fraction of model reference length.

Nozzle	A	B	$\theta_N$
1	0.00318	0.00877	16°
2	0.00221	0.00877	16°



(d) Nozzle dimensions.

Figure 2.- Concluded.






Figure 3.- Flight altitude range of M2-F2 flight vehicle.




(a)  $M = 0.6$ ,  $Re = 1.20 \times 10^6$

Figure 4.- Variation of jet interactions with angle of attack:  $\frac{s}{b/2_L} = 0.92$ ,  $\frac{s}{b/2_R} = 0.92$ ,  $\delta_c = 0^\circ$ ,  $\delta_u = -20^\circ$ ,  $\delta_l = 35^\circ$ , air.




(b)  $M = 0.8$ ,  $Re = 1.44 \times 10^6$

Figure 4.- Continued.




(c)  $M = 0.9$ ,  $Re = 1.50 \times 10^6$

Figure 4.- Continued.




(d)  $M = 1.1$ ,  $Re = 1.56 \times 10^6$

Figure 4.- Continued.



(e)  $M = 1.3$ ,  $Re = 1.56 \times 10^6$ .


Figure 4.- Continued.



(f)  $M = 1.7$ ,  $Re = 1.44 \times 10^6$


Figure 4.- Concluded.






(a)  $M = 0.6$ ,  $P_T = 1.59$ ,  $Re = 1.20 \times 10^6$

Figure 5.- Variation of jet interactions with angle of attack:  $\frac{s}{b/2_L} = 0.61$ ,  
 $\frac{s}{b/2_R} = 0.92$ ,  $\delta_t = 0^\circ$ ,  $\delta_u = -20^\circ$ ,  $\delta_l = 35^\circ$ , air.




(b)  $M = 0.8$ ,  $p_r = 1.65$ ,  $Re = 1.44 \times 10^6$

Figure 5.- Continued.




(c)  $M = 0.9$ ,  $p_T = 2.95$ ,  $Re = 1.50 \times 10^6$ .

Figure 5.- Continued.




(d)  $M = 1.1$ ,  $p_r = 3.95$ ,  $Re = 1.56 \times 10^6$ .

Figure 5.- Continued.




(e)  $M = 1.3$ ,  $p_r = 4.4$ ,  $Re = 1.56 \times 10^6$

Figure 5.- Continued.




(f)  $M = 1.7$ ,  $p_r = 5.2$ ,  $Re = 1.44 \times 10^6$

Figure 5.- Concluded.



(a)  $\frac{s}{b/2_L} = 0.92, \frac{s}{b/2_R} = 0.92, \delta_t = 0^\circ$


Figure 6.- Variation of jet interactions with jet pressure ratio:  $\alpha = 0^\circ$ ,  $\delta_u = -20^\circ, \delta_l = 35^\circ$ , air.



(b)  $\frac{s}{b/2_L} = 0.62$ ,  $\frac{s}{b/2_R} = 0.92$ ,  $\delta_t = 15^\circ$

Figure 6.- Concluded.






(a)  $M = 0.6$ ,  $p_T = 1.58$


Figure 7.- The effect of Reynolds number on the jet interactions:

$$\frac{s}{b/2_{L+R}} = 0.92, \delta_t = 0^\circ, \delta_u = -20^\circ, \delta_l = 35^\circ, \text{air.}$$



(b)  $M = 1.1$ ,  $p_r = 3.8$


Figure 7.- Concluded.



(a)  $M = 0.6$ ,  $Re = 1.20 \times 10^6$


Figure 8.- Comparison of jet simulations:  $\frac{s}{b/2_L} = 0.92$ ,  $\frac{s}{b/2_R} = 0.92$ ,  $\delta_t = 0^\circ$ ,

$\delta_u = -20^\circ$ ,  $\delta_l = 35^\circ$ .




(b)  $M = 0.8$ ,  $Re = 1.44 \times 10^6$

Figure 8.- Continued.




(c)  $M = 0.9$ ,  $Re = 1.50 \times 10^6$

Figure 8.- Continued.




(d)  $M = 1.1$ ,  $Re = 1.56 \times 10^6$

Figure 8.- Concluded.



(a)  $M = 0.6$ ,  $Re = 1.20 \times 10^6$ .


Figure 9.- Comparison of jet simulations:  $\frac{s}{b/2_L} = 0.61$ ,  $\frac{s}{b/2_R} = 0.92$ ,  
 $\delta_t = 15^\circ$ ,  $\delta_u = -20^\circ$ ,  $\delta_z = 35^\circ$ .



(b)  $M = 0.8$ ,  $Re = 1.44 \times 10^6$


Figure 9.- Continued.






(c)  $M = 0.9$ ,  $Re = 1.50 \times 10^6$

Figure 9.- Continued.




(d)  $M = 1.1$ ,  $Re = 1.56 \times 10^6$

Figure 9.- Continued.



(e)  $M = 1.7$ ,  $Re = 1.44 \times 10^6$


Figure 9.- Concluded.



(a)  $M = 0.6$ ,  $Re = 1.20 \times 10^6$


Figure 10.- The effect of 15° nozzle cant on the jet interactions:

$$\frac{s}{b/2_{L+R}} = 0.92, \delta_u = -20^\circ, \delta_l = 35^\circ, \text{air.}$$




(b)  $M = 0.8$ ,  $Re = 1.44 \times 10^6$

Figure 10.- Continued.




(c)  $M = 0.9$ ,  $Re = 1.50 \times 10^6$

Figure 10.- Continued.



(d)  $M = 1.1$ ,  $Re = 1.56 \times 10^6$


Figure 10.- Continued.



(e)  $M = 1.3$ ,  $Re = 1.56 \times 10^6$ .


Figure 10.- Continued.






(f)  $M = 1.7$ ,  $Re = 1.44 \times 10^6$

Figure 10.- Concluded.




(a)  $M = 0.6$ ,  $Re = 1.20 \times 10^6$ .

Figure 11.- The effect of spanwise location on the jet interactions through the angle of attack range:  $\delta_c = 0^\circ$ ,  $\delta_u = -20^\circ$ ,  $\delta_l = 35^\circ$ , air.




(b)  $M = 0.8$ ,  $Re = 1.44 \times 10^6$

Figure 11.- Continued.




(c)  $M = 0.9$ ,  $Re = 1.50 \times 10^6$

Figure 11.- Continued.




(d)  $M = 1.1$ ,  $Re = 1.56 \times 10^6$ .

Figure 11.- Continued.




(e)  $M = 1.3$ ,  $Re = 1.56 \times 10^6$

Figure 11.- Continued.



(f)  $M = 1.7$ ,  $Re = 1.44 \times 10^6$


Figure 11.- Concluded.



(a)  $M = 0.6$ ,  $Re = 1.20 \times 10^6$

Figure 12.- The effect of spanwise location on the jet interactions through the angle of attack range:  $\delta_t = 15^\circ$ ,  $\delta_u = -20^\circ$ ,  $\delta_l = 35^\circ$ , air.






(b)  $M = 0.8$ ,  $Re = 1.44 \times 10^6$


Figure 12.- Continued.

c-2




(c)  $M = 0.9$ ,  $Re = 1.50 \times 10^6$

Figure 12.- Continued.




(d)  $M = 1.1$ ,  $Re = 1.56 \times 10^6$

Figure 12.- Continued.




(e)  $M = 1.3$ ,  $Re = 1.56 \times 10^6$

Figure 12.- Continued.




(f)  $M = 1.7$ ,  $Re = 1.44 \times 10^6$

Figure 12.- Concluded.




(a)  $\delta_t = 0^\circ$

Figure 13.- Variation of the jet interactions with spanwise location:  $\alpha = 4^\circ$ ,  $\delta_u = -20^\circ$ ,  $\delta_l = 35^\circ$ , air.



(b)  $\delta_t = 15^\circ$ .


Figure 13.- Concluded.



(a)  $M = 0.6$ ,  $p_T = 1.6$ ,  $Re = 1.20 \times 10^6$


Figure 14.- The effect of upper and lower flap deflection on the jet interactions:  $\frac{s}{b/2_L} = 0.61$ ,  $\frac{s}{b/2_R} = 0.92$ ,  $\delta_t = 15^\circ$ , air.






(b)  $M = 0.8$ ,  $p_r = 1.6$ ,  $Re = 1.44 \times 10^6$

Figure 14.- Continued.




(c)  $M = 0.9$ ,  $p_r = 2.9$ ,  $Re = 1.50 \times 10^6$

Figure 14.- Continued.




(d)  $M = 1.1$ ,  $p_r = 3.9$ ,  $Re = 1.56 \times 10^6$

Figure 14.- Continued.




(e)  $M = 1.3$ ,  $p_r = 4.4$ ,  $Re = 1.56 \times 10^6$

Figure 14.- Continued.



(f)  $M = 1.7$ ,  $p_r = 5.2$ ,  $Re = 1.44 \times 10^6$


Figure 14.- Concluded.



(a)  $M = 0.6$ ,  $p_r = 1.6$ ,  $Re = 1.20 \times 10^6$


Figure 15.- The effect of rudder deflection on the jet interactions:

$$\frac{s}{b/2_L} = 0.61, \frac{s}{b/2_R} = 0.92, \delta_t = 15^\circ, \delta_u = -20^\circ, \delta_z = 35^\circ, \text{air.}$$



(b)  $M = 0.8$ ,  $p_r = 1.6$ ,  $Re = 1.44 \times 10^6$


Figure 15.- Continued.



(c)  $M = 0.9$ ,  $p_r = 2.9$ ,  $Re = 1.50 \times 10^6$


Figure 15.- Continued.






(d)  $M = 1.1$ ,  $p_r = 3.9$ ,  $Re = 1.56 \times 10^6$

Figure 15.- Continued.




(e)  $M = 1.3$ ,  $P_r = 4.4$ ,  $Re = 1.56 \times 10^6$

Figure 15.- Continued.



(f)  $M = 1.7$ ,  $p_r = 5.2$ ,  $Re = 1.44 \times 10^6$


Figure 15.- Concluded.



(a)  $M = 0.6$ ,  $p_r = 0.88$ ,  $Re = 1.20 \times 10^6$


Figure 16.- The variation of the jet interactions with angle-of-sideslip:

$\alpha = 6^\circ$ ,  $\frac{s}{b/2_L} = 0.61$ ,  $\frac{s}{b/2_R} = 0.92$ ,  $\delta_t = 15^\circ$ ,  $CO_2$ ,  $\delta_u = -20^\circ$ ,  $\delta_l = 35^\circ$ .




(b)  $M = 0.8$ ,  $p_r = 0.76$ ,  $Re = 1.44 \times 10^6$

Figure 16.- Continued.




(c)  $M = 0.9$ ,  $p_r = 1.25$ ,  $Re = 1.50 \times 10^6$

Figure 16.- Continued.



(d)  $M = 1.1$ ,  $p_r = 1.8$ ,  $Re = 1.56 \times 10^6$


Figure 16.- Continued.



(e)  $M = 1.3$ ,  $p_r = 2.4$ ,  $Re = 1.56 \times 10^6$

Figure 16.- Continued.





(f)  $M = 1.7$ ,  $P_r = 3.4$ ,  $Re = 1.44 \times 10^6$

Figure 16.- Concluded.




Figure 17.- A comparison of roll control means:  $\alpha = 4^\circ$ ,  $\delta_u = -20^\circ$ ,  $\delta_L = 35^\circ$ ,  $\frac{s}{b/2_L} = 0.61$ ,  $\frac{s}{b/2_R} = 0.92$ ,  $\delta_t = 15^\circ$ .




Figure 18.- Simulation of initial jet inclination angle.