

General Disclaimer

One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some of the material. However, it is the best reproduction available from the original submission.

INVENTORY OF WETLAND USING REMOTE SENSING FOR THE PROPOSED OAHÉ IRRIGATION UNIT IN EASTERN SOUTH DAKOTA

(NASA-CR-153412) INVENTORY OF WETLAND
HABITAT USING REMOTE SENSING FOR THE
PROPOSED OAHÉ IRRIGATION UNIT IN EASTERN
SOUTH DAKOTA (South Dakota State Univ.)
40 p HC A03/MF AC1


N77-30568

Unclas
42025

CSCI 08H G3/43

For
National Aeronautics and Space Administration

Remote Sensing Institute
South Dakota State University
Brookings, South Dakota 57007



INVENTORY OF WETLAND HABITAT USING REMOTE SENSING
FOR THE PROPOSED OAHE IRRIGATION UNIT
IN EASTERN SOUTH DAKOTA

By
Robert G. Best and Donald G. Moore

For
Grant Number NGL 42-003-007
Office of University Affairs
National Aeronautics and Space Administration

Remote Sensing Institute
South Dakota State University
Brookings, South Dakota 57006

INVENTORY OF WETLAND HABITAT USING REMOTE SENSING
FOR THE PROPOSED OAHE IRRIGATION UNIT
IN EASTERN SOUTH DAKOTA

by
Robert G. Best and Donald G. Moore¹

ABSTRACT

An inventory of wetlands for the area included in the proposed Oahe Irrigation Project was conducted to provide supplemental data for the wildlife mitigation plan. This report including the data summaries follows a report which documented the interpretation techniques as presented by Best, Moore, and Brewster² for inventorying small, predominantly Type I wetlands in the low-relief terrain of the Lake Dakota Plain. Wetland habitat in over 310,000 acres in the Oahe irrigation district was inventoried. There were 5305 wetlands representing 7530 acres, 589 acres of natural drains, and 1545 acres of stream habitat in the area. The data were stored and tabulated in a computerized spatial data analysis system. The data summaries are provided for various spatial stratification. The project was conducted by the Remote Sensing Institute with consultation with the U.S. Fish and Wildlife Service with funds provided by a NASA Office of University Affairs Grant NGL 42-003-007.

¹ Assistant Wildlife Specialist and Soil Scientist, respectively, Remote Sensing Institute, South Dakota State University, Brookings, South Dakota 57006.

² Best, R.G., D.G., Moore, and W.G. Brewster. 1976. Color-Infrared Aircraft Photography to Identify and Classify Wetlands in the Lake Dakota Plain of Eastern South Dakota. Report No. SDSU RSI-76-03, Remote Sensing Institute, South Dakota State University, Brookings, South Dakota 57006.

ACKNOWLEDGEMENTS

The authors wish to acknowledge and express gratitude for the advice provided by Mr. Wayne Brewster and Mr. Gill Key of the U.S. Fish and Wildlife Service, Pierre, South Dakota, during the activities of this project. Dr. Raymond Linder, Wildlife Co-op Unit Leader, South Dakota State University, provided valuable suggestions during technique development and report generations. Acknowledgement is given to Mr. Victor I. Myers, Director of the Remote Sensing Institute and Principal Investigator of the NASA Grant, for his advice throughout the project. Funding was provided through NASA Grant NGL 42-003-007 without which the project could not have been completed.

TABLE OF CONTENTS

	PAGE
ABSTRACT	i
ACKNOWLEDGEMENTS	ii
TABLE OF CONTENTS	iii
LIST OF FIGURES	iv
LIST OF TABLES	v
INTRODUCTION	1
STUDY AREA	3
WETLAND HABITAT DEFINITIONS	4
PROCEDURES	5
RESULTS AND DISCUSSION	7
CONCLUSIONS	13
LITERATURE CITED	14
APPENDIX A	A-1
APPENDIX B	B-1

LIST OF FIGURES CONTAINED IN APPENDIX A

FIGURE		PAGE
1	Computer overstrike display of the land proposed to be irrigated in the Oahe Irrigation district	A-1
2	Aerial oblique photograph of Type I wetlands in Oahe Unit.....	A-2
3	Aerial oblique photograph of Type IV wetlands	A-2
4	Aerial oblique photograph of artificial wetlands (dugouts) in the Oahe Unit	A-3
5	Aerial oblique photograph of stream characteristic to the irrigation district	A-3
6	Aerial oblique photograph of intermittent natural drain	A-4
7	Spatial Data (Data Color 703) unit used for area measurements	A-4
8	Example color-encoded display produced via color display monitor of SADE system	A-5

LIST OF TABLES

TABLE		PAGE
1	REGIONAL SUMMARY OF WETLAND HABITAT DATA	8
2	WETLAND HABITAT DATA SUMMARIZED BY TOWNSHIPS	9
3	SUMMARY OF WETLAND HABITAT DATA BY IRRIGATION CLASS	11
4	WETLAND HABITAT DATA SUMMARIZED BY REGION AND IRRIGATION CLASS	11
5	ESTIMATE OF TIME REQUIRED TO COMPLETE INVENTORY OF 310,000 ACRES	12
	DATA LISTING	B-2

INVENTORY OF WETLAND HABITAT USING REMOTE SENSING
FOR THE PROPOSED OaHE IRRIGATION UNIT
IN EASTERN SOUTH DAKOTA

INTRODUCTION

In recent years, there has been a continuing trend towards increased agricultural production with a subsequent loss of wildlife habitat. Shaw and Fredine (1971) estimated that at least 45-million acres of the original 127-million acres of natural wetlands in the United States have been drained or otherwise destroyed.

Losses of wetland habitat in South Dakota are following the national trend. About 200,000 acres of land in the Lake Dakota Plain of Eastern South Dakota are scheduled for irrigation through development of the initial stage of the Oahe Unit - a multipurpose water resource project (Fig. 1). The general plan for the Oahe Unit involves diverting water from the Oahe Reservoir through a system of pumping plants, main and lateral canals, and several regulatory reservoirs to the Lake Dakota Plain. An assessment of the quantitative effect of the Oahe Unit on the natural prairie wetlands is the responsibility of the U.S. Fish and Wildlife Service (FWS), under authority of the Fish and Wildlife Coordination Act. To lessen the adverse effects of certain projects such as the Oahe Unit, programs have been developed for the maintenance and restoration of wetland habitat. These programs include treaties and agreements on migratory birds and fishes, the Fish and Wildlife Coordination Act, state and federal wetland acquisition programs, Environmental Policy Act and its associated environmental assessments, Accelerated Wetland Loan Fund Act, Water Bank Act, Coastal Zone Management Act, and Endangered Species Act (Jahn 1975).

Wetlands which hold water for a short time following snow melt or heavy rainfall are common throughout the proposed area. These wetlands are incompatible with sprinkler or flood irrigation and will be drained or leveled during irrigation development. Quantitative wetland data are required to formulate a plan for maintaining or replacing these wetland habitat losses. Aerial photography is recognized as a primary source of morphometric information on water bodies. However, accurate inventories of many types of wetlands are difficult because of their small size, intermittence of standing water, masking effects of agricultural practices, and the availability of timely data. Best, Moore, and Brewster (1976) concluded that the presence of hydrophytes as well as water regime parameters could be interpreted on color-infrared photography improving the accuracy of an inventory and classification of temporary prairie wetlands.

Traditional inventories have used low-altitude black and white panchromatic photos and are generally limited to areas the size of a county. These data are often collected during summer months for purposes other than wetland inventories which makes it difficult to interpret temporary wetlands which no longer contain standing water. The color-infrared film depicts a greater variety of tones representing variations in vegetation species and soil moisture and allows greater accuracy of interpretation. In addition, high quality color-infrared data collected in the spring when many temporary wetlands contain water improves the interpreter's capability to recognize and map the small and temporary wetlands. As discussed by Best et al (1976), many Type 1 wetlands in vegetated fields could be missed if they did not contain standing water.

Conventional determination of area with either a compensating polar planimeter or a series of grids, as well as manual cataloging of these data, consumes considerable labor and provides delays in completing of inventories over large regions if considerable manpower is not readily available.

The objective of the present study was to provide a current wetland inventory of the Oahe Unit using high-altitude color-infrared aircraft imagery by developing a reliable photo interpretation procedure and a system of cataloging, summarizing, and analyzing large quantities of quantitative wetland data. Black and white enlargement prints of RB-57 imagery were used for the actual inventory and an electronic planimeter system and computer programs were developed to rapidly process the wetland inventory data. Data were supplied to the FWS for formulation of a mitigation plan for the project area.

STUDY AREA

The proposed Oahe Unit is located in the Lake Dakota Plain which is part of the James River Lowland and is characterized by a lack of relief. The flatness results from the deposition of sediments in Glacial Lake Dakota, which existed during the last deglaciation of the region (Flint, 1955). Local relief in many places is less than 10 ft. The area is drained by the James River dividing the unit into two parts, which for the purpose of this report, will be called the West Lake Plain and the East Plain (Fig. 1). Approximately 310,000 acres which occur in a checkerboard pattern are included in the Oahe Irrigation district; however, only about 200,000 acres are suitable for irrigation development.

WETLAND HABITAT DEFINITIONS

Since the term "wetlands" can and is defined in various ways, wetlands are defined in this report as depressions which contain shallow and sometimes temporary or intermittent waters. In a preliminary investigation Best et al. (1976) documented the use of color-infrared photography to classify wetlands according to the "types" defined by Shaw and Fredine (1971). Wetland types with similar characteristics were grouped and several other types of comparable habitat were included to augment the biological interpretation of the wetland inventory. The seasonally flooded basins (Type I) and inland fresh meadows (Type II) were included in a single group because in both cases the basins are generally without water during the growing season and most are tilled and planted to agricultural crops (Fig. 2). Inland shallow fresh marshes (Type III), inland deep marshes (Type IV), and inland open fresh water (Type V), were grouped because, in a normal year, the basin soils are water-logged or covered with water during the growing season making them incompatible with agricultural crops (Fig. 3). Artificial wetlands, including dugouts, stock dams and lagoons, were grouped and considered separately from natural wetland habitat even though most were located within or along the periphery of natural wetlands (Fig. 4).

Two additional types of habitat, which are important to the waterfowl in the Lake Dakota Plain area and which will be altered because of project construction, were interpreted and kept separate from other categories of wetlands. Semipermanent and permanent streams in the irrigation district support stands of hydrophytes and provide waterfowl with brood-rearing habitat when less permanent wetlands are dry (Fig. 5). The James River was not

included as part of the inventory but its tributaries were. Intermittent natural drainage ways (Fig. 6), which included areas in natural drains with habitat similar to Type I, were also maintained in a separate category.

PROCEDURES

General contacts between RSI and U.S. Fish and Wildlife Services (FWS) personnel led to the identification of the need for a current wetland inventory in the Lake Dakota Plain of Eastern South Dakota. Discussions led to the fact that mitigation plans were to be formulated but current data were not adequate for planning. Remote sensing technology was suggested by RSI personnel as a possible means for providing an updated assessment of wetlands.

An overview of the procedures and work implemented to accomplish the assessment are as follows:

- 1) Preliminary meetings were held with the FWS to identify data needs for wetland inventory for mitigation plans.
- 2) Color-infrared RB-57 imagery for Lake Dakota Plain was obtained and black and white enlargements were prepared for study area.
- 3) Interpretation techniques were developed and documented by Best et al. (1976).
- 4) Data were photo interpreted and transferred to acetate overlays for determination of area in different wetland types.
- 5) Spatial Data (automatic planimetry) methods were developed and applied for areal measures.
- 6) Programs were written to analyze the spatial data by various strata.
- 7) Maps and tabular data were furnished to FWS for formulation of a mitigation plan.

The NASA RB-57 aircraft collected color-infrared imagery of the Oahe Unit and surrounding area on 27 June 1975 (Mission 312) at 60,000 ft. above ground level at an original scale of $\approx 1:120,000$. Black and white enlargement prints were exposed from the color-infrared transparencies. Each print was scaled during printing to correct scale differences in the original imagery and to prepare an interpretation product of suitable scale. Forty enlargement prints were randomly selected to determine the scale and variability. The mean scale was 1:12,590 with a coefficient of variability of 1.0%. The variance of scale was not considered as a significant source of error in the area measurement. Field checking and low-altitude aerial reconnaissance of a selected sample proved no misclassification of habitat type and no significant differences in the delineation of basin extent for the 50 wetlands checked.

Interpretations were transferred to clear acetate overlays and area measurements were made on the Spatial Data (Data Color 703-Fig. 7) unit of RSI's Signal Analysis and Dissemination Equipment (SADE). Included in the Spatial Data unit are a closed circuit television camera, a constant illumination light box and an electronic digital planimeter which measures relative areas of one or more of 32 density levels when used in conjunction with the color display monitor. The total area of each of four wetland types was measured as a percentage of the 160-acre unit cell. To determine the accuracy of the electronic digital planimeter, forty quarter sections were randomly selected from the irrigation district and the wetland areas were measured with a compensating polar planimeter. The mean difference between the wetland acres per cell as measured on Spatial Data and that measured with the planimeter was 0.08 ± 0.07 acres at the 0.5 confidence level.

The number of wetlands of each type as well as their area measurements for each unit cell was encoded into a computerized data bank. Also encoded into the data bank were the legal description, dominant irrigation class, and spatial distribution. The computerized spatial analysis system was used to produce tabular summaries and spatial displays of the data required for the optimal biological interpretation of the wetland inventory.

RESULTS AND DISCUSSION

Table 1 is a summary of each habitat stratified by three areas; the area scheduled for irrigation in Brown County, the area east of the James River in Spink County, and the area west of the James River in Spink County, respectively. Wetland totals are separated from stream and natural drainage habitat types. It was assumed that wetlands will be destroyed because of their incompatibility with irrigation techniques; however, most streams and drains will be used as main or on-farm drains and will not be destroyed, but will be greatly altered by increased flows from irrigation runoff. In order to acquire a more detailed comprehension of habitat data, they were stratified into township units and summarized in Table 2. The habitat data were catalogued and can be recalled by the legal description of quarter-section cells. A complete listing of data by legal description is included in Appendix B.

The Oahe irrigation district consists of approximately 310,000 acres, but project guidelines allow for only 160 acres per farm (\approx 190,000 acres total) to be irrigated annually. About 70% of the irrigation district has no limitations to irrigation development (irrigation classes 1, 2, 3) and another 10% (irrigation class 5) may possibly be irrigated if deep plowing

TABLE 1. REGIONAL SUMMARY OF WETLAND HABITAT DATA.

IRRIGATION DISTRICT ACRES	TYPE ICII NUMBER ACRES	TYPE III, IV, V NUMBER ACRES	ARTIFICIAL WETLANDS NUMBER ACRES	TOTAL NETLAND NUMBER ACRES	STREAMS ACRES	NATURAL DRAINS ACRES				
BROWN COUNTY 93580.	2183.	2027.0	7.	640.0	89.	41.2	2279.	2708.2	649.9	157.0
EAST LAKE PLAIN SPINK COUNTY 115250.	1239.	1266.4	1.	67.0	98.	25.5	1338.	1158.9	442.4	243.4
WEST LAKE PLAIN SPINK COUNTY 101960.	1532.	1676.5	13.	1736.5	143.	50.2	1688.	3463.2	453.0	188.4
TOTALS 310790.	4954.	4969.8	21.	2443.5	330.	116.9	5305.	7530.2	1545.3	588.8

TABLE 2. WETLAND HABITAT DATA SUMMARIZED BY TOWNSHIPS.

TOWNSHIP	RANGE	IRRIGATIONAL DISTRICT ACRES	TYPE I, II		TYPE III, IV, V		ARTIFICIAL WETLANDS		TOTAL WETLAND		STREAMS ACRES	NATURAL DRAINS ACRES
			NUMBER	ACRES	NUMBER	ACRES	NUMBER	ACRES	NUMBER	ACRES		
114N	61W	0.	0.	0.0	0.	0.0	0.	0.0	0.	0.0	0.0	0.0
114N	62W	240.	4.	10.7	0.	0.0	1.	0.2	5.	10.9	0.0	0.0
114N	63W	0.	0.	0.0	0.	0.0	0.	0.0	0.	0.0	0.0	0.0
114N	64W	0.	0.	0.0	0.	0.0	0.	0.0	0.	0.0	0.0	0.0
114N	65W	0.	0.	0.0	0.	0.0	0.	0.0	0.	0.0	0.0	0.0
115N	61W	480.	7.	7.2	0.	0.0	0.	0.0	7.	7.2	0.0	0.0
115N	62W	4100.	50.	78.2	0.	78.7	0.	1.9	58.	158.0	0.0	6.9
115N	63W	6080.	42.	36.1	0.	0.0	16.	3.5	58.	39.6	13.2	13.0
115N	64W	50.	1.	5.8	0.	0.0	0.	0.0	1.	5.8	0.0	0.0
115N	65W	0.	0.	0.0	0.	0.0	0.	0.0	0.	0.0	0.0	0.0
116N	61W	480.	20.	13.4	0.	0.0	1.	0.2	21.	13.6	0.0	0.0
116N	62W	13310.	57.	132.3	1.	39.0	13.	3.1	104.	174.4	29.1	57.6
116N	63W	12500.	104.	193.9	2.	143.3	31.	6.7	197.	343.9	0.0	10.8
116N	64W	3868.	60.	35.3	0.	0.0	6.	1.3	66.	36.6	19.0	0.0
116N	65W	0.	0.	0.0	0.	0.0	0.	0.0	0.	0.0	0.0	0.0
117N	61W	3480.	14.	8.4	0.	0.0	2.	0.5	16.	8.9	56.5	16.3
117N	62W	16880.	89.	101.0	0.	0.0	0.	2.2	97.	103.2	79.7	24.2
117N	63W	13110.	245.	196.1	0.	0.0	5.	1.5	250.	197.6	4.1	23.8
117N	64W	10710.	225.	205.0	0.	0.0	16.	3.8	241.	209.6	47.9	24.9
117N	65W	160.	5.	0.3	0.	0.0	0.	0.0	5.	0.3	0.0	0.0
118N	61W	4400.	47.	43.3	0.	0.0	4.	1.0	51.	44.3	11.2	10.7
118N	62W	8240.	132.	99.0	0.	0.0	7.	1.7	139.	101.5	25.7	11.5
118N	63W	13560.	143.	190.8	2.	18.4	15.	4.0	160.	213.2	4.1	15.0
118N	64W	14360.	344.	261.9	1.	10.6	19.	5.2	364.	277.7	174.9	34.4
118N	65W	640.	54.	14.1	0.	0.0	0.	0.0	54.	14.1	26.1	0.0
119N	61W	3560.	58.	53.7	0.	0.0	7.	2.0	65.	55.7	0.0	0.0
119N	62W	10080.	117.	178.1	0.	0.0	11.	3.1	128.	181.2	9.8	52.5
119N	63W	8560.	90.	87.1	0.	0.0	2.	0.6	92.	88.7	14.3	7.0
119N	64W	15860.	182.	127.1	2.	381.1	19.	7.0	203.	315.2	150.8	28.0
119N	65W	1600.	27.	10.4	0.	0.0	3.	0.8	30.	11.4	24.8	0.0
120N	61W	5110.	71.	31.8	0.	0.0	4.	1.3	75.	33.1	0.0	0.0
120N	62W	16640.	152.	125.7	0.	0.0	13.	3.0	165.	128.7	145.0	44.1
120N	63W	9270.	91.	149.5	0.	0.0	3.	0.8	94.	150.3	55.2	10.8
120N	64W	14970.	160.	488.1	4.	450.1	23.	19.0	187.	1457.2	0.0	38.3
120N	65W	2320.	85.	55.8	2.	190.3	5.	1.3	92.	247.4	0.0	0.0
121N	61W	0.	0.	0.0	0.	0.0	0.	0.0	0.	0.0	0.0	0.0
121N	62W	0.	0.	0.0	0.	0.0	0.	0.0	0.	0.0	0.0	0.0
121N	63W	5980.	36.	21.0	0.	0.0	2.	0.4	38.	21.4	11.1	11.7
121N	64W	7320.	48.	89.3	1.	209.4	9.	4.7	56.	303.4	50.9	16.0
121N	65W	0.	0.	0.0	0.	0.0	0.	0.0	0.	0.0	0.0	0.0
122N	61W	0.	0.	0.0	0.	0.0	0.	0.0	0.	0.0	0.0	0.0
122N	62W	5090.	37.	82.4	0.	0.0	4.	1.0	41.	83.4	60.3	20.7
122N	63W	13320.	165.	81.7	0.	9.9	3.	1.2	168.	92.8	144.8	30.5
122N	64W	4980.	129.	191.3	0.	9.4	2.	0.5	131.	201.4	66.4	14.7
122N	65W	0.	0.	0.0	0.	0.0	0.	0.0	0.	0.0	0.0	0.0
123N	61W	0.	0.	0.0	0.	0.0	0.	0.0	0.	0.0	0.0	0.0
123N	62W	10180.	164.	171.8	1.	21.3	19.	10.5	184.	203.6	0.0	15.0
123N	63W	13430.	440.	359.4	0.	0.0	13.	4.0	442.	364.0	76.2	29.8
123N	64W	48.	0.	0.0	0.	0.0	1.	0.1	1.	0.1	0.0	0.0
123N	65W	0.	0.	0.0	0.	0.0	0.	0.0	0.	0.0	0.0	0.0
124N	61W	0.	0.	0.0	0.	0.0	0.	0.0	0.	0.0	0.0	0.0
124N	62W	8750.	207.	217.7	3.	31.8	6.	1.5	216.	251.0	16.1	5.4
124N	63W	11840.	389.	376.3	0.	0.0	4.	10.4	395.	386.9	147.1	0.0
124N	64W	1580.	225.	119.0	0.	0.0	1.	0.3	226.	119.9	2.7	1.8
124N	65W	0.	0.	0.0	0.	0.0	0.	0.0	0.	0.0	0.0	0.0
125N	61W	0.	0.	0.0	0.	0.0	0.	0.0	0.	0.0	0.0	0.0
125N	62W	5450.	69.	59.1	1.	358.0	9.	2.1	79.	419.2	19.7	3.4
125N	63W	3480.	101.	152.3	0.	0.0	10.	2.8	201.	195.3	55.4	5.2
125N	64W	0.	0.	0.0	0.	0.0	0.	0.0	0.	0.0	0.0	0.0
125N	65W	0.	0.	0.0	0.	0.0	0.	0.0	0.	0.0	0.0	0.0
126N	61W	0.	0.	0.0	0.	0.0	0.	0.0	0.	0.0	0.0	0.0
126N	62W	720.	25.	15.2	0.	0.0	3.	0.8	28.	16.0	0.0	0.0
126N	63W	160.	33.	82.9	0.	0.0	0.	0.0	33.	82.9	0.0	0.0
126N	64W	160.	18.	6.6	0.	0.0	1.	0.3	19.	6.7	0.0	0.0
TOTALS		318790.	4954.	4968.8	21.	2443.5	330.	116.9	5305.	7530.2	1545.3	588.8

techniques are used. Much of the remaining land (irrigation class 6) is in the flood plain of the James River and its tributaries and has only a limited potential for irrigation development. Table 3 is a summary of data stratified by the dominant irrigation class within each cell. Table 4 is a further stratification of these data including both the regional distribution and the dominant irrigation class. Stratification of data by irrigation classes provides the basis for an assessment of the initial impact and allows location of those areas which will be most adversely affected.

Further processing of the data can produce spatial displays (maps) or raw data or data summaries. Printer overstrike displays (see Fig. 1) can be obtained or data can be plotted (computerdrawn) to match any scale. A color-encoded display which was produced via the color display monitor of the SADE system is included in Fig. 8.

The methods developed in this study provide a reliable inventory in the short time frame required for an accurate evaluation of temporary wetland habitat. Table 5 is an estimate of time required to complete the inventory (not including technique development).

TABLE 3. SUMMARY OF WETLAND HABITAT DATA BY IRRIGATION CLASS.

DOMINANT IRR. CLASS	IRRIGATION DISTRICT ACRES	TYPE ICII NUMBER ACRES	TYPE III, IVLV NUMBER ACRES	ARTIFICIAL WETLANDS NUMBER ACRES	TOTAL WETLAND NUMBER ACRES	STREAMS ACRES	NATURAL DRAINS ACRES				
1,2,6,3	221380.	3033.	2901.4	10.	943.7	199.	78.7	3242.	3923.8	891.4	415.6
5	29710.	587.	560.1	1.	15.7	35.	13.1	623.	589.1	47.2	26.2
6	42870.	717.	972.6	9.	1473.9	80.	20.4	806.	2466.9	516.6	127.9
LNKNOW	16830.	617.	535.7	1.	10.2	17.	4.5	635.	550.4	90.1	19.1
TOTALS	310790.	4954.	4969.8	21.	2443.5	330.	116.9	5305.	7530.2	1545.3	588.8

TABLE 4. WETLAND HABITAT DATA SUMMARIZED BY REGION AND IRRIGATION CLASS.

REGION	IRRIGATION DISTRICT ACRES	TYPE ICII NUMBER ACRES	TYPE III, IVLV NUMBER ACRES	ARTIFICIAL WETLANDS NUMBER ACRES	TOTAL WETLAND NUMBER ACRES	STREAMS ACRES	NATURAL DRAINS ACRES				
BROWN COUNTY	61280.	1275.	1039.2	1.	123.7	58.	28.5	1334.	1191.4	315.9	104.8
1,2,6,3	6830.	178.	145.6	0.	8.7	9.	6.5	187.	160.8	33.8	2.4
5	13020.	219.	388.7	5.	497.4	10.	3.0	234.	289.1	230.2	30.7
6	12450.	511.	453.5	1.	10.2	12.	3.2	524.	466.9	70.0	19.1
LNKNOW											
EAST LAKE PLAIN SPINK COUNTY	85770.	828.	843.6	0.	60.0	60.	15.7	888.	919.3	264.2	188.3
1,2,6,3	16800.	286.	247.5	1.	7.0	18.	4.4	305.	258.9	9.4	17.6
5	11280.	89.	148.7	0.	0.0	20.	5.2	109.	153.9	168.8	37.5
6	1400.	36.	26.6	0.	0.0	1.	0.2	37.	26.8	0.0	0.0
LNKNOW											
WEST LAKE PLAIN SPINK COUNTY	74310.	930.	1018.7	8.	760.0	81.	34.5	1019.	1813.2	311.3	122.5
1,2,6,3	6080.	123.	167.0	0.	C.0	8.	2.4	131.	169.4	4.0	6.2
5	18570.	409.	435.2	4.	976.5	50.	12.2	463.	1423.9	117.6	59.7
6	2980.	70.	55.6	0.	0.0	4.	1.1	74.	56.7	20.1	0.0
LNKNOW											
TOTALS	310790.	4954.	4969.8	21.	2443.5	330.	116.9	5305.	7530.2	1545.3	588.8

TABLE 5

ESTIMATE OF TIME REQUIRED TO COMPLETE INVENTORY OF 310,000 ACRES*

	labor	equipment
Familiarization with area	80 man hours	
Interpretation	240 man hours	
Verification	40 man hours	8 hrs. AIRCRAFT
Area measurement**	50 man hours	23 hrs. SPATIAL DATA
Data storage & retrieval (tabular summaries, lists displays)	15 man hours	3 min CPU IBM 370/145
TOTAL	425 man hours	

* The estimates do not include time required to procure and catalog original imagery.

** Based on the time required to measure the wetlands in 40 quarter sections compensating polar planimeter = 480 man hours would be required to make measurements for the 310,000 acre area using this method. Considerably more time would be required to produce data summaries and displays without the aid of a computerized storage and retrieval system.

CONCLUSIONS

The remote sensing technique provided reliable information in a suitable format in a timely manner. The advantage of the technique is especially apparent when the results can be spatially tabulated for every part of the study area which is in contrast to survey results that are based on a statistical sample and can not later be stratified or analyzed beyond the initial randomization when selecting the samples. These data are stored in a data system and can be easily and quickly retrieved for any additional analysis without the limitations imposed because of the non-stratified (or misstratified) randomization process.

The area measurement technique developed in this project proved to be an accurate and timely technique for the large area that was inventoried. Computer programs written to store and analyze the spatial data greatly reduced the time required to produce data summaries and spatial displays.

The land area not covered in this survey (those adjacent and interspersed lands within the potential irrigated acreage) could be inventoried with data already available to the State of South Dakota. This information could be merged with the spatial data base developed with this initial activity. As additional information needs for environmental impact statements, selection of mitigation sites, etc., are required, the information would be available in a timely manner. As illustrated in this document, a large area can be evaluated in a short time.

LITERATURE CITED

- Best, R.G., D.G. Moore and W.G. Brewster. 1976. Color-infrared aircraft photography to identify and classify wetlands in the Lake Dakota Plain of Eastern South Dakota. SDSU RSI-76-03. 16 pp.
- Flint, R.F. 1955. Pleistocene geology of Eastern South Dakota. U.S. Geol. Survey Prof. Paper 262 U.S. Gov't Printing Office, Washington, D.C. 173 pp.
- Jahn L.R. 1975. A summary statement. Proceedings of the National Wetland Classification and Inventory Workshop. FWS/OBS 76/09 355 pp.

APPENDIX A

Oahe IRRIGATION DISTRICT




Fig. 1 Computer overstrike display of the land proposed to be irrigated in the Oahe irrigation district.

ORIGINAL PAGE IS
OF POOR QUALITY




Fig. 2 Aerial oblique photograph of Type I wetlands in Oahe Unit.
Note the location of basins is within agricultural fields.



Fig. 3 Aerial oblique photograph of Type IV wetlands.
Note presence of emergent vegetation and location of
agricultural crops only on the periphery.



Fig. 4 Aerial oblique photograph of artificial wetlands (dugouts).
Note their location within Type I wetland.




Fig. 5 Aerial oblique photograph of stream characteristic of the
irrigation district.
Note the presence of emergent vegetation in stream channel.



Fig. 6 Aerial oblique photograph of intermittent natural drain. Note similarity to Type I habitat.




Fig. 7 Spatial Data (Data Color 703) unit used for area measurements.

- A. Television camera
- B. Constant illumination light box
- C. Color display monitor
- D. Electronic digital planimeter

ORIGINAL PAGE IS
OF POOR QUALITY




Fig. 8 Example color-encoded display produced via color display monitor of SADE system.

APPENDIX B

DATA LISTING

PAGE 1

<u>1/</u>	<u>2/</u>	<u>3/</u>	<u>4/</u>	<u>5/</u>	<u>6/</u>	<u>7/</u>	<u>8/</u>	<u>9/</u>	<u>10/</u>	<u>11/</u>	<u>12/</u>	<u>13/</u>	<u>14/</u>	<u>15/</u>
125	63	36	B	160	4.0	31.0	0.0	0.0	0.0	0.0	1.0	0.2	1	1
125	63	36	A	160	2.0	9.0	0.0	0.0	0.0	0.0	1.0	0.3	1	1
125	63	35	C	80	32.0	8.2	0.0	0.0	0.0	0.0	0.0	0.0	5	1
125	63	35	D	160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	1
125	63	36	C	80	2.0	37.4	0.0	0.0	0.0	0.0	1.0	0.3	6	1
125	62	30	B	160	2.0	0.8	0.0	0.0	1.3	0.0	0.0	0.0	1	1
125	62	30	A	160	3.0	0.6	0.0	0.0	2.1	0.0	1.0	0.3	1	1
125	62	29	B	80	3.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	1	1
125	62	30	C	160	4.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	1	1
125	62	30	D	160	2.0	0.1	0.0	0.0	0.0	0.0	2.0	0.3	1	1
125	62	31	B	160	1.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	1	1
125	62	31	A	160	0.0	0.0	0.1	1.3	0.0	0.0	0.0	0.0	1	1
125	62	32	B	160	0.0	0.0	0.1	21.1	0.0	0.0	0.0	0.0	6	1
125	62	32	A	80	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1
125	62	32	C	160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1

1/ Township2/ Range3/ Section4/ Quarter Section B A

C D

5/ Irrigation District Acres6/ Number of Type I & II Wetlands7/ Type I & II Acres8/ Number of Type III, IV, & V Wetlands9/ Type III, IV, & V Acres10/ Acres of Intermittent Natural Drainageways11/ Acres of Permanent and Semi-permanent Streams12/ Number of Artificial Wetlands13/ Acres of Artificial Wetlands14/ Dominant Cell Irrigation Class

1 = Class 1, 2, & 3

5 = Class 5

6 = Class 6

7 = Unknown

15/ Region

1 = Brown County

2 = East Lake Plain; Spink County

3 = West Lake Plain; Spink County

121 61 7 A 80	0.0	0.0	0.0	0.0	0.0	5.8	0.0	0.0	0.0	1
121 63 7 C 160	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	1
121 63 7 D 80	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	1
121 63 8 C 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 8 U 160	0.0	0.0	0.0	0.0	7.7	0.0	0.0	0.0	0.0	1
121 63 4 W 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 3 A 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 3 C 160	2.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 2 W 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 2 A 160	5.0	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 1 B 40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 1 A 40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 1 D 30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 12 A 30	0.8	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 11 D 160	1.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 64 18 C 160	1.0	2.4	0.0	0.0	0.0	5.3	1.0	0.0	0.0	1
121 64 19 B 160	2.0	0.0	0.5	10.7	0.0	3.4	1.0	0.0	0.0	1
121 64 19 A 160	5.0	19.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 64 16 A 40	2.0	17.3	0.0	0.0	0.0	3.4	0.0	0.0	0.0	1
121 64 15 B 160	1.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 64 16 D 80	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 64 15 D 160	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 64 21 D 160	3.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 64 22 D 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 18 B 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 18 A 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 17 B 160	2.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 18 C 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 18 D 160	1.0	0.5	0.0	0.0	0.0	0.0	1.0	0.0	0.0	1
121 63 19 B 160	3.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 19 A 160	1.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 20 B 160	2.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 20 A 160	2.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 19 D 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 16 B 120	4.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 16 C 120	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 21 B 160	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 21 D 80	1.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 13 D 50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 23 A 160	1.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 24 B 120	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 24 A 20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 23 C 160	4.0	0.8	0.0	0.0	2.9	0.0	0.0	0.0	0.0	1
121 63 23 D 160	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	1
121 63 24 C 130	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 24 D 70	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 64 31 B 80	4.0	1.0	0.0	0.0	5.1	0.0	0.0	0.0	0.0	1
121 64 31 C 160	2.0	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 64 31 D 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 64 32 C 160	0.0	0.0	0.0	0.0	3.2	8.2	0.0	0.0	0.0	1
121 64 32 D 80	3.0	1.1	0.0	0.0	0.0	4.2	0.0	0.0	0.0	1
121 64 28 A 160	0.0	0.0	0.1	7.7	0.0	0.0	0.0	0.0	0.0	1
121 64 27 A 160	3.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 64 28 D 160	1.0	15.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 64 27 D 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 64 33 A 160	0.0	0.0	0.1	3.0	0.0	0.0	0.0	0.0	0.0	1
121 64 34 B 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 64 34 A 160	1.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 64 33 D 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 64 34 D 160	1.0	6.2	0.0	0.0	0.0	0.0	1.0	0.0	0.0	1
121 64 26 B 160	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	1
121 64 26 C 160	1.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 64 26 D 80	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 64 35 B 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 36 A 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 37 B 80	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 34 C 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 34 D 80	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 26 B 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 26 A 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 25 B 90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 25 A 40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 25 C 70	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 25 D 30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
121 63 35 D 40	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	1
120 65 1 A 80	0.0	0.0	0.3	51.4	0.0	0.0	0.0	0.0	0.0	3
120 65 12 A 160	0.0	0.0	0.4	91.7	0.0	0.0	0.0	0.0	0.0	3
120 65 12 D 160	0.0	0.0	0.1	24.2	0.0	0.0	0.0	0.0	0.0	3
120 64 6 B 80	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 5 B 30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 6 C 160	1.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	3
120 64 6 D 160	4.0	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 5 C 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 5 D 160	2.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 7 B 160	2.0	12.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 8 A 160	1.0	1.0	0.1	12.5	0.0	0.0	0.0	0.0	0.0	3
120 64 7 C 160	7.0	8.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 8 D 160	0.0	0.0	0.1	41.8	0.0	0.0	0.0	0.0	0.0	3
120 64 4 B 80	0.0	0.0	0.1	67.4	0.0	0.0	0.0	0.0	0.0	3
120 64 4 A 80	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 3 B 40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 4 C 120	0.0	0.0	0.1	55.7	0.0	0.0	1.0	0.0	0.0	3
120 64 4 D 120	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 1 C 120	1.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 9 B 160	1.0	0.4	0.0	0.0	0.0	0.0	2.0	0.0	0.0	3
120 64 10 A 160	2.0	0.8	0.0	0.0	0.0	0.0	1.0	0.0	0.0	3
120 64 9 C 160	1.0	6.4	0.0	0.0	0.0	0.0	1.0	0.0	0.0	3
120 64 10 D 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 2 A 40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 2 C 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 2 D 80	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 1 C 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 1 D 160	1.0	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 11 B 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 11 A 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 11 D 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 8 C 160	1.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 7 A 160	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 8 D 160	1.0	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 4 B 80	1.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 4 A 80	2.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 4 A 40	1.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 4 D 160	4.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 3 C 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 3 D 160	2.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 9 B 160	10.0	5.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 10 B 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 10 A 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 9 D 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 10 D 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 2 B 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
120 64 2 C 160	0.0	0.0								

12C 64 21 D 160	C.0	0.0	0.1	19.7	0.0	0.0	0.0	0.0	0.0	1.1
12C 64 14 B 160	1.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
12C 64 14 A 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
12C 64 13 B 160	3.0	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
12C 64 13 A 160	4.0	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
12C 64 12 D 160	2.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
12C 64 12 C 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
12C 64 23 B 160	1.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
12C 64 23 A 160	2.0	7.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
12C 64 24 B 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
12C 64 24 A 160	1.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
12C 64 23 D 160	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
12C 64 23 C 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
12C 64 17 D 160	2.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.3
12C 64 17 C 160	1.0	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
12C 64 17 B 160	1.0	32.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
12C 64 17 A 160	1.0	9.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
12C 63 17 D 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
12C 63 17 C 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
12C 63 17 B 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
12C 63 17 A 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
12C 63 20 B 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
12C 63 19 C 160	1.0	36.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
12C 63 20 C 160	1.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
12C 63 16 B 160	4.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
12C 63 15 A 160	3.0	5.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.2
12C 63 16 C 160	2.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
12C 63 16 D 160	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
12C 63 15 C 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
12C 63 14 B 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.2
12C 63 13 A 160	4.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 63 14 D 160	4.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 63 13 C 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 63 13 D 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2
12C 63 23 A 160	1.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2
12C 63 23 B 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2
12C 63 23 D 160	1.0	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2
12C 63 23 C 160	1.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2
12C 62 18 B 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 18 A 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2
12C 62 17 B 160	1.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4
12C 62 17 A 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4
12C 62 17 C 160	3.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2
12C 62 18 D 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2
12C 62 17 D 160	3.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 17 C 160	3.0	9.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 17 B 160	4.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 17 A 160	4.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 20 A 160	5.0	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 20 B 160	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 19 C 160	6.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 19 D 160	4.0	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2
12C 62 20 C 160	4.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 20 D 160	2.0	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 16 B 160	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2
12C 62 16 A 160	3.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 15 B 160	3.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 15 A 160	3.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 16 C 160	7.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 16 D 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 15 C 120	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 15 D 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 22 B 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 22 A 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2
12C 62 22 C 140	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 22 D 140	2.0	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 14 B 140	1.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 14 A 140	11.0	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 13 B 140	1.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 13 A 140	3.0	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 14 C 140	4.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2
12C 62 14 D 140	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 13 C 140	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 13 D 140	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 23 B 160	4.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 23 A 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 24 B 160	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 24 A 160	1.0	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 23 D 160	1.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 24 C 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 62 24 D 160	3.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 61 18 B 160	1.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 61 18 A 120	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 61 17 B 120	2.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 61 17 A 140	1.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 61 18 C 140	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 61 19 B 140	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 61 20 B 10	2.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2
12C 61 20 C 140	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2
12C 61 19 C 140	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 61 19 D 140	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 61 20 C 140	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 61 20 D 140	1.0	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
12C 61 16 B 40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2
12C 65 25 B 40	2.0	5.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3
12C 65 25 A 160	4.0	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3
12C 65 25 C 40	1.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3
12C 65 25 D 170	4.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3
12C 65 35 A 40	4.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3
12C 65 36 B 120	74.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3
12C 65 36 A 40	6.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3
12C 65 35 B 140	11.0	11.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3
12C 65 36 C 140	14.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3
12C 65 36 B 140	1.0	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3

12C 64 30 A 160	1.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3
12C 64 29 B 80	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3
12C 64 30 C 160	70.0	28.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3
12C 64 30 D 160	1.0	42.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3
12C 64 29 C 160	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3
12C 64 29 D 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3
12C 64 31 B 160	2.0	31.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3
12C 64 31 A 160	3.0	55.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3
12C 64 32 B 160	7.0	11.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3
12C 64 32 A 160	2.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3
12C 64 31 D 160	3.0	14.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3
12C 64 32 C 160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3
12C 64 32 D 160	1.0	0.3	0.1	34.9	0.0	0.0	0.0	0.0	0.0	1.3
12C 64 28 B 160	0.0	0.0	0.1	77.1	0.0	0.0	0.0	0.0	0.0	

