

NASA SP-3085
Revised

TABLE AND CHARTS OF EQUILIBRIUM

NORMAL-SHOCK PROPERTIES FOR

HYDROGEN-HELIUM MIXTURES

WITH VELOCITIES TO 70 km/sec

Volume 3.—0.85 H₂—0.15 He (By Volume)

MILLER and WILDER

CASE FILE
COPY



NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

TABLE AND CHARTS OF EQUILIBRIUM

NORMAL-SHOCK PROPERTIES FOR

HYDROGEN-HELIUM MIXTURES

WITH VELOCITIES TO 70 km/sec

Volume 3.—0.85 H₂—0.15 He (By Volume)

By Charles G. Miller III and Sue E. Wilder

NASA Langley Research Center

Prepared at Langley Research Center



Scientific and Technical Information Office
1976
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION
Washington, D.C.

1. The first step in the process of socialization is the family. The family is the primary agent of socialization. It is the first place where a child learns about the world around them. The family provides a safe environment for a child to learn and grow. The family also provides a child with their first experiences with social interaction. The family's values, beliefs, and attitudes are passed down from one generation to the next. The family's socialization process is influenced by many factors, such as the parents' education level, their occupation, and their cultural background.

2. The second step in the process of socialization is the school. The school is another important agent of socialization. It provides a child with formal education and exposure to different cultures and perspectives. The school also helps a child develop important skills, such as reading, writing, and critical thinking. The school's socialization process is influenced by the teacher's teaching style, the curriculum, and the school's overall atmosphere.

3. The third step in the process of socialization is the peer group. The peer group is a group of individuals who share similar interests and experiences. The peer group can have a significant influence on a child's socialization process. It can provide a child with opportunities to practice social skills, such as communication and cooperation. The peer group can also expose a child to new ideas and perspectives, which can broaden their horizons.

4. The fourth step in the process of socialization is the media. The media, such as television, movies, and the internet, can provide a child with information about the world around them. The media can also influence a child's values, beliefs, and attitudes. The media's socialization process is influenced by the content it presents, the way it is presented, and the audience it reaches.

5. The fifth step in the process of socialization is the community. The community is a group of people who live in the same area. The community can provide a child with opportunities to participate in community activities, such as sports, clubs, and volunteer work. The community's socialization process is influenced by the values and beliefs of the community members, as well as the community's overall atmosphere.

**For sale by the National Technical Information Service
Springfield, Virginia 22161
Price - \$7.50**

PREFACE

Equilibrium thermodynamic and flow properties are presented in tabulated and graphical form for moving, standing, and reflected normal-shock waves into hydrogen-helium mixtures representative of postulated outer planet atmospheres. These results are presented in four volumes and the volumetric compositions of the mixtures are $0.95\text{H}_2-0.05\text{He}$ in Volume I, $0.90\text{H}_2-0.10\text{He}$ in Volume II, $0.85\text{H}_2-0.15\text{He}$ in Volume III, and $0.75\text{H}_2-0.25\text{He}$ in Volume IV. Properties include pressure, temperature, density, enthalpy, speed of sound, entropy, molecular-weight ratio, isentropic exponent, velocity, and species mole fractions. Incident (moving) shock velocities are varied from 4 to 70 km/sec for a range of initial pressure of 5 N/m^2 to 100 kN/m^2 . The present results are applicable to shock-tube flows and for determining flow conditions behind the normal portion of the bow shock about a blunt body at high velocities in postulated outer planet atmospheres.

This report represents a revised version of the original edition of NASA SP-3085 published in 1974. Primary differences in these two versions are (1) errors found in the input data for atomic hydrogen and proton H^+ used in the original version have been corrected, (2) the present version employs a refined hydrogen-helium model, and (3) the format of the original version has been modified to consist of four volumes of tables and charts of equilibrium normal-shock solutions for four hydrogen-helium mixtures of different volumetric compositions instead of the original three mixtures.

Page Intentionally Left Blank

CONTENTS

PREFACE	iii
INTRODUCTION	1
SYMBOLS	2
CONVERSION FACTORS AND CONSTANTS	3
FLOW REGIONS AND COMPUTATION PROCEDURE	4
DISCUSSION OF TABLE AND CHARTS	5
Table	5
Charts	8
CONCLUDING REMARKS	8
REFERENCES	10
TABLE	12
FIGURES	181

INTRODUCTION

Interest in the exploration of the outer planets with entry probes led to the development of a number of postulated atmospheric models; the most abundant gas in these models was hydrogen (refs. 1 to 3). In order to study the high-temperature gas behavior behind the normal portion of the bow shock about a probe entering a postulated outer planet atmosphere, a number of shock-tube investigations were initiated. (For example, see refs. 4 to 7.) Such studies require a convenient, rapid, and accurate means for determining equilibrium thermodynamic properties and flow velocities for hydrogen and hydrogen-helium mixtures. This need resulted in the publication of NASA SP-3085 (original edition) for hydrogen-helium mixtures and NASA SP-3087 (original edition) for pure hydrogen. The primary purposes of these two reports were: (1) to present charts and tables for use in the rapid determination of equilibrium thermodynamic properties, flow velocity, and species mole fractions for incident (moving), standing, and reflected normal shocks in hydrogen or hydrogen-helium mixtures and (2) to provide a convenient means for determining flow conditions behind the normal portion of the bow shock about a vehicle at extremely high velocities in proposed outer planet atmospheres.

The results of NASA SP-3085 and NASA SP-3087 were generated with the program of reference 8, which, in turn, employed the method of references 9 and 10 as the equation of state (i.e., the source of equilibrium thermodynamic properties for hydrogen-helium mixtures, where the density is a function of pressure and enthalpy) required in the solution of the conservation relations for incident, standing, and reflected normal shocks. As discussed in reference 11, following publication of the original editions of NASA SP-3085 and NASA SP-3087, an error was found in the spectroscopic constant input data for the proton H^+ that is required in the calculation of thermodynamic properties. Also, the input data for atomic hydrogen contained only a single energy level. The effect of these errors in the spectroscopic input for hydrogen species was examined in reference 11 and was found to produce uncertainties up to 20 percent in some of the thermodynamic properties behind an incident shock; corresponding mole fractions contained uncertainties of factors of two. Since the same hydrogen species input data were employed to generate the hydrogen-helium results presented in the original edition of NASA SP-3085, these results are in error also.

The primary purpose of this revised edition of NASA SP-3085 is to correct the errors in calculated thermodynamic properties and flow velocities contained in the original edition. In reference 11, the procedure for solving the conservation relations for normal shocks, the computational method for determining thermochemical equilibrium hydrogen properties, and the refinement of the hydrogen model used in these calculations are discussed in detail. Also presented in reference 11 are a tabulation of the heat of formation and spectroscopic constant input data required to calculate the thermodynamic properties of hydrogen and a relatively comprehensive comparison of hydrogen thermodynamic properties calculated by using the procedure of references 9 and 10 and a number of other sources of hydrogen properties.

To generate the present results in this revised edition of NASA SP-3085, the only change made to the procedure discussed in reference 11 was the addition of the helium species He, He^+ , and He^{++} (alpha particle). Hence, the reader is referred to reference 11 for a detailed discussion of the computational procedure used herein.

Since the original edition, more recent analysis of the Jovian atmosphere revealed the presence of higher percentages of hydrogen than postulated for the earlier atmospheric models (ref. 3). For this reason, and for the sake of convenience in relation to the size of the publication, the original format of NASA SP-3085 has been modified to consist of four volumes of tables and charts of equilibrium normal-shock solutions for hydrogen-helium mixtures. These four volumes contain respective mixtures of $0.95\text{H}_2-0.05\text{He}$, $0.90\text{H}_2-0.10\text{He}$, $0.85\text{H}_2-0.15\text{He}$, and $0.75\text{H}_2-0.25\text{He}$. The revised editions of NASA SP-3085 and NASA SP-3087 supplement one another and provide a broad range of information concerning equilibrium thermodynamic properties for normal shocks into the postulated atmospheres of outer planets.

SYMBOLS

a	speed of sound, m/sec
h	specific enthalpy, J/kg
p	pressure, N/m ²
R	universal gas constant, 8.31434 kJ/kmol-K
s	specific entropy, kJ/kg-K
sW_0/R	nondimensional specific entropy
T	temperature, K
U	velocity, m/sec
U_r	velocity of reflected shock, m/sec
U_s	velocity of incident shock, m/sec
W	molecular weight, kg/kmol
W_0	molecular weight of undissociated $0.85\text{H}_2-0.15\text{He}$ mixture, kg/kmol
Z	number of kmoles of dissociated and ionized $0.85\text{H}_2-0.15\text{He}$ mixture per number of kmoles of undissociated $0.85\text{H}_2-0.15\text{He}$ mixture, W_0/W

γ_E isentropic exponent, $\left(\frac{\partial \log p}{\partial \log \rho}\right)_{sW_0/R}$

ρ density, kg/m^3

Subscripts:

- 1 state of quiescent test gas ahead of incident normal shock
- 2 state of test gas behind incident normal shock (see fig. 1)
- 2r state of test gas behind reflected normal shock into region ②
(see fig. 1)
- 2s state of test gas behind standing normal shock in region ②
(see fig. 1)
- 4 driver-gas conditions at time of diaphragm rupture

CONVERSION FACTORS AND CONSTANTS

Conversion factors between the International System of Units (SI) and U.S. Customary Units (ref. 12) for the quantities presented in table I and figures 2 to 4 are as follows:

$$1 \text{ N/m}^2 = 9.8692 \times 10^{-6} \text{ atm} = 1.4504 \times 10^{-4} \text{ psi} = 2.0885 \times 10^{-2} \text{ lbf/ft}^2$$

$$1 \text{ kg/m}^3 = 6.2428 \times 10^{-2} \text{ lbm/ft}^3 = 1.9403 \times 10^{-3} \text{ slug/ft}^3$$

$$1 \text{ J/kg} = 1 \text{ m}^2/\text{sec}^2 = 10.764 \text{ ft}^2/\text{sec}^2 = 4.3021 \times 10^{-4} \text{ Btu/lbm}$$

$$1 \text{ m/sec} = 3.2808 \text{ ft/sec} = 2.2369 \text{ mph}$$

Physical constants appearing herein for a 0.85H₂-0.15He mixture at an initial temperature T_1 of 300 K are as follows:

$$W_0 = 2.314 \text{ kg/kmol}$$

$$h_1 = 3.526 \text{ MJ/kg}$$

$$a_1 = 1.239 \text{ km/sec}$$

$$\gamma_{E,1} = 1.426$$

$$Z_1 = 1.000$$

FLOW REGIONS AND COMPUTATION PROCEDURE

The regions of interest for a shock tube are illustrated in figure 1. The driver gas at the time of diaphragm rupture is designated as region ④, and the quiescent test gas is designated as region ① (fig. 1(a)). Upon rupture of the diaphragm, an incident shock wave propagates into region ① with velocity U_s . The flow conditions immediately behind this shock are denoted as region ② (fig. 1(b)). When the incident shock wave reaches the end wall of the shock tube, it is reflected back into region ② (fig. 1(c)). The gas behind the reflected shock wave is brought to rest, relative to the shock tube. Flow conditions behind this reflected shock wave, which is propagating upstream with velocity U_r , are designated as region ②r.

For a blunt model positioned in the driven section of the shock tube, a standing bow shock is formed at the model, provided the flow in region ② is supersonic (fig. 1(d)). The flow conditions immediately behind the normal portion of this standing shock are designated as region ②s.

The conservation relations for an incident normal shock into region ①, a standing normal shock, and a reflected normal shock are presented in reference 11, along with the method of solution (successive approximations). For the solution of these conservation relations, an equation of state (i.e., source of equilibrium thermodynamic properties for hydrogen-helium mixtures where the density is a function of pressure and enthalpy) is required. The program of reference 8 was used to generate the present results and the equation of state takes the form of the equilibrium procedure of references 9 and 10. This procedure is based on minimization of the Gibbs free energy, and basic assumptions and required input are discussed in references 9, 10, and 11. It should be noted that the procedure of references 9 and 10 does not include intermolecular force effects nor effects from Coulomb interaction.

The species used to model the hydrogen-helium mixture are the six species used in the hydrogen calculations of reference 11 (e^- , H_2 , H_2' , H , H^+ , and H^-) plus the helium species He , He^+ , and He^{++} (alpha particle). The source of heat of formation and spectroscopic constant inputs for the

hydrogen species are discussed in reference 11; the heat of formation and spectroscopic constant inputs for the helium species He and He^+ were obtained from the listings of reference 13 and were checked against those presented in the tabulations of reference 14. (The energy levels for He and He^+ presented in reference 13 were obtained from reference 14, and it was the grouping procedure (ref. 11) of reference 13 that was checked.) It should be noted that electrons are treated as atomic species in the procedure of references 9 and 10. The internal partition function for an electron is its spin degeneracy. Thus, the electron is assumed to have a ground-state degeneracy of two and no electronic excited states. Protons H^+ and alpha particles He^{++} are also treated as atomic species. Although the proton possesses a nuclear spin of 1/2, the same value of spin as the electron, the degeneracy input is unity instead of two for reasons discussed in reference 11. The alpha particle He^{++} also has a degeneracy of unity for the same reason as for the proton (i.e., nuclear spin is ignored).

The same iterative criterion used to solve the conservation relations in reference 11 was used for the present 0.85H_2 - 0.15He mixture shock crossings (i.e., in the method of successive approximations, the density in

region ②, ②s, or ②r was iterated upon until successive values were within 0.25 percent). The last value of density and the corresponding thermodynamic properties were assumed to be the correct values. Also, the same absolute criterion (ref. 9) used in determining thermodynamic properties for hydrogen in reference 11 was used herein. Uncertainties in the present calculations for hydrogen-helium mixtures are expected to be essentially the same as deduced in reference 11 for pure hydrogen.

DISCUSSION OF TABLE AND CHARTS

It should be noted that state properties immediately behind the normal portion of the bow shock wave of a hypervelocity entry body are equivalent to state properties behind a moving shock in a shock tube. In free flight, the free-stream conditions and flight velocity correspond to the initial conditions in region ① and the shock-wave velocity, respectively, whereas the conditions behind the bow shock correspond to conditions in region ②.

Table

The solutions for incident (moving), standing, and reflected normal shocks are presented in table I. These tabulated computer results are arranged in groups of constant pressure in region ① (P_1) and the incident shock velocity (US_1) is varied within the group. In table I, p_1 is

varied from 5 N/m^2 to 100 kN/m^2 and U_s is varied from 4 to 30 km/sec in increments of 1 km/sec and from 30 to 70 km/sec in increments of 2 km/sec.

For each value of p_1 , a complete list of calculated thermodynamic properties (p , T , ρ , h , a , sW_o/R , Z , and γ_E), flow velocity (U), and species volumetric composition is given for the three shock-tube regions under consideration. The rows in the upper portion of each tabulation for a given p_1 and U_s are identified by letters (FORTRAN symbols), the designations of which, in terms of the symbols defined, are given in the following table:

FORTRAN symbol	Moving shock	Standing shock	Reflected shock
P	p_2/p_1	p_{2s}/p_1	p_{2r}/p_1
T	T_2/T_1	T_{2s}/T_1	T_{2r}/T_1
RHO	ρ_2/ρ_1	ρ_{2s}/ρ_1	ρ_{2r}/ρ_1
H	h_2/h_1	h_{2s}/h_1	h_{2r}/h_1
A	a_2/a_1	a_{2s}/a_1	a_{2r}/a_1
S	s_2/s_1	s_{2s}/s_1	s_{2r}/s_1
Z	Z_2/Z_1	Z_{2s}/Z_1	Z_{2r}/Z_1
GAME	$\gamma_{E,2}/\gamma_{E,1}$	$\gamma_{E,2s}/\gamma_{E,1}$	$\gamma_{E,2r}/\gamma_{E,1}$
U	U_2/a_1	U_{2s}/a_1	U_r/a_1

The lower portion of each tabulation illustrates the species composition for moving, standing, and reflected shock regions. Rows are identified by the species symbol.

The conditions in region ① are used to nondimensionalize calculated properties in regions ②, ②s, and ②r. The temperature in region ① T_1 is 300 K for all cases in table I. Corresponding thermodynamic properties for a $0.85\text{H}_2-0.15\text{He}$ mixture in region ① are given in the following table:

INITIAL CONDITIONS AHEAD OF INCIDENT NORMAL SHOCK

IN $0.85\text{H}_2 - 0.15\text{He}$

$T_1 = 300 \text{ K}$		
$w_o = 2.314 \text{ kg/kmol}$		
$h_1 = 3.526 \text{ MJ/kg}$		
$a_1 = 1.239 \text{ km/sec}$		
$\gamma_{E,1} = 1.426$		
$Z_1 = 1.000$		
$p_1, \text{ N/m}^2$	$\rho_1, \text{ g/m}^3$	$s_1 w_o / R$
5	0.004638	25.98
10	.009277	25.28
20	.01855	24.59
50	.04638	23.67
100	.09277	22.98
200	.1855	22.29
500	.4638	21.37
1 000	.9277	20.68
2 000	1.855	19.98
5 000	4.638	19.07
10 000	9.277	18.38
20 000	18.55	17.68
50 000	46.38	16.77
100 000	92.77	16.07

In the present results of table I, no upper limitations on pressure and temperature are imposed; hence, the user of these tables is cautioned to exercise discretion in employing the present results at pressures exceeding 100 MN/m^2 . (See ref. 11.)

No temperature restriction is placed on the present calculations for hydrogen-helium mixtures since, in the comparisons of reference 11 for pure hydrogen, thermodynamic properties calculated by using the procedure of references 9 and 10 were observed to be in good agreement (within 3 percent) with more rigorous calculations for hydrogen for temperatures from 2000 K to 50 000 K and pressures from 10 kN/m^2 to 100 MN/m^2 . For these temperatures and pressures with a hydrogen-helium mixture which is predominantly hydrogen, the gas approaches being a plasma with some ionized helium species present. For this reason, no caution is presented in employing the present results at the temperatures encountered in region ② although Coulomb

interaction effects are expected. (See appendix B of ref. 11.) It should be recognized, however, that thermodynamic properties calculated at the extreme temperatures in regions (2s) and (2r) must be viewed only as estimates.

As demonstrated in reference 11, intermolecular force effects on thermodynamic properties in regions (2), (2s), and (2r) are negligible for pure hydrogen for the present range of p_1 and U_s . The compressibility factor for helium is significantly less than that for hydrogen at a given pressure and temperature (ref. 15); thus, intermolecular force effects for the present hydrogen-helium mixture are also negligible.

Charts

Working charts (corresponding to the results of table I) are given in figures 2 to 4. In these figures, the nondimensionalized thermodynamic

properties and flow velocity for regions (2), (2s), and (2r) are plotted as a function of incident shock velocity U_s for various quiescent test gas pressures. For each property, the incident-shock-velocity scale is 0 to 36 km/sec and 34 to 70 km/sec. This division of the U_s scale is to enhance the readability of these charts. The figures were generated by machine, and linear line segments were used to connect adjacent data points.

Unlike table I, a maximum pressure limitation, $p < 100 \text{ MN/m}^2$, is imposed on the results of figures 2 to 4; calculated quantities above this limit are not plotted. Again, the properties in region (1) presented previously must be used to obtain the desired value of the thermodynamic property or flow velocity from the ratio presented.

CONCLUDING REMARKS

Equilibrium thermodynamic and flow properties are presented in tabulated and graphical form for moving, standing, and reflected normal-shock waves into a $0.85\text{H}_2\text{-}0.15\text{He}$ mixture. Properties include pressure, temperature, density, enthalpy, speed of sound, entropy, molecular-weight ratio, isentropic exponent, velocity, and species mole fractions. Incident (moving) shock velocities are varied from 4 to 70 km/sec for a range of initial pressure of 5 N/m^2 to 100 kN/m^2 . The present results are applicable to shock-tube flows and for determining flow conditions behind the normal portion of the bow shock about a blunt body at high velocities in postulated outer planet atmospheres.

This document, comprised of four volumes corresponding to different hydrogen-helium compositions, is the second report by the present authors dealing with equilibrium, normal-shock flow properties for gases representative of postulated outer planet atmospheres. The other report (NASA SP-3087) presented results for pure hydrogen. The original editions of both NASA

SP-3085 and NASA SP-3087 were found to contain significant errors in post-normal-shock thermodynamic properties due to errors in the spectroscopic constant input data for two of the hydrogen species (H and H^+). This report represents a revised version of the original version of NASA SP-3085 and includes four hydrogen-helium compositions instead of the original three. The original version of NASA SP-3087 for pure hydrogen has also been corrected and the reader is referred to this hydrogen report for a detailed discussion of computational procedure, heat of formation and spectroscopic constant input data, and comparisons of predicted thermodynamic properties for real hydrogen between various sources.

Langley Research Center
National Aeronautics and Space Administration
Hampton, VA 23665
September 22, 1976

REFERENCES

1. The Planet Jupiter (1970). NASA SP-8069, 1971.
2. The Planet Saturn (1970). NASA SP-8091, 1972.
3. Hunten, Donald M.: The Outer Planets. Sci. American, vol. 233, no. 3, Sept. 1975, pp. 130-139.
4. Menard, W. A.: A High Performance Electric-Arc-Driven Shock Tube. JPL Quart. Tech. Rev., vol. 1, no. 1, Apr. 1971, pp. 17-28.
5. Leibowitz, Lewis P.: Jupiter Entry Simulation With the ANAA Shock Tube. AIAA Paper No. 74-610, July 1974.
6. Dannenberg, Robert E.: A Conical Arc Driver for High-Energy Test Facilities. AIAA J., vol. 10, no. 12, Dec. 1972, pp. 1692-1695.
7. Leibowitz, Lewis P.: Measurements of the Structure of an Ionizing Shock Wave in a Hydrogen-Helium Mixture. Tech. Memo. 33-563 (Contract NAS 7-100), Jet Propulsion Lab., California Inst. Technol., Sept. 1, 1972. (Available as NASA CR-128343.)
8. Miller, Charles G., III: A Program for Calculating Expansion-Tube Flow. Quantities for Real-Gas Mixtures and Comparison With Experimental Results. NASA TN D-6830, 1972.
9. Allison, Dennis O.: Calculation of Thermodynamic Properties of Arbitrary Gas Mixtures With Modified Vibrational-Rotational Corrections. NASA TN-3538, 1966.
10. Newman, Perry A.; and Allison, Dennis O.: Direct Calculation of Specific Heats and Related Thermodynamic Properties of Arbitrary Gas Mixtures With Tabulated Results. NASA TN D-3540, 1966.
11. Miller, Charles G., III; and Wilder, Sue E.: Table and Charts of Equilibrium Normal-Shock Properties for Pure Hydrogen With Velocities to 70 km/sec. NASA SP-3087 (Revised), 1976.
12. Mechtly, E. A.: The International System of Units - Physical Constants and Conversion Factors (Second Revision). NASA SP-7012, 1973.
13. Horton, T. E.; and Menard, W. A.: A Program for Computing Shock-Tube Gasdynamic Properties. Tech. Rep. 32-1350 (Contract No. NAS 7-100), Jet Propulsion Lab., California Inst. Technol., Jan. 15, 1969.

14. Moore, Charlotte E.: Atomic Energy Levels. Vol. I. $^1\text{H}-^{23}\text{V}$. NBS Circ. 467, U.S. Dep. Commer., June 15, 1949.
15. Holley, C. E., Jr.; Wrolton, W. J.; and Zeigler, R. K.: Compressibility Factors and Fugacity Coefficients Calculated From the Beattie-Bridgman Equation of State for Hydrogen, Nitrogen, Oxygen, Carbon Dioxide, Ammonia, Methane, and Helium. LA-2271 (Contract W-7405-ENC. 36), Los Alamos Sci. Lab., Univ. of California, Mar. 17, 1959.

TABLE I.- NONDIMENSIONAL THERMODYNAMIC PROPERTIES AND FLOW VELOCITY FOR INCIDENT (MOVING), STANDING, AND REFLECTED NORMAL SHOCKS IN 0.85H₂-0.15He MIXTURE

[User cautioned about using table at pressures exceeding 100 MN/m²]

$$p_1 = 5 \text{ N/m}^2$$

$$P_1 = 5.00E+00 \text{ N/SQ-M}, \quad US1 = 4.00E+03 \text{ M/SEC}, \\ XH2 = .85 \quad XHE = .15$$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.2097E+01	2.5397E+01	6.2232E+01
T	3.0557E+00	3.8278E+00	5.4136E+00
RHO	3.9585E+00	6.6356E+00	1.1489E+01
H	3.1244E+00	3.9436E+00	5.7281E+00
A	1.7411E+00	1.9394E+00	2.2572E+00
S	1.0492E+00	1.0507E+00	1.0652E+00
Z	1.0000E+00	1.0000E+00	1.0006E+00
GAM	9.9208E-01	9.8266E-01	9.4063E-01
U	2.4141E+00	1.4366E+00	1.2710E+00

SPECIES ----- MOLE FRACTIONS -----

E-	9.4712E-60	1.4580E-37	5.5275E-22
H ₂	8.1772E-09	1.3886E-06	1.1607E-03
H ₂ +	6.4030E-20	6.6877E-20	6.8906E-20
H ₂	8.5000E-01	8.5000E-01	8.4893E-01
H ₂ +	1.9233E-68	3.7289E-44	4.1185E-27
H ₂ +	5.3913E-21	2.5448E-21	1.0284E-21
HE	1.5000E-01	1.5000E-01	1.4991E-01
HE+	3.7173E-72	3.2954E-60	3.9617E-51
HE++	0.	0.	0.

$$P_1 = 5.00E+00 \text{ N/SQ-M}, \quad US1 = 6.00E+03 \text{ M/SEC}, \\ XH2 = .85 \quad XHE = .15$$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.7742E+01	9.4320E+01	1.6890E+02
T	5.5330E+00	7.0013E+00	7.7023E+00
RHO	5.0063E+00	1.3194E+01	2.0861E+01
H	5.9024E+00	8.7057E+00	1.1250E+01
A	2.2592E+03	2.4146E+03	2.5399E+00
S	1.1C04E+00	1.1087E+00	1.1289E+00
Z	1.0013E+00	1.0209E+00	1.0513E+00
GAM	9.2115E-01	8.1562E-01	7.9676E-01
U	3.8783E+00	1.4697E+00	1.2286E+00

SPECIES ----- MOLE FRACTIONS -----

E-	1.5970E-20	1.2621E-15	4.4517E-14
H ₂	2.5115E-03	4.0862E-02	9.7542E-02
H ₂ +	4.4533E-20	1.2518E-15	4.4132E-14
H ₂	3.4768E-01	8.1220E-01	7.5977E-01
H ₂ +	4.5809E-26	5.9722E-20	4.4909E-18
H ₂ +	7.7201E-22	1.0419E-17	3.8965E-16
HE	1.4981E-01	1.4694E-01	1.4268E-01
HE+	1.9198E-50	1.1914E-40	1.4714E-37
HE++	0.	0.	0.

$$P_1 = 5.00E+00 \text{ N/SQ-M}, \quad US1 = 5.00E+03 \text{ M/SEC}, \\ XH2 = .85 \quad XHE = .15$$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9057E+01	5.1000E+01	1.0848E+02
T	4.2229E+00	5.6140E+00	6.8811E+00
RHO	4.5131E+00	9.0700E+00	1.5524E+01
H	4.3714E+00	5.9905E+00	8.2801E+00
A	2.0309E+00	2.2789E+00	2.4037E+00
S	1.0752E+00	1.0785E+00	1.0954E+00
Z	1.0000E+00	1.0012E+00	1.0158E+00
GAM	9.7676E-01	9.2396E-01	8.2673E-01
U	3.1424E+00	1.5603E+00	1.2867E+00

SPECIES ----- MOLE FRACTIONS -----

E-	2.6660E-31	5.2250E-20	6.5276E-18
H ₂	1.6369E-05	2.3891E-03	3.1099E-02
H ₂ +	6.7979E-20	1.2021E-19	8.0207E-18
H ₂	8.4998E-01	8.4779E-01	8.2123E-01
H ₂ +	1.7746E-37	4.6519E-25	2.4004E-20
H ₂ +	1.4422E-21	1.3751E-21	1.5375E-18
HE	1.5000E-01	1.4982E-01	1.4767E-01
HE+	5.1794E-57	1.9359E-49	2.1409E-39
HE++	0.	0.	0.

$$P_1 = 5.00E+00 \text{ N/SQ-M}, \quad US1 = 7.00E+03 \text{ M/SEC}, \\ XH2 = .85 \quad XHE = .15$$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.8669E+01	1.6805E+02	2.6654E+02
T	6.5480E+00	7.8441E+00	8.3609E+00
RHO	5.8271E+00	2.0144E+01	2.8911E+01
H	7.7447E+03	1.2119E+01	1.4928E+01
A	2.3434E+03	2.5728E+00	2.6983E+00
S	1.1257E+00	1.1432E+00	1.1677E+00
Z	1.0133E+00	1.0637E+00	1.1025E+00
GAM	8.2757E-01	7.9335E-01	7.8970E-01
U	4.6826E+00	1.3518E+00	1.1836E+00

SPECIES ----- MOLE FRACTIONS -----

E-	1.1350E-16	8.5584E-14	8.5489E-13
H ₂	2.6169E-02	1.1979E-01	1.8590E-01
H ₂ +	1.1285E-16	8.4851E-14	8.4787E-13
H ₂	3.2579E-01	7.3920E-01	6.7805E-01
H ₂ +	2.2915E-21	8.7150E-18	1.6504E-16
H ₂ +	7.1722E-19	7.4144E-16	7.1912E-15
HE	1.4804E-01	1.4102E-01	1.3606E-01
HE+	3.7266E-43	1.0044E-35	2.6664E-34
HE++	0.	0.	0.

TABLE I. - Continued

$$P_1 = 5 \text{ N/m}^2$$

$P_1 = 5.00E+00 \text{ N/SQ-M}$, $US_1 = 8.00E+03 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.1647E+01	2.8371E+02	4.1872E+02
T	7.1735E+00	8.5185E+00	8.9599E+00
RHO	6.9591E+00	2.9696E+01	4.0016E+01
H	5.8887E+00	1.6178E+01	1.9369E+01
A	2.4366E+00	2.7455E+00	2.8762E+00
S	1.1534E+00	1.1839E+00	1.2122E+00
Z	1.0384E+00	1.1215E+00	1.1678E+00
GAME	7.9698E-01	7.8897E-01	7.8951E-01
U	5.5330E+00	1.2991E+00	1.1649E+00

SPECIES ----- MOLE FRACTIONS -----			
E-	5.5997E-15	1.6071E-12	7.4756E-12
H	7.3907E-02	2.1671E-01	2.8740E-01
H+	5.5681E-15	1.5942E-12	7.4141E-12
H2	7.8164E-01	6.4954E-01	5.8415E-01
H-	2.2065E-19	3.4025E-16	2.3130E-15
H2+	3.1872E-17	1.3251E-14	6.3828E-14
HE	1.4446E-01	1.3375E-01	1.2844E-01
HE+	1.0333E-39	8.5351E-34	3.7693E-32
HE++	0.	0.	0.

$P_1 = 5.00E+00 \text{ N/SQ-M}$, $US_1 = 1.00E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	8.3933E+01	6.0061E+02	8.9788E+02
T	8.0033E+00	9.6565E+00	1.0075E+01
RHO	9.4310E+00	5.3875E+01	6.6878E+01
H	1.5022E+01	2.6008E+01	3.3073E+01
A	2.6424E+00	3.1181E+00	3.2690E+00
S	1.2183E+00	1.2808E+00	1.3174E+00
Z	1.1121E+00	1.2702E+00	1.3326E+00
GAME	7.4451E-01	7.9265E-01	7.9591E-01
U	7.2169E+00	1.2655E+00	1.1832E+00

SPECIES ----- MOLE FRACTIONS -----			
E-	3.6044E-13	5.9448E-11	1.9693E-10
H	2.6157E-01	4.2530E-01	4.9915E-01
H+	3.5860E-12	5.8951E-11	1.9541E-10
H2	6.6355E-01	4.5660E-01	3.8828E-01
H-	3.0564E-17	2.8300E-14	1.1809E-13
H2+	1.8757E-15	5.2569E-13	1.6369E-12
HE	1.3488E-01	1.1810E-01	1.1256E-01
HE+	4.2734E-36	1.2662E-29	6.5068E-29
HE++	0.	0.	0.

$P_1 = 5.00E+00 \text{ N/SQ-M}$, $US_1 = 9.00E+03 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.6988E+01	4.4713E+02	6.2800E+02
T	7.6302E+00	9.1070E+00	9.5238E+00
RHO	8.1883E+00	4.1241E+01	5.2974E+01
H	1.2316E+01	2.0824E+01	2.4404E+01
A	2.5380E+00	2.9265E+00	3.0640E+00
S	1.1842E+00	1.2297E+00	1.2622E+00
Z	1.0719E+00	1.1907E+00	1.2448E+00
GAME	7.8751E-01	7.8978E-01	7.9190E-01
U	6.3830E+00	1.2686E+00	1.1633E+00

SPECIES ----- MOLE FRACTIONS -----			
E-	3.4257E-14	1.1603E-11	4.3272E-11
H	1.3419E-01	3.2026E-01	3.9333E-01
H+	6.3917E-14	1.1502E-11	4.2921E-11
H2	7.2588E-01	5.5376E-01	4.8617E-01
H-	3.9931E-18	3.8500E-15	1.9419E-14
H2+	3.4374E-16	1.0148E-13	3.7027E-13
HE	1.3994E-01	1.2598E-01	1.2030E-01
HE+	2.4485E-37	2.7995E-31	1.9464E-30
HE++	0.	0.	0.

$P_1 = 5.00E+00 \text{ N/SQ-M}$, $US_1 = 1.10E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.0270E+02	9.2707E+02	1.2317E+03
T	8.3340E+00	1.0196E+01	1.0660E+01
RHO	1.0643E+01	6.6904E+01	8.0925E+01
H	1.8037E+01	3.1734E+01	3.6355E+01
A	2.7503E+00	3.3235E+00	3.4931E+00
S	1.2555E+00	1.3363E+00	1.3770E+00
Z	1.1580E+00	1.3592E+00	1.4306E+00
GAME	7.8377E-01	7.9698E-01	8.0162E-01
U	8.0449E+00	1.2820E+00	1.2175E+00

SPECIES ----- MOLE FRACTIONS -----			
E-	1.3960E-12	2.6823E-10	7.8836E-10
H	2.7284E-01	5.2847E-01	6.0194E-01
H+	1.3889E-12	2.6622E-10	7.8285E-10
H2	5.9762E-01	3.6117E-01	2.9320E-01
H-	1.5397E-16	1.6585E-13	5.8669E-13
H2+	7.2074E-15	2.1832E-12	6.0976E-12
HE	1.2954E-01	1.1036E-01	1.0485E-01
HE+	2.2628E-34	2.6446E-29	1.9090E-27
HE++	0.	0.	0.

TABLE I. - Continued

$$p_1 = 5 \text{ N/m}^2$$

$P_1 = 5.00E+00 \text{ N/SW-M}$, $US_1 = 1.20E+04 \text{ M/SEC}$
 $XH_2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.2324E+02	1.2462E+03	1.6306E+03
T	8.6434E+00	1.0752E+01	1.1256E+01
RHO	1.1789E+01	7.9538E+01	9.4187E+01
H	2.1273E+01	3.7996E+01	4.3264E+01
A	2.8629E+00	3.5470E+00	3.7449E+00
S	4.2957E+00	1.3957E+00	1.4405E+00
Z	1.2093E+00	1.4570E+00	1.5381E+00
GAME	7.8416E-01	8.0308E-01	8.1009E-01
U	8.8643E+00	1.3160E+00	1.2679E+00

SPECIES ----- MOLE FRACTIONS -----

E-	4.9806E-12	1.0920E-09	3.0938E-09
H	3.4613E-01	1.2740E-01	6.9964E-01
H+	4.9577E+12	1.0850E-09	3.0756E-09
H2	5.2983E-01	9.26966E-01	2.0283E-01
H-	6.7502E-16	8.0369E-13	2.6451E-12
H2+	2.3525E-14	7.7983E-12	2.0845E-11
HE	1.2404E-01	1.0295E-01	9.7527E-02
HE+	3.9753E-33	3.63423E-27	6.4709E-26
HE++	0.	0.	0.

$P_1 = 5.00E+00 \text{ N/SW-M}$, $US_1 = 1.30E+04 \text{ M/SEC}$
 $XH_2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.4559E+02	1.4620E+03	2.1020E+03
T	8.9312E+00	1.1360E+01	1.2016E+01
RHO	1.1280E+01	9.1274E+01	1.0577E+02
H	2.4821E+01	4.4797E+01	5.0875E+01
A	2.9601E+00	3.7977E+00	4.0509E+00
S	1.3385E+00	1.4579E+00	1.5074E+00
Z	1.2659E+00	1.5626E+00	1.6539E+00
GAME	7.8554E-01	8.1215E-01	8.2571E-01
U	9.6781E+00	1.3678E+00	1.3461E+00

SPECIES ----- MOLE FRACTIONS -----

E-	1.3301E-11	3.9873E-09	1.4129E-08
H	4.1594E-01	7.2012E-01	7.9080E-01
H+	1.3241E-11	3.9657E-09	1.4068E-08
H2	4.6154E-01	1.8389E-01	1.1851E-01
H-	2.1244E-15	1.3169E-12	1.2581E-11
H2+	6.1805E-14	2.4969E-11	7.3799E-11
HE	1.1853E-01	9.5951E-02	9.0690E-02
HE+	3.0013E-33	1.2635E-25	3.3815E-24
HE++	0.	0.	9.1995E-88

$P_1 = 5.00E+00 \text{ N/SW-M}$, $US_1 = 1.40E+04 \text{ M/SEC}$
 $XH_2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.6969E+02	2.0405E+03	2.6439E+03
T	9.2177E+00	1.2110E+01	1.3223E+01
RHO	1.3866E+01	1.0068E+02	1.1282E+02
H	2.6649E+01	5.2118E+01	5.9277E+01
A	3.1040E+00	4.0990E+00	4.5206E+00
S	1.3841E+00	1.5223E+00	1.5766E+00
Z	1.3274E+00	1.6735E+00	1.7722E+00
GAME	7.8746E-01	8.2901E-01	8.7211E-01
U	1.0485E+01	1.4462E+00	1.4690E+00

	SPECIES	MOLE FRACTIONS
E-	3.6653E-11	1.7060E-08
H	4.9333E-01	8.0494E-01
H+	3.6306E-11	1.6991E-08
H2	3.9367E-01	1.0543E-01
H-	6.6607E-15	1.4525E-11
H2+	1.5357E-13	8.2879E-11
HE	1.1300E-01	8.9630E-02
HE+	3.6597E-31	1.45813E-24
HE++	0.	7.1581E-88

$P_1 = 5.00E+00 \text{ N/SW-M}$, $US_1 = 1.50E+04 \text{ M/SEC}$
 $XH_2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9557E+02	2.4985E+03	3.3294E+03
T	9.5006E+00	1.3314E+01	1.7727E+01
RHO	1.4771E+01	1.0533E+02	1.0169E+01
H	2.2760E+01	5.9939E+01	6.9899E+01
A	2.3456E+00	4.5704E+00	6.0977E+00
S	1.4319E+00	1.5867E+00	1.6502E+00
Z	1.3938E+00	1.7816E+00	1.8496E+00
GAME	7.9008E-01	8.8064E-01	1.1357E+00
U	1.1287E+01	1.5848E+00	1.9161E+00

	SPECIES	MOLE FRACTIONS
E-	8.5290E-11	1.2836E-07
H	5.6501E-01	6.7741E-01
H+	3.4967E-11	1.2826E-07
H2	3.2737E-01	3.8392E-02
H-	1.7423E-14	9.2780E-11
H2+	3.4030E-13	3.6951E-10
HE	1.3762E-01	8.4194E-02
HE+	1.6347E-30	6.8767E-22
HE++	0.	6.4770E-80

TABLE I. -Continued.

$$P_1 = 5 \text{ N/m}^2$$

$P_1 = 5.00E+00 \text{ N/SQ-M}$, $US1 = 1.60E+04 \text{ M/SEC}$
 $XH2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.2319E+02	2.9321E+03	4.1633E+03
T	9.7966E+00	1.6561E+01	2.5932E+01
RHO	1.5552E+01	9.6002E+01	8.6692E+01
H	3.7152E+01	6.8093E+01	8.2833E+01
A	3.3745E+00	5.8132E+00	7.0296E+00
S	1.4820E+03	1.6659E+00	1.7092E+00
Z	1.4648E+00	1.8442E+00	1.8563E+00
GAM	7.9354E-01	1.1065E+00	1.0265E+00
U	1.2084E+01	1.9589E+00	2.6438E+00

	SPECIES ----- MOLE FRACTIONS -----		
E-	2.0813E-10	7.6369E-06	3.4780E-03
H	6.3464E-01	9.1550E-01	9.1217E-01
H+	2.0743E-10	7.6341E-06	3.4779E-03
H2	2.6296E-01	3.1532E-03	7.3405E-05
H-	4.5812E-14	2.5535E-09	2.8453E-07
H2+	7.3928E-13	5.4203E-09	3.3199E-07
HE	1.0240E-01	8.1133E-02	8.0805E-02
HE+	2.0326E-29	1.9703E-17	9.4351E-11
HE++	0.	9.4536E-64	1.4292E-39

$P_1 = 5.00E+00 \text{ N/SQ-M}$, $US1 = 1.70E+04 \text{ M/SEC}$
 $XH2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.5253E+02	3.3109E+03	4.9664E+03
T	1.0114E+01	2.2121E+01	3.0615E+01
RHO	1.6212E+01	8.0875E+01	8.6065E+01
H	4.1026E+01	7.6448E+01	9.4617E+01
A	3.5263E+00	6.7855E+00	7.2150E+00
S	1.5340E+00	1.6921E+00	1.7487E+00
Z	1.5491E+00	1.8507E+00	1.8843E+00
GAM	7.9829E-01	1.1247E+00	9.0241E-01
U	1.2875E+01	2.9824E+00	2.9832E+00

	SPECIES ----- MOLE FRACTIONS -----		
E-	4.9889E-10	5.5854E-04	1.8207E-02
H	7.0138E-01	9.1762E-01	8.8395E-01
H+	4.9745E-10	5.5892E-04	1.8207E-02
H2	2.0123E-01	2.0753E-06	2.6685E-05
H-	1.1534E-13	6.6021E-08	9.5740E-07
H2+	1.5568E-12	8.7155E-08	1.0648E-06
HE	9.7397E-02	8.1053E-02	7.9607E-02
HE+	1.7203E-28	8.9662E-13	6.1510E-09
HE++	0.	5.0521E-47	4.9007E-33

$P_1 = 5.00E+00 \text{ N/SQ-M}$, $US1 = 1.80E+04 \text{ M/SEC}$
 $XH2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.8356E+02	3.7176E+03	5.7467E+03
T	1.3676E+01	2.7076E+01	3.3459E+01
RHO	1.6717E+01	7.3806E+01	8.9280E+01
H	4.6781E+01	8.5299E+01	1.0609E+02
A	3.6958E+00	7.0364E+00	7.4538E+00
S	1.5876E+00	1.7293E+00	1.7830E+00
Z	1.6191E+00	1.8611E+00	1.9238E+00
GAM	8.3530E-01	9.8282E-01	8.6314E-01
U	1.3659E+01	3.0959E+00	3.1459E+00

	SPECIES ----- MOLE FRACTIONS -----
E-	1.2003E-09
H	7.6472E-01
H+	1.1973E-09
H2	1.6263E-01
H-	2.08653E-13
H2+	3.2621E-12
HE	9.2646E-02
HE+	5.2085E-28
HE++	0.

$P_1 = 5.00E+00 \text{ N/SQ-M}$, $US1 = 1.90E+04 \text{ M/SEC}$
 $XH2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.1616E+02	4.2078E+03	6.4896E+03
T	1.0936E+01	3.0358E+01	3.5562E+01
RHO	1.7001E+01	7.4585E+01	9.2679E+01
H	5.2015E+01	9.4991E+01	1.1770E+02
A	3.9011E+00	7.1446E+00	7.7021E+00
S	1.6623E+00	1.7615E+00	1.8162E+00
Z	1.7005E+00	1.8883E+00	1.9690E+00
GAM	6.1841E-01	9.0224E-01	8.4717E-01
U	1.4434E+01	3.2937E+00	3.2383E+00

	SPECIES ----- MOLE FRACTIONS -----
E-	3.5723E-09
H	8.2386E-01
H+	3.5656E-09
H2	8.7933E-02
H-	9.2390E-13
H2+	7.5287E-12
HE	8.8211E-02
HE+	5.7652E-27
HE++	0.

TABLE I. - Continued

$$p_1 = 5 \text{ N/m}^2$$

$P_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 2.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.5006E+02	4.6889E+03	7.0966E+03
T	1.1650E+01	3.2282E+01	3.7250E+01
RHO	1.6879E+01	7.7912E+01	9.4404E+01
H	5.7524E+01	1.0535E+02	1.2953E+02
A	4.2093E+00	7.4320E+00	7.9431E+00
S	1.6971E+00	1.7933E+00	1.8503E+00
Z	1.7802E+00	1.9289E+00	2.0181E+00
GAME	8.5433E-01	9.1319E-01	8.3931E-01
U	1.91d7E+01	3.2971E+00	3.3007E+00

$P_1 = 5.00E+00 \text{ N/SQ-M}$, $US1 = 2.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.1573E+02	4.3466E+03	6.4542E+03
T	1.7149E+01	3.5854E+01	3.9249E+01
RHO	1.3107E+01	6.0445E+01	7.7676E+01
H	6.9235E+01	1.2503E+02	1.5152E+02
A	6.0623E+00	7.7576E+00	8.3112E+00
S	1.7934E+00	1.8727E+00	1.9301E+00
Z	1.8495E+00	2.0057E+00	2.1170E+00
GAME	1.1587E+00	8.3688E-01	8.3132E-01
U	1.6403E+01	3.5612E+00	3.3243E+00

SPECIES	MOLE FRACTIONS		
E-	1.7287E-08	4.1468E-02	8.3287E-02
H	8.7652E-01	6.3928E-01	7.5908E-01
H+	1.726d8-08	4.1468E-02	8.3287E-02
H2	3.9223E-02	5.3323E-05	9.1271E-06
H-	3.3336E-12	1.4760E-06	2.7795E-06
H2+	2.2532E-11	1.6370E-06	3.1818E-06
HE	8.4261E-02	7.7723E-02	7.4329E-02
HE+	9.84d7E-25	2.4168E-08	3.6275E-07
HE++	1.1013E-90	5.8529E-33	1.6100E-26

SPECIES	MOLE FRACTIONS		
E-	3.6523E-05	7.7624E-02	1.2613E-01
H	9.1852E-01	7.6955E-01	6.7687E-01
H+	3.6522E-05	7.7623E-02	1.2613E-01
H2	3.0578E-04	7.0531E-06	5.0478E-06
H-	1.5004E-09	1.8253E-06	2.8783E-06
H2+	2.9498E-09	2.0649E-06	3.3637E-06
HE	8.1103E-02	7.4788E-02	7.0854E-02
HE+	2.2025E-16	2.15C4E-07	1.0502E-06
HE++	1.7539E-60	1.6350E-27	6.8964E-25

$P_1 = 5.00E+00 \text{ N/SQ-M}$, $US1 = 2.10E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.8389E+02	4.7195E+03	7.1546E+03
T	1.3369E+01	3.4667E+01	3.8501E+01
RHO	1.5615E+01	6.9419E+01	8.9804E+01
H	6.3281E+01	1.1528E+02	1.4106E+02
A	5.01d3E+00	7.5943E+00	8.1531E+00
S	1.7494E+00	1.8316E+00	1.8880E+00
Z	1.33d9E+00	1.9633E+00	2.0684E+00
GAME	1.3244E+00	8.4787E-01	8.3470E-01
U	1.5865E+01	3.5725E+00	3.3317E+00

$P_1 = 5.00E+00 \text{ N/SQ-M}$, $US1 = 2.30E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.4856E+02	4.1200E+03	5.5987E+03
T	2.1309E+01	3.6847E+01	3.9961E+01
RHO	1.1369E+01	5.4515E+01	6.9266E+01
H	7.5436E+01	1.3511E+02	1.6230E+02
A	6.5821E+00	7.9272E+00	8.4744E+00
S	1.8287E+00	1.9118E+00	1.9704E+00
Z	1.8516E+00	2.0509E+00	2.1672E+00
GAME	1.0980E+00	8.3155E-01	8.2924E-01
U	1.6932E+01	3.5354E+00	3.3199E+00

SPECIES	MOLE FRACTIONS		
E-	3.6495E-07	5.7764E-02	1.0562E-01
H	9.1241E-01	8.0806E-01	7.1624E-01
H+	3.6483E-07	5.7764E-02	1.0562E-01
H2	6.0202E-02	1.3615E-05	6.9056E-06
H-	4.1276E-11	1.7160E-06	3.0096E-06
H2+	1.6220E-10	1.927CE-06	3.4885E-06
HE	3.1569E-02	7.6398E-02	7.2518E-02
HE+	2.1374E-21	1.0258E-07	6.8912E-07
HE++	4.0752E-79	5.1575E-29	1.6396E-25

SPECIES	MOLE FRACTIONS		
E-	9.2068E-04	9.7961E-02	1.4638E-01
H	9.1711E-01	7.3093E-01	6.3803E-01
H+	9.2066E-04	9.7960E-02	1.4637E-01
H2	3.8862E-05	5.2028E-06	3.8126E-06
H-	1.7000E-08	1.8940E-06	2.7608E-06
H2+	2.3402E-08	2.1602E-06	3.2531E-06
HE	8.1010E-02	7.3139E-02	6.9212E-02
HE+	7.0897E-13	3.8488E-07	1.5317E-06
HE++	3.0255E-48	1.3053E-26	2.5020E-24

TABLE I. - Continued

$$P_1 = 5 \text{ N/m}^2$$

$P_1 = 5.00E+00 \text{ N/SQ-M}$, $US_1 = 2.40E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.8458E+02	4.1636E+03	5.5683E+03
T	2.4735E+01	3.7885E+01	4.0820E+01
RHO	1.0528E+01	5.2326E+01	6.5794E+01
H	8.1944E+01	1.4613E+02	1.7430E+02
A	6.6657E+30	8.1196E+30	8.6685E+30
S	1.8587E+00	1.9481E+00	2.0083E+00
Z	1.8609E+00	2.1003E+00	2.2222E+00
GAME	9.6529E-01	8.2856E-01	8.2837E-01
U	1.7533E+01	3.5324E+00	3.3355E+00

SPECIES	MOLE FRACTIONS		
E-	5.8690E-03	1.1919E-01	1.6750E-01
H+	9.0764E-01	6.9020E-01	5.9750E-01
H	5.8690E-03	1.1919E-01	1.6750E-01
H2	1.2048E-35	4.0541E-06	2.9976E-06
H2+	6.6063E-08	2.0076E-06	2.7484E-06
H2+	7.9277E-08	2.3124E-06	3.2725E-06
HE	8.0606E-02	7.1417E-02	6.7498E-02
HE+	7.2244E-11	6.6410E-07	2.2836E-06
HE++	9.8292E-41	9.5017E-26	1.0599E-23

$P_1 = 5.00E+00 \text{ N/SQ-M}$, $US_1 = 2.60E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.6719E+02	4.8423E+03	6.7945E+03
T	2.8845E+01	4.0132E+01	4.2925E+01
RHO	1.0319E+01	5.4530E+01	6.7408E+01
H	9.5958E+01	1.7129E+02	2.0232E+02
A	6.8575E+00	8.5686E+00	9.1428E+00
S	1.9127E+00	2.0168E+00	2.0811E+00
Z	1.9056E+00	2.2127E+00	2.3482E+00
GAME	8.5551E-01	8.2682E-01	8.2930E-01
U	1.8949E+01	3.5911E+00	3.4219E+00

SPECIES	MOLE FRACTIONS		
E-	2.9164E-02	1.6353E-01	2.1216E-01
H+	3.6295E-01	6.0435E-01	5.1179E-01
H	2.9164E-02	1.6392E-01	2.1216E-01
H2	4.2630E-06	2.7036E-06	1.9726E-06
H2+	2.1041E-07	2.3318E-06	2.8898E-06
H2+	2.3607E-07	2.7532E-06	3.5374E-06
HE	7.8717E-02	6.7788E-02	6.3874E-02
HE+	4.2613E-09	1.8559E-06	5.3255E-06
HE++	2.5969E-34	4.2955E-24	2.4057E-22

$P_1 = 5.00E+00 \text{ N/SQ-M}$, $US_1 = 2.50E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.2431E+02	4.4341E+03	6.2814E+03
T	2.7117E+01	3.8994E+01	4.1832E+01
RHO	1.0285E+01	5.2780E+01	6.5778E+01
H	8.4734E+01	1.5824E+02	1.8772E+02
A	6.7349E+00	8.3360E+00	8.8947E+00
S	1.8862E+00	1.9826E+00	2.0447E+00
Z	1.8799E+00	2.1544E+00	2.2828E+00
GAME	8.3952E-01	8.2716E-01	8.2848E-01
U	1.8214E+01	3.5545E+00	3.3722E+00

SPECIES	MOLE FRACTIONS		
E-	1.5935E-02	1.4131E-01	1.8960E-01
H	9.8833E-01	6.4774E-01	5.5509E-01
H+	1.5935E-02	1.4131E-01	1.8960E-01
H2	6.3647E-06	3.2618E-06	2.4215E-06
H2-	1.3613E-07	2.1655E-06	2.8119E-06
H2+	1.5564E-07	2.5235E-06	3.3918E-06
HE	7.9790E-02	6.9623E-02	6.5705E-02
HE+	8.9627E-10	1.1254E-06	3.4841E-06
HE++	8.4140E-37	6.6550E-25	4.9888E-23

$P_1 = 5.00E+00 \text{ N/SQ-M}$, $US_1 = 2.70E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.1273E+02	5.3418E+03	7.4351E+03
T	3.0210E+01	4.1274E+01	4.4062E+01
RHO	1.0479E+01	5.6901E+01	6.9800E+01
H	1.0344E+02	1.8514E+02	2.1788E+02
A	7.0021E+00	8.8124E+00	9.4065E+00
S	1.9388E+00	2.0511E+00	2.1179E+00
Z	1.9354E+00	2.2745E+00	2.4175E+00
GAME	8.3853E-01	8.2720E-01	8.3066E-01
U	1.9715E+01	3.6365E+00	3.4803E+00

SPECIES	MOLE FRACTIONS		
E-	4.4137E-02	1.8666E-01	2.3476E-01
H	8.3422E-01	5.6074E-01	4.6843E-01
H+	4.4137E-02	1.8665E-01	2.3475E-01
H2	3.1896E-06	2.2403E-06	1.6036E-06
H2-	2.8304E-07	2.4828E-06	2.9473E-06
H2+	3.1517E-07	2.9733E-06	3.6658E-06
HE	7.7503E-02	6.5944E-02	6.2039E-02
HE+	1.2779E-08	2.97C5E-06	8.0743E-06
HE++	1.3897E-32	2.5034E-23	1.1370E-21

TABLE I. - Continued

$$p_1 = 5 \text{ N/m}^2$$

$p_1 = 5.00E+00 \text{ N/SQ-M}$, $US1 = 2.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.6C30E+02	5.9030E+03	8.1606E+03
T	3.1357E+01	4.2403E+01	4.5217E+01
RHO	1.0699E+01	5.9516E+01	7.2487E+01
H	1.1121E+02	1.9960E+02	2.3418E+02
A	7.1533E+00	9.0629E+00	9.6808E+00
S	1.9650E+00	2.0858E+00	2.1551E+00
Z	1.9683E+00	2.3391E+00	2.4898E+00
GAME	8.2907E-01	8.2812E-01	8.3245E-01
U	2.0489E+01	3.6888E+00	3.5456E+00

$p_1 = 5.00E+00 \text{ N/SQ-M}$, $US1 = 3.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	7.6142E+02	7.1865E+03	9.8295E+03
T	3.3266E+01	4.4649E+01	4.7601E+01
RHO	1.1215E+01	6.5015E+01	7.8142E+01
H	1.2761E+02	2.3032E+02	2.6894E+02
A	7.4610E+00	9.5850E+00	1.0263E+01
S	2.0178E+00	2.1564E+00	2.2310E+00
Z	2.0409E+00	2.4757E+00	2.6426E+00
GAME	8.1991E-01	8.3116E-01	8.3730E-01
U	2.2056E+01	3.8106E+00	3.6946E+00

SPECIES	MOLE FRACTIONS		
E-	6.0095E-02	2.0909E-01	2.5697E-01
H	6.0360E-01	5.1769E-01	4.2581E-01
H+	6.0395E-02	2.0948E-01	2.5696E-01
H2	2.5284E-06	1.8566E-06	1.2945E-06
H-	3.5190E-07	2.6024E-06	2.9657E-06
H2+	3.9099E-07	3.1631E-06	3.7511E-06
HE	7.6209E-02	6.4124E-02	6.0234E-02
HE+	2.9700E-08	4.6110E-06	1.2081E-05
HE++	3.1461E-31	1.2939E-22	5.1228E-21

SPECIES	MOLE FRACTIONS		
E-	9.3547E-02	2.5273E-01	2.9993E-01
H	7.3941E-01	4.3355E-01	3.4340E-01
H+	9.3546E-02	2.5272E-01	2.9990E-01
H2	1.7349E-06	1.2527E-06	8.1012E-07
H-	4.7535E-07	2.7245E-06	2.8604E-06
H2+	5.2981E-07	3.4174E-06	3.7512E-06
HE	7.3496E-02	6.0579E-02	5.6737E-02
HE+	1.0549E-07	1.0404E-05	2.6397E-05
HE++	3.3463E-29	2.7570E-21	9.3160E-20

$p_1 = 5.00E+00 \text{ N/SQ-M}$, $US1 = 2.90E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

$p_1 = 5.00E+00 \text{ N/SQ-M}$, $US1 = 3.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	7.0989E+02	6.5159E+03	8.7513E+03
T	3.23615E+01	4.3527E+01	4.6395E+01
RHO	1.0949E+01	6.2251E+01	7.5307E+01
H	1.1927E+02	2.1467E+02	2.5121E+02
A	7.3067E+00	9.3205E+00	9.9661E+00
S	1.9913E+00	2.1208E+00	2.1928E+00
Z	2.0036E+00	2.4062E+00	2.5649E+00
GAME	8.2342E-01	8.2945E-01	8.3466E-01
U	2.1273E+01	3.747CE+00	3.6171E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	8.7010E+02	8.6565E+03	1.1753E+04
T	3.48d1E+01	4.6917E+01	5.0142E+01
RHO	1.1761E+01	7.0394E+01	8.3565E+01
H	1.4516E+02	2.6330E+02	3.0651E+02
A	7.7717E+00	1.0137E+01	1.0896E+01
S	2.0720E+00	2.2289E+00	2.3091E+00
Z	2.1210E+00	2.6211E+00	2.8048E+00
GAME	8.1637E-01	8.3563E-01	8.4416E-01
U	2.3633E+01	3.9546E+00	3.8701E+00

SPECIES	MOLE FRACTIONS		
E-	7.6646E-02	2.3115E-01	2.7873E-01
H	7.7184E-01	4.7536E-01	3.8408E-01
H+	7.6646E-02	2.3114E-01	2.7871E-01
H2	2.0724E-06	1.5310E-06	1.0324E-06
H-	9.1619E-07	2.6846E-06	2.9380E-06
H2+	4.6273E-07	3.3138E-06	3.7823E-06
HE	7.4367E-02	6.2333E-02	5.8466E-02
HE+	2.8996E-08	6.9916E-06	1.7909E-05
HE++	3.9351E-30	6.2372E-22	2.2184E-20

SPECIES	MOLE FRACTIONS		
E-	1.2779E-01	2.9419E-01	3.4042E-01
H	6.7369E-01	3.544CE-01	2.6573E-01
H+	1.2779E-01	2.9417E-01	3.4037E-01
H2	1.2571E-06	8.0866E-07	4.6602E-07
H-	9.7674E-07	2.6687E-06	2.5530E-06
H2+	6.4800E-07	3.4631E-06	3.4856E-06
HE	7.0719E-02	5.7206E-02	5.3422E-02
HE+	2.7492E-07	2.22C4E-05	5.7396E-05
HE++	1.1d07E-27	4.6423E-20	1.5928E-18

TABLE I. - Continued

$$p_1 = 5 \text{ N/m}^2$$

$P_1 = 5.00E+00 \text{ N/SQ-M}$, $US1 = 3.40E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.8609E+02	1.0293E+04	1.3912E+04
T	5.6328E+01	4.9274E+01	5.2974E+01
RHU	1.2296E+01	7.5302E+01	8.8286E+01
H	1.6334E+02	2.9846E+02	3.4692E+02
A	8.0803E+00	1.0726E+01	1.1602E+01
S	2.1276E+00	2.3030E+00	2.3891E+00
Z	2.2076E+00	2.7735E+00	2.9747E+00
GAME	8.1532E-01	8.4174E-01	8.5614E-01
U	2.5211E+01	4.1229E+00	4.6792E+00

$P_1 = 5.00E+00 \text{ N/SQ-M}$, $US1 = 3.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.2395E+03	1.3986E+04	1.8939E+04
T	3.8959E+01	5.4730E+01	6.0973E+01
RHU	1.3267E+01	8.2604E+01	9.3530E+01
H	2.0461E+02	3.7510E+02	4.3746E+02
A	8.7356E+00	1.2088E+01	1.3495E+01
S	2.2436E+00	2.4544E+00	2.5533E+00
Z	2.3981E+00	3.0937E+00	3.3210E+00
GAME	8.1680E-01	8.6292E-01	8.9943E-01
U	2.8359E+01	4.5613E+00	4.6851E+00

SPECIES ----- MOLE FRACTIONS -----			
E-	1.6200E-01	3.3308E-01	3.7809E-01
H	6.0805E-01	2.7981E-01	1.9352E-01
H+	1.6200E-01	3.3303E-01	3.7796E-01
H2	9.2954E-07	4.8657E-07	2.3404E-07
H2-	5.5352E-07	2.4326E-06	2.0603E-06
H2+	7.4207E-07	3.2754E-06	2.9459E-06
HE	6.7945E-02	5.4029E-02	5.0296E-02
HE+	6.0269E-07	4.6435E-05	1.2999E-04
HE++	2.2074E-26	6.9163E-19	2.9936E-17

SPECIES ----- MOLE FRACTIONS -----			
E-	2.2855E-01	4.0201E-01	4.4293E-01
H	4.8035E-01	1.4772E-01	7.0342E-02
H+	2.2855E-01	4.0178E-01	4.4186E-01
H2	5.0682E-07	1.2049E-07	2.4210E-08
H2-	7.2808E-07	1.5190E-06	7.6725E-07
H2+	8.4481E-07	2.2359E-06	1.2522E-06
HE	6.2548E-02	4.8261E-02	4.4098E-02
HE+	2.1837E-06	2.2517E-04	1.0699E-03
HE++	2.6841E-24	1.8762E-16	4.0046E-14

$P_1 = 5.00E+00 \text{ N/SQ-M}$, $US1 = 3.60E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

$P_1 = 5.00E+00 \text{ N/SQ-M}$, $US1 = 4.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.1092E+03	1.2077E+04	1.6301E+04
T	3.7673E+01	5.1823E+01	5.6365E+01
RHU	1.2801E+01	7.9475E+01	9.1846E+01
H	1.8366E+02	3.3575E+02	3.9033E+02
A	8.4069E+00	1.1367E+01	1.2427E+01
S	2.1848E+00	2.3783E+00	2.4705E+00
Z	2.3001E+00	2.9324E+00	3.1488E+00
GAME	8.1562E-01	8.5024E-01	8.7015E-01
U	2.6787E+01	4.3194E+00	4.3329E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.3767E+03	1.5989E+04	2.1853E+04
T	4.0217E+01	5.8327E+01	6.8097E+01
RHU	1.3686E+01	8.4286E+01	9.2473E+01
H	2.2668E+02	4.1643E+02	4.8918E+02
A	9.0747E+00	1.2949E+01	1.4882E+01
S	2.3039E+00	2.5302E+00	2.6359E+00
Z	2.5012E+00	3.2524E+00	3.4702E+00
GAME	8.1867E-01	8.8389E-01	9.3715E-01
U	2.9927E+01	4.8660E+00	5.1897E+00

SPECIES ----- MOLE FRACTIONS -----			
E-	1.9569E-01	3.6912E-01	4.1248E-01
H	5.4340E-01	2.1070E-01	1.2772E-01
H+	1.9569E-01	3.6902E-01	4.1215E-01
H2	5.8916E-07	2.6311E-07	9.3599E-08
H2-	7.0418E-07	2.0356E-06	1.4333E-06
H2+	8.0938E-07	2.8561E-06	2.1679E-06
HE	6.5213E-02	5.1054E-02	4.7308E-02
HE+	1.1875E-06	9.8876E-05	3.2885E-04
HE++	2.8026E-25	1.0484E-17	7.5228E-16

SPECIES ----- MOLE FRACTIONS -----			
E-	2.6036E-01	4.3119E-01	4.6689E-01
H	4.1932E-01	9.2097E-02	2.8111E-02
H+	2.6035E-01	4.3059E-01	4.6177E-01
H2	3.6621E-07	4.1845E-08	2.9617E-09
H2-	7.2556E-07	9.5262E-07	2.6354E-07
H2+	8.5755E-07	1.4884E-06	4.8036E-07
HE	5.9967E-02	4.5527E-02	3.8106E-02
HE+	3.8434E-06	5.9302E-04	5.1192E-03
HE++	2.2051E-23	5.0536E-15	7.6730E-12

TABLE I. -Continued

$$p_1 = 5 \text{ N/m}^2$$

$p_1 = 5.00E+00 \text{ N/SQ-M}$, $US1 = 4.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.5238E+03	1.8029E+04	2.5011E+04
T	4.1473E+01	6.3275E+01	7.7441E+01
RHO	1.4054E+01	8.3886E+01	9.0160E+01
H'	2.4988E+02	4.5956E+02	5.4511E+02
A	9.4266E+00	1.4050E+01	1.6200E+01
S	2.3657E+03	2.6045E+00	2.7145E+00
Z	2.6092E+00	3.3967E+00	3.5821E+00
GAME	8.2119E-01	9.1843E-01	9.4602E-01
U	3.1487E+01	5.2816E+00	5.8002E+00

SPECIES	MOLE FRACTIONS		
E-	2.9096E-01	4.5535E-01	4.8354E-01
H	3.6059E-01	4.7154E-02	1.0156E-02
H+	2.9096E-01	4.5333E-01	4.6443E-01
H2	2.5576E-07	9.0822E-09	2.6627E-10
H-	6.9770E-07	4.4987E-07	7.3526E-08
H2+	8.3766E-07	7.6168E-07	1.5104E-07
HE	5.7483E-02	4.2140E-02	2.2766E-02
HE+	6.5940E-06	2.0211E-03	1.9109E-02
HE++	1.6098E-22	2.9764E-13	1.3850E-09

$p_1 = 5.00E+00 \text{ N/SQ-M}$, $US1 = 4.60E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.8295E+03	2.2103E+04	3.2487E+04
T	4.4093E+01	7.8034E+01	1.1318E+02
RHO	1.4620E+01	7.8751E+01	7.7702E+01
H'	2.9966E+02	5.5102E+02	6.8038E+02
A	1.0183E+01	1.6327E+01	2.1962E+01
S	2.4928E+00	2.7412E+00	2.8635E+00
Z	2.8380E+00	3.5968E+00	3.6942E+00
GAME	8.2863E-01	9.4973E-01	1.1536E+00
U	3.4589E+01	6.4288E+00	7.9951E+00

SPECIES	MOLE FRACTIONS		
E-	3.4813E-01	4.8565E-01	4.9921E-01
H	2.5090E-01	8.4368E-03	9.8743E-04
H+	3.4811E-01	4.6421E-01	4.5920E-01
H2	1.1284E-07	1.5734E-10	4.8128E-13
H-	5.7476E-07	5.2808E-08	2.4810E-09
H2+	7.1516E-07	1.0894E-07	6.7421E-09
HE	5.2835E-02	2.0249E-02	6.2261E-04
HE+	1.9168E-05	2.1435E-02	3.9952E-02
HE++	7.7005E-21	2.1928E-09	2.9602E-05

$p_1 = 5.00E+00 \text{ N/SQ-M}$, $US1 = 4.40E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.6718E+03	2.0061E+04	2.8471E+04
T	4.2754E+01	7.0161E+01	9.0250E+01
RHO	1.4368E+01	8.1472E+01	8.6064E+01
H'	2.7421E+02	5.0440E+02	6.0685E+02
A	9.7943E+00	1.5210E+01	1.8587E+01
S	2.4287E+00	2.6751E+00	2.7901E+00
Z	2.7216E+00	3.5095E+00	3.6655E+00
GAME	8.2443E-01	9.3951E-01	1.0443E+00
U	3.3042E+01	5.8338E+00	6.6092E+00

SPECIES	MOLE FRACTIONS		
E-	3.2025E-01	4.7286E-01	4.9529E-01
H	3.0440E-01	1.9657E-02	3.4876E-03
H+	3.2024E-01	4.6474E-01	4.6030E-01
H2	1.7492E-07	1.1853E-09	1.8058E-11
H-	6.4657E-07	1.5546E-07	1.7040E-08
H2+	7.8959E-07	2.9126E-07	4.0395E-08
HE	5.5104E-02	3.4618E-02	5.9332E-03
HE+	1.1206E-05	8.1233E-03	3.4989E-02
HE++	1.1145E-21	3.5014E-11	1.5064E-07

$p_1 = 5.00E+00 \text{ N/SQ-M}$, $US1 = 4.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9938E+03	2.4044E+04	3.6698E+04
T	4.5534E+01	8.7890E+01	1.3901E+02
RHO	1.4804E+01	7.4711E+01	7.1294E+01
H'	3.2623E+02	5.9907E+02	7.5898E+02
A	1.0599E+01	1.8207E+01	2.3735E+01
S	2.5579E+00	2.8027E+00	2.9233E+00
Z	2.9577E+00	3.6618E+00	3.7029E+00
GAME	8.3421E-01	1.0301E+00	1.0945E+00
U	3.6126E+01	7.1645E+00	9.4541E+00

SPECIES	MOLE FRACTIONS		
E-	3.7452E-01	4.9478E-01	5.0039E-01
H	2.0028E-01	3.5750E-03	4.3357E-04
H+	3.7449E-01	4.6068E-01	4.5867E-01
H2	6.7815E-08	1.8184E-11	2.9006E-14
H-	4.8586E-07	1.6240E-08	7.5716E-10
H2+	6.1740E-07	3.7469E-08	1.6937E-09
HE	5.0681E-02	6.8707E-03	1.4320E-04
HE+	3.3637E-05	3.4093E-02	3.9017E-02
HE++	5.6816E-20	8.7078E-08	1.3495E-03

TABLE I. - Continued

$$p_1 = 5 \text{ N/m}^2$$

$p_1 = 5.00E+00 \text{ N/SQ-M}$, $US1 = 5.00E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.1644E+03	2.5677E+04	4.0556E+04
T	4.7145E+01	1.0184E+02	1.5815E+02
RHO	1.4937E+01	6.8336E+01	6.8745E+01
H	3.5392E+02	6.4765E+02	8.3280E+02
A	1.1057E+01	2.0631E+01	2.4104E+01
S	2.6237E+00	2.8576E+00	2.9728E+00
Z	3.0797E+00	3.6895E+00	3.7303E+00
GAM	8.4205E-01	1.1329E+00	9.8486E-01
U	3.7650E+01	8.2231E+00	1.0399E+01

SPECIES	MOLE FRACTIONS		
E-	3.9930E-01	4.9858E-01	5.0406E-01
H	1.5275E-01	1.4174E-03	2.9350E-04
H+	3.9924E-01	4.5935E-01	4.5544E-01
H2	3.6785E-06	1.4394E-12	6.4862E-15
H2-	3.8444E-07	4.0321E-09	4.9255E-10
H2+	5.0059E-07	1.0577E-08	8.1707E-10
HE	4.8643E-02	1.4244E-03	6.6882E-05
HE+	6.2119E-05	3.9226E-02	3.1668E-02
HE++	4.7889E-19	3.5705E-06	8.4769E-03

$p_1 = 5.00E+00 \text{ N/SQ-M}$, $US1 = 5.40E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.5226E+03	2.8101E+04	4.7153E+04
T	5.1469E+01	1.3530E+02	1.8736E+02
RHO	1.4756E+01	5.6121E+01	6.6073E+01
H	4.1261E+02	7.4714E+02	9.7803E+02
A	1.2227E+01	2.3502E+01	2.6800E+01
S	2.7552E+00	2.9515E+00	3.0568E+00
Z	3.3215E+00	3.702CE+00	3.8090E+00
GAM	8.7446E-01	1.1025E+00	1.0064E+00
U	4.0632E+01	1.0665E+01	1.1656E+01

SPECIES	MOLE FRACTIONS		
E-	4.4302E-01	5.0C27E-01	5.1431E-01
H	6.9093E-02	3.7491E-04	1.9275E-04
H+	4.4272E-01	4.5884E-01	4.4612E-01
H2	6.0760E-09	2.4221E-14	1.1647E-15
H2-	1.7094E-07	5.3446E-10	3.4560E-10
H2+	2.3835E-07	1.2586E-09	3.5478E-10
HE	4.4860E-02	1.3550E-04	1.3869E-05
HE+	3.0032E-04	3.9334E-02	1.0537E-02
HE++	9.4306E-17	1.0489E-03	2.8829E-02

$p_1 = 5.00E+00 \text{ N/SQ-M}$, $US1 = 5.20E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.3409E+03	2.6990E+04	4.4040E+04
T	4.9045E+01	1.1859E+02	1.7249E+02
RHO	1.4905E+01	6.1566E+01	6.7714E+01
H	3.8272E+02	6.9677E+02	9.0437E+02
A	1.1581E+01	2.2502E+01	2.5076E+01
S	2.6896E+00	2.9073E+00	3.0157E+00
Z	3.2022E+00	3.6967E+00	3.7706E+00
GAM	8.0403E-01	1.1550E+00	9.6680E-01
U	3.9156E+01	9.4891E+00	1.1032E+01

SPECIES	MOLE FRACTIONS		
E-	4.2227E-01	4.9955E-01	5.0936E-01
H	1.0873E-01	6.4739E-06	2.3597E-04
H+	4.2215E-01	4.5922E-01	4.5062E-01
H2	1.7039E-08	1.2944E-13	2.6663E-15
H2-	2.7656E-07	1.1754E-09	4.0946E-10
H2+	3.7097E-07	3.1605E-09	5.3184E-10
HE	4.6717E-02	3.4152E-06	3.3844E-05
HE+	1.2580E-04	4.0141E-02	2.0757E-02
HE++	5.2730E-18	9.3879E-05	1.8991E-02

$p_1 = 5.00E+00 \text{ N/SQ-M}$, $US1 = 5.60E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.7076E+03	2.8920E+04	4.9662E+04
T	5.4964E+01	1.4959E+02	2.0776E+02
RHO	1.4358E+01	5.2152E+01	6.2318E+01
H	4.4356E+02	7.9937E+02	1.0584E+03
A	1.3115E+01	2.3446E+01	2.9491E+01
S	2.8205E+00	2.9932E+00	3.1008E+00
Z	3.4310E+00	3.7180E+00	3.8358E+00
GAM	9.1205E-01	9.8793E-01	1.0914E+00
U	4.2057E+01	1.1566E+01	1.2562E+01

SPECIES	MOLE FRACTIONS		
E-	4.6081E-01	5.0242E-01	5.1770E-01
H	3.5664E-02	2.7429E-04	1.4719E-04
H+	4.5983E-01	4.5656E-01	4.4305E-01
H2	1.3358E-09	1.566CE-14	3.9844E-16
H2-	8.0275E-08	3.7868E-10	2.6466E-10
H2+	1.1844E-07	7.8105E-10	2.0758E-10
HE	4.2741E-02	8.4197E-05	3.5587E-06
HE+	9.7777E-04	3.5053E-02	3.5461E-03
HE++	4.3677E-15	5.2064E-03	3.5556E-02

TABLE I. -Continued

$$P_1 = 5 \text{ N/m}^2$$

$P_1 = 5.00E+00 \text{ N/SQ-M}$, $US1 = 5.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.8944E+03	2.9468E+04	5.1430E+04
T	5.9947E+01	1.6035E+02	2.3454E+02
RHO	1.3743E+01	4.9141E+01	5.7015E+01
H	4.7551E+02	8.5361E+02	1.1452E+03
A	1.4087E+01	2.4064E+01	3.2204E+01
S	2.8808E+00	3.0346E+00	3.1452E+00
Z	3.5133E+00	3.7491E+00	3.8460E+00
GAME	9.4226E-01	9.6657E-01	1.1497E+00
U	4.3409E+01	1.2121E+01	1.3738E+01

SPECIES	MOLE FRACTIONS		
F-	4.7342E-01	5.0656E-01	5.1898E-01
H	1.4653E-02	2.1101E-04	1.0636E-04
H+	4.6923E-01	4.5322E-01	4.4191E-01
H2	1.7273E-10	4.1329E-15	1.1359E-16
H-	2.7654E-08	2.6526E-10	1.8372E-10
H2+	4.4072E-08	4.5133E-10	1.1004E-10
HE	3.8494E-02	4.4041E-05	6.7157E-07
HE+	4.1970E-03	2.6584E-02	9.2539E-04
HE++	5.1091E-13	1.3380E-02	3.8075E-02

$P_1 = 5.00E+00 \text{ N/SQ-M}$, $US1 = 6.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.2856E+03	3.0589E+04	5.5314E+04
T	7.1268E+01	1.8274E+02	2.9803E+02
RHO	1.2681E+01	4.3911E+01	4.8215E+01
H	5.4272E+02	9.6672E+02	1.3346E+03
A	1.5658E+01	2.6464E+01	3.6628E+01
S	2.9926E+00	3.1126E+00	3.2245E+00
Z	3.6354E+00	3.8119E+00	3.8494E+00
GAME	9.4630E-01	1.0054E+00	1.1694E+00
U	4.6098E+01	1.3292E+01	1.6618E+01

SPECIES	MOLE FRACTIONS		
E-	4.9111E-01	5.1467E-01	5.1941E-01
H	2.8798E-03	1.3547E-04	5.8202E-05
H+	4.6475E-01	4.4584E-01	4.4157E-01
H2	3.9215E-12	4.3426E-16	1.1989E-17
H-	3.6799E-09	1.5978E-10	8.7554E-11
H2+	6.7585E-09	1.7478E-10	3.5437E-11
HE	1.4895E-02	9.1884E-06	3.3781E-08
HE+	2.6366E-02	9.8459E-03	8.8449E-05
HE++	1.1065E-09	2.9492E-02	3.8878E-02

$P_1 = 5.00E+00 \text{ N/SQ-M}$, $US1 = 6.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.0866E+03	2.9968E+04	5.3262E+04
T	6.5563E+01	1.7105E+02	2.6492E+02
RHO	1.3161E+01	4.6340E+01	5.2238E+01
H	5.0856E+02	9.0932E+02	1.2383E+03
A	1.4733E+01	2.5005E+01	3.4477E+01
S	2.9383E+00	3.0747E+00	3.1862E+00
Z	3.5773E+00	3.7816E+00	3.8487E+00
GAME	9.2555E-01	9.6700E-01	1.1658E+00
U	4.6750E+01	1.2689E+01	1.5094E+01

SPECIES	MOLE FRACTIONS		
F-	4.8285E-01	5.1079E-01	5.1932E-01
H	6.1149E-03	1.6572E-04	7.7762E-05
H+	4.6913E-31	4.4938E-01	4.4163E-01
H2	2.2804E-11	1.0235E-15	3.4805E-17
H-	9.4660E-09	1.9771E-10	1.2628E-10
H2+	1.6241E-08	2.6348E-10	6.0565E-11
HE	2.8185E-02	2.0975E-05	1.3833E-07
HE+	1.3746E-02	1.7876E-02	2.6300E-04
HE++	3.8858E-11	2.1768E-02	3.8711E-02

$P_1 = 5.00E+00 \text{ N/SQ-M}$, $US1 = 6.40E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.1843E+03	3.0490E+04	5.6157E+04
T	7.8832E+01	1.9616E+02	3.3036E+02
RHO	1.2017E+01	4.0557E+01	4.4155E+01
H	5.7782E+02	1.0231E+03	1.4297E+03
A	1.7368E+01	2.8359E+01	3.8580E+01
S	3.0436E+00	3.1499E+00	3.2605E+00
Z	3.6783E+03	3.8325E+00	3.8497E+00
GAME	1.0404E+00	1.0698E+00	1.1703E+00
U	4.7360E+01	1.4031E+01	1.7647E+01

SPECIES	MOLE FRACTIONS		
E-	4.9701E-01	5.1729E-01	5.1944E-01
H	1.2390E-03	1.0783E-04	4.4606E-05
H+	4.6097E-01	4.4347E-01	4.4155E-01
H2	5.1271E-13	1.8059E-16	4.6966E-18
H-	1.2078E-09	1.2274E-10	6.0666E-11
H2+	2.4469E-09	1.1087E-10	2.1904E-11
HE	4.7413E-03	3.2773E-06	1.0314E-08
HE+	3.6042E-02	4.4485E-03	3.7206E-05
HE++	3.0798E-08	3.4687E-02	3.8927E-02

TABLE I. -Continued

$$P_1 = 5 \text{ N/m}^2$$

$P_1 = 5.00E+00 \text{ N/SU-M}$, $US1 = 6.60E+04 \text{ M/SEC}$,
 $XH2 = .85$, $XHE = .15$

$P_1 = 5.00E+00 \text{ N/SU-M}$, $US1 = 7.00E+04 \text{ M/SEC}$,
 $XH2 = .85$, $XHE = .15$

MOVING SHOCK: STANDING SHOCK: REFLECTED SHOCK			
P ₁	3.6776E+03	2.9401E+04	5.5130E+04
T ₁	8.9729E+01	2.1170E+02	3.6089E+02
RHO ₁	1.1093E+01	3.6138E+01	3.9681E+01
H ₁	6.1369E+02	1.0769E+03	1.5204E+03
A ₁	1.9427E+01	3.0270E+01	4.0327E+01
S ₁	3.0904E+00	3.1886E+00	3.2960E+00
Z ₁	3.6948E+00	3.8430E+00	3.8498E+00
GAM ₁	1.1384E+00	1.1262E+00	1.1706E+00
U ₁	4.8473E+01	1.4870E+01	1.8742E+01

SPECIES MOLE FRACTIONS			
E-	4.9929E-01	5.186CE-01	5.1946E-01
H	4.7287E-04	8.2318E-05	3.4451E-05
H+	4.5964E-01	4.4228E-01	4.4155E-01
H2	4.4097E-14	6.658CE-17	1.9739E-18
H-	3.0734E-10	8.680C7E-11	4.1258E-11
H2+	7.171L8E-10	6.4955E-11	1.3803E-11
HE	9.4303E-04	9.8008E-07	3.7005E-09
HE+	3.9654E-02	1.7440E-03	1.8572E-05
HE++	1.1288E-06	3.7287E-02	3.8945E-02

MOVING SHOCK: STANDING SHOCK: REFLECTED SHOCK			
P ₁	4.0712E+03	2.7317E+04	5.3297E+04
T ₁	1.1515E+02	2.4673E+02	4.2464E+02
RHO ₁	9.5536E+00	2.8768E+01	3.2601E+01
H ₁	6.8826E+02	1.1838E+03	1.7064E+03
A ₁	2.2013E+01	3.3254E+01	4.3747E+01
S ₁	3.1676E+00	3.2588E+00	3.3613E+00
Z ₁	3.7006E+00	3.8487E+00	3.8499E+00
GAM ₁	1.1371E+00	1.1645E+00	1.1707E+00
U ₁	5.0595E+01	1.6814E+01	2.0939E+01

SPECIES MOLE FRACTIONS			
E-	5.0008E-01	5.1932E-01	5.1947E-01
H	1.1334E-04	4.8817E-05	2.1647E-05
H+	4.5927E-01	4.4166E-01	4.4155E-01
H2	7.1600E-16	9.8761E-18	4.2917E-19
H-	3.3880E-11	4.3150E-11	1.9931E-11
H2+	9.1786E-11	2.3414E-11	6.1400E-12
HE	6.6887E-05	9.4733E-08	6.3217E-10
HE+	4.0127E-02	2.8485E-04	6.2263E-06
HE++	3.4010E-04	3.8685E-02	3.8956E-02

$P_1 = 5.00E+00 \text{ N/SU-M}$, $US1 = 6.60E+04 \text{ M/SEC}$,
 $XH2 = .85$, $XHE = .15$

$P_1 = 5.00E+00 \text{ N/SU-M}$, $US1 = 7.00E+04 \text{ M/SEC}$,
 $XH2 = .85$, $XHE = .15$

MOVING SHOCK: STANDING SHOCK: REFLECTED SHOCK			
P ₁	3.8709E+03	2.8200E+04	5.3959E+04
T ₁	1.0218E+02	2.2911E+02	3.9244E+02
RHO ₁	1.0242E+01	3.1994E+01	3.5714E+01
H ₁	6.5044E+02	1.1296E+03	1.6118E+03
A ₁	2.0947E+01	3.1899E+01	4.2055E+01
S ₁	3.1310E+00	3.2260E+00	3.3303E+00
Z ₁	3.6985E+00	3.8472E+00	3.8499E+00
GAM ₁	1.1611E+00	1.1544E+00	1.1706E+00
U ₁	4.9520E+01	1.5827E+01	1.9845E+01

SPECIES MOLE FRACTIONS			
E-	4.9980E-01	5.1913E-01	5.1946E-01
H	2.0992E-04	6.2448E-05	2.7006E-05
H+	4.5943E-01	4.4182E-01	4.4155E-01
H2	4.6731E-15	2.4199E-17	8.7900E-19
H-	8.9167E-11	6.0139E-11	2.8211E-11
H2+	2.3373E-10	3.7763E-11	8.9814E-12
HE	2.1351E-04	2.8486E-07	1.4501E-09
HE+	4.0317E-02	6.6810E-04	1.0232E-05
HE++	2.6236E-05	3.8321E-02	3.8952E-02

TABLE I. -Continued

$$P_1 = 10 \text{ N/m}^2$$

$P_1 = 1.00E+01 \text{ N/SQ-M}$, $US1 = 4.00E+03 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.2097E+01	2.5397E+01	6.2259E+01
T	3.0557E+00	3.8279E+00	5.4231E+00
RHO	3.9585E+00	6.6355E+00	1.1475E+01
H	3.1244E+00	3.9436E+00	5.7303E+00
A	1.7411E+00	1.9395E+00	2.2656E+00
S	1.0505E+00	1.0521E+00	1.0670E+00
Z	1.0000E+00	1.0000E+00	1.0000E+00
GAME	9.9208E-01	9.8269E-01	9.4610E-01
U	2.4141E+00	1.4366E+00	1.2730E+00

$P_1 = 1.00E+01 \text{ N/SQ-M}$, $US1 = 6.00E+03 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.7722E+01	9.3096E+01	1.6900E+02
T	5.5686E+00	7.1091E+00	7.8881E+00
RHO	4.9910E+00	1.2861E+01	2.0447E+01
H	5.9012E+00	8.6796E+00	1.1287E+01
A	2.2727E+00	2.4414E+00	2.5730E+00
S	1.1031E+00	1.1113E+00	1.1317E+00
Z	1.0009E+00	1.0182E+00	1.0479E+00
GAME	9.3007E-01	8.2341E-01	8.0092E-01
U	3.8753E+00	1.5012E+00	1.2555E+00

SPECIES	MOLE FRACTIONS		
E-	3.4529E-60	5.2084E-38	3.2194E-22
H	5.7822E-09	9.8174E-07	8.4650E-04
H+	6.2027E-20	6.5877E-20	6.8280E-20
H2	8.5000E-01	8.5000E-01	8.4922E-01
H2+	9.9162E-69	1.8838E-44	3.4613E-27
H2+	7.3940E-21	3.5444E-21	1.4337E-21
HE	1.5000E-01	1.5000E-01	1.4999E-01
HE+	5.0980E-72	4.6155E-60	6.5634E-51
HE++	0.	0.	0.

SPECIES	MOLE FRACTIONS		
E-	8.5367E-21	1.4139E-15	7.2737E-14
H	1.8593E-03	3.5749E-02	9.1384E-02
H+	7.6903E-20	1.3980E-15	7.1908E-14
H2	8.4828E-01	8.1693E-01	7.6547E-01
H2-	6.5042E-26	1.0018E-19	1.2190E-17
H2+	9.9110E-22	1.6013E-17	8.4154E-16
HE	1.4948E-01	1.4732E-01	1.4315E-01
HE+	2.4938E-50	2.5341E-40	1.2491E-36
HE++	0.	0.	0.

$P_1 = 1.00E+01 \text{ N/SQ-M}$, $US1 = 5.00E+03 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9056E+01	5.0860E+01	1.0886E+02
T	4.2230E+00	5.6252E+00	6.9950E+00
RHO	4.5130E+00	9.0304E+00	1.5358E+01
H	4.3714E+00	5.9858E+00	8.3073E+00
A	2.0312E+00	2.2911E+00	2.4325E+00
S	1.0772E+00	1.0810E+00	1.0980E+00
Z	1.0000E+00	1.0000E+00	1.0138E+00
GAME	9.7697E-01	9.3229E-01	8.3652E-01
U	3.1424E+00	1.5671E+00	1.3066E+00

$P_1 = 1.00E+01 \text{ N/SQ-M}$, $US1 = 7.00E+03 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.8558E+01	1.6393E+02	2.6312E+02
T	6.6355E+00	8.0190E+00	8.5889E+00
RHO	5.7449E+00	1.9309E+01	2.7904E+01
H	7.7388E+00	1.2065E+01	1.4456E+01
A	2.3697E+00	2.6021E+00	2.7345E+00
S	1.1288E+00	1.1456E+00	1.1703E+00
Z	1.0113E+00	1.0589E+00	1.0977E+00
GAME	8.3674E-01	7.9745E-01	7.9308E-01
U	4.6688E+00	1.3856E+00	1.2122E+00

SPECIES	MOLE FRACTIONS		
E-	9.5084E-32	2.9985E-20	7.0288E-17
H	1.1570E-05	1.7544E-03	2.7317E-02
H+	6.7395E-20	9.7753E-20	6.7331E-17
H2	8.4999E-01	8.4838E-01	8.2473E-01
H2-	8.9509E-38	3.7750E-25	3.0550E-20
H2+	2.0218E-21	1.5923E-21	2.9946E-18
HE	1.5000E-01	1.4987E-01	1.4795E-01
HE+	7.3037E-57	2.0356E-49	3.7065E-39
HE++	0.	0.	0.

SPECIES	MOLE FRACTIONS		
E-	1.2492E-16	1.2752E-13	1.4158E-12
H	2.2339E-02	1.1126E-01	1.7801E-01
H+	1.2391E-16	1.2605E-13	1.4004E-12
H2	8.2934E-01	7.4708E-01	6.8534E-01
H2-	3.8179E-21	2.0766E-17	4.3954E-16
H2+	1.0843E-18	1.4579E-15	1.5891E-14
HE	1.4832E-01	1.4166E-01	1.3665E-01
HE+	7.7473E-43	3.2155E-35	1.6662E-33
HE++	0.	0.	0.

TABLE I. - Continued

 $P_1 = 10 \text{ N/m}^2$

$P_1 = 1.00E+01 \text{ N/SQ-M}$, $US1 = 8.00E+03 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .154$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK

P	$5.1681E+01$	$-2.7560E+02$	$-4.1100E+02$
T	$7.3155E+03$	$8.7402E+00$	$-9.2304E+00$
ρ	$6.8255E+03$	$2.8284E+01$	$3.8318E+01$
H	$9.8813E+09$	$1.6108E+01$	$1.9363E+01$
A	$2.4651E+00$	$2.7788E+00$	$2.9157E+00$
S	$1.1565E+00$	$1.1856E+00$	$1.2146E+00$
Z	$1.0352E+00$	$1.1150E+00$	$1.1619E+00$
GAM	$8.0249E-01$	$7.9231E-01$	$7.9268E-01$
U	$5.5126E+00$	$1.3323E+00$	$1.1954E+00$

SPECIES ----- MOLE FRACTIONS -----

E^-	$6.5753E-15$	$2.3572E-12$	$1.2971E-11$
H	$6.4797E-02$	$2.0632E-01$	$2.7872E-01$
H^+	$6.5247E-15$	$2.3310E-12$	$1.2830E-11$
H_2	$7.6713E-01$	$6.5915E-01$	$5.9218E-01$
H_2^+	$3.5039E-19$	$7.6705E-16$	$6.4624E-15$
H_2^{++}	$5.4010E-17$	$2.6972E-14$	$1.4666E-13$
He^-	$1.4490E-01$	$1.3453E-01$	$1.2910E-01$
He^+	$2.3491E-38$	$1.6945E-32$	$2.8903E-31$
He^{++}	$0.$	$0.$	$0.$

$P_1 = 1.00E+01 \text{ N/SQ-M}$, $US1 = 1.00E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK

P	$8.3688E+01$	$6.3856E+02$	$8.7605E+02$
T	$8.2201E+00$	$9.9624E+00$	$1.0424E+01$
ρ	$9.1945E+00$	$5.0829E+01$	$6.3435E+01$
H	$1.5013E+01$	$2.5910E+01$	$3.0094E+01$
A	$2.6770E+00$	$3.1625E+00$	$3.3227E+00$
S	$1.2213E+00$	$1.2817E+00$	$1.3186E+00$
Z	$1.1071E+00$	$1.2614E+00$	$1.3248E+00$
GAM	$7.8744E-01$	$7.9587E-01$	$7.9941E-01$
U	$7.1952E+00$	$1.3037E+00$	$1.2179E+00$

SPECIES ----- MOLE FRACTIONS -----

E^-	$6.2287E-13$	$1.0417E-10$	$3.5291E-10$
H	$1.9351E-01$	$4.1435E-01$	$4.9036E-01$
H^+	$6.1865E-13$	$1.0305E-10$	$3.4937E-10$
H_2	$6.7100E-01$	$4.6673E-01$	$3.9641E-01$
H_2^+	$8.6677E-17$	$7.8969E-14$	$3.3791E-13$
H_2^{++}	$4.3061E-15$	$1.1981E-12$	$3.8755E-12$
He^-	$1.3549E-01$	$1.1892E-01$	$1.1322E-01$
He^+	$6.9157E-35$	$4.1839E-29$	$5.9249E-28$
He^{++}	$0.$	$0.$	$0.$

$P_1 = 1.00E+01 \text{ N/SQ-M}$, $US1 = 9.00E+03 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .154$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK

P	$6.6785E+01$	$4.3337E+02$	$6.1469E+02$
T	$8.8107E+00$	$9.3737E+00$	$9.8343E+00$
ρ	$8.0083E+00$	$3.9085E+01$	$5.0489E+01$
H	$1.2308E+01$	$2.0741E+01$	$2.6422E+01$
A	$2.5693E+00$	$2.9655E+00$	$3.1114E+00$
S	$1.1873E+00$	$1.2312E+00$	$1.2641E+00$
Z	$1.0678E+00$	$1.1832E+00$	$1.2380E+00$
GAM	$7.9147E-01$	$7.9293E-01$	$7.9517E-01$
U	$6.3604E+00$	$1.3049E+00$	$1.1955E+00$

SPECIES ----- MOLE FRACTIONS -----

E^-	$9.0641E-14$	$1.9033E-11$	$7.6777E-11$
H	$1.2705E-01$	$3.0955E-01$	$3.8447E-01$
H^+	$8.9966E-14$	$1.8820E-11$	$7.5962E-11$
H_2	$7.3248E-01$	$5.6367E-01$	$4.9436E-01$
H_2^+	$4.4532E-18$	$1.0006E-14$	$5.5287E-14$
H_2^{++}	$6.8330E-16$	$2.2280E-13$	$8.6813E-13$
He^-	$1.4047E-01$	$1.2678E-01$	$1.2116E-01$
He^+	$2.7735E-36$	$1.8688E-30$	$1.6826E-29$
He^{++}	$0.$	$0.$	$0.$

$P_1 = 1.00E+01 \text{ N/SQ-M}$, $US1 = 1.10E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK

P	$1.0241E+02$	$8.9521E+02$	$1.2002E+03$
T	$8.5766E+00$	$1.0504E+01$	$1.1030E+01$
ρ	$1.0361E+01$	$6.2955E+01$	$7.6531E+01$
H	$1.7999E+01$	$3.1624E+01$	$3.6387E+01$
A	$2.7883E+00$	$3.3738E+00$	$3.5541E+00$
S	$1.2583E+00$	$1.3344E+00$	$1.3775E+00$
Z	$1.1524E+00$	$1.3492E+00$	$1.4219E+00$
GAM	$7.8659E-01$	$8.0041E-01$	$8.0546E-01$
U	$8.0224E+00$	$1.3225E+00$	$1.2552E+00$

SPECIES ----- MOLE FRACTIONS -----

E^-	$2.6255E-12$	$4.7426E-10$	$1.4190E-09$
H	$2.6451E-01$	$5.1761E-01$	$5.9346E-01$
H^+	$2.6086E-12$	$4.6967E-10$	$1.4062E-09$
H_2	$6.0533E-01$	$3.7122E-01$	$3.0105E-01$
H_2^+	$4.7287E-16$	$4.6302E-13$	$1.6802E-12$
H_2^{++}	$1.7420E-14$	$5.0448E-12$	$1.4534E-11$
He^-	$1.3016E-01$	$1.1118E-01$	$1.0549E-01$
He^+	$1.8842E-33$	$8.8438E-28$	$1.7223E-26$
He^{++}	$0.$	$0.$	$0.$

TABLE I. - Continued

$$p_1 = 10 \text{ N/m}^2$$

$P_1 = 1.00E+01 \text{ N/SQ-M}$, $US1 = 1.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.2294E+02	1.2042E+03	1.5897E+03
T	8.9030E+00	1.1132E+01	1.1689E+01
RHO	1.1478E+01	7.4819E+01	8.8968E+01
H	2.1265E+01	3.7878E+01	4.3318E+01
A	2.9034E+00	3.6034E+00	3.8145E+00
S	1.29d1E+00	1.3947E+00	1.4401E+00
Z	1.2032E+02	1.4455E+00	1.5286E+C0
GAMF	7.8714E-01	8.0673E-01	8.1432E-01
U	8.8421E+00	1.3588E+00	1.3094E+00

$P_1 = 1.00E+01 \text{ N/SQ-M}$, $US1 = 1.40E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.6931E+02	1.9682E+03	2.5724E+03
T	9.5203E+00	1.2562E+01	1.3724E+01
RHO	1.3472E+01	9.4393E+01	1.0641E+02
H	2.8641E+01	5.1969E+01	5.9359E+01
A	3.1521E+00	4.1666E+00	4.5936E+00
S	1.3857E+00	1.5191E+00	1.5741E+00
Z	1.3202E+00	1.6599E+00	1.7613E+00
GAMF	7.9054E-01	8.3298E-01	8.7299E-01
U	1.0461E+01	1.4953E+00	1.5161E+00

SPECIES	MOLE FRACTIONS		
E-	8.3346E-12	.1.8101E-09	5.5469E-09
H	3.3771E-01	6.1671E-01	6.9161E-01
H+	8.2819E-12	1.8025E-09	5.5046E-09
H2	5.3761E-01	2.7954E-01	2.1026E-01
H-	1.8314E-15	2.1411E-12	7.5365E-12
H2+	5.4518E-14	1.7734E-11	4.9829E-11
HE	1.2467E-01	1.0375E-01	9.8129E-02
HE+	1.3762E-33	2.9559E-26	5.3458E-25
HE++	0.	0.	1.3552E-90

SPECIES	MOLE FRACTIONS		
E-	6.4413E-11	2.7883E-08	1.5937E-07
H	4.8500E-01	7.9513E-01	8.6448E-01
H+	6.4062E-11	2.7735E-08	1.5803E-07
H2	4.0138E-01	1.1451E-01	5.0359E-02
H-	1.9281E-14	3.7883E-11	2.0742E-10
H2+	3.6998E-13	1.8640E-10	7.5100E-10
HE	1.1363E-01	9.0365E-02	8.5164E-02
HE+	2.0442E-30	2.6702E-23	5.3685E-22
HE++	.	5.1984E-85	5.9197E-75

$P_1 = 1.00E+01 \text{ N/SQ-M}$, $US1 = 1.30E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.4523E+02	1.5622E+03	2.0438E+03
T	9.2178E+00	1.1777E+01	1.2490E+01
RHO	1.2511E+01	8.5568E+01	9.9582E+01
H	2.4812E+01	4.4660E+01	5.0923E+01
A	3.0250E+00	3.8597E+00	4.1275E+00
S	1.3401E+00	1.4561E+00	1.5059E+00
Z	1.2591E+00	1.5501E+00	1.6633E+00
GAMF	7.8845E-01	8.1603E-01	8.3034E-01
U	9.6542E+00	1.4138E+00	1.3871E+00

$P_1 = 1.00E+01 \text{ N/SQ-M}$, $US1 = 1.50E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9514E+02	2.4077E+03	3.2211E+03
T	9.8255E+00	1.3752E+01	1.7715E+01
RHO	1.4330E+01	9.9030E+01	9.8611E+01
H	3.2751E+01	5.9773E+01	6.5709E+01
A	3.2866E+00	4.619CE+00	6.0259E+00
S	1.4331E+00	1.5826E+00	1.6458E+00
Z	1.3860E+00	1.7675E+00	1.8439E+00
GAMF	7.9329E-01	8.7754E-01	1.1116E+00
U	1.1262E+01	1.6317E+00	1.9089E+00

SPECIES	MOLE FRACTIONS		
E-	2.5418E-11	6.7554E-09	2.4306E-08
H	4.1163E-01	7.0981E-01	7.8294E-01
H+	2.5272E-11	6.7072E-09	2.4168E-08
H2	4.6924E-01	1.9343E-01	1.2578E-01
H-	6.6451E-15	8.9226E-12	3.4508E-11
H2+	1.5294E-13	5.7155E-11	1.7274E-10
HE	1.1913E-01	9.6764E-02	9.1279E-02
HE+	3.1950E-51	8.0043E-25	2.2404E-23
HE++	0.	7.0477E-91	1.3470E-84

SPECIES	MOLE FRACTIONS		
E-	1.5866E-10	1.7985E-07	1.5753E-05
H	5.5698E-01	8.6870E-01	9.1530E-01
H+	1.5787E-10	1.7930E-07	1.5745E-05
H2	3.3483E-01	4.6452E-02	3.3194E-03
H-	3.2843E-14	2.1345E-10	8.7268E-09
H2+	4.4103E-13	7.6015E-10	1.6043E-08
HE	1.0823E-01	8.4847E-02	8.1349E-02
HE+	1.8005E-29	2.6875E-21	2.1259E-16
HE++	0.	1.1751E-77	2.4493E-60

TABLE I. - Continued

$$P_1 = 10 \text{ N/m}^2$$

$P_1 = 1.00E+01 \text{ N/SQ-M}$, $US1 = 1.60E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.2271E+02	2.8349E+03	4.0301E+03
T	1.0141E+01	1.6645E+01	2.6046E+01
RHO	1.5076E+01	9.2588E+01	8.3430E+01
H	3.7143E+01	6.7941E+01	8.2703E+01
A	3.4308E+00	5.7286E+00	7.1278E+00
S	1.4826E+00	1.6418E+00	1.7069E+00
Z	1.4566E+00	1.8395E+00	1.8546E+00
GAM	7.9691E-01	1.0718E+00	1.0518E+00
U	1.2058E+01	1.9651E+00	2.6526E+00

$P_1 = 1.00E+01 \text{ N/SQ-M}$, $US1 = 1.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.8298E+02	3.5821E+03	5.5774E+03
T	1.0863E+01	2.7248E+01	3.4379E+01
RHO	1.6184E+01	7.0741E+01	8.4602E+01
H	4.6770E+01	8.5078E+01	1.0635E+02
A	3.7612E+00	7.1510E+00	7.5879E+00
S	1.5869E+00	1.7271E+00	1.7823E+00
Z	1.6095E+00	1.8584E+00	1.9176E+00
GAM	8.0911E-01	1.0099E+00	8.7336E-01
U	1.3631E+01	3.1272E+00	3.2259E+00

SPECIES	MOLE FRACTIONS		
E-	3.8266E-10	5.9820E-06	2.6299E-03
H	6.2680E-01	9.1272E-01	9.1372E-01
H+	3.8997E-10	5.9778E-06	2.6298E-03
H2	2.7021E-01	5.7246E-03	1.3809E-04
H-	1.3749E-13	3.7736E-09	4.1064E-07
H2+	1.8241E-12	7.9150E-09	4.7805E-07
HE	1.0299E-01	8.1545E-02	8.0879E-02
HE+	1.7817E-26	1.6763E-17	7.6591E-11
HE++	0.	1.1076E-63	1.1435E-39

SPECIES	MOLE FRACTIONS		
E-	2.2444E-09	4.5980E-03	3.5288E-02
H	7.5733E-01	9.1000E-01	8.5117E-01
H+	2.2371E-09	4.5979E-03	3.5288E-02
H2	1.4942E-01	8.8254E-05	2.7901E-05
H-	4.6503E-13	5.4050E-07	2.7076E-06
H2+	8.0968E-12	6.1681E-07	3.0332E-06
HE	9.3196E-02	8.0715E-02	7.8222E-02
HE+	1.0402E-26	2.7501E-10	5.5628E-08
HE++	0.	9.4679E-38	2.7209E-29

$P_1 = 1.00E+01 \text{ N/SQ-M}$, $US1 = 1.70E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.5200E+02	3.2041E+03	4.8171E+03
T	1.0478E+01	2.2069E+01	3.1247E+01
RHO	1.5708E+01	7.8480E+01	8.2003E+01
H	4.1816E+01	7.6297E+01	9.4741E+01
A	3.5864E+00	6.8063E+00	7.3433E+00
S	1.5340E+00	1.6893E+00	1.7479E+00
Z	1.5312E+00	1.8500E+00	1.8800E+00
GAM	8.0173E-01	1.1347E+00	9.1796E-01
U	1.2848E+01	2.5731E+00	3.0408E+00

$P_1 = 1.00E+01 \text{ N/SQ-M}$, $US1 = 1.90E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.1551E+02	4.0239E+03	6.3004E+03
T	1.1343E+01	3.0955E+01	3.6699E+01
RHO	1.6456E+01	6.9605E+01	8.7515E+01
H	5.2003E+01	9.4616E+01	1.1804E+02
A	3.9703E+00	7.2827E+00	7.8461E+00
S	1.6408E+00	1.7603E+00	1.8157E+00
Z	1.6903E+00	1.8816E+00	1.9617E+00
GAM	8.2217E-01	9.1601E-01	8.5511E-01
U	1.4404E+01	3.4141E+00	3.3321E+00

SPECIES	MOLE FRACTIONS		
E-	8.6975E-10	3.8952E-04	1.5990E-02
H	6.9375E-01	9.1773E-01	8.8018E-01
H+	3.6631E-10	3.8949E-04	1.5989E-02
H2	2.0824E-01	4.0951E-04	4.6053E-05
H-	3.3293E-13	8.9850E-08	1.5282E-06
H2+	3.7741E-12	1.1891E-07	1.6980E-06
HE	9.7969E-02	8.1083E-02	7.9788E-02
HE+	6.0051E-26	5.9879E-13	7.1344E-09
HE++	0.	2.4256E-47	1.4192E-32

SPECIES	MOLE FRACTIONS		
E-	6.5558E-09	1.6893E-02	5.6980E-02
H	8.1678E-01	8.8643E-01	8.0955E-01
H+	6.5398E-09	1.6892E-02	5.6980E-02
H2	9.4475E-02	6.1522E-05	1.9943E-05
H-	2.4260E-12	1.3816E-06	3.7819E-06
H2+	1.8443E-11	1.5307E-06	4.3078E-06
HE	8.8741E-02	7.9717E-02	7.6463E-02
HE+	1.5953E-25	4.9632E-09	2.0167E-07
HE++	0.	1.3024E-34	3.0328E-27

TABLE I. -Continued

$$P_1 = 10 \text{ N/m}^2$$

$P_1 = 1.00E+01 \text{ N/SQ-M}$, $US1 = 2.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.4938E+02	4.4798E+03	6.9084E+03
T	1.2053E+01	3.3315E+01	3.8552E+01
RHO	1.6376E+01	7.1657E+01	8.9167E+01
H	5.7511E+01	1.0488E+02	1.2997E+02
A	4.2682E+00	7.5279E+00	8.0971E+00
S	1.6949E+00	1.7923E+00	1.8494E+00
Z	1.7700E+00	1.9184E+00	2.0097E+00
GME	8.5393E-01	9.0311E-01	8.4623E-01
U	1.5157E+01	3.4683E+00	3.4043E+00

$P_1 = 1.00E+01 \text{ N/SQ-M}$, $US1 = 2.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.1568E+02	4.3018E+03	6.4632E+03
T	1.7173E+01	3.7016E+01	4.0851E+01
RHO	1.3092E+01	5.8252E+01	7.5296E+01
H	6.9234E+01	1.2482E+02	1.5238E+02
A	6.0530E+00	7.8962E+00	8.4919E+00
S	1.7919E+00	1.8692E+00	1.9275E+00
Z	1.8489E+00	1.9950E+00	2.1078E+00
GME	1.1539E+00	8.4431E-01	8.3751E-01
U	1.6402E+01	3.6897E+00	3.4461E+00

SPECIES	MOLE FRACTIONS		
E-	2.6554E-08	3.5993E-02	7.9468E-02
H+	8.7004E-01	8.4978E-01	7.6640E-01
H+	2.6512E-08	3.5992E-02	7.9467E-02
H2-	4.4521E-02	6.2566E-05	1.5167E-05
H-	8.6466E-12	2.3058E-06	4.6591E-06
H2+	5.3747E-11	2.5754E-06	5.4034E-06
HE	8.4747E-02	7.8168E-02	7.4639E-02
HE+	3.8951E-24	3.0748E-08	5.0612E-07
HE++	1.6047E-86	4.4378E-32	8.9240E-26

SPECIES	MOLE FRACTIONS		
E-	2.6423E-05	7.2715E-02	1.2230E-01
H+	9.1822E-01	7.7937E-01	6.8621E-01
H+	2.6424E-05	7.2714E-02	1.2230E-01
H2-	6.0192E-04	1.2057E-05	8.5102E-06
H-	2.1576E-09	3.0840E-06	4.9806E-06
H2+	4.2291E-09	3.5227E-06	5.9326E-06
HE	8.1128E-02	7.5166E-02	7.1164E-02
HE+	1.6475E-16	2.9027E-07	1.5669E-06
HE++	1.0285E-00	8.5086E-27	4.6680E-24

$P_1 = 1.00E+01 \text{ N/SQ-M}$, $US1 = 2.10E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.8347E+02	4.6047E+03	7.0765E+03
T	1.3608E+01	3.5629E+01	3.9972E+01
RHO	1.5375E+01	6.6274E+01	8.5963E+01
H	6.3273E+01	1.1498E+02	1.4170E+02
A	4.9694E+00	7.7248E+00	8.3213E+00
S	1.7470E+00	1.8288E+00	1.8861E+00
Z	1.8329E+00	1.9540E+00	2.0594E+00
GME	9.9015E-01	8.5813E-01	8.4115E-01
U	1.5848E+01	3.6796E+00	3.4458E+00

$P_1 = 1.00E+01 \text{ N/SQ-M}$, $US1 = 2.30E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.4845E+02	4.0721E+03	6.0153E+03
T	2.1366E+01	3.8113E+01	4.1628E+01
RHO	1.1338E+01	5.2398E+01	6.6986E+01
H	7.5433E+01	1.3468E+02	1.6317E+02
A	6.6356E+00	8.0709E+00	8.6601E+00
S	1.8281E+00	1.9083E+00	1.9677E+00
Z	1.8511E+00	2.0391E+00	2.1572E+00
GME	1.1146E+00	8.3817E-01	8.3518E-01
U	1.6928E+01	3.6672E+00	3.4439E+00

SPECIES	MOLE FRACTIONS		
E-	3.6824E-07	5.3322E-02	1.0171E-01
H+	7.0881E-01	8.1661E-01	7.2372E-01
H+	3.6805E-07	5.3321E-02	1.0171E-01
H2-	9.3496E-03	1.8821E-05	1.1557E-05
H-	7.6731E-11	2.8361E-06	5.1296E-06
H2+	2.6429E-10	3.2075E-06	6.0450E-06
HE	8.1839E-02	7.6726E-02	7.2834E-02
HE+	3.3234E-21	1.3055E-07	9.9035E-07
HE++	1.0094E-76	1.4570E-28	1.0090E-24

SPECIES	MOLE FRACTIONS		
E-	6.7556E-04	9.2743E-02	1.6241E-01
H+	9.1754E-01	7.4054E-01	6.4564E-01
H+	6.7555E-04	9.2742E-02	1.6240E-01
H2-	7.5948E-05	8.8624E-06	6.4216E-06
H-	2.4695E-08	3.2165E-06	4.7792E-06
H2+	3.3886E-08	3.7134E-06	5.7494E-06
HE	8.1032E-02	7.3562E-02	6.9533E-02
HE+	5.4876E-13	5.3030E-07	2.2654E-06
HE++	2.3109E-48	7.0125E-26	1.7490E-23

TABLE I. - Continued

$$P_1 = 10 \text{ N/m}^2$$

$P_1 = 1.00E+01 \text{ N/SU-M}$, $US_1 = 2.50E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	$4.8394E+02$	$4.0778E+03$
T	$2.4996E+01$	$3.9218E+01$
RHO	$1.00415E+01$	$4.9827E+01$
XHE	$8.1925E+01$	$1.4571E+02$
XAF	$6.7816E+00$	$8.2649E+00$
S	$1.8586E+00$	$1.9444E+00$
Z	$2.0858E+00$	$2.0053E+00$
GAME	$1.8587E+00$	$2.2105E+00$
U	$8.4985E-01$	$8.3466E-01$
V	$1.7508E+01$	$3.6642E+00$
W	$3.4597E+00$	

SPECIES MOLE FRACTIONS

E-	$4.70d5F-03$	$1.1348E-01$	$1.6311E-01$
H	$4.0986E-01$	$7.0114E-01$	$6.0591E-01$
H+	$4.70d5E-03$	$1.1348E-01$	$1.6311E-01$
H2	$2.2325E-05$	$6.8722E-06$	$5.0386E-06$
H2+	$1.02108E-07$	$3.3939E-06$	$4.7276E-06$
H3	$1.216d4E-07$	$3.9701E-06$	$5.7557E-06$
HE	$8.0701E-02$	$7.1880E-02$	$6.7853E-02$
HE+	$5.9161E-11E-02$	$9.1743E-07$	$3.3480E-06$
HE++	$1.2589E-04E-02$	$5.0098E-25$	$6.9567E-23$

$P_1 = 1.00E+01 \text{ N/SU-M}$, $US_1 = 2.50E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	$5.2337E+02$	$4.3141E+03$
T	$2.7617E+01$	$4.0410E+01$
RHO	$1.0103E+01$	$4.9854E+01$
XHE	$8.8761E+01$	$1.5774E+02$
XAF	$6.8506E+00$	$8.4856E+00$
S	$1.8866E+00$	$1.9788E+00$
Z	$2.1395E+00$	$2.0416E+00$
GAME	$9.0585E-01$	$8.3290E-01$
U	$1.8182E+01$	$3.6811E+00$
V	$3.4971E+00$	

SPECIES MOLE FRACTIONS

E-	$1.3784E-02$	$1.3533E-01$	$1.8499E-01$
H	$8.5265E-01$	$6.5922E-01$	$5.6392E-01$
H+	$1.3784E-02$	$1.3533E-01$	$1.8499E-01$
H2	$1.1294E-05$	$5.5411E-06$	$4.0606E-06$
H2+	$2.2131E-07$	$3.6551E-06$	$4.8150E-06$
H3	$2.5134E-07$	$4.3349E-06$	$5.9498E-06$
HE	$7.9464E-02$	$7.01C7E-02$	$6.6077E-02$
HE+	$1.0270E-09$	$1.5624E-06$	$5.0856E-06$
HE++	$2.3717E-36$	$3.5878E-24$	$3.2496E-22$

$P_1 = 1.00E+01 \text{ N/SU-M}$, $US_1 = 2.60E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	$5.6587E+02$	$4.6848E+03$
T	$2.9538E+01$	$4.1626E+01$
RHO	$1.0082E+01$	$5.1245E+01$
XHE	$9.5918E+01$	$1.7067E+02$
XAF	$6.9735E+00$	$8.7230E+00$
S	$1.9132E+00$	$2.0125E+00$
Z	$1.9002E+00$	$2.1962E+00$
GAME	$8.6639E-01$	$8.3233E-01$
U	$1.8905E+01$	$3.7244E+00$
V	$3.5490E+00$	

SPECIES MOLE FRACTIONS

E-	$2.6423E-02$	$1.5763E-01$	$2.0729E-01$
H	$6.6821E-01$	$6.1643E-01$	$5.2114E-01$
H+	$2.6423E-02$	$1.5762E-01$	$2.0728E-01$
H2	$1.3705E-06$	$4.5600E-06$	$3.3086E-06$
H2+	$3.5220E-07$	$3.934CE-06$	$4.9316E-06$
H3	$3.9335E-07$	$4.7326E-06$	$6.1964E-06$
HE	$7.8939E-02$	$6.8299E-02$	$6.4267E-02$
HE+	$5.4367E-39$	$2.5786E-06$	$7.7284E-06$
HE++	$1.0589E-33$	$2.2925E-23$	$1.5330E-21$

$P_1 = 1.00E+01 \text{ N/SU-M}$, $US_1 = 2.70E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	$6.1094E+02$	$5.1459E+03$
T	$3.1025E+01$	$4.2849E+01$
RHO	$1.0211E+01$	$5.3269E+01$
XHE	$1.0338E+02$	$1.8437E+02$
XAF	$7.1191E+00$	$8.9715E+00$
S	$1.9390E+00$	$2.0462E+00$
Z	$1.9286E+00$	$2.2561E+00$
GAME	$8.4703E-01$	$8.3257E-01$
U	$1.9657E+01$	$3.7734E+00$
V	$3.6111E+00$	

SPECIES MOLE FRACTIONS

E-	$4.0757E-02$	$1.8002E-01$	$2.2961E-01$
H	$4.4070E-01$	$5.7346E-01$	$4.7831E-01$
H+	$4.0757E-02$	$1.8002E-01$	$2.2960E-01$
H2	$5.4675E-06$	$3.7855E-06$	$2.6983E-06$
H2+	$4.7925E-07$	$4.1885E-06$	$5.0237E-06$
H3	$5.3263E-07$	$5.1217E-06$	$6.4268E-06$
HE	$7.7777E-02$	$6.6481E-02$	$6.2453E-02$
HE+	$1.6499E-08$	$4.1238E-06$	$1.1650E-05$
HE++	$6.8821E-32$	$1.3176E-22$	$7.0532E-21$

TABLE I. -Continued

$$p_1 = 10 \text{ N/m}^2$$

$P_1 = 1.00E+01 \text{ N/SQ-M}$, $US_1 = 2.80E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

MOVING SHOCK			STANDING SHOCK			REFLECTED SHOCK		
P	6.5838E+02	5.6813E+03	7.9534E+03					
T	3.2281E+01	4.4067E+01	4.7226E+01					
RHO	1.0403E+01	5.5589E+01	6.8118E+01					
H	1.1115E+02	1.9879E+02	2.3470E+02					
A	7.2744E+02	9.2290E+00	9.8913E+00					
S	1.9650E+00	2.0802E+00	2.1501E+00					
Z	1.9605E+00	2.3192E+00	2.4723E+00					
GAME	8.3617E-01	8.3341E-01	8.3795E-01					
U	2.0429E+01	3.8290E+00	3.6802E+00					

$P_1 = 1.00E+01 \text{ N/SQ-M}$, $US_1 = 3.00E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

MOVING SHOCK			STANDING SHOCK			REFLECTED SHOCK		
P	7.5910E+02	6.8969E+03	9.5510E+03					
T	3.4364E+01	4.6483E+01	4.6793E+01					
RHO	1.0874E+01	6.0499E+01	7.3151E+01					
H	1.2755E+02	2.2936E+02	2.6950E+02					
A	7.5919E+00	9.7646E+00	1.0490E+01					
S	2.0173E+03	2.1492E+00	2.2245E+00					
Z	2.0314E+00	2.4525E+00	2.6221E+00					
GAME	8.2567E-01	8.3638E-01	8.4286E-01					
U	2.1989E+01	3.9584E+00	3.8381E+00					

SPECIES			MOLE FRACTIONS		
E-	9.6354E-02	2.0232E-01	2.5173E-01		
H+	8.1077E-01	5.3068E-01	4.3587E-01		
H ⁺	5.6354E-02	2.0231E-01	2.5171E-01		
H ₂	4.3060E-06	3.1431E-06	2.1851E-06		
H ₂ ⁺	6.0126E-07	4.3959E-06	5.0552E-06		
H ₂ ⁺	6.6462E-07	5.4678E-06	6.5912E-06		
HE ⁺	7.6512E-02	6.4671E-02	6.0654E-02		
HE ⁺	4.0846E-08	6.4115E-06	1.7380E-05		
HE ⁺⁺	1.6726E-30	6.9687E-22	3.1243E-20		

SPECIES			MOLE FRACTIONS		
E-	8.9298E-02	2.4569E-01	2.9447E-01		
H	7.4756E-01	4.4747E-01	3.5387E-01		
H ⁺	8.9298E-02	2.4567E-01	2.9446E-01		
H ₂	2.9365E-06	2.1392E-06	1.3827E-06		
H ₂ ⁺	8.2021E-07	4.6167E-06	4.8853E-06		
HE	7.3841E-02	6.1147E-02	5.7168E-02		
HE ⁺	1.5049E-07	1.4420E-05	3.7592E-05		
HE ⁺⁺	2.0600E-28	1.4412E-20	5.4549E-19		

$P_1 = 1.00E+01 \text{ N/SQ-M}$, $US_1 = 2.90E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

MOVING SHOCK			STANDING SHOCK			REFLECTED SHOCK		
P	7.0776E+02	6.2648E+03	8.7188E+03					
T	3.3377E+01	4.5276E+01	4.8496E+01					
RHO	1.0630E+01	5.8024E+01	7.0618E+01					
H	1.1920E+02	2.1378E+02	2.5174E+02					
A	7.4326E+03	9.4932E+00	1.0185E+01					
S	1.9911E+03	2.1145E+03	2.1871E+03					
Z	1.9949E+03	2.3847E+00	2.5460E+00					
GAME	8.2969E-01	8.3470E-01	8.4018E-01					
U	2.1207E+01	3.8409E+00	3.7560E+00					

$P_1 = 1.00E+01 \text{ N/SQ-M}$, $US_1 = 3.20E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

MOVING SHOCK			STANDING SHOCK			REFLECTED SHOCK		
P	8.6743E+02	8.2926E+03	1.1398E+04					
T	3.6119E+01	4.8918E+01	5.2525E+01					
RHO	1.1382E+01	6.5337E+01	7.8022E+01					
H	1.4509E+02	2.6221E+02	3.0714E+02					
A	7.9129E+00	1.0331E+01	1.1142E+01					
S	2.9708E+00	2.2200E+00	2.3008E+00					
Z	2.1100E+00	2.5945E+00	2.7812E+00					
GAME	8.2158E-01	8.4085E-01	8.4979E-01					
U	2.3560E+01	4.1106E+00	4.0233E+00					

SPECIES			MOLE FRACTIONS		
E-	7.2622E-02	2.2423E-01	2.7337E-01		
H+	7.7956E-01	4.8865E-01	3.9436E-01		
H ⁺	7.2922E-02	2.2421E-01	2.7334E-01		
H ₂	3.5164E-06	2.6022E-06	1.7512E-06		
H ₂ ⁺	7.1523E-07	4.5406E-06	5.3110E-06		
HE	7.9750E-02	5.7481E-02	6.6642E-02		
HE ⁺	7.5193E-02	6.2842E-02	5.8891E-02		
HE ⁺	8.2916E-08	9.711C1E-06	2.5645E-05		
HE ⁺⁺	2.2858E-24	3.2643E-21	1.3252E-19		

SPECIES			MOLE FRACTIONS		
E-	1.2321E-01	2.8697E-01	3.3483E-01		
H	6.8248E-01	3.6827E-01	2.7647E-01		
H ⁺	1.2321E-01	2.8694E-01	3.3475E-01		
H ₂	2.1243E-06	1.4000E-06	8.0987E-07		
H ₂ ⁺	1.0340E-06	4.5447E-06	4.3857E-06		
HE	7.1391E-02	6.0875E-02	6.2250E-02		
HE ⁺	3.9943E-07	3.0526E-05	5.3852E-02		
HE ⁺⁺	7.6044E-17	2.3562E-19	8.8868E-18		

TABLE I. - Continued

$$P_1 = 10 \text{ N/m}^2$$

$P_1 = 1.00E+01 \text{ N/SU-M}$, $US_1 = 3.40E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

$P_1 = 1.00E+01 \text{ N/SU-M}$, $US_1 = 3.80E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

MOVING SHOCK			STANDING SHOCK			REFLECTED SHOCK		
P	5.8307E+02	9.8469E+02	1.3474E+04			P	1.2358E+03	1.3358E+04
T	3.7689E+01	5.1440E+01	5.5550E+01			T	4.0538E+01	5.7165E+01
RHO	1.1883E+01	6.9768E+01	8.2283E+01			RHO	1.2796E+01	7.6491E+01
H	1.6377E+02	2.9724E+02	3.4765E+02			H	2.0452E+02	3.7361E+02
A	8.2378E+00	1.0933E+01	1.1865E+01			A	8.9081E+00	1.2306E+01
S	2.1256E+00	2.2922E+00	2.3789E+00			S	2.2396E+00	2.4388E+00
Z	2.1950E+00	2.7438E+00	2.9478E+00			Z	2.3824E+00	3.0548E+00
GAME	8.2029E-01	8.4693E-01	8.5972E-01			GAME	8.2167E-01	8.6719E-01
U	2.5134E+01	4.2874E+00	4.2423E+00			U	2.8275E+01	4.7394E+00

SPECIES ----- MOLE FRACTIONS -----

E-	1.5720E-01	3.2575E-01	3.7241E-01
H	6.1727E-01	2.9388E-01	2.0446E-01
H+	1.5720E-01	3.2569E-01	3.7223E-01
H2	1.5724E-06	8.6015E-07	4.1962E-07
H-	1.1374E-06	4.1811E-06	3.5832E-06
H2+	1.3075E-06	5.8311E-06	5.3476E-06
HE	6.8335E-02	5.4666E-02	5.0708E-02
HE+	3.8406E-07	6.2936E-05	1.7780E-04
HE++	1.5013E-25	3.3646E-18	1.5199E-16

MOVING SHOCK			STANDING SHOCK			REFLECTED SHOCK		
P	1.2358E+03	1.3358E+04	1.8301E+04			P	1.2358E+03	1.3358E+04
T	4.0538E+01	5.7165E+01	6.3806E+01			T	4.0538E+01	5.7165E+01
RHO	1.2796E+01	7.6491E+01	8.7236E+01			RHO	1.2796E+01	7.6491E+01
H	2.0452E+02	3.7361E+02	4.3829E+02			H	2.0452E+02	3.7361E+02
A	8.9081E+00	1.2306E+01	1.3749E+01			A	8.9081E+00	1.2306E+01
S	2.2396E+00	2.4388E+00	2.5388E+00			S	2.2396E+00	2.4388E+00
Z	2.3824E+00	3.0548E+00	3.2879E+00			Z	2.3824E+00	3.0548E+00
GAME	8.2167E-01	8.6719E-01	9.0106E-01			GAME	8.2167E-01	8.6719E-01
U	2.8275E+01	4.7394E+00	4.8586E+00			U	2.8275E+01	4.7394E+00

SPECIES ----- MOLE FRACTIONS -----

E-	2.15720E-01	3.2575E-01	3.7241E-01
H	6.1727E-01	2.9388E-01	2.0446E-01
H+	2.15720E-01	3.2569E-01	3.7223E-01
H2	2.15724E-06	8.6015E-07	4.1962E-07
H-	1.1374E-06	4.1811E-06	3.5832E-06
H2+	1.3075E-06	5.8311E-06	5.3476E-06
HE	6.8335E-02	5.4666E-02	5.0708E-02
HE+	3.8406E-07	6.2936E-05	1.7780E-04
HE++	1.5013E-25	3.3646E-18	1.5199E-16

$P_1 = 1.00E+01 \text{ N/SU-M}$, $US_1 = 3.60E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

$P_1 = 1.00E+01 \text{ N/SU-M}$, $US_1 = 4.00E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

MOVING SHOCK			STANDING SHOCK			REFLECTED SHOCK		
P	1.1059E+03	1.1542E+04	1.5770E+04			P	1.3726E+03	1.5256E+04
T	3.9147E+01	5.4145E+01	5.9122E+01			T	4.1897E+01	6.0851E+01
RHO	1.2358E+01	7.3544E+01	8.5534E+01			RHO	1.3190E+01	7.8082E+01
H	1.8358E+02	3.3439E+02	3.9116E+02			H	2.2659E+02	4.1479E+02
A	8.5689E+00	1.1586E+01	1.2702E+01			A	9.2576E+00	1.3160E+01
S	2.1818E+00	2.3655E+00	2.4583E+00			S	2.2987E+00	2.5134E+00
Z	2.2860E+00	2.8985E+00	3.1186E+00			Z	2.4839E+00	3.2122E+00
GAME	8.2050E-01	8.5526E-01	8.7508E-01			GAME	8.2357E-01	8.8605E-01
U	2.6706E+01	4.4942E+00	4.5056E+00			U	2.9838E+01	5.0471E+00

SPECIES ----- MOLE FRACTIONS -----

E-	1.9073E-01	3.6175E-01	4.0678E-01
H	5.5293E-01	2.2488E-01	1.3876E-01
H+	1.9072E-01	3.6162E-01	4.0635E-01
H2	1.1697E-06	4.8080E-07	1.7794E-07
H-	1.2287E-06	3.5512E-06	2.5606E-06
H2+	1.4343E-06	5.1772E-06	4.0560E-06
HE	6.5615E-02	5.1620E-02	4.7669E-02
HE+	1.7498E-06	1.3082E-04	4.2965E-04
HE++	1.9054E-24	4.7171E-17	3.3036E-15

MOVING SHOCK			STANDING SHOCK			REFLECTED SHOCK		
P	1.3726E+03	1.5256E+04	2.1083E+04			P	1.3726E+03	1.5256E+04
T	4.1897E+01	6.0851E+01	7.0660E+01			T	4.1897E+01	6.0851E+01
RHO	1.3190E+01	7.8082E+01	8.6753E+01			RHO	1.3190E+01	7.8082E+01
H	2.2659E+02	4.1479E+02	4.8971E+02			H	2.2659E+02	4.1479E+02
A	9.2576E+00	1.3160E+01	1.5073E+01			A	9.2576E+00	1.3160E+01
S	2.2987E+00	2.5134E+00	2.6193E+00			S	2.2987E+00	2.5134E+00
Z	2.4839E+00	3.2122E+00	3.4394E+00			Z	2.4839E+00	3.2122E+00
GAME	8.2357E-01	8.8605E-01	9.3485E-01			GAME	8.2357E-01	8.8605E-01
U	2.9838E+01	5.0471E+00	5.3420E+00			U	2.9838E+01	5.0471E+00

E-	2.5519E-01	4.2407E-01	4.6211E-01			E-	2.5519E-01	4.2407E-01
H	4.2923E-01	1.0585E-01	3.7114E-02			H	4.2923E-01	1.0585E-01
H+	2.5519E-01	4.2337E-01	4.5716E-01			H+	2.5519E-01	4.2337E-01
H2	6.2806E-07	8.9816E-08	8.6414E-09			H2	6.2806E-07	8.9816E-08
H-	1.2727E-06	1.8007E-06	5.8908E-07			H-	1.2727E-06	1.8007E-06
H2+	1.5364E-06	2.9351E-06	1.1200E-06			H2+	1.5364E-06	2.9351E-06
HE	6.0384E-02	4.6000E-02	3.8666E-02			HE	6.0384E-02	4.6000E-02
HE+	5.6631E-06	6.9749E-04	4.9465E-03			HE+	5.6631E-06	6.9749E-04
HE++	1.5027E-22	1.5714E-14	1.3054E-11			HE++	1.5027E-22	1.5714E-14

TABLE I. -Continued

$$P_1 = 10 \text{ N/m}^2$$

$P_1 = 1.00E+01 \text{ N/SQ-M}$, $US_1 = 4.20E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.5164E+03	1.7213E+04	2.4103E+04
T	4.3252E+01	6.5660E+01	7.9787E+01
RHO	1.3536E+01	7.8091E+01	8.4927E+01
H	2.4978E+02	4.5782E+02	5.4543E+02
A	9.6203E+00	1.4203E+01	1.6402E+01
S	2.3592E+00	2.5860E+00	2.6968E+00
Z	2.5901E+00	3.3571E+00	3.5571E+00
GAM	8.2615E-01	9.1511E-01	9.4793E-01
U	3.1395E+01	5.4496E+00	5.9385E+00

$P_1 = 1.00E+01 \text{ N/SQ-M}$, $US_1 = 4.60E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.8242E+03	2.1114E+04	3.1130E+04
T	4.6067E+01	7.9898E+01	1.1261E+02
RHO	1.4066E+01	7.4035E+01	7.4952E+01
H	2.9955E+02	5.4904E+02	6.7763E+02
A	1.0398E+01	1.6453E+01	2.1783E+01
S	2.4837E+00	2.7213E+00	2.8435E+00
Z	2.8152E+00	3.5694E+00	3.6883E+00
GAM	8.3373E-01	9.4925E-01	1.1425E+00
U	3.4489E+01	6.5598E+00	7.9426E+00

SPECIES	MOLE FRACTIONS		
E-	2.8574E-01	4.4894E-01	4.7992E-01
H+	3.7062E-01	5.9500E-02	1.5017E-02
H+	2.8573E-01	4.4688E-01	4.6290E-01
H2-	4.4576E-07	2.401CE-08	9.9042E-10
H2+	1.2280E-06	9.5010E-07	1.8754E-07
H2+	1.5099E-06	1.6739E-06	4.0076E-07
HE+	9.7904E-02	4.2625E-02	2.5149E-02
HE+	9.6773E-06	2.0555E-03	1.7020E-02
HE++	1.0787E-21	5.8942E-13	1.5437E-09

SPECIES	MOLE FRACTIONS		
E-	3.4285E-01	6.8170E-01	4.9842E-01
H+	2.6104E-01	1.3058E-02	1.9396E-03
H+	3.4282E-01	4.6322E-01	4.5897E-01
H2-	2.0028E-07	6.5212E-10	3.6684E-12
H2-	1.0226E-06	1.4268E-07	9.4760E-09
H2+	1.3099E-06	3.0449E-07	2.5779E-08
HE	5.3255E-02	2.3528E-02	1.2332E-03
HE+	2.7660E-05	1.8486E-02	3.9422E-02
HE++	4.8975E-20	1.9859E-09	1.3714E-05

$P_1 = 1.00E+01 \text{ N/SQ-M}$, $US_1 = 4.60E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.6669E+03	1.9164E+04	2.7383E+04
T	4.4631E+01	7.2177E+01	9.1659E+01
RHO	1.3830E+01	7.6373E+01	8.1925E+01
H	2.7410E+02	5.0256E+02	6.0638E+02
A	9.9990E+00	1.5353E+C1	1.8466E+01
S	2.4209E+00	2.6556E+00	2.7702E+00
Z	2.7007E+00	3.4765E+00	3.6466E+00
GAM	8.2947E-01	9.3935E-01	1.0202E+00
U	3.2946E+01	5.9726E+00	6.6990E+00

$P_1 = 1.00E+01 \text{ N/SQ-M}$, $US_1 = 4.80E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9881E+03	2.2999E+04	3.5188E+04
T	4.7603E+01	8.9183E+01	1.3886E+02
RHO	1.4240E+01	7.0817E+01	6.8517E+01
H	3.2611E+02	5.9706E+02	7.5654E+02
A	1.0825E+01	1.8083E+01	2.4029E+01
S	2.5473E+00	2.7829E+00	2.9063E+00
Z	2.9329E+00	3.6417E+00	3.6985E+00
GAM	8.3932E-01	1.0069E+00	1.1242E+00
U	3.6022E+01	7.2487E+00	9.4429E+00

SPECIES	MOLE FRACTIONS		
E-	3.1499E-01	4.6785E-01	4.9268E-01
H+	3.1650E-01	2.8169E-02	5.9754E-03
H+	3.1497E-01	4.6603E-01	4.6021E-01
H2-	3.0582E-07	4.1651E-09	9.4539E-11
H-	1.1431E-06	3.8357E-07	5.2766E-08
H2+	1.4334E-06	7.644C7E-07	1.2780E-07
HE+	9.5525E-02	3.6124E-02	8.6609E-03
HE+	1.6336E-05	7.0233E-03	3.2473E-02
HE++	7.2917E-21	3.9709E-11	1.0866E-07

SPECIES	MOLE FRACTIONS		
E-	3.6923E-01	4.9199E-01	4.9979E-01
H+	2.1043E-01	6.1069E-03	8.3461E-04
H+	3.6919E-01	4.6071E-01	4.5881E-01
H2-	1.2302E-07	9.4722E-11	2.0745E-13
H-	4.7279E-07	5.0027E-08	2.7958E-09
H2+	1.1446E-06	1.1791E-07	6.2757E-09
HE	5.1095E-02	9.9157E-03	2.8003E-04
HE+	4.7778E-05	3.1274E-02	3.9576E-02
HE++	3.4147E-19	6.1611E-08	7.0112E-04

TABLE I. - Continued

$$P_1 = 1.00E+01 \text{ N/SQ-M}, \quad US1 = 5.00E+04 \text{ M/SEC}, \quad XHE = .15$$

$$XH2 = .85$$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.1582E+03	2.4612E+04	3.9023E+04
T	4.9304E+01	1.0214E+02	1.6071E+02
RHU	1.4338E+01	6.5465E+01	6.5268E+01
H	3.5379E+02	6.4573E+02	8.3311E+02
A	1.1291E+01	2.0427E+01	2.4591E+01
S	2.6115E+00	2.8392E+00	2.9581E+00
Z	3.0530E+00	3.6807E+00	3.7203E+00
GAM	8.4699E-01	1.1095E+00	1.0114E+00
U	3.7543E+01	8.2427E+00	1.0563E+01

SPECIES	MOLE FRACTIONS		
E-	3.9403E-01	4.9738E-01	5.0273E-01
H+	1.6289E-01	2.6618E-03	5.3320E-04
H+	3.9394E-01	4.5920E-01	4.5642E-01
H2	6.8979E-08	9.5758E-12	3.7268E-14
H2	7.0123E-07	4.329E-08	1.6959E-09
H2+	9.4456E-07	3.7714E-08	2.7150E-09
HE	4.9077E-02	2.57C3E-03	1.2886E-04
HE	8.6104E-05	3.8180E-02	3.4077E-02
HE++	2.6533E-18	1.9449E-06	6.1141E-03

$$XH2 = .85$$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.3343E+03	2.5952E+04	2.2411E+04
T	5.1280E+01	1.1828E+02	1.7592E+02
RHU	1.4344E+01	5.9409E+01	6.4178E+01
H	3.8258E+02	6.9502E+02	6.0498E+02
A	1.1819E+01	2.2443E+01	2.5383E+01
S	2.6760E+00	2.8895E+00	3.0003E+00
Z	3.1736E+00	3.6931E+00	3.7563E+00
GAM	8.5830E-01	1.153CE+00	9.7496E-01
U	3.9046E+01	9.4252E+00	1.1217E+01

SPECIES	MOLE FRACTIONS		
E-	4.1706E-01	4.9906E-01	5.0750E-01
H+	1.1878E-01	1.2553E-03	4.2543E-04
H+	4.1689E-01	4.5966E-01	4.5215E-01
H2	3.3734E-08	9.5691E-13	1.4819E-14
H2	5.1791E-07	4.4249E-09	1.4007E-09
H2+	7.2014E-07	1.1918E-08	1.7398E-09
HE	4.7098E-02	6.6694E-04	7.0906E-05
HE	1.6753E-04	3.9904E-02	2.4373E-02
HE++	2.5828E-17	4.6058E-05	1.5489E-02

$$P_1 = 1.00E+01 \text{ N/SQ-M}, \quad US1 = 5.40E+04 \text{ M/SEC}, \quad XHE = .15$$

$$XH2 = .85$$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.5157E+03	2.7034E+04	2.5499E+04
T	5.3730E+01	1.3518E+02	1.9108E+02
RHU	1.4224E+01	5.407CE+01	6.2729E+01
H	4.1246E+02	7.4515E+02	9.7897E+02
A	1.2451E+01	2.3767E+01	2.6889E+01
S	2.7401E+00	2.9348E+00	3.0424E+00
Z	3.2916E+00	3.6985E+00	3.7960E+00
GAM	8.7649E-01	1.1297E+00	9.9678E-01
U	4.0522E+01	1.0643E+01	1.1860E+01

SPECIES	MOLE FRACTIONS		
E-	4.3797E-01	4.9980E-01	5.1264E-01
H+	7.8858E-02	7.1618E-04	3.4942E-04
H+	4.3760E-01	4.5893E-01	4.4749E-01
H2	1.3285E-08	1.3939E-13	6.5907E-15
H2	3.3656E-07	1.9275E-09	1.1928E-09
H2+	4.8706E-07	4.5309E-09	1.1719E-09
HE	4.5198E-02	2.5490E-04	3.2769E-05
HE	3.7188E-04	3.9735E-02	1.3814E-02
HE++	3.6953E-16	5.6729E-04	2.5669E-02

$$P_1 = 1.00E+01 \text{ N/SQ-M}, \quad US1 = 5.60E+04 \text{ M/SEC}$$

$$XH2 = .85$$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.7010E+03	2.7867E+04	4.8124E+04
T	5.7039E+01	1.5063E+02	2.0982E+02
RHU	1.3925E+01	4.9903E+01	5.9932E+01
H	4.4341E+02	7.9668E+02	1.0577E+03
A	1.3264E+01	2.4131E+01	2.9241E+01
S	2.8030E+00	2.9765E+00	3.0851E+00
Z	3.4006E+00	3.7097E+00	3.8270E+00
GAM	9.0696E-01	1.0420E+00	1.0648E+00
U	4.1953E+01	1.1694E+01	1.2663E+01

SPECIES	MOLE FRACTIONS		
E-	4.5598E-01	5.0131E-01	5.1660E-01
H+	4.4953E-02	4.8837E-04	2.7680E-04
H+	4.5495E-01	4.5777E-01	4.4393E-01
H2	3.6699E-09	4.3867E-14	2.5874E-15
H2	1.7810E-07	1.1926E-09	9.5689E-10
H2+	2.7204E-07	2.2906E-09	7.3657E-10
HE	4.3082E-02	1.3932E-04	1.0744E-05
HE	1.0279E-03	3.7043E-02	5.7058E-03
HE++	1.0271E-14	3.2519E-03	3.3478E-02

TABLE I. - Continued

$$P_1 = 10 \text{ N/m}^2$$

$P_1 = 1.00E+01 \text{ N/SW-M}$, $US_1 = 5.80E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

$P_1 = 1.00E+01 \text{ N/SW-M}$, $US_1 = 6.20E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MUVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.8884E+03	2.8488E+04	5.0117E+04
T	6.1709E+01	1.6304E+02	2.3447E+02
RHO	1.3415E+01	4.6841E+01	5.5629E+01
H	4.7539E+02	8.5047E+02	1.1432E+03
A	1.4217E+01	2.4448E+01	3.1955E+01
S	2.8633E+00	3.0175E+00	3.1283E+00
Z	3.4890E+00	3.7344E+00	3.8424E+00
GAME	9.3869E-01	9.8298E-01	1.1335E+00
U	4.3324E+01	1.2386E+01	1.3755E+01

	MUVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.2795E+03	2.9700E+04	5.3991E+04
T	7.3020E+01	1.8550E+02	2.9643E+02
RHO	1.2412E+01	4.2166E+01	4.7321E+01
H	5.4257E+02	9.6354E+02	1.3309E+03
A	1.5785E+01	2.6426E+01	3.6507E+01
S	2.9752E+00	3.0958E+00	3.2089E+00
Z	3.6184E+00	3.7972E+00	3.8489E+00
GAME	9.4309E-01	9.9144E-01	1.1681E+00
U	4.6013E+01	1.3518E+01	1.6356E+01

SPECIES	MOLE FRACTIONS		
E-	4.6945E-01	5.0463E-01	5.1853E-01
H	2.0978E-02	3.7630E-04	2.0744E-04
H+	4.6614E-01	4.5485E-01	4.4223E-01
H2	6.3322E-10	1.6788E-14	8.4340E-16
H-	7.1617E-08	8.8037E-10	6.9790E-10
H2+	1.1771E-07	1.3942E-09	4.1892E-10
HE	3.9326E-02	8.3063E-05	2.5032E-06
HE+	3.6559E-03	3.0416E-02	1.7698E-03
HE++	6.5827E-13	9.6685E-03	3.7266E-02

SPECIES	MOLE FRACTIONS		
E-	4.8872E-01	5.1280E-01	5.1934E-01
H	4.5640E-03	2.5069E-04	1.1529E-04
H+	4.6526E-01	4.4745E-01	4.4157E-01
H2	1.7875E-11	2.6353E-15	9.4026E-17
H-	1.0688E-08	5.6756E-10	3.4044E-10
H2+	2.0311E-08	6.0146E-10	1.3875E-10
HE	1.7999E-02	2.3284E-05	1.3710E-07
HE+	2.3456E-02	1.3610E-02	1.8085E-04
HE++	1.0693E-09	2.5085E-02	3.8792E-02

$P_1 = 1.00E+01 \text{ N/SW-M}$, $US_1 = 6.00E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

$P_1 = 1.00E+01 \text{ N/SW-M}$, $US_1 = 6.40E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MUVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.0804E+03	2.9020E+04	5.1875E+04
T	6.7307E+01	1.7409E+02	2.6393E+02
RHO	1.2863E+01	4.4274E+01	5.1086E+01
H	5.0842E+02	9.0606E+02	1.2340E+03
A	1.4943E+01	2.5217E+01	3.4336E+01
S	2.9211E+00	3.0575E+00	3.1702E+00
Z	3.5584E+00	3.7656E+00	3.8474E+00
GAME	9.3226E-01	9.7025E-01	1.1610E+00
U	4.4669E+01	1.2952E+01	1.4991E+01

	MUVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.4801E+03	2.9912E+04	5.5339E+04
T	6.3066E+01	1.9829E+02	3.2989E+02
RHO	1.1856E+01	3.9466E+01	4.3579E+01
H	5.7771E+02	1.3208E+03	1.4280E+03
A	1.7245E+01	2.8106E+01	3.8544E+01
S	3.0262E+00	3.1332E+00	3.2460E+00
Z	3.6661E+00	3.8223E+00	3.8494E+00
GAME	1.0132E+00	1.0423E+00	1.1699E+00
U	4.7303E+01	1.4197E+01	1.7649E+01

SPECIES	MOLE FRACTIONS		
E-	4.8311E-01	5.0871E-01	5.1915E-01
H	9.2812E-03	3.0266E-04	1.5306E-04
H+	4.6645E-01	4.5115E-01	4.4171E-01
H2	9.5286E-11	5.6872E-15	2.6730E-16
H-	2.62145E-08	6.8701E-10	4.8562E-10
H2+	4.6526E-08	4.7776E-10	2.3446E-10
HE	3.0561E-02	4.6054E-05	5.4750E-07
HE+	1.1653E-02	2.2022E-02	5.2866E-04
HE++	4.0725E-11	1.7766E-02	3.8458E-02

SPECIES	MOLE FRACTIONS		
E-	4.9537E-01	5.1600E-01	5.1940E-01
H	2.1672E-03	2.0458E-04	8.8247E-05
H+	4.6154E-01	4.4455E-01	4.4154E-01
H2	2.9342E-12	1.2024E-15	3.6435E-17
H-	3.4945E-09	4.5314E-10	2.3693E-10
H2+	3.2587E-09	4.0044E-10	8.5669E-11
HE	7.0857E-03	9.7750E-06	4.0687E-08
HE+	3.3837E-02	7.0162E-03	7.4116E-05
HE++	2.2773E-08	3.2217E-02	3.8893E-02

TABLE I. - Continued

$$p_1 = 10 \text{ N/m}^2$$

P1 = 1.0CE+01 N/SW-M, US1 = 6.60E+04 M/SEC
XH2 = .85 XHE = .15

P1 = 1.00E+01 N/SQ-M, US1 = 7.00E+04 M/SEC
XH2 = .85 XHE = .15

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.6767E+03	2.9241E+04	5.4995E+04
T	9.0044E+01	2.1297E+02	3.6131E+02
RHO	1.10655E+01	3.5778E+01	3.9539E+01
H	6.1367E+02	1.0759E+03	1.5205E+03
A	1.9256E+01	3.0064E+01	4.0347E+01
S	3.0732E+00	3.1713E+00	3.2816E+00
Z	3.6901E+00	3.8374E+00	3.8496E+00
GAME	1.1160E+00	1.1015E+00	1.1704E+00
U	4.8461E+01	1.4974E+01	1.8761E+01

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.0714E+03	2.7334E+04	5.3309E+04
T	1.1515E+02	2.4740E+02	4.2377E+02
RHD	9.5575E+00	2.8716E+01	3.2677E+01
H	6.8626E+02	1.1839E+03	1.7062E+03
A	2.2143E+01	3.2171E+01	4.3701E+01
S	3.1523E+00	3.2431E+00	3.3471E+00
Z	3.6993E+00	3.8475E+00	3.8498E+00
GAME	1.1510E+00	1.1592E+00	1.1706E+00
U	5.0598E-01	1.0000E+00	1.0000E+00

SPECIES ----- MOLE FRACTIONS -----

E~	4.9866E-01	5.1791E-01	5.1934E-01
H	9.2091E-04	1.6081E-04	6.8632E-05
H+	4.5977E-01	4.4284E-01	4.4154E-01
H2	3.2881E-13	4.8926E-16	1.5509E-11
H-	1.1799E-09	3.3567E-10	1.6344E-10
H2+	2.7682E-09	2.4839E-10	5.4743E-11
HE	1.7655E-03	3.4037E-06	1.4536E-08
HE+	3.8883E-02	3.1047E-03	3.6725E-05
HE++	6.0679E-07	3.5980E-02	3.8982E-07

SPECIES	MOLE FRACTIONS		
E-	4.9990E-01	5.1917E-01	5.1945E-01
I	2.2603E-04	9.6923E-05	4.3536E-05
I+	4.5932E-01	4.4175E-01	4.4154E-01
H2	5.7261E-15	7.6878E-17	3.4958E-17
H-	1.3565E-10	1.7103E-10	8.0429E-11
H2+	3.6713E-10	9.2384E-11	2.4795E-11
HE	1.3412E-04	3.6279E-07	2.5818E-09
HE+	4.0244E-02	5.4965E-04	1.2602E-05
HE++	1.7006E-04	3.8424E-02	2.0051E-03

P1 = 1.00E+01 N/SQ-M, US1 = 6.80E+04 N/SEC
XH2 = .85 XHE = .15

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.8710E+03	2.8174E+04	5.3986E+04
T	1.0218E+02	2.2911E+02	3.9244E+02
RHO	1.0247E+01	3.1986E+01	3.5734E+01
H	6.5045E+02	1.1293E+03	1.6119E+03
A	2.0905E+01	3.1697E+01	4.2053E+01
S	3.1149E+00	3.2079E+00	3.3159E+00
Z	3.6969E+00	3.8445E+00	3.8497E+00
GAME	1.1568E+00	1.1406E+00	1.1706E+00
U	4.9523E+01	1.5884E+01	1.5844E+01

SPECIES ----- MOLE FRACTIONS -----

E~	4.9958E-01	5.1879E-01	5.1944E-01
H	4.1968E-04	1.2477E-04	5.4037E-05
H+	4.5942E-01	4.4207E-01	4.4154E+01
H2	3.7356E-14	1.9302E-16	7.0419E-18
H-	3.5638E-10	2.3993E-10	1.1259E-10
H2+	9.3457E-10	1.5084E-10	3.5959E-11
HE	4.2495E-04	1.1175E-06	5.8048E-09
HE+	4.0136E-02	1.3124E-03	2.0468E-05
HE++	1.3064E-05	3.7703E-02	3.8943E-02

TABLE I. -Continued

$$P_1 = 20 \text{ N/m}^2$$

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US_1 = 4.00E+03 \text{ M/SEC}$

$XH_2 = .85$, $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	1.2097E+01	2.5396E+01
T	3.0557E+00	3.8279E+00
RHO	3.9585E+00	6.6355E+00
H	3.1244E+00	3.9436E+00
A	1.7411E+00	1.9395E+00
S	1.0520E+00	1.0536E+00
Z	1.0000E+00	1.0000E+00
GAMEN	9.9208E-01	9.8270E-01
U	2.4141E+00	1.4366E+00

SPECIES ----- MOLE FRACTIONS -----

E-	1.2738E-60	1.8679E-38	1.5145E-22
H	4.0884E-09	6.9411E-07	6.1252E-04
H+	5.9366E-20	6.4514E-20	6.7553E-20
H2	8.5000E-01	8.5000E-01	8.4943E-01
H2+	5.1736E-69	9.5541E-45	2.3207E-27
H2++	1.0055E-20	4.9075E-21	1.9983E-21
HE	1.5000E-01	1.5000E-01	1.4995E-01
HE+	6.9101E-72	6.4386E-60	1.0310E-50
HE++	0.	0.	0.

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US_1 = 5.00E+03 \text{ M/SEC}$

$XH_2 = .85$, $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	1.9056E+01	5.0755E+01
T	4.2231E+00	5.6338E+00
RHO	4.5128E+00	9.0007E+00
H	4.3714E+00	5.9823E+00
A	2.0314E+00	2.30C0E+00
S	1.0794E+00	1.0833E+00
Z	1.0000E+00	1.0006E+00
GAMEN	9.7711E-01	9.3908E-01
U	3.1424E+00	1.5722E+00

SPECIES ----- MOLE FRACTIONS -----

E-	3.3965E-32	1.5559E-20	4.8564E-16
H	8.1788E-06	1.2757E-03	2.3690E-02
H+	8.6596E-20	8.3010E-20	4.7607E-16
H2	8.4999E-01	8.4882E-01	8.2809E-01
H2+	4.5216E-38	2.7695E-25	2.9565E-20
H2++	2.8247E-21	1.9262E-21	9.6723E-18
HE	1.5000E-01	1.4990E-01	1.4922E-01
HE+	1.0266E-56	2.2447E-49	2.7660E-39
HE++	0.	0.	0.

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US_1 = 6.00E+03 \text{ M/SEC}$

$XH_2 = .85$, $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	2.7706E+01	9.1982E+01
T	5.5598E+00	7.2078E+00
RHO	4.9794E+00	1.2568E+01
H	5.9002E+00	8.6539E+00
A	2.2838E+00	2.4680E+00
S	1.1060E+00	1.1138E+00
Z	1.0007E+00	1.0155E+00
GAMEN	9.3744E-01	8.3219E-01
U	3.8731E+00	1.5320E+00

SPECIES ----- MOLE FRACTIONS -----

E-	3.9481E-21	1.2367E-15	1.1596E-13
H	1.3610E-03	3.0525E-02	8.5059E-02
H+	7.2013E-20	1.2164E-15	1.1421E-13
H2	8.4874E-01	8.2176E-01	7.7132E-01
H2+	4.2594E-26	1.0390E-19	3.1940E-17
H2++	1.3092E-21	2.0481E-17	1.7818E-15
HE	1.4990E-01	1.4771E-01	1.4362E-01
HE+	3.3867E-50	6.5336E-39	1.3678E-35
HE++	0.	0.	0.

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US_1 = 7.00E+03 \text{ M/SEC}$

$XH_2 = .85$, $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	3.8458E+01	1.5955E+02
T	6.7163E+00	8.1974E+00
RHO	5.6723E+00	1.8515E+01
H	7.7334E+00	1.2010E+01
A	2.3960E+00	2.6320E+00
S	1.1321E+00	1.1483E+00
Z	1.0095E+00	1.0540E+00
GAMEN	8.4676E-01	8.0180E-01
U	4.6563E+00	1.4252E+00

SPECIES ----- MOLE FRACTIONS -----

E-	1.0959E-16	1.9643E-13	2.3060E-12
H	1.8788E-02	1.0247E-01	1.6985E-01
H+	1.0831E-16	1.9358E-13	2.2725E-12
H2	8.3262E-01	7.5521E-01	6.9289E-01
H2+	4.4260E-21	5.3154E-17	1.1467E-15
H2++	1.3602E-18	2.9029E-15	3.4623E-14
HE	1.4859E-01	1.4231E-01	1.3726E-01
HE+	8.7530E-42	3.5664E-35	9.8410E-33
HE++	0.	0.	0.

TABLE I. - Continued

$$P_1 = 20 \text{ N/m}^2$$

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $U_{S1} = 8.00E+03 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.1503E+01	2.6724E+02	4.0296E+02
T	7.4639E+00	8.9712E+00	9.5131E+00
RHO	6.6877E+00	2.6879E+01	3.6646E+01
H	9.8732E+00	1.6033E+01	1.5373E+01
A	2.4940E+00	2.8132E+00	2.9584E+00
S	1.1600E+00	1.1880E+00	1.2172E+00
Z	1.0318E+00	1.1085E+00	1.1557E+00
GAME	8.0764E-01	7.9583E-01	7.9605E-01
U	5.4931E+00	1.368CE+00	1.2270E+00

SPECIES	MOLE FRACTIONS		
E-	1.0680E-14	3.6535E-12	2.2150E-11
H	6.1680E-02	1.9578E-01	2.6946E-01
H+	1.0570E-14	3.5997E-12	2.1836E-11
H2	7.9295E-01	6.6890E-01	6.0075E-01
H2+	1.0383E-18	1.8652E-15	1.7686E-14
H2++	1.1192E-16	5.5755E-14	3.3220E-13
HE	1.4537E-01	1.3532E-01	1.2979E-01
HE+	1.1042E-38	9.0625E-32	2.0352E-30
HE++	0.	0.	0.

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $U_{S1} = 9.00E+03 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.6536E+01	4.1870E+02	6.0011E+02
T	8.0023E+00	9.6507E+00	1.0160E+01
RHO	7.8185E+00	3.6920E+01	4.7997E+01
H	1.2299E+01	2.0643E+01	2.4426E+01
A	2.6013E+00	3.0050E+00	3.1599E+00
S	1.1908E+00	1.2330E+00	1.2662E+00
Z	1.0635E+00	1.1751E+00	1.2306E+00
GAME	7.9516E-01	7.9625E-01	7.9864E-01
U	6.3363E+00	1.3431E+00	1.2292E+00

SPECIES	MOLE FRACTIONS		
E-	1.5534E-13	3.1566E-11	1.3405E-10
H	1.1934E-01	2.9798E-01	3.7474E-01
H+	1.5385E-13	3.1107E-11	1.3219E-10
H2	7.3961E-01	5.7437E-01	5.0337E-01
H2+	2.4735E-17	2.6241E-14	1.5412E-13
H2++	1.5135E-15	4.8551E-13	2.0056E-12
HE	1.4105E-01	1.2775E-01	1.2189E-01
HE+	6.1642E-36	7.7245E-30	1.3066E-28
HE++	0.	0.	0.

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $U_{S1} = 1.00E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	8.3440E+01	6.1753E+02	8.5559E+02
T	8.4404E+00	1.0285E+01	1.0796E+01
RHO	8.9710E+00	4.7959E+01	6.0190E+01
H	1.5035E+01	2.5811E+01	3.0120E+01
A	2.7124E+00	3.2085E+00	3.3788E+00
S	1.2246E+00	1.2828E+00	1.3202E+00
Z	1.0621E+00	1.2522E+00	1.3166E+00
GAME	7.9092E-01	7.9929E-01	8.0314E-01
U	7.1736E+00	1.3440E+00	1.2544E+00

SPECIES	MOLE FRACTIONS		
E-	9.9029E-13	1.8140E-10	6.2786E-10
H	1.8523E-01	4.0272E-01	4.8097E-01
H+	9.8116E-13	1.7890E-10	6.1968E-10
H2	6.7866E-01	4.7748E-01	4.0510E-01
H2+	2.1924E-16	2.1600E-13	9.5793E-13
H2++	9.3495E-15	2.7149E-12	9.1319E-12
HE	1.3611E-01	1.1980E-01	1.1393E-01
HE+	8.0487E-35	2.8694E-29	4.8913E-27
HE++	0.	0.	0.

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $U_{S1} = 1.10E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.0212E+02	8.6442E+02	1.1702E+03
T	8.8262E+00	1.0905E+01	1.1446E+01
RHO	1.0091E+01	5.9217E+01	7.2368E+01
H	1.7990E+01	3.1509E+01	3.6423E+01
A	2.0271E+00	3.4259E+00	3.6179E+00
S	1.2613E+00	1.3367E+00	1.3783E+00
Z	1.1466E+00	1.3386E+00	1.4127E+00
GAME	7.8976E-01	8.0404E-01	8.0951E-01
U	7.9990E+00	1.3654E+00	1.2951E+00

SPECIES	MOLE FRACTIONS		
E-	4.3439E-12	8.2682E-10	2.5344E-09
H	2.5574E-01	5.0595E-01	5.8430E-01
H+	4.3057E-12	8.1654E-10	2.5047E-09
H2	6.1344E-01	3.8200E-01	3.0953E-01
H2+	1.2585E-15	1.2729E-12	4.7638E-12
H2++	3.9445E-14	1.1556E-11	3.4474E-11
HE	1.3082E-01	1.1205E-01	1.0618E-01
HE+	1.0246E-33	8.9824E-27	1.4113E-25
HE++	0.	0.	8.5704E-93

TABLE I. -Continued

$$P_1 = 20 \text{ N/m}^2$$

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US_1 = 1.20E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.2260E+02	1.1608E+03	1.5470E+03
T	9.1824E+00	1.1536E+01	1.2152E+01
RHO	1.1156E+01	7.0175E+01	8.3838E+01
H	2.1256E+01	3.7748E+01	4.3370E+01
A	2.9466E+00	3.6619E+00	3.8869E+00
S	1.3009E+00	1.3941E+00	1.4400E+00
Z	1.1967E+00	1.4340E+00	1.5184E+00
GAME	7.9014E-01	8.1064E-01	8.1879E-01
U	8.8179E+00	1.4041E+00	1.3530E+00

SPECIES	MOLE FRACTIONS		
E-	1.5612E-11	3.1216E-09	9.8285E-09
H	3.2874E-01	6.0525E-01	6.8284E-01
H+	1.5485E-11	3.0868E-09	9.7316E-09
H2	5.4591E-01	2.9014E-01	2.1837E-01
H-	5.6361E-15	5.7995E-12	2.1150E-11
H2+	1.3237E-13	4.0583E-11	1.1809E-10
HE	1.2534E-01	1.0461E-01	9.8787E-02
HE+	2.2200E-31	2.1235E-25	4.0532E-24
HE++	0.	8.9356E-93	4.0594E-87

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US_1 = 1.40E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.6890E+02	1.8954E+03	2.5003E+03
T	9.8429E+00	1.3043E+01	1.4269E+01
RHO	1.3075E+01	8.8319E+01	1.0016E+02
H	2.8631E+01	5.1810E+01	5.9446E+01
A	3.2023E+00	4.2369E+00	4.6738E+00
S	1.3877E+00	1.5163E+00	1.5718E+00
Z	1.3125E+00	1.6654E+00	1.7494E+00
GAME	7.9380E-01	8.3644E-01	8.7507E-01
U	1.0436E+00	1.5472E+00	1.5666E+00

SPECIES	MOLE FRACTIONS		
E-	1.1629E-10	4.5232E-08	2.5898E-07
H	4.7614E-01	7.8448E-01	8.5678E-01
H+	1.1545E-10	4.4913E-08	2.5783E-07
H2	4.0957E-01	1.2436E-01	5.7477E-02
H-	5.6810E-14	9.7690E-11	5.3243E-10
H2+	8.9742E-13	4.1664E-10	1.6826E-09
HE	1.1429E-01	9.1164E-02	8.5741E-02
HE+	1.2653E-29	1.5068E-22	1.1807E-20
HE++	0.	3.2367E-82	2.4593E-75

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US_1 = 1.30E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.4487E+02	1.5064E+03	1.9895E+03
T	9.5159E+00	1.2222E+01	1.3002E+01
RHO	1.2160E+01	8.0193E+01	9.3749E+01
H	2.4603E+01	4.6515E+01	5.1000E+01
A	3.0712E+00	3.9251E+00	4.2089E+00
S	1.3431E+00	1.6542E+00	1.5047E+00
Z	1.2521E+00	1.5369E+00	1.6321E+00
GAME	7.9163E-01	8.2016E-01	8.3474E-01
U	9.6300E+00	1.4625E+00	1.4351E+00

SPECIES	MOLE FRACTIONS		
E-	4.4366E-11	1.1328E-08	4.1765E-08
H	4.0265E-01	6.9871E-01	7.7466E-01
H+	4.4022E-11	1.1221E-08	4.1455E-08
H2	4.7755E-01	2.0369E-01	1.3344E-01
H-	1.8893E-14	2.3723E-11	9.4288E-11
H2+	3.6282E-13	1.3005E-10	4.0456E-10
HE	1.1980E-01	9.7597E-02	9.1901E-02
HE+	1.7420E-30	4.6157E-24	1.4664E-22
HE++	0.	3.6223E-86	1.1146E-81

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US_1 = 1.50E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9468E+02	2.3174E+03	3.1176E+03
T	1.0171E+01	1.4233E+01	1.7832E+01
RHO	1.3892E+01	9.2878E+01	9.5066E+01
H	3.2741E+01	5.9596E+01	6.9595E+01
A	3.3412E+00	4.6758E+00	5.9531E+00
S	1.4346E+00	1.5786E+00	1.6419E+00
Z	1.3777E+00	1.7530E+00	1.8391E+00
GAME	7.9670E-01	8.7624E-01	1.0806E+00
U	1.1236E+01	1.6828E+00	1.5187E+00

SPECIES	MOLE FRACTIONS		
E-	2.9353E-10	2.5693E-07	1.2564E-05
H	5.4834E-01	8.5907E-01	9.1245E-01
H+	2.9162E-10	2.5585E-07	1.2554E-05
H2	3.4279E-01	5.5359E-02	5.9576E-03
H-	1.5892E-13	4.9598E-10	1.3073E-08
H2+	2.0689E-12	1.5753E-09	2.3716E-08
HE	1.0887E-01	8.5570E-02	8.1563E-02
HE+	1.8736E-28	1.1090E-20	1.9894E-16
HE++	0.	3.1016E-75	1.0294E-60

TABLE I. -Continued

$$P_1 = 20 \text{ N/m}^2$$

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US_1 = 1.60E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.2221E+02	2.7369E+03	3.8992E+03
T	1.0507E+01	1.6823E+01	2.6125E+01
RHO	1.4611E+01	8.8793E+01	8.0540E+01
H	3.7132E+21	6.7774E+01	8.2576E+01
A	3.4891E+00	5.6474E+00	7.2132E+00
S	1.14835E+00	1.6376E+00	1.7046E+00
Z	1.4475E+00	1.8322E+00	1.8531E+00
GAM	8.0045E-01	1.0347E+00	1.0747E+00
U	1.2030E+01	1.9813E+00	2.6638E+00

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US_1 = 1.80E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.8234E+02	3.4533E+03	5.4055E+03
T	1.1276E+01	2.7371E+01	3.5321E+01
RHO	1.5655E+01	6.7973E+01	8.0059E+01
H	4.0758E+01	8.4867E+01	1.0655E+02
A	3.8293E+00	7.2561E+00	7.7279E+00
S	1.5864E+00	1.7252E+00	1.7820E+00
Z	1.5993E+00	1.8562E+00	1.9116E+00
GAM	8.1309E-01	1.0364E+00	8.8451E-01
U	1.3600E+01	3.1395E+00	3.3007E+00

SPECIES	MOLE FRACTIONS
E-	6.7408E-10
H	6.1829E-01
H+	6.7006E-10
H2	2.7808E-01
H-	3.9768E-13
H2+	4.4187E-12
HE	1.0363E-01
HE+	8.6857E-28
HE++	0.
	2.7868E-63
	7.2555E-40

SPECIES	MOLE FRACTIONS
E-	6.0894E-09
H	7.4946E-01
H+	4.0721E-09
H2	1.5675E-01
H-	2.5568E-12
H2+	1.9898E-11
HE	9.3790E-02
HE+	9.6129E-26
HE++	0.
	7.8493E-38
	1.0689E-28

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US_1 = 1.70E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US_1 = 1.90E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.5144E+02	3.0973E+03	4.6659E+03
T	1.0868E+01	2.2013E+01	3.1837E+01
RHO	1.5205E+01	7.6096E+01	7.8135E+01
H	4.1805E+01	7.6135E+01	9.4804E+01
A	3.6498E+00	6.8099E+00	7.4743E+00
S	1.5342E+00	1.6864E+00	1.7469E+00
Z	1.5216E+00	1.8490E+00	1.8757E+00
GAM	8.0556E-01	1.1394E+00	9.3551E-01
U	1.2819E+01	2.5629E+00	3.0903E+00

SPECIES	MOLE FRACTIONS
E-	1.61188E-09
H	6.8557E-01
H+	1.6104E-09
H2	2.1585E-01
H-	1.0018E-12
H2+	9.3458E-12
HE	9.8582E-02
HE+	8.4644E-27
HE++	0.
	9.4093E-48
	3.4756E-32

SPECIES	MOLE FRACTIONS
E-	1.1427E-08
H	8.0915E-01
H+	1.1390E-08
H2	1.0154E-01
H-	6.9134E-12
H2+	4.4356E-11
HE	8.9314E-02
HE+	1.1726E-24
HE++	3.7674E-90
	1.0591E-33
	1.4277E-26

TABLE I. -Continued

$$P_1 = 20 \text{ N/m}^2$$

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $U_1 = 2.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.4865E+02	4.2764E+03	6.7168E+03
T	1.2492E+01	3.4247E+01	3.9911E+01
RHO	1.5868E+01	6.626CE+01	8.4111E+01
H	5.7497E+01	1.0442E+02	1.3040E+02
A	4.3335E+00	7.6380E+00	8.2567E+00
S	1.6930E+00	1.7913E+00	1.8488E+00
Z	1.7589E+00	1.9085E+00	2.0009E+00
GAM	8.5471E-01	9.0171E-01	8.5370E-01
U	1.5126E+01	3.6304E+00	3.5117E+00

SPECIES	MOLE FRACTIONS		
E-	4.2105E-08	3.0904E-02	7.5436E-02
H	8.6294E-01	8.5953E-01	7.7412E-01
H+	4.2012E-08	3.0903E-02	7.5434E-02
H2	5.1778E-02	7.5662E-05	2.5294E-05
H-	2.2812E-11	3.5848E-06	7.7634E-06
H2+	1.1575E-10	4.0175E-06	9.1422E-06
HE	8.5279E-02	7.8582E-02	7.4967E-02
HE+	2.0798E-23	3.8016E-08	6.9527E-07
HE++	2.8864E-83	3.2865E-31	4.6008E-25

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $U_1 = 2.10E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.8295E+02	4.4691E+03	6.9708E+03
T	1.3915E+01	3.6608E+01	4.1512E+01
RHO	1.5079E+01	6.2940E+01	8.1921E+01
H	6.3262E+01	1.1463E+02	1.4232E+02
A	4.9445E+00	7.8563E+00	8.4948E+00
S	1.7447E+00	1.8265E+00	1.8847E+00
Z	1.8251E+00	1.9443E+00	2.0498E+00
GAM	9.6267E-01	8.6845E-01	8.4803E-01
U	1.5826E+01	3.7993E+00	3.5641E+00

SPECIES	MOLE FRACTIONS		
E-	4.1382E-07	4.8601E-02	9.7508E-02
H	9.0414E-01	8.2561E-01	7.3177E-01
H+	4.1344E-07	4.8601E-02	9.7505E-02
H2	1.3666E-02	3.2614E-05	1.9376E-05
H-	1.5381E-10	4.6350E-06	8.6732E-06
H2+	5.2773E-10	5.2852E-06	1.0418E-05
HE	8.21d9E-02	7.7143E-02	7.3176E-02
HE+	8.4645E-21	1.6153E-07	1.3998E-06
HE++	3.3323E-76	4.6146E-28	5.8203E-24

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $U_1 = 2.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.1561E+02	4.2515E+03	6.5075E+03
T	1.7216E+01	3.8198E+01	4.2555E+01
RHO	1.3064E+01	5.6107E+01	7.2891E+01
H	6.9233E+01	1.2456E+02	1.5322E+02
A	6.0319E+00	8.0376E+00	8.6809E+00
S	1.7903E+00	1.8657E+00	1.9252E+00
Z	1.8479E+00	1.9838E+00	2.0980E+00
GAM	1.1437E+00	8.5257E-01	8.4409E-01
U	1.6399E+01	3.8223E+00	3.5743E+00

SPECIES	MOLE FRACTIONS		
E-	1.9469E-05	6.7456E-02	1.1821E-01
H	9.1762E-01	7.8944E-01	6.9205E-01
H+	1.9466E-05	6.7455E-02	1.1821E-01
H2	1.1698E-03	2.0765E-05	1.4387E-05
H-	3.1437E-09	5.1675E-06	8.5752E-06
H2+	6.1291E-09	5.97C8E-06	1.0444E-05
HE	8.1174E-02	7.5613E-02	7.1496E-02
HE+	1.2940E-16	3.8142E-07	2.2533E-06
HE++	4.4727E-61	3.7792E-26	3.0637E-23

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $U_1 = 2.30E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.483dE+02	4.0248E+03	6.0371E+03
T	2.1413E+01	3.9430E+01	4.3410E+01
RHO	1.1314E+01	5.0361E+01	6.4792E+01
H	7.5430E+01	1.3462E+02	1.6410E+02
A	6.6842E+00	8.2197E+00	8.8548E+00
S	1.8274E+00	1.9049E+00	1.9651E+00
Z	1.8506E+00	2.0269E+00	2.1464E+00
GAM	1.1275E+00	8.4539E-01	8.4149E-01
U	1.6925E+01	3.8058E+00	3.5752E+00

SPECIES	MOLE FRACTIONS		
E-	4.9205E-04	8.7278E-02	1.3813E-01
H	9.1781E-01	7.5141E-01	6.5384E-01
H+	4.9204E-04	8.7276E-02	1.3812E-01
H2	1.4908E-04	1.5165E-05	1.0863E-05
H-	3.5677E-08	5.4332E-06	8.2425E-06
H2+	4.8831E-08	6.3626E-06	1.0158E-05
HE	8.1053E-02	7.4004E-02	6.9880E-02
HE+	9.1760E-13	7.1861E-07	3.3165E-06
HE++	1.7841E-48	3.5281E-25	1.1515E-22

TABLE I. - Continued

$$P_1 = 20 \text{ N/m}^2$$

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US1 = 2.40E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

MOVING SHOCK, STANDING SHOCK, REFLECTED SHOCK			
P	4.8347E+02	4.0023E+03	5.9033E+03
T	2.5225E+01	4.0625E+01	4.4365E+01
RHO	1.0322E+01	4.7524E+01	6.0525E+01
H	8.1912E+01	1.4535E+02	1.7585E+02
A	6.8954E+00	8.4171E+00	9.0524E+00
S	1.8587E+00	1.9410E+00	2.0027E+00
Z	1.8566E+00	2.0730E+00	2.1985E+00
GAM	1.0151E+00	8.4125E-01	8.4018E-01
U	1.7493E+01	3.8036E+00	3.5916E+00

SPECIES MOLE FRACTIONS			
E-	3.7100E-03	1.0761E-01	1.5853E-01
M	9.1175E+01	7.124CE-01	6.1469E-01
H+	3.7100E-03	1.0761E-01	1.5852E-01
H2	1.01812E-05	1.1702E-05	8.5006E-06
H+	1.5580E-07	5.7352E-06	8.1164E-06
H2+	1.8465E-07	6.8123E-06	1.0139E-05
HE	8.0784E-02	7.2356E-02	6.8224E-02
HE+	6.3606E-11	1.2544E-06	4.8812E-06
HE++	1.8681E-40	2.5834E-24	4.5632E-22

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US1 = 2.60E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

MOVING SHOCK, STANDING SHOCK, REFLECTED SHOCK			
P	5.6465E+02	4.5395E+03	6.5411E+03
T	3.0200E+01	4.3208E+01	4.6747E+01
RHO	9.8696E+00	4.8220E+01	6.0352E+01
H	9.5881E+01	1.7007E+02	2.0357E+02
A	7.0924E+00	8.8836E+00	9.5451E+00
S	1.9136E+00	2.0085E+00	2.0742E+00
Z	1.8944E+00	2.1790E+00	2.3185E+00
GAM	8.7924E-01	8.3821E-01	8.4063E-01
U	1.8864E+01	3.8659E+00	3.6843E+00

SPECIES MOLE FRACTIONS			
E-	2.3450E-02	1.5100E-01	2.0208E-01
M	8.7391E-01	6.2914E-01	5.3113E-01
H+	2.3450E-02	1.5100E-01	2.0207E-01
H2	1.2930E-05	7.7204E-06	5.5774E-06
H+	5.8137E-07	6.6177E-06	8.3984E-06
H2+	6.4739E-07	8.1324E-06	1.0870E-05
HE	7.9181E-02	6.8836E-02	6.4686E-02
HE+	6.5893E-09	3.5454E-06	1.1134E-05
HE++	3.5621E-33	1.1817E-22	9.3628E-21

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US1 = 2.50E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

MOVING SHOCK, STANDING SHOCK, REFLECTED SHOCK			
P	5.2248E+02	4.2003E+03	6.1143E+03
T	2.8093E+01	4.1899E+01	4.5502E+01
RHO	9.9355E+00	4.7197E+01	5.5558E+01
H	8.0734E+01	1.5724E+02	1.8910E+02
A	6.9717E+00	8.6413E+00	9.2862E+00
S	1.8867E+00	1.9752E+00	2.0387E+00
Z	1.0719E+00	2.1240E+00	2.2562E+00
GAM	9.2426E-01	8.3906E-01	8.3998E-01
U	1.18151E+01	3.8254E+00	3.6298E+00

SPECIES MOLE FRACTIONS			
E-	1.1736E-02	1.2904E-01	1.8005E-01
H	8.9638E-01	6.7129E-01	5.7340E-01
H+	1.1736E-02	1.2903E-01	1.8004E-01
H2	2.0238E-05	9.4002E-06	6.8408E-06
H+	3.5566E-07	6.1587E-06	8.2213E-06
H2+	4.0175E-07	7.4352E-06	1.0443E-05
HE	8.0131E-02	7.0618E-02	6.6476E-02
HE+	1.1320E-09	2.1419E-06	7.3595E-06
HE++	5.8000E-36	1.8365E-23	2.0225E-21

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US1 = 2.70E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

MOVING SHOCK, STANDING SHOCK, REFLECTED SHOCK			
P	6.0938E+02	4.9690E+03	7.0995E+03
T	3.1854E+01	4.4520E+01	4.8047E+01
RHO	9.9550E+00	4.9890E+01	6.1969E+01
H	1.0934E+02	1.8366E+02	2.1899E+02
A	7.2411E+00	9.1374E+00	9.8210E+00
S	1.9394E+00	2.0416E+00	2.1096E+00
Z	1.9217E+00	2.2372E+00	2.3844E+00
GAM	8.5657E-01	8.3827E-01	8.4189E-01
U	1.9607E+01	3.9176E+00	3.7494E+00

SPECIES MOLE FRACTIONS			
E-	3.7332E-02	1.7310E-01	2.2415E-01
H	8.4727E-01	5.8675E-01	4.8878E-01
H+	3.7332E-02	1.7309E-01	2.2413E-01
H2	9.4292E-06	6.4175E-06	4.5560E-06
H+	8.0631E-07	7.0422E-06	8.5378E-06
H2+	8.9592E-07	8.8167E-06	1.1275E-05
HE	7.8055E-02	6.7042E-02	6.2891E-02
HE+	2.2142E-08	5.6735E-06	1.6696E-05
HE++	3.0193E-31	6.8578E-22	4.2409E-20

TABLE I. -Continued

$$P_1 = 20 \text{ N/m}^2$$

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US1 = 2.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.5634E+02	5.4632E+03	7.7508E+03
T	3.3232E+01	4.5825E+01	4.9381E+01
RHO	1.0116E+01	5.1873E+01	6.3974E+01
H	1.1139E+02	1.9791E+02	2.3524E+02
A	7.4003E+00	9.3999E+00	1.0110E+01
S	1.9652E+00	2.0748E+00	2.1454E+00
Z	1.9525E+00	2.2983E+00	2.4535E+00
GAME	8.4403E-01	8.3897E-01	8.4365E-01
U	2.0366E+01	3.9771E+00	3.8226E+00

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US1 = 3.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	7.5669E+02	6.6131E+03	9.2787E+03
T	3.5511E+01	4.8430E+01	5.2151E+01
RHO	1.0541E+01	5.6237E+01	6.8429E+01
H	1.2748E+02	2.2835E+02	2.7009E+02
A	7.7280E+00	9.9494E+00	1.0727E+01
S	2.0171E+00	2.1424E+00	2.2182E+00
Z	2.0215E+00	2.4281E+00	2.6000E+00
GAME	8.3195E-01	8.4181E-01	8.4858E-01
U	2.1919E+01	4.1144E+00	3.9896E+00

SPECIES	MOLE FRACTIONS		
E-	5.2490E-02	1.9506E-01	2.4599E-01
H	8.1818E-01	5.4460E-01	4.4689E-01
H+	5.2490E-02	1.95C5E-01	2.4596E-01
H2	7.3687E-06	5.3442E-06	3.7046E-06
H-	1.0213E-06	7.3917E-06	8.5850E-06
H2+	1.1381E-06	9.4342E-06	1.1579E-05
HE	7.6826E-02	6.5258E-02	6.1112E-02
HE+	5.5176E-08	8.8022E-06	2.4748E-05
HE++	8.4614E-30	3.5120E-21	1.8339E-19

SPECIES	MOLE FRACTIONS		
E-	8.4847E-02	2.3811E-01	2.8849E-01
H	7.5610E-01	4.6201E-01	3.6536E-01
H+	8.4847E-02	2.3808E-01	2.8843E-01
H2	4.9901E-06	3.6664E-06	2.3698E-06
H-	1.4086E-06	7.7893E-06	8.3131E-06
H2+	1.5894E-06	1.0349E-05	1.1728E-05
HE	7.4202E-02	6.1757E-02	5.7638E-02
HE+	2.1182E-07	1.9762E-05	5.3004E-05
HE++	1.2114E-27	7.2970E-20	3.0815E-18

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US1 = 2.90E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	7.0536E+02	6.0104E+03	8.4767E+03
T	3.4432E+01	4.7123E+01	5.0743E+01
RHO	1.0316E+01	5.40C3E+01	6.6151E+01
H	1.1913E+02	2.1278E+02	2.5224E+02
A	7.5632E+00	9.6700E+00	1.0411E+01
S	1.9911E+00	2.1083E+00	2.1815E+00
Z	1.9859E+00	2.3618E+00	2.5253E+00
GAME	8.3658E-01	8.4017E-01	8.4588E-01
U	2.1135E+01	4.043CE+00	3.9027E+00

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US1 = 3.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	8.6462E+02	7.9354E+03	1.1050E+04
T	3.7424E+01	5.1049E+01	5.5092E+01
RHO	1.1010E+01	6.0570E+01	7.2785E+01
H	1.4501E+02	2.6105E+02	3.0780E+02
A	8.0598E+00	1.0529E+01	1.1396E+01
S	2.0698E+00	2.2113E+00	2.2928E+00
Z	2.0984E+00	2.5664E+00	2.7556E+00
GAME	8.2722E-01	8.4621E-01	8.5553E-01
U	2.3484E+C1	4.2752E+00	4.1848E+00

SPECIES	MOLE FRACTIONS		
E-	6.8423E-02	2.1672E-01	2.6743E-01
H	7.8761E-01	5.03C4E-01	4.0577E-01
H+	6.8422E-02	2.1671E-01	2.6739E-01
H2	3.9907E-06	4.4358E-06	2.9845E-06
H-	1.2225E-06	7.6438E-06	8.5135E-06
H2+	1.3699E-06	9.9506E-06	1.1738E-05
HE	7.5534E-02	6.3457E-02	5.9363E-02
HE+	1.1471E-07	1.3305E-05	3.6302E-05
HE++	1.2573E-28	1.6713E-20	7.6025E-19

SPECIES	MOLE FRACTIONS		
E-	1.1837E-01	2.7915E-01	3.2866E-01
H	6.9176E-01	3.8327E-01	2.8835E-01
H+	1.1837E-01	2.7911E-01	3.2854E-01
H2	3.6053E-06	2.4324E-06	1.4139E-06
H-	1.7279E-06	7.7123E-06	7.5054E-06
H2+	1.9812E-06	1.0686E-05	1.1117E-05
HE	7.1483E-02	5.84C7E-02	5.4323E-02
HE+	5.7365E-07	4.1510E-05	1.1178E-04
HE++	4.8116E-26	1.1532E-18	4.7179E-17

TABLE I. -Continued

$$P_1 = 20 \text{ N/m}^2$$

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US_1 = 3.40E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US_1 = 3.80E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	9.799CE+02	9.4093E+03	1.3042E+04
T	3.9131E+01	5.3752E+01	5.8331E+01
RHO	1.1477E+01	6.4555E+01	7.6615E+01
H	1.6368E+02	2.9594E+02	3.4840E+02
A	8.3958E+00	1.1145E+01	1.2137E+01
S	2.1238E+00	2.2816E+00	2.3689E+00
Z	2.1e18E+00	2.7117E+00	2.9184E+00
GAME	8.2563E-01	8.5223E-01	8.6533E-01
U	2.5053E+01	4.4608E+00	4.4141E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.2318E+03	1.2739E+04	1.7673E+04
T	4.2223E+01	5.9826E+01	6.6900E+01
RHO	1.2332E+01	7.0598E+01	8.1243E+01
H	2.0442E+02	3.7200E+02	4.3915E+02
A	9.0881E+00	1.2542E+01	1.4018E+01
S	2.2358E+00	2.4249E+00	2.5246E+00
Z	2.3657E+00	3.0161E+00	3.2516E+00
GAME	8.2684E-01	8.7179E-01	9.0328E-01
U	2.8185E+01	4.9301E+00	5.0425E+00

SPECIES ----- MOLE FRACTIONS -----			
E-	1.5208E-01	3.1777E-01	3.6610E-01
H	6.2708E-01	3.0920E-01	2.1663E-01
H+	1.5208E-01	3.1769E-01	3.6585E-01
H2	2.6715E-06	1.5254E-06	7.5526E-07
H-	1.9718E-06	7.1535E-06	6.2064E-06
H2+	2.3013E-06	1.0362E-05	9.7045E-06
HE	6.8749E-02	5.5232E-02	5.1157E-02
HE+	1.2834E-06	8.4466E-05	2.4080E-04
HE++	9.6590E-25	1.5706E-17	7.4257E-16

SPECIES ----- MOLE FRACTIONS -----			
E-	2.1801E-01	3.8662E-01	4.3106E-01
H	5.058E-01	1.7737E-01	9.3241E-02
H+	2.1800E-01	3.8626E-01	4.2956E-01
H2	1.4782E-06	4.4901E-07	1.1277E-07
H-	2.2010E-06	4.8431E-06	2.7646E-06
H2+	2.6918E-06	7.7642E-06	4.9777E-06
HE	6.3400E-02	4.9373E-02	4.4635E-02
HE+	4.7103E-06	3.6071E-04	1.4991E-03
HE++	1.2196E-22	2.8297E-15	4.1319E-13

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US_1 = 3.60E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US_1 = 4.00E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.1023E+03	1.1017E+04	1.5248E+04
T	4.0714E+01	5.663CE+01	6.2104E+01
RHO	1.1922E+01	6.7966E+01	7.9574E+01
H	1.8349E+02	3.3294E+02	3.9203E+02
A	8.7378E+00	1.1809E+01	1.2986E+01
S	2.1791E+00	2.3530E+00	2.4633E+00
Z	2.2711E+00	2.8623E+00	3.0855E+00
GAME	8.2571E-01	8.6036E-01	8.8006E-01
U	2.6620E+01	4.6762E+00	4.6885E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.3683E+03	1.4548E+04	2.0329E+04
T	4.3696E+01	6.3581E+01	7.3567E+01
RHO	1.2701E+01	7.2207E+01	8.1185E+01
H	2.2648E+02	4.1304E+02	4.9035E+02
A	9.4489E+00	1.3381E+01	1.5285E+01
S	2.2938E+00	2.4968E+00	2.6029E+00
Z	2.4654E+00	3.1688E+00	3.4038E+00
GAME	8.2876E-01	8.8869E-01	9.3297E-01
U	2.9744E+01	5.2391E+00	5.5100E+00

SPECIES ----- MOLE FRACTIONS -----			
E-	1.8541E-01	3.5369E-01	4.0042E-01
H	5.6312E-01	2.4038E-01	1.5108E-01
H+	1.8541E-01	3.5351E-01	3.9986E-01
H2	1.9923E-06	8.8020E-07	3.3847E-07
H-	2.1362E-06	6.1627E-06	4.5482E-06
H2+	2.5403E-06	9.3654E-06	7.5736E-06
HE	6.6045E-02	5.2233E-02	4.8058E-02
HE+	2.5537E-06	1.7147E-04	5.5710E-04
HE++	1.2527E-23	2.0361E-16	1.4064E-14

SPECIES ----- MOLE FRACTIONS -----			
E-	2.4962E-01	4.1619E-01	4.5649E-01
H	4.3991E-01	1.2110E-01	4.7891E-02
H+	2.4962E-01	4.1536E-01	4.5155E-01
H2	1.0815E-06	1.8986E-07	2.3692E-08
H-	2.2247E-06	3.3566E-06	1.2660E-06
H2+	2.7526E-06	5.7266E-06	2.5231E-06
HE	6.0833E-02	4.6514E-02	3.9127E-02
HE+	8.2680E-06	8.2292E-04	4.9412E-03
HE++	9.8054E-22	4.8809E-14	2.4543E-11

TABLE I. - Continued

$$P_1 = 20 \text{ N/m}^2$$

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US_1 = 4.20E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	1.5116E+03	1.6408E+04
T	4.5161E+01	6.8316E+01
RHO	1.3026E+01	7.2493E+01
H	2.4967E+02	4.5594E+02
A	9.8227E+00	1.4378E+01
S	2.3530E+00	2.5676E+00
Z	2.5698E+00	3.3131E+00
GAM	8.3139E-01	9.1337E-01
U	3.1296E+01	5.6305E+00

SPECIES ----- MOLE FRACTIONS -----

E-	2.8009E-01	4.4162E-01	4.7549E-01
H	3.8145E-01	7.3633E-02	2.1797E-02
H+	2.8008E-01	4.3947E-01	4.6019E-01
H2	7.7395E-07	6.0285E-08	3.4923E-09
H2+	2.1541E-06	1.9408E-06	4.6309E-07
H2++	2.7222E-06	3.5722E-06	1.0317E-06
HE	5.8357E-02	4.3125E-02	2.7230E-02
HE+	1.4076E-05	2.1496E-03	1.5298E-02
HE++	6.9746E-21	1.2625E-12	1.8355E-09

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US_1 = 4.60E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	1.8186E+03	2.0134E+04
T	4.8191E+01	8.2075E+01
RHO	1.3522E+01	6.9353E+01
H	2.9942E+02	5.4688E+02
A	1.0623E+01	1.6606E+01
S	2.4747E+00	2.7018E+00
Z	2.7908E+00	3.5372E+00
GAM	8.3909E-01	9.4989E-01
U	3.4383E+01	6.7117E+00

SPECIES ----- MOLE FRACTIONS -----

E-	3.3711E-01	4.7658E-01	4.9701E-01
H	2.7206E-01	1.9667E-02	3.6973E-03
H+	3.3707E-01	4.6094E-01	4.5851E-01
H2	3.5703E-07	2.5130E-09	2.5502E-11
H2+	1.8137E-06	3.6917E-07	3.4484E-08
H2++	2.4006E-06	8.1716E-07	9.3980E-08
HE	5.3708E-02	2.6369E-02	2.2946E-03
HE+	3.9557E-05	1.6038E-02	3.8682E-02
HE++	2.9882E-19	1.9613E-09	7.0431E-06

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US_1 = 4.40E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	1.6618E+03	1.8260E+04
T	4.6661E+01	7.4549E+01
RHO	1.3291E+01	7.1245E+01
H	2.7399E+02	5.0055E+02
A	1.0217E+01	1.5502E+01
S	2.4141E+00	2.6367E+00
Z	2.6796E+00	3.4380E+00
GAM	8.3414E-01	9.3759E-01
U	3.2844E+01	6.1352E+00

SPECIES ----- MOLE FRACTIONS -----

E-	3.0961E-01	4.6150E-01	4.8948E-01
H	3.2482E-01	3.8923E-02	9.6556E-03
H+	3.0959E-01	4.5555E-01	4.5947E-01
H2	5.3419E-07	1.3333E-08	4.2117E-10
H2+	2.0108E-06	8.9451E-07	1.4906E-07
H2++	2.5991E-06	1.8050E-06	3.7163E-07
HE	5.5954E-02	3.7284E-02	1.1378E-02
HE+	2.3727E-05	6.3461E-03	3.0015E-02
HE++	4.7081E-20	5.2257E-11	9.5770E-08

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US_1 = 4.80E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	1.9820E+03	2.1957E+04
T	4.9832E+01	9.0879E+01
RHO	1.3685E+01	6.6828E+01
H	3.2598E+02	5.9484E+02
A	1.1061E+01	1.8045E+01
S	2.5368E+00	2.7626E+00
Z	2.9064E+00	3.6154E+00
GAM	8.4466E-01	9.9104E-01
U	3.5912E+01	7.3606E+00

SPECIES ----- MOLE FRACTIONS -----

E-	3.6348E-01	4.8830E-01	4.9910E-01
H	2.2150E-01	1.0088E-02	1.6110E-03
H+	3.6341E-01	4.6012E-01	4.5868E-01
H2	2.2409E-07	4.5064E-10	1.5042E-12
H2+	1.5627E-06	1.4613E-07	1.0362E-08
H2++	2.1229E-06	3.5383E-07	2.3388E-08
HE	5.1543E-02	1.33C6E-02	5.4530E-04
HE+	6.7281E-05	2.8183E-02	3.9716E-02
HE++	1.9752E-18	4.7698E-08	3.5234E-04

TABLE I. - Continued

$$P_1 = 20 \text{ N/m}^2$$

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US1 = 5.20E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.1517E+03	2.3567E+04	3.7441E+04
T	5.1634E+01	1.0276E+02	1.6252E+02
RHO	1.3779E+01	6.2561E+01	6.2089E+01
H	3.5365E+02	6.4366E+02	8.3176E+02
A	1.1536E+01	2.0187E+01	2.5094E+01
S	2.5995E+00	2.8195E+00	2.9420E+00
Z	3.0243E+00	3.6660E+00	3.7104E+00
GAME	8.5219E-01	1.0818E+00	1.0442E+00
U	3.7428E+01	8.2613E+00	1.0635E+01

SPECIES	MOLE FRACTIONS		
E-	3.8828E-01	4.9536E-01	5.0140E-01
H	1.7395E-01	4.8919E-03	9.8266E-04
H+	3.8816E-01	4.5882E-01	4.5719E-01
H2	1.2970E-07	5.9912E-11	2.2655E-13
H2+	1.2742E-06	4.9153E-08	9.9324E-09
H2++	1.7822E-06	1.3030E-07	9.2700E-09
ME	4.9681E-02	4.3859E-03	2.4952E-04
ME+	1.1648E-04	3.6526E-02	3.6145E-02
ME++	1.4338E-17	1.1204E-06	4.0321E-03

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US1 = 5.40E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.5084E+03	2.5979E+04	4.3860E+04
T	5.6189E+01	1.3495E+02	1.9518E+02
RHO	1.3696E+01	5.2112E+01	5.9426E+01
H	4.1230E+02	7.4355E+02	9.8007E+02
A	1.2689E+01	2.3884E+01	2.7081E+01
S	2.7250E+00	2.9172E+00	3.0279E+00
Z	3.2594E+00	3.6941E+00	3.7815E+00
GAME	8.7916E-01	1.1443E+00	9.9367E-01
U	4.0404E+01	1.0612E+01	1.2084E+01

SPECIES	MOLE FRACTIONS		
E-	4.3241E-01	4.9920E-01	5.1078E-01
H	8.9611E-02	1.3844E-03	6.2998E-04
H+	4.3195E-01	4.5881E-01	4.4892E-01
H2	2.8708E-08	1.0117E-12	3.6575E-14
H2+	6.5525E-07	7.1743E-09	4.0850E-09
H2++	9.8786E-07	1.6926E-08	3.8307E-09
HE	4.5559E-02	4.9580E-04	7.3723E-05
HE+	4.6182E-04	3.9022E-02	1.7332E-02
HE++	1.4427E-15	2.8711E-04	2.2261E-02

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US1 = 5.20E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.3273E+03	2.4908E+04	4.0798E+04
T	5.3695E+01	1.1813E+02	1.7957E+02
RHO	1.3791E+01	5.7198E+01	6.0707E+01
H	3.8243E+02	6.9305E+02	9.0547E+02
A	1.2067E+01	2.2320E+01	2.5777E+01
S	2.6624E+00	2.8709E+00	2.9856E+00
Z	3.1428E+00	3.6864E+00	3.7426E+00
GAME	8.6288E-01	1.1440E+00	9.8868E-01
U	3.8928E+01	9.3841E+00	1.1406E+01

SPECIES	MOLE FRACTIONS		
E-	4.1136E-01	4.9816E-01	5.0569E-01
H	1.2978E-01	2.4268E-03	7.6463E-04
H+	4.1114E-01	4.5872E-01	4.5346E-01
H2	6.6741E-08	6.8776E-12	8.1466E-14
H2+	9.6647E-07	1.6602E-08	4.7719E-09
H2++	1.3954E-06	4.6245E-08	5.6537E-09
HE	4.7506E-02	1.2759E-03	1.4326E-04
HE+	2.2199E-04	3.9391E-02	2.7644E-02
HE++	1.2349E-16	2.3124E-05	1.2292E-02

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US1 = 5.40E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.6938E+03	2.6817E+04	4.6498E+04
T	5.9426E+01	1.5123E+02	2.1252E+02
RHO	1.3455E+01	4.7892E+01	5.7351E+01
H	4.4325E+02	7.9423E+02	1.0576E+03
A	1.3458E+01	2.4640E+01	2.9066E+01
S	2.7867E+00	2.9600E+00	3.0690E+00
Z	3.3689E+00	3.7027E+00	3.8150E+00
GAME	9.0468E-01	1.0842E+00	1.0420E+00
U	4.1842E+01	1.1744E+01	1.2812E+01

SPECIES	MOLE FRACTIONS		
E-	4.5086E-01	5.0036E-01	5.1507E-01
H	5.4889E-02	9.1324E-04	5.1449E-04
H+	4.4972E-01	4.5821E-01	4.4509E-01
H2	9.3280E-09	2.2175E-13	1.6113E-14
H2+	3.7743E-07	4.1930E-09	3.4011E-09
H2++	6.0005E-07	7.8587E-09	2.5559E-09
HE	4.3389E-02	2.6178E-04	3.0010E-05
HE+	1.1359E-03	3.8349E-02	8.5988E-03
HE++	2.8058E-14	1.9004E-03	3.0690E-02

TABLE I. - Continued

$$P_1 = 20 \text{ N/m}^2$$

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US_1 = 5.80E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.8823E+03	2.7495E+04	4.8688E+04
T	6.3785E+01	1.6518E+02	2.3551E+02
RHO	1.3054E+01	4.4741E+01	5.3887E+01
H	4.7524E+02	8.4740E+02	1.1413E+03
A	1.4359E+01	2.4928E+01	3.1696E+01
S	2.8458E+00	3.0090E+00	3.1120E+00
Z	3.4617E+00	3.7213E+00	3.8363E+00
GAM	9.3373E-01	1.0112E+00	1.1120E+00
U	4.3228E+01	1.2589E+01	1.3790E+01
SPECIES	----- MOLE FRACTIONS -----		
E-	4.6558E-01	5.0286E-01	5.1777E-01
H	2.8880E-02	6.8470E-04	3.9774E-04
H+	4.6221E-01	4.5615E-01	4.4273E-01
H2	2.1136E-09	7.7668E-14	5.8899E-15
H-	1.7563E-07	3.0180E-09	2.5878E-09
H2+	2.9908E-07	4.5315E-09	1.5363E-09
HE	3.9959E-02	1.6097E-04	8.5281E-06
HE+	3.3720E-03	3.3579E-02	3.1487E-03
HE++	1.0102E-12	6.5688E-03	3.5943E-02

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US_1 = 6.20E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.2729E+03	2.8774E+04	5.2602E+04
T	7.4957E+01	1.8855E+02	2.49513E+02
RHO	1.2134E+01	4.0364E+01	4.6322E+01
H	5.4240E+02	9.6002E+02	1.3265E+03
A	1.5949E+01	2.6515E+01	3.6379E+01
S	2.9574E+00	3.0786E+00	3.1929E+00
Z	3.5986E+00	3.7807E+00	3.8477E+00
GAM	9.4301E-01	9.8622E-01	1.1655E+00
U	4.5920E+01	1.3771E+01	1.6269E+01
SPECIES	----- MOLE FRACTIONS -----		
E-	4.8591E-01	5.1067E-01	5.1920E-01
H	7.1363E-03	4.6054E-04	2.2735E-04
H+	4.6527E-01	4.4919E-01	4.4159E-01
H2	7.8590E-11	1.5670E-14	7.2601E-16
H-	3.0373E-08	1.9964E-09	1.3138E-09
H2+	5.9858E-08	2.0446E-09	5.3868E-10
HE	2.1045E-02	5.5451E-05	5.4671E-07
HE+	2.0638E-02	1.7755E-02	3.6514E-04
HE++	1.0653E-09	2.1865E-02	3.8618E-02

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US_1 = 6.00E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.0745E+03	2.8068E+04	5.0546E+04
T	6.9238E+01	1.7706E+02	2.6407E+02
RHJ	1.2557E+01	4.2282E+01	4.5783E+01
H	5.0827E+02	9.0267E+02	1.2316E+03
A	1.5149E+01	2.5515E+01	3.4213E+01
S	2.9034E+00	3.0407E+00	3.1546E+00
Z	3.5361E+00	3.7494E+00	3.8449E+00
GAM	9.3733E-01	9.8075E-01	1.1529E+00
U	4.4574E+01	1.3208E+01	1.5000E+01
SPECIES	----- MOLE FRACTIONS -----		
E-	4.7683E-01	5.0658E-01	5.1885E-01
H	1.3877E-02	5.5151E-04	2.9776E-04
H+	4.6687E-01	4.5286E-01	4.4184E-01
H2	3.8113E-10	3.2115E-14	1.9666E-15
H-	7.0847E-08	2.3913E-09	1.8391E-09
H2+	1.3026E-07	2.9354E-09	8.8796E-10
HE	3.2466E-02	9.8173E-05	2.0380E-06
HE+	9.9532E-03	2.6090E-02	1.0119E-03
HE++	4.5002E-11	1.3819E-02	3.7998E-02

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US_1 = 6.40E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.4746E+03	2.9211E+04	5.4236E+04
T	8.1651E+01	2.0078E+02	3.2827E+02
RHO	1.2134E+01	3.8195E+01	4.2928E+01
H	5.7757E+02	1.0179E+03	1.4235E+03
A	1.1657E+01	2.7935E+01	3.8431E+01
S	3.0084E+00	3.1155E+00	3.2310E+00
Z	3.6506E+00	3.8086E+00	3.8687E+00
GAM	9.9336E-01	1.0205E+00	1.1690E+00
U	3.47228E+01	1.4392E+01	1.7538E+01
SPECIES	----- MOLE FRACTIONS -----		
E-	4.9324E-01	5.1426E-01	5.1932E-01
H	3.6691E-03	3.8438E-04	1.7527E-04
H+	4.6200E-01	4.5597E-01	4.4153E-01
H2	1.5437E-11	7.7275E-15	2.8724E-16
H-	1.2518E-08	1.6460E-09	9.2769E-10
H2+	2.6694E-08	1.4202E-09	3.3708E-10
HE	9.8536E-03	2.7184E-05	1.6509E-07
HE+	3.1235E-02	1.0426E-02	1.5091E-04
HE++	1.8496E-08	2.8931E-02	3.8823E-02

TABLE I. -Continued

 $P_1 = 20 \text{ N/m}^2$

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US_1 = 6.60E+04 \text{ M/SEC}$
 $XH_2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.6742E+03	2.8929E+04	5.4582E+04
T	9.0766E+01	2.1468E+02	3.6069E+02
RHO	1.0993E+01	3.5195E+01	3.6315E+01
H	6.1360E+02	1.0743E+03	1.5190E+03
A	1.9069E+01	2.9704E+01	4.0305E+01
S	3.0556E+00	3.1532E+00	3.2660E+00
Z	3.6823E+00	3.8287E+00	3.8492E+00
GAME	1.0880E+00	1.0735E+00	1.1701E+00
U	4.8428E+01	1.5108E+01	1.8740E+01

SPECIES	MOLE FRACTIONS		
E-	4.9759E-01	5.1680E-01	5.1938E-01
H	1.7349E-03	3.1058E-04	1.3685E-04
H+	4.5994E-01	4.4371E-01	4.4151E-01
H2	2.2437E-12	3.4550E-15	1.2317E-16
H+	4.3048E-09	1.2739E-09	6.4829E-10
H2+	1.0211E-08	9.2945E-10	2.1742E-10
HE	3.0798E-03	1.1073E-05	5.8303E-08
HE+	3.7656E-02	5.2401E-03	7.3747E-05
HE++	3.6200E-07	3.3927E-02	3.8895E-02

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US_1 = 7.00E+04 \text{ M/SEC}$
 $XH_2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.0692E+03	2.7171E+04	5.3007E+04
T	1.1567E+02	2.4716E+02	4.2336E+02
RHO	9.5134E+00	2.8591E+01	3.2525E+01
H	6.8819E+02	1.1830E+03	1.7043E+03
A	2.2235E+01	3.3042E+01	4.3678E+01
S	3.1381E+00	3.2257E+00	3.3533E+00
Z	3.6978E+00	3.8491E+00	3.8496E+00
GAME	1.1556E+00	1.1488E+00	1.1706E+00
U	5.0571E+01	1.6841E+01	2.0881E+01

SPECIES	MOLE FRACTIONS		
E-	4.9970E-01	5.1886E-01	5.1943E-01
H	4.4251E-04	1.9320E-04	8.6793E-05
H+	4.5930E-01	4.4193E-01	4.4152E-01
H2	4.2466E-14	6.1017E-16	2.7717E-17
H-	5.2132E-10	6.7789E-10	3.1931E-10
H2+	1.4123E-09	3.6720E-10	9.8470E-11
HE	2.5709E-04	1.4321E-06	1.0307E-08
HE+	4.0214E-02	1.0688E-03	2.5197E-05
HE++	9.3650E-05	3.7921E-02	3.8940E-02

$P_1 = 2.00E+01 \text{ N/SQ-M}$, $US_1 = 6.80E+04 \text{ M/SEC}$
 $XH_2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.8702E+03	2.8041E+04	5.3760E+04
T	1.0270E+02	2.3027E+02	3.9254E+02
RHO	1.0201E+01	3.1713E+01	3.5577E+01
H	6.5042E+02	1.1289E+03	1.6121E+03
A	2.0869E+01	3.1487E+01	4.2059E+01
S	3.0994E+00	3.1908E+00	3.3016E+00
Z	3.6941E+00	3.8398E+00	3.8494E+00
GAME	1.1480E+00	1.1213E+00	1.1704E+00
U	4.9512E+01	1.5898E+01	1.9869E+01

SPECIES	MOLE FRACTIONS		
E-	4.9920E-01	5.1821E-01	5.1941E-01
H	8.1318E-04	2.4466E-04	1.0753E-04
H+	4.5938E-01	4.4248E-01	4.4152E-01
H2	2.7269E-13	1.4394E-15	9.3488E-17
H-	1.3548E-09	9.3224E-10	4.4744E-10
H2+	3.5669E-09	5.8118E-10	1.4244E-10
HE	7.9635E-04	3.9925E-06	2.2948E-08
HE+	3.9802E-02	2.3938E-03	4.0674E-05
HE++	7.2866E-06	3.6666E-02	3.8926E-02

TABLE I. -Continued

$$P_1 = 50 \text{ N/m}^2$$

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $US_1 = 4.00E+03 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.2097E+01	2.5396E+01	6.2299E+01
T	3.0557E+00	3.8279E+00	5.4368E+00
RHO	3.9585E+00	6.6354E+00	1.1456E+01
H	3.1244E+00	3.9436E+00	5.7334E+00
A	1.7411E+00	1.9395E+00	2.2782E+00
S	1.0540E+00	1.0557E+00	1.0716E+00
Z	1.0000E+00	1.0000E+00	1.0002E+00
GAME	9.9208E-01	9.8272E-01	9.5441E-01
U	2.4141E+00	1.4366E+00	1.2759E+00

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $US_1 = 6.00E+03 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.7691E+01	9.0631E+01	1.6981E+02
T	5.5705E+00	7.3331E+00	8.3360E+00
RHO	4.9685E+00	1.2211E+01	1.0590E+01
H	5.8993E+00	8.6222E+00	1.1383E+01
A	2.2948E+00	2.5037E+00	2.6531E+00
S	1.1101E+00	1.1177E+00	1.1391E+00
Z	1.0004E+00	1.0122E+00	1.0398E+00
GAME	9.4493E-01	8.4454E-01	8.1208E-01
U	3.8709E+00	1.5721E+00	1.3197E+00

SPECIES	MOLE FRACTIONS		
E-	3.4861E-61	4.8568E-39	4.7848E-23
H	2.5859E-09	4.3855E-07	3.9575E-04
H+	5.4731E-20	6.1971E-20	6.6363E-20
H2	8.5000E-01	8.5000E-01	8.4963E-01
H-	2.2387E-69	3.9280E-45	1.1647E-27
H2+	1.4690E-20	7.4502E-21	3.0927E-21
HE	1.5000E-01	1.5000E-01	1.4997E-01
HE+	1.0100E-71	9.9106E-60	1.7811E-50
HE++	0.	0.	0.

SPECIES	MOLE FRACTIONS		
E-	1.2159E-21	1.5441E-15	1.9864E-13
H	8.8911E-04	2.4176E-02	7.6510E-02
H+	6.8641E-20	1.5080E-15	1.9424E-13
H2	8.4918E-01	8.2764E-01	7.7923E-01
H-	2.0757E-26	2.7227E-19	1.0234E-16
H2+	1.9656E-21	3.6427E-17	4.5036E-15
HE	1.4993E-01	1.4819E-01	1.4426E-01
HE+	5.3597E-50	3.4237E-39	1.2602E-34
HE++	0.	0.	0.

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $US_1 = 5.00E+03 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9056E+01	5.0655E+01	1.0986E+02
T	4.2231E+00	5.6416E+00	7.2491E+00
RHO	4.5127E+00	8.9728E+00	1.5009E+01
H	4.3713E+00	5.9785E+00	8.3739E+00
A	2.0315E+00	2.3106E+00	2.5005E+00
S	1.0825E+00	1.0865E+00	1.1048E+00
Z	1.0000E+00	1.0004E+00	1.0096E+00
GAME	9.7725E-01	9.4591E-01	8.5431E-01
U	3.1423E+00	1.5771E+00	1.3554E+00

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $US_1 = 7.00E+03 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.8335E+01	1.5520E+02	2.5695E+02
T	6.8131E+00	8.4375E+00	9.1547E+00
RHO	5.5864E+00	1.7560E+01	2.5844E+01
H	7.7268E+00	1.1941E+01	1.5003E+01
A	2.4307E+00	2.6725E+00	2.8240E+00
S	1.1369E+00	1.1523E+00	1.1777E+00
Z	1.0073E+00	1.0475E+00	1.0861E+00
GAME	8.6095E-01	8.0810E-01	8.0207E-01
U	4.6410E+00	1.4747E+00	1.2819E+00

SPECIES	MOLE FRACTIONS		
E-	8.7488E-33	5.4947E-21	5.8852E-16
H	5.1713E-06	8.2781E-04	1.8999E-02
H+	6.5059E-20	7.2224E-20	9.6356E-16
H2	8.5000E-01	8.4923E-01	8.3243E-01
H-	1.8416E-38	1.5455E-25	2.0506E-19
H2+	4.3622E-21	2.6640E-21	2.5235E-17
HE	1.5000E-01	1.4954E-01	1.4858E-01
HE+	1.6005E-56	2.8681E-49	2.7750E-39
HE++	0.	0.	0.

SPECIES	MOLE FRACTIONS		
E-	7.3113E-17	3.3323E-13	4.2132E-12
H	1.4501E-02	9.0664E-02	1.5856E-01
H+	7.1635E-17	3.2641E-13	4.1233E-12
H2	8.3659E-01	7.6614E-01	7.0334E-01
H-	2.6544E-21	1.7242E-16	3.8527E-15
H2+	1.5697E-18	6.9990E-15	9.3793E-14
HE	1.4891E-01	1.4320E-01	1.3811E-01
HE+	6.3077E-41	3.4522E-34	1.7606E-32
HE++	0.	0.	0.

TABLE I. -Continued

$$p_1 = 50 \text{ N/m}^2$$

$p_1 = 5.00E+01 \text{ N/SQ-M}$, $US1 = 8.00E+03 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.1268E+01	2.5683E+02	3.9298E+02
T	7.6584E+00	9.2895E+00	9.5086E+00
RHO	6.5149E+00	2.5147E+01	3.4571E+01
H	9.8624E+00	1.5933E+01	1.9392E+01
A	2.5329E+00	2.8601E+00	3.0171E+00
S	1.1651E+00	1.1916E+00	1.2213E+00
Z	1.0274E+00	1.0996E+00	1.1470E+00
GAME	8.1533E-01	8.0084E-01	8.0088E-01
U	5.4677E+00	1.4142E+00	1.2705E+00

SPECIES	MOLE FRACTIONS		
E-	1.6970E-14	6.5593E-12	4.4004E-11
H	5.3350E-02	1.8117E-01	2.5640E-01
H+	1.6714E-14	6.5203E-12	4.3108E-11
H2	8.0065E-01	6.8242E-01	6.1283E-01
H-	3.1390E-18	6.2684E-15	6.5181E-14
H2+	2.5972E-16	1.4528E-13	9.6148E-13
HE	1.4600E-01	1.3641E-01	1.3077E-01
HE+	1.9616E-37	3.3567E-31	2.4553E-29
HE++	0.	0.	0.

$p_1 = 5.00E+01 \text{ N/SQ-M}$, $US1 = 9.00E+03 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.6237E+01	4.0061E+02	5.8251E+02
T	8.2606E+00	1.0038E+01	1.0621E+01
RHO	7.5819E+00	3.4290E+01	4.4938E+01
H	1.2287E+01	2.0520E+01	2.4447E+01
A	2.6448E+00	3.0593E+00	3.2272E+00
S	1.1959E+00	1.2359E+00	1.2697E+00
Z	1.0576E+00	1.1641E+00	1.2203E+00
GAME	8.0070E-01	8.0096E-01	8.0358E-01
U	6.3074E+00	1.3960E+00	1.2758E+00

SPECIES	MOLE FRACTIONS		
E-	2.7481E-13	6.1580E-11	2.7662E-10
H	1.0885E-01	2.8191E-01	3.6108E-01
H+	2.7095E-13	6.0325E-11	2.7120E-10
H2	7.4931E-01	5.8923E-01	5.1600E-01
H-	8.2042E-17	9.3778E-14	5.8821E-13
H2+	3.9436E-15	1.3492E-12	6.0112E-12
HE	1.4184E-01	1.2886E-01	1.2292E-01
HE+	6.55229E-35	1.9917E-29	1.7961E-27
HE++	0.	0.	0.

$p_1 = 5.00E+01 \text{ N/SQ-M}$, $US1 = 1.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	8.3087E+01	5.8944E+02	8.2797E+02
T	8.7508E+00	1.0737E+01	1.1323E+01
RHO	8.6708E+00	4.4303E+01	5.6034E+01
H	1.4993E+01	2.5669E+01	3.0154E+01
A	2.7608E+00	3.2710E+00	3.4561E+00
S	1.2295E+00	1.2848E+00	1.3228E+00
Z	1.0949E+00	1.2392E+00	1.3049E+00
GAME	7.9549E-01	8.0412E-01	8.0844E-01
U	7.1428E+00	1.4000E+00	1.3053E+00

SPECIES	MOLE FRACTIONS		
E-	1.9913E-12	3.67C8E-10	1.3220E-09
H	1.7341E-01	3.8608E-01	4.6735E-01
H+	1.9650E-12	3.6004E-10	1.2977E-09
H2	6.8960E-01	4.9288E-01	4.1770E-01
H-	8.4766E-16	7.9650E-13	3.7124E-12
H2+	2.7161E-14	7.8386E-12	2.7947E-11
HE	1.3699E-01	1.2104E-01	1.1495E-01
HE+	5.4350E-33	1.9544E-27	7.1173E-26
HE++	0.	0.	0.

$p_1 = 5.00E+01 \text{ N/SQ-M}$, $US1 = 1.10E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.0175E+02	8.2973E+02	1.1313E+03
T	9.1790E+00	1.1418E+01	1.2041E+01
RHO	9.7355E+00	5.4557E+01	6.7120E+01
H	1.7979E+01	3.1360E+01	3.6487E+01
A	2.8807E+00	3.4976E+00	3.7069E+00
S	1.2660E+00	1.3377E+00	1.3800E+00
Z	1.1385E+00	1.3240E+00	1.3998E+00
GAME	7.9409E-01	8.0920E-01	8.1533E-01
U	7.9697E+00	1.4245E+00	1.3509E+00

SPECIES	MOLE FRACTIONS		
E-	9.2379E-12	1.6417E-09	5.3920E-09
H	2.4327E-01	4.8936E-01	5.7121E-01
H+	9.1226E-12	1.6127E-09	5.3035E-09
H2	6.2498E-01	3.9734E-01	3.2163E-01
H-	5.1414E-15	4.6151E-12	1.0589E-11
H2+	1.2044E-13	3.3677E-11	1.0707E-10
HE	1.3175E-01	1.1330E-01	1.0716E-01
HE+	1.8243E-31	9.2705E-26	2.0686E-24
HE++	0.	2.1951E-92	3.9138E-88

TABLE I. -Continued

$$P_1 = 50 \text{ N/m}^2$$

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $U_{S1} = 1.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.2215E+02	1.1058E+03	1.4933E+03
T	9.5689E+00	1.2111E+01	1.2816E+01
RHO	1.0749E+01	6.4428E+01	7.7476E+01
H	2.1244E+01	3.7570E+01	4.3648E+01
A	3.0050E+00	3.7428E+00	3.9880E+00
S	1.3051E+00	1.3937E+00	1.4404E+00
Z	1.1876E+00	1.4172E+00	1.5038E+00
GAME	7.9458E-01	8.1619E-01	8.2518E-01
U	8.7852E+00	1.4680E+00	1.4146E+00

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $U_{S1} = 1.40E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.6832E+02	1.8001E+03	2.4059E+03
T	1.0301E+01	1.3732E+01	1.5059E+01
RHO	1.2554E+01	8.0685E+01	9.2229E+01
H	2.8618E+01	5.1583E+01	5.9571E+01
A	3.2718E+00	4.3343E+00	4.7873E+00
S	1.3908E+00	1.5129E+00	1.5693E+00
Z	1.3016E+00	1.6247E+00	1.7323E+00
GAME	7.9843E-01	8.4203E-01	8.7857E-01
U	1.0400E+01	1.6206E+00	1.6308E+00

SPECIES	MOLE FRACTIONS		
E-	3.2153E-11	6.2921E-09	2.0689E-08
H	3.1600E-01	5.8876E-01	6.7012E-01
H+	3.1771E-11	6.1934E-09	2.0404E-08
H2	5.5770E-01	3.0540E-01	2.3014E-01
H-	2.1980E-14	2.1260E-11	8.1449E-11
H2+	4.0399E-13	1.1993E-10	3.6684E-10
HE	1.2630E-01	1.0584E-01	9.9741E-02
HE+	2.6840E-30	2.6605E-24	5.4859E-23
HE++	0.	2.1402E-88	6.4948E-83

SPECIES	MOLE FRACTIONS		
E-	2.5700E-10	8.4801E-08	6.6734E-07
H	4.6344E-01	7.6857E-01	8.4547E-01
H+	2.5435E-10	8.3942E-08	4.6432E-07
H2	4.2132E-01	1.3870E-01	6.7937E-02
H-	2.3796E-13	3.3606E-10	1.7905E-09
H2+	2.8907E-12	1.1958E-09	4.8148E-09
HE	1.1524E-01	9.2327E-02	8.6589E-02
HE+	3.2191E-28	1.3712E-21	1.0527E-19
HE++	0.	4.5472E-77	1.2931E-71

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $U_{S1} = 1.30E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.4436E+02	1.4328E+03	1.9176E+03
T	9.9386E+00	1.2857E+01	1.3737E+01
RHO	1.1695E+01	7.3408E+01	8.6372E+01
H	2.4790E+01	4.4318E+01	5.1105E+01
A	3.1349E+00	4.0154E+00	4.3218E+00
S	1.3468E+00	1.4524E+00	1.5037E+00
Z	1.2421E+00	1.5182E+00	1.6162E+00
GAME	7.9611E-01	8.2606E-01	8.4132E-01
U	9.5959E+00	1.5312E+00	1.5027E+00

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $U_{S1} = 1.50E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9404E+02	2.1998E+03	2.9870E+03
T	1.0661E+01	1.4938E+01	1.8186E+01
RHO	1.3325E+01	8.5058E+01	8.5799E+01
H	3.2727E+01	5.9344E+01	6.9517E+01
A	3.4164E+00	4.7616E+00	5.8771E+00
S	1.4370E+00	1.5738E+00	1.6372E+00
Z	1.3659E+00	1.7313E+00	1.8260E+00
GAME	8.0155E-01	8.7668E-01	1.0384E+00
U	1.1198E+01	1.7567E+00	1.9489E+00

SPECIES	MOLE FRACTIONS		
E-	9.3812E-11	2.2402E-08	8.2925E-08
H	3.8981E-01	6.8261E-01	7.6250E-01
H+	9.2751E-11	2.2105E-08	8.2045E-08
H2	4.8943E-01	2.1859E-01	1.4469E-01
H-	7.5898E-14	8.5413E-11	3.4567E-10
H2+	1.1369E-12	3.827CE-10	1.2260E-09
HE	1.2076E-01	9.8804E-02	9.2813E-02
HE+	1.6566E-29	5.2622E-23	1.4922E-21
HE++	0.	1.6386E-82	3.6861E-78

SPECIES	MOLE FRACTIONS		
E-	6.3724E-10	4.2067E-07	1.1055E-05
H	5.3581E-01	8.4481E-01	9.0649E-01
H+	6.3122E-10	4.1800E-07	1.1036E-05
H2	3.5438E-01	6.8551E-02	1.1479E-02
H-	6.5538E-13	1.5249E-09	2.5245E-08
H2+	6.6663E-12	4.1940E-09	4.4085E-08
HE	1.0981E-01	8.6639E-02	8.2011E-02
HE+	2.7328E-27	7.6760E-20	2.8119E-16
HE++	0.	8.0044E-72	2.8185E-59

TABLE I. - Continued

$$P_1 = 50 \text{ N/m}^2$$

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $US_1 = 1.60E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $US_1 = 1.80E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.2149E+02	2.6034E+03	3.7229E+03
T	1.1030E+01	1.7234E+01	2.6127E+01
RHO	1.3996E+01	8.3074E+01	7.6973E+01
H	3.7117E+01	6.7520E+01	8.2307E+01
A	3.5706E+00	5.5809E+00	7.2954E+00
S	1.4851E+00	1.6325E+00	1.7011E+00
Z	1.4348E+00	1.8182E+00	1.8512E+00
GAME	8.0557E-01	9.9389E-01	1.1004E+00
U	1.1991E+01	2.0225E+00	2.6628E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.8146E+02	3.2916E+03	5.1837E+03
T	1.1866E+01	2.7440E+01	3.6570E+01
RHO	1.4968E+01	6.4716E+01	7.4468E+01
H	4.6740E+01	8.4598E+01	1.0687E+02
A	3.9234E+00	7.3746E+00	7.9199E+00
S	1.5862E+00	1.7223E+00	1.7817E+00
Z	1.5847E+00	1.8536E+00	1.9035E+00
GAME	8.1862E-01	1.0692E+00	9.0111E-01
U	1.3558E+01	3.1385E+00	3.4108E+00

SPECIES	MOLE FRACTIONS		
E-	1.4835E-09	4.9692E-06	1.2691E-03
H	6.0607E-01	9.0008E-01	9.1580E-01
H+	1.4707E-09	4.9577E-06	1.2689E-03
H2	2.8938E-01	1.7414E-02	6.2647E-04
H-	1.6580E-12	1.2264E-08	9.0714E-07
H2+	1.4387E-11	2.3801E-08	1.0543E-06
HE	1.0454E-01	8.2453E-02	8.1029E-02
HE+	1.5306E-26	3.5626E-17	3.8786E-11
HE++	0.	3.4667E-62	2.8753E-40

SPECIES	MOLE FRACTIONS		
E-	8.6661E-09	2.3209E-03	2.8188E-02
H	7.3793E-01	9.1404E-01	8.6471E-01
H+	8.6124E-09	2.3208E-03	2.8187E-02
H2	1.6741E-01	3.8943E-04	9.5368E-05
H-	1.0324E-11	1.2279E-06	8.3166E-06
H2+	6.4063E-11	1.3975E-06	9.4622E-06
HE	9.4655E-02	8.0925E-02	7.8804E-02
HE+	1.2737E-24	1.5478E-10	9.2415E-08
HE++	3.7777E-90	4.2368E-38	5.5367E-28

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $US_1 = 1.70E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $US_1 = 1.90E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.5064E+02	2.9576E+03	4.4693E+03
T	1.1242E+01	2.1962E+01	3.2572E+01
RHO	1.4550E+01	7.2924E+01	7.3360E+01
H	4.1788E+01	7.5906E+01	9.4899E+01
A	3.7376E+00	6.7855E+00	7.6518E+00
S	1.5350E+00	1.6823E+00	1.7458E+00
Z	1.5080E+00	1.8467E+00	1.8704E+00
GAME	8.1091E-01	1.1353E+00	9.6106E-01
U	1.2778E+01	2.5510E+00	3.1604E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.1385E+02	3.6486E+03	5.8646E+03
T	1.2397E+01	3.2002E+01	3.9471E+01
RHO	1.5214E+01	6.1017E+01	7.6439E+01
H	5.1971E+01	9.3853E+01	1.1884E+02
A	4.1407E+00	7.5906E+00	8.2003E+00
S	1.6383E+00	1.7574E+00	1.8152E+00
Z	1.6639E+00	1.8692E+00	1.9438E+00
GAME	8.3114E-01	9.6345E-01	8.7646E-01
U	1.4328E+01	3.5819E+00	3.5587E+00

SPECIES	MOLE FRACTIONS		
E-	3.4886E-09	1.6998E-06	1.1071E-02
H	6.7367E-01	9.1647E-01	8.9748E-01
H+	3.4625E-09	1.6992E-06	1.1071E-02
H2	2.2685E-01	1.9667E-03	1.6977E-04
H-	4.1084E-12	1.8411E-07	4.3046E-06
H2+	3.0291E-11	2.4483E-07	4.7878E-06
HE	9.9474E-02	8.1227E-02	8.0198E-02
HE+	1.0590E-25	2.3893E-13	8.5460E-09
HE++	4.2124E-91	3.1325E-48	9.2841E-32

SPECIES	MOLE FRACTIONS		
E-	2.3249E-08	1.0415E-02	4.8336E-02
H	7.9805E-01	8.9876E-01	8.2607E-01
H+	2.3136E-08	1.0415E-02	4.8334E-02
H2	1.1181E-01	1.5685E-04	6.6427E-05
H-	2.6963E-11	3.5147E-06	1.2010E-05
H2+	1.3991E-10	3.9051E-06	1.4071E-05
HE	9.0147E-02	8.0250E-02	7.7168E-02
HE+	1.3811E-23	6.1459E-09	3.8163E-07
HE++	2.6086E-86	1.1342E-32	9.7668E-26

TABLE I. - Continued

$$P_1 = 50 \text{ N/m}^2$$

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $US_1 = 2.00E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.4761E+02	4.0313E+03	6.4601E+03
T	1.3127E+01	3.5336E+01	4.1789E+01
RHO	1.5193E+01	6.0430E+01	7.7737E+01
H	5.7477E+01	1.0385E+02	1.3098E+02
A	4.4280E+00	7.8012E+00	8.4756E+00
S	1.6907E+00	1.7900E+00	1.8484E+00
Z	1.7429E+00	1.897CE+00	1.9886E+00
GAMF	8.5700E-01	9.1128E-01	8.6444E-01
U	1.5080E+01	3.7872E+00	3.6588E+00

SPECIES ----- MOLE FRACTIONS -----

E-	7.8981E-08	2.4934E-02	6.9766E-02
H	8.5251E-01	8.7054E-01	7.8496E-01
H+	7.8716E-08	2.4933E-02	6.9762E-02
H2	6.1429E-02	1.1111E-04	5.0044E-05
H-	8.2765E-11	6.3623E-06	1.5097E-05
H2+	3.4695E-10	7.1768E-06	1.8200E-05
HE-	8.6062E-02	7.9069E-02	7.5429E-02
HE+	2.5697E-22	4.7821E-08	1.0299E-06
HE++	1.7135E-80	4.2325E-30	3.6764E-24

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $US_1 = 2.20E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.1542E+02	4.1697E+03	6.5230E+03
T	1.7330E+01	3.9819E+01	4.4955E+01
RHO	1.2993E+01	5.3179E+01	6.9642E+01
H	6.9228E+01	1.2420E+02	1.5447E+02
A	5.9796E+00	8.2337E+00	8.9403E+00
S	1.7881E+00	1.8620E+00	1.9223E+00
Z	1.8450E+00	1.9691E+00	2.0835E+00
GAMF	1.1183E+00	8.6461E-01	8.5335E-01
U	1.6391E+01	4.0088E+00	3.7530E+00

SPECIES ----- MOLE FRACTIONS -----

E-	1.3725E-05	6.0557E-02	1.1214E-01
H	9.1596E-01	8.0265E-01	7.0367E-01
H+	1.3720E-05	6.0555E-02	1.1213E-01
H2	2.7113E-03	4.2680E-05	2.8998E-05
H-	5.3756E-09	1.0104E-05	1.7412E-05
H2+	1.0334E-08	1.1885E-05	2.1938E-05
HE-	8.1300E-02	7.6175E-02	7.1989E-02
HE+	1.0910E-16	5.3378E-07	3.6094E-06
HE++	4.0930E-61	2.5360E-25	3.3222E-22

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $US_1 = 2.10E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.8209E+02	4.2736E+03	6.7953E+03
T	1.4425E+01	3.7921E+01	4.3654E+01
RHO	1.4617E+01	5.8670E+01	7.6452E+01
H	6.3244E+01	1.1412E+02	1.4312E+02
A	4.9502E+00	8.0328E+00	8.7317E+00
S	1.7418E+00	1.8240E+00	1.8833E+00
Z	1.8122E+00	1.9312E+00	2.0361E+00
GAMF	9.3740E-01	8.8219E-01	8.5777E-01
U	1.5791E+01	3.9477E+00	3.7266E+00

E-	5.3228E-07	4.2160E-02	9.1457E-02
H	8.9634E-01	8.3793E-01	7.4334E-01
H+	5.3143E-07	4.2158E-02	9.1451E-02
H2	2.0886E-02	6.5355E-05	3.8507E-05
H-	4.1536E-10	8.7236E-06	1.7152E-05
H2+	1.2716E-09	1.0068E-05	2.1209E-05
HE-	8.2774E-02	7.7669E-02	7.3668E-02
HE+	3.2470E-20	2.0697E-07	2.1509E-06
HE++	9.1612E-74	2.4862E-27	5.3368E-23

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $US_1 = 2.30E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.4826E+02	3.9595E+03	6.0718E+03
T	2.1467E+01	4.1241E+01	4.5946E+01
RHO	1.1288E+01	4.7764E+01	6.2022E+01
H	7.5428E+01	1.3424E+02	1.6543E+02
A	6.7241E+00	8.4235E+00	9.1240E+00
S	1.8265E+00	1.9006E+00	1.9618E+00
Z	1.8499E+00	2.0100E+00	2.1307E+00
GAMF	1.1385E+00	8.5595E-01	8.5035E-01
U	1.6921E+01	4.0081E+00	3.7601E+00

E-	3.2203E-04	7.9653E-02	1.3180E-01
H	4.1791E-01	7.6612E-01	6.6596E-01
H+	3.2201E-04	7.9650E-02	1.3179E-01
H2	3.6452E-04	3.1110E-05	2.1946E-05
H-	5.7800E-08	1.0755E-05	1.6829E-05
H2+	7.8876E-08	1.2874E-05	2.1518E-05
HE-	8.1085E-02	7.4625E-02	7.0393E-02
HE+	2.8779E-13	1.0415E-06	5.3760E-06
HE++	1.1478E-48	2.66400E-24	1.3075E-21

TABLE I. -Continued

$$P_1 = 50 \text{ N/m}^2$$

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $U_{S1} = 2.40E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.8300E+02	3.9107E+03	5.8888E+03
T	2.5474E+01	4.2583E+01	4.7000E+01
RHO	1.0223E+01	4.4708E+01	5.7440E+01
H	8.1898E+01	1.4468E+02	1.7710E+02
A	7.0363E+00	8.6266E+00	9.3277E+00
S	1.8588E+00	1.9367E+00	1.9994E+00
Z	1.8547E+00	2.0541E+00	2.1813E+00
GAME	1.3479E+00	8.5077E-01	8.4867E-01
U	1.7476E+01	3.999CE+00	3.7783E+00

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $U_{S1} = 2.60E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.6275E+02	4.3466E+03	6.3818E+03
T	3.1095E+01	4.5409E+01	4.9571E+01
RHO	9.5884E+00	4.4401E+01	5.6068E+01
H	9.5821E+01	1.6915E+02	2.0444E+02
A	7.2602E+00	9.1011E+00	9.8280E+00
S	1.9146E+00	2.0035E+00	2.0701E+00
Z	1.8875E+00	2.1548E+00	2.2962E+00
GAME	8.9810E-01	8.4652E-01	8.4859E-01
U	1.8800E+01	4.0641E+00	3.8742E+00

SPECIES	MOLE FRACTIONS		
E-	2.6343E-03	9.9416E-02	1.5192E-01
H	9.1376E-01	7.2810E-01	6.2736E-01
H+	2.6342E-03	9.9412E-02	1.5190E-01
H2	9.7477E-05	2.3851E-05	1.7109E-05
H-	2.6718E-07	1.1375E-05	1.6502E-05
H2+	3.1480E-07	1.3859E-05	2.1441E-05
HE	8.0875E-02	7.3021E-02	6.8759E-02
HE+	5.3101E-11	1.8519E-06	7.9148E-06
HE++	1.7542E-40	2.0688E-23	5.0765E-21

SPECIES	MOLE FRACTIONS		
E-	1.9873E-02	1.4149E-01	1.9434E-01
H	8.8075E-01	6.4737E-01	5.4595E-01
H+	1.9873E-02	1.4148E-01	1.9432E-01
H2	2.7254E-05	1.5629E-05	1.1201E-05
H-	1.1187E-06	1.3041E-05	1.6853E-05
H2+	1.2432E-06	1.6542E-05	2.2800E-05
HE	7.9472E-02	6.9606E-02	6.5309E-02
HE+	8.3382E-09	5.2624E-06	1.7678E-05
HE++	1.7449E-32	9.4495E-22	9.5637E-20

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $U_{S1} = 2.50E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $U_{S1} = 2.70E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.2139E+02	4.0601E+03	6.0287E+03
T	2.8673E+01	4.3983E+01	4.8228E+01
RHO	9.7388E+00	4.3902E+01	5.5889E+01
H	8.8700E+01	1.5658E+02	1.9019E+02
A	7.1383E+00	8.8551E+00	9.5652E+00
S	1.8874E+00	1.9707E+00	2.0352E+00
Z	1.8672E+00	2.1027E+00	2.2367E+00
GAME	9.5177E-01	8.4787E-01	8.4818E-01
U	1.8113E+01	4.0216E+00	3.8174E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.0709E+02	4.7341E+03	6.8944E+03
T	3.2960E+01	4.6864E+01	5.1005E+01
RHO	9.6306E+00	4.5694E+01	5.7282E+01
H	1.0326E+02	1.8260E+02	2.1983E+02
A	7.4099E+00	9.3634E+00	1.0113E+01
S	1.9403E+00	2.0360E+00	2.1047E+00
Z	1.9126E+00	2.2108E+00	2.3598E+00
GAME	8.7102E-01	8.4623E-01	8.4972E-01
U	1.9533E+01	4.1224E+00	3.9441E+00

SPECIES	MOLE FRACTIONS		
E-	9.2382E-03	1.2020E-01	1.7291E-01
H	9.0114E-01	6.8822E-01	5.8709E-01
H+	9.2381E-03	1.2020E-01	1.7289E-01
H2	4.4469E-05	1.9056E-05	1.3733E-05
H-	6.5335E-07	1.2177E-05	1.6597E-05
H2+	7.3402E-07	1.5128E-05	2.1980E-05
HE	8.0336E-02	7.1335E-02	6.7053E-02
HE+	1.2073E-09	3.1801E-06	1.1818E-05
HE++	1.5387E-35	1.4795E-22	2.1780E-20

SPECIES	MOLE FRACTIONS		
E-	3.2736E-02	1.6321E-01	2.1606E-01
H	8.5608E-01	6.0569E-01	5.0430E-01
H+	3.2736E-02	1.6320E-01	2.1603E-01
H2	1.9569E-05	1.2982E-05	9.1795E-06
H-	1.5845E-06	1.3886E-05	1.7106E-05
H2+	1.7642E-06	1.8005E-05	2.3685E-05
HE	7.8428E-02	6.7842E-02	6.3539E-02
HE+	3.0213E-08	8.46C5E-06	2.6369E-05
HE++	1.8994E-30	5.4948E-21	4.1911E-19

TABLE I. - Continued

 $P_1 = 50 \text{ N/m}^2$

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $US1 = 2.80E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.5390E+02	5.1916E+03	7.5039E+03
T	3.4527E+01	6.9313E+01	5.2486E+01
RHO	9.7537E+00	6.7352E+01	5.8915E+01
H	1.1101E+02	1.968CE+02	2.3613E+02
A	7.5746E+00	9.6349E+00	1.0413E+01
S	1.9659E+00	2.0684E+00	2.1397E+00
Z	1.9417E+00	2.2694E+00	2.4267E+00
GAM	8.5580E-01	8.4669E-01	8.5139E-01
U	2.0290E+01	4.1845E+00	4.0226E+00

SPECIES	MOLE FRACTIONS		
E-	4.7240E-02	1.8482E-01	2.3768E-01
H	8.2825E-01	5.6423E-01	4.6283E-01
H+	4.7239E-02	1.0648E-01	2.3763E-01
H2	1.5115E-05	1.0843E-05	7.4939E-06
H-	2.0380E-06	1.4602E-05	1.7195E-05
H2+	2.2849E-06	1.9364E-05	2.4392E-05
HE	7.7252E-02	6.6085E-02	6.1773E-02
HE+	7.9710E-08	1.3157E-05	3.8929E-05
HE++	6.5645E-29	2.8451E-20	1.7746E-18

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $US1 = 3.00E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	7.5328E+02	6.2461E+03	8.9270E+03
T	3.7101E+01	5.1181E+01	5.5540E+01
RHO	1.0112E+01	5.0986E+01	6.2598E+01
H	1.2738E+02	2.2690E+02	2.7098E+02
A	7.9160E+00	1.0200E+01	1.1050E+01
S	2.0172E+00	2.1338E+00	2.2103E+00
Z	2.0079E+00	2.3936E+00	2.5677E+00
GAM	8.4117E-01	8.4920E-01	8.5618E-01
U	2.1820E+01	4.3331E+00	4.2019E+00

SPECIES	MOLE FRACTIONS		
E-	7.8664E-02	2.2712E-01	2.7954E-01
H	7.6799E-01	4.8308E-01	3.8255E-01
H+	7.8646E-02	2.2709E-01	2.7945E-01
H2	1.0127E-05	7.5239E-06	4.8699E-06
H-	2.8559E-06	1.5438E-05	1.6681E-05
H2+	3.2648E-06	2.1437E-05	2.4894E-05
HE	7.4705E-02	6.2635E-02	5.8336E-02
HE+	3.2506E-07	2.9366E-05	8.1954E-05
HE++	1.1411E-26	5.7054E-19	2.7944E-17

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $US1 = 2.90E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	7.026CE+02	5.6963E+03	8.1831E+03
T	3.5885E+01	4.9763E+01	5.3996E+01
RHO	9.9203E+00	6.9103E+01	6.0719E+01
H	1.1905E+32	2.1155E+02	2.5314E+02
A	7.7442E+00	9.9167E+00	1.0725E+01
S	1.9915E+00	2.1015E+00	2.1748E+00
Z	1.9736E+00	2.3312E+00	2.4960E+00
GAM	8.4678E-01	8.4772E-01	8.5355E-01
U	2.1052E+01	4.2557E+00	4.1087E+00

SPECIES	MOLE FRACTIONS		
E-	6.2655E-02	2.0644E-01	2.5884E-01
H	7.9867E-01	5.2276E-01	4.2223E-01
H+	6.2655E-02	2.0641E-01	2.5878E-01
H2	1.2207E-05	9.0201E-06	6.0757E-06
H-	2.4632E-36	1.5116E-05	1.7060E-05
H2+	2.7871E-36	2.0513E-05	2.4812E-05
HE	7.6302E-02	6.4325E-02	6.0040E-02
HE+	1.7185E-07	1.9970E-05	5.6723E-05
HE++	1.0851E-27	1.3527E-19	7.1541E-18

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $US1 = 3.20E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	8.6072E+02	7.4749E+03	1.0600E+04
T	3.9253E+01	5.4076E+01	5.8793E+01
RHO	1.0531E+01	5.4715E+01	6.6334E+01
H	1.4490E+02	2.5942E+02	3.0871E+02
A	8.2631E+00	1.0798E+01	1.1743E+01
S	2.0690E+00	2.2005E+00	2.2826E+00
Z	2.0823E+00	2.5264E+00	2.7179E+00
GAM	8.3536E-01	8.5340E-01	8.6305E-01
U	2.3378E+01	4.5055E+00	4.4106E+00

SPECIES	MOLE FRACTIONS		
E-	1.1155E-01	2.6775E-01	3.1935E-01
H	7.0485E-01	4.0515E-01	3.0624E-01
H+	1.1155E-01	2.6768E-01	3.1918E-01
H2	7.2961E-36	5.0791E-06	2.9753E-06
H-	3.5338E-06	1.5355E-05	1.5172E-05
H2+	4.1299E-06	2.2421E-05	2.3911E-05
HE	7.2037E-02	5.9313E-02	5.5020E-02
HE+	9.0782E-07	6.1142E-05	1.6942E-04
HE++	5.0759E-25	8.7178E-18	3.9939E-16

TABLE I. - Continued

$$P_1 = 50 \text{ N/m}^2$$

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $U_1 = 3.40E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

MOVING SHOCK-STANDING SHOCK-REFLECTED SHOCK
 $P_1 = 5.00E+01 \text{ N/SQ-M}$, $U_1 = 3.40E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $U_1 = 3.40E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

SPECIES	MOLE FRACTIONS
E-	1.4481E-01
H-	6.4103E-01
H+	1.4481E-01
H2	5.4135E-06
H2+	4.0544E-06
H2+	4.8487E-06
H2+	6.9338E-02
HE	2.0639E-06
HE++	1.0624E-23

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $U_1 = 3.40E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

MOVING SHOCK-STANDING SHOCK-REFLECTED SHOCK
 $P_1 = 5.00E+01 \text{ N/SQ-M}$, $U_1 = 3.40E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

SPECIES	MOLE FRACTIONS
E-	1.7781E-01
H-	5.7771E-01
H+	1.7780E-01
H2	4.0528E-06
H2+	5.4001E-06
HE	6.6661E-02
HE+	4.1403E-06
HE++	1.4174E-22

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $U_1 = 3.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

MOVING SHOCK-STANDING SHOCK-REFLECTED SHOCK
 $P_1 = 5.00E+01 \text{ N/SQ-M}$, $U_1 = 3.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

SPECIES	MOLE FRACTIONS
E-	2.4115E-01
H-	5.1566E-01
H+	2.1014E-01
H2	3.0255E-06
H2+	5.7690E-06
HE	6.4035E-02
HE++	1.3871E-21

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $U_1 = 4.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

MOVING SHOCK-STANDING SHOCK-REFLECTED SHOCK
 $P_1 = 5.00E+01 \text{ N/SQ-M}$, $U_1 = 4.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

SPECIES	MOLE FRACTIONS
E-	2.4157E-01
H-	4.5537E-01
H+	2.4155E-01
H2	2.2325E-06
H2+	5.9474E-06
HE	6.1482E-02
HE+	1.3427E-05
HE++	1.1102E-20

TABLE I. -Continued

$$P_1 = 50 \text{ N/m}^2$$

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $US1 = 4.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.5050E+03	1.5366E+04	2.2057E+04
T	4.7899E+01	7.2258E+01	8.6428E+01
RHO	1.2366E+01	6.5480E+01	7.3411E+01
H	2.4951E+02	4.5324E+02	5.4634E+02
A	1.0103E+01	1.4635E+01	1.6901E+01
S	2.3452E+00	2.5438E+00	2.6549E+00
Z	2.5408E+00	3.2475E+00	3.4765E+00
GAME	8.3874E-01	9.1275E-01	9.5063E-01
U	3.1159E+01	5.8915E+00	6.3077E+00

SPECIES ----- MOLE FRACTIONS -----

E-	2.7188E-01	4.3035E-01	4.6786E-01
H	3.9721E-01	9.5463E-02	3.4699E-02
H+	2.7186E-01	4.2759E-01	4.5429E-01
H2	1.6157E-06	1.9054E-07	1.6991E-08
H2+	4.5031E-06	4.7757E-06	1.4535E-06
H2+	5.9331E-06	9.3660E-06	3.4318E-06
HE	5.9014E-02	4.3837E-02	2.9587E-02
HE+	2.2751E-05	2.3523E-03	1.3560E-02
HE++	7.7619E-20	3.7360E-12	2.5534E-09

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $US1 = 4.60E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.8107E+03	1.8878E+04	2.8170E+04
T	5.1252E+01	8.5333E+01	1.1377E+02
RHO	1.2820E+01	6.3534E+01	6.7777E+01
H	2.9926E+02	5.4386E+02	6.7283E+02
A	1.0935E+01	1.6800E+01	2.1311E+01
S	2.4631E+00	2.6744E+00	2.7966E+00
Z	2.7559E+00	3.4621E+00	3.6531E+00
GAME	8.4654E-01	9.4984E-01	1.0927E+00
U	3.4233E+01	6.9143E+00	7.9579E+00

SPECIES ----- MOLE FRACTIONS -----

E-	3.2871E-01	4.6871E-01	4.9358E-01
H	2.8821E-01	3.2881E-02	8.2006E-03
H+	3.2865E-01	4.5533E-01	4.5715E-01
H2	7.7195E-07	1.3844E-08	2.7896E-10
H2+	3.8477E-06	1.2346E-06	1.7377E-07
H2+	5.3488E-06	2.8792E-06	4.7540E-07
HE	5.4367E-02	2.9697E-02	4.6341E-03
HE+	6.2545E-05	1.3381E-02	3.6423E-02
HE++	3.0806E-18	2.0833E-09	3.5134E-06

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $US1 = 4.40E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.6545E+03	1.7124E+04	2.4972E+04
T	4.9549E+01	7.8166E+01	9.7340E+01
RHO	1.2617E+01	6.4907E+01	7.1622E+01
H	2.7381E+02	4.9770E+02	6.0612E+02
A	1.0509E+01	1.5701E+01	1.8601E+01
S	2.4037E+00	2.6104E+00	2.7269E+00
Z	2.6465E+00	3.3751E+00	3.5819E+00
GAME	8.4218E-01	9.3444E-01	9.9232E-01
U	3.2700E+01	6.3634E+00	6.9990E+00

SPECIES ----- MOLE FRACTIONS -----

E-	3.0097E-01	4.5188E-01	4.8352E-01
H	3.4142E-01	5.76C1E-02	1.7672E-02
H+	3.0093E-01	4.4607E-01	4.5693E-01
H2	1.1378E-06	5.6422E-08	2.7755E-09
H2+	4.2371E-06	2.5839E-06	5.5922E-07
H2+	5.7302E-06	5.5155E-06	1.4518E-06
HE	5.6641E-02	3.8634E-02	1.5282E-02
HE+	3.7824E-05	5.8090E-03	2.6594E-02
HE++	4.9884E-19	8.66C8E-11	8.8223E-08

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $US1 = 4.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9734E+03	2.0601E+04	3.1777E+04
T	5.3051E+01	9.3754E+01	1.3829E+02
RHO	1.2969E+01	6.1558E+01	6.2413E+01
H	3.2578E+02	5.9163E+02	7.5016E+02
A	1.1387E+01	1.8097E+01	2.4159E+01
S	2.5232E+00	2.7353E+00	2.8628E+00
Z	2.8683E+00	3.5695E+00	3.6818E+00
GAME	8.5210E-01	9.7865E-01	1.1464E+00
U	3.5750E+01	7.5389E+00	9.3920E+00

SPECIES ----- MOLE FRACTIONS -----

E-	3.5502E-01	4.8172E-01	4.9753E-01
H	2.3775E-01	1.8678E-02	3.8068E-03
H+	3.5492E-01	4.5758E-01	4.5792E-01
H2	4.9822E-07	3.1043E-09	2.0019E-11
H2+	3.3562E-06	5.5803E-07	5.7708E-08
H2+	4.8051E-06	1.4063E-06	1.3084E-07
HE	5.2191E-02	1.7887E-02	1.2818E-03
HE+	1.0430E-04	2.4136E-02	3.9315E-02
HE++	1.9068E-17	3.8802E-08	1.4402E-04

TABLE I. - Continued

$$P_1 = 50 \text{ N/m}^2$$

SPECIES			MOLE FRACTIONS		
P1	= 5.00E+01 N/SQ-M,	US1 = 5.00E+04 M/SEC			
XH2	= .85	XHE = .15			
E-	3.7981E-01	6.9050E-01	4.9960E-01		
H+	1.9026E-01	1.0330E-02	2.2486E-03		
H2+	3.7963E-01	4.5749E-01	4.5758E-01		
H2	3.0027E-07	5.7420E-10	2.6616E-12		
H3	2.7880E-06	2.2643E-07	3.1764E-08		
H2+	4.1229E-06	6.1524E-07	4.8804E-08		
HE	5.0108E-02	7.8613E-03	5.9554E-04		
HE+	1.7831E-04	3.3416E-02	3.7934E-02		
HE++	1.2570E-16	6.3517E-07	2.0432E-03		

SPECIES			MOLE FRACTIONS		
P1	= 5.00E+01 N/SQ-M,	US1 = 5.00E+04 M/SEC			
XH2	= .85	XHE = .15			
E-	2.4979E+03	2.4639E+04	1.679E+04		
H+	5.9773E+01	1.3472E+02	2.0064E+02		
H2+	4.1206E+02	7.4028E+02	9.8060E+02		
H2	1.3025E+01	2.3885E+01	2.7446E+01		
H3	2.7052E+00	2.8925E+00	3.0075E+00		
Z+	3.2126E+00	3.684CE+00	3.7595E+00		
GAME	8.8351E-01	1.1475E+00	9.9859E-01		
U	4.0236E+01	1.0521E+01	1.2347E+01		

SPECIES			MOLE FRACTIONS		
P1	= 5.00E+01 N/SQ-M,	US1 = 5.00E+04 M/SEC			
XH2	= .85	XHE = .15			
E-	2.3174E+03	2.3532E+04	3.348720E+04		
H+	5.7197E+01	1.1846E+02	1.8418E+02		
H2+	1.3076E+01	5.4144E+01	5.6450E+01		
H2	3.8220E+02	6.9011E+02	9.0631E+02		
H3	1.2412E+01	2.2075E+01	2.6386E+01		
S+	2.6446E+00	2.8450E+00	2.9658E+00		
Z+	3.0985E+00	3.6691E+00	3.7240E+00		
GAME	8.6932E-01	1.1212E+00	1.0150E+00		
U	3.8762E+01	9.3607E+00	1.1685E+01		

SPECIES			MOLE FRACTIONS		
P1	= 5.00E+01 N/SQ-M,	US1 = 5.00E+04 M/SEC			
XH2	= .85	XHE = .15			
E-	2.6832E+03	2.5484E+04	4.4337E+04		
H+	2.9656E+01	1.5151E+02	2.1762E+02		
H2+	1.2830E+01	4.5547E+01	5.3683E+01		
H2	4.4300E+02	7.9110E+02	1.0576E+03		
H3	1.3750E+01	2.5061E+01	2.9086E+01		
S+	2.7651E+00	2.9364E+00	3.0485E+00		
Z+	3.3216E+00	3.6929E+00	3.7952E+00		
GAME	9.0398E-01	1.1225E+00	1.0243E+00		
U	4.1678E+01	1.1726E+01	1.3041E+01		

SPECIES			MOLE FRACTIONS		
E-	4.0293E-01	4.9578E-01	5.0322E-01		
H+	1.4604E-01	5.6137E-03	1.1677E-03		
H2+	4.0261E-01	4.5772E-01	4.5483E-01		
H2	1.6440E-07	8.5434E-11	7.9123E-13		
H3	2.1745E-06	8.8473E-08	2.4241E-08		
H2+	3.3353E-06	2.3902E-07	2.7099E-08		
HE	4.8092E-02	2.8273E-03	13.5250E-04		
HE+	3.1915E-04	3.8045E-02	3.1463E-02		
HE++	9.3709E-16	1.0059E-05	8.4635E-03		

SPECIES			MOLE FRACTIONS		
E-	4.4304E-01	4.9903E-01	5.1254E-01		
H+	7.0092E-02	2.1481E-03	1.1412E-03		
H2+	4.4171E-01	4.5820E-01	4.4679E-01		
H2	3.0426E-08	2.8597E-12	1.6638E-13		
H3	9.8345E-07	2.3314E-08	1.7640E-08		
H2+	1.6558E-06	4.3559E-08	1.2675E-08		
HE	4.3827E-02	6.2692E-04	1.0098E-04		
HE+	1.3317E-03	3.9147E-02	1.3098E-02		
HE++	1.1352E-13	8.4473E-04	2.6325E-02		

TABLE I. -Continued

$$P_1 = 50 \text{ N/m}^2$$

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $US_1 = 5.80E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.8723E+03	2.6168E+04	4.6662E+04
T	6.7086E+01	1.6693E+02	2.3869E+02
RHO	1.2523E+01	4.2302E+01	5.1131E+01
H	4.7500E+02	8.4348E+02	1.1402E+03
A	1.4592E+01	2.5585E+01	3.1417E+01
S	2.8235E+00	2.9773E+00	3.0911E+00
Z	3.4190E+00	3.7058E+00	3.8234E+00
GAME	9.2834E-01	1.0582E+00	1.0815E+00
U	4.3077E+01	1.2743E+01	1.3942E+01

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $US_1 = 6.20E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.2636E+03	2.7546E+04	5.0819E+04
T	7.7794E+01	1.9266E+02	2.9445E+02
RHO	1.1764E+01	3.8059E+01	4.4893E+01
H	5.4217E+02	9.5502E+02	1.3210E+03
A	1.6194E+01	2.6795E+01	3.6210E+01
S	2.9325E+00	3.0549E+00	3.1713E+00
Z	3.5661E+00	3.7567E+00	3.8444E+00
GAME	9.4530E-01	9.9199E-01	1.1583E+00
U	4.5790E+01	1.4126E+01	1.6223E+01

SPECIES	MOLE FRACTIONS		
E-	4.5891E-01	5.0078E-01	5.1613E-01
H	4.1600E-02	1.5629E-03	9.1586E-04
H+	4.5562E-01	4.5718E-01	4.4372E-01
H2	9.0253E-09	8.4852E-13	6.9952E-14
H-	5.2879E-07	1.6167E-08	1.4094E-08
H2+	9.5148E-07	2.3607E-08	8.2322E-09
HE	4.0579E-02	3.9514E-04	3.7190E-05
HE+	3.2936E-03	3.6566E-02	5.9789E-03
HE++	2.3098E-12	3.5163E-03	3.3216E-02

SPECIES	MOLE FRACTIONS		
E-	4.8123E-01	5.0754E-01	5.1879E-01
H	1.2670E-02	1.0294E-03	5.5224E-04
H+	4.6404E-01	4.5150E-01	4.4165E-01
H2	5.3070E-10	1.6514E-13	1.0449E-14
H-	1.1727E-07	1.0486E-08	7.7201E-09
H2+	2.4316E-07	1.0282E-08	3.1777E-09
HE	2.4875E-02	1.6257E-04	3.2338E-06
HE+	1.7188E-02	2.3492E-02	8.8853E-04
HE++	1.0975E-09	1.6274E-02	3.8120E-02

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $US_1 = 6.80E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.0652E+03	2.6809E+04	4.8688E+04
T	7.2193E+01	1.8056E+02	2.6610E+02
RHO	1.2132E+01	3.9826E+01	4.8033E+01
H	5.0834E+02	8.9811E+02	1.2279E+03
A	1.5412E+01	2.6035E+01	3.3892E+01
S	2.9796E+00	3.0174E+00	3.1317E+00
Z	3.4996E+00	3.7282E+00	3.8382E+00
GAME	9.4021E-01	1.3069E+00	1.1332E+00
U	4.4439E+01	1.3503E+01	1.5001E+01

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $US_1 = 6.40E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.4659E+03	2.8089E+04	5.2698E+04
T	8.4245E+01	2.0469E+02	3.2710E+02
RHO	1.1352E+01	3.6248E+01	4.1880E+01
H	5.7734E+02	1.0128E+03	1.4202E+03
A	1.7273E+01	2.7911E+01	3.8313E+01
S	2.9840E+00	3.0917E+00	3.2090E+00
Z	3.6240E+00	3.7858E+00	3.8469E+00
GAME	9.7725E-01	1.0053E+00	1.1665E+00
U	4.7110E+01	1.4769E+01	1.7553E+01

SPECIES	MOLE FRACTIONS		
E-	4.7137E-01	5.0375E-01	5.1800E-01
H	2.2757E-02	1.2327E-03	7.1622E-04
H+	4.6301E-01	4.5474E-01	4.4221E-01
H2	2.1722E-09	3.3668E-13	2.7384E-14
H-	2.4944E-07	1.2553E-08	1.0364E-08
H2+	4.8277E-07	1.4759E-08	5.1460E-09
HE	3.4506E-02	2.5710E-04	1.1366E-05
HE+	8.3556E-03	3.0903E-02	2.3483E-03
HE++	5.9326E-11	9.0732E-03	3.6722E-02

SPECIES	MOLE FRACTIONS		
E-	4.8951E-01	5.1133E-01	5.1909E-01
H	7.0702E-03	8.7030E-04	4.2965E-04
H+	4.6203E-01	4.4617E-01	4.4149E-01
H2	1.2452E-10	8.55528E-14	4.2519E-15
H-	5.3601E-08	8.8141E-09	5.5448E-09
H2+	1.1902E-07	7.3365E-09	2.0225E-09
HE	1.3915E-02	9.3285E-05	1.0085E-06
HE+	2.7476E-02	1.5895E-02	3.7517E-04
HE++	1.5713E-08	2.3633E-02	3.8616E-02

TABLE I. - Continued

$$p_1 = 50 \text{ N/m}^2$$

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $US1 = 6.60E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $US1 = 7.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.6691E+03	2.8268E+04	5.3754E+04
T	9.2323E+01	2.1782E+02	3.5971E+02
RHO	1.0844E+01	3.4052E+01	3.8835E+01
H	6.1346E+02	1.0707E+03	1.5165E+03
A	1.8844E+01	2.9400E+01	4.0227E+01
S	3.0311E+00	3.1286E+00	3.2446E+00
Z	3.6648E+00	3.8110E+00	3.8480E+00
GAME	1.0495E+00	1.0412E+00	1.1691E+00
U	4.8361E+01	1.5413E+01	1.8723E+01

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.0699E+03	2.7140E+04	5.3093E+04
T	1.1567E+02	2.4852E+02	4.2364E+02
RHO	9.5257E+00	2.8449E+01	3.2561E+01
H	6.8022E+02	1.1825E+03	1.7049E+03
A	2.2200E+01	3.2785E+01	4.3685E+01
S	3.1153E+00	3.2017E+00	3.3133E+00
Z	3.6937E+00	3.8386E+00	3.8489E+00
GAME	1.1535E+00	1.1267E+00	1.1704E+00
U	5.0580E+01	1.6947E+01	2.0890E+01

SPECIES	MOLE FRACTIONS		
E-	4.9520E-01	5.1456E-01	5.1923E-01
H	3.8237E-03	7.2603E-04	3.3924E-04
H+	4.6044E-01	4.4535E-01	4.4145E-01
H2	2.5026E-11	4.2721E-14	1.8822E-15
H-	2.2139E-08	7.1751E-09	3.9696E-09
H2+	5.3726E-08	5.1107E-09	1.3341E-09
HE	5.7694E-03	4.6322E-05	3.6291E-07
HE+	3.5160E-02	9.4140E-03	1.8466E-04
HE++	2.0982E-07	2.9899E-02	3.8796E-02

SPECIES	MOLE FRACTIONS		
E-	4.9915E-01	5.1806E-01	5.1935E-01
H	1.1049E-03	4.7469E-04	2.1689E-04
H+	4.5914E-01	4.4239E-01	4.4147E-01
H2	6.6200E-13	8.9564E-15	4.3247E-16
H-	3.2512E-09	4.1348E-09	1.9958E-09
H2+	8.8144E-09	2.2231E-09	6.1535E-10
HE	6.3768E-06	7.9699E-06	6.4123E-08
HE+	3.9935E-02	2.4698E-03	6.2790E-05
HE++	3.7233E-05	3.6599E-02	3.8909E-02

$P_1 = 5.00E+01 \text{ N/SQ-M}$, $US1 = 6.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.8680E+03	2.7791E+04	5.3548E+04
T	1.0322E+02	2.3265E+02	3.9182E+02
RHO	1.0167E+01	3.1199E+01	3.5511E+01
H	6.5036E+02	1.1270E+03	1.6114E+03
A	2.0689E+01	3.1139E+01	4.2004E+01
S	3.0758E+00	3.1666E+00	3.2802E+00
Z	3.6860E+00	3.8288E+00	3.8486E+00
GAME	1.1251E+00	1.0886E+00	1.1700E+00
U	4.9484E+01	1.6082E+01	1.9881E+01

SPECIES	MOLE FRACTIONS		
E-	4.9810E-01	5.1682E-01	5.1930E-01
H	1.9663E-03	5.8798E-04	2.6900E-04
H+	4.5924E-01	4.4342E-01	4.4145E-01
H2	3.8737E-12	1.9544E-14	8.7018E-16
H-	3.0215E-09	5.4967E-09	2.7939E-09
H2+	2.1225E-08	3.3718E-09	8.9030E-10
HE	1.8344E-03	1.9641E-05	1.4481E-07
HE+	3.8857E-02	4.9115E-03	1.0235E-04
HE++	3.2029E-06	3.4246E-02	3.8873E-02

TABLE I. -Continued

$$P_1 = 100 \text{ N/m}^2$$

$P_1 = 1.00E+02 \text{ N/SQ-M}$, $US1 = 4.00E+03 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.2097E+01	2.5396E+01	6.2309E+01
T	3.0557E+00	3.6279E+00	5.4402E+00
RHO	3.9585E+00	6.6354E+00	1.1652E+01
H	3.1244E+00	3.9436E+00	5.7341E+00
A	1.7411E+00	1.9395E+00	2.2814E+00
S	1.0556E+00	1.0573E+00	1.0738E+00
Z	1.0000E+00	1.0000E+00	1.0001E+00
GAME	9.9208E-01	9.8273E-01	9.5658E-01
U	2.4141E+00	1.4366E+00	1.2767E+00

SPECIES	MOLE FRACTIONS		
E-	1.3375E-61	1.7693E-39	1.8881E-23
H+	1.8285E-09	3.1037E-07	2.8296E-04
H+	5.0301E-20	5.9338E-20	6.5145E-20
H2	8.5000E-01	8.5000E-01	8.4974E-01
H-	1.2147E-69	2.0237E-45	6.5118E-28
H2+	1.9121E-20	1.0084E-20	4.2854E-21
HE	1.5000E-01	1.5000E-01	1.4998E-01
HE+	1.3162E-71	1.3608E-59	2.6138E-50
HE++	0.	0.	0.

$P_1 = 1.00E+02 \text{ N/SQ-M}$, $US1 = 5.00E+03 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9056E+01	5.6062E+01	1.1018E+02
T	4.2232E+00	5.6457E+00	7.3435E+00
RHO	4.5127E+00	8.9582E+00	1.4682E+01
H	4.3713E+00	5.9771E+00	8.3957E+00
A	2.0316E+00	2.3159E+00	2.5294E+00
S	1.0850E+00	1.0891E+00	1.1080E+00
Z	1.0000E+00	1.0000E+00	1.0000E+00
GAME	9.7731E-01	9.4968E-01	8.6427E-01
U	3.1423E+00	1.5797E+00	1.3714E+00

SPECIES	MOLE FRACTIONS		
E-	3.1522E-33	2.2322E-21	1.1553E-15
H+	3.6562E-06	5.9315E-04	1.5780E-02
H+	6.3410E-20	6.8078E-20	1.1162E-15
H2	8.5000E-01	8.4945E-01	8.3540E-01
H-	9.3840E-39	8.8798E-26	3.8126E-19
H2+	6.6114E-21	3.5556E-21	3.9556E-17
HE	1.5300E-01	1.4956E-01	1.4882E-01
HE+	2.2259E-56	3.7493E-49	9.1379E-39
HE++	0.	0.	0.

$P_1 = 1.00E+02 \text{ N/SQ-M}$, $US1 = 6.00E+03 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.7683E+01	8.9729E+01	1.7031E+02
T	5.5761E+00	7.4182E+00	8.5315E+00
RHO	4.9627E+00	1.1976E+01	1.9265E+01
H	5.8988E+00	8.6003E+00	1.1426E+01
A	2.3009E+00	2.5308E+00	2.6890E+00
S	1.1134E+00	1.1210E+00	1.1428E+00
Z	1.0000E+00	1.0100E+00	1.0342E+00
GAME	9.4912E-01	8.5482E-01	8.1788E-01
U	3.8698E+00	1.6004E+00	1.3471E+00

SPECIES	MOLE FRACTIONS		
E-	4.6771E-22	1.7132E-15	2.7361E-13
H+	6.3943E-04	1.9823E-02	6.9954E-02
H+	6.7154E-20	1.6603E-15	2.6538E-13
H2	8.4941E-01	8.3166E-01	7.8529E-01
H-	1.1295E-26	4.9631E-19	2.1687E-16
H2+	2.7126E-21	5.3442E-17	8.4434E-15
HE	1.4995E-01	1.4851E-01	1.4475E-01
HE+	7.6839E-50	8.0059E-39	8.4791E-35
HE++	0.	0.	0.

$P_1 = 1.00E+02 \text{ N/SQ-M}$, $US1 = 7.00E+03 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.8252E+01	1.5192E+02	2.5496E+02
T	6.8776E+00	8.6190E+00	9.4154E+00
RHO	5.6299E+00	1.6903E+01	2.5055E+01
H	7.7222E+00	1.1891E+01	1.5036E+01
A	2.4562E+00	2.7038E+00	2.8647E+00
S	1.1408E+00	1.1557E+00	1.1814E+00
Z	1.0058E+00	1.0426E+00	1.0808E+00
GAME	8.7214E-01	8.1349E-01	8.0640E-01
U	4.6307E+00	1.5128E+00	1.3136E+00

SPECIES	MOLE FRACTIONS		
E-	8.3347E-17	4.6166E-13	6.6149E-12
H+	1.1631E-02	8.1692E-02	1.4961E-01
H+	8.1185E-17	4.4917E-13	6.4272E-12
H2	8.3924E-01	7.7443E-01	7.1161E-01
H-	7.4592E-21	3.7741E-16	9.6094E-15
H2+	2.2390E-18	1.2865E-14	1.9730E-13
HE	1.4913E-01	1.4387E-01	1.3878E-01
HE+	4.7933E-41	1.8105E-33	1.2182E-32
HE++	0.	0.	0.

TABLE I. - Continued

$$P_1 = 1.00E+02 \text{ N/SQ-M}, \quad US1 = 0.00E+03 \text{ M/SEC}$$

$$XH2 = .85 \quad XHE = .15$$

P₁ $\approx 100 \text{ N/m}^2$

$$P_1 = 1.00E+02 \text{ N/SQ-M}, \quad US1 = 1.00E+04 \text{ M/SEC}$$

$$XH2 = .85 \quad XHE = .15$$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.1103E+01	2.4933E+02	3.8640E+02
T	7.7988E+00	9.5392E+00	1.0226E+01
RHO	6.3982E+00	1.3924E+01	3.3136E+01
H	9.8545E+00	1.5856E+01	1.9413E+01
A	2.5631E+00	2.8965E+00	3.0634E+00
S	1.1693E+00	1.1948E+00	1.2248E+00
Z	1.0242E+00	1.0926E+00	1.1402E+00
GAMMA	8.2249E-01	8.0494E-01	8.0485E-01
U	5.4497E+00	1.4563E+00	1.3050E+00

SPECIES	MOLE FRACTIONS		
E	1.8709E-14	1.0406E-11	7.2815E-11
H	4.7292E-02	1.6957E-01	2.4594E-01
H+	1.8311E-14	1.0126E-11	7.0867E-11
H2	8.0625E-01	6.9315E-01	6.2250E-01
H-	4.8797E-18	1.5607E-14	1.7151E-13
H2+	4.0332E-16	2.9607E-13	2.1193E-12
HE	1.4645E-01	1.3728E-01	1.3155E-01
HE+	1.6790E-36	2.8772E-31	1.5234E-28
HE++	0.	0.	0.

$$P_1 = 1.00E+02 \text{ N/SQ-M}, \quad US1 = 1.00E+04 \text{ M/SEC}$$

$$XH2 = .85 \quad XHE = .15$$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	8.2817E+01	5.6908E+02	8.0825E+02
T	8.9920E+00	1.1099E+01	1.1751E+01
RHO	8.4546E+00	4.1727E+01	5.3088E+01
H	1.4983E+01	2.5559E+01	3.0184E+01
A	2.7985E+00	3.3196E+00	3.5175E+00
S	1.2337E+00	1.2867E+00	1.3253E+00
Z	1.0894E+00	1.2287E+00	1.2954E+00
GAMMA	7.9949E-01	8.0802E-01	8.1276E-01
U	7.1194E+00	1.4449E+00	1.3460E+00

SPECIES	MOLE FRACTIONS		
E	3.1253E-12	6.1251E-10	2.2965E-09
H	1.6410E-01	3.7230E-01	4.5614E-01
H+	3.0698E-12	5.9740E-10	2.2422E-09
H2	6.9821E-01	5.0562E-01	4.2807E-01
H-	2.1212E-15	2.0859E-12	1.0197E-11
H2+	5.7590E-14	1.7196E-11	6.4566E-11
HE	1.3769E-01	1.2208E-01	1.1579E-01
HE+	2.2620E-32	1.8526E-26	5.0818E-25
HE++	0.	0.	1.6941E-90

$$P_1 = 1.00E+02 \text{ N/SQ-M}, \quad US1 = 9.00E+03 \text{ M/SEC}$$

$$XH2 = .85 \quad XHE = .15$$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.6009E+01	3.8745E+02	5.7018E+02
T	8.4591E+00	1.0346E+01	1.0995E+01
RHO	7.4108E+00	3.2416E+01	4.2772E+01
H	1.2278E+01	2.0425E+01	2.4479E+01
A	2.6785E+00	3.1017E+00	3.2809E+00
S	1.2001E+00	1.2386E+00	1.2729E+00
Z	1.0530E+00	1.1554E+00	1.2122E+00
GAMMA	8.0545E-01	8.0478E-01	8.0761E-01
U	6.2853E+00	1.4380E+00	1.3176E+00

SPECIES	MOLE FRACTIONS		
E	3.9763E-13	1.0062E-10	4.7392E-10
H	1.0070E-01	2.6896E-01	3.5019E-01
H+	3.9008E-13	9.7981E-11	4.6184E-10
H2	7.5686E-01	6.0121E-01	5.2607E-01
H-	1.8661E-16	2.4159E-13	1.5993E-12
H2+	7.7318E-15	2.8816E-12	1.3679E-11
HE	1.4245E-01	1.2983E-01	1.2374E-01
HE+	1.4062E-34	1.0861E-28	1.2359E-26
HE++	0.	0.	0.

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.0141E+02	7.9668E+02	1.1020E+03
T	9.4553E+00	1.1832E+01	1.2523E+01
RHO	9.4749E+00	5.1196E+01	6.3337E+01
H	1.7968E+01	3.1226E+01	3.6523E+01
A	2.9223E+00	3.5533E+00	3.7771E+00
S	1.2699E+00	1.3388E+00	1.3816E+00
Z	1.1320E+00	1.3119E+00	1.3889E+00
GAMMA	7.9782E-01	8.1337E-01	8.2006E-01
U	7.9429E+00	1.4723E+00	1.3959E+00

SPECIES	MOLE FRACTIONS		
E	1.4941E-11	2.7422E-09	9.4071E-09
H	2.3327E-01	4.7549E-01	5.6007E-01
H+	1.4668E-11	2.6795E-09	9.2087E-09
H2	6.3422E-01	4.1017E-01	3.3193E-01
H-	1.3286E-14	1.2075E-11	5.1002E-11
H2+	2.6508E-13	7.4779E-11	2.4942E-10
HE	1.3250E-01	1.1434E-01	1.0799E-01
HE+	5.5342E-31	6.2405E-25	1.4709E-23
HE++	0.	4.5904E-90	5.4636E-85

TABLE I. - Continued

$$P_1 = 100 \text{ N/m}^2$$

$P_1 = 1.00E+02 \text{ N/SQ-M}$, $US1 = 1.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.2179E+02	1.0647E+03	1.4533E+03
T	9.8794E+00	1.2577E+01	1.3362E+01
RHO	1.0465E+01	6.0313E+01	7.2899E+01
H	2.1233E+01	3.7427E+01	4.3512E+01
A	3.0509E+00	3.8063E+00	4.0687E+00
S	1.3088E+00	1.3939E+00	1.4411E+00
Z	1.1804E+00	1.4036E+00	1.4919E+00
GAME	7.9817E-01	8.2069E-01	8.3040E-01
U	8.7591E+00	1.5193E+00	1.4643E+00

$P_1 = 1.00E+02 \text{ N/SQ-M}$, $US1 = 1.40E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.6787E+02	1.7294E+03	2.3362E+03
T	1.0671E+01	1.4298E+01	1.5717E+01
RHO	1.2166E+01	7.5228E+01	8.6516E+01
H	2.8606E+01	5.1401E+01	5.9677E+01
A	3.3266E+00	4.4119E+00	4.8805E+00
S	1.3937E+00	1.5108E+00	1.5678E+00
Z	1.2928E+00	1.6078E+00	1.7181E+00
GAME	8.0220E-01	8.4672E-01	8.8210E-01
U	1.0371E+01	1.6801E+00	1.6973E+00

SPECIES ----- MOLE FRACTIONS -----

E-	5.4472E-11	1.0538E-08	3.5930E-08
H	3.0561E-01	5.7510E-01	6.5947E-01
H+	5.3606E-11	1.0325E-08	3.5295E-08
H2	5.6731E-01	3.1803E-01	2.3999E-01
H-	6.0088E-14	5.5751E-11	2.2250E-10
H2+	9.2695E-13	2.6897E-10	8.5772E-10
HE	1.2708E-01	1.0687E-01	1.0054E-01
HE+	9.7346E-30	1.6781E-23	3.7457E-22
HE++	0.	1.9036E-85	7.5495E-80

SPECIES ----- MOLE FRACTIONS -----

E-	4.5729E-10	1.3644E-07	7.3255E-07
H	4.5294E-01	7.5603E-01	8.3591E-01
H+	4.5107E-10	1.3464E-07	7.2633E-07
H2	4.3103E-01	1.5068E-01	7.6781E-02
H-	6.8496E-13	8.4693E-10	4.4642E-09
H2+	6.9031E-12	2.6444E-09	1.0677E-08
HE	1.1603E-01	9.3298E-02	8.7306E-02
HE+	2.5342E-27	7.7938E-21	9.5288E-19
HE++	0.	1.6370E-74	1.5463E-68

$P_1 = 1.10E+02 \text{ N/SQ-M}$, $US1 = 1.30E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.4395E+02	1.3774E+03	1.8633E+03
T	1.0282E+01	1.3375E+01	1.4345E+01
RHO	1.1345E+01	6.8526E+01	8.1031E+01
H	2.4779E+01	4.4155E+01	5.1189E+01
A	3.1856E+00	4.0866E+00	4.4128E+00
S	1.35015E+00	1.4515E+00	1.5034E+00
Z	1.2340E+00	1.5029E+00	1.6029E+00
GAME	7.9972E-01	8.3086E-01	8.4684E-01
U	9.5683E+00	1.5865E+00	1.5575E+00

$P_1 = 1.00E+02 \text{ N/SQ-M}$, $US1 = 1.50E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9353E+02	2.1121E+03	2.8922E+03
T	1.1059E+01	1.5526E+01	1.8611E+01
RHO	1.2903E+01	7.9394E+01	8.5455E+01
H	3.2715E+01	5.9142E+01	6.9510E+01
A	3.4759E+00	4.8339E+00	5.8526E+00
S	1.4393E+00	1.5704E+00	1.6340E+00
Z	1.3563E+00	1.7134E+00	1.8185E+00
GAME	8.0550E-01	8.7835E-01	1.0121E+00
U	1.1169E+01	1.8176E+00	1.9849E+00

SPECIES ----- MOLE FRACTIONS -----

E-	1.6972E-10	3.7311E-08	1.4075E-07
H	1.7929E-01	6.6922E-01	7.5228E-01
H+	1.6723E-10	3.6674E-08	1.3883E-07
H2	4.9915E-01	2.3097E-01	1.5614E-01
H-	2.2233E-13	2.2229E-1C	9.2263E-10
H2+	2.7127E-12	8.5895E-10	2.8390E-09
HE	1.2155E-01	9.9809E-02	9.3579E-02
HE+	4.5682E-28	3.4118E-22	9.6165E-21
HE++	0.	1.9071E-80	5.0607E-75

	SPECIES	MOLE FRACTIONS	
E-	1.1240E-09	6.1726E-07	1.1355E-05
H	5.2542E-01	8.3273E-01	9.0017E-01
H+	1.1099E-09	6.1202E-07	1.1324E-05
H2	3.6398E-01	7.9722E-02	1.7323E-02
H-	1.8741E-12	3.5713E-09	4.5348E-08
H2+	1.5967E-11	8.8150E-09	7.5079E-08
HE	1.1059E-01	8.7545E-02	8.2485E-02
HE+	1.7239E-26	3.3944E-19	5.0601E-16
HE++	0.	3.1450E-69	1.1469E-57

TABLE I. - Continued

$$P_1 = 100 \text{ N/m}^2$$

$P_1 = 1.005 \times 10^2 \text{ N/SQ-M}$, $US_1 = 1.60E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

MOVING SHOCK : STANDING SHOCK : REFLECTED SHOCK			
P	2.2092E+02	2.5025E+03	3.5877E+03
T	1.1457E+01	1.7644E+01	2.6025E+01
RHO	1.3537E+01	7.8623E+01	7.4564E+01
H	3.7104E+01	6.7309E+01	8.2011E+01
A	3.6352E+00	5.5575E+00	7.3238E+00
S	1.4868E+00	1.6282E+00	1.6977E+00
Z	1.4245E+00	1.8040E+00	1.8493E+00
GAM	8.0973E-01	9.7033E-01	1.1145E+00
U	1.1960E+01	2.0614E+00	2.6466E+00

SPECIES ----- MOLE FRACTIONS -----			
E-	2.6568E-09	5.2389E-06	8.7465E-04
H	5.9593E-01	8.9133E-01	9.1589E-01
H+	2.6268E-09	5.2200E-06	8.7445E-04
H2	2.9876E-01	2.5514E-02	1.2425E-03
H-	4.8036E-12	2.2317E-08	1.2222E-06
H2+	3.4836E-11	4.1233E-08	1.4231E-06
HE	1.0530E-01	8.3149E-02	8.1111E-02
HE+	1.0597E-25	6.7805E-17	2.5133E-11
HE++	3.5859E-91	6.4118E-61	1.1354E-40

MOVING SHOCK : STANDING SHOCK : REFLECTED SHOCK			
P	2.5000E+02	2.8516E+03	4.3177E+03
T	1.1881E+01	2.1973E+01	3.3048E+01
RHO	1.4058E+01	7.0403E+01	6.9999E+01
H	4.1775E+01	7.5714E+01	9.4883E+01
A	3.8077E+00	6.7418E+00	7.7850E+00
S	1.5359E+00	1.6790E+00	1.7449E+00
Z	1.4966E+00	1.8433E+00	1.8665E+00
GAM	8.1534E-01	1.1222E+00	9.8255E-01
U	1.2745E+01	2.5466E+00	3.2012E+00

SPECIES ----- MOLE FRACTIONS -----			
E-	6.3451E-09	1.2310E-04	9.1282E-03
H	6.6380E-01	9.1462E-01	9.0106E-01
H+	3.2831E-09	1.2302E-04	9.1275E-03
H2	2.3598E-01	3.7610E-03	3.0357E-04
H-	1.2014E-11	2.5614E-07	6.5550E-06
H2+	7.3943E-11	3.4034E-07	7.3000E-06
HE	1.0021E-01	8.1376E-02	8.0366E-02
HE+	1.1271E-24	1.7429E-13	8.4915E-09
HE++	2.7252E-90	8.8054E-49	1.6284E-31

$P_1 = 1.00E+02 \text{ N/SQ-M}$, $US_1 = 1.80E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

MOVING SHOCK : STANDING SHOCK : REFLECTED SHOCK			
P	2.8074E+02	3.1681E+03	5.0140E+03
T	1.2351E+01	2.7488E+01	3.7492E+01
RHO	1.4453E+01	6.2239E+01	7.0492E+01
H	4.6725E+01	8.4369E+01	1.0705E+02
A	3.9987E+00	7.4456E+00	8.0687E+00
S	1.5864E+00	1.7205E+00	1.7816E+00
Z	1.5727E+00	1.8518E+00	1.8972E+00
GAM	8.2319E-01	1.0891E+00	9.1530E-01
U	1.3523E+01	3.1466E+00	3.4873E+00

SPECIES ----- MOLE FRACTIONS -----			
E-	1.5334E-08	1.7054E-03	2.5039E-02
H	7.2833E-01	9.1484E-01	8.7067E-01
H+	1.5209E-08	1.7052E-03	2.5037E-02
H2	1.7630E-01	7.4158E-04	1.6402E-04
H-	2.9543E-11	1.7276E-06	1.3259E-05
H2+	1.5492E-10	1.9650E-06	1.5211E-05
HE	9.5376E-02	8.1003E-02	7.9065E-02
HE+	9.5015E-24	1.1674E-10	1.0886E-07
HE++	1.2303E-86	2.3635E-38	1.6615E-27

$P_1 = 1.00E+02 \text{ N/SQ-M}$, $US_1 = 1.90E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

MOVING SHOCK : STANDING SHOCK : REFLECTED SHOCK			
P	3.1306E+02	3.5070E+03	5.6769E+03
T	1.2909E+01	3.2339E+01	4.6706E+01
RHO	1.4687E+01	5.8150E+01	7.2049E+01
H	5.1955E+01	9.3578E+01	1.1916E+02
A	4.2202E+00	7.7172E+00	8.3602E+00
S	1.6378E+00	1.7561E+00	1.8153E+00
Z	1.6512E+00	1.8649E+00	1.9357E+00
GAM	8.3555E-01	9.8749E-01	8.8705E-01
U	1.4292E+01	3.6030E+00	3.6584E+00

SPECIES ----- MOLE FRACTIONS -----			
E-	3.9949E-08	8.2874E-03	4.4389E-02
H	7.8876E-01	9.0270E-01	8.3358E-01
H+	3.9691E-08	8.2868E-03	4.4385E-02
H2	1.2040E-01	2.8128E-04	1.1252E-04
H-	7.5234E-11	5.2119E-06	1.9506E-05
H2+	3.3351E-10	5.7942E-06	2.3191E-05
HE	9.0843E-02	8.0432E-02	7.7492E-02
HE+	9.4179E-23	5.8062E-09	4.8355E-07
HE++	4.9944E-83	3.4128E-32	3.8149E-25

TABLE I. -Continued

$$P_1 = 100 \text{ N/m}^2$$

$P_1 = 1.00E+02 \text{ N/SQ-M}$, $US_1 = 2.00E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

$P_1 = 1.00E+02 \text{ N/SQ-M}$, $US_1 = 2.20E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

MOVING SHOCK			STANDING SHOCK			REFLECTED SHOCK		
P	3.4677E+02	3.8543E+03	6.2638E+03					
T	1.3654E+01	3.6043E+01	4.3266E+01					
RHO	1.4663E+01	5.6699E+01	7.3162E+01					
H	5.7460E+01	1.0342E+02	1.3141E+02					
A	4.5054E+00	7.9324E+00	8.6465E+00					
S	1.6893E+00	1.7891E+00	1.8484E+00					
Z	1.7297E+00	1.8891E+00	1.9788E+00					
GAME	8.5950E-01	9.2523E-01	8.7323E-01					
U	1.5044E+01	3.8893E+00	3.7733E+00					

MOVING SHOCK			STANDING SHOCK			REFLECTED SHOCK		
P	4.1516E+02	4.0982E+03	6.5120E+03					
T	1.7488E+01	4.1054E+01	4.6883E+01					
RHO	1.2895E+01	5.0992E+01	6.7048E+01					
H	6.9222E+01	1.2390E+02	1.5538E+02					
A	5.9233E+00	8.3851E+00	9.1429E+00					
S	1.7865E+00	1.8594E+00	1.9206E+00					
Z	1.8410E+00	1.9577E+00	2.0716E+00					
GAME	1.0897E+00	8.7484E-01	8.6068E-01					
U	1.6381E+01	4.1331E+00	3.8941E+00					

SPECIES ----- MOLE FRACTIONS -----			
E-	1.2692E-07	2.0910E-02	6.5213E-02
H	8.4373E-01	8.7859E-01	7.9364E-01
H+	1.2634E-07	2.0909E-02	6.5206E-02
H2	6.9549E-02	1.6917E-04	8.4311E-05
H2+	2.1833E-10	9.7266E-06	2.4765E-05
HE	8.6720E-02	7.9400E-02	7.5801E-02
HE+	1.5053E-21	5.3693E-08	1.3544E-06
HE++	8.0832E-78	2.5344E-29	1.6238E-23

SPECIES ----- MOLE FRACTIONS -----			
E-	1.1268E-05	5.5084E-02	1.0708E-01
H	9.1361E-01	8.1310E-01	7.1333E-01
H+	1.1261E-05	5.5080E-02	1.0707E-01
H2	4.8868E-03	7.4165E-05	4.9450E-05
H2+	8.4651E-09	1.6585E-05	2.9481E-05
HE	8.1476E-02	7.6622E-02	7.2401E-02
HE+	1.1382E-16	6.6462E-07	5.0478E-06
HE++	1.2455E-60	9.3308E-25	1.8554E-21

$P_1 = 1.00E+02 \text{ N/SQ-M}$, $US_1 = 2.10E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

$P_1 = 1.00E+02 \text{ N/SQ-M}$, $US_1 = 2.30E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

MOVING SHOCK			STANDING SHOCK			REFLECTED SHOCK		
P	3.8132E+02	4.1153E+03	6.6413E+03					
T	1.4887E+01	3.8997E+01	4.5351E+01					
RHO	1.4227E+01	5.5134E+01	7.2319E+01					
H	6.3228E+01	1.1369E+02	1.4370E+02					
A	4.9793E+00	8.1687E+00	8.9156E+00					
S	1.7399E+00	1.8226E+00	1.8828E+00					
Z	1.8005E+00	1.9212E+00	2.0249E+00					
GAME	9.2500E-01	8.9360E-01	8.6558E-01					
U	1.5759E+01	4.0602E+00	3.8536E+00					

MOVING SHOCK			STANDING SHOCK			REFLECTED SHOCK		
P	4.4818E+02	3.9116E+03	6.0996E+03					
T	2.1512E+01	4.2662E+01	4.8022E+01					
RHO	1.1267E+01	4.5915E+01	5.9963E+01					
H	7.5425E+01	1.3396E+02	1.6649E+02					
A	6.7395E+00	8.5831E+00	9.3385E+00					
S	1.8259E+00	1.8976E+00	1.9598E+00					
Z	1.8491E+00	1.9969E+00	2.1182E+00					
GAME	1.1419E+00	8.6474E-01	8.5731E-01					
U	1.6918E+01	4.1547E+00	3.9080E+00					

SPECIES ----- MOLE FRACTIONS -----			
E-	6.8718E-07	3.7218E-02	8.6487E-02
H	8.8919E-01	8.4735E-01	7.5283E-01
H+	6.8553E-07	3.7216E-02	8.6477E-02
H2	2.7496E-02	1.3980E-04	6.4991E-05
H2+	9.2190E-10	1.3869E-05	2.8455E-05
HE	8.3310E-02	7.8073E-02	7.4974E-02
HE+	1.0627E-19	2.4175E-07	2.9082E-06
HE++	1.4048E-71	9.4433E-27	2.6073E-22

SPECIES ----- MOLE FRACTIONS -----			
E-	2.3432E-04	7.3643E-02	1.2671E-01
H	9.1770E-01	7.7751E-01	6.7568E-01
H+	2.3429E-04	7.3637E-02	1.2669E-01
H2	7.1514E-04	5.3940E-05	3.7486E-05
H2+	8.3393E-08	1.7893E-05	2.8707E-05
HE	8.1120E-02	7.5115E-02	7.0806E-02
HE+	2.1880E-13	1.3461E-06	7.6503E-06
HE++	8.1729E-49	1.1152E-23	7.8064E-21

TABLE I. - Continued

$$P_1 = 100 \text{ N/m}^2$$

$P_1 = 1.00E+02 \text{ N/SQ-M}, \quad US1 = 2.40E+04 \text{ M/SEC}$			
$XH2 = .85 \quad XHE = .15$			
MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK	
P	4.8272E+02	3.8443E+03	5.8895E+03
T	2.9626E+01	4.4132E+01	4.9165E+01
RHO	1.0164E+01	4.2718E+01	5.5270E+01
H	8.1889E+01	1.4450E+02	1.7814E+02
A	7.1309E+00	8.7903E+00	9.5468E+00
S	1.8589E+00	1.9337E+00	1.9974E+00
Z	1.8534E+00	2.0392E+00	2.1674E+00
GAME	1.0707E+00	8.5861E-01	8.5531E-01
U	1.7466E+01	4.1640E+00	3.9286E+00
SPECIES	MOLE FRACTIONS		
E-	1.9967E-03	9.2855E-02	1.4650E-01
H	7.1488E-01	7.4066E-01	6.3772E-01
H+	1.9966E-03	9.2848E-02	1.4648E-01
H2	1.8689E-04	4.1157E-05	2.9193E-05
H-	3.9663E-07	1.8966E-05	2.8100E-05
H2+	4.6575E-07	2.3611E-05	3.7770E-05
HE	8.0934E-02	7.3555E-02	6.9197E-02
HE+	4.4436E-11	2.4318E-06	1.1259E-05
HE++	1.7589E-60	9.1547E-23	3.0165E-20

$P_1 = 1.00E+02 \text{ N/SQ-M}, \quad US1 = 2.60E+04 \text{ M/SEC}$			
$XH2 = .85 \quad XHE = .15$			
MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK	
P	5.6150E+02	4.2134E+03	6.2868E+03
T	3.1711E+01	4.7179E+01	5.1897E+01
RHO	9.4087E+00	4.1815E+01	5.3180E+01
H	9.5781E+01	1.6847E+02	2.0524E+02
A	7.3907E+00	9.2723E+00	1.0052E+01
S	1.9151E+00	2.0000E+00	2.0672E+00
Z	1.8820E+00	2.1358E+00	2.2779E+00
GAME	9.1528E-01	8.5319E-01	8.5472E-01
U	1.8759E+01	4.2242E+00	4.0276E+00
SPECIES	MOLE FRACTIONS		
E-	1.7042E-02	1.3386E-01	1.8791E-01
H	8.8616E-01	6.6198E-01	5.5828E-01
H+	1.7041E-02	1.3385E-01	1.8787E-01
H2	4.8834E-05	2.6815E-05	1.9119E-05
H-	1.8010E-06	2.1697E-05	2.8457E-05
H2+	2.0010E-06	2.8269E-05	3.9980E-05
HE	7.9703E-02	7.0225E-02	6.5825E-02
HE+	9.2910E-09	6.9822E-06	2.4789E-05
HE++	4.3466E-32	4.2737E-21	5.2634E-19

$P_1 = 1.00E+02 \text{ N/SQ-M}, \quad US1 = 2.50E+04 \text{ M/SEC}$			
$XH2 = .85 \quad XHE = .15$			
MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK	
P	5.2047E+02	3.9582E+03	5.9732E+03
T	2.9066E+01	4.55635E+01	5.0455E+01
RHO	9.6072E+00	4.1588E+01	5.3320E+01
H	8.8671E+01	1.5601E+02	1.9105E+02
A	7.2669E+00	9.0211E+00	9.7842E+00
S	1.8881E+00	1.9676E+00	2.0328E+00
Z	1.8639E+00	2.0856E+00	2.2203E+00
GAME	9.7476E-01	8.5504E-01	8.5454E-01
U	1.8081E+01	4.1795E+00	3.9686E+00
SPECIES	MOLE FRACTIONS		
E-	7.5397E-03	1.1302E-01	1.6684E-01
H	9.0436E-01	7.0196E-01	5.9869E-01
H+	7.5395E-03	1.1301E-01	1.6682E-01
H2	8.1727E-05	3.2798E-05	2.3435E-05
H-	1.0187E-06	2.0262E-05	2.8105E-05
H2+	1.1410E-06	2.5787E-05	3.8568E-05
HE	8.0476E-02	7.1917E-02	6.7542E-02
HE+	1.2013E-09	4.1955E-06	1.6644E-05
HE++	2.6089E-35	6.5490E-22	1.2295E-19

$P_1 = 1.00E+02 \text{ N/SQ-M}, \quad US1 = 2.70E+04 \text{ M/SEC}$			
$XH2 = .85 \quad XHE = .15$			
MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK	
P	6.0538E+02	4.5659E+03	6.7503E+03
T	3.3796E+01	4.8739E+01	5.3409E+01
RHO	9.3996E+00	4.2789E+01	5.4009E+01
H	1.0321E+02	1.8178E+02	2.2051E+02
A	7.5437E+00	9.5379E+00	1.0341E+01
S	1.9412E+00	2.0320E+00	2.1014E+00
Z	1.9057E+00	2.1893E+00	2.3392E+00
GAME	8.8358E-01	8.5253E-01	8.5564E-01
U	1.9478E+01	4.2827E+00	4.0982E+00
SPECIES	MOLE FRACTIONS		
E-	2.9256E-02	1.5505E-01	2.0920E-01
H	8.6274E-01	6.2133E-01	5.1744E-01
H+	2.9256E-02	1.5503E-01	2.0915E-01
H2	3.4285E-05	2.2282E-05	1.5693E-05
H-	2.6153E-06	2.3084E-05	2.8803E-05
H2+	2.9212E-06	3.0818E-05	4.1500E-05
HE	7.8712E-02	6.8502E-02	6.4087E-02
HE+	3.6996E-08	1.1225E-05	3.6722E-05
HE++	6.6245E-30	2.4750E-20	2.2537E-10

TABLE I. - Continued

$$p_1 = 100 \text{ N/m}^2$$

$P_1 = 1.00E+02 \text{ N/SQ-M}$, $US1 = 2.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.5169E+02	4.9867E+03	7.3175E+03
T	3.5526E+01	5.0300E+01	5.5021E+01
RHO	9.4881E+00	4.4145E+01	5.5326E+01
H	1.1094E+02	1.9581E+02	2.3674E+02
A	7.7121E+00	9.8144E+00	1.0647E+01
S	1.9668E+00	2.0638E+00	2.1356E+00
Z	1.9334E+00	2.2458E+00	2.4038E+00
GAME	8.6592E-01	8.5271E-01	8.5716E-01
U	2.0222E+01	4.3506E+00	4.1824E+00

SPECIES	MOLE FRACTIONS		
E-	4.3155E-02	1.7628E-01	2.3044E-01
H	4.3607E-01	5.8060E-01	4.7670E-01
H+	4.3154E-02	1.7625E-01	2.3037E-01
H2	2.6213E-05	1.8634E-05	1.2859E-05
H-	3.4066E-06	2.4274E-05	2.8923E-05
H2+	3.8442E-06	3.3227E-05	4.2791E-05
HE	7.7584E-02	6.6775E-02	6.2347E-02
HE+	1.0239E-07	1.7466E-05	5.3875E-05
HE++	2.7480E-28	1.2810E-19	9.3145E-18

$P_1 = 1.00E+02 \text{ N/SQ-M}$, $US1 = 3.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	7.5092E+02	5.9851E+03	8.6798E+03
T	3.8359E+01	5.3416E+01	5.8339E+01
RHO	9.8018E+00	4.7358E+01	5.8558E+01
H	1.2731E+02	2.2585E+02	2.7165E+02
A	8.0645E+00	1.0394E+01	1.1302E+01
S	2.0176E+00	2.1279E+00	2.2049E+00
Z	1.9972E+00	2.3660E+00	2.5408E+00
GAME	8.4892E-01	8.5483E-01	8.6174E-01
U	2.1752E+01	4.5073E+00	4.3708E+00

$P_1 = 1.00E+02 \text{ N/SQ-M}$, $US1 = 2.90E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	7.0019E+02	5.4610E+03	7.9627E+03
T	3.7023E+01	5.1856E+01	5.6655E+01
RHO	9.6292E+00	4.5695E+01	5.6879E+01
H	1.1898E+02	2.1050E+02	2.5377E+02
A	7.8869E+00	1.0100E+01	1.0967E+01
S	1.9922E+00	2.0957E+00	2.1701E+00
Z	1.9641E+00	2.3047E+00	2.4710E+00
GAME	8.5554E-01	8.5351E-01	8.5920E-01
U	2.0980E+01	4.4258E+00	4.2728E+00

SPECIES	MOLE FRACTIONS		
E-	5.8108E-02	1.9733E-01	2.5137E-01
H	8.0738E-01	5.4022E-01	4.3657E-01
H+	3.8107E-02	1.9729E-01	2.5127E-01
H2	2.1042E-05	1.56C1E-05	1.0474E-05
H-	4.1528E-06	2.5182E-05	2.8707E-05
H2+	4.7439E-06	3.5354E-05	4.3650E-05
HE	7.6371E-02	6.5059E-02	6.0626E-02
HE+	2.2794E-07	2.6413E-05	7.8154E-05
HE++	5.1166E-27	5.9546E-19	3.6781E-17

$P_1 = 1.00E+02 \text{ N/SQ-M}$, $US1 = 3.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	8.5747E+02	7.1335E+03	1.0264E+04
T	4.0717E+01	5.6526E+01	6.1937E+01
RHO	1.0176E+01	5.0610E+01	6.1807E+01
H	1.4481E+02	2.58C6E+02	3.0936E+02
A	8.4236E+00	1.1002E+01	1.2009E+01
S	2.0688E+00	2.1928E+00	2.2752E+00
Z	2.0694E+00	2.4935E+00	2.6856E+00
GAME	8.421UE-01	8.587CE-01	8.6837E-01
U	2.3290E+01	4.6890E+00	4.5893E+00

SPECIES	MOLE FRACTIONS		
E-	1.0604E-01	2.5813E-01	3.1118E-01
H	7.1541E-01	4.2360E-01	3.2196E-01
H+	1.0604E-01	2.58C4E-01	3.1093E-01
H2	1.2501E-05	8.9124E-06	5.2584E-06
H-	6.0352E-06	2.5807E-05	2.5698E-05
H2+	7.1769E-06	3.9156E-05	4.2625E-05
HE	7.2483E-02	6.0075E-02	5.5626E-02
HE+	1.2629E-06	8.0554E-05	2.2825E-04
HE++	2.7987E-24	3.7634E-17	1.8818E-15

TABLE I. - Continued

$$P_1 = 100 \text{ N/m}^2$$

$P_1 = 1.00 \times 10^2 \text{ N/SQ-M}$, $US_1 = 3.40 \times 10^4 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

$P_1 = 1.00 \times 10^2 \text{ N/SQ-M}$, $US_1 = 3.80 \times 10^4 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	9.7189E+02	8.4301E+03	1.2070E+04
T	4.2812E+01	5.9727E+01	6.5664E+01
RHO	1.0567E+01	5.3705E+01	6.4780E+01
H	1.6346E+02	2.9261E+02	3.5020E+02
A	8.7872E+00	1.1647E+01	1.2788E+01
S	2.1209E+30	2.2588E+00	2.3470E+00
Z	2.1483E+00	2.6281E+00	2.8375E+00
GAME	8.3953E-01	8.6424E-01	8.7768E-01
U	2.4848E+01	4.8952E+00	4.8429E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.2218E+03	1.1356E+04	1.6256E+04
T	4.6587E+01	6.6714E+01	7.5187E+01
RHO	1.1290E+01	5.8494E+01	6.8642E+01
H	2.0416E+02	3.6789E+02	4.4119E+02
A	9.5347E+00	1.3083E+01	1.4672E+01
S	2.2281E+00	2.3927E+00	2.4929E+00
Z	2.3230E+00	2.9100E+00	3.1498E+00
GAME	6.4004E-01	8.8171E-01	9.0892E-01
U	2.7956E+01	5.6027E+00	5.5026E+00

SPECIES	-----	MOLE FRACTIONS	-----
E-	1.30889E-01	2.9612E-01	3.4807E-01
H	6.52394E-01	3.5079E-01	2.5142E-01
H+	1.38888E-01	2.9595E-01	3.4759E-01
H2	9.2824E-06	5.8478E-06	3.0051E-06
H-	6.9570E-06	2.4400E-05	2.1820E-05
H2+	8.5027E-06	3.9066E-05	3.8570E-05
HE	6.9819E-02	5.6916E-02	5.2397E-02
HE+	2.9122E-06	1.5918E-04	4.6536E-04
HE++	6.1732E-23	4.6316E-16	2.4613E-14

SPECIES	-----	MOLE FRACTIONS	-----
E-	2.0364E-01	3.6429E-01	4.1269E-01
H	5.2814E-01	2.2042E-01	1.2919E-01
H+	2.0363E-01	3.6368E-01	4.1047E-01
H2	5.2280E-06	2.0464E-06	6.3178E-07
H-	7.9454E-06	1.7904E-05	1.1478E-05
H2+	1.0258E-05	3.2196E-05	2.3598E-05
HE	6.4560E-02	5.0946E-02	4.5410E-02
HE+	1.0914E-05	6.0039E-04	2.2115E-03
HE++	8.3008E-21	5.5585E-14	5.9438E-12

$P_1 = 1.00 \times 10^2 \text{ N/SQ-M}$, $US_1 = 3.60 \times 10^4 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

$P_1 = 1.00 \times 10^2 \text{ N/SQ-M}$, $US_1 = 4.00 \times 10^4 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.0933E+03	9.8424E+03	1.4068E+04
T	4.4747E+01	6.3100E+01	7.0002E+01
RHO	1.0942E+01	5.6342E+01	6.7132E+01
H	1.8325E+02	3.2923E+02	3.9407E+02
A	9.1568E+00	1.2340E+01	1.3663E+01
S	2.1740E+00	2.3260E+00	2.4197E+00
Z	2.2331E+00	2.7685E+00	2.9937E+00
GAME	8.3913E-01	8.7174E-01	8.9076E-01
U	2.6403E+01	5.1310E+00	5.1442E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.3573E+03	1.2950E+04	1.8638E+04
T	4.8375E+01	7.0796E+01	8.1774E+01
RHO	1.1605E+01	5.9920E+01	6.9078E+01
H	2.2621E+02	4.0853E+02	4.9203E+02
A	9.9232E+00	1.3910E+01	1.5848E+01
S	2.2834E+00	2.4598E+00	2.5666E+00
Z	2.4178E+00	3.0528E+00	3.2995E+00
GAME	8.4190E-01	8.9524E-01	9.3088E-01
U	2.9505E+01	5.7210E+00	5.9483E+00

SPECIES	-----	MOLE FRACTIONS	-----
E-	1.7156E-01	3.3180E-01	3.8207E-01
H	5.8970E-01	2.8248E-01	1.8670E-01
H+	1.7155E-01	3.3148E-01	3.8107E-01
H2	6.9704E-06	3.5960E-06	1.5131E-06
H-	7.5939E-06	2.1625E-05	1.6859E-05
H2+	9.5389E-06	3.6639E-05	3.1971E-05
HE	6.7167E-02	5.3872E-02	4.9125E-02
HE+	5.8835E-06	3.0940E-04	9.8072E-04
HE++	8.3658E-22	5.1854E-15	3.4632E-13

SPECIES	-----	MOLE FRACTIONS	-----
E-	2.3486E-01	3.9403E-01	4.3932E-01
H	4.6624E-01	1.6359E-01	8.1310E-02
H+	2.3484E-01	3.9281E-01	4.3389E-01
H2	3.8833E-06	1.0286E-06	2.0201E-07
H-	8.0189E-06	1.3547E-05	6.5917E-06
H2+	1.0645E-05	2.6011E-05	1.4847E-05
HE	6.2021E-02	4.7928E-02	4.0036E-02
HE+	1.9124E-05	1.2070E-03	5.4261E-03
HE++	6.6110E-20	6.4455E-13	1.4036E-10

TABLE I. - Continued

$$P_1 = 100 \text{ N/m}^2$$

$P_1 = 1.00E+02 \text{ N/SQ-M}$, $US1 = 4.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK			
P	1.4996E+03	1.14599E+04	2.1214E+04
T	5.0148E+01	7.5579E+01	9.0080E+01
RHO	1.1880E+01	6.0526E+01	6.8652E+01
H	2.4937E+02	4.5105E+02	5.4692E+02
A	1.0325E+01	1.4839E+01	1.7140E+01
S	2.3396E+00	2.5263E+00	2.6383E+00
Z	2.5170E+00	3.1915E+00	3.4304E+00
GAME	8.4455E-01	9.1291E-01	9.5068E-01
U	3.1047E+01	6.1006E+00	6.4957E+00

SPECIES MOLE FRACTIONS			
E-	2.6501E-01	4.2036E-01	4.6071E-01
H+	4.1039E-01	1.1483E-01	4.7682E-02
H+	2.6498E-01	4.1779E-01	4.4787E-01
H2+	2.8350E-06	4.3855E-07	5.0762E-08
H-	7.8304E-06	9.1651E-06	3.2519E-06
H2+	1.0692E-05	1.8940E-05	8.0475E-06
HE+	5.9562E-02	4.4441E-02	3.0896E-02
HE+	3.2294E-05	2.5589E-03	1.2831E-02
HE++	4.5684E-19	8.8035E-12	3.7955E-09

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK			
P	1.6486E+03	1.6274E+04	2.3963E+04
T	5.1937E+01	8.1366E+01	1.0054E+02
RHO	1.2114E+01	6.0253E+01	6.7329E+01
H	2.7367E+02	4.9535E+02	6.0576E+02
A	1.0743E+01	1.5866E+01	1.8734E+01
S	2.3968E+00	2.5914E+00	2.7079E+00
Z	2.6202E+00	3.3195E+00	3.5399E+00
GAME	8.4800E-01	9.3233E-01	9.8614E-01
U	3.2583E+01	6.5568E+00	7.1257E+00

SPECIES MOLE FRACTIONS			
E-	2.9397E-01	4.4270E-01	4.7739E-01
H+	3.5486E-01	7.5068E-02	2.7044E-02
H+	2.9391E-01	4.3702E-01	4.5318E-01
H2+	2.0194E-06	1.5364E-07	1.0492E-08
H-	7.4028E-06	5.4503E-06	1.4404E-06
H2+	1.0407E-05	1.2159E-05	3.8554E-06
HE+	5.7194E-02	3.9514E-02	1.8163E-02
HE+	5.3345E-05	5.6730E-03	2.4210E-02
HE++	3.8593E-18	1.4473E-10	9.1452E-08

$P_1 = 1.00E+02 \text{ N/SQ-M}$, $US1 = 4.60E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK			
P	1.8043E+03	1.7948E+04	2.6991E+04
T	5.3778E+01	8.8303E+01	1.1576E+02
RHO	1.2303E+01	5.9246E+01	6.4358E+01
H	2.9908E+02	5.4136E+02	6.7175E+02
A	1.1180E+01	1.6954E+01	2.1108E+01
S	2.4547E+00	2.6543E+00	2.7768E+00
Z	2.7270E+00	3.4304E+00	3.6230E+00
GAME	8.5236E-01	9.4881E-01	1.0704E+00
U	3.4111E+01	7.0900E+00	8.0457E+00

SPECIES MOLE FRACTIONS			
E-	3.2161E-01	4.6077E-01	4.8937E-01
H+	3.0184E-01	4.6761E-02	1.4185E-02
H+	3.2152E-01	4.4874E-01	4.5504E-01
H2	1.3910E-06	4.5429E-08	1.4407E-09
H-	6.7658E-06	2.9032E-06	5.4156E-07
H2+	9.8047E-06	7.0425E-06	1.4840E-06
HE	5.4918E-02	3.1695E-02	7.0784E-03
HE+	8.7351E-05	1.2027E-02	3.4322E-02
HE++	1.7102E-17	2.5003E-09	2.4995E-06

$P_1 = 1.00E+02 \text{ N/SQ-M}$, $US1 = 4.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK			
P	1.9664E+03	1.9598E+04	3.0338E+04
T	5.5712E+01	9.6445E+01	1.3830E+02
RHO	1.2442E+01	5.7661E+01	5.9852E+01
H	3.2561E+02	5.8900E+02	7.6467E+02
A	1.1644E+01	1.8166E+01	2.4035E+01
S	2.5133E+00	2.7145E+00	2.8424E+00
Z	2.8368E+00	3.5241E+00	3.6651E+00
GAME	8.5787E-01	9.7309E-01	1.1397E+00
U	3.5630E+01	7.6931E+00	9.3240E+00

SPECIES MOLE FRACTIONS			
E-	3.4786E-01	4.7505E-01	4.9524E-01
H+	2.5154E-01	2.8739E-02	7.2118E-03
H+	3.4771E-01	4.5364E-01	4.5662E-01
H2	9.1644E-07	1.2093E-08	1.3709E-10
H-	5.9553E-06	1.4511E-06	2.0775E-07
H2+	8.9125E-06	3.7757E-06	4.7179E-07
HE	5.2734E-02	2.1157E-02	2.3824E-03
HE+	1.4359E-04	2.1407E-02	2.8470E-02
HE++	1.0116E-16	3.6818E-08	7.4276E-05

TABLE I. - Continued

$$P_1 = 100 \text{ N/m}^2$$

$P_1 = 1.00E+02 \text{ N/SQ-M}$, $US_1 = 5.00E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	2.1349E+03	2.1132E+04
T	5.7794E+01	1.0656E+02
RHO	1.2527E+01	5.5113E+01
H	3.5326E+02	6.3783E+02
A	1.2141E+01	1.9843E+01
S	2.5723E+00	2.7723E+00
Z	2.9487E+00	3.5982E+00
GAME	8.6496E-01	1.0269E+00
U	3.7136E+01	8.4531E+00

$P_1 = 1.00E+02 \text{ N/SQ-M}$, $US_1 = 5.40E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	2.4895E+03	2.3623E+04
T	6.2747E+01	1.3481E+02
RHO	1.2505E+01	4.7758E+01
H	4.1186E+02	7.3782E+02
A	1.3289E+01	2.3746E+01
S	2.6900E+00	2.8727E+00
Z	3.1727E+00	3.6692E+00
GAME	8.8713E-01	1.1400E+00
U	4.0100E+01	1.0496E+01

SPECIES MOLE FRACTIONS		
E-	3.7261E-01	4.8588E-01
H	2.0414E-01	1.7245E-02
H+	3.7237E-01	4.5519E-01
H2	5.6867E-07	2.7194E-09
H-	5.0141E-06	6.7026E-07
H2+	7.7697E-06	1.8319E-06
HE	5.0630E-02	1.1002E-02
HE+	2.4032E-04	3.0684E-02
HE++	6.2205E-16	4.8662E-07

SPECIES MOLE FRACTIONS		
E-	4.1691E-01	4.9581E-01
H	1.1966E-01	6.2552E-03
H+	4.1615E-01	4.5705E-01
H2	1.6671E-07	9.4536E-11
H-	2.9640E-06	1.4666E-07
H2+	4.9870E-06	3.4762E-07
HE	4.6517E-02	2.1867E-03
HE+	7.6144E-04	3.8633E-02
HE++	3.2816E-14	6.0520E-05

$P_1 = 1.00E+02 \text{ N/SQ-M}$, $US_1 = 5.20E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	2.3094E+03	2.2492E+04
T	6.0105E+01	1.1927E+02
RHO	1.2550E+01	5.1738E+01
H	3.8201E+02	6.8756E+02
A	1.2685E+01	2.1844E+01
S	2.6315E+00	2.8242E+00
Z	3.0616E+00	3.6450E+00
GAME	8.7438E-01	1.0976E+00
U	3.8628E+01	9.3034E+00

$P_1 = 1.00E+02 \text{ N/SQ-M}$, $US_1 = 5.60E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	2.6746E+03	2.4485E+04
T	6.5962E+01	1.5176E+02
RHO	1.2335E+01	4.3814E+01
H	4.4279E+02	7.8859E+02
A	1.3994E+01	2.5209E+01
S	2.7489E+00	2.9182E+00
Z	3.2814E+00	3.6622E+00
GAME	9.0478E-01	1.1371E+00
U	4.1543E+01	1.1699E+01

SPECIES MOLE FRACTIONS		
E-	3.9574E-01	4.9245E-01
H	1.5993E-01	1.0273E-02
H+	3.9532E-01	4.5612E-01
H2	3.2510E-07	5.2443E-10
H-	3.9932E-06	3.0155E-07
H2+	6.4311E-06	8.1491E-07
HE	4.8578E-02	4.8340E-03
HE+	4.1664E-04	3.6313E-02
HE++	4.1972E-15	5.8013E-06

SPECIES MOLE FRACTIONS		
E-	4.3622E-01	4.9759E-01
H	8.3367E-02	4.0848E-03
H+	4.3469E-01	4.5759E-01
H2	7.1972E-08	1.9660E-11
H-	1.9804E-06	8.4802E-08
H2+	3.5106E-06	1.5821E-07
HE	6.4186E-02	1.1898E-03
HE+	1.5257E-03	3.9094E-02
HE++	3.3954E-13	4.5257E-04

TABLE I. -Continued

$$P_1 = 100 \text{ N/m}^2$$

$P_1 = 1.00E+02 \text{ N/SQ-M}$, $US1 = 5.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.8639E+03	2.5197E+04	4.5125E+04
T	6.9943E+01	1.6800E+02	2.4159E+02
RHO	1.2113E+01	4.0602E+01	4.9051E+01
H	4.7479E+02	8.4060E+02	1.1399E+03
A	1.4793E+01	2.6023E+01	3.1233E+01
S	2.8061E+00	2.9597E+00	3.0735E+00
Z	3.3803E+00	3.6940E+00	3.8079E+00
GAME	9.2558E-01	1.0912E+00	1.0604E+00
U	4.2951E+01	1.2800E+01	1.4106E+01

$P_1 = 1.00E+02 \text{ N/SQ-M}$, $US1 = 6.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.2553E+03	2.6551E+04	4.9312E+04
T	8.0389E+01	1.9579E+02	2.9441E+02
RHO	1.1448E+01	3.6283E+01	4.3625E+01
H	5.4195E+02	9.5092E+02	1.3179E+03
A	1.6414E+01	2.7129E+01	3.6027E+01
S	2.9147E+00	3.0372E+00	3.1546E+00
Z	3.5371E+00	3.7376E+00	3.8393E+00
GAME	9.4756E-01	1.0057E+00	1.1482E+00
U	4.5673E+01	1.4379E+01	1.6197E+01

SPECIES ----- MOLE FRACTIONS -----		
E-	4.5272E-01	6.9919E-01
H	5.3540E-02	2.9361E-03
H+	4.4937E-01	4.5727E-01
H2	2.5412E-08	5.5481E-12
H-	1.1694E-06	5.8063E-08
H2+	2.2046E-06	8.3668E-08
HE	4.1025E-02	7.6389E-04
HE+	3.3496E-03	3.7760E-02
HE++	4.7722E-12	2.0820E-03

SPECIES ----- MOLE FRACTIONS -----		
E-	4.7698E-01	5.0503E-01
H	1.8884E-02	1.8837E-03
H+	4.6173E-01	4.5255E-01
H2	2.0486E-09	9.7223E-13
H-	3.0833E-07	3.6495E-08
H2+	6.6716E-07	3.4650E-08
HE	2.7160E-02	3.4641E-04
HE+	1.5247E-02	2.7488E-02
HE++	1.2791E-09	1.2298E-02

$P_1 = 1.00E+02 \text{ N/SQ-M}$, $US1 = 6.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

$P_1 = 1.00E+02 \text{ N/SQ-M}$, $US1 = 6.40E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.3572E+03	2.5856E+04	4.7241E+04
T	7.4822E+01	1.8267E+02	2.6569E+02
RHO	1.1791E+01	3.8130E+01	4.6438E+01
H	5.0783E+02	8.9463E+02	1.2259E+03
A	1.5612E+01	2.6495E+01	3.3654E+01
S	2.8614E+00	2.9992E+00	3.1146E+00
Z	3.4653E+00	3.7122E+00	3.8289E+00
GAME	9.4003E-01	1.0352E+00	1.1134E+00
U	4.4323E+01	1.3681E+01	1.5060E+01

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.4582E+03	2.7199E+04	5.1318E+04
T	8.6615E+01	2.0842E+02	3.2622E+02
RHO	1.1096E+01	3.6464E+01	4.0925E+01
H	5.7712E+02	1.0088E+03	1.4150E+03
A	1.7395E+01	2.8088E+01	3.8182E+01
S	2.9653E+00	3.0745E+00	3.1924E+00
Z	3.5981E+00	3.7666E+00	3.8439E+00
GAME	9.7091E-01	1.0050E+00	1.1626E+00
U	4.7006E+01	1.5032E+01	1.7452E+01

SPECIES ----- MOLE FRACTIONS -----		
E-	4.6614E-01	5.0164E-01
H	3.2028E-02	2.2845E-03
H+	4.5854E-01	4.5567E-01
H2	7.4477E-09	2.0818E-12
H-	6.1451E-07	4.4404E-08
H2+	1.2415E-06	5.0567E-08
HE	3.5686E-02	5.1871E-04
HE+	7.5995E-03	3.3802E-02
HE++	8.2828E-11	6.0863E-03

SPECIES ----- MOLE FRACTIONS -----		
E-	4.8565E-01	5.0884E-01
H	1.1282E-02	1.5931E-03
H+	4.6118E-01	4.4974E-01
H2	5.5767E-10	5.0246E-13
H-	1.5268E-07	3.0777E-08
H2+	3.5324E-07	2.4751E-08
HE	1.7025E-02	2.1521E-04
HE+	2.4663E-02	2.0114E-02
HE++	1.5117E-08	1.9495E-02

TABLE I. -Continued

$$P_1 = 100 \text{ N/m}^2$$

$P_1 = 1.00E+02 \text{ N/SU-M}$, $US1 = 6.60E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.6628E+03	2.7575E+04	5.2615E+04
T	9.4398E+01	2.2106E+02	3.5871E+02
RHO	1.0641E+01	3.2884E+01	3.8138E+01
H	6.1328E+02	1.0677E+03	1.5125E+03
A	1.8817E+03	2.9337E+01	4.0134E+01
S	3.0140E+00	3.1103E+00	3.2285E+00
Z	3.6465E+00	3.7933E+00	3.8460E+00
GAM	1.0287E+00	1.0264E+00	1.1676E+00
U	4.8277E+01	1.5581E+01	1.8659E+01

SPECIES	MOLE FRACTIONS		
E-	4.9266E-01	5.1230E-01	5.1898E-01
H	6.5134E-03	1.3542E-03	6.6861E-04
H+	4.5969E-01	4.4681E-01	4.4135E-01
H2	1.2965E-10	2.6815E-13	1.4461E-14
H-	6.8997E-08	2.5769E-08	1.5364E-08
H2+	1.7194E-07	1.7895E-08	5.1755E-09
HE	8.1712E-03	1.2214E-04	1.4264E-06
HE+	3.2964E-02	1.3354E-02	3.6717E-04
HE++	1.7279E-07	2.6068E-02	3.8633E-02

$P_1 = 1.00E+02 \text{ N/SU-M}$, $US1 = 7.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.0686E+03	2.6953E+04	5.2911E+04
T	1.1619E+02	2.5031E+02	4.2362E+02
RHO	9.4955E+00	2.8116E+01	3.2460E+01
H	6.8818E+02	1.1810E+03	1.7044E+03
A	2.2144E+01	3.2537E+01	4.3672E+01
S	3.0980E+00	3.1832E+00	3.2976E+00
Z	3.6877E+00	3.8297E+00	3.8479E+00
GAM	1.1444E+00	1.1043E+00	1.1701E+00
U	5.0563E+01	1.7083E+01	2.0894E+01

SPECIES	MOLE FRACTIONS		
E-	4.9833E-01	5.1694E-01	5.1921E-01
H	2.1544E-03	9.2288E-04	4.3214E-04
H+	4.5884E-01	4.4257E-01	4.4137E-01
H2	4.8974E-12	6.4931E-14	3.4224E-15
H-	1.2485E-08	1.5841E-08	7.9242E-09
H2+	3.3851E-08	8.4355E-09	2.4434E-09
HE	1.2077E-03	2.6998E-05	2.5438E-07
HE+	3.9448E-02	4.3113E-03	1.2498E-04
HE++	2.0210E-05	3.4829E-02	3.8858E-02

$P_1 = 1.00E+02 \text{ N/SU-M}$, $US1 = 6.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.8651E+03	2.7408E+04	5.3028E+04
T	1.0426E+02	2.3499E+02	3.9094E+02
RHO	1.0088E+01	3.0572E+01	3.5258E+01
H	6.5027E+02	1.1246E+03	1.6081E+03
A	2.0544E+01	3.0883E+01	4.1937E+01
S	3.0578E+00	3.1473E+00	3.2635E+00
Z	3.6758E+00	3.8151E+00	3.8471E+00
GAM	1.1016E+00	1.0639E+00	1.1693E+00
U	4.9446E+01	1.6295E+01	1.5782E+01

SPECIES	MOLE FRACTIONS		
E-	4.9657E-01	5.1509E-01	5.1912E-01
H	3.6891E-03	1.1254E-03	5.3566E-04
H+	4.5892E-01	4.4447E-01	4.4135E-01
H2	2.5766E-11	1.3424E-13	6.8871E-15
H-	2.8935E-08	2.0534E-08	1.1050E-08
H2+	7.7178E-08	1.2417E-08	3.5256E-09
HE	3.1772E-03	6.0247E-05	5.7983E-07
HE+	3.7640E-02	7.8910E-03	2.0516E-04
HE++	1.9558E-06	3.1365E-02	3.8784E-02

TABLE I. -Continued

$$P_1 = 200 \text{ N/m}^2$$

$P_1 = 2.00E+02 \text{ N/SQ-M}$, $US_1 = 4.00E+03 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.2097E+01	2.5396E+01	6.2317E+01
T	3.0557E+00	3.8279E+00	5.4427E+00
RHO	3.9585E+00	6.6354E+00	1.1448E+01
H	3.1244E+00	3.9436E+00	5.7347E+00
A	1.7411E+00	1.9395E+00	2.2838E+00
S	1.0573E+00	1.0591E+00	1.0761E+00
Z	1.0000E+00	1.0000E+00	1.0001E+00
GAME	9.9208E-01	9.8273E-01	9.5817E-01
U	2.4141E+00	1.4366E+00	1.2772E+00

SPECIES	MOLE FRACTIONS		
E-	5.2367E-62	6.5162E-40	7.2692E-24
H	1.2929E-09	2.1946E-07	2.0169E-04
H+	4.5133E-20	5.5976E-20	6.3521E-20
H2	8.5000E-01	8.5000E-01	8.4981E-01
H-	6.7478E-70	1.0540E-45	3.5496E-20
H2+	2.4288E-20	1.3445E-20	5.9012E-21
HE	1.5000E-01	1.5000E-01	1.4998E-01
HE+	1.6754E-71	1.8483E-59	3.7527E-50
HE++	0.	0.	0.

$P_1 = 2.00E+02 \text{ N/SQ-M}$, $US_1 = 6.00E+03 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.7677E+01	8.8938E+01	1.7088E+02
T	5.5802E+00	7.4933E+00	8.7291E+00
RHO	4.9585E+00	1.1774E+01	1.6958E+01
H	5.8984E+00	8.5806E+00	1.1470E+01
A	2.3054E+00	2.5573E+00	2.7255E+00
S	1.1169E+00	1.1245E+00	1.1466E+00
Z	1.0002E+00	1.0080E+00	1.0327E+00
GAME	9.5227E-01	8.6575E-01	8.2405E-01
U	3.8689E+00	1.6259E+00	1.3744E+00

SPECIES	MOLE FRACTIONS		
E-	1.7555E-22	1.6789E-15	3.7702E-13
H	4.5772E-04	1.5951E-02	6.3275E-02
H+	6.5828E-20	1.6091E-15	3.6183E-13
H2	8.4958E-01	8.3525E-01	7.9147E-01
H-	5.9964E-27	7.4783E-19	4.7512E-16
H2+	3.7528E-21	7.0605E-17	1.5666E-14
HE	1.4997E-01	1.4880E-01	1.4525E-01
HE+	1.0965E-49	2.3448E-38	4.1789E-34
HE++	0.	0.	0.

$P_1 = 2.00E+02 \text{ N/SQ-M}$, $US_1 = 5.00E+03 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9056E+01	5.0565E+01	1.1046E+02
T	4.2232E+00	5.6487E+00	7.4280E+00
RHO	4.5127E+00	8.9478E+00	1.4772E+01
H	4.3713E+00	5.9759E+00	8.4150E+00
A	2.0316E+00	2.3198E+00	2.5572E+00
S	1.0876E+00	1.0919E+00	1.1114E+00
Z	1.0000E+00	1.0002E+00	1.0065E+00
GAME	9.7736E-01	9.5251E-01	8.7457E-01
U	3.1423E+00	1.5815E+00	1.3855E+00

SPECIES	MOLE FRACTIONS		
E-	1.1433E-33	8.5674E-22	1.1266E-15
H	2.5851E-06	4.2346E-04	1.2877E-02
H+	6.1216E-20	6.5431E-20	1.0742E-15
H2	8.5000E-01	8.4961E-01	8.3809E-01
H-	4.8135E-39	4.8151E-26	5.5556E-19
H2+	8.2054E-21	4.8327E-21	5.2790E-17
HE	1.5000E-01	1.4997E-01	1.4903E-01
HE+	3.0739E-56	5.0965E-49	1.5695E-38
HE++	0.	0.	0.

$P_1 = 2.00E+02 \text{ N/SQ-M}$, $US_1 = 7.00E+03 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.8180E+01	1.4896E+02	2.5346E+02
T	6.9330E+00	8.7979E+00	9.6869E+00
RHO	5.4820E+00	1.6312E+01	2.4331E+01
H	7.7183E+00	1.1844E+01	1.5075E+01
A	2.4806E+00	2.7357E+00	2.9067E+00
S	1.1451E+00	1.1594E+00	1.1855E+00
Z	1.0046E+00	1.0378E+00	1.0755E+00
GAME	8.8347E-01	8.1963E-01	8.1102E-01
U	4.16218E+00	1.5506E+00	1.3464E+00

SPECIES	MOLE FRACTIONS		
E-	8.7332E-17	5.9121E-13	1.0443E-11
H	9.1509E-03	7.2842E-02	1.4032E-01
H+	8.4360E-17	5.6984E-13	1.0054E-11
H2	8.4154E-01	7.8262E-01	7.2020E-01
H-	1.4389E-20	7.4446E-16	2.4292E-14
H2+	3.0556E-18	2.2120E-14	4.1341E-13
HE	1.4931E-01	1.4454E-01	1.3948E-01
HE+	1.0018E-41	5.9391E-33	1.5888E-30
HE++	0.	0.	0.

TABLE I. -Continued

$$P_1 = 200 \text{ N/SQ-M}, \quad U_1 = 8.00E+03 \text{ M/SEC}$$

$$X_2 = .85 \quad X_{HE} = .15$$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.0937E+01	2.4215E+02	3.8007E+02
T	7.9377E+00	9.7954E+00	1.0557E+01
RHO	6.2851E+00	2.2774E+01	3.1771E+01
H	9.8465E+00	1.5779E+01	1.9436E+01
A	2.5936E+00	2.9335E+00	3.1111E+00
S	1.1739E+00	1.1982E+00	1.2287E+00
Z	1.0211E+00	1.0855E+00	1.1331E+00
GAM	8.2997E-01	8.0934E-01	8.0911E-01
U	5.4316E+00	1.4972E+00	1.3405E+00

SPECIES	MOLE FRACTIONS		
E-	2.3999E-14	1.5830E-11	1.1825E-10
H	4.1236E-02	1.5754E-01	2.3488E-01
H+	2.3323E-14	1.5278E-11	1.1410E-10
H2	8.1186E-01	7.0427E-02	6.3274E-01
H2+	1.0247E-17	3.7589E-14	4.4085E-13
H2+	6.8666E-16	5.8980E-13	4.4589E-12
HE	1.4691E-01	1.3818E-01	1.3238E-01
HE+	2.4282E-37	7.6343E-30	8.9060E-28
HE++	0.	0.	0.

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.5733E+01	3.7423E+02	5.5768E+02
T	8.6630E+00	1.0666E+01	1.1388E+01
RHO	7.2415E+00	3.0605E+01	4.0681E+01
H	1.2268E+01	2.0323E+01	2.4500E+01
A	2.7129E+00	3.1447E+00	3.3359E+00
S	1.2048E+00	1.2417E+00	1.2764E+00
Z	1.0483E+00	1.1463E+00	1.2035E+00
GAM	8.1035E-01	8.0885E-01	8.1191E-01
U	6.2625E-00	1.4849E+00	1.3566E+00

SPECIES	MOLE FRACTIONS		
E-	6.0700E-13	1.6055E-10	7.9724E-10
H	9.2209E-02	2.5522E-01	3.3825E-01
H+	5.9187E-13	1.5512E-10	7.7089E-10
H2	7.6447E-01	6.1352E-01	5.3712E-01
H2+	4.6552E-16	6.0470E-13	4.2495E-12
H2+	1.5593E-14	6.0281E-12	3.0603E-11
HE	1.4308E-01	1.3086E-01	1.2463E-01
HE+	2.2693E-33	1.4035E-27	7.9810E-26
HE++	0.	0.	0.

$$P_1 = 2.00E+02 \text{ N/SQ-M}, \quad U_1 = 1.00E+04 \text{ M/SEC}$$

$$X_2 = .85 \quad X_{HE} = .15$$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	8.2535E+01	5.4888E+02	7.8852E+02
T	9.2440E+00	1.1480E+01	1.2207E+01
RHO	8.2392E+00	3.9252E+01	5.0249E+01
H	1.4973E+01	2.5443E+01	3.0215E+01
A	2.8371E+00	3.3701E+00	3.5812E+00
S	1.2383E+00	1.2893E+00	1.3282E+00
Z	1.0836E+00	1.2181E+00	1.2853E+00
GAM	8.0358E-01	8.1220E-01	8.1737E-01
U	7.0948E+00	1.4910E+00	1.3886E+00

SPECIES	MOLE FRACTIONS		
E-	5.0536E-12	9.8990E-10	3.9391E-09
H	1.5423E-01	3.5804E-01	4.4399E-01
H+	4.9355E-12	9.5820E-10	3.0191E-09
H2	7.0734E-01	5.1882E-01	4.3931E-01
H2+	5.5574E-15	5.2690E-12	2.7540E-11
H2+	1.2357E-13	3.6963E-11	1.6748E-10
HE	1.3843E-01	1.2315E-01	1.1670E-01
HE+	2.1223E-31	1.0153E-25	3.4416E-24
HE++	0.	4.6155E-92	1.7695E-87

$$P_1 = 2.00E+02 \text{ N/SQ-M}, \quad U_1 = 1.10E+04 \text{ M/SEC}$$

$$X_2 = .85 \quad X_{HE} = .15$$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.0108E+02	7.6513E+02	1.0731E+03
T	9.7683E+00	1.2271E+01	1.3045E+01
RHO	9.2141E+00	4.1992E+01	5.5710E+01
H	1.7957E+01	3.1092E+01	3.6568E+01
A	2.9653E+00	3.6108E+00	3.8505E+00
S	1.2743E+00	1.3404E+00	1.3876E+00
Z	1.1252E+00	1.2993E+00	1.3774E+00
GAM	8.0161E-01	8.1780E-01	8.2511E-01
U	7.9167E+00	1.5222E+00	1.4430E+00

SPECIES	MOLE FRACTIONS		
E-	2.5479E-11	4.5326E-09	1.6250E-08
H	2.2258E-01	4.6069E-01	5.4806E-01
H+	2.4919E-11	4.3995E-09	1.5812E-08
H2	6.4412E-01	4.2387E-01	3.4304E-01
H2+	3.6786E-14	3.1130E-11	1.3849E-10
H2+	5.9700E-13	1.6427E-10	5.7629E-10
HE	1.3331E-01	1.1545E-01	1.0890E-01
HE+	7.6676E-30	4.0457E-24	1.0004E-22
HE++	0.	8.7211E-88	5.9996E-82

TABLE I. -Continued

$$p_1 = 200 \text{ N/m}^2$$

$p_1 = 2.00E+02 \text{ N/SQ-M}$, $US1 = 1.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

$p_1 = 2.00E+02 \text{ N/SQ-M}$, $US1 = 1.40E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.2140E+02	1.0235E+03	1.4129E+03
T	1.0208E+01	1.3072E+01	1.3947E+01
RHO	1.0140E+01	5.6362E+01	6.8496E+01
H	2.1221E+01	3.7270E+01	4.3571E+01
A	3.0984E+00	3.8716E+00	4.1524E+00
S	1.3129E+00	1.3945E+00	1.4423E+00
Z	1.1727E+00	1.3891E+00	1.4789E+00
GAME	8.0194E-01	8.2546E-01	8.3591E-01
U	8.7304E+00	1.5732E+00	1.5164E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.6739E+02	1.6598E+03	2.2679E+03
T	1.1064E+01	1.4907E+01	1.6434E+01
RHO	1.1789E+01	7.0044E+01	8.1051E+01
H	2.8594E+01	5.1207E+01	5.9791E+01
A	3.3835E+00	4.4928E+00	4.9801E+00
S	1.3970E+00	1.5090E+00	1.5667E+00
Z	1.2834E+00	1.5897E+00	1.7026E+00
GAME	8.0624E-01	8.5179E-01	8.8636E-01
U	1.0342E+01	1.7432E+00	1.7601E+00

SPECIES	-----	MOLE FRACTIONS	-----
E-	9.5424E-11	1.7381E-08	6.0857E-08
H	2.9448E-01	5.6024E-01	6.4768E-01
H+	9.3452E-11	1.6929E-08	5.9475E-08
H2	5.7760E-01	3.3178E-01	2.5089E-01
H-	1.7031E-13	1.4335E-10	5.9248E-10
H2+	2.1422E-12	5.9520E-10	1.9750E-09
HE	1.2791E-01	1.0758E-01	1.0142E-01
HE+	1.5012E-28	9.9955E-23	2.2012E-21
HE++	0.	1.2411E-02	2.2322E-77

SPECIES	-----	MOLE FRACTIONS	-----
E-	7.9579E-10	2.1870E-07	1.1487E-06
H	4.4162E-01	7.4189E-01	8.2535E-01
H+	7.8146E-10	2.1501E-07	1.1361E-06
H2	4.4150E-01	1.6375E-01	8.6544E-02
H-	1.9233E-12	2.1233E-09	1.1069E-08
H2+	1.6254E-11	5.8161E-09	2.3663E-08
HE	1.1688E-01	9.4358E-02	8.8098E-02
HE+	1.5864E-26	4.4847E-20	2.8926E-18
HE++	0.	1.0592E-72	1.1694E-65

$p_1 = 2.00E+02 \text{ N/SQ-M}$, $US1 = 1.30E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

$p_1 = 2.00E+02 \text{ N/SQ-M}$, $US1 = 1.50E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.4352E+02	1.3234E+03	1.8108E+03
T	1.0642E+01	1.3929E+01	1.5003E+01
RHO	1.1004E+01	6.3912E+01	7.5970E+01
H	2.4768E+01	4.3984E+01	5.1282E+01
A	3.2374E+00	4.1606E+00	4.5084E+00
S	1.3539E+00	1.4510E+00	1.5036E+00
Z	1.2255E+00	1.4866E+00	1.5887E+00
GAME	8.0361E-01	8.3598E-01	8.5276E-01
U	9.5398E+00	1.6451E+03	1.6158E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9299E+02	2.0250E+03	2.7999E+03
T	1.1484E+01	1.6165E+01	1.9165E+01
RHO	1.2485E+01	7.3948E+01	8.0911E+01
H	3.2702E+01	5.8924E+01	6.9542E+01
A	3.5379E+00	4.9117E+00	5.8604E+00
S	1.4421E+00	1.5675E+00	1.6314E+00
Z	1.3461E+03	1.6941E+03	1.8056E+00
GAME	8.0972E-01	8.8095E-01	9.9250E-01
U	1.1137E+01	1.683CE+00	2.0312E+00

SPECIES	-----	MOLE FRACTIONS	-----
E-	2.9416E-10	6.1568E-08	2.3713E-07
H	3.6800E-01	5.5468E-01	7.41CE-01
H+	2.8846E-10	6.0227E-08	2.3303E-07
H2	5.0960E-01	2.4442E-01	1.6450E-01
H-	6.2113E-13	5.7085E-10	2.4350E-09
H2+	6.3151E-12	1.9125E-09	6.5406E-09
HE	1.2240E-01	1.0050E-01	9.4419E-02
HE+	1.8455E-27	2.1227E-21	6.0233E-20
HE++	0.	2.4776E-77	5.3183E-72

SPECIES	-----	MOLE FRACTIONS	-----
E-	1.9864E-09	9.0985E-07	1.2673E-05
H	5.1421E-01	6.1961E-01	8.9227E-01
H+	1.9537E-09	8.9966E-07	1.2622E-05
H2	3.7435E-01	9.2048E-02	2.4625E-02
H-	5.3426E-12	8.3386E-09	8.6347E-08
H2+	3.8118E-11	1.8534E-08	1.3736E-07
HE	1.1143E-01	8.8544E-02	8.3077E-02
HE+	1.1598E-25	1.5187E-18	1.0916E-15
HE++	2.5997E-91	1.1343E-66	6.6148E-57

TABLE I. - Continued

$$p_1 = 200 \text{ N/m}^2$$

$p_1 = 2.00E+02 \text{ N/SQ-M}$, $US1 = 1.60E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

$p_1 = 2.00E+02 \text{ N/SQ-M}$, $US1 = 1.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	$2.2031E+02$	$2.4005E+03$	$3.4592E+03$
T	$1.1914E+01$	$1.8169E+01$	$2.6064E+01$
RHO	$1.3083E+01$	$7.3931E+01$	$7.1864E+01$
H	$3.7090E+01$	$6.7077E+01$	$8.1818E+01$
A	$3.7028E+00$	$5.5681E+00$	$7.3406E+00$
S	$1.4889E+00$	$1.6244E+00$	$1.6953E+00$
Z	$1.4134E+00$	$1.7871E+00$	$1.8468E+00$
GAME	$8.1419E-01$	$9.5485E-01$	$1.1195E+00$
U	$1.1927E+01$	$2.1130E+00$	$2.6524E+00$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	$2.7998E+02$	$3.0497E+03$	$4.8441E+03$
T	$1.2672E+01$	$2.7495E+01$	$3.8384E+01$
RHO	$1.3945E+01$	$5.9967E+01$	$6.6743E+01$
H	$4.6709E+01$	$8.4143E+01$	$1.0719E+02$
A	$4.0775E+00$	$7.4932E+00$	$8.2197E+00$
S	$1.5870E+00$	$1.7165E+00$	$1.7816E+00$
Z	$1.5599E+00$	$1.8496E+00$	$1.8908E+00$
GAME	$8.2807E-01$	$1.1041E+00$	$9.3092E-01$
U	$1.3487E+01$	$3.1422E+00$	$3.5598E+00$

SPECIES	MOLE FRACTIONS		
E-	$4.7780E-09$	$5.9926E-06$	$6.4044E-04$
H	$5.8494E-01$	$8.8087E-01$	$9.1513E-01$
H+	$4.7077E-09$	$5.9607E-06$	$6.4016E-04$
H2	$3.0893E-01$	$3.5184E-02$	$2.3659E-03$
H-	$1.3877E-11$	$4.2936E-08$	$1.7149E-06$
H2+	$8.4143E-11$	$7.4851E-08$	$1.9949E-06$
HE	$1.0613E-01$	$8.3933E-02$	$8.1221E-02$
HE+	$1.0240E-24$	$1.5452E-16$	$1.8919E-11$
HE++	$4.1566E-88$	$2.9806E-59$	$7.2590E-41$

SPECIES	MOLE FRACTIONS		
E-	$2.6866E-08$	$1.2325E-03$	$2.1907E-02$
H	$7.1784E-01$	$9.1501E-01$	$8.7653E-01$
H+	$2.6577E-08$	$1.2322E-03$	$2.1903E-02$
H2	$1.8599E-01$	$1.4266E-03$	$2.8450E-04$
H-	$8.3468E-11$	$2.4022E-06$	$2.0896E-05$
H2+	$3.7219E-10$	$2.7316E-06$	$2.4187E-05$
HE	$9.6162E-02$	$8.1097E-02$	$7.9330E-02$
HE+	$6.7738E-23$	$8.4737E-11$	$1.2351E-07$
HE++	$2.5039E-83$	$1.2435E-38$	$4.3558E-27$

$p_1 = 2.00E+02 \text{ N/SQ-M}$, $US1 = 1.70E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

$p_1 = 2.00E+02 \text{ N/SQ-M}$, $US1 = 1.90E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	$2.4932E+02$	$2.7494E+03$	$4.1661E+03$
T	$1.2370E+01$	$2.2069E+01$	$3.3453E+01$
RHO	$1.3574E+01$	$6.7692E+01$	$6.6858E+01$
H	$4.1760E+01$	$7.5502E+01$	$9.4816E+01$
A	$3.8809E+00$	$6.6788E+00$	$7.9141E+00$
S	$1.5374E+00$	$1.6757E+00$	$1.7438E+00$
Z	$1.4848E+00$	$1.8374E+00$	$1.8627E+00$
GAME	$8.2003E-01$	$1.1000E+00$	$1.0052E+00$
U	$1.2711E+01$	$2.5505E+00$	$3.2352E+00$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	$3.1223E+02$	$3.3639E+03$	$5.4912E+03$
T	$1.3460E+01$	$3.2592E+01$	$4.1959E+01$
RHO	$1.4166E+01$	$5.5460E+01$	$6.7901E+01$
H	$5.1937E+01$	$9.3271E+01$	$1.1949E+02$
A	$4.3036E+00$	$7.8368E+00$	$8.5241E+00$
S	$1.6376E+00$	$1.7548E+00$	$1.8157E+00$
Z	$1.6375E+00$	$1.8610E+00$	$1.9274E+00$
GAME	$8.4030E-01$	$1.0125E+00$	$8.9846E-01$
U	$1.4254E+01$	$3.6380E+00$	$3.7621E+00$

SPECIES	MOLE FRACTIONS		
E-	$1.1281E-08$	$9.3852E-05$	$7.3605E-03$
H	$6.5304E-01$	$9.1125E-01$	$9.0418E-01$
H+	$1.1137E-08$	$9.3733E-05$	$7.3593E-03$
H2	$2.4594E-01$	$6.9242E-03$	$5.4962E-04$
H-	$3.4384E-11$	$3.6628E-07$	$9.8227E-06$
H2+	$1.7846E-10$	$4.8679E-07$	$1.0954E-05$
HE	$1.0102E-01$	$8.1635E-02$	$8.0530E-02$
HE+	$8.5468E-24$	$1.4651E-13$	$7.9840E-09$
HE++	$9.1940E-87$	$1.5533E-48$	$2.0615E-31$

SPECIES	MOLE FRACTIONS		
E-	$6.7998E-08$	$6.4477E-03$	$4.0382E-02$
H	$7.7862E-01$	$9.0597E-01$	$8.4116E-01$
H+	$6.7415E-08$	$6.4468E-03$	$4.0375E-02$
H2	$1.2978E-01$	$5.1892E-04$	$1.9166E-04$
H-	$2.0743E-10$	$7.6031E-06$	$3.1429E-05$
H2+	$7.9062E-10$	$8.4563E-06$	$3.7968E-05$
HE	$9.1604E-02$	$8.0601E-02$	$7.7825E-02$
HE+	$6.0522E-22$	$4.9952E-09$	$5.9804E-07$
HE++	$9.1591E-79$	$3.3064E-32$	$1.3509E-24$

TABLE I. -Continued

$$P_1 = 200 \text{ N/m}^2$$

$P_1 = 2.00E+02 \text{ N/SQ-M}$, $U_1 = 2.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

MOVING SHOCK - STANDING SHOCK - REFLECTED SHOCK			
P_1	$3.458E+02$	$3.687E+03$	$6.066E+03$
T_1	$1.4225E+01$	$3.666E+01$	$4.4782E+01$
ρ_{∞}	$1.417E+01$	$5.3455E+01$	$6.8808E+01$
H_{∞}	$5.7440E+00$	$1.0300E+02$	$1.3183E+02$
A_{∞}	$4.5881E+00$	$8.0669E+00$	$8.8206E+00$
S_{∞}	$1.6883E+00$	$1.7882E+00$	$1.8488E+00$
Z_{∞}	$1.7154E+00$	$1.8820E+00$	$1.9686E+00$
GAM_E	$8.6269E-01$	$9.4334E-01$	$8.8255E-01$
U	$1.5004E+01$	$3.9679E+00$	$3.0895E+00$

SPECIES ----- MOLE FRACTIONS -----			
E^-	$2.0486E-07$	$1.7321E-02$	$6.0432E-02$
H^-	$8.3408E-01$	$8.8534E-01$	$8.0272E-01$
H^+	$2.0360E-07$	$1.7319E-02$	$6.0420E-02$
H_2	$7.8478E-02$	$2.8382E-04$	$1.4280E-04$
H_2^+	$5.7479E-10$	$1.4748E-05$	$4.0304E-05$
H_2^{++}	$1.8304E-09$	$1.6754E-05$	$5.0645E-05$
He^-	$8.7444E-02$	$7.9701E-02$	$7.6195E-02$
He^+	$9.0526E-21$	$5.6649E-08$	$1.7400E-06$
He^{++}	$1.1061E-75$	$1.1971E-28$	$6.6004E-23$

$P_1 = 2.00E+02 \text{ N/SQ-M}$, $U_1 = 2.10E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

MOVING SHOCK - STANDING SHOCK - REFLECTED SHOCK			
P_1	$3.8046E+02$	$3.9528E+03$	$6.4730E+03$
T_1	$1.5413E+01$	$3.9831E+01$	$4.7108E+01$
ρ_{∞}	$1.3812E+01$	$5.1944E+01$	$6.8259E+01$
H_{∞}	$6.3209E+00$	$1.1323E+02$	$1.6442E+02$
A_{∞}	$5.0258E+00$	$8.3074E+00$	$9.1022E+00$
S_{∞}	$1.7382E+00$	$1.8215E+00$	$1.8827E+00$
Z_{∞}	$1.7872E+01$	$1.9114E+00$	$2.0130E+00$
GAM_E	$9.1696E-01$	$9.0675E-01$	$8.7367E-01$
U	$1.5723E+01$	$4.1684E+00$	$3.9833E+00$

SPECIES ----- MOLE FRACTIONS -----			
E^-	$9.2409E-07$	$3.2358E-02$	$8.1160E-02$
H^-	$8.8095E-01$	$8.5658E-01$	$7.6297E-01$
H^+	$9.2088E-07$	$3.2354E-02$	$8.1142E-02$
H_2	$3.5121E-02$	$1.8683E-04$	$1.1016E-04$
H_2^+	$2.1029E-09$	$2.1767E-05$	$4.6804E-05$
H_2^{++}	$5.3161E-09$	$2.5620E-05$	$6.0905E-05$
He^-	$8.3929E-02$	$7.8474E-02$	$7.4511E-02$
He^+	$3.8245E-19$	$2.7265E-07$	$3.8442E-06$
He^{++}	$2.3222E-69$	$3.4995E-26$	$1.1692E-21$

$P_1 = 2.00E+02 \text{ N/SQ-M}$, $U_1 = 2.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

MOVING SHOCK - STANDING SHOCK - REFLECTED SHOCK			
P_1	$4.1474E+02$	$4.0043E+03$	$6.4724E+03$
T_1	$1.7738E+01$	$4.2268E+01$	$5.8893E+01$
ρ_{∞}	$1.2744E+01$	$4.8685E+01$	$6.4301E+01$
H_{∞}	$6.9212E+01$	$1.2351E+02$	$1.5626E+02$
A_{∞}	$5.8653E+00$	$8.5370E+00$	$9.3479E+00$
S_{∞}	$1.7849E+00$	$1.8572E+00$	$1.9193E+00$
Z_{∞}	$1.8347E+00$	$1.9459E+00$	$2.0587E+00$
GAM_E	$1.0571E+00$	$8.8609E-01$	$8.6811E-01$
U	$1.6305E+01$	$4.2745E+00$	$4.0380E+00$

SPECIES ----- MOLE FRACTIONS -----			
E^-	$9.9903E-06$	$4.6944E-02$	$1.0152E-01$
H^-	$9.0989E-01$	$8.2384E-01$	$7.2392E-01$
H^+	$9.9785E-06$	$4.9438E-02$	$1.0150E-01$
H_2	$8.3329E-03$	$1.2951E-04$	$8.4620E-05$
H_2^+	$1.4097E-08$	$2.6847E-05$	$4.9431E-05$
H_2^{++}	$2.5834E-08$	$3.2567E-05$	$6.6149E-05$
He^-	$8.1756E-02$	$7.7084E-02$	$7.2655E-02$
He^+	$1.3940E-16$	$7.9753E-07$	$6.8969E-06$
He^{++}	$2.2487E-60$	$2.9626E-24$	$9.4541E-21$

$P_1 = 2.00E+02 \text{ N/SQ-M}$, $U_1 = 2.30E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

MOVING SHOCK - STANDING SHOCK - REFLECTED SHOCK			
P_1	$4.4807E+02$	$3.8050E+03$	$6.1248E+03$
T_1	$2.1576E+01$	$4.4111E+01$	$5.0214E+01$
ρ_{∞}	$1.1239E+01$	$4.4125E+01$	$5.7964E+01$
H_{∞}	$7.5423E+01$	$1.3365E+02$	$1.6758E+02$
A_{∞}	$6.7405E+00$	$8.7458E+00$	$9.5566E+00$
S_{∞}	$1.8252E+00$	$1.8948E+00$	$1.9580E+00$
Z_{∞}	$1.8477E+00$	$1.9835E+00$	$2.1043E+00$
GAM_E	$1.1397E+00$	$8.7425E-01$	$8.6432E-01$
U	$1.6914E+01$	$4.3046E+00$	$4.0620E+00$

SPECIES ----- MOLE FRACTIONS -----			
E^-	$1.7241E-04$	$6.1741E-02$	$1.2097E-01$
H^-	$9.1708E-01$	$7.8939E-01$	$6.8662E-01$
H^+	$1.7236E-04$	$6.7405E-02$	$1.2094E-01$
H_2	$1.3915E-03$	$9.4102E-05$	$6.4473E-05$
H_2^+	$1.2121E-07$	$2.9519E-05$	$4.8650E-05$
H_2^{++}	$1.6441E-07$	$5.6736E-05$	$6.6496E-05$
He^-	$8.1180E-02$	$7.5624E-02$	$7.1272E-02$
He^+	$1.7116E-13$	$1.6952E-06$	$1.0661E-05$
He^{++}	$6.2573E-49$	$4.2651E-23$	$4.2836E-20$

TABLE I. - Continued

$$P_1 = 200 \text{ N/m}^2$$

$P_1 = 2.00E+02 \text{ N/SQ-M}$, $US_1 = 2.40E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.8249E+02	3.7829E+03	5.8985E+03
T	2.5753E+01	4.5735E+01	5.1462E+01
RHO	1.0116E+01	4.0870E+01	5.3270E+01
H	8.1882E+01	1.4412E+02	1.7925E+02
A	7.2115E+00	8.9581E+00	9.6795E+00
S	1.8591E+00	1.9309E+00	1.9953E+00
Z	1.8521E+00	2.0239E+00	2.1516E+00
GAME	1.0904E+00	8.6698E-01	8.6195E-01
U	1.7457E+01	4.3291E+00	4.0860E+00

$P_1 = 2.00E+02 \text{ N/SQ-M}$, $US_1 = 2.60E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.6026E+02	4.0843E+03	6.1975E+03
T	3.2317E+01	4.9021E+01	5.4383E+01
RHO	9.2363E+00	3.9377E+01	5.0471E+01
H	9.5740E+01	1.6777E+02	2.0609E+02
A	7.5271E+00	9.4452E+00	1.0280E+01
S	1.9163E+00	1.9969E+00	2.0648E+00
Z	1.8770E+00	2.1159E+00	2.2580E+00
GAME	9.3403E-01	8.6009E-01	8.6068E-01
U	1.8717E+01	4.3987E+00	4.1876E+00

SPECIES ----- MOLE FRACTIONS -----

F-	1.4955E-03	8.6016E-02	1.4931E-01
H	9.1566E-01	7.5372E-01	6.4954E-01
H+	1.4954E-03	8.6004E-02	1.4027E-01
H2	3.6078E-04	7.1494E-05	5.0248E-05
H-	5.8374E-07	3.1432E-05	4.7622E-05
H2+	6.8358E-07	4.0060E-05	6.6624E-05
HE	8.0989E-02	7.4113E-02	6.9698E-02
HE+	3.6145E-11	3.1272E-06	1.5712E-05
HE++	1.5317E-40	3.7341E-22	1.6638E-19

SPECIES ----- MOLE FRACTIONS -----

E-	1.4473E-02	1.2576E-01	1.8078E-01
H	8.9105E-01	6.7749E-01	5.7192E-01
H+	1.4472E-02	1.2573E-01	1.8072E-01
H2	8.7919E-05	6.6264E-05	3.2824E-05
H-	2.8773E-06	3.5869E-05	4.7814E-05
H2+	3.1987E-06	4.8101E-05	6.9988E-05
HE	7.9915E-02	7.0883E-02	6.6397E-02
HE+	1.0118E-08	9.0843E-06	3.4232E-05
HE++	1.0266E-31	1.7852E-20	2.7600E-18

$P_1 = 2.00E+02 \text{ N/SQ-M}$, $US_1 = 2.50E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.1976E+02	3.8648E+03	5.9339E+03
T	2.9416E+01	4.7342E+01	5.2845E+01
RHO	9.4946E+00	3.9486E+01	5.0977E+01
H	8.8648E+01	1.5548E+02	1.9203E+02
A	7.3949E+00	9.1886E+00	1.0010E+01
S	1.8889E+00	1.9643E+00	2.0307E+00
Z	1.8610E+00	2.0675E+00	2.2027E+00
GAME	9.9894E+01	8.6261E-01	8.6001E-01
U	1.8056E+01	4.3506E+00	4.1272E+00

$P_1 = 2.00E+02 \text{ N/SQ-M}$, $US_1 = 2.70E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.0369E+02	4.4049E+03	6.6176E+03
T	3.4623E+01	5.0707E+01	5.6027E+01
RHO	9.1821E+00	4.0085E+01	5.0980E+01
H	1.0315E+02	1.8094E+02	2.2129E+02
A	7.6826E+00	9.7154E+00	1.0574E+01
S	1.9424E+00	2.0284E+00	2.0905E+00
Z	1.8989E+00	2.1671E+00	2.3169E+00
GAME	8.9772E-01	8.5894E-01	8.6132E-01
U	1.9423E+01	4.4523E+00	4.2626E+00

SPECIES ----- MOLE FRACTIONS -----

F-	6.0418E-03	1.0529E-01	1.6024E-01
H	9.0716E-01	7.1675E-01	6.1131E-01
H+	6.0416E-03	1.0528E-01	1.6020E-01
H2	1.5184E-04	5.6818E-05	4.0238E-05
H-	1.5683E-06	3.3532E-05	4.7417E-05
H2+	1.7527E-06	4.3756E-05	6.7659E-05
HE	8.0604E-02	7.2547E-02	6.8074E-02
HE+	1.1447E-09	5.4055E-06	2.3143E-05
HE++	3.9853E-35	2.6882E-21	6.6097E-19

SPECIES ----- MOLE FRACTIONS -----

F-	2.5811E-02	1.4642E-01	2.0161E-01
H	8.6931E-01	6.3784E-01	5.3197E-01
H+	2.5811E-02	1.4643E-01	2.0153E-01
H2	6.0540E-05	3.8435E-05	2.6990E-05
H-	4.2762E-06	3.8160E-05	4.8275E-05
H2+	4.7970E-06	5.2579E-05	7.2634E-05
HE	7.8994E-02	6.9202E-02	6.4692E-02
HE+	4.3905E-08	1.4651E-05	5.0418E-05
HE++	2.1419E-29	1.0449E-19	1.1418E-17

TABLE I. - Continued

 $P_1 = 200 \text{ N/m}^2$
 $P_1 = 2.00E+02 \text{ N/SQ-M}, \quad US1 = 2.80E+04 \text{ M/SEC}$
 $XH2 = .85 \quad XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.4962E+02	4.7937E+03	7.1448E+03
T	3.6536E+01	5.2378E+01	5.7741E+01
RHO	9.2363E+00	4.1217E+01	5.2017E+01
H	1.1088E+02	1.9485E+02	2.3745E+02
A	7.8548E+00	9.9937E+00	1.0885E+01
S	1.9680E+00	2.0592E+00	2.1321E+00
Z	1.9250E+00	2.2204E+00	2.3788E+00
GAME	8.7724E-01	8.5874E-01	8.6259E-01
U	2.0157E+01	4.5222E+00	4.3483E+00

SPECIES ----- MOLE FRACTIONS -----

E-	3.9026E-02	1.6692E-01	2.2240E-01
H	8.4397E-01	5.9851E-01	4.9209E-01
H+	3.9025E-02	1.6689E-01	2.2230E-01
H2	4.5766E-05	3.2287E-05	2.2196E-05
H-	5.6506E-06	4.0161E-05	4.8428E-05
H2+	6.4273E-06	5.6866E-05	7.4990E-05
HE	7.7921E-02	6.7531E-02	6.2983E-02
HE+	1.2824E-07	2.2727E-05	7.3531E-05
HE++	1.0505E-27	5.3041E-19	4.5971E-17

 $P_1 = 2.00E+02 \text{ N/SQ-M}, \quad US1 = 3.00E+04 \text{ M/SEC}$
 $XH2 = .85 \quad XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	7.4804E+02	5.7219E+03	8.4265E+03
T	3.9661E+01	5.5755E+01	6.1319E+01
RHO	9.4960E+00	4.3931E+01	5.4745E+01
H	1.2721E+02	2.2460E+02	2.7225E+02
A	8.2184E+00	1.0585E+01	1.1550E+01
S	2.0184E+00	2.1224E+00	2.1998E+00
Z	1.9862E+00	2.3361E+00	2.5102E+00
GAME	8.5741E-01	8.6024E-01	8.6674E-01
U	2.1668E+01	4.6883E+00	4.5449E+00

SPECIES ----- MOLE FRACTIONS -----

E-	6.8612E-02	2.0816E-01	2.6310E-01
H	7.8721E-01	5.1942E-01	4.1408E-01
H+	6.8609E-02	2.0808E-01	2.6292E-01
H2	3.0050E-05	2.2673E-05	1.4743E-05
H-	8.1610E-06	4.2723E-05	4.7112E-05
H2+	9.5823E-06	3.3988E-05	7.7474E-05
HE	7.5521E-02	6.4160E-02	5.9604E-02
HE+	5.8579E-07	5.0932E-05	1.5152E-04
HE++	2.7169E-25	1.0636E-17	6.6100E-16

 $P_1 = 2.00E+02 \text{ N/SQ-M}, \quad US1 = 2.90E+04 \text{ M/SEC}$
 $XH2 = .85 \quad XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.9779E+02	5.2353E+03	7.7525E+03
T	3.8188E+01	5.54075E+01	5.5506E+01
RHO	9.1349E+00	4.2504E+01	5.3320E+01
H	1.1890E+02	2.0941E+02	2.5545E+02
A	8.0349E+00	1.0287E+01	1.1211E+01
S	1.9932E+00	2.0910E+00	2.1658E+00
Z	1.9543E+00	2.2775E+00	2.4434E+00
GAME	8.6503E-01	8.5921E-01	8.6641E-01
U	2.0908E+01	4.6027E+00	4.4427E+00

SPECIES ----- MOLE FRACTIONS -----

E-	5.3435E-02	1.8780E-01	2.4295E-01
H	8.1633E-01	5.5846E-01	4.5270E-01
H+	5.3434E-02	1.8775E-01	2.4281E-01
H2	3.6484E-05	2.7037E-05	1.8168E-05
H-	6.9528E-06	4.1655E-05	4.8071E-05
H2+	8.0328E-06	6.0728E-05	7.6680E-05
HE	7.6752E-02	6.5827E-02	6.1284E-02
HE+	2.9577E-07	3.4524E-05	1.0607E-04
HE++	2.2296E-26	2.5054E-18	1.7776E-16

 $P_1 = 2.00E+02 \text{ N/SQ-M}, \quad US1 = 3.20E+04 \text{ M/SEC}$
 $XH2 = .85 \quad XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	8.5452E+02	6.8122E+03	9.9487E+03
T	4.2253E+01	5.9134E+01	6.5122E+01
RHO	9.8362E+00	4.6851E+01	5.7653E+01
H	1.4472E+02	2.5676E+02	3.1015E+02
A	8.5900E+00	1.2061E+01	1.2274E+01
S	2.0690E+00	2.1858E+00	2.2686E+00
Z	2.0560E+00	2.4588E+00	2.6498E+00
GAME	8.4936E-01	8.6367E-01	8.7304E-01
U	2.3209E+01	4.8779E+00	4.7730E+00

SPECIES ----- MOLE FRACTIONS -----

E-	1.0025E-01	2.4769E-01	3.0193E-01
H	7.2650E-01	4.4362E-01	3.3974E-01
H+	1.0025E-01	2.4756E-01	3.0159E-01
H2	2.1526E-05	1.5760E-05	9.3346E-06
H-	1.0255E-05	4.3035E-05	4.3296E-05
H2+	1.2439E-05	6.8219E-05	7.5861E-05
HE	7.2956E-02	6.090CE-02	5.6304E-02
HE+	1.7296E-06	1.0476E-04	3.0360E-04
HE++	1.4586E-23	1.5440E-16	8.4239E-15

TABLE I. - Continued

 $P_1 = 200 \text{ N/m}^2$

$P_1 = 2.00E+02 \text{ N/SU-M}$, $US1 = 3.40E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	9.6800E+02	8.0241E+03	1.1660E+04
T	4.4547E+01	6.2569E+01	6.9225E+01
RHO	1.0189E+01	4.9568E+01	6.0261E+01
H	1.6335E+02	2.9099E+02	3.5088E+02
A	8.9659E+00	1.1859E+01	1.3063E+01
S	2.1203E+00	2.2498E+00	2.3382E+00
Z	2.1326E+00	2.5872E+00	2.7952E+00
GAME	8.4617E-01	8.6875E-01	8.8187E-01
U	2.4748E+01	5.0931E+00	5.0357E+00

SPECIES	MOLE FRACTIONS		
E-	1.3256E-01	2.8503E-01	3.3822E-01
H	6.6562E-01	3.7207E-01	2.7042E-01
H+	1.3255E-01	2.8480E-01	3.3759E-01
H2	1.5992E-05	1.0503E-05	5.4926E-06
H-	1.1875E-05	4.0984E-05	3.7161E-05
H2+	1.4873E-05	6.8821E-05	6.9634E-05
HE	7.0332E-02	5.7773E-02	5.3061E-02
HE+	4.0478E-06	2.0466E-04	6.0290E-04
HE++	3.3786E-22	1.8010E-15	1.0071E-13

$P_1 = 2.00E+02 \text{ N/SU-M}$, $US1 = 3.60E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.0892E+03	9.3623E+02	1.3578E+04
T	4.6661E+01	6.6175E+01	7.3860E+01
RHO	1.0539E+01	5.1997E+01	6.2417E+01
H	1.8313E+02	3.2748E+02	3.9488E+02
A	9.3473E+00	1.2557E+01	1.3947E+01
S	2.1723E+00	2.3146E+00	2.4090E+00
Z	2.2148E+00	2.7209E+00	2.9454E+00
GAME	8.4543E-01	8.7574E-01	8.9416E-01
U	2.6302E+01	5.3371E+00	5.3470E+00

SPECIES	MOLE FRACTIONS		
E-	1.6474E-01	3.2015E-01	3.7195E-01
H	6.0276E-01	3.0489E-01	2.0633E-01
H+	1.6473E-01	3.1973E-01	3.7070E-01
H2	1.2056E-05	6.6573E-06	2.8912E-06
H-	1.3013E-05	3.6832E-05	2.9308E-05
H2+	1.6620E-05	6.5666E-05	5.9090E-05
HE	6.7718E-02	5.4741E-02	4.9702E-02
HE+	8.2338E-06	3.8844E-04	1.2260E-03
HE++	4.6850E-21	1.8807E-14	1.2660E-12

$P_1 = 2.00E+02 \text{ N/SU-M}$, $US1 = 3.80E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.2172E+03	1.0789E+04	1.5665E+04
T	4.8677E+01	7.0035E+01	7.9276E+01
RHO	1.0860E+01	5.3915E+01	6.3831E+01
H	2.4040E+02	3.6595E+02	4.4200E+02
A	9.7385E+00	1.3309E+01	1.4949E+01
S	2.2255E+00	2.3798E+00	2.4800E+00
Z	2.3026E+00	2.8574E+00	3.0957E+00
GAME	8.4615E-01	8.8507E-01	9.1055E-01
U	2.7849E+01	5.6157E+00	5.7087E+00

SPECIES	MOLE FRACTIONS		
E-	1.9658E-01	3.5262E-01	4.0244E-01
H	5.4167E-01	2.4253E-01	1.4922E-01
H+	1.9656E-01	3.5186E-01	3.9982E-01
H2	9.0782E-06	3.9219E-06	1.3060E-06
H-	1.3658E-05	3.1005E-05	2.0771E-05
H2+	1.8217E-05	5.8856E-05	4.5375E-05
HE	6.5129E-02	5.1760E-02	4.5858E-02
HE+	1.5347E-05	7.3552E-04	2.5965E-03
HE++	4.7104E-20	1.8633E-13	1.7942E-11

$P_1 = 2.00E+02 \text{ N/SU-M}$, $US1 = 4.00E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.3521E+03	1.2296E+04	1.7936E+04
T	5.0629E+01	7.4309E+01	8.5907E+01
RHO	1.1152E+01	5.5256E+01	6.4424E+01
H	2.2607E+02	4.0639E+02	4.9273E+02
A	1.0139E+01	1.4131E+01	1.6090E+01
S	2.2796E+00	2.4450E+00	2.5510E+00
Z	2.3948E+00	2.9946E+00	3.2408E+00
GAME	8.4789E-01	8.9739E-01	9.2990E-01
U	2.9392E+01	5.9384E+00	6.1493E+00

SPECIES	MOLE FRACTIONS		
E-	2.2753E-01	3.8228E-01	4.2919E-01
H	4.8229E-01	1.8671E-01	1.0106E-01
H+	2.2750E-01	3.8084E-01	4.2343E-01
H2	6.7883E-06	2.0927E-06	4.8197E-07
H-	1.3830E-05	2.4186E-05	1.2911E-05
H2+	1.9032E-05	4.9090E-05	3.0759E-05
HE	6.2608E-02	4.8674E-02	4.0540E-02
HE+	2.6890E-05	1.4154E-03	5.7441E-03
HE++	3.7480E-19	1.8945E-12	3.0809E-10

TABLE I. - Continued

$$P_1 = 200 \text{ N/m}^2$$

$P_1 = 2.00E+02 \text{ N/SQ-M}$, $US_1 = 4.20E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.4939E+03	1.3858E+04	2.0383E+04
T	5.2561E+01	7.9204E+01	9.4085E+01
RHO	1.1408E+01	5.5916E+01	6.4244E+01
H	2.4923E+02	4.6873E+02	5.4725E+02
A	1.0553E+01	1.5042E+01	1.7357E+01
S	2.3345E+00	2.5096E+00	2.6207E+00
Z	2.4914E+00	3.1291E+00	3.3722E+00
GAM	8.5048E-01	9.1297E-01	9.4951E-01
U	3.0930E+01	6.3165E+00	6.6739E+00

$P_1 = 2.00E+02 \text{ N/SQ-M}$, $US_1 = 4.60E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.7975E+03	1.7039E+04	2.5836E+04
T	5.6520E+01	9.1732E+01	1.1852E+02
RHO	1.1792E+01	5.5128E+01	6.0901E+01
H	2.9891E+02	5.3074E+02	6.7082E+02
A	1.1438E+01	1.7106E+01	2.1120E+01
S	2.4475E+00	2.6348E+00	2.7569E+00
Z	2.6970E+00	3.3693E+00	3.5793E+00
GAM	8.5825E-01	9.4680E-01	1.0514E+00
U	3.3984E+01	7.2689E+00	8.1523E+00

SPECIES	MOLE FRACTIONS		
E-	2.5747E-01	4.0881E-01	4.5142E-01
H	4.2487E-01	1.3722E-01	6.4907E-02
H+	2.5742E-01	4.0598E-01	4.3916E-01
H2	5.0001E-06	9.8076E-07	1.4573E-07
H-	1.3556E-05	1.7219E-05	7.0988E-06
H2+	1.9254E-05	3.7559E-05	1.8385E-05
HE	6.0162E-02	4.5131E-02	3.2235E-02
HE+	4.5262E-05	2.8063E-03	1.2246E-02
HE++	2.5478E-18	2.1011E-11	5.7957E-09

SPECIES	MOLE FRACTIONS		
E-	3.1406E-01	4.5055E-01	4.8315E-01
H	3.1635E-01	6.4685E-02	2.3626E-02
H+	3.1393E-01	4.3983E-01	4.5131E-01
H2	2.5060E-06	1.3733E-07	6.6234E-09
H-	1.1821E-05	6.4872E-06	1.5910E-06
H2+	1.7933E-05	1.6415E-05	4.3481E-06
HE	5.5497E-02	3.3411E-02	1.0076E-02
HE+	1.2114E-04	1.1108E-02	3.1829E-02
HE++	9.1993E-17	3.3292E-09	1.9878E-06

$P_1 = 2.00E+02 \text{ N/SQ-M}$, $US_1 = 4.40E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

$P_1 = 2.00E+02 \text{ N/SQ-M}$, $US_1 = 4.80E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.6624E+03	1.5449E+04	2.3015E+04
T	5.4506E+01	8.4955E+01	1.0440E+02
RHO	1.1626E+01	5.5856E+01	6.3215E+01
H	2.7351E+02	4.9286E+02	6.0625E+02
A	1.0983E+01	1.6040E+01	1.8909E+01
S	2.3903E+00	2.5730E+00	2.6896E+00
Z	2.5918E+00	3.2556E+00	3.4873E+00
GAM	8.5389E-01	9.3025E-01	9.8201E-01
U	3.2461E+01	6.7628E+00	7.3211E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9590E+03	1.8612E+04	2.8967E+04
T	5.8596E+01	9.9628E+01	1.3917E+02
RHO	1.1927E+01	5.3878E+01	5.7232E+01
H	3.2542E+02	5.8614E+02	7.4355E+02
A	1.1910E+01	1.8294E+01	2.3873E+01
S	2.5041E+00	2.6940E+00	2.8216E+00
Z	2.8031E+00	3.4674E+00	3.6367E+00
GAM	8.6366E-01	9.6882E-01	1.1261E+00
U	3.5495E+01	7.8627E+00	9.3180E+00

SPECIES	MOLE FRACTIONS		
E-	2.8624E-01	4.3178E-01	4.6952E-01
H	3.6969E-01	9.6027E-02	4.0159E-02
H+	2.8616E-01	4.2608E-01	4.4730E-01
H2	3.6025E-06	3.9434E-07	3.6079E-08
H-	1.2877E-05	1.1067E-05	3.5294E-06
H2+	1.8889E-05	2.6035E-05	9.7130E-06
HE	5.7800E-02	4.0350E-02	2.0801E-02
HE+	7.4313E-05	5.6844E-03	2.2212E-02
HE++	1.5634E-17	2.6016E-10	1.0578E-07

SPECIES	MOLE FRACTIONS		
E-	3.4003E-01	4.6648E-01	4.9130E-01
H	2.6660E-01	4.2859E-02	1.3248E-02
H+	3.3983E-01	4.4735E-01	4.5420E-01
H2	1.6886E-06	4.3089E-08	8.4869E-10
H-	1.0506E-05	3.5855E-06	7.1591E-07
H2+	1.6502E-05	9.6297E-06	1.6117E-06
HE	5.3317E-02	2.4144E-02	4.1832E-03
HE+	1.9587E-04	1.9116E-02	3.7020E-02
HE++	5.1555E-16	3.8381E-08	4.2156E-05

TABLE I. - Continued

$$P_1 = 200 \text{ N/m}^2$$

$P_1 = 2.00E+02 \text{ N/SQ-M}$, $US_1 = 5.00E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.1270E+03	2.0110E+04	3.2293E+04
T	6.0814E+01	1.0912E+02	1.6654E+02
RHO	1.2014E+01	5.1930E+01	5.3550E+01
H	3.5306E+02	6.3494E+02	8.2284E+02
A	1.2415E+01	1.9789E+01	2.6129E+01
S	2.5612E+00	2.7506E+00	2.8801E+00
Z	2.9113E+00	3.5487E+00	3.6651E+00
GAME	8.7051E-01	1.0113E+00	1.1321E+00
U	3.6999E+01	8.5807E+00	1.0679E+01

$P_1 = 2.00E+02 \text{ N/SQ-M}$, $US_1 = 5.40E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.4805E+03	2.2602E+04	3.8500E+04
T	6.6022E+01	1.3565E+02	2.0925E+02
RHO	1.2001E+01	4.5722E+01	4.9467E+01
H	4.1164E+02	7.3515E+02	9.8178E+02
A	1.3571E+01	2.3590E+01	2.8252E+01
S	2.6761E+00	2.8528E+00	2.9760E+00
Z	3.1306E+00	3.6441E+00	3.7195E+00
GAME	8.9112E-01	1.1258E+00	1.0256E+00
U	3.9955E+01	1.0460E+01	1.2808E+01

SPECIES	MOLE FRACTIONS		
E-	3.6456E-01	4.7869E-01	4.9524E-01
H	2.1965E-01	2.8028E-02	7.9956E-03
H+	3.6424E-01	4.5101E-01	4.5584E-01
H2	1.0805E-06	1.1914E-08	1.1986E-10
H-	9.9705E-06	1.8832E-06	4.0766E-07
H2+	1.4624E-05	5.2186E-06	6.2300E-07
HE	5.1203E-02	1.4594E-02	2.1347E-03
HE+	3.2049E-04	2.7674E-02	3.8188E-02
HE++	2.9439E-15	3.9513E-07	6.0427E-04

SPECIES	MOLE FRACTIONS		
E-	4.0907E-01	4.9233E-01	5.0263E-01
H	1.3469E-01	1.1526E-02	4.4300E-03
H+	4.0811E-01	4.5459E-01	4.5262E-01
H2	3.4831E-07	5.9015E-10	1.0764E-11
H-	5.5577E-06	5.0783E-07	2.3878E-07
H2+	9.8732E-06	1.1947E-06	1.9384E-07
HE	4.6968E-02	3.8523E-03	6.5532E-04
HE+	9.4675E-04	3.7276E-02	2.8934E-02
HE++	1.2498E-13	3.4413E-05	1.0538E-02

$P_1 = 2.00E+02 \text{ N/SQ-M}$, $US_1 = 5.20E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.3008E+03	2.1434E+04	3.5530E+04
T	6.3266E+01	1.2109E+02	1.8904E+02
RHO	1.2036E+01	4.9054E+01	5.0956E+01
H	3.8180E+02	6.8459E+02	9.0358E+02
A	1.2966E+01	2.1670E+01	2.7329E+01
S	2.6190E+00	2.8040E+00	2.9314E+00
Z	3.0217E+00	3.6083E+00	3.6884E+00
GAME	8.7945E-01	1.0747E+00	1.0711E+00
U	3.8484E+01	9.4681E+00	1.1909E+01

$P_1 = 2.00E+02 \text{ N/SQ-M}$, $US_1 = 5.60E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.6653E+03	2.3513E+04	4.1129E+04
T	6.9259E+01	1.5204E+02	2.2676E+02
RHO	1.1889E+01	4.2202E+01	4.8317E+01
H	4.4256E+02	7.8602E+02	1.0586E+03
A	1.4254E+01	2.5212E+01	2.9482E+01
S	2.7330E+00	2.8986E+00	3.0160E+00
Z	3.2368E+00	3.6644E+00	3.7539E+00
GAME	9.0634E-01	1.1409E+00	1.0211E+00
U	4.1400E+01	1.1649E+01	1.3489E+01

SPECIES	MOLE FRACTIONS		
E-	3.8777E-01	4.8729E-01	4.9843E-01
H	1.7535E-01	1.7888E-02	5.5847E-03
H+	3.8722E-01	4.5324E-01	4.5532E-01
H2	6.4148E-07	2.7592E-09	2.7973E-11
H-	7.2754E-06	9.5006E-07	2.9111E-07
H2+	1.2354E-05	2.5572E-06	3.0759E-07
HE	4.9101E-02	7.5268E-03	1.3275E-03
HE+	5.4038E-04	3.4040E-02	3.5575E-02
HE++	1.8205E-14	3.9065E-06	3.7658E-03

SPECIES	MOLE FRACTIONS		
E-	4.2845E-01	4.9515E-01	5.0717E-01
H	9.8504E-02	7.7259E-03	3.7292E-03
H+	4.2669E-01	4.5619E-01	4.4914E-01
H2	1.6628E-07	1.3365E-10	5.3102E-12
H-	3.9135E-06	3.0614E-07	2.0612E-07
H2+	7.3209E-06	5.6974E-07	1.3761E-07
HE	4.4579E-02	2.2183E-03	5.2197E-04
HE+	1.7631E-03	3.8476E-02	2.0837E-02
HE++	1.0337E-12	2.4018E-04	1.8600E-02

TABLE I. - Continued

$$p_1 = 200 \text{ N/m}^2$$

$p_1 = 2.00E+02 \text{ N/SQ-M}$, $US1 = 5.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.8549E+03	2.4266E+04	4.3576E+04
T	7.3124E+01	1.6887E+02	2.4602E+02
RHO	1.1706E+01	3.9109E+01	4.6759E+01
H	4.7456E+02	8.3779E+02	1.1392E+03
A	1.5011E+01	2.6324E+01	3.1243E+01
S	2.7883E+00	2.9408E+00	3.0571E+00
Z	3.3352E+00	3.6785E+00	3.7880E+00
GAME	9.2391E-01	1.1686E+00	1.0474E+00
U	4.2816E+01	1.2808E+01	1.4257E+01

$p_1 = 2.00E+02 \text{ N/SQ-M}$, $US1 = 6.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.2469E+03	2.5595E+04	4.7935E+04
T	8.3245E+01	1.9862E+02	2.9541E+02
RHO	1.1143E+01	3.4670E+01	4.2367E+01
H	5.4172E+02	9.4675E+02	1.3162E+03
A	1.6627E+01	2.7534E+01	3.5011E+01
S	2.8957E+00	3.0189E+00	3.1371E+00
Z	3.5003E+00	3.7169E+00	3.8301E+00
GAME	9.4882E-01	1.0269E+00	1.1335E+00
U	4.5555E+01	1.4631E+01	1.6283E+01

SPECIES	MOLE FRACTIONS		
E-	4.4532E-01	4.9708E-01	5.1162E-01
H	6.7860E-02	5.5465E-03	3.1219E-03
H+	4.4184E-01	4.5660E-01	4.4566E-01
H2	6.8418E+08	3.7210E-11	2.6136E-12
H-	2.5092E-06	2.0984E-07	1.7385E-07
H2+	4.9778E-06	3.0006E-07	9.7136E-08
HE	4.1490E-02	1.4574E-03	2.6791E-04
HE+	3.4844E-03	3.8155E-02	1.2709E-02
HE++	1.0468E-11	1.1649E-03	2.6622E-02

SPECIES	MOLE FRACTIONS		
E-	4.7147E-01	5.0227E-01	5.1698E-01
H	2.7793E-02	3.4617E-03	2.0584E-03
H+	4.5788E-01	4.5391E-01	4.4180E-01
H2	7.6045E-09	5.8360E-12	5.4021E-13
H-	7.9073E-07	1.2761E-07	1.0704E-07
H2+	1.7883E-06	1.1782E-07	4.4370E-08
HE	2.9263E-02	7.14C0E-04	4.1542E-05
HE+	1.3591E-02	3.0929E-02	3.0667E-03
HE++	1.5487E-09	8.7138E-03	3.6056E-02

$p_1 = 2.00E+02 \text{ N/SQ-M}$, $US1 = 6.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.0487E+03	2.4945E+04	4.5820E+04
T	7.7794E+01	1.8446E+02	2.6829E+02
RHO	1.1447E+01	3.6602E+01	4.4778E+01
H	5.0761E+02	8.9129E+02	1.2224E+03
A	1.5812E+01	2.6964E+01	3.3430E+01
S	2.8425E+00	2.9808E+00	3.0970E+00
Z	3.4234E+00	3.6947E+00	3.8140E+00
GAME	9.3878E-01	1.0668E+00	1.0922E+00
U	4.4199E+01	1.3801E+01	1.5180E+01

$p_1 = 2.00E+02 \text{ N/SQ-M}$, $US1 = 6.40E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.4499E+03	2.6297E+04	4.9955E+04
T	8.9326E+01	2.1180E+02	3.2543E+02
RHO	1.0832E+01	3.3165E+01	3.9995E+01
H	5.7689E+02	1.0045E+03	1.4110E+03
A	1.7553E+01	2.8335E+01	3.7987E+01
S	2.9459E+00	3.0556E+00	3.1748E+00
Z	3.5656E+00	3.7437E+00	3.8380E+00
GAME	9.6739E-01	1.0125E+00	1.1553E+00
U	4.6891E+01	1.5295E+01	1.7423E+01

SPECIES	MOLE FRACTIONS		
E-	4.5960E-01	4.9928E-01	5.1494E-01
H	4.4090E-02	4.2533E-03	2.5696E-03
H+	4.5249E-01	4.5586E-01	4.4316E-01
H2	2.4012E-08	1.3148E-11	1.2336E-12
H-	1.4563E-06	1.5795E-07	1.4077E-07
H2+	3.0431E-06	1.7748E-07	6.6958E-08
HE	3.6709E-02	1.0187E-03	1.1485E-04
HE+	7.1078E-03	3.5742E-02	6.6447E-03
HE++	1.2718E-10	3.8384E-03	3.2569E-02

SPECIES	MOLE FRACTIONS		
E-	4.8115E-01	5.0584E-01	5.1798E-01
H	1.7648E-02	2.9264E-03	1.6676E-03
H+	4.5913E-01	4.5116E-01	4.4129E-01
H2	2.3551E-09	3.0030E-12	2.4194E-13
H-	4.2167E-07	1.0766E-07	8.0937E-08
H2+	1.0150E-06	8.4164E-08	2.9723E-08
HE	2.0057E-02	4.7974E-04	1.4923E-05
HE+	2.2012E-02	2.4495E-02	1.6422E-03
HE++	1.5409E-08	1.5092E-02	3.7625E-02

TABLE I. - Continued

$$p_1 = 200 \text{ N/m}^2$$

$P_1 = 2.00E+02 \text{ N/SQ-M}$, $U_{S1} = 6.60E+04 \text{ M/SEC}$
 $X_{H2} = .85$ $X_{HE} = .15$

$P_1 = 2.00E+02 \text{ N/SQ-M}$, $U_{S1} = 7.00E+04 \text{ M/SEC}$
 $X_{H2} = .85$ $X_{HE} = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.6560E+03	2.6841E+04	5.1648E+04
T	9.6474E+01	2.2479E+02	3.5831E+02
RHO	1.0473E+01	3.1659E+01	3.7517E+01
H	6.1308E+02	1.0633E+03	1.5088E+03
A	1.8774E+01	2.9415E+01	4.0040E+01
S	2.9931E+00	3.0915E+00	3.2113E+00
Z	3.6186E+00	3.7715E+00	3.8421E+00
GAME	1.0096E+00	1.0206E+00	1.1646E+00
U	4.8188E+01	1.5917E+01	1.8611E+01

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.0650E+03	2.6624E+04	5.2474E+04
T	1.1723E+02	2.5255E+02	4.2326E+02
RHO	9.4306E+00	2.7631E+01	3.2237E+01
H	6.8806E+02	1.1786E+03	1.7020E+03
A	2.2065E+01	3.2265E+01	4.3630E+01
S	3.0807E+00	3.1636E+00	3.2813E+00
Z	3.6770E+00	3.8154E+00	3.8457E+00
GAME	1.1295E+00	1.0804E+00	1.1694E+00
U	5.0519E+01	1.7258E+01	2.0853E+01

SPECIES	MOLE FRACTIONS		
E-	4.8875E-01	5.0948E-01	5.1850E-01
H	1.1132E-02	2.5033E-03	1.3148E-03
H+	4.5867E-01	4.4824E-01	4.4115E-01
H2	6.7588E-10	1.6340E-12	1.1023E-13
H-	2.1551E-07	9.1234E-08	5.9345E-08
H2+	5.5124E-07	6.1643E-08	2.0017E-08
HE	1.1371E-02	2.9837E-04	5.5097E-06
HE+	3.0081E-02	1.7706E-02	7.2012E-04
HE++	1.3577E-07	2.1176E-02	3.8315E-02

SPECIES	MOLE FRACTIONS		
E-	4.9687E-01	5.1513E-01	5.1895E-01
H	4.0992E-03	1.7747E-03	8.5827E-04
H+	4.5824E-01	4.4379E-01	4.4119E-01
H2	3.3559E-11	4.5443E-13	2.6850E-14
H-	4.6104E-08	5.9538E-08	3.1240E-08
H2+	1.2490E-07	3.1374E-08	9.6362E-09
HE	2.1762E-03	8.5486E-05	1.0056E-06
HE+	3.8606E-02	7.1172E-03	2.4835E-04
HE++	1.1915E-05	3.2111E-02	3.8755E-02

$P_1 = 2.00E+02 \text{ N/SQ-M}$, $U_{S1} = 6.80E+04 \text{ M/SEC}$
 $X_{H2} = .85$ $X_{HE} = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.8617E+03	2.6917E+04	5.2426E+04
T	1.0581E+02	2.3849E+02	3.5091E+02
RHO	9.9805E+00	2.9725E+01	3.4886E+01
H	6.5017E+02	1.1216E+03	1.6067E+03
A	2.0406E+01	3.0782E+01	4.1896E+01
S	3.0389E+00	3.1286E+00	3.2468E+00
Z	3.6566E+00	3.7968E+00	3.8444E+00
GAME	1.0762E+00	1.0464E+00	1.1680E+00
U	4.9403E+01	1.6559E+01	1.9782E+01

SPECIES	MOLE FRACTIONS		
E-	4.9407E-01	5.1275E-01	5.1878E-01
H	6.7164E-03	2.1134E-03	1.0582E-03
H+	4.5819E-01	4.4563E-01	4.4115E-01
H2	1.5693E-10	8.6300E-13	5.3160E-14
H-	9.9414E-08	7.4596E-08	4.3139E-08
H2+	2.6813E-07	4.4118E-08	1.3768E-08
HE	5.1440E-03	1.6530E-04	2.2558E-06
HE+	3.5876E-02	1.1566E-02	4.0380E-04
HE++	1.3092E-06	2.7776E-02	3.8612E-02

TABLE I. - Continued

$$p_1 = 500 \text{ N/m}^2$$

$p_1 = 5.00E+02 \text{ N/SQ-M}$, $US1 = 4.00E+03 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.2097E+01	2.5396E+01	6.2323E+01
T	3.0557E+00	3.8279E+00	5.4449E+00
RHO	3.9585E+00	6.6354E+00	1.1445E+01
H	3.1244E+00	3.9436E+00	5.7352E+00
A	1.7411E+00	1.9395E+00	2.2859E+00
S	1.0598E+00	1.0617E+00	1.0794E+00
Z	1.0000E+00	1.0000E+00	1.0000E+00
GAME	9.9208E-01	9.8274E-01	9.5961E-01
U	2.4141E+00	1.4366E+00	1.2777E+00

$p_1 = 5.00E+02 \text{ N/SQ-M}$, $US1 = 6.00E+03 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.7672E+01	8.8064E+01	1.7170E+02
T	5.5839E+00	7.5765E+00	8.9903E+00
RHO	4.9547E+00	1.1555E+01	1.8579E+01
H	5.8981E+00	8.5584E+00	1.1529E+01
A	2.3097E+00	2.5904E+00	2.7744E+00
S	1.1219E+00	1.1295E+00	1.1526E+00
Z	1.0001E+00	1.0058E+00	1.0279E+00
GAME	9.5521E-01	8.8048E-01	8.3290E-01
U	3.8682E+00	1.6548E+00	1.4105E+00

SPECIES ----- MOLE FRACTIONS -----

E-	1.5910E-62	1.7792E-40	2.0264E-24
H	8.1772E-10	1.3879E-07	1.2848E-04
H+	3.7494E-20	5.0324E-20	6.0537E-20
H2	8.5000E-01	8.5000E-01	8.4988E-01
H-	3.2343E-70	4.5504E-46	1.5659E-28
H2+	3.1927E-20	1.9097E-20	8.8817E-21
HE	1.5000E-01	1.5000E-01	1.4999E-01
HE+	2.2107E-71	2.7095E-59	5.8704E-50
HE++	0.	0.	0.

SPECIES ----- MOLE FRACTIONS -----

E-	4.7405E-23	1.3810E-15	5.8161E-13
H	2.9270E-04	1.1625E-02	5.4368E-02
H+	6.3726E-20	1.2948E-15	5.4786E-13
H2	8.4973E-01	8.3925E-01	7.9971E-01
H-	2.5606E-27	1.0307E-18	1.3759E-15
H2+	5.7330E-21	8.7355E-17	3.5124E-14
HE	1.4998E-01	1.4913E-01	1.4592E-01
HE+	1.7258E-49	4.2555E-38	2.0196E-32
HE++	0.	0.	0.

$p_1 = 5.00E+02 \text{ N/SQ-M}$, $US1 = 5.00E+03 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9056E+01	5.0530E+01	1.1078E+02
T	4.2232E+00	5.6514E+00	7.5240E+00
RHO	4.5126E+00	8.9382E+00	1.4651E+01
H	4.3713E+00	5.9747E+00	8.4365E+00
A	2.0317E+00	2.3235E+00	2.5910E+00
S	1.0914E+00	1.0958E+00	1.1163E+00
Z	1.0000E+00	1.0001E+00	1.0048E+00
GAME	9.7740E-01	9.5513E-01	8.8797E-01
U	3.1423E+00	1.5832E+00	1.4012E+00

$p_1 = 5.00E+02 \text{ N/SQ-M}$, $US1 = 7.00E+03 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.8103E+01	1.4555E+02	2.5221E+02
T	6.9923E+00	9.0273E+00	1.0061E+01
RHO	5.4315E+00	1.5629E+01	2.3469E+01
H	7.7140E+00	1.1787E+01	1.5136E+01
A	2.5097E+00	2.7785E+00	2.9642E+00
S	1.1511E+00	1.1649E+00	1.1916E+00
Z	1.0033E+00	1.0317E+00	1.0681E+00
GAME	8.9787E-01	8.2895E-01	8.1764E-01
U	4.6123E+00	1.5996E+00	1.3911E+00

SPECIES ----- MOLE FRACTIONS -----

E-	3.0354E-34	2.3350E-22	9.0485E-16
H	1.6348E-06	2.7010E-04	9.5494E-03
H+	5.7285E-20	6.2366E-20	8.4106E-16
H2	8.5000E-01	8.4975E-01	8.4117E-01
H-	2.0206E-39	2.0763E-26	7.3286E-19
H2+	1.2136E-20	7.2793E-21	6.4595E-17
HE	1.5000E-01	1.4968E-01	1.4928E-01
HE+	4.66405E-56	7.7620E-49	2.2343E-38
HE++	0.	0.	0.

SPECIES ----- MOLE FRACTIONS -----

E-	7.5561E-17	6.9260E-13	1.8742E-11
H	6.4853E-03	6.1473E-02	1.2756E-01
H+	7.1749E-17	6.5470E-13	1.7749E-11
H2	8.4400E-01	7.9314E-01	7.3201E-01
H-	2.2816E-20	1.4372E-15	8.1206E-14
H2+	3.9041E-18	3.9340E-14	1.0747E-12
HE	1.4951E-01	1.4539E-01	1.4043E-01
HE+	4.3556E-41	4.9107E-32	3.5892E-29
HE++	0.	0.	0.

TABLE I. - Continued

$$P_1 = 500 \text{ N/m}^2$$

$P_1 = 5.00E+02 \text{ N/SQ-M}$, $US_1 = 8.00E+03 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

$P_1 = 5.00E+02 \text{ N/SQ-M}$, $US_1 = 1.00E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.0727E+01	2.3326E+02	3.7253E+02
T	8.1124E+00	1.0141E+01	1.1020E+01
RHO	6.1476E+00	2.1375E+01	3.0100E+01
H	9.8362E+00	1.5678E+01	1.9473E+01
A	2.6341E+00	2.9834E+00	3.1765E+00
S	1.1805E+00	1.2938E+00	1.2346E+00
Z	1.0171E+00	1.0759E+00	1.1232E+00
GAME	8.4091E-01	8.1573E-01	8.1523E-01
U	5.6088E+00	1.5527E+00	1.3893E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	8.2158E+01	5.2330E+02	7.6391E+02
T	9.5852E+00	1.2012E+01	1.2857E+01
RHO	7.9683E+00	3.6214E+01	4.6743E+01
H	1.4959E+01	2.5285E+01	3.0263E+01
A	2.8894E+00	3.4384E+00	3.6693E+00
S	1.2451E+00	1.2934E+00	1.3328E+00
Z	1.0757E+00	1.203CE+00	1.2710E+00
GAME	8.0971E-01	8.1813E-01	8.2394E-01
U	7.0620E+00	1.5554E+00	1.4480E+00

SPECIES	MOLE FRACTIONS		
E-	3.1856E-14	2.6003E-11	2.1676E-10
H	3.3542E-02	1.4112E-01	2.1935E-01
H+	3.0555E-14	2.4718E-11	2.0587E-10
H2	8.1897E-01	7.1946E-01	6.4710E-01
H-	2.5599E-17	1.1166E-13	1.4710E-12
H2+	1.3266E-15	1.3960E-12	1.2358E-11
HE	1.4748E-01	1.3942E-01	1.3355E-01
HE+	1.3378E-35	8.0791E-29	4.8985E-27
HE++	0.	0.	0.

SPECIES	MOLE FRACTIONS		
E-	8.0869E-12	1.8337E-09	7.8881E-09
H	1.4069E-01	3.3745E-01	4.2643E-01
H+	8.5073E-12	1.7519E-09	7.5558E-09
H2	7.1988E-01	5.3786E-01	4.5555E-01
H-	1.7888E-14	1.7502E-11	9.9956E-11
H2+	3.1751E-13	9.9343E-11	4.3224E-10
HE	1.3945E-01	1.2469E-01	1.1802E-01
HE+	1.9937E-30	1.0946E-24	4.0233E-23
HE++	0.	2.4644E-89	1.2625E-83

$P_1 = 5.00E+02 \text{ N/SQ-M}$, $US_1 = 9.00E+03 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

$P_1 = 5.00E+02 \text{ N/SQ-M}$, $US_1 = 1.10E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.5470E+01	3.5815E+02	5.4268E+02
T	8.9294E+00	1.1108E+01	1.1944E+01
RHO	7.0354E+00	2.8437E+01	3.8134E+01
H	1.2255E+01	2.0190E+01	2.4537E+01
A	2.7591E+00	3.2033E+00	3.4119E+00
S	1.2116E+00	1.2466E+00	1.2818E+00
Z	1.0422E+00	1.1339E+00	1.1914E+00
GAME	8.1805E-01	8.1471E-01	8.1806E-01
U	6.2332E+00	1.5451E+00	1.4106E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.0063E+02	7.2753E+02	1.0366E+03
T	1.0151E+01	1.2890E+01	1.3790E+01
RHO	8.8836E+00	4.4041E+01	5.5229E+01
H	1.7942E+01	3.0908E+01	3.6635E+01
A	3.0238E+00	3.6896E+00	3.9524E+00
S	1.2810E+00	1.3434E+00	1.3873E+00
Z	1.1158E+00	1.2816E+00	1.3610E+00
GAME	8.0720E-01	8.2407E-01	8.3232E-01
U	7.8813E+00	1.5918E+00	1.5090E+00

SPECIES	MOLE FRACTIONS		
E-	8.8204E-13	2.8236E-10	1.5518E-09
H	8.1100E-02	2.3610E-01	3.2124E-01
H+	8.4921E-13	2.6891E-10	1.4799E-09
H2	7.7507E-01	6.3161E-01	5.5285E-01
H-	1.1978E-15	1.9094E-12	1.5057E-11
H2+	3.4029E-14	1.5361E-11	8.6987E-11
HE	1.4392E-01	1.3229E-01	1.2591E-01
HE+	2.5671E-33	1.3371E-26	8.7139E-25
HE++	0.	3.7031E-90	0.

SPECIES	MOLE FRACTIONS		
E-	4.8039E-11	8.6147E-09	3.2615E-08
H	2.0761E-01	4.3941E-01	5.3051E-01
H+	4.6512E-11	8.2651E-09	3.1405E-08
H2	6.5796E-01	4.4355E-01	3.5928E-01
H-	1.2911E-13	1.0584E-10	5.0246E-10
H2+	1.6564E-12	4.5546E-10	1.7122E-09
HE	1.3443E-01	1.1704E-01	1.1021E-01
HE+	8.7162E-29	4.3578E-23	1.0962E-21
HE++	0.	1.2488E-83	2.2826E-78

TABLE I. - Continued

$$P_1 = 500 \text{ N/m}^2$$

$P_1 = 5.00E+02 \text{ N/SQ-M}$, $US1 = 1.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.2093E+02	9.7222E+02	1.3635E+03
T	1.0666E+01	1.3780E+01	1.6798E+01
RHO	9.7568E+00	5.1541E+01	6.3081E+01
H	2.1207E+01	3.7073E+01	4.3684E+01
A	3.1633E+00	3.9622E+00	4.2709E+00
S	1.3192E+00	1.3963E+00	1.4446E+00
Z	1.1619E+00	1.3689E+00	1.4607E+00
GAME	8.0741E-01	8.3225E-01	8.4392E-01
U	8.6962E+00	1.6486E+00	1.5904E+00

$P_1 = 5.00E+02 \text{ N/SQ-M}$, $US1 = 1.40E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.6672E+02	1.5691E+03	2.1789E+03
T	1.1622E+01	1.5780E+01	1.7482E+01
RHO	1.1294E+01	6.3580E+01	7.4182E+01
H	2.0576E+01	5.0933E+01	5.9955E+01
A	3.4620E+00	4.6045E+00	5.1216E+00
S	1.4021E+00	1.5076E+00	1.5660E+00
Z	1.2701E+00	1.5639E+00	1.6801E+00
GAME	8.1197E-01	8.5908E-01	8.9306E-01
U	1.0300E+01	1.8323E+00	1.8497E+00

SPECIES	MOLE FRACTIONS		
E-	1.8827E-10	3.3255E-08	1.2369E-07
H	2.7872E-01	5.3900E-01	6.3075E-01
H+	1.8266E-10	3.2065E-08	1.1989E-07
H2	5.9219E-01	3.5142E-01	2.6655E-01
H-	6.2727E-13	4.9046E-10	2.1640E-09
H2+	6.2315E-12	1.6805E-09	5.9640E-09
HE	1.2910E-01	1.0957E-01	-1.0269E-01
HE+	1.8081E-27	1.0067E-21	2.6759E-20
HE++	0.	1.5550E-77	3.8301E-73

SPECIES	MOLE FRACTIONS		
E-	1.6628E-09	4.0253E-07	2.0744E-06
H	4.2528E-01	7.2113E-01	8.0960E-01
H+	1.6202E-09	3.9323E-07	2.0432E-06
H2	4.5662E-01	1.8295E-01	1.0112E-01
H-	7.5069E-12	6.9807E-09	3.6290E-08
H2+	5.0081E-11	1.6276E-08	6.7493E-08
HE	1.1810E-01	9.5915E-02	8.9280E-02
HE+	2.3475E-25	4.2891E-19	2.5318E-17
HE++	3.4816E-92	1.5220E-68	5.3523E-62

$P_1 = 5.00E+02 \text{ N/SQ-M}$, $US1 = 1.30E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.4293E+02	1.2533E+03	1.7472E+03
T	1.1152E+01	1.4720E+01	1.5957E+01
RHO	1.0562E+01	5.8176E+01	6.9647E+01
H	2.4751E+01	4.3742E+01	5.1413E+01
A	3.3090E+00	4.2622E+00	4.6422E+00
S	1.3596E+00	1.4512E+00	1.5045E+00
Z	1.2134E+00	1.4635E+00	1.5680E+00
GAME	8.0915E-01	8.4323E-01	8.6125E-01
U	9.5002E+00	1.7274E+00	1.6982E+00

$P_1 = 5.00E+02 \text{ N/SQ-M}$, $US1 = 1.50E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9223E+02	1.9116E+03	2.6806E+03
T	1.2090E+01	1.7094E+01	2.0077E+01
RHO	1.1941E+01	6.7118E+01	7.4817E+01
H	3.2683E+01	5.8614E+01	6.9609E+01
A	3.6239E+00	5.0227E+00	5.9124E+00
S	1.4465E+00	1.5644E+00	1.6286E+00
Z	1.3315E+00	1.6662E+00	1.7846E+00
GAME	8.1574E-01	8.8577E-01	9.7555E-01
U	1.1093E+01	1.9763E+00	2.1012E+00

SPECIES	MOLE FRACTIONS		
E-	5.9920E-10	1.1698E-07	4.6585E-07
H	3.5179E-01	6.3344E-01	7.2451E-01
H+	5.8258E-10	1.1350E-07	4.5495E-07
H2	3.2463E-01	2.6640E-01	1.7983E-01
H-	2.3664E-12	1.9335E-09	8.5994E-09
H2+	1.8480E-11	5.4162E-09	1.9501E-08
HE	1.2362E-01	1.0249E-01	9.5662E-02
HE+	2.3915E-26	2.1761E-20	6.4327E-19
HE++	0.	1.7595E-73	1.3064E-67

SPECIES	MOLE FRACTIONS		
E-	6.2113E-09	1.5224E-06	1.6115E-05
H	4.9795E-01	7.9963E-01	8.7923E-01
H+	4.1130E-09	1.4984E-06	1.6012E-05
H2	3.8893E-01	1.1034E-01	3.6683E-02
H-	2.1122E-11	2.5345E-08	2.1501E-07
H2+	1.1939E-10	4.9358E-08	3.1786E-07
HE	1.1265E-01	9.0280E-02	8.4054E-02
HE+	1.1907E-24	1.0940E-17	3.9629E-15
HE++	6.1035E-88	2.3482E-63	6.3200E-54

TABLE I. - Continued

$$P_1 = 500 \text{ N/m}^2$$

$P_1 = 5.00E+02 \text{ N/SQ-M}$, $US_1 = 1.60E+04 \text{ M/SEC}$

$XH_2 = .85$

$XHE = .15$

$P_1 = 5.00E+02 \text{ N/SQ-M}$, $US_1 = 1.80E+04 \text{ M/SEC}$

$XH_2 = .85$

$XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.1946E+02	2.2664E+03	3.2891E+03
T	1.2569E+01	1.9010E+01	2.6106E+01
RHO	1.2495E+01	6.7710E+01	6.8450E+01
H	3.7370E+01	6.6739E+01	8.1462E+01
A	3.7964E+00	5.6181E+00	7.3131E+00
S	1.6925E+00	1.6200E+00	1.6911E+00
Z	1.3975E+00	1.7608E+00	1.8406E+00
GAME	8.2055E-01	9.4293E+01	1.1130E+00
U	1.1881E+01	2.1948E+00	2.6444E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.7891E+02	2.8958E+03	4.6190E+03
T	1.3622E+01	2.7521E+01	3.5487E+01
RHO	1.3284E+01	5.7022E+01	6.2140E+01
H	4.6685E+01	8.3825E+01	1.0729E+02
A	4.1871E+00	7.5167E+00	8.4198E+00
S	1.5886E+00	1.7156E+00	1.7817E+00
Z	1.5414E+00	1.8453E+00	1.8824E+00
GAME	8.3502E-01	1.1126E+00	9.5372E-01
U	1.3435E+01	3.1356E+00	3.6465E+00

SPECIES	MOLE FRACTIONS
E-	1.0083E-08
H+	5.6887E-01
H+	9.8727E-09
H2	3.2379E-01
H-	5.4677E-11
H2+	2.6522E-10
HE	1.0733E-01
HE+	1.4148E-23
HE++	2.3908E-84
U	4.0133E-01

SPECIES	MOLE FRACTIONS
E-	5.5319E-08
H+	7.0245E-01
H+	5.4470E-08
H2	2.0023E-01
H2	3.2201E-10
HE	1.1713E-09
HE+	9.7316E-02
HE++	8.0735E-22
U	3.2358E-78

$P_1 = 5.00E+02 \text{ N/SQ-M}$, $US_1 = 1.70E+04 \text{ M/SEC}$

$XH_2 = .85$

$XHE = .15$

$P_1 = 5.00E+02 \text{ N/SQ-M}$, $US_1 = 1.90E+04 \text{ M/SEC}$

$XH_2 = .85$

$XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.4837E+02	2.6022E+03	3.9661E+03
T	1.3071E+01	2.2395E+01	3.3876E+01
RHO	1.2946E+01	6.3698E+01	6.3025E+01
H	4.1738E+01	7.5182E+01	9.4641E+01
A	3.9825E+00	6.5895E+00	8.0704E+00
S	1.5400E+00	1.6714E+00	1.7423E+00
Z	1.4677E+00	1.8242E+00	1.8576E+00
GAME	8.2672E-01	1.0629E+00	1.0350E+00
U	1.2662E+01	2.5752E+00	3.2690E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.1103E+02	3.1803E+03	5.2408E+03
T	1.4257E+01	3.2834E+01	4.3582E+01
RHO	1.3485E+01	5.2228E+01	6.2766E+01
H	5.1911E+01	9.2863E+01	1.1980E+02
A	4.4204E+00	7.9783E+00	8.7408E+00
S	1.6380E+00	1.7533E+00	1.8165E+00
Z	1.6177E+00	1.8561E+00	1.9158E+00
GAME	8.4722E-01	1.0444E+00	9.1503E-01
U	1.4199E+01	3.6627E+00	3.8881E+00

SPECIES	MOLE FRACTIONS
E-	2.3531E-08
H+	6.3727E-01
H+	2.3102E-08
H2	2.6053E-01
H-	1.3423E-10
H2+	5.6306E-10
HE	1.0220E-01
HE+	1.0348E-22
HE++	4.0257E-81

SPECIES	MOLE FRACTIONS
E-	1.3734E-07
H+	7.6367E-01
H+	9.0898E-01
H2	1.3566E-07
H-	1.4360E-01
H2+	7.8463E-10
HE	9.2725E-02
HE+	7.5848E-21
HE++	2.0415E-75

TABLE I. - Continued

 $p_1 = 500 \text{ N/m}^2$

$P_1 = 5.00E+02 \text{ N/SQ-M}$, $US1 = 2.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.4456E+02	3.4730E+03	5.8026E+03
T	1.5055E+01	3.7335E+01	4.6824E+01
RHO	1.3505E+01	9.6535E+01	6.3409E+01
H	5.7412E+01	1.0244E+02	1.3234E+02
A	4.7053E+00	8.2432E+00	9.0526E+00
S	1.6876E+00	1.7874E+00	1.8497E+00
Z	1.6946E+00	1.8735E+00	1.9543E+00
GAME	8.6780E-01	9.7145E-01	8.9552E-01
U	1.4946E+01	4.0622E+00	4.0436E+00

SPECIES	MOLE FRACTIONS		
E-	3.8239E-07	1.3162E-02	5.3780E-02
H	8.1979E-01	8.9295E-01	8.1525E-01
H+	3.7895E-07	1.3159E-02	5.3755E-02
H2	9.1692E-02	6.1072E-04	2.8934E-04
H-	2.0392E-09	2.5098E-05	7.5690E-05
H2+	5.4763E-09	2.8746E-05	9.8043E-05
HE	8.8516E-02	8.0066E-02	7.6750E-02
HE+	8.6363E-20	5.3870E-08	2.3241E-06
HE++	1.4548E-70	3.5642E-28	3.5906E-22

$P_1 = 5.00E+02 \text{ N/SQ-M}$, $US1 = 2.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.1393E+02	3.8515E+03	6.3695E+03
T	1.8238E+01	4.3816E+01	5.1655E+01
RHO	1.2455E+01	4.5539E+01	6.0453E+01
H	6.9192E+01	1.2291E+02	1.5733E+02
A	5.8136E+00	8.7372E+00	9.6164E+00
S	1.7830E+00	1.8551E+00	1.9185E+00
Z	1.8221E+00	1.9302E+00	2.0397E+00
GAME	1.0170E+00	9.0261E-01	8.7770E-01
U	1.6332E+01	4.4624E+00	4.2322E+00

SPECIES	MOLE FRACTIONS		
E-	9.7996E-06	4.1908E-02	9.3312E-02
H	9.0235E-01	8.3810E-01	7.3948E-01
H+	9.7771E-06	4.1895E-02	9.3263E-02
H2	1.5305E-02	2.7276E-04	1.7317E-04
H-	3.0515E-08	4.9636E-05	9.6210E-05
H2+	5.2978E-08	6.1503E-05	1.3459E-04
HE	8.2321E-02	7.7769E-02	7.3530E-02
HE+	2.6774E-16	9.5573E-07	9.9850E-06
HE++	4.1680E-59	1.1071E-23	6.9169E-20

$P_1 = 5.00E+02 \text{ N/SQ-M}$, $US1 = 2.10E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.7917E+02	3.7313E+03	6.2347E+03
T	1.6209E+01	4.0955E+01	4.9507E+01
RHO	1.3237E+01	4.7981E+01	6.3087E+01
H	6.3180E+01	1.1256E+02	1.4499E+02
A	5.1092E+00	8.4926E+00	9.3694E+00
S	1.7365E+00	1.8206E+00	1.8832E+00
Z	1.7672E+00	1.8989E+00	1.9962E+00
GAME	9.1130E-01	9.2742E-01	8.8450E-01
U	1.5670E+01	4.3178E+00	4.1597E+00

SPECIES	MOLE FRACTIONS		
E-	1.4255E-06	2.6199E-02	7.3584E-02
H	8.6682E-01	8.6814E-01	7.7729E-01
H+	1.4177E-06	2.6191E-02	7.3547E-02
H2	4.6855E-02	3.8977E-04	2.2300E-04
H-	6.4182E-09	3.8632E-05	8.9109E-05
H2+	1.4266E-08	4.6066E-05	1.2039E-04
HE	8.4880E-02	7.8952E-02	7.5137E-02
HE+	2.2224E-18	2.9719E-07	5.3475E-06
HE++	3.4711E-66	1.5217E-25	7.3820E-21

$P_1 = 5.00E+02 \text{ N/SQ-M}$, $US1 = 2.30E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.4775E+02	3.7734E+03	6.1332E+03
T	2.1755E+01	4.6024E+01	5.3273E+01
RHO	1.1160E+01	4.1721E+01	5.5256E+01
H	7.5414E+01	1.3314E+02	1.6900E+02
A	6.7217E+00	8.9611E+00	9.8446E+00
S	1.8246E+00	1.8918E+00	1.9562E+00
Z	1.8443E+00	1.9651E+00	2.0836E+00
GAME	1.1261E+00	8.8789E-01	8.7314E-01
U	1.6902E+01	4.5173E+00	4.2709E+00

SPECIES	MOLE FRACTIONS		
E-	1.2175E-04	5.8848E-02	1.1237E-01
H	9.1523E-01	8.0566E-01	7.0296E-01
H+	1.2167E-04	5.8830E-02	1.1231E-01
H2	3.2221E-03	1.9813E-04	1.3313E-04
H-	2.0673E-07	5.6194E-05	9.6357E-05
H2+	2.7772E-07	7.1919E-05	1.3844E-04
HE	8.1332E-02	7.6329E-02	7.1976E-02
HE+	1.4238E-13	2.1851E-06	1.5921E-05
HE++	6.0995E-49	2.0801E-22	3.5393E-19

TABLE I. - Continued

$$p_1 = 5.00 \text{ E+02 N/SQ-M}, \quad US1 = 2.140 \text{ E+04 M/SEC.}$$

$$XH2 = .85 \quad XHE = .15$$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.8220E+02	3.7086E+03	5.9165E+03
T	2.5906E+01	4.7922E+01	5.4720E+01
RHO	1.0060E+01	3.8637E+01	5.0793E+01
H	8.1874E+01	1.4364E+02	1.8079E+02
A	7.2931E+00	9.1838E+00	1.0068E+01
S	1.8595E+00	1.9276E+00	1.9932E+00
Z	1.8503E+00	2.0029E+00	2.1287E+00
GAM	1.1097E+00	8.7870E-01	8.7016E-01
U	1.7447E+01	4.5343E+00	4.3024E+00

SPECIES MOLE FRACTIONS

HE	1.0128E-03	7.6590E-02	1.3118E-01
H+	9.1604E-01	7.7166E-01	6.6690E-01
H+	1.0127E-03	7.6566E-02	1.3111E-01
H2	8.6366E-04	1.4997E-04	1.0397E-04
H2	9.6717E-07	6.0639E-05	9.4722E-05
H2+	1.1289E-06	7.9966E-05	1.3941E-04
HE	8.1069E-02	7.4886E-02	7.0441E-02
HE++	2.6986E-11	4.2028E-06	2.3721E-05
HE++	1.0688E-40	2.1087E-21	1.4231E-18

$$p_1 = 5.00 \text{ E+02 N/SQ-M}, \quad US1 = 2.60 \text{ E+04 M/SEC}$$

$$XH2 = .85 \quad XHE = .15$$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.5876E+02	3.9285E+03	6.0987E+03
T	3.3057E+01	5.1571E+01	5.7919E+01
RHO	9.0347E+00	3.6477E+01	4.7252E+01
H	9.5690E+01	1.6685E+02	2.0733E+02
A	7.7121E+00	9.6761E+00	1.0583E+01
S	1.9181E+00	1.9934E+00	2.0622E+00
Z	1.8709E+00	2.0884E+00	2.2284E+00
GAM	9.6170E-01	8.6933E-01	8.6771E-01
U	1.8667E+01	4.6315E+00	4.4074E+00

SPECIES MOLE FRACTIONS

E-	1.1351E-02	1.1434E-01	1.7003E-01
H+	8.9692E-01	6.9928E-01	5.9241E-01
H+	1.1350E-02	1.1430E-01	1.6993E-01
H2	1.9431E-04	9.6146E-05	9.7843E-05
H2	5.2450E-06	6.9110E-05	9.4210E-05
H2+	5.8414E-06	9.6558E-05	1.4630E-04
HE	8.0177E-02	7.1814E-02	6.7261E-02
HE	1.0620E-08	1.2468E-05	5.1017E-05
HE++	2.5574E-31	1.0656E-19	2.2025E-17

$$p_1 = 5.00 \text{ E+02 N/SQ-M}, \quad US1 = 2.50 \text{ E+04 M/SEC}$$

$$XH2 = .85 \quad XHE = .15$$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.1896E+02	3.7589E+03	5.9005E+03
T	2.9813E+01	4.9744E+01	5.6235E+01
RHO	1.0060E+01	3.6968E+01	4.8209E+01
H	8.8622E+01	1.5483E+02	1.9345E+02
A	7.5566E+00	9.4211E+00	1.0310E+01
S	1.8901E+00	1.9614E+00	2.0282E+00
Z	1.8575E+00	2.044CE+00	2.1765E+00
GAM	1.0311E+00	8.7290E-01	8.6844E-01
U	1.8028E+01	4.5582E+00	4.3457E+00

SPECIES MOLE FRACTIONS

E-	2.1391E-02	1.3411E-01	1.9005E-01
H+	8.7771E-01	6.6136E-01	5.5404E-01
H+	2.1390E-02	1.3405E-01	1.8992E-01
H2	1.3012E-04	7.9812E-05	5.5905E-05
H2	8.0610E-06	7.3470E-05	9.4781E-05
H2+	9.1067E-06	1.0585E-04	1.5172E-04
HE	7.9358E-02	7.0203E-02	6.5614E-02
HE	5.2155E-08	2.0186E-05	7.4510E-05
HE++	8.0860E-29	6.2178E-19	8.7834E-17

TABLE I. -Continued

$$p_1 = 500 \text{ N/m}^2$$

$P_1 = 5.00E+02 \text{ N/SQ-M}$, $U_{S1} = 2.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.4689E+02	4.5492E+03	6.9321E+03
T	3.7872E+01	5.5300E+01	6.1608E+01
RHO	8.9242E+00	3.7625E+01	4.8058E+01
H	1.1078E+02	1.9351E+02	2.3842E+02
A	8.0512E+00	1.0235E+01	1.1193E+01
S	1.9700E+00	2.0551E+00	2.1281E+00
Z	1.9140E+00	2.1864E+00	2.3413E+00
GAME	8.9426E-01	8.6634E-01	8.6856E-01
U	2.0072E+01	4.7703E+00	4.5737E+00

$P_1 = 5.00E+02 \text{ N/SQ-M}$, $U_{S1} = 3.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	7.4438E+02	5.3957E+03	8.1130E+03
T	4.1437E+01	5.9035E+01	6.5575E+01
RHO	9.1132E+00	3.9846E+01	5.0206E+01
H	1.2709E+02	2.2297E+02	2.7312E+02
A	8.4293E+00	1.0833E+01	1.1869E+01
S	2.0201E+00	2.1161E+00	2.1940E+00
Z	1.9712E+00	2.2938E+00	2.4642E+00
GAME	8.6988E-01	8.6664E-01	8.7179E-01
U	2.1562E+01	4.9347E+00	4.7789E+00

SPECIES	MOLE FRACTIONS		
E-	3.3552E-02	1.54C4E-01	2.1006E-01
H	8.5441E-01	6.2312E-01	5.1569E-01
H+	3.3550E-02	1.5397E-01	2.0989E-01
H2	9.6699E-05	6.6964E-05	4.6199E-05
H-	1.0882E-05	7.7330E-05	9.4926E-05
H2+	1.2531E-05	1.1493E-04	1.5685E-04
HE	7.8369E-02	6.8575E-02	6.3958E-02
HE+	1.6508E-07	3.1514E-05	1.0775E-04
HE++	5.2498E-27	3.2121E-18	3.4932E-16

SPECIES	MOLE FRACTIONS		
E-	6.1574E-02	1.9365E-01	2.4946E-01
H	8.0066E-01	5.4716E-01	4.4021E-01
H+	6.1570E-02	1.9353E-01	2.4917E-01
H2	6.2460E-05	4.7559E-05	3.1123E-05
H-	1.6091E-05	8.2607E-05	9.2427E-05
H2+	1.9309E-05	1.3072E-04	1.6317E-04
HE	7.6094E-02	6.5324E-02	6.0652E-02
HE+	8.2465E-07	7.0353E-05	2.1852E-04
HE++	1.8600E-24	6.2821E-17	4.5795E-15

$P_1 = 5.00E+02 \text{ N/SQ-M}$, $U_{S1} = 2.90E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.9457E+02	4.9482E+03	7.4899E+03
T	3.9759E+01	5.7165E+01	6.3568E+01
RHO	8.9991E+00	3.8659E+01	4.9054E+01
H	1.1879E+02	2.0791E+02	2.5540E+02
A	8.2381E+00	1.0529E+01	1.1525E+01
S	1.9952E+00	2.0856E+00	2.1611E+00
Z	1.9413E+00	2.2390E+00	2.4019E+00
GAME	8.7929E-01	8.6618E-01	8.6991E-01
U	2.0811E+01	4.8569E+00	4.6765E+00

$P_1 = 5.00E+02 \text{ N/SQ-M}$, $U_{S1} = 3.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	8.4994E+02	6.3948E+03	9.5302E+03
T	4.4383E+01	6.2778E+01	6.9787E+01
RHO	9.3990E+00	4.2298E+01	5.2636E+01
H	1.4457E+02	2.5481E+02	3.1095E+02
A	8.8175E+00	1.1462E+01	1.2603E+01
S	2.0700E+00	2.1774E+00	2.2605E+00
Z	2.0375E+00	2.4082E+00	2.5945E+00
GAME	8.5976E-01	8.6906E-01	8.7723E-01
U	2.3085E+01	5.1338E+00	5.0167E+00

SPECIES	MOLE FRACTIONS		
E-	4.7106E-02	1.7393E-01	2.2999E-01
H	8.2842E-01	5.8497E-01	4.7750E-01
H+	4.7103E-02	1.7384E-01	2.2977E-01
H2	7.6306E-05	5.6441E-05	3.8021E-05
H-	1.3578E-05	8.0421E-05	9.4197E-05
H2+	1.5960E-05	1.2332E-04	1.6084E-04
HE	7.7269E-02	6.6945E-02	6.2295E-02
HE+	4.0152E-07	4.7659E-05	1.5440E-04
HE++	1.3442E-25	1.4874E-17	1.2778E-15

SPECIES	MOLE FRACTIONS		
E-	9.2085E-02	2.3197E-01	2.8712E-01
H	7.4213E-01	4.7371E-01	3.6818E-01
H+	9.2077E-02	2.3177E-01	2.8662E-01
H2	4.4518E-05	3.3494E-05	2.0167E-05
H-	2.0461E-05	8.3720E-05	8.5476E-05
H2+	2.5565E-05	1.4167E-04	1.6167E-04
HE	7.3618E-02	6.2143E-02	5.7387E-02
HE+	2.5440E-06	1.4361E-04	4.2843E-04
HE++	1.1586E-22	8.8166E-16	5.3796E-14

TABLE I. - Continued

$$p_1 = 500 \text{ N/m}^2$$

$p_1 = 5.00E+02 \text{ N/SQ-M}$, $US1 = 3.40E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	9.6328E+02	7.5258E+03	1.1152E+04
T	4.6985E+01	6.6603E+01	7.4351E+01
RHO	9.7136E+00	4.4689E+01	5.4930E+01
H	1.6320E+02	2.8894E+02	3.5190E+02
A	9.2107E+00	1.2127E+01	1.3406E+01
S	2.1202E+00	2.2394E+00	2.3279E+00
Z	2.1106E+00	2.5285E+00	2.7307E+00
GAM	8.5548E-01	8.7327E-01	8.8522E-01
U	2.4628E+01	5.3581E+00	5.2901E+00

$p_1 = 5.00E+02 \text{ N/SQ-M}$, $US1 = 3.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.2103E+03	1.0068E+04	1.4893E+04
T	5.1645E+01	7.4750E+01	8.5166E+01
RHO	1.0309E+01	4.8459E+01	5.8082E+01
H	2.0384E+02	3.6315E+02	4.4271E+02
A	1.0015E+01	1.3580E+01	1.5279E+01
S	2.2228E+00	2.3642E+00	2.4639E+00
Z	2.2733E+00	2.7795E+00	3.0107E+00
GAM	8.5438E-01	8.8757E-01	9.1041E-01
U	2.7692E+01	5.8964E+00	5.9736E+00

SPECIES	MOLE FRACTIONS		
E-	1.2355E-01	2.6851E-01	3.2267E-01
H	6.8176E-01	4.0375E-01	3.0039E-01
H+	1.2354E-01	2.6817E-01	3.2177E-01
H2	3.3095E-05	2.2855E-05	1.2255E-05
H-	2.3881E-05	8.0529E-05	7.4334E-05
H2+	3.1021E-05	1.4460E-04	1.5112E-04
HE	7.1063E-02	5.9047E-02	5.4103E-02
HE+	6.1008E-06	2.7703E-04	8.2900E-04
HE++	2.9081E-21	9.9175E-15	5.8954E-13

SPECIES	MOLE FRACTIONS		
E-	1.8626E-01	3.3456E-01	3.8563E-01
H	5.6144E-01	2.7772E-01	1.8198E-01
H+	1.8623E-01	3.3355E-01	3.8241E-01
H2	1.8983E-05	9.2565E-06	3.3752E-06
H-	2.7723E-05	6.3179E-05	4.6742E-05
H2+	3.8788E-05	1.2922E-04	1.0609E-04
HE	6.5960E-02	5.3024E-02	4.6668E-02
HE+	2.3519E-05	9.4165E-04	3.1551E-03
HE++	4.2580E-19	8.4324E-13	7.1741E-11

$p_1 = 5.00E+02 \text{ N/SQ-M}$, $US1 = 3.60E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.0831E+03	8.7467E+03	1.2935E+04
T	4.9376E+01	7.0543E+01	7.9393E+01
RHO	1.0019E+01	4.6748E+01	5.6764E+01
H	1.8295E+02	3.2496E+02	3.9577E+02
A	9.6089E+00	1.2827E+01	1.4291E+01
S	2.1711E+00	2.3016E+00	2.3959E+00
Z	2.1894E+00	2.6524E+00	2.8703E+00
GAM	8.5408E-01	8.7932E-01	8.9620E-01
U	2.6155E+01	5.6106E+00	5.6182E+00

$p_1 = 5.00E+02 \text{ N/SQ-M}$, $US1 = 4.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.3494E+03	1.1473E+04	1.7035E+04
T	5.3846E+01	7.9350E+01	9.2041E+01
RHO	1.0576E+01	4.9720E+01	5.8778E+01
H	2.2586E+02	4.0342E+02	4.9345E+02
A	1.0432E+01	1.4398E+01	1.6393E+01
S	2.2753E+00	2.4269E+00	2.5323E+00
Z	2.3617E+00	2.9081E+00	3.1489E+00
GAM	8.5583E-01	8.9837E-01	9.2717E-01
U	2.9235E+01	6.2244E+00	6.4117E+00

SPECIES	MOLE FRACTIONS		
E-	1.5509E-01	3.0266E-01	3.5561E-01
H	6.2124E-01	3.3848E-01	2.3800E-01
H+	1.5507E-01	3.0208E-01	3.5393E-01
H2	2.5022E-05	1.5005E-05	6.8165E-06
H-	2.6292E-05	7.3387E-05	6.0127E-05
H2+	3.5459E-05	1.4050E-04	1.3181E-04
HE	6.8498E-02	5.6040E-02	5.0653E-02
HE+	1.2570E-05	5.1356E-04	1.6058E-03
HE++	4.1925E-20	9.4643E-14	6.3477E-12

SPECIES	MOLE FRACTIONS		
E-	2.1673E-01	3.6397E-01	4.1257E-01
H	5.0301E-01	2.2210E-01	1.3344E-01
H+	2.1667E-01	3.6218E-01	4.0625E-01
H2	1.4325E-05	5.2771E-06	1.4367E-06
H-	2.0206E-05	5.1033E-05	3.0225E-05
H2+	4.0922E-05	1.1178E-04	7.7502E-05
HE	6.3472E-02	4.9852E-02	4.1364E-02
HE+	6.1240E-05	1.7275E-03	6.2724E-03
HE++	3.3885E-18	7.4061E-12	8.9554E-10

TABLE I. -Continued

$$P_1 = 500 \text{ N/m}^2$$

$P_1 = 5.00E+02 \text{ N/SQ-M}$, $US1 = 4.20E+04 \text{ M/SEC}$
 $XH2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.4860E+03	1.2935E+04	1.9343E+04
T	5.6001E+01	8.4481E+01	1.0035E+02
RHO	1.0817E+01	5.0449E+01	5.8775E+01
H	2.4901E+02	4.4553E+02	5.4772E+02
A	1.0856E+01	1.5289E+01	1.7650E+01
S	2.3279E+03	2.4889E+00	2.6005E+00
Z	2.4533E+00	3.0350E+00	3.2794E+00
GAME	8.5819E-01	9.1165E-01	9.4652E-01
U	3.0767E+01	6.6027E+00	6.9231E+00

$P_1 = 5.00E+02 \text{ N/SQ-M}$, $US1 = 4.60E+04 \text{ M/SEC}$
 $XH2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.7881E+03	1.5909E+04	2.4433E+04
T	6.0425E+01	9.7014E+01	1.2371E+02
RHO	1.1168E+01	5.0149E+01	5.6482E+01
H	2.9866E+02	5.3501E+02	6.6987E+02
A	1.1773E+01	1.7290E+01	2.1142E+01
S	2.4370E+00	2.6095E+00	2.7313E+00
Z	2.6497E+00	3.2700E+00	3.4969E+00
GAME	8.6560E-01	9.4239E-01	1.0333E+00
U	3.3806E+01	7.5336E+00	8.3262E+00

SPECIES	MOLE FRACTIONS		
E-	2.4595E-01	3.9053E-01	4.3593E-01
H	4.4695E-01	1.7262E-01	9.4324E-02
H+	2.4587E-01	3.8729E-01	4.2394E-01
H2	1.0715E-05	2.7357E-06	5.2041E-07
H-	2.7820E-05	3.8432E-05	1.8642E-05
H2+	4.1860E-05	9.0287E-05	5.1046E-05
HE	6.1074E-02	4.6238E-02	3.3778E-02
HE+	6.8869E-05	3.1858E-03	1.1962E-02
HE++	2.2365E-17	6.6074E-11	1.1735E-08

SPECIES	MOLE FRACTIONS		
E-	3.0186E-01	4.3429E-01	4.7097E-01
H	3.3979E-01	9.5879E-02	4.3500E-02
H+	3.0167E-01	4.2389E-01	4.4261E-01
H2	5.5679E-06	5.2976E-07	4.0712E-08
H-	2.4640E-05	1.7578E-05	6.0218E-06
H2+	3.9915E-05	4.6994E-05	1.6132E-05
HE	5.6429E-02	3.5695E-02	1.4543E-02
HE+	1.8060E-04	1.0377E-02	2.8351E-02
HE++	7.5129E-16	5.5479E-09	1.7980E-06

$P_1 = 5.00E+02 \text{ N/SQ-M}$, $US1 = 4.40E+04 \text{ M/SEC}$
 $XH2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.6337E+03	1.4413E+04	2.1788E+04
T	5.8198E+01	9.0314E+01	1.1036E+02
RHO	1.1007E+01	5.0554E+01	5.8128E+01
H	2.7327E+02	4.8940E+02	6.0593E+02
A	1.1308E+01	1.6253E+01	1.9128E+01
S	2.3825E+00	2.5502E+00	2.6666E+00
Z	2.5503E+00	3.1568E+00	3.3952E+00
GAME	8.6145E-01	9.2654E-01	9.7651E-01
U	3.2290E+01	7.0333E+00	7.5253E+00

$P_1 = 5.00E+02 \text{ N/SQ-M}$, $US1 = 4.80E+04 \text{ M/SEC}$
 $XH2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9488E+03	1.7388E+04	2.7305E+04
T	6.2747E+01	1.0466E+02	1.4235E+02
RHO	1.1284E+01	4.9285E+01	5.3678E+01
H	3.2516E+02	5.8224E+02	7.4078E+02
A	1.2264E+01	1.8431E+01	2.3695E+01
S	2.4923E+00	2.6673E+00	2.7949E+00
Z	2.7524E+00	3.3710E+00	3.5733E+00
GAME	8.7085E-01	9.6286E-01	1.1038E+00
U	3.5311E+01	8.0935E+00	9.3887E+00

SPECIES	MOLE FRACTIONS		
E-	2.7466E-01	4.1404E-01	4.5514E-01
H	3.9192E-01	1.3021E-01	6.5663E-02
H+	2.7453E-01	4.0814E-01	4.3517E-01
H2	7.8093E-06	1.2659E-06	1.6476E-07
H-	2.6568E-05	2.6854E-05	1.0908E-05
H2+	4.1657E-05	6.7573E-05	3.0749E-05
HE	5.8703E-02	4.1658E-02	2.4229E-02
HE+	1.1270E-04	5.8574E-03	1.9951E-02
HE++	1.3545E-16	6.0673E-10	1.4114E-07

SPECIES	MOLE FRACTIONS		
E-	3.2789E-01	4.5123E-01	4.8228E-01
H	2.8996E-01	6.9784E-02	2.7621E-02
H+	3.2759E-01	4.3445E-01	4.4611E-01
H2	3.8317E-06	2.0293E-07	7.5274E-09
H-	2.2110E-05	1.1036E-05	3.3612E-06
H2+	3.7234E-05	3.0735E-05	7.2406E-06
HE	5.4211E-02	2.7742E-02	7.8294E-03
HE+	2.8827E-04	1.6756E-02	3.4123E-02
HE++	4.0358E-15	4.6478E-08	2.4916E-05

TABLE I. - Continued

 $P_1 = 500 \text{ N/m}^2$

$P_1 = 5.00E+02 \text{ N/SQ-M}$, $US_1 = 5.00E+04 \text{ M/SEC}$			$P_1 = 5.00E+02 \text{ N/SQ-M}$, $US_1 = 5.40E+04 \text{ M/SEC}$				
XHE	.85	XHE	.15	XHE	.15		
MOVING SHOCK STANDING SHOCK REFLECTED SHOCK							
P	2.1160E+03	1.8815E+04	3.0396E+04	P	2.4681E+03	2.1292E+04	3.6401E+04
T	6.5198E+01	1.1379E+02	1.6644E+02	T	7.0775E+01	1.3825E+02	2.1413E+02
RHO	1.1366E+01	4.7779E+01	5.0440E+01	RHO	1.1372E+01	4.2945E+01	4.6178E+01
H	3.5277E+02	6.3088E+02	8.1864E+02	H	4.1131E+02	7.3122E+02	9.7961E+02
A	1.2781E+01	1.9819E+01	2.6148E+01	A	1.3945E+01	2.3371E+01	2.8832E+01
S	2.5473E+00	2.7235E+00	2.8546E+00	S	2.6580E+00	2.8261E+00	2.9528E+00
Z	2.8560E+00	3.4607E+00	3.6205E+00	Z	3.0665E+00	3.5862E+00	3.6813E+00
GAM	8.7737E-01	9.9746E-01	1.1346E+00	GAM	8.9601E-01	1.1016E+00	1.0545E+00
U	3.6808E+01	8.7688E+00	1.0676E+01	U	3.9755E+01	1.0508E+01	1.2967E+01
SPECIES MOLE FRACTIONS							
E-	3.5229E-01	4.6545E-01	4.8903E-01	E-	3.9673E-01	4.8414E-01	4.9746E-01
H+	2.4333E-01	4.9822E-02	1.7698E-02	H+	1.5884E-01	2.4356E-02	9.6576E-03
H-	3.5181E-01	4.4136E-01	4.5184E-01	H-	3.9547E-01	4.4963E-01	4.5214E-01
H2	2.5363E-06	6.8702E-08	1.2872E-09	H2	9.2064E-07	5.5173E-09	1.0668E-10
H3	1.9177E-05	6.6461E-06	2.0805E-06	H3	1.2601E-05	2.4122E-06	1.2013E-06
H2+	3.3630E-05	1.8614E-05	3.0979E-06	H2+	2.4186E-05	5.5211E-06	9.3334E-07
HE	5.2063E-02	1.9264E-02	4.5380E-03	HE	4.7670E-02	7.3383E-03	2.0662E-03
HE+	4.6036E-04	2.4079E-02	3.6595E-02	HE+	1.2456E-03	3.4469E-02	3.2043E-02
HE++	2.1334E-14	3.7013E-07	2.9688E-04	HE++	6.8936E-13	1.9281E-05	6.6381E-03
$P_1 = 5.00E+02 \text{ N/SQ-M}$, $US_1 = 5.20E+04 \text{ M/SEC}$							
XHE	.65	XHE	.15	XHE	.15		
MOVING SHOCK STANDING SHOCK REFLECTED SHOCK							
P	2.2892E+03	2.0127E+04	3.3490E+04	P	2.6524E+03	2.2244E+04	3.9043E+04
T	6.7838E+01	1.2482E+02	1.9178E+02	T	7.4115E+01	1.5359E+02	2.3347E+02
RHO	1.1395E+01	4.5639E+01	4.7828E+01	RHO	1.1291E+01	3.9999E+01	4.5011E+01
H	3.8149E+02	6.8061E+02	8.9953E+02	H	4.4222E+02	7.8224E+02	1.0582E+03
A	1.3338E+01	2.1507E+01	2.7802E+01	A	1.4611E+01	2.5093E+01	2.9939E+01
S	2.6027E+00	2.7764E+00	2.9072E+00	S	2.7128E+00	2.8722E+00	2.9940E+00
Z	2.9614E+00	3.5333E+00	3.6511E+00	Z	3.1696E+00	3.6209E+00	3.7153E+00
GAM	8.8562E-01	1.0488E+00	1.1039E+00	GAM	9.0881E-01	1.1323E+00	1.0333E+00
U	3.8290E+01	9.5725E+00	1.1940E+01	U	4.1199E+01	1.1615E+01	1.3750E+01
SPECIES MOLE FRACTIONS							
E-	3.7532E-01	4.7642E-01	4.9330E-01	E-	4.1634E-01	4.8908E-01	5.0206E-01
H	1.9943E-01	3.5050E-02	1.2388E-02	H	1.2212E-01	1.7248E-02	8.0517E-03
H+	3.7456E-01	4.4606E-01	4.5322E-01	H+	4.1418E-01	4.5224E-01	4.4952E-01
H2	1.5843E-06	2.0589E-08	2.9851E-10	H2	4.8788E-07	1.4767E-09	5.0575E-11
H3	1.5940E-05	3.9553E-06	1.4947E-06	H3	9.3733E-06	1.5804E-06	1.0247E-06
H2+	2.9191E-05	1.0477E-05	1.5314E-06	H2+	1.8940E-05	2.8820E-06	6.5130E-07
HE	4.9905E-02	1.2101E-02	2.9962E-03	HE	4.5176E-02	4.7006E-03	1.3751E-03
HE+	7.4759E-04	3.0349E-02	3.6098E-02	HE+	2.1491E-03	3.6610E-02	2.5458E-02
HE++	1.1715E-13	2.7473E-06	1.9901E-03	HE++	4.5182E-12	1.1528E-04	1.3541E-02

TABLE I. -Continued

$$p_1 = 500 \text{ N/m}^2$$

$p_1 = 5.00E+02 \text{ N/SQ-M}$, $US1 = 5.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.8417E+03	2.3038E+04	4.1501E+04
T	7.7995E+01	1.6985E+02	2.5294E+02
RHO	1.1149E+01	3.7223E+01	4.3738E+01
H	4.7420E+02	8.3402E+02	1.1390E+03
A	1.5341E+01	2.6678E+01	3.1431E+01
S	2.7668E+00	2.9148E+00	3.0348E+00
Z	3.2678E+00	3.6439E+00	3.7514E+00
GAME	9.2334E-01	1.1327E+00	1.0412E+00
U	4.2618E+01	1.2762E+01	1.4530E+01

$p_1 = 5.00E+02 \text{ N/SQ-M}$, $US1 = 6.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.2346E+03	2.4418E+04	4.6049E+04
T	8.7653E+01	2.0218E+02	2.9822E+02
RHO	1.0735E+01	3.2785E+01	4.0561E+01
H	5.4138E+02	9.4166E+02	1.3125E+03
A	1.6908E+01	2.8126E+01	3.5475E+01
S	2.8701E+00	2.9945E+00	3.1126E+00
Z	3.4376E+00	3.6838E+00	3.8068E+00
GAME	9.4872E-01	1.0621E+00	1.1085E+00
U	4.5383E+01	1.4841E+01	1.6346E+01

SPECIES	MOLE FRACTIONS		
E-	4.3389E-01	4.9231E-01	5.0685E-01
H	9.0156E-02	1.2657E-02	6.8138E-03
H+	4.3003E-01	4.5387E-01	4.4635E-01
H2	2.3147E-07	4.4070E-10	2.5913E-11
H-	6.4929E-06	1.1208E-06	8.7539E-07
H2+	1.3880E-05	1.5795E-06	4.7025E-07
HE	4.2058E-02	3.2654E-03	8.1763E-04
HE+	3.8443E-03	3.7361E-02	1.7834E-02
HE++	3.3738E-11	5.3847E-04	2.1333E-02

SPECIES	MOLE FRACTIONS		
E-	4.6184E-01	4.9780E-01	5.1403E-01
H	4.6724E-02	7.7433E-03	4.7888E-03
H+	4.4979E-01	4.5374E-01	4.4177E-01
H2	3.8772E-08	6.3028E-11	6.7629E-12
H-	2.5765E-06	6.6822E-07	5.9310E-07
H2+	6.1990E-06	5.9582E-07	2.4248E-07
HE	3.1588E-02	1.7486E-03	1.9339E-04
HE+	1.2047E-02	3.3885E-02	6.1585E-03
HE++	2.2812E-09	5.0854E-03	3.3051E-02

$p_1 = 5.00E+02 \text{ N/SQ-M}$, $US1 = 6.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.0359E+03	2.3771E+04	4.3880E+04
T	8.2464E+01	1.8635E+02	2.7410E+02
RHO	1.0967E+01	3.4826E+01	4.2315E+01
H	5.0726E+02	8.8716E+02	1.2243E+03
A	1.6105E+01	2.7447E+01	3.3321E+01
S	2.8188E+00	2.9551E+00	3.0743E+00
Z	3.3569E+00	3.6628E+00	3.7832E+00
GAME	9.3694E-01	1.1037E+00	1.0707E+00
U	4.4014E+01	1.3841E+01	1.5422E+01

$p_1 = 5.00E+02 \text{ N/SQ-M}$, $US1 = 6.40E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.4376E+03	2.5087E+04	4.8066E+04
T	9.3620E+01	2.1650E+02	3.2644E+02
RHO	1.0462E+01	3.1249E+01	3.8524E+01
H	5.7654E+02	9.9857E+02	1.4056E+03
A	1.7806E+01	2.8814E+01	3.7704E+01
S	2.9205E+00	3.0312E+00	3.1507E+00
Z	3.5095E+00	3.7082E+00	3.8221E+00
GAME	9.6496E-01	1.0342E+00	1.1394E+00
U	4.6724E+01	1.5616E+01	1.7404E+01

SPECIES	MOLE FRACTIONS		
E-	4.4891E-01	4.9492E-01	5.1100E-01
H	6.4398E-02	9.6904E-03	5.7550E-03
H+	4.4199E-01	4.5443E-01	4.4359E-01
H2	9.9483E-08	1.5314E-10	1.3434E-11
H-	6.2172E-06	8.4529E-07	7.3442E-07
H2+	9.5634E-06	9.3135E-07	3.4087E-07
HE	3.7767E-02	2.3830E-03	4.2520E-04
HE+	5.9163E-03	3.6650E-02	1.1039E-02
HE++	2.7225E-10	1.9153E-03	2.8185E-02

SPECIES	MOLE FRACTIONS		
E-	4.7287E-01	5.0111E-01	5.1598E-01
H	3.0636E-02	6.4851E-03	3.9114E-03
H+	4.5375E-01	4.5159E-01	4.4087E-01
H2	1.4036E-08	3.1233E-11	3.2402E-12
H-	1.5072E-06	5.5632E-07	4.5875E-07
H2+	3.8314E-06	4.1837E-07	1.6844E-07
HE	2.3620E-02	1.2654E-03	7.9002E-05
HE+	1.9121E-02	2.9215E-02	3.2194E-03
HE++	1.8112E-08	9.9659E-03	3.5947E-02

TABLE I. - Continued

$$P_1 = 500 \text{ N/m}^2$$

$P_1 = 5.00E+02 \text{ N/SQ-M}$, $US1 = 6.60E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	43.6438E+03	2.5694E+04	4.9893E+04
T	1.0046E+02	2.2997E+02	3.5807E+02
RHO	1.0159E+01	2.9912E+01	3.6371E+01
H	6.1272E+02	1.0570E+03	1.5025E+03
A	1.8900E+01	2.9689E+01	3.9832E+01
S	2.9680E+00	3.0665E+00	3.1882E+00
Z	3.5701E+00	3.7351E+00	3.8311E+00
GAM	9.9593E-01	1.0261E+00	1.1566E+00
U	4.8028E+01	1.6285E+01	1.8553E+01

$P_1 = 5.00E+02 \text{ N/SQ-M}$, $US1 = 7.00E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.0595E+03	2.6077E+04	5.1785E+04
T	1.1930E+02	2.5772E+02	4.2347E+02
RHO	9.3221E+00	2.6720E+01	3.1849E+01
H	6.8788E+02	1.1746E+03	1.6992E+03
A	2.1910E+01	3.2131E+01	4.3569E+01
S	3.0559E+00	3.1384E+00	3.2588E+00
Z	3.6501E+00	3.7869E+00	3.8395E+00
GAM	1.1024E+00	1.0578E+00	1.1675E+00
U	5.0451E+01	1.7565E+01	2.0830E+01

SPECIES ----- MOLE FRACTIONS -----

E-	4.8181E-01	5.0470E-01	5.1711E-01
H	2.0946E-02	5.5675E-03	3.1682E-03
H+	4.5523E-01	4.4957E-01	4.4057E-01
H2	4.8056E-09	1.7192E-11	1.5496E-12
H-	8.5847E-07	4.7372E-07	3.4474E-07
H2+	2.2857E-06	3.0894E-07	1.1650E-07
HE	1.5436E-02	8.7552E-04	3.1445E-05
HE+	2.6580E-02	2.3438E-02	1.7022E-03
HE++	1.2849E-07	1.5846E-02	3.7420E-02

SPECIES ----- MOLE FRACTIONS -----

E-	4.9316E-01	5.1148E-01	5.1817E-01
H	9.2774E-03	4.0829E-03	2.1090E-03
H+	4.5646E-01	4.4483E-01	4.4065E-01
H2	3.8532E-10	5.3468E-12	3.9935E-13
H-	2.4592E-07	3.2746E-07	1.8897E-07
H2+	6.6402E-07	1.6816E-07	5.8296E-08
HE	4.4026E-03	3.2780E-04	6.0259E-06
HE+	3.6686E-02	1.1914E-02	6.0533E-04
HE++	6.5229E-06	2.7369E-02	3.8456E-02

$P_1 = 5.00E+02 \text{ N/SQ-M}$, $US1 = 6.80E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.8529E+03	2.6064E+04	5.1181E+04
T	1.0893E+02	2.4360E+02	3.9028E+02
RHO	9.7760E+00	2.8438E+01	3.4185E+01
H	6.4989E+02	1.1164E+03	1.6013E+03
A	2.0315E+01	3.0805E+01	4.1749E+01
S	3.0136E+00	3.1023E+00	3.2235E+00
Z	3.6182E+00	3.7625E+00	3.8362E+00
GAM	1.0471E+00	1.0354E+00	1.1641E+00
U	4.9290E+01	1.6913E+01	1.9701E+01

SPECIES ----- MOLE FRACTIONS -----

E-	4.8869E-01	5.0830E-01	5.1775E-01
H	1.3992E-02	4.7866E-03	2.5852E-03
H+	4.5586E-01	4.4704E-01	4.4056E-01
H2	1.4373E-09	9.6460E-12	7.7865E-13
H-	4.6255E-07	3.9905E-07	2.5728E-07
H2+	1.2683E-06	2.2932E-07	8.2232E-08
HE	8.6220E-03	5.5944E-04	1.3433E-05
HE+	3.2834E-02	1.7353E-02	9.8096E-04
HE++	9.2170E-07	2.1955E-02	3.8107E-02

TABLE I. -Continued

$$p_1 = 1 \text{ kN/m}^2$$

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US1 = 4.00E+03 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.2097E+01	2.5396E+01	6.2326E+01
T	3.0557E+00	3.8279E+00	5.4460E+00
RHO	3.9585E+00	6.6354E+00	1.1444E+01
H	3.1244E+00	3.9436E+00	5.7355E+00
A	1.7411E+00	1.9395E+00	2.2870E+00
S	1.0618E+00	1.0637E+00	1.0820E+00
Z	1.0000E+00	1.0000E+00	1.0000E+00
GAME	9.9208E-01	9.8274E-01	9.6036E-01
U	2.4141E+00	1.4366E+00	1.2779E+00

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US1 = 4.00E+03 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.7670E+01	8.7529E+01	1.7234E+02
T	5.5858E+00	7.6274E+00	9.1831E+00
RHO	4.9528E+00	1.1424E+01	1.8318E+01
H	5.8980E+00	8.5445E+00	1.1572E+01
A	2.3119E+00	2.6131E+00	2.8117E+00
S	1.1260E+00	1.1337E+00	1.1574E+00
Z	1.0001E+00	1.0045E+00	1.0244E+00
GAME	9.5675E-01	8.9124E-01	8.4032E-01
U	3.8678E+00	1.6725E+00	1.4369E+00

SPECIES ----- MOLE FRACTIONS -----			
E-	6.6783E-63	6.8111E-41	7.7088E-25
H	5.7822E-10	9.8138E-08	9.1182E-05
H+	3.1493E-20	4.5187E-20	5.7496E-20
H2	8.5000E-01	8.5000E-01	8.4992E-01
H-	1.9187E-70	2.4635E-46	8.4279E-29
H2+	3.7929E-20	2.4235E-20	1.1923E-20
HE	1.5000E-01	1.5000E-01	1.4999E-01
HE+	2.6350E-71	3.5408E-59	8.0472E-50
HE++	0.	0.	0.

SPECIES ----- MOLE FRACTIONS -----			
E-	1.7607E-23	1.0783E-15	7.3963E-13
H	2.0814E-04	8.9545E-03	4.7727E-02
H+	6.1602E-20	9.8660E-16	6.8265E-13
H2	8.4981E-01	8.4172E-01	8.0585E-01
H-	1.3451E-27	1.1658E-18	2.7337E-15
H2+	7.8298E-21	9.2962E-17	5.9717E-14
HE	1.4998E-01	1.4933E-01	1.4642E-01
HE+	2.3953E-49	5.2104E-38	7.5123E-32
HE++	0.	0.	0.

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US1 = 5.00E+03 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9056E+01	5.0512E+01	1.1097E+02
T	4.2232E+00	5.6528E+00	7.5844E+00
RHO	4.5126E+00	8.9333E+00	1.4577E+01
H	4.3713E+00	5.9741E+00	8.4499E+00
A	2.0317E+00	2.3254E+00	2.6140E+00
S	1.0945E+00	1.0990E+00	1.1202E+00
Z	1.0000E+03	1.0001E+00	1.0037E+00
GAME	9.7742E-01	9.5650E-01	8.9754E-01
U	3.1423E+00	1.5841E+00	1.4110E+00

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US1 = 7.00E+03 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.8058E+01	1.4327E+02	2.5177E+02
T	7.0274E+00	9.1961E+00	1.0353E+01
RHO	5.4022E+00	1.5167E+01	2.2887E+01
H	7.7114E+00	1.1746E+01	1.5188E+01
A	2.5288E+00	2.8111E+00	3.0091E+00
S	1.1561E+00	1.1695E+00	1.1968E+00
Z	1.0025E+30	1.0273E+00	1.0625E+00
GAME	9.0771E-01	8.3656E-01	8.2312E-01
U	4.6066E+00	1.6369E+00	1.4256E+00

SPECIES ----- MOLE FRACTIONS -----			
E-	1.1298E-34	6.7102E-23	6.9523E-16
H	1.1559E-06	1.9182E-04	7.4375E-03
H+	5.3421E-20	5.9658E-20	6.2816E-16
H2	8.5000E-01	8.4982E-01	8.4312E-01
H-	1.0637E-39	1.0953E-26	8.0934E-19
H2+	1.6000E-20	9.8443E-21	6.7943E-17
HE	1.5000E-01	1.4999E-01	1.4944E-01
HE+	6.2424E-56	1.0599E-48	2.4958E-38
HE++	0.	0.	0.

SPECIES ----- MOLE FRACTIONS -----			
E-	5.9961E-17	8.1711E-13	2.8177E-11
H	4.9042E-03	5.3067E-02	1.1758E-01
H+	5.5847E-17	7.5816E-13	2.6228E-11
H2	8.4546E-01	8.0051E-01	7.4124E-01
H-	2.7010E-20	2.6265E-15	1.9382E-13
H2+	4.2107E-18	6.1570E-14	2.1424E-12
HE	1.4963E-01	1.4602E-01	1.4118E-01
HE+	7.3229E-41	5.1353E-32	2.1657E-28
HE++	0.	0.	0.

TABLE I. - Continued

$$p_1 = 1 \text{ kN/m}^2$$

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 8.00E+03 \text{ M/SEC}$,
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.0582E+01	2.2718E+02	3.6777E+02
T	8.2337E+00	1.0406E+01	1.1390E+01
RHO	6.0566E+00	2.0425E+01	2.8950E+01
H	9.8290E+00	1.5605E+01	1.9510E+01
A	2.6646E+00	3.0219E+00	3.2280E+00
S	1.1861E+00	1.2084E+00	1.2397E+00
Z	1.0143E+00	1.0687E+00	1.1154E+00
GAME	8.5015E-01	8.2111E-01	8.2620E-01
U	5.3931E+00	1.5954E+00	1.4279E+00

SPECIES	MOLE FRACTIONS		
E-	3.3360E-14	3.5850E-11	3.4080E-10
H+	2.8159E-02	1.2847E-01	2.0690E-01
H+	3.1513E-14	3.3535E-11	3.1863E-10
H2	4.2395E-01	7.3117E-01	6.5862E-01
H+	4.0423E-17	2.3790E-13	3.6358E-12
H2+	1.8876E-15	2.5528E-12	2.5805E-11
HE	1.4789E-01	1.4037E-01	1.3448E-01
HE+	2.8003E-35	3.3176E-28	2.8622E-26
HE++	0.	0.	1.1556E-91

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 1.00E+04 \text{ M/SEC}$,
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	8.1832E+01	5.0359E+02	7.4528E+02
T	9.8497E+00	1.2435E+01	1.3383E+01
RHO	7.7683E+00	3.4036E+01	4.4222E+01
H	1.4946E+01	2.5151E+01	3.0290E+01
A	2.9297E+00	3.4908E+00	3.7383E+00
S	1.2509E+00	1.2971E+00	1.3370E+00
Z	1.0695E+00	1.1908E+00	1.2592E+00
GAME	8.1479E-01	8.2291E-01	8.2928E-01
U	7.0337E+00	1.6065E+00	1.4953E+00

SPECIES	MOLE FRACTIONS		
E-	1.2861E-11	2.8542E-09	1.3067E-08
H+	1.2998E-01	3.2050E-01	4.1167E-01
H+	1.2279E-11	2.6917E-09	1.2369E-08
H2	7.2977E-01	5.5354E-01	4.6920E-01
H+	4.1100E-14	4.2117E-11	2.5820E-10
H2+	6.2354E-13	2.0463E-10	9.5617E-10
HE	1.4025E-01	1.2556E-01	1.1912E-01
HE+	6.6030E-30	6.2105E-24	2.4217E-22
HE++	0.	1.0426E-86	8.0722E-81

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 9.00E+03 \text{ M/SEC}$,
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.5237E+01	3.4671E+02	5.3171E+02
T	9.1326E+00	1.1456E+01	1.2391E+01
RHO	6.8846E+00	2.6924E+01	3.6319E+01
H	1.2245E+01	2.0091E+01	2.4565E+01
A	2.7946E+00	3.2486E+00	3.4714E+00
S	1.2174E+00	1.2510E+00	1.2865E+00
Z	1.0375E+00	1.1241E+00	1.1815E+00
GAME	8.2424E-01	8.1951E-01	8.2309E-01
U	6.2107E+00	1.5866E+00	1.4526E+00

SPECIES	MOLE FRACTIONS		
E-	1.2370E-12	4.2294E-10	2.5116E-09
H+	7.2331E-02	2.2087E-01	3.0729E-01
H+	1.1767E-12	3.9697E-10	2.3621E-09
H2	7.8309E-01	6.4570E-01	5.6576E-01
H+	2.7110E-15	4.4329E-12	3.8127E-11
H2+	6.3021E-14	3.0400E-11	1.8760E-10
HE	1.4458E-01	1.3343E-01	1.2695E-01
HE+	6.9837E-32	7.3022E-26	4.8275E-24
HE++	0.	0.	8.2674E-85

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 1.10E+04 \text{ M/SEC}$,
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.0028E+02	7.0002E+02	1.0101E+03
T	1.0469E+01	1.3389E+01	1.4403E+01
RHO	8.6425E+00	4.1254E+01	5.2042E+01
H	1.7930E+01	3.0762E+01	3.6692E+01
A	3.0693E+00	3.7509E+00	4.0335E+00
S	1.2866E+00	1.3464E+00	1.3908E+00
Z	1.1084E+00	1.2673E+00	1.3476E+00
GAME	8.1182E-01	8.2916E-01	8.3821E-01
U	7.8537E+00	1.6472E+00	1.5621E+00

SPECIES	MOLE FRACTIONS		
E-	7.4475E-11	1.3715E-08	5.5042E-08
H+	1.9561E-01	4.2189E-01	5.1585E-01
H+	7.1331E-11	1.3090E-08	5.2488E-08
H2	6.6906E-01	4.5975E-01	3.7283E-01
H+	3.1686E-13	2.6033E-10	1.3170E-09
H2+	3.4615E-12	9.6623E-10	3.8722E-09
HE	1.3533E-01	1.1836E-01	1.1131E-01
HE+	3.4341E-28	2.4253E-22	7.0591E-21
HE++	0.	6.0165E-81	2.7293E-75

TABLE I. -Continued

$$P_1 = 1 \text{ kN/m}^2$$

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 1.20E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 1.40E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.2049E+02	9.3300E+02	1.3254E+03
T	1.1032E+01	1.4352E+01	1.5497E+01
RHO	9.4704E+00	4.8072E+01	5.9178E+01
H	2.1193E+01	3.6895E+01	4.3753E+01
A	3.2140E+00	4.0322E+00	4.3643E+00
S	1.3246E+00	1.3982E+00	1.4473E+00
Z	1.1533E+00	1.3523E+00	1.4452E+00
GAM	8.1188E-01	8.3773E-01	8.5041E-01
U	8.6645E+30	1.7092E+00	1.6500E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.6618E+02	1.5020E+03	2.1133E+03
T	1.2075E+01	1.6499E+01	1.8361E+01
RHO	1.0929E+01	5.9004E+01	6.9282E+01
H	2.8562E+01	5.0710E+01	6.0091E+01
A	3.5239E+00	4.6926E+00	5.2364E+00
S	1.4068E+00	1.5072E+00	1.5662E+00
Z	1.2593E+00	1.5428E+00	1.6613E+00
GAM	8.1666E-01	8.6506E-01	8.9893E-01
U	1.0267E+01	1.9042E+00	1.9227E+00

SPECIES	-----	MOLE FRACTIONS	-----
E-	3.0579E-10	5.3517E-08	2.0775E-07
H	2.6586E-01	5.21C7E-01	6.1616E-01
H+	2.9379E-10	5.1113E-08	1.9983E-07
H2	6.0408E-01	3.6801E-01	2.8006E-01
H-	1.6223E-12	1.2155E-09	5.6304E-09
H2+	1.3622E-11	3.6155E-09	1.3552E-08
HE	1.3006E-01	1.1092E-01	1.0379E-01
HE+	9.4372E-27	5.9542E-21	1.6702E-19
HE++	0.	7.5861E-76	3.6629E-70

SPECIES	-----	MOLE FRACTIONS	-----
E-	2.8447E-09	6.3018E-07	3.2290E-06
H	4.1174E-01	7.0365E-01	7.9611E-01
H+	2.7498E-09	6.1155E-07	3.1685E-06
H2	4.6914E-01	1.9912E-01	1.1359E-01
H-	2.0514E-11	1.6853E-08	8.8065E-08
H2+	1.1540E-10	3.5046E-08	1.4852E-07
HE	1.1912E-01	9.7226E-02	9.0291E-02
HE+	1.5478E-24	2.243EE-18	1.2821E-16
HE++	4.8885E-88	8.4480E-66	2.66220E-59

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 1.30E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 1.50E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.4243E+02	1.2008E+03	1.6917E+03
T	1.1562E+01	1.5366E+01	1.6749E+01
RHO	1.0235E+01	5.4097E+01	6.5129E+01
H	2.4736E+01	4.3539E+01	5.1511E+01
A	3.3651E+00	4.3414E+00	4.7487E+00
S	1.3647E+00	1.4520E+00	1.5059E+00
Z	1.2037E+00	1.4446E+00	1.5508E+00
GAM	8.1367E-01	8.4909E-01	8.6819E-01
U	9.4667E+00	1.7935E+00	1.7649E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9162E+02	1.8275E+03	2.5944E+03
T	1.2586E+01	1.7867E+01	2.0916E+01
RHO	1.1538E+01	6.2246E+01	7.0229E+01
H	3.2667E+01	5.8362E+01	6.9720E+01
A	3.6918E+00	5.1125E+00	5.9828E+00
S	1.4506E+00	1.5627E+00	1.6273E+00
Z	1.3196E+00	1.6431E+00	1.7662E+00
GAM	8.2066E-01	8.9029E-01	9.6895E-01
U	1.1058E+01	2.0523E+00	2.1694E+00

SPECIES	-----	MOLE FRACTIONS	-----
E-	1.0036E-09	1.8648E-07	7.6870E-07
H	3.3845E-01	6.1555E-01	7.1031E-01
H+	9.6718E-10	1.7952E-07	7.4665E-07
H2	5.3693E-01	2.8061E-01	1.9296E-01
H-	6.3224E-12	4.7498E-09	2.1956E-08
H2+	4.2786E-11	1.1708E-08	4.4148E-08
HE	1.2462E-01	1.0383E-01	9.6726E-02
HE+	1.6322E-25	1.1746E-19	3.8375E-18
HE++	9.4421E-92	2.292C2E-70	5.3427E-65

SPECIES	-----	MOLE FRACTIONS	-----
E-	7.3031E-09	2.2425E-06	2.0504E-05
H	4.8441E-01	7.8281E-01	8.6755E-01
H+	7.0822E-09	2.1976E-06	2.0328E-05
H2	4.0192E-01	1.2589E-01	4.7480E-02
H-	5.8461E-11	5.8156E-08	4.4507E-07
H2+	2.7927E-10	1.0307E-07	6.2139E-07
HE	1.1367E-01	9.1289E-02	8.4929E-02
HE+	1.3540E-23	4.8342E-17	1.2039E-14
HE++	1.4487E-84	6.7202E-61	5.9515E-52

TABLE I. -Continued

$$P_1 = 1 \text{ kN/m}^2$$

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 1.60E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XME = .15$

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 1.80E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XME = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.1877E+02	2.1658E+03	3.1672E+03
T	1.3105E+01	1.9754E+01	2.6336E+01
RHO	1.2058E+01	6.3085E+01	6.5628E+01
H	3.7053E+01	6.6460E+01	8.1286E+01
A	3.8707E+00	5.6767E+00	7.2795E+00
S	1.4960E+00	1.6172E+00	1.6886E+00
Z	1.3845E+00	1.7380E+00	1.8325E+00
GAME	8.2574E-01	9.3863E-01	1.0980E+00
U	1.1843E+01	2.2661E+00	2.6593E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.7805E+02	2.7796E+03	4.4479E+03
T	1.4242E+01	2.7594E+01	4.0249E+01
RHO	1.2792E+01	5.4759E+01	5.8907E+01
H	4.6665E+01	8.3558E+01	1.0728E+02
A	4.2749E+00	7.5013E+00	8.5681E+00
S	1.5905E+00	1.7134E+00	1.7819E+00
Z	1.5261E+00	1.8395E+00	1.8760E+00
GAME	8.4077E-01	1.1085E+00	9.7224E-01
U	1.3393E+01	3.1370E+00	3.7030E+00

SPECIES ----- MOLE FRACTIONS -----			
E-	1.7606E-08	9.8824E-06	3.3535E-04
H	5.5544E-01	8.4923E-01	9.0758E-01
H+	1.7131E-08	9.7714E-06	3.3674E-04
H2	3.3622E-01	6.4448E-02	9.8818E-03
H-	1.5219E-10	2.1941E-07	3.9272E-06
H2+	6.2648E-10	3.3048E-07	4.5388E-06
HE	1.0834E-01	8.6306E-02	8.1855E-02
HE+	1.0494E-22	1.8237E-15	1.1896E-11
HE++	2.1912E-81	5.4069E-55	4.5327E-41

SPECIES ----- MOLE FRACTIONS -----			
E-	9.5859E-08	5.9928E-04	1.5009E-02
H	6.8949E-01	9.1096E-01	8.8885E-01
H+	9.3967E-08	5.9851E-04	1.4998E-02
H2	2.1222E-01	6.2848E-03	1.0592E-03
H-	8.8859E-10	5.2314E-06	5.7147E-05
H2+	2.7800E-09	5.9360E-06	6.7522E-05
HE	9.8288E-02	8.1543E-02	7.9955E-02
HE+	5.9339E-21	4.4002E-11	1.4043E-07
HE++	8.4366E-76	4.2955E-39	2.2544E-26

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 1.70E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XME = .15$

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 1.90E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XME = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.4759E+02	2.4923E+03	3.8148E+03
T	1.3650E+01	2.2830E+01	3.4121E+01
RHO	1.2479E+01	6.0349E+01	6.0324E+01
H	4.1719E+01	7.4905E+01	9.4442E+01
A	4.0635E+00	6.5420E+00	8.1698E+00
S	1.5427E+00	1.6684E+00	1.7411E+00
Z	1.4535E+00	1.8089E+00	1.8534E+00
GAME	8.3222E-01	1.0363E+00	1.0555E+00
U	1.2622E+01	2.6115E+00	3.2861E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.1006E+02	3.0517E+03	5.0525E+03
T	1.4918E+01	3.2972E+01	4.4789E+01
RHO	1.2979E+01	4.9973E+01	5.9155E+01
H	5.1888E+01	9.2554E+01	1.2000E+02
A	4.5140E+00	8.0648E+00	8.9049E+00
S	1.6390E+00	1.7522E+00	1.8174E+00
Z	1.6013E+00	1.8521E+00	1.9070E+00
GAME	8.5295E-01	1.0651E+00	9.2834E-01
U	1.4154E+01	3.6716E+00	3.9785E+00

SPECIES ----- MOLE FRACTIONS -----			
E-	4.1091E-08	6.7776E-05	4.1231E-03
H	6.2404E-01	8.9417E-01	9.0850E-01
H+	4.0128E-08	6.7450E-05	4.1203E-03
H2	2.7276E-01	2.2767E-02	2.2686E-03
H-	3.7333E-10	1.0422E-06	2.3686E-05
H2+	1.3367E-09	1.3279E-06	2.6400E-05
HE	1.0320E-01	8.2922E-02	8.0933E-02
HE+	7.7690E-22	2.0578E-13	5.7361E-09
HE++	1.4058E-78	1.0649E-47	2.2018E-31

SPECIES ----- MOLE FRACTIONS -----			
E-	2.3189E-07	3.3786E-03	3.0676E-02
H	7.5104E-01	9.1000E-01	8.5913E-01
H+	2.2822E-07	3.3766E-03	3.0651E-02
H2	1.5529E-01	2.2193E-03	6.8082E-04
H-	2.1180E-09	1.7454E-05	9.1149E-05
H2+	5.7887E-09	1.9423E-05	1.1448E-04
HE	9.3672E-02	8.0989E-02	7.8658E-02
HE+	4.9595E-20	3.0429E-09	8.5256E-07
HE++	2.8066E-72	1.9229E-32	1.5417E-23

TABLE I. -Continued

$$P_1 = 1 \text{ kN/m}^2$$

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 2.00E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.4351E+02	3.3205E+03	5.6018E+03
T	1.5748E+01	3.7759E+01	4.8373E+01
RHO	1.3004E+01	4.7051E+01	5.9600E+01
H	5.7387E+01	1.0203E+02	1.3268E+02
A	4.8086E+00	8.3723E+00	9.2258E+00
S	1.6877E+00	1.7870E+00	1.8508E+00
Z	1.6774E+00	1.8674E+00	1.9430E+00
GAME	8.7244E-01	9.9410E-01	9.0559E-01
U	1.4902E+01	4.1110E+00	4.1582E+00

SPECIES	MOLE FRACTIONS		
E-	6.1531E-07	1.0476E-02	4.8531E-02
H	8.0764E-01	8.9754E-01	8.2500E-01
H+	6.0806E-07	1.0471E-02	4.8489E-02
H2	1.0293E-01	1.1124E-03	4.9761E-04
H2+	5.2855E-09	3.7000E-05	1.2051E-04
HE	8.9427E-02	8.0325E-02	7.7197E-02
HE+	5.0891E-19	4.8623E-08	2.7886E-06
HE++	3.6278E-70	4.1217E-28	1.1272E-21

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 2.20E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.1310E+02	3.7213E+03	6.2542E+03
T	1.8756E+01	4.4926E+01	5.3792E+01
RHO	1.2174E+01	4.3174E+01	5.7449E+01
H	6.9172E+01	1.2240E+02	1.5804E+02
A	5.8069E+00	8.8870E+00	9.8119E+00
S	1.7819E+00	1.8542E+00	1.9187E+00
Z	1.8091E+00	1.9185E+00	2.0238E+00
GAME	9.9376E-01	9.1631E-01	8.8434E-01
U	1.6299E+01	4.5890E+00	4.3773E+00

SPECIES	MOLE FRACTIONS		
E-	1.0655E-05	3.6302E-02	8.6414E-02
H	8.9446E-01	8.4857E-01	7.5245E-01
H+	1.0617E-05	3.6281E-02	8.6331E-02
H2	2.2603E-02	4.0252E-04	2.9934E-04
H2+	5.8572E-08	7.7713E-05	1.5696E-04
HE	9.6632E-08	9.7821E-05	2.2736E-04
HE+	8.2913E-02	7.8184E-02	7.4105E-02
HE++	5.6301E-16	1.0455E-06	1.2722E-05
HE++	4.5764E-58	2.5203E-23	2.6972E-19

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 2.10E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.7809E+02	3.5691E+03	6.0425E+03
T	1.6893E+01	4.1721E+01	5.1346E+01
RHO	1.2789E+01	4.5264E+01	5.9364E+01
H	6.3154E+01	1.1206E+02	1.4544E+02
A	5.1869E+00	8.6330E+00	9.5313E+00
S	1.7358E+00	1.8203E+00	1.8841E+00
Z	1.7500E+00	1.8900E+00	1.9824E+00
GAME	9.1000E-01	9.4519E-01	8.9250E-01
U	1.5625E+01	4.4081E+00	4.2868E+00

SPECIES	MOLE FRACTIONS		
E-	2.0471E-06	2.19C6E-02	6.7370E-02
H	8.5717E-01	8.7601E-01	7.8893E-01
H+	2.0317E-06	2.1893E-02	6.7308E-02
H2	5.7114E-02	6.9407E-04	3.8323E-04
H2+	1.5191E-06	5.3762E-05	1.4326E-04
HE	3.0612E-08	7.0740E-05	1.9931E-04
HE+	8.5712E-02	7.9367E-02	7.5659E-02
HE++	9.7884E-18	2.9969E-07	6.6115E-06
HE++	9.2485E-64	2.8173E-25	2.5694E-20

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 2.30E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.4750E+02	3.7073E+03	6.1373E+03
T	2.1930E+01	4.7464E+01	5.5702E+01
RHO	1.1095E+01	4.0033E+01	5.3330E+01
H	7.5407E+01	1.3275E+02	1.7009E+02
A	6.6786E+00	9.1237E+00	1.0057E+01
S	1.8237E+00	1.8899E+00	1.9554E+00
Z	1.8392E+00	1.9511E+00	2.0660E+00
GAME	1.1059E+00	8.9890E-01	8.7895E-01
U	1.6892E+01	4.6758E+00	4.4312E+00

SPECIES	MOLE FRACTIONS		
E-	9.5603E-05	5.2276E-02	1.0503E-01
H	9.1226E-01	8.1804E-01	7.1681E-01
H+	9.5499E-05	5.2245E-02	1.0493E-01
H2	5.9736E-03	3.5109E-04	2.3244E-04
H2+	3.1376E-07	9.0403E-05	1.6001E-04
HE	4.1762E-07	1.1825E-04	2.3930E-04
HE+	8.1558E-02	7.6878E-02	7.2583E-02
HE++	1.3095E-13	2.5489E-06	2.0898E-05
HE++	6.3298E-49	6.0054E-22	1.5531E-18

TABLE I. - Continued

 $p_1 = 1 \text{ kN/m}^2$

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 2.40E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.8192E+02	3.6465E+03	5.9312E+03
T	2.6018E+01	4.9581E+01	5.7321E+01
RHO	1.0022E+01	3.7024E+01	4.9062E+01
H	8.1865E+01	1.4319E+02	1.8194E+02
A	7.3318E+00	9.3515E+00	1.0287E+01
S	1.8598E+00	1.9255E+00	1.9920E+00
Z	1.8483E+00	1.9864E+00	2.1090E+00
GAME	1.1178E+00	8.8792E-01	8.7535E-01
U	1.7436E+01	4.7154E+00	4.4691E+00

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 2.60E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.5774E+02	3.0256E+03	6.0388E+03
T	3.3562E+01	5.3577E+01	6.0772E+01
RHO	8.9029E+00	3.4549E+01	4.5102E+01
H	9.5655E+01	1.6620E+02	2.0832E+02
A	7.8528E+00	9.8494E+00	1.0804E+01
S	1.9197E+00	1.9913E+00	2.0608E+00
Z	1.8666E+00	2.0667E+00	2.2032E+00
GAME	9.8434E-01	8.7611E-01	8.7174E-01
U	1.8633E+01	4.7952E+00	4.5765E+00

SPECIES ----- MOLE FRACTIONS -----			
E-	7.5209E-04	6.9081E-02	1.2324E-01
H	9.1567E-01	7.8587E-01	6.8192E-01
H+	7.5185E-04	6.9041E-02	1.2313E-01
H2	1.6717E-03	2.6500E-04	1.8196E-04
H-	1.4129E-06	9.8477E-05	1.5791E-04
H2+	1.6452E-06	1.3319E-04	2.4267E-04
HE	8.1156E-02	7.5567E-02	7.1091E-02
HE+	2.1501E-11	5.0537E-06	3.1408E-05
HE++	7.4681E-41	6.7853E-21	6.4231E-18

SPECIES ----- MOLE FRACTIONS -----			
E-	9.2487E-03	1.0520E-01	1.6067E-01
H	9.0077E-01	7.1665E-01	6.1021E-01
H+	9.2477E-03	1.0513E-01	1.6051E-01
H2	3.5832E-04	1.6875E-04	1.1868E-04
H-	8.1409E-06	1.1271E-04	1.5625E-04
H2+	9.0830E-06	1.6274E-04	2.5451E-04
HE	8.0361E-02	7.2563E-02	6.8017E-02
HE+	1.0478E-08	1.5426E-05	6.7199E-05
HE++	4.1949E-31	3.7187E-19	9.6213E-17

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 2.50E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.1849E+02	3.6833E+03	5.8902E+03
T	3.0057E+01	5.1593E+01	5.8984E+01
RHO	9.2992E+00	3.5253E+01	4.6344E+01
H	8.8607E+01	1.5432E+02	1.9460E+02
A	7.6668E+00	9.5928E+00	1.0534E+01
S	1.8912E+00	1.9594E+00	2.0271E+00
Z	1.8550E+00	2.0251E+00	2.1547E+00
GAME	1.0542E+00	8.8075E-01	8.7304E-01
U	1.8012E+01	4.7400E+00	4.5147E+00

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 2.70E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.9974E+02	4.0687E+03	6.3530E+03
T	3.6449E+01	5.5587E+01	6.2701E+01
RHO	8.7377E+00	3.4667E+01	4.4935E+01
H	1.0303E+02	1.7898E+02	2.2323E+02
A	8.3225E+00	1.0123E+01	1.1099E+01
S	1.9464E+00	2.0222E+00	2.0935E+00
Z	1.8838E+00	2.1114E+00	2.2560E+00
GAME	9.3731E-01	8.7317E-01	8.7125E-01
U	1.9304E+01	4.8581E+00	4.6545E+00

SPECIES ----- MOLE FRACTIONS -----			
E-	3.3715E-03	8.6829E-02	1.4178E-01
H	9.1172E-01	7.5186E-01	6.4640E-01
H+	3.3710E-03	8.6778E-02	1.4165E-01
H2	6.6590E-04	2.0806E-04	1.4551E-04
H-	4.0702E-06	1.0567E-04	1.5642E-04
H2+	4.5342E-06	1.4766E-04	2.4722E-04
HE	d.0862E-02	7.4061E-02	6.9571E-02
HE+	8.6733E-10	9.1120E-06	4.6129E-05
HE++	5.1599E-35	5.5668E-20	2.4948E-17

SPECIES ----- MOLE FRACTIONS -----			
E-	1.8214E-02	1.2413E-01	1.7990E-01
H	8.8369E-01	6.8035E-01	5.7337E-01
H+	1.8212E-02	1.2404E-01	1.7969E-01
H2	2.3466E-04	1.3994E-04	9.7948E-05
H-	1.2852E-05	1.1976E-04	1.5675E-04
H2+	1.4607E-05	1.7880E-04	2.6371E-04
HE	7.9624E-02	7.1018E-02	6.6427E-02
HE+	5.6809E-08	2.5067E-05	9.7493E-05
HE++	1.8608E-28	2.1866E-18	3.7180E-16

TABLE I. -Continued

$$P_1 = 1 \text{ kN/m}^2$$

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US1 = 2.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US1 = 3.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.4487E+02	4.3772E+03	6.7817E+03
T	3.8878E+01	5.7595E+01	6.4729E+01
RHO	8.7029E+00	3.5209E+01	4.5372E+01
H	1.1071E+02	1.9250E+02	2.3916E+02
A	8.2057E+00	1.0408E+01	1.1413E+01
S	1.9722E+00	2.0524E+00	2.1258E+00
Z	1.9059E+00	2.1585E+00	2.3091E+00
GAME	9.0872E-01	8.7143E-01	8.7145E-01
U	2.0010E+01	4.9546E+00	4.7442E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	7.4157E+02	5.1605E+03	7.8866E+03
T	4.2813E+01	6.1631E+01	6.9008E+01
RHO	8.8391E+00	3.7062E+01	4.7145E+01
H	1.2700E+02	2.2168E+02	2.7372E+02
A	8.5939E+00	1.1009E+01	1.2089E+01
S	2.0220E+00	2.1122E+00	2.1903E+00
Z	1.9596E+00	2.2592E+00	2.4241E+00
GAME	8.8031E-01	8.7039E-01	8.7362E-01
U	2.1480E+01	5.1322E+00	4.9532E+00

SPECIES	MOLE FRACTIONS		
E-	2.9520E-02	1.4325E-01	1.9918E-01
H	8.6205E-01	6.4367E-01	5.3642E-01
H+	2.9517E-02	1.4314E-01	1.9893E-01
H2	1.7163E-04	1.1747E-04	8.1146E-05
H-	1.7681E-05	1.2557E-04	1.5669E-04
H2+	2.0576E-05	1.9453E-04	2.7271E-04
HE	7.8703E-02	6.9452E-02	6.4820E-02
HE+	1.9330E-07	3.9166E-05	1.4015E-04
HE++	1.5814E-26	1.1240E-17	1.4003E-15

SPECIES	MOLE FRACTIONS		
E-	5.6077E-02	1.8144E-01	2.3717E-01
H	8.1114E-01	5.7045E-01	4.6371E-01
H+	5.6070E-02	1.8127E-01	2.3675E-01
H2	1.0948E-04	8.4047E-05	5.5281E-05
H-	2.6644E-05	1.3488E-04	1.5266E-04
H2+	3.2564E-05	2.2252E-04	2.8509E-04
HE	7.6545E-02	6.6307E-02	6.1598E-02
HE+	1.0370E-06	8.7447E-05	2.8049E-04
HE++	7.1439E-24	2.1775E-16	1.7823E-14

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US1 = 2.90E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US1 = 3.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.9217E+02	4.7495E+03	7.3026E+03
T	4.0954E+01	5.9618E+01	6.6839E+01
RHO	8.7515E+00	3.6080E+01	4.6184E+01
H	1.1871E+02	2.0679E+02	2.5604E+02
A	8.3966E+00	1.0705E+01	1.1744E+01
S	1.9971E+00	2.0823E+00	2.1581E+00
Z	1.9312E+00	2.2080E+00	2.3657E+00
GAME	8.9141E-01	8.7057E-01	8.7225E-01
U	2.0739E+01	5.0363E+00	4.8448E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	8.4647E+02	6.0940E+03	9.2271E+03
T	4.6064E+01	6.5678E+01	7.3563E+01
RHO	9.0845E+00	3.9208E+01	4.9270E+01
H	1.4446E+02	2.5327E+02	3.1147E+02
A	8.9943E+00	1.1640E+01	1.2024E+01
S	2.0713E+00	2.1722E+00	2.2553E+00
Z	2.0228E+00	2.3665E+00	2.5458E+00
GAME	8.6820E-01	8.7167E-01	8.7809E-01
U	2.2990E+01	5.3421E+00	5.1954E+00

SPECIES	MOLE FRACTIONS		
E-	4.2228E-02	1.6245E-01	2.1833E-01
H	8.3770E-01	6.0687E-01	4.9975E-01
H+	4.2223E-02	1.6231E-01	2.1801E-01
H2	1.3454E-04	9.9294E-05	6.7162E-05
H-	2.2297E-05	1.3121E-04	1.5551E-04
H2+	2.6591E-05	2.0964E-04	2.8027E-04
HE	7.7670E-02	6.7875E-02	6.3207E-02
HE+	4.8875E-07	5.9385E-05	1.9941E-04
HE++	4.6028E-25	5.2171E-17	5.1037E-15

SPECIES	MOLE FRACTIONS		
E-	8.5544E-02	2.1854E-01	2.7363E-01
H	7.5461E-01	4.9937E-01	3.9403E-01
H+	8.5531E-02	2.1826E-01	2.7295E-01
H2	7.7682E-05	5.9869E-05	3.6406E-05
H-	3.4232E-05	1.3730E-04	1.4181E-04
H2+	4.3844E-05	2.4277E-04	2.8482E-04
HE	7.4152E-02	6.3208E-02	5.8379E-02
HE+	3.3220E-06	1.7772E-04	5.4145E-04
HE++	5.0622E-22	2.9871E-15	1.9740E-13

TABLE I. -Continued

 $P_1 = 1 \text{ kN/m}^2$

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US1 = 3.40E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	9.589E+02	7.1568E+03	1.0762E+04
T	4.8928E+01	6.9807E+01	7.8473E+01
RHO	9.3646E+00	4.1359E+01	5.1310E+01
H	1.6306E+02	2.8715E+02	3.5227E+02
A	9.3995E+00	1.2304E+01	1.3625E+01
S	2.1208E+00	2.2325E+00	2.3208E+00
Z	2.0929E+00	2.4789E+00	2.6727E+00
GAM	8.6280E-01	8.7486E-01	8.8507E-01
U	2.4517E+01	5.5535E+00	5.4729E+00

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US1 = 3.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.2056E+03	9.5711E+03	1.4339E+04
T	5.4053E+01	7.8593E+01	9.0000E+01
RHO	9.9162E+00	4.4868E+01	5.4292E+01
H	2.0369E+02	3.6117E+02	4.4302E+02
A	1.0228E+01	1.3757E+01	1.3481E+01
S	2.2215E+00	2.3540E+00	2.4529E+00
Z	2.2492E+00	2.7142E+00	2.9345E+00
GAM	8.6048E-01	8.8722E-01	9.0747E-01
U	2.7584E+01	6.1012E+00	6.1425E+00

SPECIES	MOLE FRACTIONS		
E-	1.1616E-01	2.5399E-01	3.0810E-01
H	6.9587E-01	4.3154E-01	3.2843E-01
H+	1.1614E-01	2.5353E-01	3.0693E-01
H2	5.7758E-05	.1568E-05	2.2681E-05
H+	6.0191E-05	1.3299E-04	1.2455E-04
H2+	.5.3185E-05	2.5160E-04	2.6956E-04
HE	7.1663E-02	6.0172E-02	5.5100E-02
HE+	8.1241E-06	3.3961E-04	1.0237E-03
HE++	1.3524E-20	3.2376E-14	1.9989E-12

SPECIES	MOLE FRACTIONS		
E-	1.7760E-01	3.1864E-01	3.6977E-01
H	5.7801E-01	3.0834E-01	2.1278E-01
H+	1.7755E-01	3.1740E-01	3.6605E-01
H2	3.3403E-05	1.7667E-05	6.8615E-06
H+	4.7056E-05	1.0699E-04	7.8981E-05
H2+	6.8503E-05	2.3194E-04	1.9884E-04
HE	6.6657E-02	5.4147E-02	4.7520E-02
HE+	3.1838E-05	1.1183E-03	3.5967E-03
HE++	2.0839E-18	2.4834E-12	1.9169E-10

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US1 = 3.60E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US1 = 4.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.0787E+03	8.3189E+03	1.2477E+04
T	5.1561E+01	7.4076E+01	8.3918E+01
RHO	9.6472E+00	4.3274E+01	5.3030E+01
H	1.8281E+02	3.2313E+02	3.9637E+02
A	9.8101E+00	1.3006E+01	1.4511E+01
S	2.1709E+00	2.2931E+00	2.3872E+00
Z	2.1686E+00	2.5951E+00	2.8038E+00
GAM	8.6069E-01	8.7998E-01	8.9493E-01
U	2.6049E+01	5.8118E+00	5.8121E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.3390E+03	1.0887E+04	1.6370E+04
T	5.6463E+01	8.3452E+01	9.7078E+01
RHO	1.0160E+01	4.6029E+01	5.5037E+01
H	2.2569E+02	4.0107E+02	4.9362E+02
A	1.0656E+01	1.4563E+01	1.6565E+01
S	2.2729E+00	2.4147E+00	2.5166E+00
Z	2.3342E+00	2.8341E+00	3.0640E+00
GAM	8.6155E-01	8.9674E-01	9.2249E-01
U	2.9107E+01	6.4298E+00	6.5953E+00

SPECIES	MOLE FRACTIONS		
E-	1.4703E-01	2.8740E-01	3.4044E-01
H	6.3666E-01	3.6775E-01	2.6734E-01
H+	1.4699E-01	2.8665E-01	3.3837E-01
H2	4.3803E-05	2.7809E-05	1.3044E-05
H-	4.4461E-05	1.2244E-04	1.0253E-04
H2+	6.2116E-05	2.4788E-04	2.3955E-04
HE	6.9151E-02	5.7178E-02	5.1570E-02
HE+	1.6931E-05	6.2310E-04	1.9283E-03
HE++	2.0275E-19	2.9745E-13	1.9786E-11

SPECIES	MOLE FRACTIONS		
E-	2.0752E-01	3.4746E-01	3.9637E-01
H	5.2062E-01	2.5395E-01	1.6449E-01
H+	2.0744E-01	3.4536E-01	3.8963E-01
H2	2.5379E-05	1.0527E-05	3.2112E-06
H-	4.8032E-05	8.8479E-05	5.6622E-05
H2+	7.2797E-05	2.0539E-04	1.5255E-04
HE	6.4207E-02	5.0944E-02	4.2318E-02
HE+	5.5841E-05	1.9816E-03	6.6375E-03
HE++	1.6557E-17	1.9580E-11	1.9193E-09

TABLE I. -Continued

$$P_1 = 1 \text{ kN/m}^2$$

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 4.20E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.4797E+03	1.2267E+04	1.8561E+04
T	5.8842E+01	8.8825E+01	1.0551E+02
RHO	1.0379E+01	4.6756E+01	5.5148E+01
H	2.4883E+02	4.4300E+02	5.4773E+02
A	1.1096E+01	1.5439E+01	1.7801E+01
S	2.3249E+00	2.4751E+00	2.5848E+00
Z	2.4230E+00	2.9537E+00	3.1898E+00
GAME	8.6362E-01	9.0846E-01	9.4149E-01
U	3.0637E+01	6.8057E+00	7.0979E+00

SPECIES	MOLE FRACTIONS		
E-	2.3659E-01	3.7385E-01	4.2013E-01
H	4.6490E-01	2.0486E-01	1.2434E-01
H+	2.3646E-01	3.7026E-01	4.0836E-01
H2	1.9085E-05	5.7953E-06	1.3136E-06
H-	4.7517E-05	6.9026E-05	3.7986E-05
H2+	7.4954E-05	1.7139E-04	1.0724E-04
HE	6.1813E-02	4.7289E-02	3.5324E-02
HE+	9.3454E-05	3.4936E-03	1.1701E-02
HE++	1.0990E-16	1.5288E-10	1.9611E-08

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 4.40E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.6269E+03	1.3679E+04	2.0891E+04
T	6.1225E+01	9.4827E+01	1.1564E+02
RHO	1.0564E+01	4.6990E+01	5.4668E+01
H	2.7308E+02	4.8670E+02	6.0556E+02
A	1.1552E+01	1.6381E+01	1.9269E+01
S	2.3774E+00	2.5345E+00	2.6492E+00
Z	2.5154E+00	3.0699E+00	3.3060E+00
GAME	8.6660E-01	9.2184E-01	9.7125E-01
U	3.2155E+01	7.2339E+00	7.6790E+00

SPECIES	MOLE FRACTIONS		
E-	2.6461E-01	3.9751E-01	4.4048E-01
H	4.1120E-01	1.6207E-01	9.2134E-02
H+	2.6443E-01	3.9137E-01	4.2192E-01
H2	1.41117E-05	2.9294E-06	4.7349E-07
H-	4.5643E-05	5.0876E-05	2.4585E-05
H2+	7.4939E-05	1.3436E-04	6.9414E-05
HE	5.9482E-02	4.2807E-02	2.6659E-02
HE+	1.5147E-04	6.0544E-03	1.8513E-02
HE++	6.4302E-16	1.1780E-09	1.8927E-07

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 4.60E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.7807E+03	1.5095E+04	2.3419E+04
T	6.3651E+01	1.0158E+02	1.2875E+02
RHO	1.0716E+01	4.6731E+01	5.3309E+01
H	2.9845E+02	5.3206E+02	6.6913E+02
A	1.2027E+01	1.7398E+01	2.1195E+01
S	2.4305E+00	2.5928E+00	2.7132E+00
Z	2.6108E+00	3.1799E+00	3.4122E+00
GAME	8.7051E-01	9.3706E-01	1.0226E+00
U	3.3666E+01	17.7419E+00	8.4653E+00

SPECIES	MOLE FRACTIONS		
E-	2.9148E-01	4.1832E-01	4.5787E-01
H	3.5974E-01	1.2618E-01	6.6010E-02
H+	2.9121E-01	4.0819E-01	4.3211E-01
H2	1.0211E-05	1.3601E-06	1.3977E-07
H-	4.2590E-05	3.5736E-05	1.5514E-05
H2+	7.2823E-05	9.9048E-05	4.0115E-05
HE	5.7214E-02	3.7112E-02	1.8223E-02
HE+	2.4071E-04	1.0059E-02	2.5735E-02
HE++	3.4626E-15	8.7554E-09	1.8635E-06

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 4.80E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9410E+03	1.6517E+04	2.6141E+04
T	6.6162E+01	1.0929E+02	1.4641E+02
RHO	1.0830E+01	4.6050E+01	5.1011E+01
H	3.2494E+02	5.7914E+02	7.3893E+02
A	1.2526E+01	1.8531E+01	2.3603E+01
S	2.4840E+00	2.6494E+00	2.7756E+00
Z	2.7087E+00	3.2818E+00	3.5002E+00
GAME	8.7548E-01	9.5740E-01	1.0871E+00
U	3.5168E+01	8.2868E+00	9.4625E+00

SPECIES	MOLE FRACTIONS		
E-	3.1710E-01	4.3635E-01	4.7147E-01
H	3.1071E-01	9.7065E-02	4.5514E-02
H+	3.1669E-01	4.2078E-01	4.4013E-01
H2	1.1727E-06	5.8156E-07	3.2721E-08
H-	3.8564E-05	2.4290E-05	9.9405E-06
H2+	6.8740E-05	6.8915E-05	2.0415E-05
HE	5.4997E-02	3.0182E-02	1.1540E-02
HE+	3.7879E-04	1.5525E-02	3.1295E-02
HE++	1.7735E-14	6.1229E-08	1.9727E-05

TABLE I. - Continued

$$P_1 = 1 \text{ kN/m}^2$$

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 5.00E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

MOVING SHOCK / STANDING SHOCK / REFLECTED SHOCK			
P	2.1075E+03	1.7895E+04	2.9069E+04
T	6.8804E+01	1.1822E+02	1.6905E+02
RHO	1.0905E+01	4.4865E+01	4.8266E+01
H	3.5254E+02	6.2768E+02	8.1594E+02
A	1.3053E+01	1.9859E+01	2.6054E+01
S	2.5377E+00	2.7041E+00	2.8344E+00
Z	2.8087E+00	3.3738E+00	3.5627E+00
GME	8.8170E-01	9.8879E-01	1.1271E+00
U	3.6659E+01	8.9190E+00	1.0714E+01

SPECIES ----- MOLE FRACTIONS -----

E-	3.4141E-01	4.5171E-01	4.8074E-01
H+	2.6431E-01	7.3801E-02	3.1148E-02
H	3.4078E-01	4.2957E-01	4.4599E-01
H2	4.8562E-06	2.2736E-07	6.9345E-09
H-	3.3797E-05	1.6209E-05	6.8170E-06
H2+	6.2898E-05	4.5186E-05	9.7884E-06
HE	5.2809E-02	2.2749E-02	7.5541E-03
HE+	5.9566E-04	2.1711E-02	3.4375E-02
HE++	8.9223E-14	3.9766E-07	1.8726E-04

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 5.20E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

MOVING SHOCK / STANDING SHOCK / REFLECTED SHOCK			
P	2.2800E+03	1.9190E+04	3.2014E+04
T	7.1637E+01	1.2872E+02	1.9409E+02
RHO	1.0938E+01	4.3179E+01	4.5757E+01
H	3.8124E+02	6.7744E+02	8.9584E+02
A	1.3616E+01	2.1428E+01	2.7971E+01
S	2.5915E+00	2.7557E+00	2.8877E+00
Z	2.9099E+00	3.4526E+00	3.6048E+00
GME	8.8943E-01	1.0332E+00	1.1182E+00
U	3.8137E+01	9.6604E+00	1.1934E+01

SPECIES ----- MOLE FRACTIONS -----

E-	3.6430E-01	4.6420E-01	4.8680E-01
H+	2.2074E-01	5.1548E-02	2.2314E-02
H	3.6332E-01	4.3683E-01	4.4927E-01
H2	3.1340E-06	8.1016E-08	1.7288E-09
H-	2.0548E-05	1.0838E-05	5.0475E-06
H2+	5.5588E-05	2.7950E-05	5.0402E-06
HE	5.0604E-02	1.6104E-02	5.2897E-03
HE+	9.4401E-04	2.7339E-02	3.5118E-02
HE++	4.5380E-13	2.3997E-06	1.2043E-03

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 5.40E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

MOVING SHOCK / STANDING SHOCK / REFLECTED SHOCK			
P	2.4584E+03	2.0333E+04	3.4696E+04
T	7.4737E+01	1.4152E+02	2.1803E+02
RHO	1.0924E+01	4.0846E+01	4.3975E+01
H	4.1105E+02	7.2795E+02	9.7761E+02
A	1.4223E+01	2.3219E+01	2.9234E+01
S	2.6452E+00	2.8059E+00	2.9350E+00
Z	3.0111E+00	3.5175E+00	3.6396E+00
GME	8.9893E-01	1.0830E+00	1.0770E+00
U	3.9599E+01	1.0573E+01	1.3074E+01

SPECIES ----- MOLE FRACTIONS -----

E-	3.8566E-01	4.7408E-01	4.9171E-01
H+	1.8033E-01	4.0862E-02	1.7253E-02
H	3.8412E-01	4.4240E-01	4.4982E-01
H2	1.9071E-06	2.5470E-08	5.9262E-10
H-	2.3107E-05	7.2958E-06	4.0225E-06
H2+	4.7205E-05	1.6063E-05	3.0204E-06
HE	4.8296E-02	1.0987E-02	3.8109E-03
HE+	1.5195E-03	3.1642E-02	3.2920E-02
HE++	2.4044E-12	1.4257E-05	4.4825E-03

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 5.60E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

MOVING SHOCK / STANDING SHOCK / REFLECTED SHOCK			
P	2.6423E+03	2.1312E+04	3.7584E+04
T	7.8197E+01	1.5609E+02	2.3954E+02
RHO	1.0862E+01	3.8301E+01	4.2682E+01
H	4.4194E+02	7.7910E+02	1.0589E+03
A	1.4881E+01	2.4955E+01	3.0372E+01
S	2.6985E+00	2.8522E+00	2.9784E+00
Z	3.1109E+00	3.5648E+00	3.6761E+00
GME	9.1028E-01	1.1192E+00	1.0476E+00
U	4.1042E+01	1.1624E+01	1.4017E+01

SPECIES ----- MOLE FRACTIONS -----

E-	4.0536E-01	4.8105E-01	4.9675E-01
H+	1.4352E-01	3.0264E-02	1.4198E-02
H	4.0284E-01	4.4660E-01	4.4824E-01
H2	1.0792E-06	7.8700E-09	2.6605E-10
H-	1.7798E-05	5.1507E-06	3.3786E-06
H2+	3.8267E-05	9.0688E-06	2.0571E-06
HE	4.5719E-02	7.7044E-03	2.6525E-03
HE+	2.4977E-03	3.4299E-02	2.7791E-02
HE++	1.3615E-11	7.4305E-05	1.0361E-02

TABLE I. - Continued

$$P_1 = 1 \text{ kN/m}^2$$

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US1 = 5.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US1 = 6.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.8313E+03	2.2148E+04	4.0012E+04
T	8.2125E+01	1.7211E+02	2.5919E+02
RHO	1.0750E+01	3.5757E+01	4.1580E+01
H	4.7391E+02	8.3099E+02	1.1390E+03
A	1.5592E+01	2.6481E+01	3.1701E+01
S	2.7510E+00	2.8959E+00	3.0180E+00
Z	3.2072E+00	3.5989E+00	3.7127E+00
GAME	9.2295E-01	1.1321E+00	1.0443E+00
U	4.2463E+01	1.2736E+01	1.4755E+01

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.2231E+03	2.3549E+04	4.4533E+04
T	9.1714E+01	2.0457E+02	3.0341E+02
RHO	1.0397E+01	3.1559E+01	3.8848E+01
H	5.4104E+02	9.3805E+02	1.3108E+03
A	1.7141E+01	2.8497E+01	3.5391E+01
S	2.8529E+00	2.9749E+00	3.0963E+00
Z	3.3802E+00	3.6477E+00	3.7782E+00
GAME	9.4778E-01	1.0883E+00	1.0926E+00
U	4.5221E+01	1.4854E+01	1.6498E+01

SPECIES	MOLE FRACTIONS		
E-	4.2320E-01	4.8596E-01	5.0172E-01
H	1.1098E-01	2.2759E-02	1.2119E-02
H+	4.1900E-01	4.4959E-01	4.4576E-01
H2	5.6116E-07	2.5284E-09	1.4070E-10
H-	1.2968E-05	3.7947E-06	2.9116E-06
H2+	2.9430E-05	5.1841E-06	1.5127E-06
HE	4.2583E-02	5.6345E-03	1.7398E-03
HE+	4.1871E-03	3.5715E-02	2.1362E-02
HE++	8.3468E-11	3.2968E-04	1.7300E-02

SPECIES	MOLE FRACTIONS		
E-	4.5270E-01	4.9203E-01	5.1035E-01
H	6.1693E-02	1.4205E-02	8.7505E-03
H+	4.4121E-01	4.5184E-01	4.4119E-01
H2	1.1826E-07	3.8335E-10	4.0562E-11
H-	5.8788E-06	2.3258E-06	2.0450E-06
H2+	1.4865E-05	2.0279E-06	8.2331E-07
HE	3.2888E-02	3.2937E-03	5.2404E-04
HE+	1.1488E-02	3.4663E-02	9.1910E-03
HE++	3.6096E-09	3.1645E-03	2.9986E-02

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US1 = 6.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US1 = 6.40E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.0252E+03	2.2855E+04	4.2355E+04
T	8.6615E+01	1.8862E+02	2.7977E+02
RHO	1.0592E+01	3.3427E+01	4.0396E+01
H	5.0696E+02	8.8368E+02	1.2236E+03
A	1.6347E+01	2.7664E+01	3.3361E+01
S	2.8026E+00	2.937CE+00	3.0567E+00
Z	3.2976E+00	3.6249E+00	3.7478E+00
GAME	9.3560E-01	1.1193E+00	1.0615E+00
U	4.3860E+01	1.3876E+01	1.5609E+01

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.4266E+03	2.4202E+04	4.6626E+04
T	9.7512E+01	2.1978E+02	3.2959E+02
RHO	1.0172E+01	2.9987E+01	3.7232E+01
H	5.7622E+02	9.9415E+02	1.4025E+03
A	1.8014E+01	2.9207E+01	3.7513E+01
S	2.9019E+00	3.0117E+00	3.1333E+00
Z	3.4546E+00	3.6722E+00	3.7997E+00
GAME	9.6333E-01	1.0569E+00	1.1237E+00
U	4.6575E+01	1.5773E+01	1.7474E+01

SPECIES	MOLE FRACTIONS		
E-	4.3900E-01	4.8964E-01	5.0637E-01
H	8.3531E-02	1.7615E-02	1.0390E-02
H+	4.3195E-01	4.5136E-01	4.4321E-01
H2	2.6741E-07	9.0676E-10	7.7099E-11
H-	8.9355E-06	2.9046E-06	2.4875E-06
H2+	2.1430E-05	3.1146E-06	1.1293E-06
HE	3.8443E-02	4.2650E-03	1.0274E-03
HE+	7.0452E-03	3.5944E-02	1.4830E-02
HE++	5.4629E-10	1.1684E-03	2.4166E-02

SPECIES	MOLE FRACTIONS		
E-	4.6650E-01	4.9622E-01	5.1312E-01
H	4.5021E-02	1.1825E-02	7.3389E-03
H+	4.4701E-01	4.5111E-01	4.4006E-01
H2	4.9069E-08	1.8506E-10	2.1307E-11
H-	3.7351E-06	1.9201E-06	1.6419E-06
H2+	9.8898E-06	1.4076E-06	5.9945E-07
HE	2.5941E-02	2.4987E-03	2.4773E-04
HE+	1.7479E-02	3.1583E-02	5.4048E-03
HE++	2.2946E-08	6.7654E-03	3.3824E-02

TABLE I. -Continued

$$P_1 = 1 \text{ kN/m}^2$$

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 6.60E+04 \text{ M/SEC}$
 $XH_2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.6343E+03	2.4826E+04	4.8600E+04
T	1.0412E+02	2.3407E+02	3.5965E+02
RHO	9.9177E+00	2.8673E+01	3.5427E+01
H	6.1243E+02	1.0520E+03	1.4992E+03
A	1.9038E+01	2.9997E+01	3.9654E+01
S	2.9486E+00	3.0472E+00	3.1704E+00
Z	3.5194E+00	3.6990E+00	3.8143E+00
GAME	9.8907E-01	1.0393E+00	1.1463E+00
U	4.7902E+01	1.6570E+01	1.8581E+01

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 7.00E+04 \text{ M/SEC}$
 $XH_2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.0540E+03	2.5539E+04	5.1135E+04
T	1.2163E+02	2.6203E+02	4.2412E+02
RHO	9.2204E+00	2.5961E+01	3.1484E+01
H	6.8770E+02	1.1704E+03	1.6964E+03
A	2.1793E+01	3.2123E+01	4.3486E+01
S	3.0359E+00	3.1176E+00	3.2409E+00
Z	3.6148E+00	3.7542E+00	3.8295E+00
GAME	1.0802E+00	1.0489E+00	1.1643E+00
U	5.0382E+01	1.7894E+01	2.0810E+01

SPECIES	MOLE FRACTIONS
E-	4.7435E-01
H	3.2761E-02
H+	4.5026E-01
H2	1.9247E-08
H-	2.3187E-06
H2+	6.3485E-06
HE	1.8526E-02
HE+	2.4094E-02
HE++	1.3533E-07
	4.9987E-01
	1.0118E-02
	4.4946E-01
	1.0025E-10
	1.6275E-06
	1.0335E-06
	1.8345E-03
	2.7027E-02
	1.1690E-02
	5.1498E-01
	6.0613E-03
	4.3963E-01
	1.0871E-11
	1.2723E-06
	4.2939E-07
	1.0888E-04
	3.0874E-03
	3.6130E-02

SPECIES	MOLE FRACTIONS
E-	4.8821E-01
H	1.6608E-02
H+	4.5368E-01
H2	2.1882E-09
H-	8.2597E-07
H2+	2.2150E-06
HE	6.9733E-03
HE+	3.4519E-02
HE++	4.5658E-06
	5.0723E-01
	7.5740E-03
	4.4524E-01
	3.3326E-11
	1.1632E-06
	5.8631E-07
	8.2804E-04
	1.6271E-02
	2.2856E-02
	5.1691E-01
	4.1302E-03
	4.3979E-01
	3.0100E-12
	7.2744E-07
	2.2440E-07
	2.2749E-05
	3.7979E-02

$P_1 = 1.00E+03 \text{ N/SQ-M}$, $US_1 = 6.80E+04 \text{ M/SEC}$
 $XH_2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.8441E+03	2.5302E+04	5.0131E+04
T	1.1204E+02	2.4825E+02	3.9061E+02
RHO	9.6001E+00	2.7342E+01	3.3569E+01
H	6.4962E+02	1.1112E+03	1.5974E+03
A	2.0310E+01	3.0985E+01	4.1589E+01
S	2.4993E+00	3.0831E+00	3.2051E+00
Z	3.5739E+00	3.7277E+00	3.8233E+00
GAME	1.0302E+00	1.0375E+00	1.1582E+00
U	4.9177E+01	1.725CE+01	1.9691E+01

SPECIES	MOLE FRACTIONS
E-	4.8236E-01
H	2.3457E-02
H+	4.5221E-01
H2	6.8275E-09
H-	1.3918E-06
H2+	3.8540E-06
HE	1.1825E-02
HE+	3.0146E-02
HE++	7.8843E-07
	5.0371E-01
	8.7286E-03
	4.4732E-01
	5.6760E-11
	1.3756E-06
	7.7288E-07
	1.2651E-03
	2.1557E-02
	1.7418E-02
	5.1612E-01
	5.0263E-03
	4.3962E-01
	5.7495E-12
	5.7571E-07
	3.1203E-07
	4.9728E-05
	1.8657E-03
	3.7318E-02

TABLE I. - Continued

$$P_1 = 2 \text{ kN/m}^2$$

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $U_{S1} = 4.00E+03 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P_{L1}	$1.2097E+01$	$2.5396E+01$
T_{L1}	$3.0557E+00$	$3.8279E+00$
RHO_L	$3.9585E+00$	$6.6354E+00$
H_{L1}	$3.1244E+00$	$3.9436E+00$
A_{L1}	$1.7411E+00$	$1.9395E+00$
S_{L1}	$1.0639E+00$	$1.0659E+00$
Z_{L1}	$1.0000E+00$	$1.0000E+00$
$GAME_L$	$9.9208E-01$	$9.8274E-01$
U_{L1}	$2.4141E+00$	$1.4366E+00$

SPECIES MOLE FRACTIONS

E-	$2.8867E-63$	$2.6684E-41$	$2.9561E-25$
H+	$1.6088E-10$	$6.9354E-08$	$6.4644E-05$
H+	$2.5683E-20$	$3.9488E-20$	$5.3683E-20$
H2+	$8.5000E-01$	$8.5000E-01$	$8.4994E-01$
H-	$1.1726E-70$	$1.3649E-46$	$4.5715E-29$
H2+	$4.3739E-20$	$2.9933E-20$	$1.5736E-20$
H-	$1.5000E-01$	$1.5000E-01$	$1.5000E-01$
HE+	$3.0488E-71$	$4.5216E-59$	$1.0797E-49$
HE++	0.	0.	0.

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $U_{S1} = 5.00E+03 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P_{L1}	$1.9056E+01$	$4.15050E+01$
T_{L1}	$4.2232E+00$	$5.6537E+00$
RHO_L	$4.5126E+00$	$8.9298E+00$
H_{L1}	$4.3713E+00$	$5.9736E+00$
A_{L1}	$2.0317E+00$	$2.3268E+00$
S_{L1}	$1.0977E+00$	$1.1024E+00$
Z_{L1}	$1.0000E+00$	$1.0000E+00$
$GAME_L$	$9.7744E-01$	$9.5748E-01$
U_{L1}	$3.1423E+00$	$1.5847E+00$

SPECIES MOLE FRACTIONS

E-	$4.2771E-35$	$3.2758E-23$	$2.5212E-16$
H+	$8.1734E-07$	$1.3606E-04$	$5.6883E-03$
H+	$4.8771E-20$	$5.6310E-20$	$2.1008E-16$
H2+	$8.5000E-01$	$8.4987E-01$	$8.4474E-01$
H-	$5.6945E-40$	$5.8249E-27$	$1.9339E-20$
H2+	$2.0651E-20$	$1.3139E-20$	$4.2086E-17$
HE-	$1.5000E-01$	$1.4999E-01$	$1.4957E-01$
HE+	$8.2568E-56$	$1.4276E-48$	$1.4568E-36$
HE++	0.	0.	0.

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $U_{S1} = 6.00E+03 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P_{L1}	$2.7668E+01$	$8.7102E+01$
T_{L1}	$5.5872E+00$	$7.6689E+00$
RHO_L	$4.9514E+00$	$1.1319E+01$
H_{L1}	$5.8978E+00$	$8.5333E+00$
A_{L1}	$2.3135E+00$	$2.6334E+00$
S_{L1}	$1.1303E+00$	$1.1382E+00$
Z_{L1}	$1.0000E+00$	$1.0000E+00$
$GAME_L$	$9.5787E-01$	$9.0119E-01$
U_{L1}	$3.8675E+00$	$1.6874E+00$

SPECIES MOLE FRACTIONS

E-	$6.5811E-24$	$7.9078E-16$	$8.4781E-13$
H+	$1.4777E-04$	$6.7755E-03$	$4.1271E-02$
H+	$5.8851E-20$	$6.9962E-16$	$7.6037E-13$
H2+	$8.4986E-01$	$8.4373E-01$	$8.1182E-01$
H-	$7.1104E-28$	$1.2273E-18$	$4.7272E-15$
H2+	$1.0572E-20$	$9.2452E-17$	$9.2173E-14$
HE-	$1.4999E-01$	$1.4949E-01$	$1.4690E-01$
HE+	$3.2735E-49$	$5.6389E-38$	$5.2291E-32$
HE++	0.	0.	0.

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $U_{S1} = 7.00E+03 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P_{L1}	$3.8022E+01$	$1.4125E+02$
T_{L1}	$7.0551E+00$	$9.3571E+00$
RHO_L	$5.3793E+00$	$1.4756E+01$
H_{L1}	$5.7094E+00$	$1.1709E+01$
A_{L1}	$2.5449E+00$	$2.8437E+00$
S_{L1}	$1.1614E+00$	$1.1746E+00$
Z_{L1}	$1.0000E+00$	$1.0230E+00$
$GAME_L$	$9.1629E-01$	$8.4477E-01$
U_{L1}	$4.6022E+00$	$1.6733E+00$

SPECIES MOLE FRACTIONS

E-	$4.4203E-17$	$9.6557E-13$	$4.0543E-11$
H+	$3.6553E-03$	$4.5013E-02$	$1.0737E-01$
H+	$4.0081E-17$	$8.7520E-13$	$3.6886E-11$
H2+	$8.4662E-01$	$8.0836E-01$	$7.5068E-01$
H-	$2.9058E-20$	$4.9052E-15$	$4.3805E-13$
H2+	$4.2209E-18$	$9.5206E-14$	$4.0950E-12$
HE-	$1.4973E-01$	$1.4662E-01$	$1.4195E-01$
HE+	$9.0108E-41$	$1.9686E-31$	$1.0064E-27$
HE++	0.	0.	0.

TABLE I. - Continued

$$p_1 = 2 \text{ kN/m}^2$$

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US1 = 8.00E+03 \text{ M/SEC}$
 $XH2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.0651E+01	2.2164E+02	3.6376E+02
T	8.3444E+00	1.0671E+01	1.1777E+01
RHO	5.9762E+00	1.9567E+01	2.7895E+01
H	9.8223E+00	1.5534E+01	1.9554E+01
A	2.6944E+00	3.0608E+00	3.2811E+00
S	1.1921E+00	1.2136E+00	1.2654E+00
Z	1.0117E+00	1.0614E+00	1.1073E+00
GAM	8.5996E-01	8.2709E-01	8.2551E-01
U	5.3788E+00	1.6380E+00	1.4677E+00

SPECIES ----- MOLE FRACTIONS -----

E-	3.0117E-14	4.6705E-11	5.3148E-10
H+	2.3211E-02	1.1575E-01	1.9385E-01
H ⁻	2.7811E-14	4.2754E-11	4.8727E-10
H ₂	8.2853E-01	7.4293E-01	6.7069E-01
H ₂ ⁺	5.1246E-17	4.7311E-13	8.9064E-12
H ₂ ⁻	2.3571E-15	4.4248E-12	5.3117E-11
ME	1.4826E-01	1.4132E-01	1.3546E-01
HE ⁺	9.1181E-35	1.0982E-27	2.3022E-25
HE ⁻	0.	0.	1.2350E-89

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US1 = 1.00E+04 \text{ M/SEC}$
 $XH2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	8.1532E+01	4.8557E+02	7.2802E+02
T	1.0120E+01	1.2677E+01	1.3945E+01
RHO	7.5775E+00	3.2002E+01	4.1872E+01
H	1.4934E+01	2.5019E+01	3.0331E+01
A	2.9708E+00	3.5444E+00	3.8103E+00
S	1.2573E+00	1.3015E+00	1.3419E+00
Z	1.0632E+00	1.1783E+00	1.2468E+00
GAM	8.2023E-01	8.2801E-01	8.3499E-01
U	7.0076E+00	1.6628E+00	1.5645E+00

SPECIES ----- MOLE FRACTIONS -----

E-	1.8800E-11	4.3511E-09	2.1371E-08
H	1.1893E-01	3.0264E-01	3.9589E-01
H ⁺	1.7685E-11	4.0372E-09	1.9938E-08
H ₂	7.3999E-01	5.7005E-01	4.8380E-01
H ₂ ⁺	9.5356E-14	9.8818E-11	6.5587E-10
H ₂ ⁻	1.2105E-12	4.1279E-10	2.0890E-09
HE	1.4108E-01	1.2730E-01	1.2031E-01
HE ⁺	5.1948E-29	3.2402E-23	1.4000E-21
HE ⁻	0.	5.0298E-84	1.9630E-77

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US1 = 9.00E+03 \text{ M/SEC}$
 $XH2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.5013E+01	3.3587E+02	5.2189E+02
T	9.3302E+00	1.1814E+01	1.2864E+01
RHO	6.7459E+00	2.5516E+01	3.4638E+01
H	1.2235E+01	1.9991E+01	2.4604E+01
A	2.8304E+00	3.2946E+00	3.5331E+00
S	1.2237E+00	1.2559E+00	1.2920E+00
Z	1.0330E+00	1.1142E+00	1.1713E+00
GAM	8.3123E-01	8.2466E-01	8.2844E-01
U	6.1891E+00	1.6322E+00	1.4974E+00

SPECIES ----- MOLE FRACTIONS -----

E-	1.5154E-12	6.1791E-10	3.9967E-09
H	6.3816E-02	2.0497E-01	2.9248E-01
H ⁺	1.4161E-12	5.6932E-10	3.6931E-09
H ₂	7.9097E-01	6.6041E-01	5.7946E-01
H ₂ ⁺	5.0677E-15	9.9935E-12	9.4619E-11
H ₂ ⁻	1.0437E-13	5.8585E-11	3.9814E-10
ME	1.4521E-01	1.3463E-01	1.2806E-01
HE ⁺	9.7724E-32	3.6844E-25	2.0680E-23
HE ⁻	0.	2.7099E-91	2.6309E-81

$P_1 = 2.30E+03 \text{ N/SQ-M}$, $US1 = 1.10E+04 \text{ M/SEC}$
 $XH2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	9.9921E+01	6.7303E+02	9.8144E+02
T	1.0800E+01	1.3915E+01	1.5061E+01
RHO	8.4055E+00	3.862QE+01	4.9014E+01
H	1.7917E+01	3.0610E+01	3.6752E+01
A	3.1158E+00	3.8136E+00	4.1178E+00
S	1.2930E+00	1.3501E+00	1.3950E+00
Z	1.1007E+00	1.2524E+00	1.3332E+00
GAM	8.1668E-01	8.3455E-01	8.4449E-01
U	7.8252E+00	1.7046E+00	1.6177E+00

SPECIES ----- MOLE FRACTIONS -----

E-	1.1712E-10	2.1407E-08	9.1489E-08
H	1.8292E-01	4.0306E-01	4.9981E-01
H ⁺	1.1070E-10	2.0021E-08	8.6237E-08
H ₂	6.8080E-01	4.7717E-01	3.8768E-01
H ₂ ⁺	7.9402E-13	6.2446E-10	3.3876E-09
H ₂ ⁻	7.2194E-12	2.0101E-09	8.6390E-09
HE	1.3628E-01	1.1977E-01	1.1251E-01
HE ⁺	2.8349E-27	1.2497E-21	4.3077E-20
HE ⁻	0.	5.9781E-77	3.3354E-72

TABLE I. - Continued

$$P_1 = 2 \text{ kN/m}^2$$

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US_1 = 1.20E+04 \text{ M/SEC}$,
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.2007E+02	8.9526E+02	1.2890E+03
T	1.1416E+01	1.4962E+01	1.6255E+01
RHO	9.1918E+00	4.4824E+01	5.5503E+01
H	2.1179E+01	3.6717E+01	4.3837E+01
A	3.2661E+00	4.1046E+00	4.4623E+00
S	1.3308E+00	1.4009E+00	1.4506E+00
Z	1.1443E+00	1.3349E+00	1.4288E+00
GAME	8.1664E-01	8.4354E-01	8.5736E-01
U	8.6338E+00	1.7726E+00	1.7128E+00

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US_1 = 1.40E+04 \text{ M/SEC}$,
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.16562E+02	1.4363E+03	2.0491E+03
T	1.2557E+01	1.7266E+01	1.9322E+01
RHO	1.0571E+01	5.4743E+01	6.4633E+01
H	2.8546E+01	5.0476E+01	6.0237E+01
A	3.5880E+00	4.7814E+00	5.3579E+00
S	1.4121E+00	1.5070E+00	1.5671E+00
Z	1.2478E+00	1.5196E+00	1.6408E+00
GAME	8.2165E-01	8.7134E-01	9.0550E-01
U	1.0232E+01	1.9793E+00	2.0005E+00

SPECIES	MOLE FRACTIONS		
E-	4.9439E-10	8.4935E-08	3.4521E-07
H	2.5216E-01	5.0175E-01	6.0021E-01
H+	4.6913E-10	8.0200E-08	3.2912E-07
H2	6.1675E-01	3.8588E-01	2.9681E-01
H-	4.1678E-12	2.9565E-09	1.4424E-08
H2+	2.9430E-11	7.6910E-09	3.0524E-08
HE	1.3109E-01	1.1237E-01	1.0498E-01
HE+	5.8668E-26	3.3703E-20	1.0046E-18
HE++	4.0304E-92	1.5822E-72	8.7260E-67

SPECIES	MOLE FRACTIONS		
E-	4.8153E-09	9.6672E-07	4.9971E-06
H	3.9711E-01	6.8384E-01	7.8105E-01
H+	4.6079E-09	9.3223E-07	4.8831E-06
H2	4.8267E-01	2.1745E-01	1.2752E-01
H-	5.5196E-11	3.9695E-08	2.1109E-07
H2+	2.0258E-10	7.4176E-08	3.2518E-07
HE	1.2022E-01	9.8712E-02	9.1420E-02
HE+	1.0398E-23	1.1040E-17	6.3557E-16
HE++	1.1342E-84	3.1476E-63	6.9443E-57

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US_1 = 1.30E+04 \text{ M/SEC}$,
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.4198E+02	1.1512E+03	1.6440E+03
T	1.1996E+01	1.6061E+01	1.7616E+01
RHO	9.9182E+00	5.0305E+01	6.0902E+01
H	2.4722E+01	4.3347E+01	5.1642E+01
A	3.4231E+00	4.4242E+00	4.8620E+00
S	1.3705E+00	1.4537E+00	1.5081E+00
Z	1.1934E+00	1.2426E+00	1.5324E+00
GAME	8.1849E-01	8.5537E-01	8.7571E-01
U	9.4368E+00	1.8629E+00	1.8356E+00

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US_1 = 1.50E+04 \text{ M/SEC}$,
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9099E+02	1.7450E+03	2.5105E+03
T	1.3114E+01	1.8706E+01	2.1877E+01
RHO	1.1143E+01	5.7640E+01	6.5749E+01
H	3.2650E+01	5.8093E+01	6.9854E+01
A	3.7624E+00	5.2068E+00	6.0730E+00
S	1.4554E+00	1.5617E+00	1.6268E+00
Z	1.3069E+00	1.6184E+00	1.7454E+00
GAME	8.2591E-01	8.9553E-01	9.6589E-01
U	1.1021E+01	2.1332E+00	2.2453E+00

SPECIES	MOLE FRACTIONS		
E-	1.6661E-09	2.9483E-07	1.2628E-06
H	3.2416E-01	5.9629E-01	6.9486E-01
H+	1.5876E-09	2.8124E-07	1.2187E-06
H2	5.5015E-01	2.9843E-01	2.0725E-01
H-	1.6689E-11	1.1511E-08	5.5479E-08
H2+	9.5260E-11	2.5097E-08	9.9583E-08
HE	1.2596E-01	1.0528E-01	9.7885E-02
HE+	4.9875E-25	6.2535E-19	2.2913E-17
HE++	3.9923E-88	2.9632E-67	4.5471E-62

SPECIES	MOLE FRACTIONS		
E-	1.2527E-08	3.2879E-06	2.6901E-05
H	4.6967E-01	7.6418E-01	8.5403E-01
H+	1.2041E-08	3.2059E-06	2.6601E-05
H2	4.1555E-01	1.4313E-01	5.9968E-02
H-	1.5927E-10	1.3187E-07	9.3554E-07
H2+	6.4581E-10	2.1389E-07	1.2358E-06
HE	1.1477E-01	9.2686E-02	8.5941E-02
HE+	9.5654E-23	2.0876E-16	3.9478E-14
HE++	1.3518E-81	3.6606E-58	6.9699E-50

TABLE I. - Continued

$$P_1 = 2 \text{ kN/m}^2$$

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US_1 = 1.60E+04 \text{ M/SEC}$
 $XH_2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.1805E+02	2.0665E+03	3.0504E+03
T	1.3681E+01	2.0592E+01	2.6779E+01
RHO	1.1629E+01	5.8598E+01	6.2578E+01
H	3.7034E+01	6.6160E+01	8.1175E+01
A	3.9481E+00	5.7494E+00	7.2509E+00
S	1.5001E+00	1.6151E+00	1.6865E+00
Z	1.3706E+00	1.7127E+00	1.8203E+00
GAME	8.3130E-01	9.3732E-01	1.0786E+00
U	1.1804E+01	2.3449E+00	2.6897E+00

SPECIES ----- MOLE FRACTIONS -----

E-	3.0416E-08	1.2842E-05	2.9013E-04
H	5.4077E-01	8.3219E-01	9.0038E-01
H+	2.9368E-08	1.2654E-05	2.8924E-04
H2	3.4979E-01	8.0157E-02	1.6623E-02
H-	4.1713E-10	4.5270E-07	6.1114E-06
H2+	1.4648E-09	6.4096E-07	7.0049E-06
HE	1.0944E-01	8.7583E-02	8.2460E-02
HE+	7.6118E-22	5.8637E-15	1.3629E-11
HE++	2.9381E-79	5.9807E-53	1.2236E-40

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US_1 = 1.80E+04 \text{ M/SEC}$
 $XH_2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.7713E+02	2.6640E+03	4.2812E+03
T	1.4913E+01	2.7815E+01	4.0967E+01
RHO	1.2309E+01	5.2330E+01	5.5898E+01
H	4.6642E+01	8.3266E+01	1.0731E+02
A	4.3666E+00	7.4680E+00	8.7116E+00
S	1.5930E+00	1.7114E+00	1.7824E+00
Z	1.5097E+00	1.8302E+00	1.8695E+00
GAME	8.4692E-01	1.0956E+00	9.9096E-01
U	1.3349E+01	3.1450E+00	3.7685E+00

SPECIES ----- MOLE FRACTIONS -----

E-	1.6398E-07	4.7037E-04	1.2433E-02
H	6.7522E-01	9.0581E-01	8.9284E-01
H+	1.1598E-07	4.6938E-04	1.2417E-02
H2	2.2542E-01	1.1276E-02	1.8876E-03
H-	2.4117E-09	7.6082E-06	8.6668E-05
H2+	6.5364E-09	8.6021E-06	1.0301E-04
HE	9.9358E-02	8.1958E-02	8.0234E-02
HE+	4.0655E-20	3.9391E-11	1.3978E-07
HE++	1.7313E-72	4.6539E-39	3.6838E-26

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US_1 = 1.90E+04 \text{ M/SEC}$
 $XH_2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.0904E+02	2.9239E+03	4.8644E+03
T	1.5634E+01	3.3105E+01	4.5942E+01
RHO	1.2402E+01	4.7820E+01	5.5792E+01
H	5.1864E+01	9.2232E+01	1.2013E+02
A	6.6119E+00	8.1268E+00	9.0635E+00
S	1.6406E+00	1.7512E+00	1.8185E+00
Z	1.5837E+00	1.8470E+00	1.8978E+00
GAME	8.5908E-01	1.0802E+00	9.4216E-01
U	1.4107E+01	3.0766E+00	4.0644E+00

SPECIES ----- MOLE FRACTIONS -----

E-	3.8541E-07	2.5329E-03	2.6560E-02
H	7.3710E-01	9.0952E-01	8.6637E-01
H+	3.7757E-07	2.5301E-03	2.6520E-02
H2	1.6818E-01	4.1475E-03	1.1907E-03
H-	5.6154E-09	2.4721E-05	1.4143E-04
H2+	1.3463E-08	2.7508E-05	1.8056E-04
HE	9.4718E-02	8.1214E-02	7.9038E-02
HE+	2.9407E-19	2.4094E-09	9.3309E-07
HE++	1.2228E-68	1.3852E-32	3.5066E-23

TABLE I. -Continued

$$P_1 = 2 \text{ kN/m}^2$$

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US_1 = 2.00E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.4238E+02	3.1730E+03	5.3998E+03
T	1.6503E+01	3.8112E+01	4.9899E+01
RHO	1.2509E+01	4.4729E+01	5.6035E+01
H	5.7360E+01	1.0162E+02	1.3296E+02
A	4.9015E+00	8.4920E+00	9.3930E+00
S	1.6884E+00	1.7867E+00	1.8523E+00
Z	1.6598E+00	1.8613E+00	1.9312E+00
GAME	8.7772E-01	1.0166E+00	9.1557E-01
U	1.4853E+01	4.1506E+00	4.2683E+00

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US_1 = 2.20E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.1208E+02	3.5810E+03	6.1110E+03
T	1.9394E+01	4.5959E+01	5.5937E+01
RHO	1.1849E+01	4.0859E+01	5.4445E+01
H	6.9146E+01	1.2186E+02	1.5865E+02
A	5.8298E+00	9.0326E+00	9.9945E+00
S	1.7812E+00	1.8539E+00	1.9195E+00
Z	1.7931E+00	1.9070E+00	2.0066E+00
GAME	9.7728E-01	9.3092E-01	8.8996E-01
U	1.6259E+01	4.7060E+00	4.5179E+00

SPECIES	MOLE FRACTIONS		
E-	9.8757E-07	8.1940E-03	4.3158E-02
H	7.9417E-01	9.0088E-01	8.3477E-01
H+	9.7252E-07	8.1857E-03	4.3086E-02
H2	1.1539E-01	2.0415E-03	8.6232E-04
H-	1.3580E-08	5.3853E-05	1.8972E-04
H2+	2.8625E-08	6.2108E-05	2.5763E-04
HE	9.0437E-02	8.0587E-02	7.7669E-02
HE+	2.9423E-18	4.2164E-08	3.2266E-06
HE++	1.3870E-65	4.0754E-28	3.1189E-21

SPECIES	MOLE FRACTIONS		
E-	1.2433E-05	3.0888E-02	7.8929E-02
H	8.8459E-01	8.5847E-01	7.6638E-01
H+	1.2367E-05	3.0853E-02	7.8787E-02
H2	3.1730E-02	8.5922E-04	5.2053E-04
H-	1.1780E-07	1.1983E-04	2.5270E-04
H2+	1.8362E-07	1.5309E-04	3.7909E-04
HE	8.3653E-02	7.8658E-02	7.4739E-02
HE+	1.4256E-15	1.0940E-06	1.5611E-05
HE++	8.2383E-56	4.8797E-23	9.1563E-19

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US_1 = 2.10E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.7691E+02	3.4102E+03	5.8445E+03
T	1.7652E+01	4.2404E+01	5.3186E+01
RHO	1.2335E+01	4.2748E+01	5.5842E+01
H	6.3126E+01	1.1154E+02	1.4584E+02
A	5.2750E+00	8.7701E+00	9.7048E+00
S	1.7356E+00	1.8203E+00	1.8855E+00
Z	1.7311E+00	1.8813E+00	1.9678E+00
GAME	9.1059E-01	9.6117E-01	8.9990E-01
U	1.5576E+01	4.4866E+00	4.4133E+00

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US_1 = 2.30E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.4694E+02	3.6171E+03	6.0942E+03
T	2.2274E+01	4.8839E+01	5.8151E+01
RHO	1.0958E+01	3.8238E+01	5.1211E+01
H	7.5391E+01	1.3227E+02	1.7101E+02
A	6.6398E+00	9.2796E+00	1.0253E+01
S	1.8235E+00	1.8888E+00	1.9552E+00
Z	1.8312E+00	1.9369E+00	2.0464E+00
GAME	1.0809E+00	9.1032E-01	8.8339E-01
U	1.6871E+01	4.8259E+00	4.5860E+00

SPECIES	MOLE FRACTIONS		
E-	2.9650E-06	1.7975E-02	6.0860E-02
H	8.4466E-01	8.8289E-01	8.0094E-01
H+	2.9350E-06	1.7956E-02	6.0754E-02
H2	6.8687E-02	1.2476E-03	6.6305E-04
H-	3.6016E-08	8.8163E-05	2.2780E-04
H2+	6.6048E-08	1.0704E-04	3.2641E-04
HE	8.6650E-02	7.9733E-02	7.6219E-02
HE+	4.1646E-17	2.8880E-07	7.9004E-06
HE++	2.8989E-61	4.1223E-25	7.9369E-20

SPECIES	MOLE FRACTIONS		
E-	8.2869E-05	4.5667E-02	9.6798E-02
H	9.0758E-01	8.3031E-01	7.3220E-01
H+	8.2712E-05	4.5616E-02	9.6626E-02
H2	1.0339E-02	6.2510E-04	4.0793E-04
H-	5.0918E-07	1.4303E-04	2.6167E-04
H2+	6.6616E-07	1.9107E-04	4.0746E-04
HE	8.1913E-02	7.7442E-02	7.3272E-02
HE+	1.5493E-13	2.8442E-06	2.6341E-05
HE++	2.4638E-48	1.4718E-21	5.8433E-18

TABLE I. - Continued

$$P_1 = 2 \text{ kN/m}^2$$

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US1 = 2.40E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.8192E+02	3.5903E+03	5.9477E+03
T	2.6178E+01	5.1259E+01	6.0049E+01
RHO	9.9772E+00	3.5556E+01	4.7441E+01
H	8.1865E+01	1.4283E+02	1.8319E+02
A	7.3509E+00	9.5174E+00	1.0497E+01
S	1.8603E+00	1.9241E+00	1.9918E+00
Z	1.8452E+00	1.9699E+00	2.0878E+00
GAME	1.1187E+00	8.9706E-01	8.7891E-01
U	1.7436E+01	4.8855E+00	4.6330E+00

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US1 = 2.60E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.5683E+02	3.7267E+03	5.9904E+03
T	3.4017E+01	5.5609E+01	6.3776E+01
RHO	8.7886E+00	3.2784E+01	4.3174E+01
H	9.5624E+01	1.6553E+02	2.0933E+02
A	7.9900E+00	1.0015E+01	1.1012E+01
S	1.9216E+00	1.9898E+00	2.0604E+00
Z	1.8625E+00	2.0442E+00	2.1756E+00
GAME	1.0076E+00	8.8230E-01	8.7390E-01
U	1.8602E+01	4.9830E+00	4.7434E+00

SPECIES ----- MOLE FRACTIONS -----

E-	5.6978E-04	6.1571E-02	1.1465E-01
H	9.1437E-01	7.9933E-01	6.9806E-01
H+	5.6944E-04	6.1503E-02	1.1445E-01
H2	3.1883E-03	4.7142E-04	3.2015E-04
H-	2.0908E-06	1.5859E-04	2.6086E-04
H2+	2.4265E-06	2.2029E-04	4.1942E-04
HE	8.1294E-02	7.6139E-02	7.1805E-02
HE+	1.8072E-11	5.9124E-06	4.0575E-05
HE++	7.6324E-41	1.9714E-20	2.6447E-17

SPECIES ----- MOLE FRACTIONS -----

E-	7.4054E-03	9.5554E-02	1.5030E-01
H	9.0396E-01	7.3487E-01	6.2981E-01
H+	7.4039E-03	9.5446E-02	1.5003E-01
H2	6.6709E-04	2.9863E-04	2.0901E-04
H-	1.2484E-05	1.8219E-04	2.5708E-04
H2+	1.3956E-05	2.7200E-04	4.4012E-04
HE	8.0536E-02	7.3361E-02	6.8861E-02
HE+	9.9234E-09	1.8502E-05	8.6617E-05
HE++	5.9263E-31	1.1604E-18	3.8414E-16

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US1 = 2.50E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US1 = 2.70E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.1802E+02	3.6075E+03	5.8803E+03
T	3.0298E+01	5.3449E+01	6.1828E+01
RHO	9.2298E+00	3.3654E+01	4.4655E+01
H	8.8591E+01	1.5378E+02	1.9573E+02
A	7.7629E+00	9.7580E+00	1.0740E+01
S	1.8926E+00	1.9578E+00	2.0264E+00
Z	1.8524E+00	2.0055E+00	2.1298E+00
GAME	1.0737E+00	8.8829E-01	8.7594E-01
U	1.7995E+01	4.9301E+00	4.6817E+00

P	5.9852E+02	3.9409E+03	6.2588E+03
T	3.7170E+01	5.7784E+01	6.5797E+01
RHO	8.5752E+00	3.2701E+01	4.2805E+01
H	1.0298E+02	1.7815E+02	2.2408E+02
A	8.1736E+00	1.0288E+01	1.1296E+01
S	1.9487E+00	2.0205E+00	2.0920E+00
Z	1.8778E+00	2.0856E+00	2.2222E+00
GAME	9.5717E-01	8.7821E-01	8.7272E-01
U	1.9257E+01	5.0393E+00	4.8203E+00

SPECIES ----- MOLE FRACTIONS -----

E-	2.5836E-03	7.8172E-02	1.3206E-01
H	9.1258E-01	7.6816E-01	6.6474E-01
H+	2.5830E-03	7.8086E-02	1.3183E-01
H2	1.2673E-03	3.6914E-04	2.5698E-04
H-	6.0684E-06	1.7058E-04	2.5811E-04
H2+	6.7536E-06	2.4565E-04	4.2766E-04
HE	8.0975E-02	7.4782E-02	7.0370E-02
HE+	7.4379E-10	1.0807E-05	5.9238E-05
HE++	5.1151E-35	1.6846E-19	9.9910E-17

	SPECIES	MOLE FRACTIONS
E-	1.5245E-02	1.1351E-01
H	8.8916E-01	7.0046E-01
H+	1.5242E-02	1.1337E-01
H2	4.2728E-04	2.4736E-04
H-	2.0247E-05	1.9360E-04
H2+	2.3156E-05	2.9978E-04
HE	7.9881E-02	7.1862E-02
HE+	5.9427E-08	3.0237E-05
HE++	3.7871E-28	6.9093E-18

TABLE I. -Continued

$$p_1 = 2 \text{ kN/m}^2$$

$p_1 = 2.00E+03 \text{ N/SQ-M}$, $US1 = 2.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.4290E+02	4.2236E+03	6.6466E+03
T	3.9838E+01	5.9959E+01	6.7986E+01
RHO	8.5039E+00	3.3082E+01	4.3015E+01
H	1.1064E+02	1.9154E+02	2.3988E+02
A	8.3621E+00	1.0572E+01	1.1609E+01
S	1.9745E+00	2.0504E+00	2.1242E+00
Z	1.8977E+00	2.1293E+00	2.2727E+00
GAME	9.2491E-01	8.7545E-01	8.7218E-01
U	1.9948E+01	5.1219E+00	4.9101E+00

$p_1 = 2.00E+03 \text{ N/SQ-M}$, $US1 = 3.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	7.3875E+02	4.9422E+03	7.6690E+03
T	4.4203E+01	6.4311E+01	7.2585E+01
RHO	8.5802E+00	3.4578E+01	4.4421E+01
H	1.2690E+02	2.2039E+02	2.7418E+02
A	8.7616E+00	1.1168E+01	1.2276E+01
S	2.0243E+00	2.1093E+00	2.1874E+00
Z	1.9478E+00	2.2225E+00	2.3785E+00
GAME	8.9159E-01	8.7265E-01	8.7293E-01
U	2.1399E+01	5.3172E+00	5.1146E+00

SPECIES	MOLE FRACTIONS		
E-	2.5479E-02	1.3171E-01	1.8662E-01
H	8.6963E-01	6.6557E-01	5.6029E-01
H+	2.5474E-02	1.3154E-01	1.8622E-01
H2	3.0829E-04	2.0786E-04	1.4040E-04
H-	2.8362E-05	2.0385E-04	2.5678E-04
H2+	3.3364E-05	3.2742E-04	4.7136E-04
HE	7.9043E-02	7.0398E-02	6.5823E-02
HE+	2.1614E-07	4.7433E-05	1.7702E-04
HE++	4.0333E-26	3.5803E-17	5.1657E-15

SPECIES	MOLE FRACTIONS		
E-	5.0475E-02	1.6812E-01	2.2279E-01
H	8.2176E-01	5.9579E-01	4.9111E-01
H+	5.0463E-02	1.6785E-01	2.2219E-01
H2	1.9331E-04	1.4953E-04	9.9111E-05
H-	4.3738E-05	2.1857E-04	2.5014E-04
H2+	5.4499E-05	3.7763E-04	4.9454E-04
HE	7.7007E-02	6.7387E-02	6.2716E-02
HE+	1.2666E-06	1.0590E-04	3.4940E-04
HE++	2.4617E-23	6.8515E-16	6.1938E-14

$p_1 = 2.00E+03 \text{ N/SQ-M}$, $US1 = 2.90E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.8972E+02	4.5638E+03	7.1231E+03
T	4.2149E+01	6.2141E+01	7.0248E+01
RHO	8.5170E+00	3.3765E+01	4.3617E+01
H	1.1862E+02	2.0566E+02	2.5662E+02
A	8.5592E+00	1.0867E+01	1.1935E+01
S	1.9996E+00	2.0799E+00	2.1558E+00
Z	1.9213E+00	2.1751E+00	2.3248E+00
GAME	9.0465E-01	8.7367E-01	8.7227E-01
U	2.0665E+01	5.2035E+00	5.0100E+00

$p_1 = 2.00E+03 \text{ N/SQ-M}$, $US1 = 3.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	8.4295E+02	5.0177E+03	8.9355E+03
T	4.7795E+01	6.8690E+01	7.7513E+01
RHO	8.7853E+00	3.6481E+01	4.6286E+01
H	1.4434E+02	2.5177E+02	3.1188E+02
A	9.1733E+00	1.1795E+01	1.3005E+01
S	2.0733E+00	2.1680E+00	2.2511E+00
Z	2.0076E+00	2.3216E+00	2.4905E+00
GAME	8.7702E-01	8.7240E-01	8.7610E-01
U	2.2895E+01	5.5213E+00	5.3668E+00

SPECIES	MOLE FRACTIONS		
E-	3.7401E-02	1.5000E-01	2.0482E-01
H	8.4668E-01	6.3052E-01	5.2545E-01
H+	3.1739E-02	1.4978E-01	2.0434E-01
H2	2.3883E-04	1.7605E-04	1.1972E-04
H-	3.6280E-05	2.1124E-04	2.5463E-04
H2+	4.3937E-05	3.5393E-04	4.8494E-04
HE	7.8071E-02	6.8850E-02	6.4273E-02
HE+	5.7774E-07	7.1973E-05	2.5006E-04
HE++	1.4175E-24	1.6548E-16	1.8233E-14

SPECIES	MOLE FRACTIONS		
E-	7.8695E-02	2.0366E-01	2.5775E-01
H	7.6765E-01	5.2773E-01	4.2440E-01
H+	7.8673E-02	2.0325E-01	2.5682E-01
H2	1.3364E-04	1.0753E-04	6.6193E-05
H-	5.6824E-05	2.2345E-04	2.3331E-04
H2+	7.4732E-05	4.1501E-04	4.9774E-04
HE	7.4713E-02	6.4396E-02	5.9563E-02
HE+	4.2300E-06	2.1464E-04	6.6532E-04
HE++	2.0101E-21	9.2364E-15	6.5079E-13

TABLE I. -Continued

$$P_1 = 2 \text{ kN/m}^2$$

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $U_1 = 3.40E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $U_1 = 3.80E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	9.5482E+02	6.8119E+03	1.0390E+04
T	5.0952E+01	7.3141E+01	8.2805E+01
RHO	9.0345E+00	3.8403E+01	4.8135E+01
H	1.6293E+02	2.8539E+02	3.5252E+02
A	9.5879E+00	1.2453E+01	1.3796E+01
S	2.1221E+00	2.2269E+00	2.3149E+00
Z	2.0742E+00	2.4252E+00	2.6067E+00
GAME	8.7016E-01	8.7422E-01	8.8174E-01
U	2.4411E+01	5.7559E+00	5.6394E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.2002E+03	9.0967E+03	1.3798E+04
T	5.6589E+01	8.2607E+01	9.5130E+01
RHO	9.5601E+00	4.1685E+01	5.0941E+01
H	2.0352E+02	3.5902E+02	4.4311E+02
A	1.0439E+01	1.3889E+01	1.5622E+01
S	2.2210E+00	2.3452E+00	2.4434E+00
Z	2.2232E+00	2.6417E+00	2.8472E+00
GAME	8.6612E-01	8.8402E-01	9.0098E-01
U	2.7461E+01	6.2888E+00	6.3153E+00

SPECIES	MOLE FRACTIONS		
E-	1.0829E-01	2.3768E-01	2.9081E-01
H	7.1088E-01	4.6268E-01	3.6161E-01
H+	1.0825E-01	2.3706E-01	2.8931E-01
H2	1.0147E-04	7.5820E-05	4.2171E-05
H-	6.7164E-05	2.1770E-04	2.0694E-04
H2+	9.2897E-05	4.3427E-04	4.7646E-04
HE	7.2306E-02	6.1444E-02	5.6313E-02
HE+	1.0576E-05	4.0666E-04	1.2314E-03
HE++	5.7901E-20	9.6613E-14	6.1325E-12

SPECIES	MOLE FRACTIONS		
E-	1.6805E-01	3.0015E-01	3.5062E-01
H	5.9625E-01	3.4383E-01	2.4981E-01
H+	1.6797E-01	2.9862E-01	3.4637E-01
H2	5.9165E-05	3.3733E-05	1.3812E-05
H-	7.9306E-05	1.7933E-04	1.3790E-04
H2+	1.2044E-04	4.1176E-04	3.6653E-04
HE	6.7428E-02	5.5482E-02	4.8663E-02
HE+	4.2168E-05	1.2988E-03	4.0201E-03
HE++	9.3990E-18	6.6949E-12	4.7553E-10

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $U_1 = 3.60E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $U_1 = 4.00E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.0740E+03	7.9075E+03	1.2016E+04
T	5.3850E+01	7.7746E+01	8.8623E+01
RHO	9.2919E+00	4.0167E+01	4.9732E+01
H	1.8266E+02	3.2116E+02	3.9630E+02
A	1.0011E+01	1.3148E+01	1.4665E+01
S	2.1713E+00	2.2860E+00	2.3792E+00
Z	2.1464E+00	2.5322E+00	2.7263E+00
GAME	8.6707E-01	8.7806E-01	8.9006E-01
U	2.5935E+01	6.0166E+00	5.9590E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.3337E+03	1.0357E+04	1.5749E+04
T	5.9238E+01	8.7823E+01	1.0263E+02
RHO	9.7709E+00	4.2842E+01	5.1694E+01
H	2.2553E+02	3.9891E+02	4.9367E+02
A	1.0876E+01	1.4686E+01	1.6694E+01
S	2.2713E+00	2.4044E+00	2.5079E+00
Z	2.3042E+00	2.7527E+00	2.9655E+00
GAME	8.6660E-01	8.9216E-01	9.1483E-01
U	2.8991E+01	6.6163E+00	6.7550E+00

SPECIES	MOLE FRACTIONS		
E-	1.3827E-01	2.6989E-01	3.2188E-01
H	6.5338E-01	4.0126E-01	3.0309E-01
H+	1.3821E-01	2.6892E-01	3.1938E-01
H2	7.7186E-05	5.1720E-05	2.5121E-05
H-	7.4648E-05	2.0231E-04	1.7369E-04
H2+	1.0829E-04	4.3314E-04	4.3100E-04
HE	6.9863E-02	5.8500E-02	5.2775E-02
HE+	2.2302E-05	7.3693E-04	2.2443E-03
HE++	9.0133E-19	8.5007E-13	5.4850E-11

SPECIES	MOLE FRACTIONS		
E-	1.9729E-01	3.2833E-01	3.7708E-01
H	5.4019E-01	2.9078E-01	2.0211E-01
H+	1.9717E-01	3.2586E-01	3.6988E-01
H2	4.5272E-05	2.0801E-05	6.3815E-06
H-	8.1271E-05	1.5145E-04	1.0377E-04
H2+	1.2905E-04	3.7214E-04	2.9107E-04
HE	6.5025E-02	5.2247E-02	4.3510E-02
HE+	7.4108E-05	2.2449E-03	7.0206E-03
HE++	7.4872E-17	4.9138E-11	4.1147E-03

TABLE I. -Continued

$$P_1 = 2 \text{ kN/m}^2$$

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US_1 = 4.20E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.4738E+03	1.1669E+04	1.7841E+04
T	6.1846E+01	9.3499E+01	1.1132E+02
RHO	9.9758E+00	4.3585E+01	5.1925E+01
H	2.4865E+02	4.4064E+02	5.4763E+02
A	1.1325E+01	1.5543E+01	1.7912E+01
S	2.3220E+00	2.4630E+00	2.5717E+00
Z	2.3888E+00	2.8634E+00	3.0864E+00
GAME	8.6818E-01	9.0232E-01	9.3375E-01
U	3.0514E+01	6.9883E+00	7.2553E+00

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US_1 = 4.60E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.7728E+03	1.4351E+04	2.2434E+04
T	6.7099E+01	1.0666E+02	1.3457E+02
RHO	1.0291E+01	4.3742E+01	5.0443E+01
H	2.9822E+02	5.2910E+02	6.6753E+02
A	1.2272E+01	1.7458E+01	2.2104E+01
S	2.4250E+00	2.5774E+00	2.6957E+00
Z	2.5673E+00	3.0761E+00	3.3048E+00
GAME	8.7426E-01	9.2902E-01	1.0110E+00
U	3.3516E+01	7.9019E+00	8.5586E+00

SPECIES	MOLE FRACTIONS		
E-	2.2572E-01	3.5424E-01	4.0082E-01
H	4.8569E-01	2.4269E-01	1.6114E-01
H+	2.2555E-01	3.5024E-01	3.8915E-01
H2	3.4346E-05	1.2037E-05	3.1067E-06
H-	8.0716E-05	1.2202E-04	7.5293E-05
H2+	1.3391E-04	3.1920E-04	2.1580E-04
HE	6.2669E-02	4.8581E-02	3.7079E-02
HE+	1.2379E-04	3.8051E-03	1.1521E-02
HE++	4.9244E-16	3.4305E-10	3.4069E-08

SPECIES	MOLE FRACTIONS		
E-	2.7956E-01	3.9878E-01	4.4031E-01
H	3.8261E-01	1.6336E-01	9.7014E-02
H+	2.7918E-01	3.8882E-01	4.1716E-01
H2	1.8834E-05	3.2970E-06	4.3677E-07
H-	7.3097E-05	7.0554E-05	3.8485E-05
H2+	1.3233E-04	2.0076E-04	9.4015E-05
HE	5.8112E-02	3.8931E-02	2.2296E-02
HE+	3.1466E-04	9.8330E-03	2.3090E-02
HE++	1.4773E-14	1.4275E-08	2.0769E-06

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US_1 = 4.40E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.6198E+03	1.2991E+04	2.0051E+04
T	6.4451E+01	9.9705E+01	1.2171E+02
RHO	1.0148E+01	4.3848E+01	5.1485E+01
H	2.7287E+02	4.8350E+02	6.0510E+02
A	1.1789E+01	1.6458E+01	1.9376E+01
S	2.3733E+00	2.5207E+00	2.6344E+00
Z	2.4766E+00	2.9715E+00	3.1998E+00
GAME	8.7073E-01	9.1430E-01	9.6401E-01
U	3.2014E+01	7.4290E+00	7.8359E+00

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US_1 = 4.80E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9329E+03	1.5722E+04	2.5054E+04
T	6.9831E+01	1.1452E+02	1.5204E+02
RHO	1.3040E+01	4.3233E+01	4.8441E+01
H	3.2471E+02	5.7613E+02	7.3722E+02
A	1.2778E+01	1.8581E+01	2.3533E+01
S	2.4770E+00	2.6329E+00	2.7579E+00
Z	2.6605E+00	3.1756E+00	3.4026E+00
GAME	8.7885E-01	9.4945E-01	1.0708E+00
U	3.5022E+01	8.4387E+00	9.5516E+00

SPECIES	MOLE FRACTIONS		
E-	2.5317E-01	3.7768E-01	4.2199E-01
H	4.3311E-01	2.0022E-01	1.2628E-01
H+	2.5292E-01	3.7126E-01	4.0465E-01
H2	2.5686E-05	6.5239E-06	1.2464E-06
H-	7.7879E-05	9.4301E-05	5.3607E-05
H2+	1.3495E-04	2.5973E-04	1.4828E-04
HE	6.0367E-02	4.4229E-02	2.9633E-02
HE+	1.9958E-04	6.2514E-03	1.7245E-02
HE++	2.8233E-15	2.2621E-09	2.7014E-07

SPECIES	MOLE FRACTIONS		
E-	3.0478E-01	4.1757E-01	4.5635E-01
H	3.3439E-01	1.3199E-01	7.1320E-02
H+	3.0423E-01	4.0300E-01	4.2817E-01
H2	1.3462E-05	1.5513E-06	1.2144E-07
H-	6.6710E-05	5.1767E-05	2.7746E-05
H2+	1.2627E-04	1.4749E-04	5.2619E-05
HE	5.5890E-02	3.2756E-02	1.5944E-02
HE+	4.8974E-04	1.4480E-02	2.8122E-02
HE++	7.2973E-14	8.4766E-08	1.7796E-05

TABLE I. - Continued

$$P_1 = 2 \text{ kN/m}^2$$

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US1 = 5.00E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.0988E+03	1.7043E+04	2.7822E+04
T	7.2694E+01	1.2338E+02	1.7339E+02
RHO	1.0478E+01	4.2282E+01	4.6134E+01
H	3.5229E+02	6.2446E+02	8.1279E+02
A	1.3312E+01	1.9866E+01	2.5912E+01
S	2.5293E+00	2.6858E+00	2.8152E+00
Z	2.7556E+00	3.2670E+00	3.4782E+00
GAME	8.8464E-01	9.7911E-01	1.1133E+00
U	3.6509E+01	9.0662E+00	1.0726E+01

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US1 = 5.60E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.4448E+03	1.9441E+04	3.3477E+04
T	7.9031E+01	1.4618E+02	2.2280E+02
RHO	1.0509E+01	3.8841E+01	4.1981E+01
H	4.1077E+02	7.2465E+02	9.7493E+02
A	1.4485E+01	2.3095E+01	2.9526E+01
S	2.6336E+00	2.7867E+00	2.9175E+00
Z	2.9484E+00	3.4242E+00	3.5791E+00
GAME	9.0047E-01	1.0656E+00	1.0932E+00
U	3.9442E+01	1.0644E+01	1.3143E+01

SPECIES	MOLE FRACTIONS		
E-	3.2876E-01	4.3383E-01	4.6814E-01
H	2.8868E-01	1.0591E-01	5.2172E-02
H+	3.2794E-01	4.1420E-01	4.3651E-01
H2	9.3170E-06	6.8457E-07	3.1919E-08
H-	5.9084E-05	3.7933E-05	2.0962E-05
H2+	1.1704E-04	1.0345E-04	2.8309E-05
HE	5.3677E-02	2.6342E-02	1.1644E-02
HE+	7.5798E-04	1.9571E-02	3.1349E-02
HE++	3.4868E-13	4.5878E-07	1.3325E-04

SPECIES	MOLE FRACTIONS		
E-	3.7264E-01	4.5977E-01	4.8312E-01
H	2.0560E-01	6.5093E-02	3.0159E-02
H+	3.7075E-01	4.3127E-01	4.4679E-01
H2	3.9267E-06	1.0058E-07	3.0987E-09
H-	4.1873E-05	2.0661E-05	1.3075E-05
H2+	9.1270E-05	4.2785E-05	9.4226E-06
HE	4.9041E-02	1.5346E-02	6.6055E-03
HE+	1.8344E-03	2.8448E-02	3.2283E-02
HE++	8.0026E-12	1.2030E-05	3.0215E-03

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US1 = 5.20E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.2709E+03	1.8310E+04	3.0700E+04
T	7.5719E+01	1.3384E+02	1.9796E+02
RHO	1.0519E+01	6.0827E+01	4.3876E+01
H	3.8098E+02	6.7411E+02	8.5325E+02
A	1.3875E+01	2.1387E+01	2.7996E+01
S	2.5810E+00	2.7371E+00	2.8687E+00
Z	2.8511E+00	3.3509E+00	3.5346E+00
GAME	8.9175E-01	1.0199E+00	1.1202E+00
U	3.7984E+01	9.7874E+00	1.1994E+01

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US1 = 5.60E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.6321E+03	2.0244E+04	3.6142E+04
T	8.2650E+01	1.6013E+02	2.4539E+02
RHO	1.0462E+01	3.6619E+01	4.0695E+01
H	4.4165E+02	7.7578E+02	1.0572E+03
A	1.5136E+01	2.4803E+01	3.0732E+01
S	2.6853E+00	2.8330E+00	2.9607E+00
Z	3.0441E+00	3.4830E+00	3.6192E+00
GAME	9.1059E-01	1.103CE+00	1.0635E+00
U	4.0883E+01	1.1663E+01	1.4150E+01

SPECIES	MOLE FRACTIONS		
E-	3.5123E-01	4.4798E-01	4.7661E-01
H	2.4599E-01	8.3681E-02	3.8777E-02
H+	3.5001E-01	4.2348E-01	4.4214E-01
H2	6.2200E-06	2.7459E-07	8.9499E-09
H-	5.0739E-05	2.7841E-05	1.6229E-05
H2+	1.0531E-04	6.8433E-05	1.5574E-05
HE	5.1440E-02	2.0311E-02	8.7468E-03
HE+	1.1715E-03	2.4451E-02	3.2917E-02
HE++	1.6400E-12	2.3990E-06	7.8013E-04

SPECIES	MOLE FRACTIONS		
E-	3.9234E-01	4.6888E-01	4.8884E-01
H	1.6887E-01	5.0535E-02	2.4876E-02
H+	3.8940E-01	4.3748E-01	4.4482E-01
H2	2.3491E-06	3.5836E-08	1.3937E-09
H-	3.3250E-05	1.5736E-05	1.1000E-05
H2+	7.6211E-05	2.6125E-05	6.4508E-06
HE	4.6385E-02	1.1728E-02	4.8942E-03
HE+	2.8917E-03	3.1284E-02	2.9077E-02
HE++	3.9993E-11	5.4356E-05	7.4742E-03

TABLE I. -Continued

$$P_1 = 2 \text{ kN/m}^2$$

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US1 = 5.80E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.8200E+03	2.1254E+04	3.8605E+04
T	8.6676E+01	1.7555E+02	2.6653E+02
RHO	1.0371E+01	3.4304E+01	3.9579E+01
H	4.7358E+02	8.2734E+02	1.1393E+03
A	1.5832E+01	2.6385E+01	3.2029E+01
S	2.7364E+00	2.877CE+00	3.0016E+00
Z	3.1372E+00	3.5293E+00	3.6596E+00
GANE	9.2177E-01	1.1236E+00	1.0517E+00
U	4.2293E+01	1.2771E+01	1.5017E+01

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US1 = 6.20E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.2133E+03	2.2727E+04	4.3157E+04
T	9.6278E+01	2.0798E+02	3.0932E+02
RHO	1.0084E+01	3.0400E+01	3.7377E+01
H	5.14075E+02	9.3450E+02	1.3092E+03
A	1.7356E+01	2.8750E+01	3.5300E+01
S	2.8358E+00	2.9563E+00	3.0772E+00
Z	3.3091E+00	3.5948E+00	3.7328E+00
GANE	9.4555E-01	1.1056E+00	1.0792E+00
U	4.5083E+01	1.4938E+01	1.6622E+01

SPECIES	MOLE FRACTIONS		
E-	4.1036E-01	4.7584E-01	4.9448E-01
H	1.3600E-01	3.9381E-02	2.1186E-02
H+	4.0574E-01	4.4225E-01	4.4333E-01
H2	1.3173E-06	1.2889E-08	7.2831E-10
H-	2.5289E-05	1.2159E-05	9.4465E-06
H2+	6.0996E-05	1.5855E-05	4.7302E-06
HE	4.3225E-02	9.1332E-03	3.4193E-03
HE+	4.5885E-03	3.3150E-02	2.3976E-02
HE++	2.0805E-10	2.1742E-04	1.3593E-02

SPECIES	MOLE FRACTIONS		
E-	4.4097E-01	4.8537E-01	5.0440E-01
H	8.3838E-02	2.5431E-02	1.5855E-02
H+	4.2981E-01	4.4746E-01	4.3956E-01
H2	3.4052E-07	2.1649E-09	2.3776E-10
H-	1.2968E-05	7.8415E-06	6.9434E-06
H2+	3.4387E-05	6.6106E-06	2.7547E-06
HE	3.4195E-02	5.8200E-03	1.3242E-03
HE+	1.1135E-02	3.3900E-02	1.2876E-02
HE++	6.0317E-09	2.0069E-03	2.5904E-02

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US1 = 6.00E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.0141E+03	2.2034E+04	4.0950E+04
T	9.1200E+01	1.9166E+02	2.8742E+02
RHO	1.0245E+01	3.2248E+01	3.8524E+01
H	5.0663E+02	8.8040E+02	1.2232E+03
A	1.6571E+01	2.7711E+01	3.3549E+01
S	2.7867E+00	2.9176E+00	3.0402E+00
Z	3.2261E+00	3.5649E+00	3.6984E+00
GANE	9.3337E-01	1.1239E+00	1.0589E+00
U	4.3698E+01	1.3854E+01	1.5827E+01

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US1 = 6.40E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.4172E+03	2.3411E+04	4.5317E+04
T	1.0199E+02	2.2389E+02	3.3483E+02
RHO	9.8978E+00	2.8863E+01	3.5980E+01
H	5.7593E+02	9.9041E+02	1.4009E+03
A	1.8213E+01	2.9577E+01	3.7344E+01
S	2.8836E+00	2.9931E+00	3.1152E+00
Z	3.3853E+00	3.6227E+00	3.7625E+00
GANE	9.6082E-01	1.0785E+00	1.1070E+00
U	4.6448E+01	1.5899E+01	1.7586E+01

SPECIES	MOLE FRACTIONS		
E-	4.2659E-01	4.8106E-01	4.9978E-01
H	1.0753E-01	3.1315E-02	1.8319E-02
H+	4.1932E-01	4.4553E-01	4.4133E-01
H2	6.9077E-07	5.0378E-09	4.1148E-10
H-	1.8438E-05	9.6599E-06	8.1511E-06
H2+	4.6744E-05	1.0033E-05	3.5940E-06
HE	3.9249E-02	7.2739E-03	2.2190E-03
HE+	7.2975E-33	3.4077E-02	1.8222E-02
HE++	1.1194E-09	7.2592E-02	2.0118E-02

SPECIES	MOLE FRACTIONS		
E-	4.5355E-01	4.8934E-01	5.0831E-01
H	6.4786E-02	2.1211E-02	1.3490E-02
H+	4.3732E-01	4.4803E-01	4.3833E-01
H2	1.5886E-07	1.0445E-09	1.3161E-10
H-	8.8795E-06	6.4930E-06	5.7038E-06
H2+	2.4384E-05	4.6049E-06	2.0629E-06
HE	2.8100E-02	4.6110E-03	6.9900E-04
HE+	1.6209E-02	3.2277E-02	8.3556E-03
HE++	3.1485E-08	4.5173E-03	3.0813E-02

TABLE I. - Continued

$$P_1 = 2 \text{ kN/m}^2$$

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US1 = 6.60E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P ₁	3.6254E+03	2.4065E+04	4.7390E+04
T ₁	1.0841E+02	2.3926E+02	3.6272E+02
RHO ₁	9.6843E+00	2.7543E+01	3.4524E+01
H ₁	6.1215E+02	1.0479E+03	1.4968E+03
A ₁	11.9188E+01	3.0380E+01	3.9406E+01
S ₁	2.9293E+00	3.0292E+00	3.1512E+00
Z ₁	3.4532E+00	3.6517E+00	3.7841E+00
GAMMA ₁	9.8347E-01	1.0563E+00	1.1314E+00
U ₁	4.7785E+01	1.6760E+01	1.8645E+01

SPECIES	MOLE FRACTIONS		
E-	4.6428E-01	4.9339E-01	5.1111E-01
H	4.9862E-02	1.8087E-02	1.1421E-02
H+	4.4239E-01	4.4744E-01	4.3782E-01
H2	7.0634E-08	5.5611E-10	7.2966E-11
H-	5.9900E-06	5.4791E-06	4.5888E-06
H2+	1.6755E-05	3.3602E-06	1.5445E-06
HE	2.1558E-02	3.5457E-03	3.4991E-04
HE+	2.1880E-02	2.9109E-02	5.2886E-03
HE++	1.5474E-07	8.4223E-03	3.4001E-02

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US1 = 7.00E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P ₁	4.0468E+03	2.4940E+04	5.0291E+04
T ₁	1.2501E+02	2.6785E+02	4.2584E+02
RHO ₁	9.0870E+00	2.5095E+01	3.0992E+01
H ₁	6.8746E+02	1.1660E+03	1.6929E+03
A ₁	2.1739E+01	3.2285E+01	4.3347E+01
S ₁	3.0162E+00	3.0984E+00	3.2227E+00
Z ₁	3.5624E+00	3.7103E+00	3.8107E+00
GAMMA ₁	1.0612E+00	1.0488E+00	1.1579E+00
U ₁	5.0293E+01	1.8180E+01	2.0785E+01

SPECIES	MOLE FRACTIONS		
E-	4.8070E-01	5.0139E-01	5.1452E-01
H	2.8409E-02	1.3722E-02	7.9706E-03
H+	4.4878E-01	4.4445E-01	4.3814E-01
H2	1.0771E-08	1.9293E-10	2.1764E-11
H-	2.5915E-06	3.9900E-06	2.7320E-06
H2+	6.8352E-06	1.9559E-06	8.4243E-07
HE	1.0199E-02	1.8593E-03	8.1804E-05
HE+	3.1904E-02	2.0157E-02	2.1808E-03
HE++	3.6691E-06	1.8371E-02	3.7101E-02

$P_1 = 2.00E+03 \text{ N/SQ-M}$, $US1 = 6.60E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P ₁	3.8341E+03	2.4525E+04	4.8912E+04
T ₁	1.1619E+02	2.5371E+02	3.9296E+02
RHO ₁	9.3882E+00	2.6258E+01	3.2759E+01
H ₁	6.4930E+02	1.1063E+03	1.5937E+03
A ₁	2.0398E+01	3.1264E+01	4.1403E+01
S ₁	2.9752E+00	3.0664E+00	3.1873E+00
Z ₁	3.5149E+00	3.6814E+00	3.7996E+00
GAMMA ₁	1.0188E+00	1.0465E+00	1.1481E+00
U ₁	4.9050E+01	1.7488E+01	1.9711E+01

SPECIES	MOLE FRACTIONS		
E-	4.7368E-01	4.9748E-01	5.1311E-01
H	3.7526E-02	1.5663E-02	9.5578E-03
H+	4.4611E-01	4.4611E-01	4.3785E-01
H2	2.8003E-08	3.1893E-10	3.9740E-11
H-	3.8960E-06	4.6569E-06	3.5692E-06
H2+	1.0804E-05	2.5337E-06	1.1400E-06
HE	1.5116E-02	2.6221E-03	1.6935E-04
HE+	2.7559E-02	2.4874E-02	3.3537E-03
HE++	7.8812E-07	1.3249E-02	3.5955E-02

TABLE I. - Continued

$$p_1 = 5 \text{ kN/m}^2$$

$p_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 4.00E+03 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.2097E+01	2.5396E+01	6.2331E+01
T	3.0557E+00	3.8279E+00	5.4476E+00
RHO	3.9585E+00	6.6354E+00	1.1441E+01
H	3.1244E+00	3.9436E+00	5.7358E+00
A	1.7411E+00	1.9395E+00	2.2885E+00
S.	1.0670E+00	1.0691E+00	1.0889E+00
Z	1.0000E+00	1.0000E+00	1.0000E+00
GAME	9.9208E-01	9.8274E-01	9.6136E-01
U	2.4141E+00	1.4366E+00	1.2783E+00

SPECIES	MOLE FRACTIONS		
E-	9.9384E-64	8.0570E-42	8.5186E-26
H	2.5859E-10	4.3888E-08	4.0979E-05
H+	1.8805E-20	3.1587E-20	4.7440E-20
H2	8.5000E-01	8.5000E-01	8.4996E-01
H-	6.38027E-71	6.5163E-47	2.0832E-29
H2+	5.0617E-20	3.7835E-20	2.1981E-20
HE	1.5000E-01	1.5000E-01	1.5000E-01
HE+	3.5424E-71	5.9945E-59	1.5346E-49
HE++	0.	0.	0.

$p_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 6.00E+03 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.7666E+01	8.6650E+01	1.7374E+02
T	5.5884E+00	7.7100E+00	9.5997E+00
RHO	4.9501E+00	1.1213E+01	1.7799E+01
H	5.8977E+00	8.5213E+00	1.1665E+01
A	2.3149E+00	2.6556E+00	2.8966E+00
S	1.1366E+00	1.1447E+00	1.1702E+00
Z	1.0000E+00	1.0023E+00	1.0168E+00
GAME	9.5887E-01	9.1258E-01	8.5956E-01
U	3.8673E+00	1.7030E+00	1.4925E+00

SPECIES	MOLE FRACTIONS		
E-	1.8254E-24	4.4207E-16	1.0284E-12
H	9.3795E-05	4.5843E-03	3.3128E-02
H+	5.4071E-20	3.6508E-16	8.7809E-13
H2	8.4991E-01	8.4576E-01	8.1936E-01
H-	3.1184E-28	9.8795E-19	1.0293E-14
H2+	1.5349E-20	7.8043E-17	1.6057E-13
HE	1.4999E-01	1.4966E-01	1.4752E-01
HE+	4.8103E-49	2.5164E-37	9.2973E-31
HE++	0.	0.	0.

$p_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 5.00E+03 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9056E+01	5.0489E+01	1.1131E+02
T	4.2232E+00	5.6546E+00	7.6856E+00
RHO	4.5126E+00	8.9267E+00	1.4455E+01
H	4.3713E+00	5.9733E+00	8.4724E+00
A	2.0317E+00	2.3280E+00	2.6564E+00
S	1.1024E+00	1.1074E+00	1.1305E+00
Z	1.0000E+00	1.0000E+00	1.0019E+00
GAME	9.7745E-01	9.5837E-01	9.1636E-01
U	3.1423E+00	1.5852E+00	1.4274E+00

SPECIES	MOLE FRACTIONS		
E-	1.2237E-35	9.2021E-24	5.0212E-17
H	5.1692E-07	8.6286E-05	3.8909E-03
H+	4.1591E-20	5.0716E-20	2.7367E-17
H2	8.5000E-01	8.4992E-01	8.4640E-01
H-	2.5761E-40	2.5870E-27	6.1686E-19
H2+	2.7831E-20	1.8712E-20	2.2297E-17
HE	1.5000E-01	1.4959E-01	1.4971E-01
HE+	1.1567E-55	2.0561E-48	2.4347E-36
HE++	0.	0.	0.

$p_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 7.00E+03 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.7987E+01	1.3878E+02	2.5201E+02
T	7.0821E+00	9.5496E+00	1.1049E+01
RHO	5.3571E+00	1.4276E+01	2.1741E+01
H	7.7076E+00	1.1661E+01	1.5321E+01
A	2.5617E+00	2.8857E+00	3.1161E+00
S	1.1691E+00	1.1821E+00	1.2108E+00
Z	1.0012E+00	1.0175E+00	1.0491E+00
GAME	9.2550E-01	8.5662E-01	8.3768E-01
U	4.5978E+00	1.7235E+00	1.5055E+00

SPECIES	MOLE FRACTIONS		
E-	2.7367E-17	1.0525E-12	6.0431E-11
H	2.4331E-03	3.5171E-02	9.3647E-02
H+	2.3578E-17	9.1266E-13	5.2704E-11
H2	8.4775E-01	8.1747E-01	7.6338E-01
H-	2.9141E-20	9.3604E-15	1.1626E-12
H2+	3.8876E-18	1.4924E-13	8.8903E-12
HE	1.4982E-01	1.4736E-01	1.4298E-01
HE+	9.5444E-41	9.6051E-31	3.5169E-27
HE++	0.	0.	0.

TABLE I. - Continued

 $p_1 = 5 \text{ kN/m}^2$

$$P_1 = 5.00E+03 \text{ N/SQ-M}, \quad U_1 = 8.00E+03 \text{ M/SEC}$$

$$XH2 = .85 \quad XHE = .15$$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P ₁	5.0297E+01	2.1476E+02
T ₁	8.4731E+00	1.1018E+01
RHO ₁	5.8845E+00	1.8531E+01
H ₁	9.8144E+00	1.5442E+01
A ₁	1.2732E+00	3.1122E+00
S ₁	1.2008E+00	1.2215E+00
Z ₁	1.0088E+00	1.052CE+00
GAM ₁	8.7333E-01	8.3571E-01
U ₁	5.3620E+00	1.7008E+00
		1.5219E+00

SPECIES ----- MOLE FRACTIONS -----

E-	2.9384E-14	6.0875E-11	9.2630E-10
H+	1.7414E-02	9.8815E-02	1.7567E-01
H+	2.6134E-14	5.3514E-11	8.2125E-10
H2	8.3389E-01	7.5860E-01	6.8750E-01
H+	8.9630E-13	1.0511E-12	2.8049E-11
H2+	3.3393E-15	8.4172E-12	1.3310E-10
HE	1.4869E-01	1.4259E-01	1.3682E-01
HE+	6.9112E-35	8.0334E-28	2.7421E-24
HE++	0.	0.	2.6708E-87

$$P_1 = 5.00E+03 \text{ N/SQ-M}, \quad U_1 = 9.00E+03 \text{ M/SEC}$$

$$XH2 = .85 \quad XHE = .15$$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P ₁	6.4727E+01	3.2200E+02
T ₁	9.5830E+00	1.2297E+01
RHO ₁	6.5760E+00	2.3789E+01
H ₁	1.2221E+01	1.9853E+01
A ₁	2.8776E+00	3.3558E+00
S ₁	1.2331E+00	1.2636E+00
Z ₁	1.0271E+00	1.0007E+00
GAM ₁	8.4128E-01	8.3199E-01
U ₁	6.1614E+00	1.7012E+00
		1.5584E+00

SPECIES ----- MOLE FRACTIONS -----			
E-	1.9741E-12	9.6370E-10	7.2886E-09
H+	5.2773E-02	1.8258E-01	2.7133E-01
H+	1.7882E-12	8.5944E-10	6.5458E-09
H2	8.0119E-01	6.8074E-01	5.9902E-01
H+	1.1870E-14	2.7359E-11	3.0847E-10
H2+	1.9775E-13	1.3162E-10	1.0513E-09
HE	1.4604E-01	1.3628E-01	1.2965E-01
HE+	1.1595E-30	2.4531E-24	2.3475E-22
HE++	0.	5.9216E-87	2.8839E-78

$$P_1 = 5.00E+03 \text{ N/SQ-M}, \quad U_1 = 1.00E+04 \text{ M/SEC}$$

$$XH2 = .85 \quad XHE = .15$$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P ₁	8.1139E+01	4.6297E+02
T ₁	1.0478E+01	1.3489E+01
RHO ₁	7.3409E+00	2.9559E+01
H ₁	1.4918E+01	2.4846E+01
A ₁	3.0256E+00	3.6169E+00
S ₁	1.2668E+00	1.3086E+00
Z ₁	1.0549E+00	1.1611E+00
GAM ₁	8.2822E-01	8.3525E-01
U ₁	6.9733E+00	1.7339E+00
		1.6131E+00

SPECIES ----- MOLE FRACTIONS -----			
E-	2.8250E-11	7.3036E-09	4.0246E-08
H+	1.0403E-01	2.7753E-01	3.7306E-01
H+	2.5837E-11	6.5912E-09	3.6692E-08
H2	7.5377E-01	5.9328E-01	5.0492E-01
H-	2.9686E-13	2.9123E-10	2.1939E-09
H2+	2.6700E-12	1.0037E-09	5.7488E-09
HE	1.4220E-01	1.2919E-01	1.2202E-01
HE+	2.5749E-28	2.4582E-22	1.4551E-20
HE++	0.	1.9251E-79	1.8590E-74

$$P_1 = 5.00E+03 \text{ N/SQ-M}, \quad U_1 = 1.10E+04 \text{ M/SEC}$$

$$XH2 = .85 \quad XHE = .15$$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P ₁	9.4938E+01	6.3894E+02
T ₁	1.1251E+01	1.4654E+01
RHO ₁	8.1076E+00	3.5404E+01
H ₁	1.7899E+01	3.0402E+01
A ₁	3.1785E+00	3.8985E+00
S ₁	1.3025E+00	1.3562E+00
Z ₁	1.0901E+00	1.2316E+00
GAM ₁	8.2374E-01	8.4215E-01
U ₁	7.7870E+00	1.7645E+00
		1.6954E+00

SPECIES ----- MOLE FRACTIONS -----			
E-	1.9961E-10	3.7631E-08	1.7540E-07
H+	1.6533E-01	3.7603E-01	4.7628E-01
H+	1.8410E-10	3.6400E-08	1.6241E-07
H2	6.9707E-01	5.0217E-01	4.0944E-01
H-	2.4668E-12	1.9223E-09	1.1466E-08
H2+	1.7977E-11	5.1455E-09	2.4463E-08
HE	1.3760E-01	1.2180E-01	1.1428E-01
HE+	2.5800E-26	1.1309E-20	4.5652E-19
HE++	0.	4.7576E-75	7.8801E-69

TABLE I. -Continued

$$P_1 = 5 \text{ kN/m}^2$$

$P_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 1.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.1949E+02	8.4709E+02	1.2429E+03
T	1.1948E+01	1.5826E+01	1.7353E+01
RHO	8.8368E+00	4.0848E+01	5.0974E+01
H	2.1160E+01	3.6471E+01	4.3960E+01
A	3.3368E+00	4.2028E+00	4.5985E+00
S	1.3401E+00	1.4059E+00	1.4562E+00
Z	1.1317E+00	1.3103E+00	1.4051E+00
GAME	8.2343E-01	8.5174E-01	8.6727E-01
U	8.5920E+00	1.8606E+00	1.8009E+00

$P_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 1.40E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.6482E+02	1.3512E+03	1.9636E+03
T	1.3240E+01	1.8385E+01	2.0736E+01
RHO	1.0109E+01	4.9390E+01	5.8873E+01
H	2.8522E+01	5.0138E+01	6.0439E+01
A	3.6759E+00	4.9082E+00	5.5288E+00
S	1.4205E+00	1.5093E+00	1.5696E+00
Z	1.2315E+00	1.4881E+00	1.6107E+00
GAME	8.2876E-01	8.8055E-01	9.1525E-01
U	1.0182E+01	2.0864E+00	2.1107E+00

SPECIES	MOLE FRACTIONS		
E-	9.0054E-10	1.5166E-07	6.6357E-07
H	2.3278E-01	4.7369E-01	5.7656E-01
H+	4.3593E-10	1.4063E-07	6.2442E-07
H2	6.3468E-01	4.1184E-01	3.1668E-01
H-	1.3888E-11	9.2146E-09	4.8665E-08
H2+	7.8500E-11	2.0246E-08	6.7816E-08
HE	1.3254E-01	1.1447E-01	1.0676E-01
HE+	6.1463E-25	2.9928E-19	1.0713E-17
HE++	1.7410E-88	5.4930E-69	3.2421E-63

SPECIES	MOLE FRACTIONS		
E-	9.4761E-09	1.6942E-06	8.8137E-06
H	3.7591E-01	6.5598E-01	7.5825E-01
H+	4.9138E-09	1.6170E-06	8.5623E-06
H2	5.0228E-01	2.4322E-01	1.4861E-01
H-	1.9883E-10	1.2115E-07	6.5570E-07
H2+	7.6112E-10	1.9831E-07	9.0713E-07
HE	2.1218E-01	1.0080E-01	9.3130E-02
HE+	1.3536E-22	8.9807E-17	5.2843E-19
HE++	1.3901E-81	1.0652E-59	4.2867E-53

$P_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 1.30E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.4130E+02	1.0859E+03	1.5811E+03
T	1.2605E+01	1.7051E+01	1.8875E+01
RHO	9.5082E+00	4.5605E+01	5.5644E+01
H	2.4701E+01	4.3057E+01	5.1802E+01
A	3.5022E+00	4.5362E+00	5.0185E+00
S	1.3794E+00	1.4571E+00	1.5123E+00
Z	1.1790E+00	1.3964E+00	1.5054E+00
GAME	8.2535E-01	8.6419E-01	8.8636E-01
U	9.3909E+00	1.9600E+00	1.9352E+00

$P_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 1.50E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9009E+02	1.6386E+03	2.4033E+03
T	1.3870E+01	1.9926E+01	2.3344E+01
RHO	1.0634E+01	5.1956E+01	6.0064E+01
H	3.2625E+01	5.7711E+01	7.0063E+01
A	3.8596E+00	5.3381E+00	6.2175E+00
S	1.4630E+00	1.5618E+00	1.6274E+00
Z	1.2888E+00	1.5828E+00	1.7140E+00
GAME	8.3339E-01	9.0351E-01	9.6616E-01
U	1.0969E+01	2.2476E+00	2.3569E+00

SPECIES	MOLE FRACTIONS		
E-	3.1786E-09	5.2709E-07	2.3751E-06
H	3.0362E-01	5.6778E-01	6.7144E-01
H+	2.9702E-09	4.9587E-07	2.2716E-06
H2	5.6915E-01	3.2480E-01	2.2891E-01
H-	5.8316E-11	3.5795E-08	1.8267E-07
H2+	2.6673E-10	6.7014E-08	2.8611E-07
HE	1.2723E-01	1.0742E-01	9.9641E-02
HE+	1.0919E-23	5.6541E-18	2.2676E-16
HE++	5.3008E-85	3.7777E-64	4.8342E-58

SPECIES	MOLE FRACTIONS		
E-	2.5091E-08	5.4115E-06	3.9730E-05
H	4.4817E-01	7.3638E-01	8.3300E-01
H+	2.3757E-08	5.2377E-06	3.9136E-05
H2	4.3564E-01	1.6884E-01	7.9396E-02
H-	5.8328E-10	3.8119E-07	2.5224E-06
H2+	1.9171E-09	5.5506E-07	3.1160E-06
HE	1.1639E-01	9.4771E-02	8.7516E-02
HE+	1.2482E-21	1.4609E-15	2.0547E-13
HE++	4.8043E-78	2.4647E-56	4.9567E-47

TABLE I. - Continued

$$P_1 = 5 \text{ kN/m}^2$$

$P_1 = 5.00E+03 \text{ N/SQ-M}$, $US_1 = 1.60E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.1703E+02	1.9380E+03	2.9044E+03
T	1.4508E+01	2.1848E+01	2.7751E+01
RHO	1.1076E+01	5.2948E+01	5.8248E+01
H	3.7007E+01	6.5730E+01	8.1141E+01
A	4.0551E+00	5.8626E+00	7.2507E+00
S	1.5069E+00	1.6135E+00	1.6851E+00
Z	1.3506E+00	1.6753E+00	1.7968E+00
GAM	8.3923E-01	9.3905E-01	1.0544E+00
U	1.1749E+01	2.4600E+00	2.7562E+00

SPECIES ----- MOLE FRACTIONS -----

E-	6.1195E-08	1.8571E-05	2.7545E-04
H	5.1920E-01	8.0612E-01	8.8607E-01
H+	5.8318E-08	1.8202E-05	2.7393E-04
H2	3.6974E-01	1.0430E-01	2.9877E-02
H-	1.5341E-09	1.1823E-06	1.1975E-05
H2+	4.4109E-09	1.5503E-06	1.3502E-05
HE	1.1106E-01	8.9537E-02	8.3482E-02
HE+	9.3663E-21	2.9108E-14	2.3166E-11
HE++	4.1560E-74	3.4704E-50	1.5773E-39

$P_1 = 5.00E+03 \text{ N/SQ-M}$, $US_1 = 1.80E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.7583E+02	2.5093E+03	4.0586E+03
T	1.5884E+01	2.8377E+01	4.1788E+01
RHO	1.1687E+01	4.8859E+01	5.2229E+01
H	4.6609E+01	8.2819E+01	1.0715E+02
A	4.4941E+00	7.4153E+00	8.8801E+00
S	1.5976E+00	1.7092E+00	1.7830E+00
Z	1.4859E+00	1.8098E+00	1.8596E+00
GAM	8.5571E-01	1.0707E+00	1.0148E+00
U	1.3286E+01	3.1818E+00	3.8275E+00

SPECIES ----- MOLE FRACTIONS -----

E-	3.2661E-07	3.7698E-04	9.4179E-03
H	6.5406E-01	8.9377E-01	8.9611E-01
H+	3.1548E-07	3.7537E-04	9.3882E-03
H2	2.4499E-01	2.2568E-02	4.0977E-03
H-	8.7804E-09	1.3199E-05	1.4618E-04
H2+	1.9911E-08	1.4804E-05	1.7568E-04
HE	1.0095E-01	8.2682E-02	8.0664E-02
HE+	4.7497E-19	4.3799E-11	1.2982E-07
HE++	2.6697E-68	1.4156E-38	5.4952E-26

$P_1 = 5.00E+03 \text{ N/SQ-M}$, $US_1 = 1.70E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.4563E+02	2.2351E+02	3.4735E+03
T	1.5172E+01	2.4504E+01	3.4744E+01
RHO	1.1429E+01	5.1952E+01	5.4421E+01
H	4.1669E+01	7.4135E+01	9.3890E+01
A	4.2652E+00	6.5519E+00	8.3098E+00
S	1.5518E+00	1.6633E+00	1.7388E+00
Z	1.4165E+00	1.7558E+00	1.8371E+00
GAM	8.4648E-01	9.9778E-01	1.0819E+00
U	1.2521E+01	2.7564E+00	3.3216E+00

SPECIES ----- MOLE FRACTIONS -----

E-	1.4253E-07	7.5564E-05	2.2667E-03
H	5.8810E-01	8.6068E-01	9.0446E-01
H+	1.3674E-07	7.4810E-05	2.2601E-03
H2	3.0601E-01	5.3728E-02	9.2466E-03
H-	3.7532E-09	3.8524E-06	5.5555E-05
H2+	9.5488E-09	4.6064E-06	6.2184E-05
HE	1.0589E-01	8.5432E-02	8.1652E-02
HE+	6.5992E-20	8.6971E-13	3.9823E-09
HE++	3.0101E-71	3.9564E-45	1.8051E-31

$P_1 = 5.00E+03 \text{ N/SQ-M}$, $US_1 = 1.90E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.0758E+02	2.7577E+03	4.6158E+03
T	1.6676E+01	3.3369E+01	4.7359E+01
RHO	1.1839E+01	4.5008E+01	5.1706E+01
H	5.1827E+01	9.1771E+01	1.2018E+02
A	4.7488E+00	8.1649E+00	9.2593E+00
S	1.6440E+00	1.7501E+00	1.8204E+00
Z	1.5558E+00	1.8362E+00	1.8849E+00
GAM	8.6797E-01	1.0880E+00	9.6042E-01
U	1.4041E+01	3.6871E+00	4.1648E+00

SPECIES ----- MOLE FRACTIONS -----

E-	7.5058E-07	1.7714E-03	2.1376E-02
H	7.1633E-01	9.0543E-01	8.7465E-01
H+	7.2988E-07	1.7670E-03	2.1300E-02
H2	1.8740E-01	9.2546E-03	2.5223E-03
H-	2.0027E-08	3.9510E-05	2.4775E-04
H2+	4.0729E-08	4.3942E-05	3.2257E-04
HE	9.6275E-02	8.1691E-02	7.9978E-02
HE+	3.2955E-18	1.8802E-09	9.8639E-07
HE++	6.0852E-65	1.0383E-32	8.2392E-23

TABLE I. -Continued

$$p_1 = 5 \text{ kN/m}^2$$

$p_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 2.00E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.4077E+02	2.9877E+03	5.1325E+03
T	1.7604E+01	3.8518E+01	5.1638E+01
RHO	1.1867E+01	4.1879E+01	5.1713E+01
H	5.7320E+01	1.0107E+02	1.3321E+02
A	5.0429E+00	8.6251E+00	9.5966E+00
S	1.6904E+00	1.7868E+00	1.8549E+00
Z	1.6312E+00	1.8521E+00	1.9146E+00
GAME	8.8559E-01	1.0428E+00	9.2791E-01
U	1.4783E+01	4.1840E+00	4.4040E+00

SPECIES	MOLE FRACTIONS		
E-	1.8190E-06	5.8300E-03	3.6034E-02
H	7.7389E-01	9.0261E-01	8.4711E-01
H+	1.7810E-06	5.8163E-03	3.5895E-02
H2	1.3615E-01	4.5656E-03	1.8052E-03
H2+	4.6264E-08	8.7298E-05	3.3921E-04
H2O	8.6319E-08	1.0057E-04	4.7435E-04
HE	9.1958E-02	8.0987E-02	7.8341E-02
HE+	2.7850E-17	3.3791E-08	3.6799E-06
HE++	7.7674E-62	3.4954E-28	9.5173E-21

$p_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 2.20E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.1049E+02	3.3877E+03	5.8873E+03
T	2.0424E+01	4.7185E+01	5.8719E+01
RHO	1.1371E+01	3.7951E+01	5.0594E+01
H	6.9104E+01	1.2109E+02	1.5926E+02
A	5.9002E+00	9.2141E+00	1.0205E+01
S	1.7812E+00	1.8544E+00	1.9216E+00
Z	1.7674E+00	1.8919E+00	1.9817E+00
GAME	9.6436E-01	9.5107E-01	9.6949E-01
U	1.6197E+01	4.8418E+00	4.6910E+00

SPECIES	MOLE FRACTIONS		
E-	1.6524E-05	2.4255E-02	6.8274E-02
H	8.6837E-01	8.6993E-01	7.8576E-01
H+	1.6387E-05	2.4191E-02	6.7991E-02
H2	4.6720E-02	1.8607E-03	1.0932E-03
H2+	3.1118E-07	2.0761E-04	4.6406E-04
H2O	4.4930E-07	2.6983E-04	7.2784E-04
HE	8.6868E-02	7.9286E-02	7.5674E-02
HE+	5.8932E-15	1.0855E-06	1.9167E-05
HE++	2.7991E-53	9.1522E-23	3.6263E-18

$p_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 2.10E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.7521E+02	3.2070E+03	5.5739E+03
T	1.8781E+01	4.3183E+01	5.5559E+01
RHO	1.1731E+01	3.9719E+01	5.1524E+01
H	6.3088E+01	1.1086E+02	1.4624E+02
A	5.4065E+00	8.9396E+00	9.9105E+00
S	1.7365E+00	1.821CE+00	1.8882E+00
Z	1.7030E+00	1.8697E+00	1.9472E+00
GAME	9.1389E-01	9.8978E-01	9.0797E-01
U	1.5506E+01	4.5705E+00	4.5696E+00

SPECIES	MOLE FRACTIONS		
E-	4.9285E-06	1.3474E-02	5.1899E-02
H	8.2561E-01	8.8980E-01	8.1697E-01
H+	4.8575E-06	1.3440E-02	5.1688E-02
H2	8.6299E-02	2.7370E-03	1.3849E-03
H2+	1.1296E-07	1.4775E-04	4.1252E-04
H2O	1.8392E-07	1.8106E-04	6.1353E-04
HE	8.8078E-02	8.0225E-02	7.7026E-02
HE+	3.0596E-16	2.5861E-07	9.3968E-06
HE++	7.6006E-60	5.3330E-25	2.8024E-19

$p_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 2.30E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.4595E+02	3.4833E+03	5.9969E+03
T	2.2933E+01	5.0544E+01	6.1370E+01
RHO	1.0718E+01	3.5930E+01	4.8434E+01
H	7.5336E+01	1.3157E+02	1.7203E+02
A	6.5982E+00	9.4723E+00	1.0475E+01
S	1.8233E+00	1.8884E+00	1.9562E+00
Z	1.8143E+00	1.918CE+00	2.0175E+00
GAME	1.0464E+00	9.2551E-01	8.8617E-01
U	1.6834E+01	5.0090E+00	4.7770E+00

SPECIES	MOLE FRACTIONS		
E-	7.6020E-05	3.7181E-02	8.4718E-02
H	8.9740E-01	8.4557E-01	7.5640E-01
H+	7.5742E-05	3.7083E-02	8.4370E-02
H2	1.9767E-02	1.3533E-03	8.6794E-04
H2+	1.0318E-06	2.5653E-04	4.9044E-04
H2O	1.3099E-06	3.5166E-04	8.0445E-04
HE	8.2678E-02	7.8202E-02	7.4314E-02
HE+	2.4983E-13	3.0784E-06	3.3670E-05
HE++	2.2283E-47	3.7782E-21	2.6253E-17

TABLE I. Continued

 $P_1 = 5 \text{ kN/m}^2$

$P_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 2.40E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

MOVING SHOCK, STANDING SHOCK, REFLECTED SHOCK		
P_1	$4.8132E+02$	$3.4976E+03$
T	$2.6510E+01$	$5.3371E+01$
ρ	$9.8808E+00$	$3.3653E+01$
H	$8.1847E+01$	$1.4218E+02$
A	$7.3439E+00$	$9.7175E+00$
S	$1.8611E+00$	$1.9230E+00$
Z	$1.8375E+00$	$1.9473E+00$
γ_{GAME}	$1.1072E+00$	$9.0859E-01$
γ_{U}	$1.7415E+01$	$5.1016E+00$
		$4.8377E+00$

SPECIES MOLE FRACTIONS		
E^-	$4.1467E-04$	$5.1408E-02$
H_2	$9.1033E-01$	$8.1856E-01$
H_2+	$4.1411E-04$	$5.1274E-02$
H_2^+	$7.2047E-03$	$1.0219E-03$
H_2^+	$3.6146E-06$	$2.9106E-04$
H_2^+	$4.1669E-06$	$4.1757E-04$
He	$8.1632E-02$	$7.7023E-02$
He^+	$1.6228E-11$	$6.7793E-06$
He^{++}	$9.6905E-01$	$6.2236E-20$
		$1.2757E-16$

$P_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 2.60E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

MOVING SHOCK, STANDING SHOCK, REFLECTED SHOCK		
P_1	$5.5578E+02$	$3.6117E+03$
T	$3.4553E+01$	$5.8306E+01$
ρ	$8.6611E+00$	$3.0768E+01$
H	$9.5587E+01$	$1.6468E+02$
A	$8.1581E+00$	$1.0214E+01$
S	$1.9246E+00$	$1.9887E+00$
Z	$1.8571E+00$	$2.0133E+00$
γ_{GAME}	$1.0372E+00$	$8.8879E-01$
γ_{U}	$1.8567E+01$	$5.2190E+00$
		$4.9508E+00$

SPECIES MOLE FRACTIONS		
E^-	$5.3989E-03$	$8.2271E-02$
H_2	$9.0686E+01$	$7.5965E-01$
H_2^+	$5.3963E-03$	$8.2059E-02$
H_2^+	$1.5337E-03$	$6.4401E-04$
H_2^+	$2.1621E-05$	$3.3905E-04$
H_2^+	$2.4233E-05$	$5.2851E-04$
He	$8.0770E-02$	$7.4483E-02$
He^+	$8.7766E-09$	$2.2354E-05$
He^{++}	$7.8222E-31$	$4.3528E-18$
		$1.8620E-15$

$P_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 2.50E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

MOVING SHOCK, STANDING SHOCK, REFLECTED SHOCK		
P_1	$5.1755E+02$	$3.5227E+03$
T	$3.0576E+01$	$5.5897E+01$
ρ	$9.1606E+00$	$3.1844E+01$
H	$8.8576E+01$	$1.5312E+02$
A	$7.8556E+00$	$9.9615E+00$
S	$1.8943E+00$	$1.9566E+00$
Z	$1.8476E+00$	$1.9791E+00$
γ_{GAME}	$1.0923E+00$	$8.9702E-01$
γ_{U}	$1.7979E+01$	$5.1627E+00$
		$4.8954E+00$

SPECIES MOLE FRACTIONS		
E^-	$1.7895E-03$	$6.6492E-02$
H_2	$9.1224E-01$	$7.8980E-01$
H_2^+	$1.7884E-03$	$6.6321E-02$
H_2^+	$2.9859E-03$	$7.9853E-04$
H_2^+	$1.0168E-05$	$3.1667E-04$
H_2^+	$1.1303E-05$	$4.7447E-04$
He	$8.1179E-02$	$7.5780E-02$
He^+	$5.8686E-10$	$1.2859E-05$
He^{++}	$4.5109E-35$	$6.0407E-19$
		$5.0838E-16$

$P_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 2.70E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

MOVING SHOCK, STANDING SHOCK, REFLECTED SHOCK		
P_1	$5.9678E+02$	$3.7874E+03$
T	$3.8043E+01$	$6.0705E+01$
ρ	$8.3885E+00$	$3.0437E+01$
H	$1.0291E+02$	$1.7706E+02$
A	$8.3718E+00$	$1.0481E+01$
S	$1.9523E+00$	$2.0193E+00$
Z	$1.8701E+00$	$2.0498E+00$
γ_{GAME}	$9.8516E-01$	$8.8274E-01$
γ_{U}	$1.9201E+01$	$5.2860E+00$
		$5.0246E+00$

SPECIES MOLE FRACTIONS		
E^-	$1.1734E-02$	$9.8610E-02$
H_2	$8.9529E-01$	$7.2839E-01$
H_2^+	$1.1728E-02$	$9.8348E-02$
H_2^+	$9.5702E-04$	$5.3253E-04$
H_2^+	$3.6251E-05$	$3.6021E-04$
H_2^+	$4.1800E-05$	$5.8510E-04$
He	$8.0211E-02$	$7.3140E-02$
He^+	$5.9277E-08$	$3.6800E-05$
He^{++}	$7.5843E-28$	$2.6283E-17$
		$6.7152E-15$

TABLE I. - Continued

$$P_1 = 5 \text{ kN/m}^2$$

$P_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 2.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

$P_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 3.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.4046E+02	4.0367E+03	6.4823E+03
T	4.1058E+01	6.3116E+01	7.2386E+01
RHO	8.2652E+00	3.0623E+01	4.0385E+01
H	1.1056E+02	1.9027E+02	2.4070E+02
A	8.5721E+00	1.0759E+01	1.1808E+01
S	1.9784E+00	2.0490E+00	2.1229E+00
Z	1.8873E+00	2.0885E+00	2.2175E+00
GAME	9.4827E-01	8.7822E-01	8.6867E-01
U	1.9872E+01	5.3483E+00	5.1105E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	7.3508E+02	4.6838E+03	7.3995E+03
T	4.6034E+01	6.7925E+01	7.7454E+01
RHO	8.2646E+00	3.1768E+01	4.1360E+01
H	1.2677E+02	2.1877E+02	2.7465E+02
A	8.9850E+00	1.1341E+01	1.2455E+01
S	2.0284E+00	2.1071E+00	2.1854E+00
Z	1.9321E+00	2.1706E+00	2.3095E+00
GAME	9.0768E-01	8.7235E-01	8.6705E-01
U	2.1292E+01	5.5299E+00	5.3115E+00

SPECIES	MOLE FRACTIONS		
E-	2.0506E-02	1.1530E-01	1.6699E-01
H+	8.7873E-01	6.9643E-01	5.9731E-01
H+	2.0496E-02	1.1498E-01	1.6629E-01
H2	6.7657E-04	4.4781E-04	3.1318E-04
H-	5.2120E-05	3.7969E-04	4.8831E-04
H2+	6.2214E-05	6.4222E-04	9.5696E-04
HE	7.9478E-02	7.1763E-02	6.7471E-02
HE+	2.3760E-07	5.8066E-05	2.2716E-04
HE++	1.1371E-25	1.3784E-16	2.3305E-14

SPECIES	MOLE FRACTIONS		
E-	4.3016E-02	1.4878E-01	2.0034E-01
H	8.3575E-01	6.3233E-01	5.3367E-01
H+	4.2992E-02	1.4831E-01	1.9936E-01
H2	4.1492E-04	3.2431E-04	2.1738E-04
H-	8.2950E-05	4.0822E-04	4.7335E-04
H2+	1.0615E-04	7.4781E-04	1.0076E-03
HE	7.7634E-02	6.8975E-02	6.4494E-02
HE+	1.5689E-06	1.3012E-04	4.4267E-04
HE++	1.0611E-22	2.6239E-15	2.6297E-13

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.8663E+02	4.3380E+03	6.9048E+03
T	4.3690E+01	6.5520E+01	7.4885E+01
RHO	8.2359E+00	3.1101E+01	4.0739E+01
H	1.1851E+02	2.0418E+02	2.5723E+02
A	8.7763E+00	1.1047E+01	1.2126E+01
S	2.0037E+00	2.0782E+00	2.1544E+00
Z	1.9082E+00	2.1289E+00	2.2633E+00
GAME	9.2388E-01	8.7485E-01	8.6756E-01
U	2.0572E+01	5.4347E+00	5.2067E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	8.3868E+02	5.4868E+03	8.5634E+03
T	5.0131E+01	7.2768E+01	8.2858E+01
RHO	8.4171E+00	3.3400E+01	4.2950E+01
H	1.4417E+02	2.4983E+02	3.1195E+02
A	9.4091E+00	1.1951E+01	1.3154E+01
S	2.0769E+00	2.1645E+00	2.2470E+00
Z	1.9866E+00	2.2575E+00	2.4063E+00
GAME	8.8894E-01	8.6944E-01	8.6784E-01
U	2.2768E+01	5.7291E+00	5.5477E+00

SPECIES	MOLE FRACTIONS		
E-	3.1113E-02	1.3207E-01	1.8386E-01
H	8.5851E-01	6.6432E-01	5.6510E-01
H+	3.1096E-02	1.3168E-01	1.8304E-01
H2	5.1703E-04	3.8019E-04	2.6092E-04
H-	6.7915E-05	3.9591E-04	4.8155E-04
H2+	8.3982E-05	6.9703E-04	9.8557E-04
HE	7.8606E-02	7.0372E-02	6.5955E-02
HE+	6.8114E-07	8.8286E-05	3.1943E-04
HE++	5.1356E-24	6.3474E-16	8.0240E-14

SPECIES	MOLE FRACTIONS		
E-	6.9221E-02	1.8159E-01	2.3235E-01
H	7.8555E-01	5.6957E-01	4.7276E-01
H+	6.9175E-02	1.8051E-01	2.3094E-01
H2	2.9073E-04	2.3609E-04	1.4809E-04
H-	1.0954E-04	4.1941E-04	4.4437E-04
H2+	1.4946E-04	8.3074E-04	1.0230E-03
HE	7.5499E-02	6.6181E-02	6.1513E-02
HE+	5.5670E-06	2.6296E-04	8.2443E-04
HE++	1.0625E-20	3.4593E-14	2.5398E-12

TABLE I. - Continued

$$P_1 = 5 \text{ kN/m}^2$$

$P_1 = 5.00E+03 \text{ N/SQ-M}$, $US_1 = 3.40E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	9.4928E+02	6.4061E+03	9.9184E+03
T	5.3724E+01	7.7691E+01	8.8713E+01
RHO	8.6278E+00	3.5119E+01	4.4602E+01
H	1.6273E+02	2.8317E+02	3.5238E+02
A	9.8369E+00	1.2589E+01	1.3918E+01
S	2.1251E+00	2.2218E+00	2.3092E+00
Z	2.0480E+00	2.3479E+00	2.5067E+00
GAME	8.7946E-01	8.6886E-01	8.7108E-01
U	2.4269E+01	5.9637E+00	5.8190E+00

SPECIES	MOLE FRACTIONS		
E-	9.7083E-02	2.1312E-01	2.6307E-01
H	7.3213E-01	5.0938E-01	4.1462E-01
H+	9.7010E-02	2.1216E-01	2.6099E-01
H2	2.1614E-04	1.6930E-04	9.6546E-05
H2+	1.3072E-04	4.1172E-04	3.9926E-04
HE	1.8918E-04	8.7995E-04	9.9167E-04
HE+	7.3228E-02	6.3352E-02	5.8349E-02
HE++	1.4373E-05	4.9415E-04	1.4906E-03
HE***	3.3968E-19	3.4893E-13	2.2181E-11

$P_1 = 5.00E+03 \text{ N/SQ-M}$, $US_1 = 3.80E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.1932E+03	8.5322E+03	1.3121E+04
T	6.0118E+01	6.8138E+01	1.0224E+02
RHO	9.0815E+00	3.8171E+01	4.7278E+01
H	2.0329E+02	3.5627E+02	4.4265E+02
A	1.0704E+01	1.3978E+01	1.5674E+01
S	2.2218E+00	2.3367E+00	2.4433E+00
Z	2.1855E+00	2.5361E+00	2.7145E+00
GAME	8.7210E-01	8.7416E-01	8.8517E-01
U	2.7300E+01	6.5073E+00	6.4939E+00

SPECIES	MOLE FRACTIONS		
E-	1.5389E-01	2.7147E-01	3.1931E-01
H	6.2321E-01	3.9866E-01	3.0997E-01
H+	1.5373E-01	2.6943E-01	3.1436E-01
H2	1.2742E-04	7.9184E-05	3.4429E-05
H2+	1.5621E-04	3.4899E-04	2.8455E-04
HE	2.5165E-04	8.6097E-04	7.9909E-04
HE+	6.8576E-02	5.7623E-02	5.0801E-02
HE++	5.8790E-05	1.5236E-03	4.4574E-03
HE***	5.9441E-17	2.1531E-11	1.3571E-09

$P_1 = 5.00E+03 \text{ N/SQ-M}$, $US_1 = 3.60E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.0676E+03	7.4249E+03	1.1440E+04
T	5.7013E+01	8.2781E+01	9.5109E+01
RHO	8.8555E+00	3.6745E+01	4.6092E+01
H	1.0244E+02	3.1867E+02	3.9589E+02
A	1.0268E+01	1.3262E+01	1.4752E+01
S	2.1733E+00	2.2793E+00	2.3714E+00
Z	2.1146E+00	2.4410E+00	2.6096E+00
GAME	8.7450E-01	8.7045E-01	8.7680E-01
U	2.5781E+01	6.2221E+00	6.1310E+00

SPECIES	MOLE FRACTIONS		
E-	1.2551E-01	2.4311E-01	2.9206E-01
H	6.7761E-01	4.5232E-01	3.6027E-01
H+	1.2540E-01	2.4172E-01	2.8887E-01
H2	1.6509E-04	1.1803E-04	5.9613E-05
H2+	1.4625E-04	3.8701E-04	3.4366E-04
HE	2.2361E-04	8.9026E-04	9.1434E-04
HE+	7.0905E-02	6.0568E-02	5.4861E-02
HE++	3.0830E-05	8.8322E-04	2.6179E-03
HE***	5.5644E-18	2.9217E-12	1.7836E-10

$P_1 = 5.00E+03 \text{ N/SQ-M}$, $US_1 = 4.00E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.3257E+03	9.7094E+03	1.4946E+04
T	6.3116E+01	9.3849E+01	1.1029E+02
RHO	9.2935E+00	3.9301E+01	4.8060E+01
H	2.2527E+02	3.9584E+02	4.9262E+02
A	1.1149E+01	1.4744E+01	1.6704E+01
S	2.2707E+00	2.3939E+00	2.4495E+00
Z	2.2601E+00	2.6324E+00	2.8199E+00
GAME	8.7137E-01	8.7994E-01	8.9723E-01
U	2.8817E+01	6.8284E+00	6.9074E+00

SPECIES	MOLE FRACTIONS		
E-	1.8182E-01	2.9807E-01	3.4462E-01
H	5.6967E-01	3.4878E-01	2.6432E-01
H+	1.8161E-01	2.9502E-01	3.3696E-01
H2	9.8402E-05	5.0753E-05	1.8503E-05
H2+	1.6085E-04	3.0274E-04	2.2935E-04
HE	2.7249E-04	7.9575E-04	6.6106E-04
HE+	6.6265E-02	5.4432E-02	4.5957E-02
HE++	1.0357E-04	2.5501E-03	7.2364E-03
HE***	4.7456E-16	1.4419E-10	9.7156E-09

TABLE I. -Continued

$$P_1 = 5 \text{ kN/m}^2$$

$P_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 4.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

NO. 42				
MOVING SHOCK		STANDING SHOCK		REFLECTED SHOCK
E-	1.4650E+03	1.0943E+04	1.6917E+04	
H-	6.6063E+01	1.0002E+02	1.1963E+02	
H+	9.4852E+00	6.0090E+01	4.8325E+01	
H2	2.4837E+02	4.3733E+02	5.4621E+02	
A	1.1605E+01	1.5567E+01	1.7910E+01	
S	2.3200E+00	2.4506E+00	2.5577E+00	
Z	2.3380E+00	2.7291E+00	2.9262E+00	
GAME	8.7191E-01	8.8776E-01	9.1628E-01	
U	3.0331E+01	7.1900E+00	7.3954E+00	

SPECIES				MOLE FRACTIONS
E-	2.0907E-01	3.2284E-01	3.6830E-01	
H-	5.1748E-01	3.0254E-01	2.2279E-01	
H+	2.0877E-01	3.1826E-01	3.5694E-01	
H2	7.5510E-05	3.0925E-05	9.1047E-06	
A	1.6058E-04	2.5393E-04	1.8240E-04	
S	2.8572E-04	7.0306E-04	5.1500E-04	
Z	6.3986E-02	5.0828E-02	4.0236E-02	
GAME	1.7270E-04	4.1360E-03	1.1025E-02	
HE++	3.0862E-15	8.9520E-10	6.6553E-08	

$P_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 4.60E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

NO. 43				
MOVING SHOCK		STANDING SHOCK		REFLECTED SHOCK
E-	1.7639E+03	1.3517E+04	1.3517E+04	2.1323E+04
H-	7.1992E+01	1.1418E+02	1.1418E+02	1.4430E+02
H+	9.7928E+00	4.0553E+01	4.0553E+01	4.7134E+01
H2	2.9795E+02	5.2580E+02	5.2580E+02	6.6655E+02
A	1.2563E+01	1.7439E+01	1.7439E+01	2.1173E+01
S	2.4197E+00	2.5614E+00	2.5614E+00	2.6780E+00
Z	2.5020E+00	2.9194E+00	2.9194E+00	3.1350E+00
GAME	8.7626E-01	9.1232E-01	9.1232E-01	9.9096E-01
U	3.3348E+01	8.0665E+00	8.0665E+00	8.7219E+00

SPECIES				MOLE FRACTIONS
E-	2.6091E-01	3.6681E-01	4.1015E-01	
H-	6.1832E-01	2.2419E-01	1.5144E-01	
H+	2.6034E-01	3.5696E-01	3.9019E-01	
H2	4.2701E-05	9.7938E-06	1.6205E-06	
A	1.4744E-04	1.6756E-04	1.1948E-04	
H-	2.8888E-04	4.8151E-04	2.5787E-04	
H+	5.9520E-02	4.1848E-02	2.8022E-02	
HE	4.3316E-04	9.5315E-03	1.9821E-02	
HE++	8.7987E-14	2.7766E-08	2.7518E-06	

$P_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 4.40E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

NO. 44				
MOVING SHOCK		STANDING SHOCK		REFLECTED SHOCK
E-	1.6115E+03	1.2228E+04	1.9050E+04	
H-	6.9010E+01	1.0678E+02	1.3066E+02	
H+	9.6548E+00	4.0532E+01	4.8106E+01	
H2	2.7261E+02	4.8081E+02	6.0404E+02	
A	1.2075E+01	1.6460E+01	1.9361E+01	
S	2.3697E+00	2.5066E+00	2.6181E+00	
Z	2.4187E+00	2.8253E+00	3.0308E+00	
GAME	8.7355E-01	8.9811E-01	9.4664E-01	
U	3.1851E+01	7.6028E+00	7.9829E+00	

SPECIES				MOLE FRACTIONS
E-	2.3548E-01	3.4581E-01	3.8997E-01	
H-	4.6693E-01	2.6131E-01	1.8568E-01	
H+	2.3507E-01	3.3897E-01	3.7433E-01	
H2	5.7264E-05	1.7850E-05	4.0968E-06	
A	1.5593E-04	2.0763E-04	1.4656E-04	
S	2.9120E-04	5.9425E-04	3.7844E-04	
Z	6.1739E-02	4.6637E-02	3.4078E-02	
GAME	2.7724E-04	6.4550E-03	1.5414E-02	
HE++	1.7376E-14	5.2076E-09	4.2908E-07	

$P_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 4.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

NO. 45				
MOVING SHOCK		STANDING SHOCK		REFLECTED SHOCK
P	1.9227E+03	1.4800E+04	1.4800E+04	2.3782E+04
T	7.5057E+01	1.2241E+02	1.2241E+02	1.6148E+02
RHO	9.9006E+00	4.0146E+01	4.0146E+01	4.5529E+01
H	3.2440E+02	5.7237E+02	5.7237E+02	7.3529E+02
A	1.3073E+01	1.8546E+01	1.8546E+01	2.3328E+01
S	2.4700E+00	2.6150E+00	2.6150E+00	2.7368E+00
Z	2.5874E+00	3.0115E+00	3.0115E+00	3.2347E+00
GAME	8.8008E-01	9.3298E-01	9.3298E-01	1.0418E+00
U	3.4837E+01	8.6119E+00	8.6119E+00	8.6808E+00

SPECIES				MOLE FRACTIONS
E-	2.8530E-01	3.8606E-01	4.2824E-01	
H-	3.7179E-01	1.9100E-01	1.2061E-01	
H+	2.8449E-01	3.7261E-01	4.0451E-01	
H2	3.1161E-05	5.0766E-06	5.6403E-07	
A	1.3584E-04	1.3484E-04	9.9221E-05	
H-	2.7923E-04	3.7393E-04	1.6327E-04	
H+	5.7309E-02	3.6592E-02	2.2726E-02	
HE	6.6502E-04	1.3217E-02	2.3628E-02	
HE++	4.1468E-13	1.3743E-07	1.7594E-05	

TABLE I. -Continued

$$p_1 = 5 \text{ kN/m}^2$$

$p_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 5.00E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.0883E+03	1.6079E+04	2.6405E+04
T	7.8252E+01	1.3190E+02	1.8265E+02
RHO	9.9782E+00	3.9302E+01	4.3491E+01
H	3.5198E+02	6.2067E+02	8.0987E+02
A	1.3610E+01	1.9848E+01	2.5642E+01
S	2.5203E+00	2.6678E+00	2.7937E+00
Z	2.6746E+00	3.1019E+00	3.3242E+00
GAME	8.8508E-01	9.6284E-01	1.0829E+00
U	3.6326E+01	9.2121E+00	1.0799E+01

SPECIES	MOLE FRACTIONS		
E-	3.0858E-01	4.0387E-01	4.4357E-01
H+	3.2750E-01	1.6089E-01	9.4375E-02
H ⁺	3.0743E-01	3.8650E-01	4.1675E-01
H2	2.2142E-05	2.4455E-06	1.8156E-07
H-	1.2188E-04	1.0893E-04	8.2831E-05
H2+	2.6292E-04	2.7689E-04	9.8371E-05
HE	5.5074E-02	3.1160E-02	1.8430E-02
HE+	1.0105E-03	1.7157E-02	2.6588E-02
HE++	1.8692E-12	6.5215E-07	1.0584E-04

$p_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 5.20E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.2586E+03	1.7265E+04	2.9098E+04
T	8.1615E+01	1.4235E+02	2.0646E+02
RHO	1.0016E+01	3.8085E+01	4.1488E+01
H	3.8062E+02	6.6978E+02	8.8923E+02
A	1.4177E+01	2.1285E+01	2.7784E+01
S	2.5703E+00	2.7166E+00	2.8466E+00
Z	2.7629E+00	3.1846E+00	3.3971E+00
GAME	8.9132E-01	9.9939E-01	1.1006E+00
U	3.7779E+01	9.9232E+00	1.2043E+01

SPECIES	MOLE FRACTIONS		
E-	3.3066E-01	4.1928E-01	4.5548E-01
H+	2.8568E-01	1.3499E-01	7.4338E-02
H ⁺	3.2900E-01	3.9834E-01	4.2589E-01
H2	1.5238E-05	1.1371E-06	6.1638E-08
H-	1.0635E-04	8.9766E-05	6.9138E-05
H2+	2.4078E-04	1.9892E-04	6.0145E-05
HE	5.2765E-02	2.6273E-02	1.5068E-02
HE+	1.5258E-03	2.0826E-02	2.8573E-02
HE++	8.1906E-12	2.7647E-06	5.1359E-04

$p_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 5.40E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.4356E+03	1.8353E+04	3.1792E+04
T	8.5217E+01	1.5462E+02	2.3124E+02
RHO	1.0022E+01	3.6365E+01	3.9780E+01
H	4.1038E+02	7.1996E+02	9.7090E+02
A	1.4780E+01	2.2910E+01	2.9359E+01
S	2.6207E+00	2.7652E+00	2.8944E+00
Z	2.8518E+00	3.2639E+00	3.4561E+00
GAME	8.9884E-01	1.0401E+00	1.0933E+00
U	3.9232E+01	1.0797E+01	1.3211E+01

SPECIES	MOLE FRACTIONS		
E-	3.5151E-01	4.3333E-01	4.6476E-01
H+	2.4650E-01	1.1131E-01	5.9955E-02
H ⁺	3.4908E-01	4.0919E-01	4.3179E-01
H2	1.0100E-05	4.8640E-07	2.3981E-08
H-	9.0153E-05	7.4094E-05	5.7904E-05
H2+	2.1422E-04	1.3578E-04	3.8943E-05
HE	5.0299E-02	2.1886E-02	1.2264E-02
HE+	2.2996E-03	2.4059E-02	2.9205E-02
HE++	3.5652E-11	1.1550E-05	1.8515E-03

$p_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 5.60E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.6193E+03	1.9360E+04	3.4438E+04
T	8.9119E+01	1.6797E+02	2.5533E+02
RHO	9.9958E+00	3.4597E+01	3.8459E+01
H	4.4127E+02	7.7134E+02	1.0542E+03
A	1.5621E+01	2.4522E+01	3.1000E+01
S	2.6705E+00	2.8094E+00	2.9385E+00
Z	2.9404E+00	3.3315E+00	3.5070E+00
GAME	9.0733E-01	1.0746E+00	1.0732E+00
U	4.0685E+01	1.1770E+01	1.4272E+01

SPECIES	MOLE FRACTIONS		
E-	3.7102E-01	4.4478E-01	4.7251E-01
H+	2.1025E-01	9.1945E-02	4.9974E-02
H ⁺	3.6745E-01	4.1809E-01	4.3667E-01
H2	6.4154E-06	2.0924E-07	1.1056E-08
H-	7.6157E-05	6.2247E-05	4.9280E-05
H2+	1.84679E-04	9.2086E-05	2.7201E-05
HE	4.7553E-02	1.8412E-02	9.7344E-03
HE+	3.4605E-03	2.6571E-02	2.8217E-02
HE++	1.5582E-10	4.2693E-05	4.8202E-03

TABLE I. -Continued

$$P_1 = 5 \text{ kN/m}^2$$

$P_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 5.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.8079E+03	2.0278E+04	3.6974E+04
T	9.3361E+01	1.8307E+02	2.7829E+02
RHO	9.9354E+00	3.2656E+01	3.7373E+01
H	4.7322E+02	8.2358E+02	1.1386E+03
A	1.6100E+01	2.6132E+01	3.2361E+01
S	2.7195E+00	2.8531E+00	2.9798E+00
Z	3.0271E+00	3.3918E+00	3.5549E+00
GAME	9.1714E-01	1.0997E+00	1.0586E+00
U	4.2111E+01	1.2781E+01	1.5249E+01

$P_1 = 5.20E+03 \text{ N/SQ-M}$, $US1 = 6.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.2007E+03	2.1775E+04	4.1635E+04
T	1.0322E+02	2.1511E+02	3.2258E+02
RHO	9.7123E+00	2.9049E+01	3.5434E+01
H	5.4036E+02	9.3029E+02	1.3113E+03
A	1.7598E+01	2.8813E+01	3.5407E+01
S	2.8156E+00	2.9330E+00	3.0557E+00
Z	3.1927E+00	3.4846E+00	3.6425E+00
GAME	9.3978E-01	1.1075E+00	1.0670E+00
U	4.4907E+01	1.4993E+01	1.6993E+01

SPECIES	MOLE FRACTIONS		
E-	3.8901E-01	4.5463E-01	4.7961E-01
H	1.7746E-01	7.5310E-02	4.2811E-02
H+	3.8375E-01	4.2572E-01	4.3532E-01
H2	3.9012E-06	8.7567E-08	5.8504E-09
H2+	5.9272E-05	5.1961E-05	4.2590E-05
H2+	1.5447E-04	6.1131E-05	2.0206E-05
HE	4.4385E-02	1.5477E-02	7.3728E-03
HE+	5.1675E-03	2.8598E-02	2.5334E-02
HE++	6.7952E-10	1.4945E-04	9.4883E-03

SPECIES	MOLE FRACTIONS		
E-	4.2065E-01	4.6913E-01	4.9212E-01
H	1.2257E-01	5.1817E-02	3.2841E-02
H+	4.0966E-01	4.3554E-01	4.3381E-01
H2	1.2456E-06	1.7927E-08	2.0746E-09
H2+	3.4942E-05	3.6226E-05	3.2268E-05
H2+	9.7660E-05	2.8507E-05	1.2372E-05
HE	3.6053E-02	1.1051E-02	3.3699E-03
HE+	1.0929E-02	3.0759E-02	1.6904E-02
HE++	1.2891E-08	1.1959E-03	2.0711E-02

$P_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 6.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.0020E+03	2.1088E+04	3.9327E+04
T	9.8031E+01	1.9884E+02	2.9981E+02
RHO	9.8420E+00	3.0814E+01	3.6445E+01
H	5.0626E+02	8.7664E+02	1.2224E+03
A	1.6821E+01	2.7570E+01	3.3771E+01
S	2.7678E+00	2.8938E+00	3.0177E+00
Z	3.1114E+00	3.4417E+00	3.5992E+00
GAME	9.2765E-01	1.1107E+00	1.0569E+00
U	4.3522E+01	1.3864E+01	1.6046E+01

$P_1 = 5.00E+03 \text{ N/SQ-M}$, $US1 = 6.40E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.4046E+03	2.2458E+04	4.3829E+04
T	1.0893E+02	2.3116E+02	3.4666E+02
RHO	9.5630E+00	2.7588E+01	3.4347E+01
H	5.7553E+02	9.8562E+02	1.4019E+03
A	1.8440E+01	2.9834E+01	3.7210E+01
S	2.8617E+00	2.9694E+00	3.0924E+00
Z	3.2684E+00	3.5215E+00	3.6811E+00
GAME	9.5509E-01	1.0934E+00	1.0850E+00
U	4.6276E+01	1.6033E+01	1.7889E+01

SPECIES	MOLE FRACTIONS		
E-	4.0554E-01	4.6252E-01	4.8601E-01
H	1.4822E-01	6.2218E-02	3.7501E-02
H+	3.9785E-01	4.3159E-01	4.3476E-01
H2	2.2612E-06	3.8551E-08	3.4527E-09
H2+	4.6078E-05	4.3477E-05	3.7292E-05
H2+	1.2494E-04	4.1336E-05	1.5765E-05
HE	4.0599E-02	1.3102E-02	5.3383E-03
HE+	7.6105E-03	3.0028E-02	2.1409E-02
HE++	2.9674E-09	4.5248E-04	1.4929E-02

SPECIES	MOLE FRACTIONS		
E-	4.3405E-01	4.7468E-01	4.9744E-01
H	1.0094E-01	4.3989E-02	2.8711E-02
H+	4.1901E-01	4.3869E-01	4.3306E-01
H2	6.6099E-07	9.1342E-09	1.2616E-09
H2+	2.6190E-05	3.0659E-05	2.7514E-05
H2+	7.4319E-05	2.0524E-05	9.7454E-06
HE	3.0900E-02	9.2697E-03	2.2207E-03
HE+	1.4993E-02	3.0650E-02	1.2664E-02
HE++	5.3625E-08	2.6759E-03	2.5865E-02

TABLE I. - Continued

$$P_1 = 5 \text{ kN/m}^2$$

$P_1 = 5.00E+03 \text{ N/SQ-M}$, $US_1 = 6.60E+04 \text{ M/SEC}$
 $XH_2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.6107E+03	2.3039E+04	4.5734E+04
T	1.1543E+02	2.4665E+02	3.7291E+02
RHO	9.3647E+00	2.6269E+01	3.3019E+01
H	6.1168E+02	1.0419E+03	1.4940E+03
A	1.9406E+01	3.0716E+01	3.9140E+01
S	2.9073E+00	3.0044E+00	3.1291E+00
Z	3.3402E+00	3.5555E+00	3.7142E+00
GAME	9.7671E-01	1.0757E+00	1.1061E+00
U	4.7591E+01	1.6971E+01	1.8799E+01

	MOLE FRACTIONS		
E-	4.4619E-01	6.7975E-01	5.0192E-01
H-	8.2274E-02	3.7934E-02	2.4840E-02
H+	4.2655E-01	4.4009E-01	4.3283E-01
H2	3.2978E-07	5.0377E-09	7.5355E-10
H-	1.9320E-05	2.6131E-05	2.2792E-05
H2+	5.4460E-05	1.5303E-05	7.5805E-06
HE	2.5301E-02	7.6343E-03	1.2854E-03
HE+	1.9607E-02	2.9436E-02	9.0926E-03
HE++	2.2078E-07	5.1134E-03	3.0008E-02

$P_1 = 5.00E+03 \text{ N/SQ-M}$, $US_1 = 7.00E+04 \text{ M/SEC}$
 $XH_2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.0344E+03	2.4035E+04	4.8951E+04
T	1.3142E+02	2.7696E+02	4.3124E+02
RHO	8.8670E+00	2.3946E+01	3.0184E+01
H	6.8704E+02	1.1593E+03	1.6886E+03
A	2.1782E+01	3.2551E+01	4.2964E+01
S	2.9927E+00	3.0736E+00	3.1989E+00
Z	3.4621E+00	3.6240E+00	3.7607E+00
GAME	1.0427E+00	1.0557E+00	1.1382E+00
U	5.0139E+01	1.8539E+01	2.0828E+01

	MOLE FRACTIONS		
E-	4.6567E-01	6.8952E-01	5.0807E-01
H-	5.3507E-02	2.9095E-02	1.8337E-02
H+	4.3746E-01	4.3956E-01	4.3366E-01
H2	6.9439E-08	1.7947E-09	2.6922E-10
H-	1.0556E-05	1.9293E-05	1.4821E-05
H2+	2.6470E-05	9.1275E-06	4.5634E-06
HE	1.5140E-02	4.6746E-03	3.9199E-04
HE+	2.8183E-02	2.3861E-02	4.5862E-03
HE++	3.4561E-06	1.2855E-02	3.4908E-02

$P_1 = 5.00E+03 \text{ N/SQ-M}$, $US_1 = 6.80E+04 \text{ M/SEC}$
 $XH_2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.8211E+03	2.3560E+04	4.7455E+04
T	1.2294E+02	2.6196E+02	4.0143E+02
RHO	9.1256E+00	2.5051E+01	3.1602E+01
H	6.4887E+02	1.0999E+03	1.5907E+03
A	2.0531E+01	3.1599E+01	4.1097E+01
S	2.9517E+00	3.0394E+00	3.1647E+00
Z	3.4060E+00	3.5902E+00	3.7407E+00
GAME	1.2067E+00	1.0617E+00	1.1247E+00
U	4.8883E+01	1.7801E+01	1.9825E+01

	MOLE FRACTIONS		
E-	4.5688E-01	4.8472E-01	5.0544E-01
H-	6.6412E-02	3.3049E-02	2.1344E-02
H+	4.3262E-01	4.4042E-01	4.3309E-01
H2	1.5430E-07	2.9306E-09	4.4707E-10
H-	1.4169E-05	2.2378E-05	1.8477E-05
H2+	3.8431E-05	1.1681E-05	5.8654E-06
HE	1.9809E-02	6.0818E-03	7.1076E-04
HE+	2.4230E-02	2.7050E-02	6.4139E-03
HE++	8.9655E-07	8.6086E-03	3.2975E-02

TABLE I. - Continued

$$P_1 = 10 \text{ kN/m}^2$$

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 4.00E+03 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.2097E+01	2.5396E+01	6.2332E+01
T	3.0557E+00	3.8279E+00	5.4479E+00
RHO	3.9585E+00	6.6354E+00	1.1441E+01
H	3.1244E+00	3.9436E+00	5.7359E+00
A	1.7411E+00	1.9395E+00	2.2889E+00
S	1.0695E+00	1.0717E+00	1.0923E+00
Z	1.0000E+00	1.0000E+00	1.0000E+00
GAM	9.9208E-01	9.8274E-01	9.6161E-01
U	2.4141E+00	1.4366E+00	1.2783E+00

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 6.00E+03 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.7665E+01	8.6402E+01	1.7429E+02
T	5.5890E+00	7.7328E+00	9.7596E+00
RHO	4.9495E+00	1.1155E+01	1.7613E+01
H	5.8977E+00	8.5146E+00	1.1700E+01
A	2.3156E+00	2.6690E+00	2.9315E+00
S	1.1417E+00	1.1501E+00	1.1765E+00
Z	1.0000E+00	1.0017E+00	1.0139E+00
GAM	9.5938E-01	9.1963E-01	8.6841E-01
U	3.8671E+00	1.7116E+00	1.5137E+00

SPECIES ----- MOLE FRACTIONS -----

E-	4.5641E-64	3.3691E-42	3.4052E-26
H	1.8285E-10	3.1033E-08	2.9011E-05
H+	1.6447E-20	2.5774E-20	4.1942E-20
H2	8.5000E-01	8.5000E-01	8.4997E-01
H-	4.1450E-71	3.8535E-47	1.1776E-29
H2+	5.4974E-20	4.3647E-20	2.7479E-20
HE	1.5000E-01	1.5000E-01	1.5000E-01
HE+	3.8571E-71	7.1726E-59	1.9399E-49
HE++	0.	0.	0.

SPECIES ----- MOLE FRACTIONS -----

E-	7.0607E-25	2.8422E-16	1.1045E-12
H	6.6443E-05	3.3028E-03	2.7446E-02
H+	4.9538E-20	2.1827E-16	8.9623E-13
H2	8.4994E-01	8.4689E-01	8.2461E-01
H-	1.7058E-28	8.4649E-19	1.6914E-14
H2+	1.9882E-20	6.6865E-17	2.2520E-13
HE	1.5000E-01	1.4575E-01	1.4794E-01
HE+	6.2760E-49	3.7985E-37	2.7267E-30
HE++	0.	0.	0.

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 5.00E+03 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9056E+01	5.0483E+01	1.1140E+02
T	6.2232E+00	5.6550E+00	7.7146E+00
RHO	4.5126E+00	8.9252E+00	1.4421E+01
H	4.3713E+00	5.9731E+00	8.4789E+00
A	2.0317E+00	2.3286E+00	2.6697E+00
S	1.1063E+00	1.1114E+00	1.1354E+00
Z	1.0000E+00	1.0000E+00	1.0014E+00
GAM	9.7746E-01	9.5882E-01	9.2254E-01
U	3.1423E+00	1.5855E+00	1.4322E+00

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 7.00E+03 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.7968E+01	1.3731E+02	2.5250E+02
T	7.0968E+00	9.6794E+00	1.1351E+01
RHO	5.3452E+00	1.3982E+01	2.1321E+01
H	7.7063E+00	1.1632E+01	1.5381E+01
A	2.5714E+00	2.9163E+00	3.1628E+00
S	1.1755E+00	1.1884E+00	1.2179E+00
Z	1.0009E+00	1.0145E+00	1.0434E+00
GAM	9.3088E-01	8.6609E-01	8.4464E-01
U	4.5955E+00	1.7546E+00	1.5395E+00

SPECIES ----- MOLE FRACTIONS -----

E-	4.8904E-36	3.6070E-24	2.3780E-17
H	3.6551E-07	6.1058E-05	2.8739E-03
H+	3.5657E-20	6.5617E-20	5.8928E-18
H2	8.5000E-01	8.4994E-01	8.4734E-01
H-	1.4560E-40	1.4340E-27	6.9792E-19
H2+	3.3748E-20	2.3806E-20	1.7259E-17
HE	1.5000E-01	1.5000E-01	1.4978E-01
HE+	1.4494E-55	2.6376E-48	2.4588E-36
HE++	0.	0.	0.

	SPECIES	MOLE FRACTIONS	
E-	1.8354E-17	1.0066E-12	8.0816E-11
H	1.7685E-03	2.8571E-02	8.3136E-02
H+	1.4976E-17	8.3198E-13	6.7693E-11
H2	8.4836E-01	8.2357E-01	7.7310E-01
H-	2.7945E-20	1.3275E-14	2.4243E-12
H2+	3.4762E-18	1.8792E-13	1.5568E-11
HE	1.4987E-01	1.4786E-01	1.4376E-01
HE+	9.0579E-41	1.7309E-30	2.2432E-26
HE++	0.	0.	0.

TABLE I.-Continued

$$P_1 = 10 \text{ kN/m}^2$$

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 8.00E+03 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.0198E+01	2.1031E+02	3.5718E+02
T	8.5551E+00	1.1276E+01	1.2734E+01
RHO	5.0274E+00	1.7849E+01	2.5786E+01
H	9.8093E+00	1.5379E+01	1.9683E+01
A	2.7586E+00	3.1512E+00	3.4095E+00
S	1.2081E+00	1.2282E+00	1.2614E+00
Z	1.0069E+00	1.0450E+00	1.0877E+00
GAM	8.8341E-01	8.4273E-01	8.3926E-01
U	5.3513E+00	1.7448E+00	1.5636E+00

SPECIES	MOLE FRACTIONS		
E-	2.7023E-14	7.5482E-11	1.3587E-09
H	1.3696E-02	8.6162E-02	1.6131E-01
H+	2.3098E-14	6.3941E-11	1.1659E-09
H2	8.3733E-01	7.7030E-01	7.0079E-01
H-	1.2585E-15	2.0125E-12	6.3943E-11
H2+	4.0505E-15	1.3555E-11	2.5672E-10
HE	1.4897E-01	1.4354E-01	1.3790E-01
HE+	3.1971E-34	1.2550E-26	1.3971E-23
HE++	0.	0.	9.1138E-85

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 9.00E+03 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.4524E+01	3.1255E+02	5.0219E+02
T	9.7632E+00	1.2670E+01	1.4063E+01
RHO	6.4606E+00	2.2623E+01	3.1172E+01
H	1.2212E+01	1.9753E+01	2.4714E+01
A	2.9129E+00	3.4026E+00	3.6834E+00
S	1.2409E+00	1.2703E+00	1.3077E+00
Z	1.0229E+00	1.0904E+00	1.1456E+00
GAM	8.4959E-01	8.3799E-01	8.4218E-01
U	6.1417E+00	1.7510E+00	1.6062E+00

SPECIES	MOLE FRACTIONS		
E-	2.2415E-12	1.3023E-09	1.1245E-08
H	6.4813E-02	1.6586E-01	2.5416E-01
H+	1.9647E-12	1.1252E-09	9.8407E-09
H2	8.0855E-01	6.9658E-01	6.1490E-01
H-	2.0658E-14	5.6309E-11	7.3507E-10
H2+	2.9753E-13	2.3340E-10	2.1397E-09
HE	1.4666E-01	1.3756E-01	1.3094E-01
HE+	3.5034E-30	9.8619E-24	1.4660E-21
HE++	0.	3.4034E-85	1.4482E-76

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 1.00E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	8.0642E+01	4.4705E+02	6.9196E+02
T	1.0750E+01	1.3972E+01	1.5397E+01
RHO	7.1722E+00	2.7878E+01	3.6983E+01
H	1.4906E+01	2.4716E+01	3.0451E+01
A	3.0674E+00	3.6726E+00	3.9871E+00
S	1.2750E+00	1.3150E+00	1.3566E+00
Z	1.0485E+00	1.1477E+00	1.2152E+00
GAM	8.3476E-01	8.4110E-01	8.4966E-01
U	6.9475E+00	1.7852E+00	1.6672E+00

SPECIES	MOLE FRACTIONS		
E-	3.8000E-11	1.0526E-08	6.3534E-08
H	9.2582E-02	2.5739E-01	3.5541E-01
H+	3.3809E-11	9.2574E-09	5.6759E-08
H2	7.6436E-01	6.1191E-01	5.2240E-01
H-	5.6135E-13	6.3904E-10	5.3166E-09
H2+	4.7327E-12	1.9073E-09	1.2091E-08
HE	1.4306E-01	1.3070E-01	1.2234E-01
HE+	1.5359E-27	1.1480E-21	8.2232E-20
HE++	0.	6.0292E-78	5.9575E-71

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 1.10E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	9.9070E+01	6.1410E+02	9.2865E+02
T	1.1600E+01	1.5244E+01	1.6784E+01
RHO	7.8942E+00	3.3156E+01	4.2701E+01
H	1.7885E+01	3.0237E+01	3.6916E+01
A	3.2266E+00	3.9637E+00	4.3266E+00
S	1.3107E+00	1.3620E+00	1.4082E+00
Z	1.0819E+00	1.2150E+00	1.2958E+00
GAM	8.2957E-01	8.4826E-01	8.6096E-01
U	7.7578E+00	1.8506E+00	1.7573E+00

SPECIES	MOLE FRACTIONS		
E-	2.8553E-10	5.6062E-08	2.8146E-07
H	1.5145E-01	3.5388E-01	4.5652E-01
H+	2.5681E-10	5.0227E-08	2.5676E-07
H2	7.0991E-01	5.2266E-01	4.2772E-01
H-	5.5047E-12	4.3465E-09	2.8099E-08
H2+	3.54229E-11	1.0182E-08	5.22807E-08
HE	1.3864E-01	1.2346E-01	1.1576E-01
HE+	1.1167E-25	5.5734E-20	2.6442E-18
HE++	1.9225E-92	1.5937E-71	2.9028E-65

TABLE I. -Continued

$$P_1 = 10 \text{ kN/m}^2$$

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 1.20E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XH_E = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	1.1904E+02	8.1206E+02
T	1.2370E+01	1.6525E+01
RHO	8.5787E+00	3.8075E+01
H	2.1144E+01	3.6277E+01
A	3.3916E+00	4.2786E+00
S	1.3481E+00	1.4107E+00
Z	1.1218E+00	1.2907E+00
GAM	8.2896E-01	8.5833E-01
U	8.5594E+00	1.9300E+00

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 1.40E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XH_E = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	1.6426E+02	1.2906E+03
T	1.3793E+01	1.9306E+01
RHO	9.7752E+00	4.5722E+01
H	2.8505E+01	4.9887E+01
A	3.7448E+00	5.0065E+00
S	1.4279E+00	1.5119E+00
Z	1.2183E+00	1.4621E+00
GAM	8.3454E-01	8.8799E-01
U	1.0147E+01	2.1715E+00

SPECIES MOLE FRACTIONS		
E-	1.3853E-09	2.2898E-07
H	2.1712E-01	4.5041E-01
H+	1.2585E-09	2.0898E-07
H2	6.4916E-01	4.3337E-01
H-	3.3566E-11	2.1075E-08
H2+	1.6033E-10	4.1074E-08
HE	1.3337E-01	1.1622E-01
HE+	3.8180E-24	1.4356E-18
HE++	1.3749E-87	1.0661E-65

SPECIES MOLE FRACTIONS		
E-	1.5422E-08	2.5438E-06
H	3.5839E-01	6.3212E-01
H+	1.4267E-08	2.4081E-06
H2	5.1849E-01	2.6529E-01
H-	5.0839E-10	2.7466E-07
H2+	1.6630E-09	4.1039E-07
HE	1.2312E-01	1.0259E-01
HE+	8.3351E-22	4.3227E-16
HE++	1.5745E-78	5.8961E-57

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 1.30E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XH_E = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	1.4077E+02	1.0385E+03
T	1.3093E+01	1.7860E+01
RHO	9.2101E+00	4.2334E+01
H	2.4684E+01	4.2828E+01
A	3.5638E+00	4.6232E+00
S	1.3872E+00	1.4609E+00
Z	1.1674E+00	1.3735E+00
GAM	8.3093E-01	8.7130E-01
U	9.3556E+00	2.0372E+00

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 1.50E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XH_E = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	1.8934E+02	1.5597E+03
T	1.4484E+01	2.0936E+01
RHO	1.0260E+01	4.7958E+01
H	3.2603E+01	5.7390E+01
A	3.9359E+00	5.4409E+00
S	1.4699E+00	1.563CE+00
Z	1.2740E+00	1.5534E+00
GAM	8.3948E-01	9.1025E-01
U	1.0926E+01	2.3396E+00

SPECIES MOLE FRACTIONS		
E-	5.0403E-09	7.9986E-07
H	2.8682E-01	5.4350E-01
H+	4.6203E-09	7.4384E-07
H2	5.8469E-01	3.4689E-01
H-	1.4526E-10	8.2038E-08
H2+	5.6529E-10	1.3806E-07
HE	1.2849E-01	1.0921E-01
HE+	6.3433E-23	2.8047E-17
HE++	6.9611E-82	2.3718E-61

SPECIES MOLE FRACTIONS		
E-	4.1355E-08	7.7875E-06
H	4.3019E-01	7.1251E-01
H+	3.8596E-08	7.4934E-06
H2	4.5208E-01	1.9092E-01
H-	1.5093E-09	8.3189E-07
H2+	4.2686E-09	1.1260E-06
HE	1.1774E-01	9.6560E-02
HE+	7.6905E-21	6.2243E-15
HE++	3.5916E-75	1.2386E-52

TABLE I. -Continued

$$P_1 = 10 \text{ kN/m}^2$$

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 1.60E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.1622E+02	1.8433E+03	2.8001E+03
T	1.5186E+01	2.2916E+01	2.8788E+01
RHO	1.0671E+01	4.8927E+01	5.4848E+01
H	3.6984E+01	6.5379E+01	8.1194E+01
A	4.1395E+00	5.9586E+00	7.2898E+00
S	1.5131E+00	1.6136E+00	1.6852E+00
Z	1.3343E+00	1.6440E+00	1.7734E+00
GAM	8.4568E-01	9.4240E-01	1.0409E+00
U	1.1735E+01	2.5548E+00	2.8257E+00

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 1.80E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.7479E+02	2.3914E+03	3.8929E+03
T	1.6689E+01	2.9072E+01	4.2404E+01
RHO	1.1229E+01	4.6027E+01	4.9623E+01
H	4.6581E+01	8.2430E+01	1.0697E+02
A	4.5953E+00	7.3947E+00	8.9871E+00
S	1.6023E+00	1.7081E+00	1.7838E+00
Z	1.4663E+00	1.7872E+00	1.8500E+00
GAM	8.6289E-01	1.0524E+00	1.0296E+00
U	1.3235E+01	3.2312E+00	3.8654E+00

SPECIES	MOLE FRACTIONS		
E-	1.0195E-07	2.4743E-05	2.9007E-04
H	5.0106E-01	7.8341E-01	8.7131E-01
H+	9.5978E-08	2.4150E-05	2.8769E-04
H2	3.8652E-01	1.2530E-01	4.3482E-02
H-	4.0089E-09	2.4294E-06	2.1011E-05
H2+	9.9813E-09	3.0231E-06	2.3390E-05
HE	1.1242E-01	9.1239E-02	8.4585E-02
HE+	5.9638E-20	1.0000E-13	4.3364E-11
HE++	1.5936E-71	4.4543E-48	2.0212E-38

SPECIES	MOLE FRACTIONS		
E-	5.4064E-07	3.4897E-04	7.5977E-03
H	6.3605E-01	8.7984E-01	8.9596E-01
H+	5.1785E-07	3.4660E-04	7.5526E-03
H2	2.6165E-01	3.5489E-02	7.3335E-03
H-	2.2804E-08	2.1057E-05	2.1585E-04
H2+	4.5596E-08	2.3425E-05	2.6080E-04
HE	1.0230E-01	8.3932E-02	8.1081E-02
HE+	2.8672E-18	5.9514E-11	1.2172E-07
HE++	3.4105E-65	6.7773E-38	7.1615E-26

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 1.70E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.4470E+02	2.1241E+03	3.3333E+03
T	1.5914E+01	2.5495E+01	3.5235E+01
RHO	1.0995E+01	4.8279E+01	5.1873E+01
H	4.1643E+01	7.3740E+01	9.3664E+01
A	4.3580E+00	6.6020E+00	8.3331E+00
S	1.5573E+00	1.6624E+00	1.7380E+00
Z	1.3986E+00	1.7257E+00	1.8237E+00
GAM	8.5334E-01	9.9068E-01	1.0806E+00
U	1.2474E+01	2.8486E+00	3.3445E+00

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 1.90E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.0641E+02	2.6332E+03	4.4286E+03
T	1.7545E+01	3.3738E+01	4.8346E+01
RHO	1.1364E+01	4.2820E+01	4.8879E+01
H	5.1796E+01	9.1383E+01	1.2012E+02
A	4.8580E+00	8.1649E+00	9.3902E+00
S	1.6477E+00	1.7496E+00	1.8222E+00
Z	1.5368E+00	1.8227E+00	1.8741E+00
GAM	8.7530E-01	1.0861E+00	9.7322E-01
U	1.3987E+01	3.7048E+00	4.2293E+00

SPECIES	MOLE FRACTIONS		
E-	2.3877E-07	8.6633E-05	1.8460E-03
H	5.6996E-01	8.4076E-01	8.9772E-01
H+	2.2677E-07	8.5484E-05	1.8361E-03
H2	3.2279E-01	7.2132E-02	1.6172E-02
H-	9.8443E-09	7.0875E-06	8.2245E-05
H2+	2.1844E-08	8.2362E-06	9.2125E-05
HE	1.0725E-01	8.6923E-02	8.2250E-02
HE+	4.3783E-19	2.0497E-12	3.8964E-09
HE++	2.3589E-68	3.0829E-43	2.8554E-31

SPECIES	MOLE FRACTIONS		
E-	1.2289E-06	1.4126E-03	1.7803E-02
H	6.9858E-01	8.9843E-01	8.7913E-01
H+	1.1871E-06	1.4062E-03	1.7683E-02
H2	2.0381E-01	1.6332E-02	4.4778E-03
H-	5.1418E-08	5.7531E-05	3.7307E-04
H2+	9.3124E-08	6.3952E-05	4.9172E-04
HE	9.7607E-02	8.2296E-02	8.0040E-02
HE+	2.0240E-17	1.7484E-09	9.8456E-07
HE++	3.6215E-62	1.3963E-32	1.3395E-22

TABLE I. - Continued

$$P_1 = 10 \text{ kN/m}^2$$

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US1 = 2.00E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	3.3947E+02	2.8516E+03
T	1.8531E+01	3.8845E+01
RHO	1.1389E+01	3.9838E+01
H	5.7286E+01	1.0063E+02
A	5.1576E+00	8.6982E+00
S	1.6932E+00	1.7871E+00
Z	1.6086E+00	1.8427E+00
GAM	8.9239E-01	1.0570E+00
U	1.4726E+01	4.2044E+00

SPECIES MOLE FRACTIONS

E-	2.8776E-06	4.5172E-03	3.0801E-02
H	7.5665E-01	9.0099E-01	8.5528E-01
H+	2.8030E-06	4.4973E-03	3.0577E-02
H2	1.5009E-01	8.3265E-03	3.1818E-03
H-2	1.1538E-07	1.2539E-04	5.1831E-04
H2+	1.8998E-07	1.6524E-06	7.3885E-04
HE	9.3250E-02	8.1402E-02	7.8898E-02
HE+	1.5309E-16	2.8877E-08	3.8688E-06
HE++	7.4854E-59	3.3356E-28	1.8575E-20

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US1 = 2.10E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	3.7381E+02	3.0592E+03
T	1.9740E+01	4.3705E+01
RHO	1.1276E+01	3.763CE+01
H	6.3045E+01	1.1033E+02
A	5.5164E+00	9.0518E+00
S	1.7383E+00	1.8219E+00
Z	1.6793E+00	1.8601E+00
GAM	9.1799E-01	1.0079E+00
U	1.5448E+01	4.6192E+00

SPECIES MOLE FRACTIONS

E-	7.2792E-06	1.0676E-02	4.5019E-02
H	8.0904E-01	8.9260E-01	8.2855E-01
H+	7.1465E-06	1.0626E-02	4.4675E-02
H2	1.0163E-01	4.9725E-03	2.4400E-03
H-2	2.6673E-07	2.1567E-04	6.3604E-04
H2+	3.9944E-07	2.6564E-04	9.6980E-04
HE	8.9321E-02	8.0640E-02	7.7697E-02
HE+	1.4033E-15	2.3041E-07	1.0159E-05
HE++	3.8548E-56	5.8015E-25	6.0027E-19

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US1 = 2.20E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	4.0911E+02	3.2408E+03
T	2.1346E+01	4.8007E+01
RHO	1.0986E+01	3.5905E+01
H	6.9066E+01	1.2049E+02
A	5.9785E+00	9.3382E+00
S	1.7822E+00	1.8555E+00
Z	1.7446E+00	1.8802E+00
GAM	9.5979E-01	9.6610E-01
U	1.6142E+01	4.9252E+00

SPECIES MOLE FRACTIONS

E-	2.1409E-05	1.9809E-02	5.9865E-02
H	8.9953E-01	8.7663E-01	8.0044E-01
H+	2.1170E-05	1.9711E-02	5.9399E-02
H2	6.0446E-02	3.3569E-03	1.9323E-03
H-2	6.6670E-07	3.0965E-04	7.2226E-04
H2+	9.0570E-07	4.0669E-04	1.1676E-03
HE	8.5980E-02	7.9779E-02	7.6457E-02
HE+	1.9209E-14	1.0309E-06	2.1197E-05
HE++	2.1467E-51	1.2445E-22	8.3862E-18

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US1 = 2.30E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	4.4486E+02	3.3639E+03
T	2.3655E+01	5.1707E+01
RHO	1.0469E+01	3.4175E+01
H	7.5332E+01	1.3097E+02
A	6.6022E+00	9.6011E+00
S	1.8239E+00	1.8891E+00
Z	1.7964E+00	1.9036E+00
GAM	1.0258E+00	9.3649E-01
U	1.6793E+01	5.1293E+00

SPECIES MOLE FRACTIONS

E-	7.9020E-05	3.1152E-02	7.4894E-02
H	8.8642E-01	8.5568E-01	7.7192E-01
H+	7.8581E-05	3.0995E-02	7.4316E-02
H2	2.9921E-02	2.4392E-03	1.5467E-03
H-2	1.8813E-06	3.9135E-04	7.7291E-04
H2+	2.3205E-06	5.4543E-04	1.3137E-03
HE	8.3501E-02	7.8794E-02	7.5203E-02
HE+	4.6878E-13	3.0987E-06	3.7834E-05
HE++	4.8356E-46	6.3557E-21	6.5993E-17

TABLE I. -Continued

$$P_1 = 10 \text{ kN/m}^2$$

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 2.40E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.8076E+02	3.4171E+03	5.8896E+03
T	2.6944E+01	5.4879E+01	6.6250E+01
RHO	9.7635E+30	3.2262E+01	4.3859E+01
H	8.1829E+01	1.4168E+02	1.8535E+02
A	7.3273E+00	9.8507E+00	1.0856E+01
S	1.8623E+00	1.9232E+00	1.9929E+00
Z	1.8275E+00	1.9300E+00	2.0269E+00
GAME	1.0904E+00	9.1616E-01	8.7768E-01
U	1.7394E+01	5.2495E+00	4.9770E+00

	MOLE FRACTIONS		
E-	3.5039E-04	4.3960E-02	8.9928E-02
H	9.0455E-01	8.3161E-01	7.4338E-01
H+	3.4957E-04	4.3740E-02	8.9256E-02
H2	1.2659E-02	1.8462E-03	1.2395E-03
H-	5.7193E-06	4.53C9E-04	7.9057E-04
H2+	6.5403E-06	6.6562E-04	1.4025E-03
HE	8.2080E-02	7.7713E-02	7.3943E-02
HE+	1.7965E-11	7.1625E-06	6.0531E-05
HE++	2.5963E-40	1.2468E-19	3.4472E-16

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 2.50E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.1701E+02	3.4478E+03	5.8562E+03
T	3.0897E+01	5.7690E+01	6.8530E+01
RHO	9.0829E+00	3.0510E+01	4.1467E+01
H	8.8557E+01	1.5255E+02	1.9807E+02
A	7.9034E+00	1.0096E+01	1.1099E+01
S	1.8965E+00	1.9571E+00	2.0270E+00
Z	1.8423E+00	1.9588E+00	2.0608E+00
GAME	1.0974E+00	9.0190E-01	8.7230E-01
U	1.7960E+01	5.3407E+00	5.0297E+00

	MOLE FRACTIONS		
E-	1.4013E-03	5.7764E-02	1.0475E-01
H	9.1018E-01	8.0547E-01	7.1522E-01
H+	1.3996E-03	5.7481E-02	1.0400E-01
H2	5.5641E-03	1.4357E-03	1.0030E-03
H-	1.5311E-05	4.9811E-04	7.8933E-04
H2+	1.7009E-05	7.6722E-04	1.4556E-03
HE	8.1420E-02	7.6562E-02	7.2697E-02
HE+	5.3342E-10	1.4027E-05	9.0098E-05
HE++	5.5535E-35	1.3522E-18	1.3864E-15

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 2.60E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.5508E+02	3.5345E+03	5.9067E+03
T	3.4935E+01	6.0318E+01	7.0836E+01
RHO	8.5775E+00	2.9454E+01	3.9772E+01
H	9.5562E+01	1.6408E+02	2.1147E+02
A	8.2678E+00	1.0344E+01	1.1354E+01
S	1.9272E+00	1.9890E+00	2.0604E+00
Z	1.8524E+00	1.9894E+00	2.0966E+00
GAME	1.3563E+00	8.9163E-01	8.6808E-01
U	1.8544E+01	5.3864E+00	5.0894E+00

	SPECIES	MOLE FRACTIONS		
E-	4.2119E-03	7.21C2E-02	1.1993E-01	
H	9.0765E-01	7.7819E-01	6.8634E-01	
H+	4.2079E-03	7.1750E-02	1.1908E-01	
H2	2.8862E-03	1.1623E-03	8.1999E-04	
H-	3.2507E-05	5.3582E-04	7.8559E-04	
H2+	3.6501E-05	8.6275E-04	1.5034E-03	
HE	8.0977E-02	7.5374E-02	7.1415E-02	
HE+	7.8411E-09	2.4737E-05	1.3075E-04	
HE++	8.8651E-31	1.0201E-17	5.1415E-15	

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 2.70E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.9561E+02	3.6677E+03	6.0814E+03
T	3.8665E+01	6.2090E+01	7.3231E+01
RHO	8.2675E+00	2.9001E+01	3.8922E+01
H	1.0287E+02	1.7631E+02	2.2582E+02
A	8.5152E+00	1.0601E+01	1.1623E+01
S	1.9555E+00	2.0195E+00	2.0926E+00
Z	1.8642E+00	2.0219E+00	2.1336E+00
GAME	1.0065E+00	8.8383E-01	8.6468E-01
U	1.9163E+01	5.454CE+00	5.1591E+00

	SPECIES	MOLE FRACTIONS		
E-	9.4543E-03	8.6935E-02	1.3515E-01	
H	8.9874E-01	7.4988E-01	6.5734E-01	
H+	9.4454E-03	8.6506E-02	1.3419E-01	
H2	1.7763E-03	9.6153E-04	6.7983E-04	
H-	5.5603E-05	5.6962E-04	7.8185E-04	
H2+	6.4490E-05	9.5774E-04	1.5546E-03	
HE	8.0464E-02	7.8147E-02	7.0118E-02	
HE+	5.6789E-08	4.0903E-05	1.8632E-04	
HE++	1.1180E-27	6.1944E-17	1.8122E-14	

TABLE I. -Continued

$$P_1 = 10 \text{ kN/m}^2$$

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 2.80E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.3876E+02	3.9074E+03	6.3708E+03
T	4.1921E+01	6.5468E+01	7.5750E+01
RHO	8.1067E+00	2.9025E+01	3.8721E+01
H	1.1049E+02	1.8932E+02	2.4118E+02
A	8.7290E+00	1.0870E+01	1.1909E+01
S	1.9820E+00	2.0492E+00	2.1239E+00
Z	1.8796E+00	2.0563E+00	2.1720E+00
GAME	9.6703E-01	8.7771E-01	8.6193E-01
U	1.9820E+01	5.5297E+00	5.2398E+00

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 3.00E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	7.3240E+02	4.5081E+03	7.2092E+03
T	4.7391E+01	7.0643E+01	8.1126E+01
RHO	8.0485E+00	2.9971E+01	3.9454E+01
H	1.2667E+02	2.1758E+02	2.7473E+02
A	9.1520E+00	1.1433E+01	1.2522E+01
S	2.0322E+00	2.1069E+00	2.1853E+00
Z	1.9201E+00	2.1292E+00	2.2523E+00
GAME	9.2046E-01	8.6899E-01	8.5820E-01
U	2.1214E+01	5.6815E+00	5.4303E+00

SPECIES	MOLE FRACTIONS		
E-	1.7064E-02	1.0218E-01	1.5043E-01
H	8.8467E-01	7.2074E-01	6.2822E-01
H+	1.7047E-02	1.0167E-01	1.4934E-01
H2	1.2383E-03	8.0862E-04	5.6809E-04
H-	8.1472E-05	6.0022E-04	7.7738E-04
H2+	9.8292E-05	1.0536E-03	1.6081E-03
HE	7.9806E-02	7.2882E-02	6.8798E-02
HE+	2.4397E-07	6.4721E-05	2.6243E-04
HE++	2.1416E-25	3.2478E-16	6.1922E-14

SPECIES	MOLE FRACTIONS		
E-	3.7445E-02	1.3296E-01	1.8072E-01
H	8.4598E-01	6.6169E-01	5.7054E-01
H+	3.7402E-02	1.3223E-01	1.7928E-01
H2	7.4665E-04	5.8824E-04	3.9820E-04
H-	1.3293E-04	6.4685E-04	7.5695E-04
H2+	1.7358E-04	1.2359E-03	1.6966E-03
HE	7.8118E-02	7.0303E-02	6.6094E-02
HE+	1.7686E-06	1.4564E-04	5.0333E-04
HE++	2.7396E-22	6.2002E-15	6.5304E-13

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 2.90E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.8464E+02	4.1834E+03	6.7522E+03
T	4.4810E+01	6.8049E+01	7.8381E+01
RHO	8.0456E+00	2.9384E+01	3.8952E+01
H	1.1843E+02	2.0309E+02	2.5749E+02
A	8.9394E+00	1.1148E+01	1.2208E+01
S	2.0075E+00	2.0782E+00	2.1546E+00
Z	1.8984E+00	2.0921E+00	2.2116E+00
GAME	9.3942E-01	8.7286E-01	8.5977E-01
U	2.0506E+01	5.6089E+00	5.3278E+00

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 3.20E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	8.3481E+02	5.2601E+03	8.2985E+03
T	5.1908E+01	7.5846E+01	8.6923E+01
RHO	8.1625E+00	3.1439E+01	4.0864E+01
H	1.4404E+02	2.4840E+02	3.1172E+02
A	9.5821E+00	1.2020E+01	1.3191E+01
S	2.0806E+00	2.1636E+00	2.2461E+00
Z	1.9703E+00	2.2060E+00	2.3363E+00
GAME	8.9775E-01	8.6360E-01	8.5677E-01
U	2.2673E+01	5.8771E+00	5.6551E+00

SPECIES	MOLE FRACTIONS		
E-	2.6564E-02	1.1757E-01	1.6563E-01
H	8.6671E-01	6.9131E-01	5.9926E-01
H+	2.6536E-02	1.1696E-01	1.6438E-01
H2	9.3663E-04	6.8762E-04	4.7611E-04
H-	1.0770E-04	6.2631E-04	7.6969E-04
H2+	1.3528E-04	1.1473E-03	1.6572E-03
HE	7.9013E-02	7.1598E-02	6.7459E-02
HE+	7.3818E-07	9.8605E-05	3.6530E-04
HE++	1.1619E-23	1.4968E-15	2.0436E-13

SPECIES	MOLE FRACTIONS		
E-	6.1816E-02	1.6317E-01	2.1015E-01
H	7.9937E-01	6.0418E-01	5.1471E-01
H+	6.1738E-02	1.6216E-01	2.0821E-01
H2	5.2006E-04	4.3164E-04	2.7398E-04
H-	1.7788E-04	6.6673E-04	7.1375E-04
H2+	2.4968E-04	1.3828E-03	1.7306E-03
HE	7.6125E-02	6.7704E-02	6.3278E-02
HE+	6.5903E-06	2.9383E-04	9.2569E-04
HE++	3.2393E-20	8.0417E-14	6.0105E-12

TABLE I. - Continued

$$P_1 = 10 \text{ kN/m}^2$$

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 3.40E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	9.4515E+02	6.1356E+03	9.5817E+03
T	5.5863E+01	8.1157E+01	9.3197E+01
RHO	8.3467E+00	3.3080E+01	4.2429E+01
H	1.6259E+02	2.8159E+02	3.5186E+02
A	1.0014E+01	1.2635E+01	1.3917E+01
S	2.1264E+00	2.2202E+00	2.3070E+00
Z	2.0270E+00	2.2854E+00	2.4231E+00
GAM	8.8656E-01	8.6076E-01	8.5762E-01
U	2.4164E+01	6.0865E+00	5.9153E+00

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 3.80E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.1880E+03	8.1679E+03	1.2645E+04
T	6.2887E+01	9.2424E+01	1.0774E+02
RHO	8.7693E+00	3.6070E+01	4.5078E+01
H	2.0312E+02	3.5438E+02	4.4176E+02
A	1.0886E+01	1.3968E+01	1.5593E+01
S	2.2238E+00	2.3330E+00	2.4291E+00
Z	2.1542E+00	2.4501E+00	2.6037E+00
GAM	8.7472E-01	8.6165E-01	8.6674E-01
U	2.7181E+01	6.6121E+00	6.5820E+00

SPECIES ----- MOLE FRACTIONS -----			
E-	8.8035E-02	1.9232E-01	2.3840E-01
H	7.4913E-01	5.4865E-01	4.6146E-01
H+	8.7911E-02	1.9095E-01	2.3572E-01
H2	3.8659E-04	3.1287E-04	1.8162E-04
H-	2.1393E-04	6.5837E-04	6.4882E-04
H2+	3.2066E-04	1.4776E-03	1.6919E-03
HE	7.3983E-02	6.5083E-02	6.0262E-02
HE+	1.7463E-05	5.5019E-04	1.6615E-03
HE++	1.1288E-18	7.9693E-13	4.9384E-11

SPECIES ----- MOLE FRACTIONS -----			
E-	1.4189E-01	2.4654E-01	2.9095E-01
H	6.4591E-01	4.4606E-01	3.6406E-01
H+	1.4164E-01	2.4398E-01	2.8542E-01
H2	2.2985E-04	1.5081E-04	6.8079E-05
H-	2.5802E-04	5.7016E-04	4.8821E-04
H2+	4.3520E-04	1.4756E-03	1.4031E-03
HE	6.9557E-02	5.9563E-02	5.2990E-02
HE+	7.2923E-05	1.6601E-03	4.6192E-03
HE++	2.0966E-16	4.5949E-11	2.6071E-09

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 3.60E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.0630E+03	7.1021E+03	1.1033E+04
T	5.9479E+01	8.6663E+01	1.0010E+02
RHO	8.5565E+00	3.4616E+01	4.3861E+01
H	1.8228E+02	3.1688E+02	3.9512E+02
A	1.0446E+01	1.3285E+01	1.4715E+01
S	2.1760E+00	2.2771E+00	2.3684E+00
Z	2.0887E+00	2.3675E+00	2.5129E+00
GAM	8.7870E-01	8.6019E-01	8.6082E-01
U	2.5669E+01	6.3556E+00	6.2162E+00

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 4.00E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.3200E+03	9.2989E+03	1.4396E+04
T	6.6175E+01	9.8576E+01	1.1629E+02
RHO	8.9729E+00	3.7223E+01	4.5927E+01
H	2.2508E+02	3.9382E+02	4.9141E+02
A	1.1331E+01	1.4701E+01	1.6579E+01
S	2.2718E+00	2.3891E+00	2.4891E+00
Z	2.2231E+00	2.5343E+00	2.6954E+00
GAM	8.7267E-01	8.6516E-01	8.7693E-01
U	2.8694E+01	6.9267E+00	6.9783E+00

SPECIES ----- MOLE FRACTIONS -----			
E-	1.1495E-01	2.2030E-01	2.6550E-01
H	6.9755E-01	4.9556E-01	4.1088E-01
H+	1.1477E-01	2.1844E-01	2.6167E-01
H2	2.9623E-04	2.2039E-04	1.1619E-04
H-	2.4060E-04	6.2325E-04	5.6937E-04
H2+	3.8322E-04	1.5073E-03	1.5771E-03
HE	7.1778E-02	6.2382E-02	5.6874E-02
HE+	3.7982E-05	9.7758E-04	2.8176E-03
HE++	1.9292E-17	6.5302E-12	3.7506E-10

SPECIES ----- MOLE FRACTIONS -----			
E-	1.6849E-01	2.7149E-01	3.1488E-01
H	5.9496E-01	3.9945E-01	3.2087E-01
H+	1.6815E-01	2.6789E-01	3.0696E-01
H2	1.7872E-04	9.8791E-05	3.8241E-05
H-	2.6668E-04	5.0463E-04	4.1469E-04
H2+	4.7511E-04	1.3826E-03	1.1902E-03
HE	6.7344E-02	5.6467E-02	4.8510E-02
HE+	1.2879E-04	2.7220E-03	7.1405E-03
HE++	1.6801E-15	2.9222E-10	1.6648E-08

TABLE I. -Continued

$$P_1 = 10 \text{ kN/m}^2$$

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 4.20E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.4589E+03	1.0489E+04	1.6293E+04
T	6.9406E+01	1.0519E+02	1.2625E+02
RHO	9.1598E+00	3.8073E+01	4.6254E+01
H	2.4817E+02	4.3519E+02	5.4475E+02
A	1.1786E+01	1.5489E+01	1.7754E+01
S	2.3202E+00	2.4445E+00	2.5494E+00
Z	2.2949E+00	2.6189E+00	2.7901E+00
GAME	8.7206E-01	8.7084E-01	8.9478E-01
U	3.0206E+01	7.2811E+00	7.4564E+00

SPECIES MOLE FRACTIONS

E-	1.9449E-01	2.9489E-01	3.3792E-01
H	5.4519E-01	3.5628E-01	2.8001E-01
H+	1.9404E-01	2.8980E-01	3.2698E-01
H2	1.3828E-04	6.2008E-05	1.9799E-05
H-	2.6725E-04	4.3636E-04	3.5313E-04
H2+	5.0205E-04	1.2436E-03	9.5629E-04
HE	6.5149E-02	5.2992E-02	4.3417E-02
HE+	2.1463E-04	4.2850E-03	1.0344E-02
HE++	1.0859E-14	1.6905E-09	1.0163E-07

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 4.60E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.7567E+03	1.2965E+04	2.0556E+04
T	7.5896E+01	1.2037E+02	1.5266E+02
RHO	9.4661E+00	3.8613E+01	4.5078E+01
H	2.9772E+02	5.2325E+02	6.6496E+02
A	1.2740E+01	1.7317E+01	2.0951E+01
S	2.4177E+00	2.5537E+00	2.6678E+00
Z	2.4456E+00	2.7895E+00	2.9870E+00
GAME	8.7447E-01	8.9315E-01	9.6259E-01
U	3.3211E+01	8.1634E+00	8.8004E+00

SPECIES MOLE FRACTIONS

E-	2.4414E-01	3.3772E-01	3.8116E-01
H	4.5034E-01	2.7929E-01	2.0422E-01
H+	2.4334E-01	3.2799E-01	3.0361E-01
H2	7.9869E-05	2.1117E-05	3.9743E-06
H-	2.4775E-04	3.1602E-04	2.7107E-04
H2+	5.1575E-04	8.9127E-04	5.1735E-04
HE	6.0801E-02	4.4616E-02	3.2916E-02
HE+	5.3344E-04	9.1576E-03	1.7299E-02
HE++	2.9816E-13	4.4467E-08	3.4294E-06

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 4.40E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.6045E+03	1.1729E+04	1.8354E+04
T	7.2605E+01	1.1242E+02	1.3815E+02
RHO	9.3309E+00	3.8587E+01	4.6009E+01
H	2.7239E+02	4.7841E+02	6.0233E+02
A	1.2250E+01	1.6351E+01	1.9194E+01
S	2.3683E+00	2.4993E+00	2.6091E+00
Z	2.3684E+00	2.7039E+00	2.8875E+00
GAME	8.7267E-01	8.7955E-01	9.2349E-01
U	3.1712E+01	7.6772E+00	8.0494E+00

SPECIES MOLE FRACTIONS

E-	2.1950E-01	3.1690E-01	3.6005E-01
H	4.9739E-01	3.1637E-01	2.4122E-01
H+	2.1890E-01	3.0976E-01	3.4574E-01
H2	1.0623E-04	3.7141E-05	9.3427E-06
H-	2.6086E-04	3.7225E-04	3.0616E-04
H2+	5.1588E-04	1.0749E-03	7.2548E-04
HE	6.2993E-02	4.9036E-02	3.8063E-02
HE+	3.4198E-04	6.4405E-03	1.3884E-02
HE++	5.9324E-14	9.0279E-09	5.9805E-07

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 4.80E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9153E+03	1.4227E+04	2.2949E+04
T	7.9246E+01	1.2912E+02	1.7086E+02
RHO	9.5753E+00	3.8351E+01	4.3502E+01
H	3.2421E+02	5.6985E+02	7.3368E+02
A	1.3248E+01	1.8405E+01	2.3034E+01
S	2.4667E+00	2.6051E+00	2.7263E+00
Z	2.5240E+00	2.8731E+00	3.0876E+00
GAME	8.7743E-01	9.1913E-01	1.0058E+00
U	3.4702E+01	8.6756E+00	9.7620E+00

SPECIES MOLE FRACTIONS

E-	2.6761E-01	3.15682E-01	4.0118E-01
H	4.0564E-01	2.45178E-01	1.6895E-01
H+	2.6653E-01	3.4419E-01	3.8070E-01
H2	5.9095E-05	1.1559E-05	1.5093E-06
H-	2.2984E-04	2.7179E-04	2.4202E-04
H2+	5.0310E-04	7.1584E-04	3.4569E-04
HE	5.8616E-02	4.0021E-02	2.8220E-02
HE+	8.1203E-04	1.2187E-02	2.0341E-02
HE++	1.3657E-12	1.9888E-07	1.9707E-05

TABLE I. -Continued

$$P_1 = 10 \text{ kN/m}^2$$

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 5.00E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.0808E+03	1.5674E+04	2.5505E+04
T	8.2730E+01	1.3896E+02	1.9212E+02
RHO	9.6585E+00	3.7672E+01	4.1760E+01
H	3.5174E+02	6.1808E+02	8.0811E+02
A	1.3781E+01	1.9656E+01	2.5205E+01
S	2.5158E+00	2.6556E+00	2.7809E+00
Z	2.6041E+03	2.9559E+00	3.1791E+00
GAM	8.8158E-01	9.4061E-01	1.0402E+00
U	3.6195E+01	9.2844E+00	1.0871E+01

SPECIES	MOLE FRACTIONS		
E-	2.9010E-01	3.7469E-01	4.1829E-01
H+	3.6296E-01	2.1467E-01	1.3879E-01
H+	2.8861E-01	3.5910E-01	3.9529E-01
H2	4.2712E-05	6.0101E-06	5.6692E-07
H-	2.0815E-04	2.3686E-04	2.1608E-04
H2+	4.7877E-04	5.5434E-04	2.2669E-04
HE	5.6383E-02	3.5473E-02	2.4293E-02
HE+	1.2190E-03	1.5273E-02	2.2791E-02
HE++	5.9276E-12	8.3126E-07	9.9602E-05

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 5.20E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.2517E+03	1.6644E+04	2.8141E+04
T	8.6386E+01	1.5016E+02	2.1595E+02
RHO	9.7069E+00	3.6480E+01	3.9800E+01
H	3.8040E+02	6.6728E+02	8.8712E+02
A	1.4344E+01	2.1085E+01	2.7313E+01
S	2.5668E+00	2.7046E+00	2.8322E+00
Z	2.6853E+00	3.0383E+00	3.2595E+00
GAM	8.8693E-01	9.7443E-01	1.0598E+00
U	3.7663E+01	1.0010E+01	1.2081E+01

SPECIES	MOLE FRACTIONS		
E-	3.1153E-01	3.9153E-01	4.3258E-01
H+	3.2250E-01	1.8535E-01	1.1399E-01
H+	3.0946E-01	3.7313E-01	4.0707E-01
H2	3.0033E-05	2.9425E-06	2.1958E-07
H-	1.8397E-04	2.0805E-04	1.8967E-04
H2+	4.4412E-04	4.1226E-04	1.4968E-04
HE	5.4050E-02	3.1179E-02	2.0886E-02
HE+	1.8105E-03	1.8187E-02	2.4710E-02
HE++	2.4758E-11	3.3068E-06	4.2216E-04

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 5.40E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.4228E+03	1.7744E+04	3.0805E+04
T	9.0247E+01	1.6269E+02	2.4131E+02
RHO	9.7272E+00	3.4993E+01	3.8345E+01
H	4.1016E+02	7.1756E+02	9.6901E+02
A	1.4935E+01	2.2625E+01	2.9219E+01
S	2.6132E+00	2.7512E+00	2.8806E+00
Z	2.7665E+00	3.1167E+00	3.3292E+00
GAM	8.9341E-01	1.0096E+00	1.0627E+00
U	3.9116E+01	1.0846E+01	1.3265E+01

SPECIES	MOLE FRACTIONS		
E-	3.3170E-01	4.0672E-01	4.4442E-01
H+	2.8470E-01	1.5882E-01	9.4532E-02
H+	3.2880E-01	3.8585E-01	4.1573E-01
H2	2.0532E-05	1.3933E-06	9.3191E-08
H-	1.5895E-04	1.8416E-04	1.6405E-04
H2+	4.0188E-04	2.9860E-04	1.0209E-04
HE	5.1560E-02	2.7386E-02	1.7735E-02
HE+	2.6602E-03	2.0730E-02	2.5892E-02
HE++	1.0015E-10	1.2226E-05	1.4283E-03

$P_1 = 1.00E+04 \text{ N/SQ-M}$, $US_1 = 5.60E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.6112E+03	1.8712E+04	3.3429E+04
T	9.4398E+01	1.7650E+02	2.6613E+02
RHO	9.7127E+00	3.3235E+01	3.7049E+01
H	4.4101E+02	7.6845E+02	1.0531E+03
A	1.5564E+01	2.4213E+01	3.0831E+01
S	2.6614E+00	2.7961E+00	2.9243E+00
Z	2.8480E+00	3.1900E+00	3.3886E+00
GAM	9.0100E-01	1.0412E+00	1.0541E+00
U	4.0559E+01	1.1850E+01	1.4391E+01

SPECIES	MOLE FRACTIONS		
E-	3.5079E-01	4.2027E-01	4.5413E-01
H+	2.4935E-01	1.3510E-01	8.0348E-02
H+	3.4669E-01	3.9723E-01	4.2104E-01
H2	1.3546E-05	6.4658E-07	4.5673E-08
H-	1.3408E-04	1.6223E-04	1.4265E-04
H2+	3.5392E-04	2.1195E-04	7.4045E-05
HE	4.8791E-02	2.4069E-02	1.4745E-02
HE+	3.8776E-03	2.2912E-02	2.5886E-02
HE++	4.0040E-10	4.1766E-05	3.6349E-03

TABLE I. - Continued

$$P_1 = 10 \text{ kN/m}^2$$

$P_1 = 1.00E+04 \text{ N/SU-M}$, $US_1 = 5.80E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	2.7995E+03	1.9613E+04
T	9.8937E+01	1.9135E+02
RHO	9.6576E+00	3.1484E+01
H	4.7296E+02	8.2059E+02
A	1.6240E+01	2.5762E+01
S	2.7099E+00	2.8384E+00
Z	2.9299E+00	3.2555E+00
GAME	9.0979E-01	1.0654E+00
U	4.1986E+01	1.2859E+01

SPECIES ----- MOLE FRACTIONS -----

E-	3.6889E-01	4.3189E-01	4.6280E-01
H	2.1639E-01	1.1486E-01	6.9636E-02
H+	3.6310E-01	4.0685E-01	4.2382E-01
H2	8.5595E-06	3.0443E-07	2.5043E-08
H-	1.1034E-04	1.4222E-04	1.1246E-04
H2+	3.0246E-09	8.8381E-10	5.6289E-05
HE	4.5592E-02	1.212C9E-02	1.1782E-02
HE+	5.6039E-03	2.4737E-02	2.4512E-02
HE++	1.6042E-09	1.2906E-04	7.2680E-03

$P_1 = 1.00E+04 \text{ N/SU-M}$, $US_1 = 6.20E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	3.1906E+03	2.1134E+04
T	1.0918E+02	2.2305E+02
RHO	9.4686E+00	2.8159E+01
H	5.4004E+02	9.2697E+02
A	1.7722E+01	2.8543E+01
S	2.8035E+00	2.9171E+00
Z	3.0864E+00	3.2364E+00
GAME	9.13204E-01	1.0855E+00
U	4.4765E+01	1.5030E+01

SPECIES ----- MOLE FRACTIONS -----

E-	4.0080E-01	4.5026E-01	4.7779E-01
H	1.6048E-01	8.3750E-02	5.4596E-02
H+	3.8984E-01	4.2122E-01	4.2514E-01
H2	3.0897E-06	7.4996E-08	9.5345E-09
H-	7.1508E-05	1.0674E-04	9.6757E-05
H2+	2.0458E-04	7.7976E-05	3.6008E-05
HE	3.7766E-02	1.6397E-02	6.5652E-03
HE+	1.0835E-02	2.7312E-02	1.8850E-02
HE++	2.3540E-08	8.8023E-04	1.6929E-02

$P_1 = 1.00E+04 \text{ N/SU-M}$, $US_1 = 6.00E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	2.9921E+03	2.0418E+04
T	1.0382E+02	2.0690E+02
RHO	9.5765E+00	2.9785E+01
H	5.1595E+02	8.7332E+02
A	1.6953E+01	2.7213E+01
S	2.7571E+00	2.8785E+00
Z	3.0093E+00	3.3133E+00
GAME	9.1982E-01	1.0803E+00
U	4.337dE+01	1.3913E+01

SPECIES ----- MOLE FRACTIONS -----

E-	3.8550E-01	4.4175E-01	4.7053E-01
H	1.8680E-01	9.7915E-02	6.1512E-02
H+	3.7743E-01	4.1483E-01	4.2487E-01
H2	5.2394E-06	1.4833E-07	1.5160E-08
H-	8.9395E-05	1.2380E-04	1.1010E-04
H2+	2.5206E-04	1.0762E-04	4.4687E-05
HE	4.1940E-02	1.8657E-02	9.0476E-03
HE+	7.9051E-03	2.6220E-02	2.2042E-02
HE++	6.2180E-09	3.5568E-04	1.1844E-02

$P_1 = 1.00E+04 \text{ N/SU-M}$, $US_1 = 6.40E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	3.3935E+03	2.1788E+04
T	1.1515E+02	2.3930E+02
RHO	9.3210E+00	2.6695E+01
H	5.7517E+02	9.8195E+02
A	1.8580E+01	2.9711E+01
S	2.8496E+03	2.9539E+00
Z	3.1616E+00	3.4106E+00
GAME	9.4822E-01	1.0816E+00
U	4.6125E+01	1.6072E+01

SPECIES ----- MOLE FRACTIONS -----

E-	4.1502E-01	4.5762E-01	4.8443E-01
H	1.3676E-01	7.2244E-02	4.8392E-02
H+	6.0056E-01	4.2558E-01	4.2526E-01
H2	1.7380E-06	4.0150E-08	6.0768E-09
H-	5.1656E-05	9.1904E-05	8.3896E-05
H2+	1.6104E-04	5.7834E-05	2.9105E-05
HE	3.3094E-02	1.4222E-02	4.4842E-03
HE+	1.4350E-02	2.7832E-02	1.5414E-02
HE++	8.7911E-08	1.9218E-03	2.1907E-02

TABLE I. - Continued

$$p_1 = 10 \text{ kN/m}^2$$

$p_1 = 1.00E+04 \text{ N/SQ-M}$, $U_{S1} = 6.60E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.6012E+03	2.2410E+04	4.4741E+04
T	1.2167E+02	2.5499E+02	3.8500E+02
RHO	9.1599E+00	2.5466E+01	3.2029E+01
H	6.1137E+02	1.0382E+03	1.4942E+03
A	1.9522E+01	3.0718E+01	3.8733E+01
S	2.8930E+00	2.9882E+00	3.1125E+00
Z	3.2312E+00	3.4511E+00	3.6283E+00
GAM	9.6939E-01	1.0723E+00	1.0740E+00
U	4.7465E+01	1.7078E+01	1.9000E+01

SPECIES	MOLE FRACTIONS		
E-	4.2758E-01	4.6358E-01	4.9014E-01
H	1.1642E-01	6.3293E-02	4.2856E-02
H+	4.0941E-01	4.2913E-01	4.2556E-01
H2	9.5313E-07	2.3229E-08	3.9216E-09
H-	4.5004E-05	7.9855E-05	7.1938E-05
H2+	1.2433E-06	4.4419E-05	2.3634E-05
HE	2.8341E-02	1.2219E-02	2.9195E-03
HE+	1.8082E-02	2.7607E-02	1.2214E-02
HE++	3.0945E-07	3.6386E-03	2.6208E-02

$p_1 = 1.00E+04 \text{ N/SQ-M}$, $U_{S1} = 7.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.3252E+03	2.3405E+04	4.8025E+04
T	1.3763E+02	2.8602E+02	4.4065E+02
RHO	6.7086E+00	2.3186E+01	2.9510E+01
H	6.8672E+02	1.1546E+03	1.6868E+03
A	2.1824E+01	3.2643E+01	4.2384E+01
S	2.9769E+00	3.0564E+00	3.1815E+00
Z	3.3583E+00	3.5293E+00	3.6932E+00
GAM	1.0304E+00	1.0556E+00	1.1039E+00
U	5.0024E+01	1.8776E+01	2.0921E+01

SPECIES	MOLE FRACTIONS		
E-	4.4919E-01	4.7584E-01	4.9910E-01
H	8.2173E-02	4.9467E-02	3.2901E-02
H+	4.2307E-01	4.3211E-01	4.2732E-01
H2	2.4355E-07	8.7552E-09	1.5886E-09
H-	2.8709E-05	6.0180E-05	4.9609E-05
H2+	6.7296E-05	2.7471E-05	1.5234E-05
HE	1.9393E-02	8.2925E-03	1.0880E-03
HE+	2.5269E-02	2.4655E-02	7.2429E-03
HE++	3.7206E-06	9.5547E-03	3.2284E-02

$p_1 = 1.00E+04 \text{ N/SQ-M}$, $U_{S1} = 6.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.8118E+03	2.2942E+04	4.6508E+04
T	1.2916E+02	2.7069E+02	4.1203E+02
RHO	8.9487E+00	2.4279E+01	3.0809E+01
H	6.4855E+02	1.0950E+03	1.5897E+03
A	2.0612E+01	3.1681E+01	4.0561E+01
S	2.9360E+03	3.0226E+00	3.1474E+00
Z	3.2978E+00	3.4908E+00	3.6637E+00
GAM	9.9742E-01	1.0622E+00	1.0899E+00
U	4.8764E+01	1.7972E+01	1.9963E+01

SPECIES	MOLE FRACTIONS		
E-	4.3912E-01	4.7008E-01	4.9506E-01
H	9.8077E-02	5.5723E-02	3.7641E-02
H+	4.1719E-01	4.3113E-01	4.2627E-01
H2	4.9207E-07	1.3942E-08	2.4986E-09
H-	3.5733E-05	6.9202E-05	6.0258E-05
H2+	9.2660E-05	3.4553E-05	1.9009E-05
HE	2.3618E-02	1.0209E-02	1.8068E-03
HE+	2.1865E-02	2.6539E-02	9.4410E-03
HE++	1.0892E-06	6.2219E-03	2.9695E-02

TABLE I. -Continued

$$P_1 = 20 \text{ kN/m}^2$$

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $U_{S1} = 4.00E+03 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.2097E+01	2.5396E+01	6.2333E+01
T	3.0557E+00	3.8279E+00	5.4482E+00
RHO	3.9585E+00	6.6354E+00	1.1641E+01
H	3.1244E+00	3.9436E+00	5.7359E+00
A	1.7411E+00	1.9395E+00	2.2891E+00
S	1.0723E+00	1.0745E+00	1.0959E+00
Z	1.0000E+00	1.0000E+00	1.0000E+00
GAME	9.9208E-01	9.8274E-01	9.6178E-01
U	2.4141E+00	1.4366E+00	1.2784E+00

SPECIES	MOLE FRACTIONS		
E-	2.1329E-64	1.4514E-42	1.3963E-26
H	1.2929E-10	2.1944E-08	2.0531E-05
H+	1.0882E-20	2.0451E-20	3.6036E-20
H2	8.5000E-01	8.5000E-01	8.4998E-01
H-	2.7468E-71	2.3478E-47	6.8287E-30
H2+	5.8540E-20	4.8971E-20	3.3385E-20
HE	1.5000E-01	1.5000E-01	1.5000E-01
HE+	4.1157E-71	8.3292E-59	2.3806E-49
HE++	0.	0.	0.

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $U_{S1} = 5.00E+03 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9056E+01	5.0479E+01	1.1148E+02
T	4.2232E+00	5.6554E+00	7.7367E+00
RHO	4.5126E+00	8.9241E+00	1.4395E+01
H	4.3713E+00	5.9729E+00	8.4839E+00
A	2.0317E+00	2.3291E+00	2.6802E+00
S	1.1105E+00	1.1158E+00	1.1408E+00
Z	1.0000E+00	1.0000E+00	1.0011E+00
GAME	9.7746E-01	9.5915E-01	9.2752E-01
U	3.1423E+00	1.5857E+00	1.4359E+00

SPECIES	MOLE FRACTIONS		
E-	2.0110E-36	1.4500E-24	1.9455E-17
H	2.5845E-07	4.3245E-05	2.1002E-03
H+	2.9699E-20	3.9939E-20	3.7865E-18
H2	8.5000E-01	8.4996E-01	8.4806E-01
H-	8.4674E-41	8.1523E-28	6.4779E-19
H2+	3.9723E-20	2.9482E-20	1.5090E-17
HE	1.5000E-01	1.5000E-01	1.4984E-01
HE+	1.7650E-55	3.2935E-48	2.2119E-36
HE++	0.	0.	0.

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $U_{S1} = 6.00E+03 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.7664E+01	8.6215E+01	1.7478E+02
T	5.5894E+00	7.7500E+00	9.9054E+00
RHO	4.9491E+00	1.1111E+01	1.7448E+01
H	5.8976E+00	8.5096E+00	1.1731E+01
A	2.3162E+00	2.6796E+00	2.9649E+00
S	1.1473E+00	1.1560E+00	1.1835E+00
Z	1.0000E+00	1.0012E+00	1.0113E+00
GAME	9.5975E-01	9.2533E-01	8.7729E-01
U	3.8670E+00	1.7181E+00	1.5325E+00

SPECIES	MOLE FRACTIONS		
E-	2.7932E-25	1.8656E-16	1.0824E-12
H	4.7043E-05	2.4437E-03	2.2337E-02
H+	4.4286E-20	1.3058E-16	8.2081E-13
H2	8.4996E-01	8.4774E-01	8.2934E-01
H-	9.5435E-29	7.6822E-19	2.4757E-14
H2+	2.5134E-20	5.6816E-17	2.8630E-13
HE	1.5000E-01	1.4982E-01	1.4832E-01
HE+	7.9829E-49	3.9455E-37	5.1049E-30
HE++	0.	0.	0.

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $U_{S1} = 7.00E+03 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.7907E+01	1.3607E+02	2.5315E+02
T	7.1076E+00	9.7932E+00	1.1648E+01
RHO	6.3363E+00	1.3736E+01	2.0943E+01
H	7.7055E+00	1.1606E+01	1.5442E+01
A	2.5788E+00	2.9452E+00	3.2091E+00
S	1.1823E+00	1.1954E+00	1.2257E+00
Z	1.0006E+00	1.0115E+00	1.0377E+00
GAME	9.3506E-01	8.7566E-01	8.5200E-01
U	4.5937E+00	1.7623E+00	1.5726E+00

SPECIES	MOLE FRACTIONS		
E-	1.2090E-17	8.6712E-13	1.0382E-10
H	1.2762E-03	2.2757E-02	7.2691E-02
H+	9.1808E-18	6.7132E-13	8.2712E-11
H2	8.4882E-01	8.2895E-01	7.8276E-01
H-	2.6224E-20	1.6460E-14	4.8285E-12
H2+	3.0046E-18	2.1226E-13	2.5933E-11
HE	1.4990E-01	1.4829E-01	1.4455E-01
HE+	8.1363E-41	3.8446E-31	1.0298E-25
HE++	0.	0.	0.

TABLE I. - Continued

$$P_1 = 20 \text{ kN/m}^2$$

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $US_1 = 8.00E+03 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.0116E+01	2.0639E+02	3.5557E+02
T	8.6237E+00	1.1525E+01	1.3164E+01
RHO	5.7806E+00	1.7246E+01	2.5031E+01
H	9.8049E+00	1.5320E+01	1.9749E+01
A	2.7825E+00	3.1898E+00	3.4663E+00
S	1.2160E+00	1.2357E+00	1.2697E+00
Z	1.0053E+00	1.0384E+00	1.0791E+00
GAME	8.9302E-01	8.5023E-01	8.4584E-01
U	5.3424E+00	1.7878E+00	1.6054E+00

SPECIES	MOLE FRACTIONS		
E-	2.2789E-14	8.9460E-11	1.9100E-09
H	1.0574E-02	7.3806E-02	1.4653E-01
H+	1.8457E-14	7.2334E-11	1.5745E-09
H2	8.4022E-01	7.8166E-01	7.1446E-01
H-	1.5752E-16	3.6417E-12	1.3867E-10
H2+	6.4489E-15	2.0768E-11	4.7413E-10
HE	1.4921E-01	1.4446E-01	1.3901E-01
HE+	5.4615E-34	6.2480E-26	5.9208E-23
HE++	0.	0.	9.2743E-03

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $US_1 = 9.00E+03 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.4337E+01	3.0393E+02	4.9551E+02
T	9.9301E+00	1.3045E+01	1.4621E+01
RHO	6.3581E+00	2.1565E+01	2.9891E+01
H	1.2203E+01	1.9656E+01	2.4775E+01
A	2.9473E+00	3.4494E+00	3.7509E+00
S	1.2495E+00	1.2779E+00	1.3160E+00
Z	1.0190E+00	1.3802E+00	1.1398E+00
GAME	8.5842E-01	8.4439E-01	8.4869E-01
U	6.1237E+00	1.8012E+00	1.6551E+00

SPECIES	MOLE FRACTIONS		
E-	2.2901E-12	1.7018E-09	1.6808E-08
H	3.7375E-02	1.4845E-01	2.3603E-01
H+	1.9180E-12	1.4151E-09	1.4270E-08
H2	8.1543E-01	7.1269E-01	6.3168E-01
H-	3.1598E-14	1.116CE-10	1.6887E-09
H2+	4.0345E-13	3.9827E-10	4.2267E-09
HE	1.4720E-01	1.3887E-01	1.3230E-01
HE+	3.8114E-30	3.8570E-23	7.5251E-21
HE++	0.	2.4398E-83	1.6054E-74

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $US_1 = 1.00E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	8.0557E+01	4.3208E+02	6.7845E+02
T	1.1014E+01	1.4469E+01	1.6087E+01
RHO	7.0168E+00	2.6334E+01	3.5135E+01
H	1.4893E+01	2.4586E+01	3.0514E+01
A	3.1090E+00	3.7285E+00	4.0670E+00
S	1.2840E+00	1.3223E+00	1.3646E+00
Z	1.0423E+00	1.1340E+00	1.2003E+00
GAME	8.4189E-01	8.4727E-01	8.5661E-01
U	6.9227E+00	1.8394E+00	1.7231E+00

SPECIES	MOLE FRACTIONS		
E-	4.6888E-11	1.4709E-08	9.7846E-08
H	8.1253E-02	2.3632E-01	3.3380E-01
H+	4.0179E-11	1.2554E-08	8.5489E-08
H2	7.7484E-01	6.3140E-01	5.4123E-01
H-	1.0219E-12	1.3527E-09	1.2509E-08
H2+	7.7309E-12	3.5081E-09	2.4866E-08
HE	1.4391E-01	1.3228E-01	1.2496E-01
HE+	4.2093E-27	5.0261E-21	4.3375E-19
HE++	0.	2.2518E-75	3.2157E-68

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $US_1 = 1.10E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	9.8656E+01	5.8986E+02	9.0584E+02
T	1.1953E+01	1.5856E+01	1.7612E+01
RHO	7.6882E+00	3.1060E+01	4.0257E+01
H	1.7869E+01	3.0057E+01	3.6980E+01
A	3.2749E+00	4.0287E+00	4.4204E+00
S	1.3199E+00	1.3687E+00	1.4155E+00
Z	1.0736E+00	1.1977E+00	1.2777E+00
GAME	8.3579E-01	8.5466E-01	8.6833E-01
U	7.7251E+00	1.9157E+00	1.8214E+00

SPECIES	MOLE FRACTIONS		
E-	3.9566E-10	8.0744E-08	4.3972E-07
H	1.3712E-01	3.3010E-01	4.3467E-01
H+	3.4475E-10	7.0688E-08	3.9500E-07
H2	7.2317E-01	5.4466E-01	4.4793E-01
H-	1.1839E-11	9.4454E-09	6.6637E-08
H2+	6.2751E-11	1.95C1E-08	1.1136E-07
HE	1.3972E-01	1.2524E-01	1.1740E-01
HE+	4.5668E-25	2.4754E-19	1.4250E-17
HE++	9.4645E-89	3.5673E-69	1.8735E-62

TABLE I. -Continued

$$p_1 = 20 \text{ kN/m}^2$$

$p_1 = 2.00E+04 \text{ N/SQ-M}$, $US1 = 1.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

$p_1 = 2.00E+04 \text{ N/SQ-M}$, $US1 = 1.40E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.1859E+02	7.7802E+02	1.1777E+03
T	1.2804E+01	1.7262E+01	1.9249E+01
RHO	8.3321E+00	3.5490E+01	4.4840E+01
H	2.1127E+01	3.6072E+01	4.4167E+01
A	3.4470E+00	4.3553E+00	4.8181E+00
S	1.3573E+00	1.4168E+00	1.4683E+00
Z	1.1115E+00	1.270CE+00	1.3645E+00
GAME	8.3487E-01	8.6524E-01	8.8386E-01
U	8.5265E+00	2.0065E+00	1.9451E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.6359E+02	1.2300E+03	1.8491E+03
T	1.4376E+01	2.0287E+01	2.3241E+01
RHO	9.4481E+00	4.2275E+01	5.1062E+01
H	2.8483E+01	4.9597E+01	6.0800E+01
A	3.8152E+00	5.1052E+00	5.8105E+00
S	1.4364E+00	1.5157E+00	1.5770E+00
Z	1.2044E+00	1.4342E+00	1.5582E+00
GAME	8.4068E-01	8.9577E-01	9.3230E-01
U	1.0106E+01	2.2602E+00	2.2943E+00

SPECIES	MOLE FRACTIONS		
E-	2.0556E-09	3.3792E-07	1.6782E-06
H	2.0069E-01	4.2521E-01	5.3422E-01
H+	1.8176E-09	3.0328E-07	1.5475E-06
H2	6.6437E-01	4.5668E-01	3.5504E-01
H-	7.7706E-11	4.6750E-08	2.8284E-07
H2+	3.1579E-10	8.1429E-08	4.1360E-07
HE	1.3495E-01	1.1811E-01	1.0993E-01
HE+	1.9516E-23	6.8302E-18	3.2870E-16
HE++	1.3844E-84	3.9266E-64	1.0093E-57

SPECIES	MOLE FRACTIONS		
E-	2.4517E-08	3.7252E-06	2.0084E-05
H	3.3944E-01	6.0553E-01	7.1638E-01
H+	2.2233E-08	3.4960E-06	1.9352E-05
H2	5.3602E-01	2.8988E-01	1.8731E-01
H-	1.2622E-09	6.0312E-07	3.4319E-06
H2+	3.5466E-09	8.3035E-07	4.1632E-06
HE	1.2454E-01	1.0458E-01	9.6267E-02
HE+	4.8355E-21	1.9484E-15	1.1953E-13
HE++	1.2228E-75	2.4437E-54	1.1088E-47

$p_1 = 2.00E+04 \text{ N/SQ-M}$, $US1 = 1.30E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

$p_1 = 2.00E+04 \text{ N/SQ-M}$, $US1 = 1.50E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.4023E+02	9.9284E+02	1.4920E+03
T	1.3603E+01	1.8721E+01	2.1075E+01
RHO	8.9229E+00	3.9302E+01	4.8530E+01
H	2.4665E+01	4.2590E+01	5.2081E+01
A	3.6265E+00	4.7116E+00	5.2726E+00
S	1.3961E+00	1.4659E+00	1.5223E+00
Z	1.1553E+00	1.3494E+00	1.4588E+00
GAME	8.3686E-01	8.7876E-01	9.0426E-01
U	9.3193E+00	2.1171E+00	2.0994E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.8867E+02	1.4857E+03	2.2509E+03
T	1.5141E+01	2.2038E+01	2.6042E+01
RHO	9.9027E+00	4.4280E+01	5.2150E+01
H	3.2582E+01	5.7083E+01	7.0454E+01
A	4.0147E+00	5.5485E+00	6.4820E+00
S	1.4779E+00	1.5656E+00	1.6321E+00
Z	1.2584E+00	1.5224E+00	1.6573E+00
GAME	8.4595E-01	9.1770E-01	9.7347E-01
U	1.0887E+01	2.4364E+00	2.5492E+00

SPECIES	MOLE FRACTIONS		
E-	7.7983E-09	1.1843E-06	5.8497E-06
H	2.6884E-01	5.1783E-01	6.2898E-01
H+	6.9828E-09	1.0883E-06	5.5232E-06
H2	6.0128E-01	3.7100E-01	2.6818E-01
H-	3.5103E-10	1.0246E-07	1.0267E-06
H2+	1.1665E-09	2.7848E-07	1.3551E-06
HE	1.2983E-01	1.1116E-01	1.0283E-01
HE+	3.5118E-22	1.2923E-16	6.3038E-15
HE++	4.2674E-79	1.1806E-59	1.0740E-52

SPECIES	MOLE FRACTIONS		
E-	6.6495E-08	1.1106E-05	7.3974E-05
H	4.1066E-01	6.8628E-01	7.9302E-01
H+	6.1387E-08	1.0627E-05	7.2409E-05
H2	4.7014E-01	2.1516E-01	1.1631E-01
H-	3.8129E-09	1.7858E-06	1.1205E-05
H2+	9.3309E-09	2.2647E-06	1.2769E-05
HE	1.1920E-01	9.8526E-02	9.0506E-02
HE+	4.5092E-20	2.5954E-14	2.7054E-12
HE++	1.6404E-71	4.0477E-50	9.3515E-43

TABLE I, -Continued

$$P_1 = 20 \text{ kN/m}^2$$

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $US1 = 1.60E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.1533E+02	1.7487E+03	2.6989E+03
T	1.5914E+01	2.4083E+01	3.0073E+01
RHO	1.0276E+01	4.5101E+01	5.1430E+01
H	3.6958E+01	6.4981E+01	8.1283E+01
A	4.2267E+00	6.0596E+00	7.3597E+00
S	1.5205E+00	1.6148E+00	1.6865E+00
Z	1.3168E+00	1.6100E+00	1.7450E+00
GAM	8.5255E-01	9.4702E-01	1.0322E+00
U	1.1656E+01	2.6635E+00	2.9091E+00

SPECIES	MOLE FRACTIONS		
E+	1.6717E-07	3.2835E-05	3.2312E-04
H+	4.8116E-01	7.5764E-01	8.5286E-01
H+	1.5520E-07	3.1909E-05	3.1929E-04
H2	4.0493E-01	1.4912E-01	6.0459E-02
H-	1.0242E-08	4.9145E-06	3.7923E-05
H2+	2.2218E-08	5.8410E-06	4.1749E-05
HE	1.1391E-01	9.3169E-02	8.5960E-02
HE+	3.7639E-19	3.4146E-13	9.3891E-11
HE++	1.6292E-68	5.3664E-46	4.9754E-37

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $US1 = 1.80E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.7369E+02	2.2744E+03	3.7309E+03
T	1.7562E+01	3.0018E+01	4.3052E+01
RHO	1.0783E+01	4.3055E+01	4.7182E+01
H	4.6551E+01	8.2003E+01	1.0675E+02
A	4.7006E+00	7.4025E+00	9.0675E+00
S	1.6081E+00	1.7079E+00	1.7848E+00
Z	1.4652E+00	1.7581E+00	1.8367E+00
GAM	8.7058E-01	1.0384E+00	1.0398E+00
U	1.3182E+01	3.2955E+00	3.9021E+00

SPECIES	MOLE FRACTIONS		
E-	8.8544E-07	3.4706E-04	6.1431E-03
H-	6.1609E-01	8.6134E-01	8.9242E-01
H+	4.6335E-07	3.4347E-04	6.0755E-03
H2	2.8012E-01	5.2576E-02	1.2993E-02
H-	5.8130E-08	3.4887E-05	3.1747E-04
H2+	1.0322E-07	3.8474E-05	3.8501E-04
HE	1.0379E-01	8.5319E-02	8.1668E-02
HE+	1.7671E-17	9.6682E-11	1.1515E-07
HE++	2.6510E-62	4.7220E-37	9.5806E-26

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $US1 = 1.70E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.4374E+02	2.0173E+03	3.2022E+03
T	1.6714E+01	2.6653E+01	3.6052E+01
RHO	1.0573E+01	4.4742E+01	6.9225E+01
H	4.1616E+01	7.3328E+01	9.3567E+01
A	4.6542E+00	6.6736E+00	8.3565E+00
S	1.5640E+00	1.6626E+00	1.7387E+00
Z	1.3793E+00	1.6916E+00	1.8044E+00
GAM	8.6063E-01	9.8780E-01	1.0735E+00
U	1.2425E+01	2.9412E+00	3.3946E+00

SPECIES	MOLE FRACTIONS		
E+	3.9115E-07	1.0273E-04	1.6164E-03
H-	5.4499E-01	8.1739E-01	8.8664E-01
H+	3.6719E-07	1.0059E-04	1.6910E-03
H2	3.4130E-01	9.3708E-02	2.6746E-02
H-	2.5142E-08	1.3220E-05	1.2666E-04
H2+	4.9101E-08	1.4964E-05	1.4213E-04
HE	1.0875E-01	8.8672E-02	8.3130E-02
HE+	2.6070E-18	5.2373E-12	4.5703E-09
HE++	1.6133E-65	1.4200E-41	8.2016E-31

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $US1 = 1.90E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.0517E+02	2.5088E+03	4.2436E+03
T	1.8490E+01	3.4344E+01	4.9288E+01
RHO	1.0903E+01	4.0525E+01	4.6260E+01
H	5.1762E+01	9.0949E+01	1.1997E+02
A	4.9718E+00	8.1549E+00	9.4999E+00
S	1.6525E+00	1.7497E+00	1.8244E+00
Z	1.5138E+00	1.8026E+00	1.8611E+00
GAM	8.8315E-01	1.0742E+00	9.8382E-01
U	1.3930E+01	3.7384E+00	4.2848E+00

SPECIES	MOLE FRACTIONS		
E-	1.9790E-06	1.1940E-03	1.4673E-02
H-	6.7880E-01	8.8682E-01	8.8100E-01
H+	1.8979E-06	1.1852E-03	1.4488E-02
H2	2.2211E-01	2.7405E-02	7.9454E-03
H-	1.2916E-07	8.6224E-05	5.5594E-04
H2+	2.1022E-07	9.5799E-05	7.3940E-04
HE	9.9090E-02	8.3214E-02	8.0595E-02
HE+	1.1654E-16	1.8838E-09	9.5945E-07
HE++	3.6154E-59	2.8415E-32	1.9948E-22

TABLE I. -Continued

$$P_1 = 20 \text{ kN/m}^2$$

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $US_1 = 2.00E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.3809E+02	2.7186E+03	4.7252E+03
T	1.9542E+01	3.9238E+01	5.4499E+01
RHO	1.0923E+01	3.7886E+01	4.5968E+01
H	5.7248E+01	1.0017E+02	1.3323E+02
A	5.2774E+00	8.7393E+00	9.8397E+00
S	1.6970E+00	1.7876E+00	1.8603E+00
Z	1.5838E+00	1.8288E+00	1.8861E+00
GAME	8.9980E-01	1.0643E+00	9.4189E-01
U	1.4666E+01	4.2278E+00	4.5708E+00

SPECIES	-----	MOLE FRACTIONS	-----
E-		4.4956E-06	3.5407E-03
H		7.3723E-01	8.9562E-01
H+		4.3544E-06	3.5120E-03
H2		1.6805E-01	1.4914E-02
H-		2.6244E-07	1.8030E-04
H2+		4.2361E-07	2.0898E-04
HE		9.4706E-02	8.2020E-02
HE+		8.1077E-16	2.5500E-08
HE++		5.0066E-56	3.4643E-28

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $US_1 = 2.20E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.0759E+02	3.0953E+03	5.4957E+03
T	2.2397E+01	4.8761E+01	6.2609E+01
RHO	1.0588E+01	3.3993E+01	4.5259E+01
H	6.9023E+01	1.1987E+02	1.5965E+02
A	6.0746E+00	9.4451E+00	1.0425E+01
S	1.7842E+00	1.8573E+00	1.9274E+00
Z	1.7187E+00	1.8674E+00	1.9396E+00
GAME	9.5863E-01	9.7972E-01	8.9488E-01
U	1.6082E+01	4.9943E+00	4.9078E+00

SPECIES	-----	MOLE FRACTIONS	-----
E-		2.8463E-05	1.5975E-02
H		8.3625E-01	8.8075E-01
H+		2.8053E-05	1.5827E-02
H2		7.6416E-02	6.0593E-03
H-		1.4395E-06	4.5645E-04
H2+		1.8494E-06	6.0401E-04
HE		8.7275E-02	8.0325E-02
HE+		6.7200E-14	9.5163E-07
HE++		4.1619E-49	1.5265E-22

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $US_1 = 2.10E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.7231E+02	2.9162E+03	5.1544E+03
T	2.0799E+01	4.4197E+01	5.8885E+01
RHO	1.0827E+01	3.5701E+01	4.5769E+01
H	6.3004E+01	1.0980E+02	1.4652E+02
A	5.6347E+00	9.1412E+00	1.0144E+01
S	1.7411E+00	1.8232E+00	1.8944E+00
Z	1.6533E+00	1.8482E+00	1.9125E+00
GAME	9.2329E-01	1.0230E+00	9.1382E-01
U	1.5386E+01	4.6584E+00	4.7793E+00

SPECIES	-----	MOLE FRACTIONS	-----
E-		1.0749E-05	8.4007E-03
H		7.9030E-01	8.9241E-01
H+		1.0508E-05	8.3270E-03
H2		1.1894E-01	9.0042E-03
H-		6.2392E-07	3.1218E-04
H2+		8.6520E-07	3.8562E-04
HE		9.0725E-02	8.1161E-02
HE+		5.4324E-15	2.0260E-07
HE++		4.3872E-53	5.9711E-25

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $US_1 = 2.30E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.4347E+02	3.2307E+03	5.7194E+03
T	2.4565E+01	5.2777E+01	6.5869E+01
RHO	1.0177E+01	3.2411E+01	4.4122E+01
H	7.5291E+01	1.3028E+02	1.7281E+02
A	6.6386E+00	9.7114E+00	1.0690E+01
S	1.8254E+00	1.8910E+00	1.9610E+00
Z	1.7739E+00	1.8887E+00	1.9679E+00
GAME	1.0113E+00	9.4611E-01	8.8151E-01
U	1.6740E+01	5.2471E+00	5.0144E+00

SPECIES	-----	MOLE FRACTIONS	-----
E-		8.7942E-05	2.5725E-02
H		8.7230E-01	8.6356E-01
H+		6.7242E-05	2.5480E-02
H2		4.2958E-02	4.3943E-03
H-		3.5722E-06	5.8783E-04
H2+		4.2725E-06	8.3007E-04
HE		3.4557E-02	7.9416E-02
HE+		1.0392E-12	3.0083E-06
HE++		1.2791E-44	9.3325E-21

TABLE I. - Continued

$$P_1 = 20 \text{ kN/m}^2$$

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $US_1 = 2.40E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.7989E+32	3.3218E+03	5.8119E+03
T	2.7560E+01	5.6258E+01	6.8730E+01
RHO	6.6084E+00	3.0880E+01	4.2340E+01
H	8.1802E+01	1.4107E+02	1.8585E+02
H+	7.3121E+00	9.9600E+00	1.0941E+01
S	1.8639E+00	1.9243E+00	1.9951E+00
Z	1.8122E+00	1.9121E+00	1.9972E+00
GAME	1.0705E+00	9.2219E-01	8.7201E-01
U	1.7363E+01	5.3973E+00	5.0868E+00

$P_1 = 2.30E+04 \text{ N/SQ-M}$, $US_1 = 2.60E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.5440E+02	3.4622E+03	5.8702E+03
T	3.5344E+01	6.2219E+01	7.3774E+01
RHO	8.4971E+00	2.8324E+01	3.8661E+01
H	9.5538E+01	1.635CE+02	2.1215E+02
H+	8.3562E+00	1.0443E+01	1.1426E+01
S	1.9303E+00	1.9898E+00	2.0623E+00
Z	1.8460E+00	1.9646E+00	2.0582E+00
GAME	1.0732E+00	8.9222E-01	8.5983E-01
U	1.8521E+01	5.5419E+00	5.2059E+00

SPECIES	MOLE FRACTIONS		
E-	3.1594E-04	3.6870E-02	7.8216E-02
H+	8.9543E-01	8.4308E-01	7.6381E-01
H-	3.1469E-04	3.6518E-02	7.7115E-02
H2	2.1147E-02	3.3489E-03	2.2452E-03
H2+	4.4024E-06	6.9343E-04	1.2385E-03
H2++	1.0544E-05	1.0378E-03	2.2738E-03
HE	8.2771E-02	7.8440E-02	7.5040E-02
HE+	2.3419E-11	7.2134E-06	6.5814E-05
HE++	1.0638E-39	2.0980E-19	7.5257E-16

SPECIES	MOLE FRACTIONS		
E-	3.2979E-03	6.1858E-02	1.0512E-01
H+	9.0666E-01	7.9617E-01	7.1305E-01
H-	3.2918E-03	6.1284E-02	1.0374E-01
H2	5.3951E-03	2.1194E-03	1.4997E-03
H2+	4.8861E-05	8.3583E-04	1.2424E-03
H2++	5.4965E-05	1.3835E-03	2.4769E-03
He	8.1256E-02	7.6324E-02	7.2736E-02
He+	7.0904E-09	2.6068E-05	1.4424E-04
He++	1.0503E-17	2.0053E-17	1.1760E-14

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $US_1 = 2.50E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $US_1 = 2.70E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.1640E+02	3.3769E+03	5.8209E+03
T	3.1307E+01	5.9336E+01	7.1284E+01
RHO	8.9566E+00	2.9374E+01	4.0282E+01
H	8.8537E+01	1.5201E+02	1.9876E+02
H+	7.9263E+00	1.0200E+01	1.1181E+01
S	1.8988E+00	1.9576E+00	2.0291E+00
Z	1.8333E+00	1.9375E+00	2.0272E+00
GAME	1.0945E+00	9.0504E-01	8.6518E-01
U	1.7939E+01	5.4895E+00	5.1475E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.9455E+02	3.5997E+03	6.0172E+03
T	3.9217E+01	6.5003E+01	7.6326E+01
RHO	8.1639E+00	2.7781E+01	3.7717E+01
H	1.0283E+02	1.7562E+02	2.2634E+02
H+	8.6446E+00	1.0692E+01	1.1682E+01
S	1.9592E+00	2.0208E+00	2.0944E+00
Z	1.8577E+00	1.9933E+00	2.0902E+00
GAME	1.0263E+00	8.8234E-01	8.5537E-01
U	1.9129E+01	5.6070E+00	5.2707E+00

SPECIES	MOLE FRACTIONS		
E-	1.1248E-03	4.8983E-02	6.1604E-02
H+	9.0574E-01	8.2046E-01	7.3858E-01
H-	1.1223E-03	4.8523E-02	9.0364E-02
H2	1.0145E-02	2.6278E-03	1.8262E-03
H2+	2.3349E-05	7.72C1E-04	1.2465E-03
HE	8.1815E-02	7.74C07E-02	7.3856E-02
HE+	5.1709E-10	1.4467E-05	9.9309E-05
HE++	4.3006E-35	2.4727E-18	3.1762E-15

SPECIES	MOLE FRACTIONS		
E-	7.5382E-03	7.52C3E-02	1.1872E-01
H+	9.0070E-01	7.7086E-01	6.8729E-01
H-	7.5241E-03	7.45C5E-02	1.1718E-01
H2	9.3071E-03	1.75C9E-03	1.2455E-03
H2+	3.4565E-05	8.9050E-04	1.2356E-03
HE	3.0746E-02	7.52C7E-02	7.1559E-02
HE+	9.3184E-08	4.3609E-05	2.0505E-04
HE++	1.5125E-27	1.2555E-16	4.0778E-14

TABLE I. -Continued

$$P_1 = 20 \text{ kN/m}^2$$

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $US1 = 2.80E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.3720E+02	3.7983E+03	6.2694E+03
T	4.2733E+01	6.7772E+01	7.8993E+01
RHO	7.9670E+00	2.7697E+01	3.7381E+01
H	1.1043E+02	1.8849E+02	2.4149E+02
A	8.8797E+00	1.0950E+01	1.1951E+01
S	1.9862E+00	2.0501E+00	2.1257E+00
Z	1.8716E+00	2.0235E+00	2.1232E+00
GAME	9.8587E-01	8.7639E-01	8.5154E-01
U	1.9771E+01	5.6747E+00	5.3447E+00

SPECIES	MOLE FRACTIONS		
E-	1.3983E-02	8.8927E-02	1.3235E-01
H	8.8936E-01	7.4474E-01	6.6144E-01
H+	1.3955E-02	8.8051E-02	1.3064E-01
H2	2.2816E-03	1.4718E-03	1.0427E-03
H-	1.2594E-04	9.3859E-04	1.2271E-03
H2+	1.5346E-04	1.7051E-03	2.6519E-03
HE	8.0164E-02	7.4059E-02	7.0362E-02
HE+	2.4192E-07	6.9425E-05	2.8743E-04
HE++	3.5239E-25	6.6935E-16	1.3598E-13

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $US1 = 3.00E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	7.2953E+02	4.3393E+03	7.0183E+03
T	4.8737E+01	7.3253E+01	8.4660E+01
RHO	7.8438E+00	2.8391E+01	3.7828E+01
H	1.2656E+02	2.1632E+02	2.7446E+02
A	9.3157E+00	1.1482E+01	1.2525E+01
S	2.0373E+00	2.1082E+00	2.1867E+00
Z	1.9083E+00	2.0865E+00	2.1915E+00
GAME	9.3307E-01	8.6262E-01	8.4557E-01
U	2.1131E+01	5.8335E+00	5.5196E+00

SPECIES	MOLE FRACTIONS		
E-	3.2203E-02	1.1643E-01	1.5935E-01
H	8.5522E-01	6.9231E-01	6.1028E-01
H+	3.2131E-02	1.1528E-01	1.5720E-01
H2	1.3494E-03	1.0745E-03	7.3504E-04
H-	2.1091E-04	1.0113E-03	1.1941E-03
H2+	2.8097E-04	2.0062E-03	2.7973E-03
HE	7.8600E-02	7.1735E-02	6.7904E-02
HE+	1.9384E-06	1.5577E-04	5.6377E-04
HE++	6.4051E-22	1.2441E-14	1.3497E-12

$P_1 = 2.30E+04 \text{ N/SQ-M}$, $US1 = 2.90E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.8235E+02	4.0506E+03	6.6119E+03
T	4.5877E+01	7.0519E+01	8.1775E+01
RHO	7.8759E+00	2.7957E+01	3.7487E+01
H	1.1835E+02	2.0211E+02	2.5756E+02
A	9.0974E+00	1.1214E+01	1.2232E+01
S	2.0119E+00	2.0796E+00	2.1563E+00
Z	1.0885E+00	2.0546E+00	2.1569E+00
GAME	9.5530E-01	8.6793E-01	8.4827E-01
U	2.0444E+01	5.75C7E+00	5.4229E+00

SPECIES	MOLE FRACTIONS		
E-	2.2308E-02	1.0268E-01	1.4590E-01
H	4.7391E-01	7.1852E-01	6.3575E-01
H+	2.2261E-02	1.0170E-01	1.4398E-01
H2	1.7101E-03	1.2542E-03	8.7618E-04
H-	1.6883E-04	9.8017E-04	1.2144E-03
H2+	2.1523E-04	1.8613E-03	2.7332E-03
HE	7.9426E-02	7.29C2E-02	6.9146E-02
HE+	7.7010E-07	1.0580E-04	3.9776E-04
HE++	2.2901E-23	3.0653E-15	4.3675E-13

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $US1 = 3.20E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	8.3147E+02	5.0623E+03	8.0530E+03
T	5.3663E+01	7.8862E+01	9.0862E+01
RHO	7.9315E+00	2.9817E+01	3.9158E+01
H	1.4391E+02	2.47C8E+02	3.1119E+02
A	9.7450E+00	1.2044E+01	1.3154E+01
S	2.0853E+00	2.1647E+00	2.2470E+00
Z	1.9535E+00	2.1528E+00	2.2626E+00
GAME	9.0586E-01	8.5460E-01	8.4157E-01
U	2.2582E+01	5.9905E+00	5.7278E+00

SPECIES	MOLE FRACTIONS		
E-	5.4327E-02	1.4373E-01	1.8575E-01
H	3.1306E-01	6.4025E-01	5.6043E-01
H+	5.4193E-02	1.4220E-01	1.8302E-01
H2	9.3815E-04	7.9442E-04	5.1036E-04
H-	2.8563E-04	1.0676E-03	1.1330E-03
H2+	4.1223E-04	2.2649E-03	2.8681E-03
HE	7.6778E-02	6.9360E-02	6.5305E-02
HE+	7.5123E-06	3.1545E-04	9.8932E-04
HE++	8.6344E-20	1.6217E-13	1.1947E-11

TABLE I. - Continued

 $p_1 = 2.00E+04 \text{ N/SQ-M}$ $p_1 = 2.00E+04 \text{ N/SQ-M}, \text{ US1} = 3.40E+04 \text{ M/SEC}$ $x_{H2} = .85, x_{He} = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.94117E+02	5.8937E+03	9.2677E+03
T	1.58033E+01	8.4555E+01	9.7575E+01
RHO	8.0925E+00	3.1384E+01	4.0661E+01
H	1.6244E+02	2.80C8E+02	13.5101E+02
A	1.0176E+01	1.2627E+01	1.3834E+01
S	2.1228E+03	2.2207E+00	2.3071E+00
Z	2.0051E+00	2.2209E+00	2.3359E+00
GAM	8.9042E-01	8.4900E-01	8.3959E-01
U	2.4062E+01	6.1961E+00	5.5755E+00

SPECIES	MOLE FRACTIONS		
E-	7.8587E-02	1.70C3E-01	2.1119E-01
H+	7.6665E-01	5.9033E-01	5.1271E-01
H+	7.8375E-02	1.6865E-01	2.0766E-01
H2	6.9745E-04	5.8081E-04	3.4245E-04
H2	3.4626E-04	1.0396E-03	1.0427E-03
H2+	5.3735E-04	2.4365E-03	2.8228E-03
HE	7.4789E-02	6.6951E-02	6.2489E-02
HE+	2.0438E-05	5.8824E-04	1.7252E-03
HE++	3.2740E-18	1.5746E-12	9.3551E-11

 $p_1 = 2.00E+04 \text{ N/SQ-M}, \text{ US1} = 3.60E+04 \text{ M/SEC}$ $x_{H2} = .85, x_{He} = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.0585E+03	6.8310E+03	1.0655E+04
T	6.1964E+01	9.0471E+01	1.0494E+02
RHO	8.2876E+00	3.2965E+01	4.2111E+01
H	1.8212E+02	3.1533E+02	3.9396E+02
A	1.0607E+01	1.3239E+01	1.4576E+01
S	2.1800E+00	2.2766E+00	2.3672E+00
Z	2.0612E+00	2.2905E+00	2.4111E+00
GAM	8.8098E-01	8.4583E-01	8.3968E-01
U	2.5560E+01	6.4194E+00	6.2617E+00

SPECIES	MOLE FRACTIONS		
E-	1.0363E-01	1.9523E-01	2.3559E-01
H+	7.1369E-01	5.4268E-01	4.6739E-01
H+	1.0333E-01	1.9268E-01	2.3099E-01
H2	5.3621E-04	4.1466E-04	2.1975E-04
H2	3.9147E-04	9.9410E-04	9.3659E-04
H2+	6.4934E-04	2.5051E-03	2.6610E-03
HE	7.2729E-02	6.4452E-02	5.9330E-02
HE+	4.5080E-05	1.0365E-03	2.8820E-03
HE++	5.8336E-17	1.2541E-11	6.6401E-10

 $p_1 = 2.00E+04 \text{ N/SQ-M}, \text{ US1} = 3.80E+04 \text{ M/SEC}$ $x_{H2} = .85, x_{He} = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.1831E+03	7.8483E+03	1.2202E+04
T	6.5694E+01	9.6684E+01	1.1316E+02
RHO	8.4492E+00	3.4375E+01	6.3336E+01
H	2.0294E+02	3.5262E+02	4.4018E+02
A	1.1041E+01	1.3886E+01	1.5403E+01
S	2.2272E+00	2.3323E+00	2.4271E+00
Z	2.1207E+00	2.3612E+00	2.4883E+00
GAM	8.7497E-01	8.4465E-01	8.4298E-01
U	2.7068E+01	6.7013E+00	6.6031E+00

SPECIES	MOLE FRACTIONS		
E-	1.2880E-01	2.1923E-01	2.5905E-01
H+	6.7050E-01	4.9758E-01	4.2440E-01
H+	1.2439E-01	2.1596E-01	2.5290E-01
H2	6.1828E-04	2.8661E-04	1.3373E-04
H2	6.2151E-04	9.2024E-04	8.3183E-04
H2+	7.4410E-04	2.4753E-03	2.3992E-03
HE	7.0645E-02	6.1786E-02	5.5766E-02
HE+	8.7163E-05	1.7416E-03	4.5768E-03
HE++	6.4584E-16	8.6053E-11	4.3324E-05

 $p_1 = 2.00E+04 \text{ N/SQ-M}, \text{ US1} = 4.00E+04 \text{ M/SEC}$ $x_{H2} = .85, x_{He} = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.3148E+03	8.9524E+03	1.3896E+04
T	6.9290E+01	1.0339E+02	1.2240E+02
RHO	8.6920E+00	3.5577E+01	4.4230E+01
H	2.2490E+02	3.9203E+02	4.8969E+02
A	1.1479E+01	1.4585E+01	1.6342E+01
S	2.2745E+03	2.3882E+00	2.4862E+00
Z	2.1830F+00	2.4337E+00	2.5670E+00
GAM	8.7120E-01	8.4541E-01	8.4998E-01
U	2.8579E+01	6.9826E+00	6.9977E+00

SPECIES	MOLE FRACTIONS		
E-	1.5369E-01	2.4238E-01	2.8145E-01
H+	6.2286E-01	4.5457E-01	3.8390E-01
H+	1.5315E-01	2.3805E-01	2.7332E-01
H2	3.2737E-04	1.8987E-04	7.7097E-05
H2	4.3722E-04	8.3038E-04	7.4236E-04
H2+	8.1883E-04	2.3429E-03	2.0716E-03
HE	6.8558E-02	5.8817E-02	5.1632E-02
HE+	1.5436E-04	2.8168E-03	6.8027E-03
HE++	5.1907E-15	5.3563E-10	2.5575E-08

TABLE I. -Continued

$$P_1 = 20 \text{ kN/m}^2$$

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $US_1 = 4.20E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.4533E+03	1.0112E+04	1.5743E+04
T	7.2823E+01	1.1050E+02	1.3327E+02
RHO	8.8787E+00	3.6531E+01	4.4569E+01
H	2.4798E+02	4.3335E+02	5.4298E+02
A	1.1927E+01	1.5325E+01	1.7475E+01
S	2.3221E+00	2.4423E+00	2.5658E+00
Z	2.2477E+00	2.5053E+00	2.6504E+00
GAME	8.6910E-01	8.4841E-01	8.6459E-01
U	3.0090E+01	7.3219E+00	7.4807E+00

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $US_1 = 4.60E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.7506E+03	1.2538E+04	1.9932E+04
T	7.9921E+01	1.2685E+02	1.6213E+02
RHO	9.1902E+00	3.7260E+01	4.3428E+01
H	2.9752E+02	5.2131E+02	6.6600E+02
A	1.2865E+01	1.7073E+01	2.0511E+01
S	2.4178E+00	2.5489E+00	2.6619E+00
Z	2.3834E+00	2.6527E+00	2.8309E+00
GAME	8.6896E-01	8.6622E-01	9.1660E-01
U	3.3095E+01	8.1818E+00	8.8944E+00

SPECIES	MOLE FRACTIONS		
E-	1.7808E-01	2.6383E-01	3.0374E-01
H	5.7623E-01	4.1517E-01	3.4400E-01
H+	1.7739E-01	2.5812E-01	2.9325E-01
H2	2.5526E-04	1.2217E-04	4.0999E-05
H-	4.3977E-04	7.4169E-04	6.7252E-04
H2+	8.7170E-04	2.1359E-03	1.6992E-03
HE	6.6476E-02	5.5570E-02	4.7131E-02
HE+	2.5723E-04	4.3032E-03	9.4630E-03
HE++	3.3349E-14	2.9057E-09	1.6729E-07

SPECIES	MOLE FRACTIONS		
E-	2.2485E-01	3.0425E-01	3.4748E-01
H	4.8703E-01	3.4228E-01	2.6570E-01
H+	2.2372E-01	2.9469E-01	3.3226E-01
H2	1.5024E-04	4.4152E-05	8.9501E-06
H-	4.1149E-04	5.9162E-04	5.9283E-04
H2+	9.0887E-04	1.5961E-03	9.7742E-04
HE	6.2301E-02	4.7956E-02	3.8152E-02
HE+	6.3466E-04	8.5451E-03	1.4831E-02
HE++	8.8785E-13	6.6370E-08	4.3207E-06

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $US_1 = 4.40E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.5986E+03	1.1318E+04	1.7741E+04
T	7.6350E+01	1.1829E+02	1.4621E+02
RHO	9.0462E+00	3.7106E+01	4.4320E+01
H	2.7219E+02	4.7650E+02	6.0051E+02
A	1.2388E+01	1.6147E+01	1.8847E+01
S	2.3699E+00	2.4961E+00	2.6041E+00
Z	2.3146E+00	2.5785E+00	2.7379E+00
GAME	8.6839E-01	8.5485E-01	8.8740E-01
U	3.1596E+01	7.7102E+00	8.0768E+00

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $US_1 = 4.80E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9089E+03	1.3779E+04	2.2277E+04
T	8.3582E+01	1.3647E+02	1.8147E+02
RHO	9.3075E+00	3.6995E+01	4.1949E+01
H	3.2396E+02	5.6786E+02	7.3268E+02
A	1.3364E+01	1.8142E+01	2.2420E+01
S	2.4659E+00	2.6005E+00	2.7186E+00
Z	2.4538E+00	2.7287E+00	2.9268E+00
GAME	8.7076E-01	8.8378E-01	9.4650E-01
U	3.4587E+01	8.6874E+00	9.8572E+00

SPECIES	MOLE FRACTIONS		
E-	2.0183E-01	2.8448E-01	3.2565E-01
H	5.3088E-01	3.7771E-01	3.0486E-01
H+	2.0095E-01	2.7710E-01	3.1273E-01
H2	1.9718E-04	7.5069E-05	2.0106E-05
H-	4.3762E-04	6.5981E-04	6.2530E-04
H2+	9.0175E-04	1.8812E-03	1.3251E-03
HE	5.4395E-02	5.1922E-02	4.2564E-02
HE+	4.1044E-04	6.2569E-03	1.2221E-02
HE++	1.8244E-13	1.4539E-08	8.0228E-07

SPECIES	MOLE FRACTIONS		
E-	2.4707E-01	3.2336E-01	3.6854E-01
H	4.4481E-01	3.0823E-01	2.2773E-01
H+	2.4560E-01	3.1156E-01	3.5122E-01
H2	1.1248E-04	2.4761E-05	3.7068E-06
H-	3.8431E-04	5.3820E-04	5.6236E-04
H2+	8.9383E-04	1.3070E-03	6.8894E-04
HE	6.0171E-02	4.3942E-02	3.4085E-02
HE+	9.5890E-04	1.1028E-02	1.7149E-02
HE++	3.9658E-12	2.8327E-07	2.2233E-05

TABLE I. -Continued

 $p_1 = 20 \text{ kN/m}^2$

$P_1 = 2.00E+04 \text{ N/SU-M}$, $US1 = 5.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK

P_1	$2.0735E+03$	$1.4971E+04$	$2.4765E+04$
T	$8.7378E+01$	$1.4715E+02$	$2.0377E+02$
ρ_{HO}	$9.3959E+00$	$3.6267E+01$	$4.0273E+01$
H	$3.5151E+02$	$6.1565E+02$	$8.0673E+02$
A	$1.3086E+01$	$1.9345E+01$	$2.4431E+01$
S	$2.5139E+00$	$2.6499E+00$	$2.7723E+00$
Z	$2.5256E+00$	$2.8053E+00$	$3.0178E+00$
GAME	$8.7376E+01$	$9.0696E+01$	$9.7068E+01$
U	$3.6068E+01$	$9.3363E+00$	$1.0963E+01$

$P_1 = 2.00E+04 \text{ N/SU-M}$, $US1 = 5.40E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK

P_1	$2.4209E+03$	$1.7193E+04$	$2.9977E+04$
T	$9.5564E+01$	$1.7228E+02$	$2.5411E+02$
ρ_{HO}	$9.4804E+00$	$3.3747E+01$	$3.7149E+01$
H	$4.0992E+02$	$7.1484E+02$	$9.6763E+02$
A	$1.5018E+01$	$2.2124E+01$	$2.8313E+01$
S	$2.6094E+00$	$2.7424E+00$	$2.8695E+00$
Z	$2.6722E+00$	$2.9573E+00$	$3.1755E+00$
GAME	$8.8325E+01$	$9.6073E+01$	$9.9341E+01$
U	$3.8995E+01$	$1.0927E+01$	$1.3363E+01$

SPECIES ----- MOLE FRACTIONS -----

E^-	$2.6844E-01$	$3.4158E-01$	$3.8745E-01$
H	$4.0436E-01$	$2.7579E-01$	$1.9369E-01$
H^+	$2.6651E-01$	$3.2761E-01$	$3.6815E-01$
H_2	$8.2471E-05$	$1.3330E-05$	$1.5320E-06$
H^-	$3.5119E-04$	$4.9650E-04$	$5.2525E-04$
H_2^+	$8.5983E-04$	$1.0370E-03$	$4.7937E-04$
He^-	$5.7968E-02$	$4.0039E-02$	$3.0455E-02$
He^+	$1.4233E-03$	$1.3430E-02$	$1.9149E-02$
He^{++}	$1.6638E-11$	$1.1059E-06$	$1.0058E-04$

SPECIES ----- MOLE FRACTIONS -----

E^-	$3.0486E-01$	$3.7503E-01$	$4.1767E-01$
H	$3.2937E-01$	$2.1597E-01$	$1.4109E-01$
H^+	$3.0499E-01$	$3.5724E-01$	$3.9333E-01$
H_2	$4.1153E-05$	$3.5138E-06$	$3.1398E-07$
H^-	$2.7597E-04$	$4.3118E-04$	$4.2993E-04$
H_2^+	$7.3730E-04$	$6.0457E-04$	$2.4498E-04$
He^-	$5.3131E-02$	$3.3122E-02$	$2.3885E-02$
He^+	$3.0036E-03$	$1.7587E-02$	$2.2181E-02$
He^{++}	$2.5740E-10$	$1.3745E-05$	$1.1703E-03$

$P_1 = 2.00E+04 \text{ N/SU-M}$, $US1 = 5.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK

P_1	$2.4433E+03$	$1.6120E+04$	$2.7345E+04$
T	$9.1357E+01$	$1.5916E+02$	$2.2024E+02$
ρ_{HO}	$9.4538E+00$	$3.5137E+01$	$3.8637E+01$
H	$3.8016E+02$	$6.6474E+02$	$8.8523E+02$
A	$1.4437E+01$	$2.0699E+01$	$2.6422E+01$
S	$2.5618E+00$	$2.6975E+00$	$2.8224E+00$
Z	$2.5985E+00$	$2.8825E+00$	$3.1009E+00$
GAME	$8.7793E+01$	$9.3386E+01$	$9.8841E+01$
U	$3.7538E+01$	$1.0073E+01$	$1.2144E+01$

$P_1 = 2.00E+04 \text{ N/SU-M}$, $US1 = 5.60E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK

P_1	$2.6031E+03$	$1.8155E+04$	$3.2556E+04$
T	$1.0005E+02$	$1.8681E+02$	$2.8014E+02$
ρ_{HO}	$9.4750E+00$	$3.2062E+01$	$3.5839E+01$
H	$4.4076E+02$	$7.6562E+02$	$1.0514E+03$
A	$1.5635E+01$	$2.3629E+01$	$3.0045E+01$
S	$2.6567E+00$	$2.7869E+00$	$2.9136E+00$
Z	$2.7460E+00$	$3.0313E+00$	$3.2427E+00$
GAME	$8.8973E+01$	$9.8600E+01$	$9.9373E+01$
U	$4.0433E+01$	$1.1917E+01$	$1.4486E+01$

SPECIES ----- MOLE FRACTIONS -----

E^-	$2.8892E-01$	$3.5900E-01$	$4.0373E-01$
H	$3.6582E-01$	$2.4466E-01$	$1.6482E-01$
H^+	$2.8635E-01$	$3.4301E-01$	$3.8226E-01$
H_2	$5.9333E-05$	$6.8877E-06$	$6.6683E-07$
H^-	$3.1433E-04$	$4.6262E-04$	$4.8003E-04$
H_2^+	$8.0497E-04$	$7.9865E-04$	$3.3801E-04$
He^-	$5.5643E-02$	$3.6389E-02$	$2.7134E-02$
He^+	$2.0821E-03$	$1.5645E-02$	$2.0860E-02$
He^{++}	$6.86235E-11$	$4.0888E-06$	$3.7945E-04$

SPECIES ----- MOLE FRACTIONS -----

E^-	$3.2699E-01$	$3.9015E-01$	$4.2967E-01$
H	$2.9515E-01$	$1.8887E-01$	$1.2225E-01$
H^+	$3.2230E-01$	$3.7065E-01$	$4.0126E-01$
H_2	$2.7890E-05$	$1.7522E-06$	$1.6314E-07$
H^-	$2.3818E-04$	$3.9626E-04$	$3.8130E-04$
H_2^+	$6.5953E-04$	$4.4852E-04$	$1.8435E-04$
He^-	$5.0358E-02$	$3.0075E-02$	$2.0545E-02$
He^+	$4.2655E-03$	$1.9365E-02$	$2.2825E-02$
He^{++}	$9.6426E-10$	$4.3547E-05$	$2.8878E-03$

TABLE I. -Continued

$$P_1 = 20 \text{ kN/m}^2$$

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $US_1 = 5.80E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.7913E+03	1.9071E+04	3.5102E+04
T	1.0486E+02	2.0194E+02	3.0531E+02
RHO	9.4406E+00	3.0483E+01	3.4807E+01
H	4.7270E+02	8.1770E+02	1.1377E+03
A	1.6291E+01	2.5089E+01	3.1624E+01
S	2.7035E+00	2.8277E+00	2.9542E+00
Z	2.8197E+00	3.0981E+00	3.303CE+00
GAME	8.9756E-01	1.3061E+00	9.9166E-01
U	4.1863E+01	1.2925E+01	1.5565E+01

SPECIES	MOLE FRACTIONS		
E-	3.4449E-01	4.0320E-01	4.4006E-01
H	2.6333E-01	1.6561E-01	1.0777E-01
H+	3.3818E-01	3.8208E-01	4.0627E-01
H2	1.8356E-05	9.068CE-07	9.4323E-08
H-	2.0278E-04	3.6167E-04	3.3974E-04
H2+	3.7633E-04	3.3644E-04	1.4699E-04
HE	4.7255E-02	2.7355E-02	1.7153E-02
HE+	5.9421E-03	2.0900E-02	2.2542E-02
HE++	3.5106E-09	1.2203E-04	5.7179E-03

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $US_1 = 6.20E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.1833E+03	2.0628E+04	3.9846E+04
T	1.1567E+02	2.3360E+02	3.5319E+02
RHO	9.2855E+00	2.7464E+01	3.3067E+01
H	5.3980E+02	9.2418E+02	1.3128E+03
A	1.7750E+01	2.7824E+01	3.4625E+01
S	2.7944E+03	2.9036E+00	3.0281E+00
Z	2.9637E+00	3.2152E+00	3.4117E+00
GAME	9.1967E-01	1.0308E+00	9.9494E-01
U	4.4663E+01	1.5116E+01	1.7435E+01

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $US_1 = 6.00E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.9847E+03	1.9898E+04	3.7518E+04
T	1.1006E+02	2.1775E+02	3.2922E+02
RHO	9.3755E+00	2.8919E+01	3.3934E+01
H	5.0571E+02	8.7060E+02	1.2243E+03
A	1.6995E+01	2.6508E+01	3.3109E+01
S	2.7495E+03	2.8665E+00	2.9916E+00
Z	2.8926E+00	3.1595E+00	3.3583E+00
GAME	9.3726E-01	1.0213E+00	9.9150E-01
U	4.3271E+01	1.3987E+01	1.6522E+01

SPECIES	MOLE FRACTIONS		
E-	3.6094E-01	4.1479E-01	4.4924E-01
H	2.3399E-01	1.4519E-01	9.6450E-02
H+	3.5294E-01	3.9197E-01	4.0922E-01
H2	1.1725E-05	4.8193E-07	5.9490E-08
H-	1.7103E-04	3.2591E-04	3.0444E-04
H2+	4.9225E-04	2.5352E-04	1.1818E-04
HE	4.3783E-02	2.4853E-02	1.3865E-02
HE+	4.0735E-03	2.2266E-02	2.1387E-02
HE++	1.2388E-08	3.1026E-04	9.4133E-03

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $US_1 = 6.40E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.3861E+03	2.1302E+04	4.1996E+04
T	1.2190E+02	2.5046E+02	3.7765E+02
RHO	9.1545E+00	2.6117E+01	3.2110E+01
H	5.7493E+02	9.7910E+02	1.4034E+03
A	1.8610E+01	2.9114E+01	3.6201E+01
S	2.8390E+00	2.9410E+00	3.0642E+00
Z	3.0344E+00	3.2689E+00	3.4631E+00
GAME	9.3632E-01	1.0353E+00	1.0020E+00
U	4.6025E+01	1.6157E+01	1.8344E+01

SPECIES	MOLE FRACTIONS		
E-	3.9066E-01	4.3421E-01	4.6589E-01
H	1.8254E-01	1.1241E-01	7.8023E-02
H+	3.7691E-01	4.0709E-01	4.1246E-01
H2	4.3561E-06	1.5181E-07	2.6109E-08
H-	1.2065E-04	2.56C5E-04	2.3996E-04
H2+	3.3544E-04	1.49C2E-04	8.1291E-05
HE	3.5901E-02	2.0137E-02	7.9102E-03
HE+	1.3533E-02	2.4263E-02	1.7219E-02
HE++	1.3982E-07	1.48ECE-03	1.8184E-02

TABLE I. -Continued

$$P_1 = 20 \text{ kN/m}^2$$

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $U_{S1} = 6.60E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	-3.5930E+03	2.1894E+04	4.3961E+04
T	1.2879E+02	2.6654E+02	4.0244E+02
RHO	6.9915E+00	2.4769E+01	3.1122E+01
H	6.1109E+02	1.0350E+03	1.4956E+03
A	1.9566E+01	3.0249E+01	3.7797E+01
S	2.8822E+00	2.9754E+00	3.0985E+00
Z	3.1028E+00	3.3164E+00	3.5100E+00
GAMM	9.5802E-01	1.0352E+00	1.0114E+00
U	4.7357E+01	1.7166E+01	1.9235E+01

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $U_{S1} = 7.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.0164E+03	2.2816E+04	4.7220E+04
T	1.4525E+02	2.9844E+02	4.5672E+02
RHO	8.5566E+00	2.2443E+01	2.8775E+01
H	6.8641E+02	1.1501E+03	1.6879E+03
A	2.1837E+01	3.2380E+01	4.1181E+01
S	2.9650E+00	3.0436E+00	3.1674E+00
Z	3.2316E+00	3.4065E+00	3.5930E+00
GAMM	1.0159E+00	1.0313E+00	1.0335E+00
U	4.9915E+01	1.8995E+01	2.1140E+01

SPECIES	MOLE FRACTIONS		
E-	4.0403E-01	4.4228E-01	4.7300E-01
H	1.5998E-01	9.9920E-02	7.0242E-02
H+	3.8727E-01	4.1223E-01	4.1374E-01
H2	2.5145E-06	9.1867E-08	1.7793E-08
H-	1.0174E-04	2.2559E-04	2.0102E-04
H2+	2.6711E-04	1.1764E-04	6.8013E-05
HE	3.1749E-02	1.7828E-02	5.6327E-03
HE+	1.6594E-02	2.4647E-02	1.4806E-02
HE++	4.5095E-07	2.7552E-03	2.2297E-02

SPECIES	MOLE FRACTIONS		
E-	4.2769E-01	4.5700E-01	4.8515E-01
H	1.2045E-01	7.9844E-02	5.5859E-02
H+	4.0520E-01	4.1888E-01	4.1704E-01
H2	7.4091E-37	3.7035E-08	8.0618E-09
H-	7.4050E-05	1.7411E-04	1.5235E-04
H2+	1.5773E-04	7.5846E-05	4.6628E-05
HE	2.4015E-02	1.3078E-02	2.5176E-03
HE+	2.2397E-02	2.3691E-02	1.0246E-02
HE++	4.4248E-06	7.2640E-03	2.8985E-02

$P_1 = 2.00E+04 \text{ N/SQ-M}$, $U_{S1} = 6.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.8040E+03	2.2454E+04	4.5579E+04
T	1.3643E+02	2.8271E+02	4.2918E+02
RHO	8.8016E+00	2.3625E+01	3.0025E+01
H	6.4828E+02	1.0925E+03	1.5915E+03
A	2.0629E+01	3.1131E+01	3.9486E+01
S	2.9236E+00	3.0094E+00	3.1332E+00
Z	3.1679E+00	3.3618E+00	3.5539E+00
GAMM	9.8467E-01	1.0328E+00	1.0222E+00
U	4.8664E+01	1.8079E+01	2.0202E+01

SPECIES	MOLE FRACTIONS		
E-	4.1623E-01	4.4980E-01	4.7951E-01
H	1.3960E-01	8.9222E-02	6.2800E-02
H+	3.9653E-01	4.1627E-01	4.1525E-01
H2	1.4051E-06	5.7546E-08	1.1998E-08
H-	8.6668E-05	1.9915E-04	1.8056E-04
H2+	2.0821E-04	9.4121E-05	5.6483E-05
HE	2.7775E-02	1.5467E-02	3.8180E-03
HE+	1.9574E-02	2.4470E-02	1.2395E-02
HE++	1.4065E-06	4.6819E-03	2.5993E-02

TABLE I. - Continued

$$P_1 = 50 \text{ kN/m}^2$$

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US1 = 4.00E+03 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	1.2097E+01	2.5396E+01
T	3.0557E+00	3.8275E+00
RHO	3.9585E+00	6.6354E+00
H	3.1244E+00	3.9436E+00
A	1.7511E+00	1.9395E+00
S	1.0762E+03	1.0786E+00
Z	1.0000E+00	1.0000E+00
GAME	9.9208E-01	9.8274E-01
U	2.4141E+00	1.4366E+00

SPECIES MOLE FRACTIONS		
E-	8.0372E-65	4.9782E-43
H+	8.1772E-11	1.3878E-08
H+	7.3050E-21	1.4505E-20
H2	8.5000E-01	8.5000E-01
H2+	1.6339E-71	1.2732E-47
H2+	2.2116E-20	5.4917E-20
HE	1.5000E-01	1.5000E-01
HE+	4.3760E-71	9.7204E-59
HE++	0.	0.

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US1 = 5.00E+03 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	1.9056E+01	5.0475E+01
T	4.2232E+00	5.6556E+00
RHO	4.5126E+00	8.9231E+00
H	4.3713E+00	5.9728E+00
A	2.0318E+00	2.3295E+00
S	1.1165E+03	1.1221E+00
Z	1.0000E+00	1.0000E+00
GAME	9.7746E-01	9.5943E-01
U	3.1423E+00	1.5855E+00

SPECIES MOLE FRACTIONS		
E-	6.5027E-37	4.5355E-25
H+	1.6346E-07	2.7374E-05
H+	2.2291E-20	3.2029E-20
H2	8.5000E-01	8.4997E-01
H2+	4.3292E-41	4.0355E-28
HE	4.7131E-20	3.7352E-20
HE+	1.5000E-01	1.5000E-01
HE++	2.1876E-55	6.2218E-48
HE++	0.	0.

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US1 = 6.00E+03 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	2.7664E+01	8.6039E+01
T	5.5898E+00	7.7659E+00
RHO	4.9497E+00	1.1071E+01
H	5.8976E+00	8.5048E+00
A	2.3166E+00	2.6899E+00
S	1.1553E+00	1.1644E+00
Z	1.0000E+00	1.0000E+00
GAME	9.6007E-01	9.3098E-01
U	3.8670E+00	1.7242E+00

SPECIES MOLE FRACTIONS

E-	8.5383E-26	1.0840E-16	9.4437E-13
H+	2.9787E-05	1.5852E-03	1.6616E-02
H+	3.6590E-20	6.4678E-17	6.3588E-13
H2	8.4997E-01	8.4853E-01	8.3460E-01
H2+	4.6126E-29	7.0460E-19	3.6036E-14
H2+	3.2831E-20	4.4492E-17	3.4452E-13
HE	1.5000E-01	1.4988E-01	1.4877E-01
HE+	1.0503E-48	3.4141E-37	6.5670E-30
HE++	0.	0.	0.

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US1 = 7.00E+03 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

MOVING SHOCK STANDING SHOCK REFLECTED SHOCK		
P	3.7941E+01	1.3474E+02
T	7.1176E+00	9.9178E+00
RHO	5.3282E+00	1.3475E+01
H	7.7048E+00	1.1578E+01
A	2.5859E+00	2.9797E+00
S	1.1923E+00	1.2055E+00
Z	1.0000E+00	1.0000E+00
GAME	9.3908E-01	8.8790E-01
U	4.5921E+00	1.8133E+00

SPECIES MOLE FRACTIONS

E-	6.8776E-18	6.6718E-13	1.2957E-10
H+	6.2227E-34	1.6337E-02	5.9363E-02
H+	4.5977E-18	4.6020E-13	9.4690E-11
H2	8.4924E-01	8.3489E-01	7.9509E-01
H2+	2.3735E-20	2.0402E-14	1.0509E-11
H2+	2.3729E-18	2.2739E-13	4.5304E-11
HE	1.4994E-01	1.4877E-01	1.4355E-01
HE+	6.6334E-41	3.1772E-30	4.1850E-25
HE++	0.	0.	7.1094E-91

TABLE I. - Continued

 $P_1 = 5.00E+04 \text{ N/SQ-M}$, $p_1 = 50 \text{ kN/m}^2$
 $P_1 = 5.00E+04 \text{ N/SQ-M}$, $U_{S1} = 8.00E+03 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.0031E+01	2.0201E+02	3.5442E+02
T	8.6943E+00	1.1831E+01	1.3741E+01
RHO	5.7328E+00	1.6572E+01	2.4162E+01
H	9.8004E+00	1.5252E+01	1.9843E+01
A	2.8094E+00	3.2393E+00	3.5417E+00
S	1.2276E+00	1.2465E+00	1.2802E+00
Z	1.0037E+00	1.0302E+00	1.0675E+00
GAM	9.0439E-01	8.6086E-01	8.5511E-01
U	5.3331E+00	1.8414E+00	1.6601E+00

SPECIES	MOLE FRACTIONS		
E-	1.6329E-14	9.9778E-11	2.7961E-09
H+	7.3173E-03	5.8667E-02	1.2653E-01
H+	1.1976E-14	7.4324E-11	2.1644E-09
H2	8.4323E-01	7.9573E-01	7.3296E-01
H2+	1.8925E-16	3.9355E-12	3.5624E-10
H2+	4.5375E-15	3.2389E-11	9.9191E-10
HE	1.4945E-01	1.4560E-01	1.4051E-01
HE+	7.1951E-34	2.1106E-25	2.9088E-22
HE++	0.	1.4094E-91	1.8040E-77

 $P_1 = 5.00E+04 \text{ N/SQ-M}$, $U_{S1} = 8.00E+03 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.4116E+01	2.9376E+02	4.8824E+02
T	1.0127E+01	1.3534E+01	1.5391E+01
RHO	6.2407E+00	2.0344E+01	2.8382E+01
H	1.2192E+C1	1.9538E+01	2.4866E+01
A	2.9905E+00	3.5105E+00	3.8415E+00
S	1.12623E+00	1.2896E+00	1.3286E+00
Z	1.0145E+00	1.0665E+00	1.1177E+00
GAM	8.7050E-01	8.5345E-01	8.5785E-01
U	6.1023E+00	1.8664E+00	1.7206E+00

SPECIES	MOLE FRACTIONS		
E-	2.3406E-12	2.245CE-09	2.7166E-08
H	2.8494E-02	1.2540E-01	2.1064E-01
H+	1.8160E-12	1.7525E-09	2.2057E-08
H2	8.2364E-01	7.34C1E-01	6.5516E-01
H2+	5.5786E-14	2.5257E-10	4.7790E-09
H2+	5.8030E-13	7.4467E-10	9.0881E-09
HE	1.04786E-01	1.4060E-01	1.3420E-01
HE+	2.4522E-29	1.7523E-22	5.7899E-20
HE++	0.	8.2415E-80	2.6175E-71

 $P_1 = 5.00E+04 \text{ N/SQ-M}$, $U_{S1} = 1.00E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	8.0196E+01	4.1324E+02	6.6247E+02
T	1.1351E+01	1.5135E+01	1.7057E+01
RHO	6.8294E+00	2.4474E+01	3.2924E+01
H	1.4877E+01	2.4409E+01	3.0608E+01
A	3.1630E+00	3.8016E+00	4.1752E+00
S	1.2975E+00	1.3339E+00	1.3770E+00
Z	1.0345E+00	1.1156E+00	1.1797E+00
GAM	8.5200E-01	8.5591E-01	8.6636E-01
U	6.8913E+00	1.9205E+00	1.7992E+00

SPECIES	MOLE FRACTIONS		
E-	5.9321E-11	2.1423E-08	1.6547E-07
H	6.6620E-02	2.0723E-01	3.0460E-01
H+	4.7698E-11	1.7454E-08	1.4027E-07
H2	7.8838E-01	6.5831E-01	5.6825E-01
H2+	2.2748E-12	3.3773E-09	3.6731E-08
H2+	1.3898E-11	7.3462E-09	6.1931E-08
HE	1.4500E-01	1.3446E-01	1.2716E-01
HE+	2.3461E-26	2.841GE-20	3.5347E-18
HE++	0.	1.0329E-71	5.3853E-65

 $P_1 = 5.00E+04 \text{ N/SQ-M}$, $U_{S1} = 1.10E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	9.8166E+01	5.6167E+02	8.7965E+02
T	1.2415E+01	1.6707E+01	1.8800E+01
RHO	7.4424E+00	2.8629E+01	3.7095E+01
H	1.7849E+01	2.9840E+01	3.7095E+01
A	3.3379E+00	4.1163E+00	4.5495E+00
S	1.3334E+00	1.3797E+00	1.4273E+00
Z	1.1624E+00	1.1743E+00	1.2523E+00
GAM	8.4468E-01	8.6363E-01	8.7911E-01
U	7.6864E+00	1.9949E+00	1.9097E+00

SPECIES	MOLE FRACTIONS		
E-	5.7078E-10	1.2525E-07	7.6414E-07
H	1.1749E-01	2.9685E-01	4.0299E-01
H+	4.7132E-10	1.0610E-07	6.7362E-07
H2	7.4132E-01	5.7541E-01	4.7723E-01
H2+	3.0292E-11	2.5070E-08	1.9951E-07
H2+	1.2976E-10	4.4218E-08	2.9003E-07
HE	1.4119E-01	1.2774E-01	1.1978E-01
HE+	3.0986E-24	1.6288E-18	1.2169E-16
HE++	8.1608E-88	2.0814E-66	2.9706E-59

TABLE I. - Continued

$$p_1 = 50 \text{ kN/m}^2$$

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US_1 = 1.20E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.1798E+02	7.3617E+02	1.1385E+03
T	1.3394E+01	1.8295E+01	2.0673E+01
RHO	8.0252E+00	3.2412E+01	4.1269E+01
H	2.1105E+01	3.58C1E+01	4.4321E+01
A	3.5209E+00	4.4576E+00	4.9712E+00
S	1.3711E+00	1.4265E+00	1.4791E+00
Z	1.0976E+00	1.2415E+00	1.3344E+00
GAM	8.4326E-01	8.7486E-01	8.5586E-01
U	8.4827E+00	2.1040E+00	2.0469E+00

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US_1 = 1.40E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.6273E+02	1.1542E+03	1.7767E+03
T	1.5194E+01	2.1693E+01	2.5175E+01
RHO	9.0383E+00	3.8137E+01	4.6405E+01
H	2.8455E+01	4.9204E+01	6.1058E+01
A	3.9105E+00	5.2383E+00	6.0095E+00
S	1.4497E+00	1.5231E+00	1.5851E+00
Z	1.1850E+00	1.3951E+00	1.5182E+00
GAM	8.4935E+01	9.0666E-01	9.4490E-01
U	1.0052E+01	2.3868E+00	2.4259E+00

SPECIES	MOLE FRACTIONS		
E-	3.2775E-09	5.4081E-07	2.9465E-06
H	1.7788E-01	3.8903E-01	5.0118E-01
H+	2.7696E-09	4.7476E-07	2.6882E-06
H2	8.8546E-01	4.9015E-01	3.8640E-01
H2+	2.2079E-10	1.2740E-07	8.4875E-07
HE	7.2872E-10	1.9345E-07	1.1070E-06
HE+	1.3666E-01	1.2082E-01	1.1241E-01
HE++	1.4443E-22	4.8664E-17	2.0547E-15
ME	2.3987E-81	2.8292E-60	1.0762E-53

SPECIES	MOLE FRACTIONS		
F-	4.3365E-08	5.9484E-06	3.3391E-05
H	3.1222E-01	5.6640E-01	6.8255E-01
H+	3.8100E-08	5.5336E-06	3.2044E-05
H2	5.6120E-01	3.2670E-01	2.1856E-01
H2+	3.9882E-09	1.6255E-06	9.7160E-06
HE	9.2536E-09	2.0443E-06	1.1064E-05
HE+	1.2658E-01	1.0752E-01	9.8801E-02
HE++	4.3555E-20	1.2983E-14	8.6588E-13
ME	5.5736E-72	7.4664E-52	2.2303E-44

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US_1 = 1.30E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.3950E+02	6.3504E+02	1.4375E+03
T	1.4539E+01	1.9940E+01	2.2752E+01
RHO	8.5621E+00	3.5644E+01	4.4376E+01
H	2.4640E+01	4.2259E+01	5.2284E+01
A	3.7109E+00	4.8255E+00	5.4505E+00
S	1.4098E+00	1.4748E+00	1.5318E+00
Z	1.1386E+00	1.3156E+00	1.4238E+00
GAM	8.4523E-01	8.8914E-01	9.1723E-01
U	9.2703E+00	2.2301E+00	2.2162E+00

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US_1 = 1.50E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.8764E+02	1.3893E+03	2.1557E+03
T	1.6070E+01	2.3621E+01	2.8179E+01
RHO	9.4453E+00	3.9793E+01	4.7623E+01
H	3.2550E+01	5.6620E+01	7.0739E+01
A	4.1216E+01	5.6928E+00	6.6793E+00
S	1.4906E+00	1.5714E+00	1.6383E+00
Z	1.2382E+00	1.4781E+00	1.6131E+00
GAM	8.5509E-01	9.2821E-01	9.8144E-01
U	1.0827E+01	2.5733E+00	2.6903E+00

SPECIES	MOLE FRACTIONS		
E-	1.3302E-08	1.4111E-06	1.0156E-05
H	2.4349E-01	4.7975E-01	5.9525E-01
H+	1.1471E-06	1.73C9E-06	9.5341E-06
H2	5.2477E-01	4.0622E-01	2.9937E-01
H-	1.0697E-09	4.9887E-07	3.0363E-06
F2+	2.9004E-09	6.7902E-07	3.6585E-06
HE	1.3174E-01	1.14C2E-01	1.0535E-01
HE+	3.1925E-21	9.1085E-16	5.2433E-14
HE++	3.9017E-76	7.2977E-56	7.3105E-49

SPECIES	MOLE FRACTIONS		
E-	1.2211E-07	1.7158E-05	1.1134E-04
H	3.8210E-01	6.4682E-01	7.5983E-01
H+	1.0919E-07	1.6312E-05	1.0844E-04
H2	4.9648E-01	2.5165E-01	1.4690E-01
H-	1.2415E-08	4.6804E-06	2.9187E-05
F2+	2.5351E-08	5.5288E-06	3.2083E-05
HE	1.2134E-01	1.0148E-01	9.2986E-02
HE+	4.5191E-19	1.5742E-13	1.4984E-11
HE++	5.0697E-68	2.8262E-47	9.6162E-40

TABLE I, -Continued

$$P_1 = 50 \text{ kN/m}^2$$

$P_1 = 5.00E+04 \text{ N/SU-M}$, $US1 = 1.60E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.1425E+02	1.6348E+03	2.5766E+03
T	1.6956E+01	2.5823E+01	3.2157E+01
RHO	9.7807E+00	4.0541E+01	4.7136E+01
H	3.6925E+01	6.4469E+01	8.1494E+01
A	4.3461E+00	6.2060E+00	7.4910E+00
S	1.5324E+00	1.619CE+00	1.6933E+00
Z	1.2919E+00	1.5616E+00	1.6998E+00
GAM	8.6228E-01	9.5513E-01	1.0266E+00
U	1.1598E+01	2.8014E+00	3.0306E+00

SPECIES	MOLE FRACTIONS		
E-	3.1015E-07	4.7759E-05	3.9517E-04
H	4.5194E-01	7.1908E-01	8.2216E-01
H+	2.8199E-07	4.6159E-05	3.8754E-04
H2	4.3119E-01	1.8474E-01	8.8638E-02
H-	3.3868E-08	1.2282E-05	8.4756E-05
H2+	6.2322E-08	1.3882E-05	9.2386E-05
HE	1.1610E-31	9.6057E-02	8.8243E-02
HE+	3.8160E-18	1.7526E-12	3.0379E-10
HE++	1.2720E-64	1.6506E-49	7.0977E-35

$P_1 = 5.00E+04 \text{ N/SU-M}$, $US1 = 1.70E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.4238E+02	1.8801E+03	3.0383E+03
T	1.7867E+01	2.8426E+01	3.7667E+01
RHO	1.0037E+01	4.0309E+01	4.5629E+01
H	4.1576E+01	7.2734E+01	9.3519E+01
A	4.5863E+00	6.7904E+00	8.4046E+00
S	1.5749E+00	1.6653E+00	1.7414E+00
Z	1.3516E+00	1.6409E+00	1.7678E+00
GAM	8.7098E-01	9.8856E-01	1.0608E+00
U	1.2355E+01	3.0785E+00	3.4815E+00

SPECIES	MOLE FRACTIONS		
E-	7.3102E-07	1.3228E-04	1.5038E-03
H	5.2028E-01	7.8072E-01	8.6391E-01
H+	6.7502E-07	1.2926E-04	1.4740E-03
H2	3.6874E-01	1.2754E-01	4.7757E-02
H-	8.3576E-08	3.0133E-05	2.3577E-04
H2+	1.3958E-07	3.3152E-05	2.6560E-04
HE	1.1098E-01	9.1414E-02	8.4853E-02
HE+	2.7045E-17	1.9495E-11	7.3068E-09
HE++	1.6221E-61	2.4894E-39	8.1044E-30

$P_1 = 5.00E+04 \text{ N/SU-M}$, $US1 = 1.80E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.7213E+02	2.1202E+03	3.5244E+03
T	1.8829E+01	3.1626E+01	4.4246E+01
RHO	1.0215E+01	3.9201E+01	4.4009E+01
H	4.6504E+01	8.1353E+01	1.0646E+02
A	4.8456E+00	7.4530E+00	9.1388E+00
S	1.6179E+02	1.7095E+00	1.7876E+00
Z	1.4147E+03	1.7102E+00	1.8100E+00
GAM	8.8147E-01	1.0270E+00	1.0429E+00
U	1.3105E+01	3.4086E+00	3.9590E+00

SPECIES	MOLE FRACTIONS		
E-	1.6453E-06	3.7310E-04	4.8747E-03
H	5.8627E-01	8.2933E-01	8.7998E-01
H+	1.5414E-06	3.6664E-04	4.7578E-03
H2	3.0770E-01	8.2070E-02	2.6322E-02
H-	1.9212E-07	7.0310E-05	5.3783E-04
H2+	2.9604E-07	7.6765E-05	6.5463E-04
HE	1.0603E-01	8.7711E-02	8.2873E-02
HE+	1.7547E-16	2.2681E-10	1.2114E-07
HE++	1.0651E-58	2.1794E-35	2.1477E-25

$P_1 = 5.00E+04 \text{ N/SU-M}$, $US1 = 1.90E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.0335E+02	2.3406E+03	4.0025E+03
T	1.9868E+01	3.5579E+01	5.0582E+01
RHO	1.0313E+01	3.7298E+01	4.3053E+01
H	5.1709E+01	9.0249E+01	1.1964E+02
A	5.1289E+00	8.1514E+00	9.6017E+00
S	1.6611E+00	1.7514E+00	1.8282E+00
Z	1.4805E+00	1.7638E+00	1.8379E+00
GAM	8.9433E-01	1.0588E+00	9.9168E-01
U	1.3847E+01	3.8257E+00	4.3490E+00

SPECIES	MOLE FRACTIONS		
E-	3.6172E-06	1.0564E-03	1.1370E-02
H	5.4906E-01	8.6281E-01	8.7710E-01
H+	3.4345E-06	1.0354E-03	1.1054E-02
H2	2.4961E-01	4.9729E-02	1.6679E-02
H-	4.2044E-07	1.5378E-04	9.3281E-04
H2+	6.0309E-07	1.7081E-04	1.2473E-03
HE	1.0132E-01	8.5041E-02	8.1612E-02
HE+	1.1001E-15	2.6663E-09	9.2918E-07
HE++	1.3430E-55	1.7906E-31	3.3625E-22

TABLE I. -Continued

 $P_1 = 50 \text{ kN/m}^2$

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US1 = 2.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US1 = 2.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.3605E+02	2.5429E+03	4.4569E+03
T	2.1027E+01	4.0180E+01	5.6110E+01
RHO	1.0325E+01	3.5151E+01	4.2660E+01
H	5.7189E+01	9.9449E+01	1.3296E+02
A	5.4439E+00	8.7665E+00	9.9373E+00
S	1.7043E+00	1.7902E+00	1.8651E+00
Z	1.5478E+00	1.8004E+00	1.8620E+00
GAM	9.1057E-01	1.0624E+00	9.4519E-01
U	1.4577E+01	4.2787E+00	4.6539E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.0534E+02	2.9063E+03	5.2146E+03
T	2.3996E+01	3.1642E+01	4.2120E+01
RHO	1.0057E+01	3.1642E+01	4.2120E+01
H	6.8956E+01	1.1902E+02	1.5950E+02
A	6.2240E+00	9.5493E+00	1.0489E+01
S	1.7889E+00	1.8609E+00	1.9332E+00
Z	1.6797E+00	1.8461E+00	1.9081E+00
GAM	9.6111E-01	9.9282E-01	8.8862E-01
U	1.5993E+01	5.0696E+00	5.0120E+00

SPECIES	MOLE FRACTIONS
E-	7.9460E-06
H	7.0785E-01
H+	7.6380E-06
H2O	1.9523E+01
H-	8.9315E-07
H2+	1.2301E-06
HE	9.6910E-02
HE+	7.0115E-15
HE++	2.1535E-52
E-	2.7804E-03
H	8.8056E-01
H+	2.7319E-03
H2O	2.9967E-02
H-	3.0145E-04
H2+	3.4992E-04
HE	8.3314E-02
HE+	2.6421E-08
HE++	7.3100E-28
E-	2.0284E-02
H	8.6430E-01
H+	1.9669E-02
H2O	1.1927E-02
H-	1.3226E-03
H2+	1.9331E-03
HE	8.0556E-02
HE+	3.8144E-06
HE++	5.4078E-20

SPECIES	MOLE FRACTIONS
E-	4.2438E-05
H	8.0919E-01
H+	4.1629E-05
H2	1.0142E-01
H-	3.9853E-06
H2+	4.7944E-06
HE	8.9301E-02
HE+	3.7408E-13
HE++	4.7597E-46
E-	1.1967E-02
H	8.8025E-01
H+	1.1718E-02
H2	1.3061E-02
H-	7.5330E-04
H2+	1.0010E-03
HE	8.1250E-02
HE+	8.4880E-07
HE++	1.9272E-22
E-	4.1051E-02
H	8.2813E-01
H+	3.9715E-02
H2	7.3699E-03
H-	1.9025E-03
H2+	3.2157E-03
HE	7.8589E-02
HE+	2.2328E-05
HE++	3.0583E-17

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US1 = 2.10E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US1 = 2.30E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.7010E+02	2.7320E+03	4.8649E+03
T	2.2369E+01	4.5050E+01	6.0792E+01
RHO	1.0244E+01	3.3218E+01	4.2454E+01
H	6.2940E+01	1.0903E+02	1.6618E+02
A	5.8025E+00	9.2210E+00	1.0223E+01
S	1.7470E+00	1.8264E+00	1.8996E+00
Z	1.6151E+00	1.8256E+00	1.8850E+00
GAM	9.3193E-01	1.0338E+00	9.1204E-01
U	1.5294E+01	4.7052E+00	4.8574E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.4151E+02	3.0581E+03	5.4807E+03
T	2.6065E+01	5.4058E+01	6.8484E+01
RHO	9.7692E+00	3.0316E+01	4.1431E+01
H	7.5231E+01	1.2944E+02	1.7281E+02
A	6.7326E+00	9.8176E+00	1.0740E+01
S	1.8293E+00	1.8945E+00	1.9666E+00
Z	1.7374E+00	1.8660E+00	1.9316E+00
GAM	1.0009E+00	9.5551E-01	8.7194E-01
U	1.6666E+01	5.3537E+00	5.1198E+00

SPECIES	MOLE FRACTIONS
E-	1.7864E-05
H	7.6166E-01
H+	1.7361E-05
H2	1.4543E-01
H-	1.8769E-06
H2+	2.3806E-06
HE	9.2871E-02
HE+	4.7465E-14
HE++	1.7853E-49
E-	6.2995E-03
H	8.8518E-01
H+	6.1778E-03
H2	1.9037E-02
H-	5.1190E-04
H2+	6.3342E-04
HE	8.2165E-02
HE+	1.8408E-07
HE++	7.9579E-25
E-	3.0356E-02
H	8.4722E-01
H+	2.9391E-02
H2	9.2039E-03
H-	1.6493E-03
H2+	2.6044E-03
HE	7.9567E-02
HE+	1.0392E-05
HE++	1.9781E-18

SPECIES	MOLE FRACTIONS
E-	1.0984E-04
H	8.4854E-01
H+	1.0853E-04
H2	6.4889E-02
H-	3.7018E-06
H2+	1.0006E-05
HE	8.6334E-02
HE+	3.6702E-12
HE++	2.2584E-42
E-	1.9557E-02
H	8.6856E-01
H+	1.9134E-02
H2	9.5713E-03
H-	6.0091E-03
H2+	3.7072E-03
HE	8.0383E-02
HE+	2.7543E-06
HE++	1.2980E-20
E-	5.1977E-02
H	8.0827E-01
H+	5.0286E-02
H2	6.0091E-03
H-	2.0772E-03
H2+	3.7272E-03
HE	7.7615E-02
HE+	4.0981E-05
HE++	2.6566E-16

TABLE I. - Continued

 $P_1 = 50 \text{ kN/m}^2$

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US_1 = 2.40E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.7805E+02	3.1770E+03	5.6417E+03
T	2.8763E+01	5.7906E+01	7.1679E+01
RHO	9.3214E+00	2.9081E+01	4.0250E+01
H	8.1743E+01	1.4017E+02	1.8600E+02
A	7.3303E+00	1.0061E+01	1.0979E+01
S	1.8675E+00	1.9277E+00	2.0001E+00
Z	1.7830E+00	1.8866E+00	1.5555E+00
GAM	1.0477E+00	9.2656E-01	8.5991E-01
U	1.7296E+01	5.5373E+00	5.2007E+00

SPECIES	MOLE FRACTIONS		
E-	3.1207E-04	2.8551E-02	6.2982E-02
H+	8.7736E-01	8.5368E-01	7.8811E-01
H+	3.0984E-04	2.7927E-02	6.0974E-02
H2	3.7854E-02	7.3449E-03	4.9312E-03
H-	1.9468E-05	1.1883E-03	2.1759E-03
H2+	2.1721E-05	1.8056E-03	4.1156E-03
HE	3.4127E-02	7.95C1E-02	7.6641E-02
HE+	4.5619E-11	6.8662E-06	6.7451E-05
HE++	2.4455E-38	3.3582E-19	1.5443E-15

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US_1 = 2.50E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.1531E+02	3.2749E+03	5.7367E+03
T	3.2133E+01	6.1382E+01	7.4610E+01
RHO	8.8438E+00	2.7958E+01	3.8833E+01
H	8.8500E+01	1.5127E+02	1.9926E+02
A	7.9345E+00	1.0295E+01	1.1212E+01
S	1.9024E+00	1.9606E+00	2.0336E+00
Z	1.8134E+00	1.9083E+00	1.9800E+00
GAM	1.0805E+00	9.0487E-01	8.5091E-01
U	1.7901E+01	5.6572E+00	5.2652E+00

SPECIES	MOLE FRACTIONS		
E-	9.0832E-04	3.8544E-02	7.4111E-02
H	8.9431E-01	8.3581E-01	7.6763E-01
H+	9.0382E-04	3.7705E-02	7.1825E-02
H2	2.1372E-02	5.8134E-03	4.0595E-03
H-	4.2493E-05	1.3492E-03	2.2180E-03
H2+	4.6995E-05	2.1742E-03	4.4003E-03
HE	8.2720E-02	7.8589E-02	7.5655E-02
HE+	6.0441E-10	1.4298E-05	1.0347E-04
HE++	2.9159E-34	4.5564E-18	6.9340E-15

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US_1 = 2.60E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.5336E+02	3.3654E+03	5.8025E+03
T	3.6044E+01	6.4565E+01	7.7369E+01
RHO	8.3779E+00	2.6993E+01	3.7404E+01
H	9.5500E+01	1.6272E+02	2.1268E+02
A	8.4367E+00	1.0526E+01	1.1442E+01
S	1.9352E+00	1.9931E+00	2.0669E+00
Z	1.8325E+00	1.9310E+00	2.0051E+00
GAM	1.0776E+00	8.8859E-01	8.4397E-01
U	1.8484E+01	5.7319E+00	5.3214E+00

SPECIES	MOLE FRACTIONS		
E-	2.4682E-03	4.9180E-02	8.5306E-02
H+	9.0109E-01	8.1633E-01	7.4693E-01
H+	2.4573E-03	4.8122E-02	8.2773E-02
H2	1.1948E-02	4.7082E-03	3.3544E-03
H-	8.4972E-05	1.4728E-03	2.2205E-03
H2+	9.5841E-05	2.5045E-03	4.6030E-03
HE	8.1858E-02	7.7652E-02	7.4659E-02
HE+	6.7791E-09	2.6230E-05	1.5100E-04
HE++	1.8206E-30	3.9125E-17	2.6001E-14

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US_1 = 2.70E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.9323E+02	3.4936E+03	5.9330E+03
T	4.0004E+01	6.7613E+01	8.0142E+01
RHO	8.0322E+00	2.6434E+01	3.6455E+01
H	1.0278E+02	1.7474E+02	2.2675E+02
A	8.7920E+00	1.0759E+01	1.1679E+01
S	1.9653E+00	2.0243E+00	2.0992E+00
Z	1.8442E+00	1.9547E+00	2.0307E+00
GAM	1.2466E+00	8.7582E-01	8.3810E-01
U	1.9086E+01	5.7972E+00	5.3794E+00

SPECIES	MOLE FRACTIONS		
E-	5.5872E-03	6.0278E-02	9.6571E-02
H+	8.9983E-01	7.9570E-01	7.2599E-01
H+	5.5617E-03	5.8991E-02	9.3785E-02
H2	7.4594E-03	3.0982E-03	2.7955E-03
H-	1.4647E-04	1.5756E-03	2.2106E-03
H2+	1.7189E-04	2.8151E-03	4.7815E-03
HE	3.1247E-02	7.6654E-02	7.3651E-02
HE+	4.8998E-08	4.4372E-05	2.1450E-04
HE++	2.2559E-27	2.5373E-16	8.9316E-14

TABLE I. - Continued

$$P_1 = 50 \text{ kN/m}^2$$

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US_1 = 2.80E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US_1 = 3.00E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.3535E+02	3.6754E+03	6.1476E+03
T	4.3762E+01	7.0622E+01	8.3005E+01
RHO	7.8072E+00	2.6295E+01	3.6008E+01
H	1.1036E+02	1.8751E+02	2.4165E+02
A	9.0596E+00	1.0998E+01	1.1925E+01
S	1.9928E+00	2.0545E+00	2.1306E+00
Z	1.8596E+00	1.9792E+00	2.0568E+00
GAM	1.0086E+00	8.6537E-01	8.3290E-01
U	1.9714E+01	5.8391E+00	5.4440E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	7.2680E+02	4.1755E+03	6.8214E+03
T	5.0355E+01	7.6591E+01	8.9097E+01
RHO	7.6308E+00	2.6856E+01	3.6281E+01
H	1.2645E+02	2.1513E+02	2.7418E+02
A	9.5087E+00	1.1491E+01	1.2446E+01
S	2.0444E+00	2.1126E+00	2.1916E+00
Z	1.8915E+00	2.0300E+00	2.1102E+00
GAM	9.4929E-01	8.4932E-01	8.2393E-01
U	2.1052E+01	5.9719E+00	5.5976E+00

SPECIES	MOLE FRACTIONS		
E-	1.0577E-02	7.17C1E-02	1.0786E-01
H	8.9261E-01	7.7427E-01	7.0492E-01
H+	1.0525E-02	7.0165E-02	1.0481E-01
H2	5.1330E-03	3.285CE-03	2.3453E-03
H-	2.2097E-04	1.6650E-03	2.1942E-03
H2+	2.7234E-04	3.1293E-03	4.9485E-03
HE	8.0662E-02	7.5717E-02	7.2628E-02
HE+	2.3120E-07	7.102CE-05	2.9934E-04
HE++	6.0279E-25	1.3620E-15	2.9072E-13

SPECIES	MOLE FRACTIONS		
E-	2.5465E-02	9.4794E-02	1.3021E-01
H	3.6600E-01	7.3068E-01	6.6311E-01
H+	2.5325E-02	9.2718E-02	1.2656E-01
H2	3.0378E-03	2.4078E-03	1.6638E-03
H-	3.7986E-04	1.7982E-03	2.1396E-03
H2+	5.1764E-04	3.7130E-03	5.2312E-03
HE	7.9300E-02	7.3731E-02	7.0523E-02
HE+	2.0166E-06	1.6060E-04	5.5970E-04
HE++	1.4675E-21	2.5590E-14	2.7395E-12

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US_1 = 2.90E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US_1 = 3.20E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.7988E+02	3.9051E+03	6.4513E+03
T	4.71d3E+01	7.3605E+01	8.5996E+01
RHO	7.6879E+00	2.647CE+01	3.6008E+01
H	1.1825E+02	2.0096E+02	2.5746E+02
A	9.2884E+00	1.1242E+01	1.2181E+01
S	2.0188E+00	2.0838E+00	2.1614E+00
Z	1.8744E+00	2.0043E+00	2.0834E+00
GAM	9.7557E-01	8.5669E-01	8.2818E-01
U	2.0370E+01	5.9037E+00	5.5172E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.2738E+02	4.8368E+03	7.7581E+03
T	5.5904E+01	8.2635E+01	9.5781E+01
RHO	7.6661E+00	2.8108E+01	3.7404E+01
H	1.4375E+02	2.4549E+02	3.1026E+02
A	9.9348E+00	1.2005E+01	1.3014E+01
S	2.0931E+00	2.1693E+00	2.2520E+00
Z	1.9306E+00	2.0824E+00	2.1655E+00
GAM	9.1451E-01	8.3747E-01	8.1653E-01
U	2.2471E+01	6.1225E+00	5.7891E+00

SPECIES	MOLE FRACTIONS		
E-	1.7242E-02	8.3225E-02	1.1910E-01
H	9.8106E-01	7.5254E-01	6.8390E-01
H+	1.7152E-02	8.1427E-02	1.1575E-01
H2	3.8319E-03	2.8035E-03	1.9755E-03
H-	3.0005E-04	1.7357E-03	2.1720E-03
H2+	3.8895E-04	3.4255E-03	5.1040E-03
HE	3.0225E-02	7.4730E-02	7.1586E-02
HE+	7.6631E-07	1.0865E-04	4.1215E-04
HE++	4.5059E-23	6.2667E-15	9.1106E-13

SPECIES	MOLE FRACTIONS		
E-	4.4588E-02	1.1761E-01	1.5223E-01
H	8.3902E-01	6.8754E-01	6.22203E-01
H+	4.4321E-02	1.1455E-01	1.4789E-01
H2	2.0713E-03	1.7904E-03	1.1623E-03
H-	5.2426E-04	1.8656E-03	2.0435E-03
H2+	7.8275E-04	4.2057E-03	5.3756E-03
HE	7.7689E-02	7.17C8E-02	6.8266E-02
HE+	8.3913E-06	3.2376E-04	1.0029E-03
HE++	2.5200E-19	3.2350E-13	2.2976E-11

TABLE I. -Continued

$$P_1 = 50 \text{ kN/m}^2$$

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US_1 = 3.40E+04 \text{ M/SEC}$
 $XH_2 = .85$

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US_1 = 3.80E+04 \text{ M/SEC}$
 $XH_2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	9.3632E+02	5.6313E+03	8.8998E+03
T	6.0766E+01	8.8857E+01	1.0307E+02
RHO	7.0025E+00	2.9672E+01	3.8862E+01
H	1.6225E+32	2.7837E+02	3.4958E+02
A	1.0355E+01	1.2539E+01	1.3625E+01
S	2.1436E+00	2.2253E+00	2.3117E+00
Z	1.9748E+00	2.1359E+00	2.2219E+00
GAME	8.9357E-01	8.2847E-01	8.1061E-01
U	2.3938E+01	6.2805E+00	6.0118E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.1773E+03	7.5190E+03	1.1703E+04
T	6.9366E+01	1.0219E+02	1.2013E+02
RHO	8.1864E+00	3.2776E+01	4.1651E+01
H	2.0273E+02	3.5075E+02	4.3792E+02
A	1.1190E+01	1.3686E+01	1.5036E+01
S	2.2343E+00	2.3363E+00	2.4300E+00
Z	2.0732E+00	2.2449E+00	2.3389E+00
GAME	8.7064E-01	8.1646E-01	8.0459E-01
U	2.6936E+01	6.7339E+00	6.5940E+00

SPECIES	MOLE FRACTIONS		
E-	6.5790E-02	1.3973E-01	1.7348E-01
H	7.8966E-01	6.4586E-01	5.8263E-01
H+	6.5368E-02	1.3643E-01	1.6835E-01
H2	1.5414E-03	1.3199E-03	7.8881E-04
H-	6.4206E-04	1.8645E-03	1.9144E-03
H2+	1.0401E-03	4.5656E-03	5.3272E-03
HE	7.5933E-02	6.9626E-02	6.5799E-02
HE+	2.3594E-05	6.0235E-04	1.7123E-03
HE++	1.0602E-17	3.1011E-12	1.7042E-10

SPECIES	MOLE FRACTIONS		
E-	1.1008E-01	1.8131E-01	2.1401E-01
H	7.0508E-01	5.6824E-01	5.0845E-01
H+	1.0929E-01	1.7654E-01	2.0679E-01
H2	9.3523E-04	6.6493E-04	3.1975E-04
H-	7.9073E-04	1.7005E-03	1.6543E-03
H2+	1.4772E-03	4.7218E-03	4.6469E-03
HE	7.2248E-02	6.5072E-02	5.9093E-02
HE+	1.0327E-04	1.7448E-03	4.2288E-03
HE++	2.2452E-15	1.6132E-10	6.9018E-09

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US_1 = 3.60E+04 \text{ M/SEC}$
 $XH_2 = .85$

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US_1 = 4.00E+04 \text{ M/SEC}$
 $XH_2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.0531E+03	6.5291E+03	1.0219E+04
T	6.5198E+01	9.5335E+01	1.1113E+02
RHO	7.9854E+00	3.1271E+01	4.0338E+01
H	1.8192E+02	3.1348E+02	3.9209E+02
A	1.0773E+01	1.3097E+01	1.4293E+01
S	2.1875E+00	2.2811E+00	2.3712E+00
Z	2.0227E+00	2.1901E+00	2.2796E+00
GAME	8.7998E-01	8.2160E-01	8.0638E-01
U	2.5430E+01	6.4878E+00	6.2747E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.3087E+03	8.5946E+03	1.3339E+04
T	7.3383E+01	1.0950E+02	1.3052E+02
RHO	8.3898E+00	3.4124E+01	4.2546E+01
H	2.2466E+02	3.9012E+02	4.8701E+02
A	1.1610E+01	1.4310E+01	1.5901E+01
S	2.2811E+00	2.3908E+00	2.4891E+00
Z	2.1258E+00	2.3001E+00	2.4019E+00
GAME	8.6408E-01	8.1303E-01	8.0647E-01
U	2.8447E+01	7.0012E+00	6.9640E+00

SPECIES	MOLE FRACTIONS		
E-	8.7840E-02	1.6096E-01	1.9406E-01
H	7.4756E-01	6.0608E-01	5.4480E-01
H+	8.7243E-02	1.5657E-01	1.8798E-01
H2	1.1907E-03	9.5123E-04	5.1390E-04
H-	7.3072E-04	1.8026E-03	1.7751E-03
H2+	1.2747E-03	4.7354E-03	5.0748E-03
HE	7.4106E-02	6.7439E-02	6.3024E-02
HE+	5.2950E-05	1.0527E-03	2.7764E-03
HE++	1.9880E-16	2.4174E-11	1.1399E-09

SPECIES	MOLE FRACTIONS		
E-	1.3213E-01	2.0067E-01	2.3404E-01
H	6.6297E-01	5.3256E-01	4.7218E-01
H+	1.3113E-01	1.9499E-01	2.2551E-01
H2	7.3798E-04	4.5042E-04	1.8674E-04
H-	8.2379E-04	1.5844E-03	1.5695E-03
H2+	1.6414E-03	4.5317E-03	4.0737E-03
HE	7.0377E-02	6.2477E-02	5.6421E-02
HE+	1.8355E-04	2.7375E-03	6.0293E-03
HE++	1.8104E-14	9.4052E-10	3.9177E-08

TABLE I. -Continued

$$P_1 = 50 \text{ kN/m}^2$$

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US1 = 4.20E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.4471E+03	9.7331E+03	1.5151E+04
T	7.7332E+01	1.1751E+02	1.4296E+02
RHO	8.5827E+00	3.5140E+01	4.2899E+01
H	2.4776E+02	4.3142E+02	5.4059E+02
A	1.2038E+01	1.4996E+01	1.6943E+01
S	2.3280E+00	2.4455E+00	2.5481E+00
Z	2.1802E+00	2.3572E+00	2.4706E+00
GAME	8.5953E-01	8.1191E-01	8.1276E-01
U	2.9960E+01	7.3242E+00	7.4770E+00

SPECIES	MOLE FRACTIONS
E-	1.5381E-01
H	6.2164E-01
H+	1.5257E-01
H2+	5.8056E-01
H-	8.3231E-04
H2-	1.7629E-03
HE	6.8494E-02
HE+	3.0594E-04
HE++	1.1553E-13
	2.1964E-01
	6.3479E-01
	2.1285E-01
	2.9214E-04
	1.0074E-04
	1.5792E-03
	5.9559E-02
	4.0767E-03
	4.9853E-09
	2.5468E-01
	6.3479E-01
	2.4478E-01
	1.0074E-04
	1.5323E-03
	3.4057E-03
	8.0247E-03
	2.1512E-07

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US1 = 4.60E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.7441E+03	1.2123E+04	1.9305E+04
T	8.5279E+01	1.3595E+02	1.7655E+02
RHO	8.9166E+00	3.6017E+01	4.1607E+01
H	2.9730E+02	5.1935E+02	6.6279E+02
A	1.2932E+01	1.6610E+01	1.9665E+01
S	2.4222E+00	2.5507E+00	2.6633E+00
Z	2.2936E+00	2.4757E+00	2.6280E+00
GAME	8.5508E-01	8.1969E-01	8.3346E-01
U	3.2973E+01	8.1775E+00	8.9809E+00

SPECIES	MOLE FRACTIONS
E-	1.9562E-01
H	5.4219E-01
H+	1.9378E-01
H2	3.4875E-04
H-	7.8810E-04
H2+	1.8896E-03
HE	6.4651E-02
HE+	7.4916E-04
HE++	2.9738E-12
	2.5609E-01
	3.5155E-01
	2.4671E-01
	1.0960E-04
	1.3224E-03
	1.5610E-03
	2.0670E-03
	5.3116E-02
	4.5280E-02
	1.1793E-02
	1.0287E-07
	5.9007E-06

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US1 = 4.40E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.5923E+03	1.0919E+04	1.7131E+04
T	8.1279E+01	1.2625E+02	1.5796E+02
RHO	8.7604E+00	3.5809E+01	4.2612E+01
H	2.7197E+02	4.7456E+02	5.9873E+02
A	1.2478E+01	1.5754E+01	1.8183E+01
S	2.3751E+00	2.4987E+00	2.6058E+00
Z	2.2362E+00	2.4153E+00	2.5451E+00
GAME	8.5661E-01	8.1391E-01	8.2244E-01
U	3.1469E+01	7.7043E+00	8.1225E+00

SPECIES	MOLE FRACTIONS
E-	1.7499E-01
H	5.8133E-01
H+	1.7349E-01
H2	4.5283E-04
H-	8.1927E-04
H2+	1.8392E-03
HE	6.6591E-02
HE+	4.8700E-04
HE++	6.2342E-13
	2.3797E-01
	3.9614E-01
	2.6473E-01
	5.0295E-05
	1.5383E-03
	2.7187E-03
	9.9737E-03
	1.1327E-06
	2.7589E-01
	3.9614E-01
	2.6473E-01
	5.0295E-05
	1.5383E-03
	2.7187E-03
	9.9737E-03
	1.1327E-06

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US1 = 4.80E+04 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9024E+03	1.3332E+04	2.1642E+04
T	8.9384E+01	1.4700E+02	1.9813E+02
RHO	9.0481E+00	3.5707E+01	4.0276E+01
H	3.2374E+02	5.6573E+02	7.3216E+02
A	1.3406E+01	1.7597E+01	2.1279E+01
S	2.4694E+00	2.6017E+00	2.7173E+00
Z	2.3522E+00	2.5401E+00	2.7121E+00
GAME	8.5481E-01	8.2929E-01	8.4268E-01
U	3.4469E+01	8.7257E+00	9.9891E+00

SPECIES	MOLE FRACTIONS
E-	2.1563E-01
H	5.0434E-01
H+	2.1340E-01
H2	2.6432E-04
H-	7.4271E-04
H2+	1.8554E-03
HE	6.2647E-02
HE+	1.1223E-03
HE++	1.2936E-11
	2.7444E-01
	3.9872E-01
	2.6374E-01
	6.2439E-05
	1.2866E-03
	1.5688E-03
	2.6967E-03
	4.9770E-02
	9.2830E-03
	4.2145E-07
	3.1942E-01
	3.1615E-01
	3.0600E-01
	1.0434E-05
	1.5448E-03
	4.1889E-02
	1.3392E-02
	2.7171E-05

TABLE I. -Continued

$$P_1 = 50 \text{ kN/m}^2$$

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US_1 = 5.20E+04 \text{ M/SEC}$
 $XH_2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.0670E+03	1.4513E+04	2.4122E+04
T	9.3642E+01	1.5914E+02	2.2299E+02
RHO	9.1515E+00	3.5001E+01	3.8667E+01
H	3.5130E+02	6.1345E+02	8.0675E+02
A	1.3902E+01	1.8674E+01	2.3024E+01
S	2.5164E+00	2.6494E+30	2.7699E+00
Z	2.4120E+00	2.6054E+00	2.7977E+00
GAM_E	8.5571E-01	8.4102E-01	8.4975E-01
U	3.5955E+01	9.3857E+00	1.1127E+01

SPECIES	MOLE FRACTIONS		
E-	2.3500E-01	2.9218E-01	3.3988E-01
H+	4.6788E-01	3.6643E-01	2.7870E-01
H+	2.3225E-01	2.8031E-01	3.2513E-01
H2	1.9662E-04	3.4792E-05	4.7662E-06
H-	6.8725E-04	1.2692E-03	1.5304E-03
H2+	1.7997E-02	2.2008E-03	1.1439E-03
HE	6.0544E-02	4.6663E-02	3.8587E-02
HE+	1.6647E-03	1.0935E-02	1.4918E-02
HE++	5.2427E-11	1.5579E-06	1.1125E-04

$P_1 = 5.30E+04 \text{ N/SQ-M}$, $US_1 = 5.20E+04 \text{ M/SEC}$
 $XH_2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.2377E+02	1.5624E+04	2.6688E+04
T	9.8097E+01	1.7282E+02	2.4924E+02
RHO	9.2250E+00	3.3803E+01	3.7227E+01
H	3.7995E+02	6.6220E+02	8.8539E+02
A	1.4425E+01	1.9869E+01	2.4741E+01
S	2.5633E+00	2.6962E+00	2.8177E+00
Z	2.4728E+00	2.6745E+00	2.8764E+00
GAM_E	8.5775E-01	8.5414E-01	8.5379E-01
U	3.7429E+01	1.0197E+01	1.2312E+01

SPECIES	MOLE FRACTIONS		
E-	2.5371E-01	3.1005E-01	3.5771E-01
H+	4.3249E-01	3.3378E-01	2.4657E-01
H+	2.5026E-01	2.97C7E-01	3.4124E-01
H2	1.4327E-04	1.8708E-05	2.3430E-06
H-	6.2602E-04	1.2453E-03	1.4550E-03
H2+	1.7077E-03	1.7486E-03	8.6931E-04
HE	5.6298E-02	4.3606E-02	3.5459E-02
HE+	2.3623E-03	1.2473E-02	1.6321E-02
HE++	2.0073E-10	5.4355E-06	3.6751E-04

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US_1 = 5.40E+04 \text{ M/SEC}$
 $XH_2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.4145E+03	1.6677E+04	2.9315E+04
T	1.0280E+02	1.8740E+02	2.7719E+02
RHO	9.2678E+00	3.2455E+01	3.5826E+01
H	4.0971E+02	7.1206E+02	9.6794E+02
A	1.4977E+01	2.1101E+01	2.6467E+01
S	2.6098E+00	2.7396E+00	2.8639E+00
Z	2.5343E+00	2.7420E+00	2.9520E+00
GAM_E	8.6097E-01	8.6650E-01	8.5610E-01
U	3.8890E+01	1.1094E+01	1.3535E+01

SPECIES	MOLE FRACTIONS		
E-	2.7171E-01	3.2671E-01	3.7398E-01
H+	3.9949E-01	3.0329E-01	2.1823E-01
H+	2.6736E-01	3.1268E-01	3.5945E-01
H2	1.0211E-04	1.0185E-05	1.2270E-06
H-	5.6311E-04	1.2216E-03	1.3473E-03
H2+	1.5862E-03	1.3829E-03	6.7234E-04
HE	5.5864E-02	4.0859E-02	3.2137E-02
HE+	3.3232E-03	1.3828E-02	1.7648E-02
HE++	7.3229E-10	1.6854E-05	1.0284E-03

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US_1 = 5.60E+04 \text{ M/SEC}$
 $XH_2 = .85$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.5969E+03	1.7666E+04	3.1927E+04
T	1.0779E+02	2.0316E+02	3.0466E+02
RHO	9.2793E+00	3.0951E+01	3.4705E+01
H	4.4055E+02	7.6300E+02	1.0528E+03
A	1.5564E+01	2.2388E+01	2.8074E+01
S	2.6560E+00	2.7817E+00	2.9058E+00
Z	2.5964E+00	2.8095E+00	3.0197E+00
GAM_E	8.6559E-01	8.7817E-01	8.5671E-01
U	4.0337E+01	1.2057E+01	1.4706E+01

SPECIES	MOLE FRACTIONS		
E-	2.8899E-01	3.4261E-01	3.8790E-01
H+	3.6775E-01	2.7423E-01	1.9537E-01
H+	2.8348E-01	3.2750E-01	3.6528E-01
H2	7.1129E-05	5.5685E-06	7.1121E-07
H-	2.0213E-04	1.1753E-03	1.2373E-03
H2+	1.4432E-03	1.0863E-03	5.4000E-04
HE	5.3202E-02	3.8237E-02	2.8680E-02
HE+	4.5701E-03	1.5105E-02	1.8675E-02
HE++	2.5569E-09	4.8417E-05	2.3188E-03

TABLE I. - Continued

$$p_1 = 50 \text{ kN/m}^2$$

$p_1 = 5.00E+04 \text{ N/SQ-M}$, $US1 = 5.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.7852E+03	1.8581E+04	3.4499E+04
T	1.1308E+02	2.1938E+02	3.3168E+02
RHO	9.2666E+00	2.9477E+01	3.3739E+01
H	4.7250E+02	8.1482E+02	1.1391E+03
A	1.6189E+01	2.3665E+01	2.9600E+01
S	2.7010E+00	2.8210E+00	2.9450E+00
Z	2.6581E+00	2.8734E+00	3.0828E+00
GAM	8.7191E-01	8.8840E-01	8.5689E-01
U	4.1771E+01	1.3107E+01	1.5779E+01

$p_1 = 5.00E+04 \text{ N/SQ-M}$, $US1 = 6.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.1762E+03	2.0122E+04	3.9240E+04
T	1.2511E+02	2.5267E+02	3.8409E+02
RHO	9.1180E+00	2.6618E+01	3.1915E+01
H	5.3957E+02	9.2100E+02	1.3166E+03
A	1.7640E+01	2.6164E+01	3.2503E+01
S	2.7905E+00	2.8948E+00	3.0187E+00
Z	2.7843E+00	2.9919E+00	3.2012E+00
GAM	8.9327E-01	9.0555E-01	8.5921E-01
U	4.4564E+01	1.5270E+01	1.7780E+01

SPECIES	MOLE FRACTIONS		
E-	3.0534E-01	3.5703E-01	4.0035E-01
H	3.3805E-01	2.4805E-01	1.7647E-01
H+	2.9839E-01	3.4074E-01	3.7295E-01
H2	4.8622E-05	3.1565E-06	4.4462E-07
H-	4.4666E-04	1.1137E-03	1.1310E-03
H2+	1.2896E-03	8.6061E-04	4.4581E-04
HE	5.0326E-02	3.5795E-02	2.4912E-02
HE+	6.1066E-03	1.6250E-02	1.9285E-02
HE++	8.4669E-09	1.2357E-04	4.4002E-03

SPECIES	MOLE FRACTIONS		
E-	3.3654E-01	3.8221E-01	4.2240E-01
H	2.8236E-01	2.0319E-01	1.4663E-01
H+	3.2598E-01	3.6295E-01	3.8285E-01
H2	2.0774E-05	1.1230E-06	2.0300E-07
H-	3.5316E-04	9.5528E-04	9.3327E-04
H2+	9.6541E-04	5.5440E-04	3.2050E-04
HE	4.3831E-02	3.1064E-02	1.7292E-02
HE+	1.0042E-02	1.8474E-02	1.8967E-02
HE++	8.5380E-08	5.9762E-04	1.0599E-02

$p_1 = 5.00E+04 \text{ N/SQ-M}$, $US1 = 6.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.9742E+03	1.9400E+04	3.6919E+04
T	1.1887E+02	2.3589E+02	3.5761E+02
RHO	9.2C58E+00	2.8030E+01	3.2860E+01
H	5.0559E+02	8.6757E+02	1.2270E+03
A	1.6882E+01	2.4922E+01	3.1039E+01
S	2.7464E+00	2.8585E+00	2.9817E+00
Z	2.7215E+00	2.934CE+00	3.1418E+00
GAM	8.0979E-01	8.9747E-01	8.5751E-01
U	4.3176E+01	1.4156E+01	1.6805E+01

$p_1 = 5.00E+04 \text{ N/SQ-M}$, $US1 = 6.40E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

SPECIES	MOLE FRACTIONS		
E-	3.2134E-01	3.7015E-01	4.1154E-01
H	3.0927E-01	2.2449E-01	1.6083E-01
H+	3.1208E-01	3.5252E-01	3.7847E-01
H2	3.2123E-05	1.8540E-06	2.9689E-07
H-	3.9594E-04	1.0385E-03	1.0323E-03
H2+	1.1256E-03	6.8803E-04	3.7690E-04
HE	4.7150E-02	3.3429E-02	2.1188E-02
HE+	7.9677E-03	1.7412E-02	1.9386E-02
HE++	2.7543E-08	2.8416E-04	7.1692E-03

SPECIES	MOLE FRACTIONS		
E-	3.5106E-01	3.9329E-01	4.3214E-01
H	2.5680E-01	1.8418E-01	1.3444E-01
H+	3.3831E-01	3.7198E-01	3.8623E-01
H2	1.3060E-05	7.0264E-07	1.4447E-07
H-	3.1734E-04	8.6942E-04	8.4279E-04
H2+	8.1185E-04	4.5110E-04	2.7659E-04
HE	4.0634E-02	2.8650E-02	1.3773E-02
HE+	1.2249E-02	1.9426E-02	1.8112E-02
HE++	2.5611E-07	1.1528E-03	1.4180E-02

TABLE I. - Continued

$$P_1 = 50 \text{ kN/m}^2$$

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US_1 = 6.00E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.5848E+03	2.1342E+04	4.3247E+04
T	1.3954E+02	2.8671E+02	4.3466E+02
RHO	8.8268E+00	2.40C9E+01	3.0083E+01
H	6.1081E+02	1.0312E+03	1.4987E+03
A	1.9437E+01	2.8577E+01	3.5254E+01
S	2.8758E+00	2.9648E+00	3.0861E+00
Z	2.9105E+00	3.10C5E+00	3.3075E+00
GAME	9.3025E-01	9.1865E-01	8.6453E-01
U	4.7250E+01	1.7343E+01	1.9549E+01

SPECIES ----- MOLE FRACTIONS -----

E-	3.6504E-01	4.0369E-01	4.4050E-01
H	2.3229E-01	1.67C3E-01	1.2356E-01
H+	3.5017E-01	3.7975E-01	3.8919E-01
H2	7.9377E-06	4.5052E-07	1.0532E-07
H-	2.8740E-04	7.84C9E-04	7.5660E-04
H2+	6.6811E-04	3.6954E-04	2.4038E-04
HE	3.7049E-02	2.6098E-02	1.0754E-02
HE+	1.4488E-02	2.021CE-02	1.6974E-02
HE++	7.5189E-07	2.0717E-03	1.7624E-02

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US_1 = 7.00E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.0067E+03	2.2230E+04	4.6479E+04
T	1.5718E+02	3.1974E+02	4.8932E+02
RHO	8.4032E+00	2.1727E+01	2.7874E+01
H	6.8606E+02	1.1454E+03	1.6917E+03
A	2.1617E+01	3.0835E+01	3.8165E+01
S	2.9556E+00	3.0312E+00	3.1541E+00
Z	3.0335E+00	3.1995E+00	3.4077E+00
GAME	9.8004E-01	9.2932E-01	8.7354E-01
U	4.9795E+01	1.9204E+01	2.1503E+01

SPECIES ----- MOLE FRACTIONS -----

E-	3.9057E-01	4.2211E-01	4.5729E-01
H	1.8751E-01	1.3853E-01	1.0254E-01
H+	3.7180E-01	3.9120E-01	3.9539E-01
H2	2.7180E-06	2.0537E-07	5.4500E-08
H-	2.4212E-04	6.3156E-04	5.8131E-04
H2+	4.2965E-04	2.5653E-04	1.7780E-04
HE	3.0865E-02	2.0788E-02	5.8638E-03
HE+	1.8578E-02	2.0856E-02	1.4001E-02
HE++	5.8940E-06	5.1930E-03	2.4153E-02

$P_1 = 5.00E+04 \text{ N/SQ-M}$, $US_1 = 6.00E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.7948E+03	2.1848E+04	4.4992E+04
T	1.4784E+02	3.0334E+02	4.6111E+02
RHO	8.6364E+00	2.2861E+01	2.9057E+01
H	6.4796E+02	1.0880E+03	1.5934E+03
A	2.0474E+01	2.9714E+01	3.6669E+01
S	2.9160E+00	2.9979E+00	3.1195E+00
Z	2.9720E+00	3.1506E+00	3.3580E+00
GAME	9.55400E-01	9.2386E-01	8.6839E-01
U	4.8566E+01	1.8300E+01	2.0474E+01

SPECIES ----- MOLE FRACTIONS -----

E-	3.7407E-01	4.1311E-01	4.4928E-01
H	2.0946E-01	1.5226E-01	1.1300E-01
H+	3.6119E-01	3.8600E-01	3.9217E-01
H2	4.7287E-06	3.0102E-07	7.6346E-08
H-	2.6326E-04	7.0610E-04	6.6980E-04
H2+	5.4165E-04	3.0735E-04	2.0785E-04
HE	3.3072E-02	2.35C3E-02	8.0948E-03
HE+	1.6597E-02	2.0712E-02	1.5576E-02
HE++	2.1164E-06	3.3957E-03	2.0999E-02

TABLE I. - Continued

$$P_1 = 100 \text{ kN/m}^2$$

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US1 = 4.00E+03 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.2097E+01	2.5396E+01	6.2334E+01
T	3.0557E+00	3.8279E+00	5.4485E+00
RHO	3.9585E+00	6.6354E+00	1.1440E+01
H	3.1244E+00	3.9436E+00	5.7360E+00
A	1.7411E+00	1.9395E+00	2.2894E+00
S	1.0795E+00	1.0820E+00	1.1055E+00
Z	1.0000E+00	1.0000E+00	1.0000E+00
GAM	9.9208E-01	9.8274E-01	9.6201E-01
U	2.4141E+00	1.4366E+00	1.2785E+00

SPECIES	MOLE FRACTIONS		
E-	3.8934E-65	2.2806E-43	1.9639E-27
H	5.7822E-11	9.8135E-09	9.1919E-06
H+	5.3145E-21	1.0524E-20	2.2603E-20
H2	4.5000E-01	8.5000E-01	8.4999E-01
H2+	1.1181E-71	8.2489E-48	2.1471E-30
H2++	6.4107E-20	5.8497E-20	4.6818E-20
HE	1.5000E-01	1.5000E-01	1.5000E-01
HE+	4.5214E-71	1.0613E-58	3.4035E-49
HE++	0.	0.	0.

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US1 = 6.00E+03 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.7664E+01	8.5947E+01	1.7569E+02
T	5.5900E+00	7.7742E+00	1.0167E+01
RHO	4.9485E+00	1.1049E+01	1.7170E+01
H	5.8976E+00	8.5023E+00	1.1789E+01
A	2.3169E+00	2.6955E+00	3.0291E+00
S	1.1620E+00	1.1715E+00	1.2018E+00
Z	1.0000E+00	1.0000E+00	1.0004E+00
GAM	9.6024E-01	9.3407E-01	8.9672E-01
U	3.8669E+03	1.7274E+00	1.5668E+00

SPECIES	MOLE FRACTIONS		
E-	3.6020E-26	7.2326E-17	8.3204E-13
H	2.1074E-05	1.1358E-03	1.2729E-02
H+	3.0597E-20	3.7059E-17	5.0185E-13
H2	8.4998E-01	8.4895E-01	8.3823E-01
H2-	2.7518E-29	6.6938E-19	4.7231E-14
H2+	3.8824E-20	3.6006E-17	3.7743E-13
HE	1.5000E-01	1.4991E-01	1.4905E-01
HE+	1.2479E-48	2.8459E-37	1.5564E-29
HE++	0.	0.	0.

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US1 = 5.00E+03 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.9056E+01	5.0474E+01	1.1158E+02
T	4.2232E+00	5.6558E+00	7.7684E+00
RHO	4.5126E+00	8.9226E+00	1.4357E+01
H	4.3713E+00	5.9727E+00	8.4911E+00
A	2.9318E+00	2.3297E+00	2.6959E+00
S	1.1215E+00	1.1274E+00	1.1569E+00
Z	1.0000E+00	1.0000E+00	1.0005E+00
GAM	9.7747E-01	9.5956E-01	9.3514E-01
U	3.1423E+00	1.5866E+00	1.4411E+00

SPECIES	MOLE FRACTIONS		
E-	2.8629E-37	1.9512E-25	1.4529E-17
H	1.1558E-07	1.9365E-05	9.8475E-04
H+	1.7399E-20	2.6185E-20	2.9806E-18
H2	3.5000E-01	8.4998E-01	8.4909E-01
H2-	2.6455E-61	2.4530E-28	4.3247E-19
H2+	5.2923E-20	4.3236E-20	1.1165E-17
HE	1.5000E-01	1.5000E-01	1.4993E-01
HE+	2.4876E-55	4.9188E-48	1.4074E-36
HE++	0.	0.	0.

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US1 = 7.00E+03 \text{ M/SEC}$
 $XH2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.7934E+01	1.3394E+02	2.5485E+02
T	7.1228E+00	9.9927E+00	1.2289E+01
RHO	5.3241E+00	1.3321E+01	2.0222E+01
H	7.7044E+00	1.1561E+01	1.5573E+01
A	2.5896E+00	3.0022E+00	3.3118E+00
S	1.2005E+00	1.2141E+00	1.2470E+00
Z	1.0003E+00	1.0063E+00	1.0255E+00
GAM	9.4122E-01	8.9640E-01	8.7031E-01
U	4.5913E+00	1.8323E+00	1.6421E+00

SPECIES	MOLE FRACTIONS		
E-	4.4853E-16	5.4593E-13	1.4138E-10
H	5.8704E-04	1.2446E-02	4.9746E-02
H+	2.6471E-18	3.3849E-13	9.5289E-11
H2	8.4946E-01	8.3849E-01	8.0399E-01
H2-	2.1958E-20	2.4557E-14	1.7241E-11
H2+	1.9296E-18	2.3203E-13	6.3334E-11
HE	1.4996E-01	1.4907E-01	1.4627E-01
HE+	5.4759E-41	5.2753E-31	8.4564E-25
HE++	0.	0.	8.4502E-87

TABLE I. - Continued

 $P_1 = 100 \text{ kN/m}^2$

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 8.00E+03 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.9927E+01	1.9927E+02	3.5416E+02
T	8.7358E+00	1.2041E+01	1.4177E+01
RHO	5.7059E+00	1.6151E+01	2.3592E+01
H	9.7978E+00	1.5207E+01	1.9919E+01
A	2.8229E+00	3.2745E+00	3.5982E+00
S	1.2373E+00	1.2565E+00	1.2927E+00
Z	1.0027E+03	1.0247E+00	1.0589E+00
GAME	9.1166E-01	8.6924E-01	8.6243E-01
U	5.3278E+03	1.8782E+03	1.7006E+00

SPECIES ----- MOLE FRACTIONS -----

E-	1.1980E-14	9.7757E-11	3.5985E-09
H+	5.4440E-03	4.8151E-02	1.1125E-01
H2+	7.9465E-15	6.7110E-11	2.6367E-09
H2	8.4496E-01	8.0542E-01	7.4710E-01
H-	1.9567E-16	9.9731E-12	6.9979E-13
H2+	4.2293E-15	4.0620E-11	1.6615E-09
HE	1.4959E-01	1.4639E-01	1.4166E-01
HE+	7.3877E-34	2.5177E-25	1.2674E-21
HE++	0.	6.1610E-87	4.8707E-77

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 1.00E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	7.9943E+01	4.0066E+02	6.5213E+02
T	1.1589E+01	1.5644E+01	1.7832E+01
RHO	6.7044E+00	2.3245E+01	3.1436E+01
H	1.4666E+01	2.4284E+01	3.0689E+01
A	3.2025E+00	3.8563E+00	4.2583E+00
S	1.3089E+00	1.3441E+00	1.3808E+00
Z	1.0289E+00	1.1017E+00	1.1633E+00
GAME	8.6013E-01	8.6279E-01	8.7411E-01
U	6.4693E+00	1.9778E+00	1.8578E+00

SPECIES ----- MOLE FRACTIONS -----

E-	6.5321E-11	2.7179E-08	2.3663E-07
H+	5.6134E-02	1.8470E-01	2.8082E-01
H2+	4.9287E-11	2.1317E-08	1.9646E-07
H2	7.9808E-01	6.7916E-01	5.9024E-01
H-	3.7800E-12	6.4051E-09	7.9220E-08
H2+	1.9814E-11	1.2426E-08	1.1940E-07
HE	1.4579E-01	1.3615E-01	1.2894E-01
HE+	5.7923E-26	1.0020E-19	1.6243E-17
HE++	0.	1.1753E-70	5.3843E-62

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 8.00E+03 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.3972E+01	2.8674E+02	4.8406E+02
T	1.0255E+01	1.3891E+01	1.5992E+01
RHO	6.1671E+00	1.9525E+01	2.7378E+01
H	1.2185E+21	1.9449E+01	2.4943E+01
A	3.0207E+00	3.5552E+00	3.9105E+00
S	1.2731E+00	1.2997E+00	1.3397E+00
Z	1.0115E+00	1.0572E+00	1.1053E+00
GAME	8.7965E-01	8.6069E-01	8.6514E-01
U	6.0884E+00	1.9211E+00	1.7702E+00

SPECIES ----- MOLE FRACTIONS -----

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 1.10E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	9.7807E+01	5.4087E+02	8.6968E+02
T	1.2768E+01	1.7368E+01	1.9763E+01
RHO	7.2647E+00	2.6935E+01	3.5360E+01
H	1.7834E+01	2.9669E+01	3.7189E+01
A	3.3865E+00	4.1814E+00	4.6691E+00
S	1.3456E+00	1.3897E+00	1.4381E+00
Z	1.0544E+00	1.1562E+00	1.2320E+00
GAME	8.5182E-01	8.7070E-01	8.8769E-01
U	7.6580E+00	2.0638E+00	1.6780E+00

SPECIES ----- MOLE FRACTIONS -----

E-	7.2530E-10	1.6668E-07	1.1185E-06
H+	1.0322E-01	2.7021E-01	3.7664E-01
H2+	5.6934E-10	1.3771E-07	9.7536E-07
H2	7.5452E-01	6.0005E-01	5.0160E-01
H-	5.8946E-11	4.9687E-08	4.3722E-07
H2+	2.1491E-10	7.8596E-08	5.8039E-07
HE	1.4226E-01	1.2973E-01	1.2175E-01
HE+	1.1417E-23	6.3202E-18	5.8216E-16
HE++	4.0670E-85	1.7113E-63	3.9452E-56

TABLE I. - Continued

$$p_1 = 100 \text{ kN/m}^2$$

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 1.20E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.1753E+02	7.0726E+02	1.1111E+03
T	1.3846E+01	1.9118E+01	2.1846E+01
RHO	7.8090E+00	3.0344E+01	3.8825E+01
H	2.1387E+01	3.5599E+01	4.4447E+01
A	3.5767E+03	4.5353E+00	5.0902E+00
S	1.3832E+00	1.4363E+00	1.4893E+00
Z	1.0870E+00	1.2192E+00	1.3099E+00
GAM	8.5002E-01	8.8248E-01	9.0543E-01
U	8.4498E+00	2.1720E+00	2.1266E+00

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 1.40E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.6206E+02	1.1002E+03	1.7250E+03
T	1.5846E+01	2.2840E+01	2.6803E+01
RHO	8.7466E+00	3.5320E+01	4.3336E+01
H	2.8432E+01	4.8899E+01	6.1264E+01
A	3.9837E+00	5.3396E+00	6.1654E+00
S	1.4615E+00	1.5308E+00	1.5932E+00
Z	1.1646E+00	1.3638E+00	1.4651E+00
GAM	8.5631E-01	9.1530E-01	9.5500E-01
U	1.0011E+01	2.4828E+00	2.5303E+00

SPECIES	MOLE FRACTIONS		
E-	4.4532E-09	7.4054E-07	4.3593E-06
H	1.6000E-01	3.5955E-01	4.7318E-01
H+	3.6102E-09	6.4030E-07	3.9579E-06
H2	7.0200E-01	5.1741E-01	4.1230E-01
H-	4.6090E-10	2.5925E-07	1.8691E-06
H2+	1.3039E-09	3.5949E-07	2.2705E-06
HE	1.3800E-01	1.2303E-01	1.1451E-01
HE+	5.9819E-22	1.9259E-16	1.3718E-14
HE++	8.8519E-79	6.7459E-58	5.5349E-51

SPECIES	MOLE FRACTIONS		
E-	6.4555E-08	8.2202E-06	4.7894E-05
H	2.8995E-01	5.3352E-01	6.5310E-01
H+	5.5226E-08	7.8051E-06	4.5841E-05
H2	5.8180E-01	3.5648E-01	2.4576E-01
H-	9.1382E-39	3.3234E-06	2.0635E-05
H2+	1.8466E-38	3.9346E-06	2.2688E-05
HE	1.2825E-01	1.0998E-01	1.0101E-01
HE+	2.2223E-19	5.212C7E-14	3.7026E-12
HE++	3.6226E-69	5.9299E-49	7.7346E-42

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 1.30E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.3849E+02	8.9496E+02	1.3990E+03
T	1.4862E+01	2.0926E+01	2.4148E+01
RHO	8.3058E+03	3.3183E+01	4.1528E+01
H	2.4623E+01	4.2012E+01	5.2447E+01
A	3.7751E+03	4.9196E+00	5.5899E+00
S	1.4219E+03	1.4835E+00	1.5411E+00
Z	1.1256E+00	1.2889E+00	1.3950E+00
GAM	8.5197E-01	8.9736E-01	9.2755E-01
U	5.2330E+00	2.3083E+00	2.3083E+00

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 1.50E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.8686E+02	1.3207E+03	2.0880E+03
T	1.6820E+01	2.4928E+01	3.0009E+01
RHO	5.1175E+00	3.6732E+01	4.1468E+01
H	3.2524E+01	5.6258E+01	7.0976E+01
A	4.2042E+00	5.8033E+00	6.8378E+00
S	1.5021E+00	1.5779E+00	1.6451E+00
Z	1.2185E+00	1.4423E+00	1.5760E+00
GAM	8.6243E-01	9.3670E-01	9.8858E-01
U	1.0782E+01	2.6795E+00	2.8035E+00

SPECIES	MOLE FRACTIONS		
E-	1.9066E-38	2.6532E-06	1.4937E-05
H	2.2304E-01	4.4823E-01	5.6627E-01
H+	1.5900E-38	2.3827E-06	1.3990E-05
H2	6.4364E-01	4.3538E-01	3.2616E-01
H-	2.3600E-09	1.0248E-06	6.6187E-06
H2+	5.5257E-39	1.2553E-06	7.5662E-06
HE	1.3327E-31	1.1628E-01	1.0753E-01
HE+	1.4752E-20	3.7758E-15	2.4149E-13
HE++	1.4704E-73	4.6486E-53	1.5137E-46

SPECIES	MOLE FRACTIONS		
E-	1.8609E-07	2.3265E-05	1.5037E-04
H	3.5857E-01	6.1328E-01	7.3049E-01
H+	1.6295E-37	2.2037E-05	1.4568E-04
H2	5.1832E-01	2.8265E-01	1.7392E-01
H-	2.9096E-08	9.3764E-06	5.8893E-05
H2+	5.2242E-38	1.0604E-05	6.3582E-05
HE	1.2311E-01	1.0400E-01	9.5175E-02
HE+	2.3877E-1b	5.8845E-13	5.3910E-11
HE++	1.9017E-65	3.9421E-45	1.6952E-37

TABLE I. -Continued

$$p_1 = 100 \text{ kN/m}^2$$

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 1.60E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.1329E+02	1.5513E+03	2.4873E+03
T	1.7804E+01	2.7268E+01	3.4073E+01
RHO	9.4201E+00	3.7378E+01	4.3945E+01
H	3.6894E+01	6.4065E+01	8.1688E+01
A	4.4386E+03	6.3185E+00	7.6203E+00
S	1.5433E+00	1.6242E+00	1.6961E+00
Z	1.2718E+00	1.5218E+00	1.6611E+00
GAME	8.7010E-01	9.6211E-01	1.0259E+00
U	1.1545E+01	2.9057E+00	3.1415E+00

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 1.80E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.7098E+02	2.0093E+03	3.3817E+03
T	1.9879E+01	3.3150E+01	4.5632E+01
RHO	9.8088E+00	3.6335E+01	4.1618E+01
H	4.6470E+01	8.0852E+01	1.0636E+02
A	4.9593E+00	7.5224E+00	9.1830E+00
S	1.6273E+00	1.7131E+00	1.7918E+00
Z	1.3897E+00	1.6681E+00	1.7807E+00
GAME	8.9028E-01	1.0233E+00	1.0371E+00
U	1.3051E+01	3.5135E+00	4.0170E+00

SPECIES ----- MOLE FRACTIONS -----

SPECIES ----- MOLE FRACTIONS -----

E-	4.7909E-07	6.2323E-05	4.7822E-04
H	4.2739E-01	6.8555E-01	7.9442E-01
H+	4.2825E-02	5.9965E-05	4.6460E-04
H2	4.5466E-01	2.1571E-01	1.1401E-01
H-	8.0372E-08	2.3834E-05	1.5737E-04
H2+	1.3094E-07	2.6171E-05	1.7100E-04
HE	1.1795E-01	9.8568E-02	9.0300E-02
HE+	2.0302E-17	5.6928E-12	8.1072E-10
HE++	3.4148E-62	3.9252E-41	3.6746E-33

E-	2.5651E-06	4.1530E-04	4.3773E-03
H	5.6084E-01	7.9970E-01	8.6304E-01
H+	2.3809E-06	4.0482E-04	4.1958E-03
H2	3.3122E-01	1.0931E-01	4.2314E-02
H-	4.5923E-07	1.2150E-04	8.2445E-04
H2+	6.4342E-07	1.3238E-04	1.0058E-03
HE	1.0794E-01	8.9921E-02	8.4236E-02
HE+	9.5234E-16	4.9370E-10	1.4832E-07
HE++	1.0658E-55	5.3727E-34	7.0008E-25

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 1.70E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 1.90E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.4141E+02	1.7835E+03	2.9228E+03
T	1.8817E+01	2.9968E+01	3.9287E+01
RHO	9.6531E+00	3.7226E+01	4.2987E+01
H	4.1546E+01	7.2289E+01	9.3515E+01
A	4.6894E+07	6.8929E+00	8.4558E+00
S	1.5851E+00	1.6696E+00	1.7449E+00
Z	1.3291E+00	1.5987E+00	1.7307E+00
GAME	8.7932E-01	9.9170E-01	1.0516E+00
U	1.2306E+01	3.1869E+00	3.5505E+00

P	3.0207E+02	2.2200E+03	3.8328E+03
T	2.1019E+01	3.6919E+01	5.1805E+01
RHO	9.8904E+00	3.4847E+01	4.0814E+01
H	5.1671E+01	8.9717E+01	1.1944E+02
A	5.2528E+00	8.1755E+00	9.6635E+00
S	1.6696E+00	1.7545E+00	1.8324E+00
Z	1.4530E+01	1.7256E+00	1.8128E+00
GAME	9.0343E-01	1.0492E+00	9.9028E-01
U	1.3788E+01	3.9092E+00	4.3980E+00

SPECIES ----- MOLE FRACTIONS -----

SPECIES ----- MOLE FRACTIONS -----

E-	1.1396E-06	1.6221E-04	1.5127E-03
H	4.9518E-01	7.4844E-01	8.3953E-01
H+	1.0393E-06	1.5758E-04	1.4623E-03
H2	3.9195E-01	1.5730E-01	7.0002E-02
H-	1.9994E-07	5.5867E-05	3.8657E-04
H2+	3.0024E-07	6.0451E-05	4.3691E-04
HE	1.1286E-01	9.3827E-02	8.6670E-02
HE+	1.4699E-16	5.4942E-11	1.2133E-08
HE++	5.9223E-59	1.5654E-37	7.7001E-29

E-	5.5878E-06	1.0406E-03	9.6126E-03
H	6.2354E-01	8.3762E-01	8.6695E-01
H+	5.2692E-06	1.0132E-03	9.1473E-03
H2	2.7322E-01	7.2874E-02	2.8311E-02
H-	9.9606E-07	2.4689E-04	1.3859E-03
H2+	1.3147E-06	2.7434E-04	1.8503E-03
HE	1.0323E-01	8.6928E-02	8.2746E-02
HE+	5.8044E-15	4.2223E-09	9.6279E-07
HE++	1.3424E-52	1.4074E-30	6.0957E-22

TABLE I. -Continued

 $P_1 = 100 \text{ kN/m}^2$

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US1 = 2.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.3463E+02	2.4175E+03	4.2656E+03
T	2.2279E+01	4.1280E+01	5.7415E+01
RHO	5.8972E+00	3.3108E+01	4.0424E+01
H	5.7146E+01	9.8914E+01	1.3272E+02
A	5.5756E+00	8.7775E+00	9.9713E+00
S	1.7117E+00	1.7934E+00	1.8700E+00
Z	1.5179E+00	1.7688E+00	1.8379E+00
GAME	9.1946E-01	1.0552E+00	9.4226E-01
U	1.4515E+01	4.3316E+00	4.7048E+00

SPECIES	MOLE FRACTIONS		
E-	1.1959E-05	2.4717E-03	1.6924E-02
H+	6.8237E-01	8.6151E-01	8.5995E-01
H+	1.1473E-05	2.3978E-03	1.6022E-02
H2	2.1878E-01	4.7835E-02	2.0680E-02
H-	2.0751E-06	4.5655E-04	1.9565E-03
H2+	2.6008E-06	5.3093E-04	2.8539E-03
HE	9.8819E-02	8.4802E-02	8.1613E-02
HE+	3.4464E-14	3.1983E-08	3.7666E-06
HE++	1.0117E-49	2.2503E-27	8.3171E-20

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US1 = 2.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.0350E+02	2.7664E+03	4.9944E+03
T	2.5387E+01	5.0629E+01	6.6486E+01
RHO	9.6510E+00	2.9941E+01	3.9941E+01
H	6.8899E+01	1.1834E+02	1.5917E+02
A	6.3535E+00	9.5924E+00	1.0491E+01
S	1.7947E+00	1.8649E+00	1.9390E+00
Z	1.6469E+00	1.8236E+00	1.8808E+00
GAME	9.6552E-01	9.9659E-01	8.8021E-01
U	1.5920E+01	5.1265E+00	5.0684E+00

SPECIES	MOLE FRACTIONS		
E-	5.8096E-05	9.7557E-03	3.4165E-02
H+	7.8538E-01	8.7329E-01	8.3326E-01
H+	5.6779E-05	9.3973E-03	3.2194E-02
H2	1.2340E-01	2.2753E-02	1.3030E-02
H-	8.5674E-06	1.0976E-03	2.8226E-03
H2+	9.8852E-06	1.4552E-03	4.7727E-03
HE	9.1083E-02	8.2252E-02	7.9733E-02
HE+	1.4180E-12	8.0582E-07	2.1506E-05
HE++	1.0581E-43	2.5579E-22	4.2894E-17

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US1 = 2.10E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.6851E+02	2.6000E+03	4.6556E+03
T	2.3702E+01	4.5975E+01	6.2234E+01
RHO	9.8206E+00	3.1419E+01	4.0224E+01
H	6.2891E+01	1.0845E+02	1.4589E+02
A	5.9378E-03	9.2500E+00	1.0241E+01
S	1.7535E+00	1.8300E+00	1.9050E+00
Z	1.5832E+00	1.7999E+00	1.8598E+00
GAME	9.3960E-01	1.0340E+00	9.0621E-01
U	1.5228E+01	4.7474E+00	4.9077E+00

SPECIES	MOLE FRACTIONS		
E-	2.5992E-05	5.2673E-03	2.5254E-02
H+	7.3666E-01	8.7245E-01	8.4782E-01
H+	2.5153E-05	5.0893E-03	2.3835E-02
H2	1.6684E-01	3.2168E-02	1.6144E-02
H-	4.2293E-06	7.5311E-04	2.4413E-03
H2+	5.0682E-06	9.3088E-04	3.8506E-03
HE	9.4745E-02	8.3337E-02	8.0645E-02
HE+	2.1218E-12	1.0872E-07	1.0077E-05
HE++	9.6223E-47	1.3802E-24	2.8905E-18

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US1 = 2.30E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.3958E+02	2.9233E+03	5.2754E+03
T	2.7423E+01	5.5061E+01	7.0272E+01
RHO	9.4033E+00	2.8787E+01	3.9484E+01
H	7.5169E+01	1.2871E+02	1.7248E+02
A	6.8309E+00	9.8628E+00	1.0728E+01
S	1.8340E+00	1.8988E+00	1.9724E+00
Z	1.7047E+00	1.8443E+00	1.9013E+00
GAME	9.1815E-01	9.5790E-01	8.6176E-01
U	1.6593E+01	5.4114E+00	5.1776E+00

SPECIES	MOLE FRACTIONS		
E-	1.3519E-04	1.5925E-02	4.3283E-02
H+	8.2633E-01	8.6698E-01	8.1767E-01
H+	1.3309E-04	1.5309E-02	4.0769E-02
H2	8.5373E-02	1.6945E-02	1.0722E-02
H-	1.7306E-05	1.4455E-03	3.0971E-03
H2+	1.9394E-05	2.0622E-03	5.5712E-03
HE	8.7994E-02	8.1328E-02	7.8853E-02
HE+	1.0581E-11	2.5823E-06	3.9419E-05
HE++	1.8030E-40	1.6615E-20	3.7141E-16

TABLE I. - Continued

$$P_1 = 100 \text{ kN/m}^2$$

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 2.40E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 2.60E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.7642E+02	3.0624E+03	5.4779E+03
T	2.9981E+01	5.9108E+01	7.3690E+01
RHO	5.0608E+00	2.7777E+01	3.8678E+01
H	8.1688E+01	1.3948E+02	1.8579E+02
A	7.3805E+00	1.0100E+01	1.0957E+01
S	1.8717E+00	1.932CE+00	2.0058E+00
Z	1.7538E+00	1.8640E+00	1.9219E+00
GAME	1.0360E+00	9.2582E-01	8.4771E-01
U	1.7237E+01	5.6154E+00	5.2571E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.5241E+02	3.2934E+03	5.7296E+03
T	3.6803E+01	6.6230E+01	7.9846E+01
RHO	8.2676E+00	2.6118E+01	3.6536E+01
H	9.5466E+01	1.6217E+02	2.1280E+02
A	8.4740E+00	1.0546E+01	1.1403E+01
S	1.9398E+00	1.9972E+00	2.0724E+00
Z	1.8155E+00	1.9039E+00	1.9641E+00
GAME	1.0747E+00	8.8203E-01	8.2910E-01
U	1.8454E+01	5.8351E+00	5.3810E+00

SPECIES	MOLE FRACTIONS		
E-	3.3453E-04	2.3364E-02	5.2520E-02
H	8.5548E-01	8.5613E-01	8.0156E-01
H+	3.3392E-04	2.2437E-02	4.9508E-02
H2	5.5150E-02	1.3157E-02	8.8824E-03
H2+	3.5255E-05	1.7622E-03	3.2681E-03
H2+	3.8867E-05	2.6828E-03	6.2153E-03
HE	8.5529E-02	8.0464E-02	7.7982E-02
HE+	9.2286E-11	6.4797E-06	6.5188E-05
HE++	5.0914E-37	4.4331E-19	2.2006E-15

SPECIES	MOLE FRACTIONS		
E-	2.0773E-03	4.0712E-02	7.1314E-02
H	8.9205E-01	8.2678E-01	7.6824E-01
H+	2.0600E-03	3.9092E-02	6.7457E-02
H2	2.0914E-02	8.5835E-03	6.1423E-03
H2+	1.3197E-04	2.2281E-03	3.3802E-03
H2+	1.4921E-04	3.8227E-03	7.0900E-03
HE	8.2620E-02	7.8761E-02	7.6224E-02
HE+	7.3879E-09	2.5339E-05	1.4760E-04
HE++	4.1344E-30	5.6413E-17	3.8716E-14

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 2.50E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 2.70E+04 \text{ M/SEC}$
 $XH_2 = .85$, $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.1388E+02	3.1751E+03	5.6088E+03
T	3.3171E+01	6.2801E+01	7.6838E+01
RHO	8.6504E+00	2.6838E+01	3.7570E+01
H	8.8450E+01	1.5061E+02	1.9916E+02
A	7.9634E+00	1.0325E+01	1.1181E+01
S	1.9075E+00	1.9650E+00	2.0394E+00
Z	1.7909E+00	1.8838E+00	1.9429E+00
GAME	1.0675E+00	9.0106E-01	8.3734E-01
U	1.7852E+01	5.7465E+00	5.3237E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	5.9218E+02	3.4228E+03	5.8608E+03
T	4.3726E+01	6.9465E+01	8.2786E+01
RHO	7.9324E+00	2.5606E+01	3.5656E+01
H	1.3274E+02	1.7417E+02	2.2680E+02
A	8.8742E+00	1.0767E+01	1.1626E+01
S	1.9704E+00	2.0288E+00	2.1050E+00
Z	1.8331E+00	1.9243E+00	1.9855E+00
GAME	1.0549E+00	8.6719E-01	8.2230E-01
U	1.9053E+01	5.8965E+00	5.4347E+00

SPECIES	MOLE FRACTIONS		
E-	8.5949E-04	3.1728E-02	6.1882E-02
H	8.8061E-01	8.4239E-01	7.8506E-01
H+	8.5207E-04	3.0462E-02	5.8428E-02
H2	3.3774E-02	1.0502E-02	7.3694E-03
H2+	7.0898E-05	2.0198E-03	3.3511E-03
H2+	7.8312E-05	3.2717E-03	6.7051E-03
HE	8.3756E-02	7.9612E-02	7.7104E-02
HE+	8.8618E-10	1.3632E-05	1.0045E-04
HE++	1.9016E-33	8.2387E-18	1.0049E-14

SPECIES	MOLE FRACTIONS		
E-	4.5404E-03	5.0093E-02	8.0789E-02
H	8.9514E-01	8.0999E-01	7.5120E-01
H+	4.5009E-03	4.8111E-02	7.6559E-02
H2	1.3503E-02	7.1372E-03	5.1381E-03
H2+	2.2317E-04	2.3925E-03	3.3712E-03
H2+	2.6308E-04	4.3305E-03	7.3917E-03
HE	8.1829E-02	7.7946E-02	7.5337E-02
HE+	4.8468E-08	4.3072E-05	2.0958E-04
HE++	3.6743E-27	3.7087E-16	1.3236E-13

TABLE I. - Continued

$$P_1 = 100 \text{ kN/m}^2$$

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US1 = 2.80E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.3382E+02	3.5921E+03	6.0541E+03
T	4.4586E+01	7.2625E+01	8.5786E+01
RHO	7.6936E+00	2.5429E+01	3.5159E+01
H	1.1930E+02	1.8681E+02	2.4152E+02
A	9.1732E+00	1.0991E+01	1.1856E+01
S	1.9989E+00	2.0594E+00	2.1367E+00
Z	1.8477E+00	1.9451E+00	2.0072E+00
GAMM	1.0214E+00	8.5506E-01	8.1627E-01
U	1.9666E+01	5.9325E+00	5.4971E+00

SPECIES ----- MOLE FRACTIONS -----

E-	8.5797E-03	5.9737E-02	9.0291E-02
H	8.9160E-01	7.9239E-01	7.3397E-01
H+	8.4982E-03	5.7378E-02	8.5689E-02
H2	9.3882E-03	6.0265E-03	4.3185E-03
H-	3.3669E-04	2.5298E-03	3.3462E-03
H2+	4.1795E-04	3.6820E-03	7.6567E-03
HE	8.1186E-02	7.7048E-02	7.4440E-02
HE+	2.2513E-07	3.6893E-05	2.9152E-04
HE++	9.2517E-25	4.9797E-15	4.2398E-13

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US1 = 3.00E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	7.2474E+02	4.0685E+03	6.6824E+03
T	5.1548E+01	7.8931E+01	9.2209E+01
RHO	7.4877E+00	2.5934E+01	3.5332E+01
H	1.2636E+02	2.1430E+02	2.7372E+02
A	9.6354E+00	1.1453E+01	1.2342E+01
S	2.0513E+00	2.1183E+00	2.1985E+00
Z	1.8777E+00	1.9875E+00	2.0511E+00
GAMM	9.5920E-01	8.3613E-01	8.0540E-01
U	2.0992E+01	6.0491E+00	5.6319E+00

SPECIES ----- MOLE FRACTIONS -----

E-	2.1064E-02	7.9382E-02	1.0922E-01
H	8.7130E-01	7.5611E-01	6.9937E-01
H+	2.0838E-02	7.6214E-02	1.0384E-01
H2	5.5172E-03	4.4344E-03	3.0683E-03
H-	5.8609E-04	2.7370E-03	3.2680E-03
H2+	3.1007E-04	5.7482E-03	8.1059E-03
HE	7.9884E-02	7.5314E-02	7.2589E-02
HE+	2.0219E-06	1.5630E-04	5.4221E-04
HE++	2.4895E-21	3.7138E-14	3.9037E-12

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US1 = 2.90E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	6.7796E+02	3.8042E+03	6.3258E+03
T	4.8218E+01	7.5759E+01	8.8912E+01
RHO	7.5494E+00	2.5540E+01	3.5064E+01
H	1.1817E+02	2.0014E+02	2.5712E+02
A	9.4171E+00	1.1219E+01	1.2094E+01
S	2.0258E+00	2.0891E+00	2.1678E+00
Z	1.8623E+00	1.9662E+00	2.0290E+00
GAMM	6.8759E-01	8.4454E-01	8.1069E-01
U	2.0311E+01	5.9891E+00	5.5624E+00

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	8.2414E+02	4.6932E+03	7.5552E+03
T	5.7510E+01	9.5279E+01	9.9202E+01
RHO	7.4939E+00	2.7104E+01	3.6342E+01
H	1.4362E+02	2.4434E+02	3.0920E+02
A	1.0059E+01	1.1930E+01	1.2864E+01
S	2.1005E+00	2.1754E+00	2.2590E+00
Z	1.9123E+00	2.0305E+00	2.0957E+00
GAMM	9.1848E-01	8.2189E-01	7.9594E-01
U	2.2383E+01	6.1810E+00	5.8039E+00

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US1 = 3.20E+04 \text{ M/SEC}$
 $XH2 = .85$ $XHE = .15$

E-	3.7619E-02	9.8727E-02	1.2772E-01
H	8.4290E-01	7.1955E-01	6.6551E-01
H+	3.7181E-02	9.4724E-02	1.2156E-01
H2	3.7963E-03	3.3100E-03	2.1539E-03
H-	8.1747E-04	2.8428E-03	3.1399E-03
H2+	1.2468E-03	6.5317E-03	8.3403E-03
HE	7.8431E-02	7.3560E-02	7.0618E-02
HE+	3.6973E-06	3.1373E-04	9.5799E-04
HE++	4.7667E-19	4.5819E-13	3.1274E-11

TABLE I. - Continued

$$P_1 = 100 \text{ kN/m}^2$$

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 3.40E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	9.3310E+02	5.4736E+03	8.6656E+03
T	6.2747E+01	9.1915E+01	1.0693E+02
RHO	7.6230E+00	2.8710E+01	3.7857E+01
H	1.6212E+02	2.7728E+02	3.4864E+02
A	1.0454E+01	1.243CE+01	1.3427E+01
S	2.1481E+00	2.232CE+00	2.3185E+00
Z	1.9508E+00	2.0741E+00	2.1407E+00
GAME	8.9282E-01	8.1036E-01	7.8757E-01
U	2.3855E+01	6.3165E+00	6.0133E+00

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 3.80E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.1735E+03	7.3338E+03	1.140GE+04
T	7.2034E+01	1.0622E+02	1.2531E+02
RHO	8.0030E+00	3.1927E+01	4.0692E+01
H	2.0259E+02	3.4967E+02	4.3637E+02
A	1.1252E+01	1.3498E+01	1.4716E+01
S	2.2421E+00	2.3441E+00	2.4376E+00
Z	2.0357E+00	2.1625E+00	2.2357E+00
GAME	8.6342E-01	7.9315E-01	7.7568E-01
U	2.6850E+01	6.7125E+00	6.5800E+00

SPECIES	MOLE FRACTIONS		
E-	5.6184E-02	1.1761E-01	1.1456E-01
H	8.0592E-01	6.8487E-01	6.3290E-01
H+	5.5488E-02	1.1277E-01	1.3866E-01
H2	2.8344E-03	2.4480E-03	1.4725E-03
H-	1.0382E-03	2.8559E-03	2.9868E-03
H2+	1.6786E-03	7.1224E-03	8.3101E-03
HE	7.6867E-02	7.1737E-02	6.8459E-02
HE+	2.4910E-05	5.8405E-04	1.6106E-03
HE++	2.1254E-17	4.4018E-12	2.2447E-10

SPECIES	MOLE FRACTIONS		
E-	9.5376E-02	1.5318E-01	1.8047E-01
H	7.3144E-01	6.1938E-01	5.6971E-01
H+	9.4091E-02	1.4674E-01	1.7205E-01
H2	1.7332E-03	1.2357E-03	6.0114E-04
H-	1.2516E-02	2.6630E-03	2.7327E-03
H2+	2.4261E-03	7.4322E-03	7.3437E-03
HE	7.3574E-02	6.7694E-02	6.3281E-02
HE+	1.1108E-04	1.6657E-03	3.8110E-03
HE++	4.7241E-15	2.2555E-10	8.6774E-09

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 3.60E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.0496E+03	6.3509E+03	9.9460E+03
T	6.7541E+01	9.8827E+01	1.1559E+02
RHO	7.7997E+00	3.0342E+01	3.9329E+01
H	1.8178E+02	3.1235E+02	3.9070E+02
A	1.0854E+01	1.2948E+01	1.4050E+01
S	2.1953E+00	2.2880E+00	2.3788E+00
Z	1.9923E+00	2.1180E+00	2.1877E+00
GAME	8.7557E-01	8.0098E-01	7.8063E-01
U	2.5345E+01	6.5072E+00	6.2671E+00

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 4.00E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.3049E+03	8.3890E+03	1.3027E+04
T	7.6368E+01	1.1409E+02	1.3693E+02
RHO	8.2129E+00	3.3315E+01	4.1562E+01
H	2.2454E+02	3.8896E+02	4.8579E+02
A	1.1652E+01	1.4078E+01	1.5567E+01
S	2.2889E+03	2.3988E+00	2.4980E+00
Z	2.0806E+00	2.2071E+00	2.2890E+00
GAME	8.5451E-01	7.8704E-01	7.7311E-01
U	2.8366E+01	7.0065E+00	6.5774E+00

SPECIES	MOLE FRACTIONS		
E-	7.5710E-02	1.3571E-01	1.6329E-01
H	7.6885E-01	6.5144E-01	6.0079E-01
H+	7.4724E-02	1.3036E-01	1.5560E-01
H2	2.1957E-03	1.7703E-03	9.6059E-04
H-	1.1529E-03	2.7835E-03	2.8325E-03
H2+	2.0780E-03	7.4222E-03	7.9563E-03
HE	7.5232E-02	6.9808E-02	6.5995E-02
HE+	5.6662E-05	1.0150E-03	2.5690E-03
HE++	4.1403E-16	3.3908E-11	1.4772E-09

SPECIES	MOLE FRACTIONS		
E-	1.1492E-01	1.6981E-01	1.9859E-01
H	6.9427E-01	5.8907E-01	5.3684E-01
H+	1.1332E-01	1.6260E-01	1.8951E-01
H2	1.3751E-03	8.4345E-04	3.4757E-04
H-	1.3077E-03	2.5357E-03	2.7062E-03
H2+	2.7127E-03	7.1703E-03	6.4719E-03
HE	7.1897E-02	6.5388E-02	6.0217E-02
HE+	1.9788E-04	2.5741E-03	5.3145E-03
HE++	3.8114E-14	1.2848E-09	4.9922E-08

TABLE I. -Continued

 $P_1 = 100 \text{ kN/m}^2$
 $P_1 = 1.00E+05 \text{ N/SQ-M}, \quad USI = 4.20E+04 \text{ M/SEC}$
 $XH2 = .85 \quad XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.4433E+03	9.5268E+03	1.4829E+04
T	8.3632E+01	1.2268E+02	1.5076E+02
RHO	8.4166E+00	3.4475E+01	4.1917E+01
H	2.4763E+02	4.3034E+02	5.3953E+02
A	1.2058E+01	1.4708E+01	1.6531E+01
S	2.3357E+00	2.4525E+00	2.5565E+00
Z	2.1268E+00	2.2525E+00	2.3466E+00
GAM	8.4794E-01	7.8283E-01	7.7245E-01
U	2.9883E+01	7.3068E+00	7.5021E+00

 $P_1 = 1.00E+05 \text{ N/SQ-M}, \quad USI = 4.60E+04 \text{ M/SEC}$
 $XH2 = .85 \quad XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.7406E+03	1.1915E+04	1.9022E+04
T	8.9210E+01	1.4305E+02	1.8893E+02
RHO	8.7803E+00	3.5426E+01	4.0521E+01
H	2.9718E+02	5.1830E+02	6.6324E+02
A	1.2901E+01	1.6211E+01	1.9036E+01
S	2.4290E+00	2.5575E+00	2.6711E+00
Z	2.2222E+00	2.3511E+00	2.4848E+00
GAM	8.3963E-01	7.8141E-01	7.7190E-01
U	3.2907E+01	8.1728E+00	9.1052E+00

SPECIES	MOLE FRACTIONS		
E-	1.3416E-01	1.8553E-01	2.1728E-01
H	6.5774E-01	5.5984E-01	5.0264E-01
H+	1.3223E-01	1.7755E-01	2.0772E-01
H2	1.0877E-03	5.5391E-04	1.8800E-04
H-	1.3252E-03	2.4368E-03	2.7782E-03
H2+	2.9298E-03	6.6907E-03	5.4720E-03
HE	7.0199E-02	6.2866E-02	5.7058E-02
HE+	3.2989E-04	3.7266E-03	6.8644E-03
HE++	2.4199E-13	6.5225E-09	2.6956E-07

SPECIES	MOLE FRACTIONS		
E-	1.7128E-01	2.1861E-01	2.5894E-01
H	5.8755E-01	5.0050E-01	4.2529E-01
H+	1.6860E-01	2.0924E-01	2.4888E-01
H2	6.6260E-04	2.0910E-04	4.3585E-05
H-	1.2667E-03	2.3792E-03	3.0840E-03
H2+	3.1410E-03	5.2595E-03	3.4334E-03
HE	6.6700E-02	5.7311E-02	5.0625E-02
HE+	8.0157E-04	6.4882E-03	9.7356E-03
HE++	6.0406E-12	1.3026E-07	7.3474E-06

 $P_1 = 1.00E+05 \text{ N/SQ-M}, \quad USI = 4.40E+04 \text{ M/SEC}$
 $XH2 = .85 \quad XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.5886E+03	1.0708E+04	1.6822E+04
T	8.4902E+01	1.3235E+02	1.6788E+02
RHO	8.6063E+00	3.5162E+01	4.1544E+01
H	2.7185E+02	4.735CE+02	5.9845E+02
A	1.2475E+01	1.5423E+01	1.7686E+01
S	2.3825E+00	2.5064E+00	2.6143E+00
Z	2.1741E+00	2.3010E+00	2.4119E+00
GAM	8.4305E-01	7.814CE-01	7.7248E-01
U	3.1397E+01	7.6908E+00	8.2011E+00

 $P_1 = 1.00E+05 \text{ N/SQ-M}, \quad USI = 4.80E+04 \text{ M/SEC}$
 $XH2 = .85 \quad XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	1.8991E+03	1.3120E+04	2.1368E+04
T	9.3694E+01	1.5541E+02	2.1329E+02
RHO	8.9211E+00	3.5083E+01	3.9119E+01
H	3.2363E+02	5.6469E+02	7.3317E+02
A	1.3392E+01	1.7116E+01	2.0512E+01
S	2.4763E+00	2.6081E+00	2.7249E+00
Z	2.2720E+00	2.4063E+00	2.5609E+00
GAM	8.3741E-01	7.8354E-01	7.7025E-01
U	3.4409E+01	8.7328E+00	1.0142E+01

SPECIES	MOLE FRACTIONS		
E-	1.5302E-01	2.0237E-01	2.3748E-01
H	6.2203E-01	5.30C6E-01	4.6527E-01
H+	1.5073E-01	1.93E4E-01	2.2763E-01
H2	8.5319E-04	3.45E8E-04	9.3397E-05
H-	1.3092E-03	2.3791E-03	2.9236E-03
H2+	3.0726E-03	6.0174E-03	6.4160E-03
HE	6.8468E-02	6.0102E-02	5.3834E-02
HE+	5.2434E-04	5.0871E-03	8.3566E-03
HE++	1.2944E-12	3.0802E-08	1.4362E-06

SPECIES	MOLE FRACTIONS		
E-	1.8938E-01	2.3575E-01	2.8027E-01
H	5.5350E-01	4.6909E-01	3.8559E-01
H+	1.8626E-01	2.2585E-01	2.6973E-01
H2	5.0420E-04	1.1963E-04	2.0392E-05
H-	1.2014E-03	2.4178E-03	3.1801E-03
H2+	3.1327E-03	4.4398E-03	2.6396E-03
HE	6.4823E-02	5.4457E-02	4.7528E-02
HE+	1.1974E-03	7.8782E-03	1.1012E-02
HE++	2.6139E-11	5.2755E-07	3.2870E-05

TABLE I. - Continued

$$P_1 = 100 \text{ kN/m}^2$$

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 5.00E+04 \text{ M/SEC}$
 $XH_2 = .85$

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 5.40E+04 \text{ M/SEC}$
 $XH_2 = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.0639E+03	1.4273E+04	2.3884E+04
T	9.8322E+01	1.6918E+02	2.4052E+02
RHO	9.0384E+00	3.4231E+01	3.7651E+01
H	3.5119E+02	6.1215E+02	8.0877E+02
A	1.3819E+01	1.8109E+01	2.2066E+01
S	2.5230E+00	2.6562E+00	2.7756E+00
Z	2.3224E+00	2.4646E+00	2.6373E+00
GAMM	8.3630E-01	7.8664E-01	7.6761E-01
U	3.5900E+01	9.4693E+00	1.1335E+01

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.4117E+03	1.6430E+04	2.9140E+04
T	1.0829E+02	2.0029E+02	2.9954E+02
RHO	9.1815E+00	3.1739E+01	3.4974E+01
H	4.0962E+02	7.1053E+02	9.7122E+02
A	1.4832E+01	2.0249E+01	2.5188E+01
S	2.6156E+00	2.7436E+00	2.8676E+00
Z	2.4257E+00	2.5846E+00	2.7817E+00
GAMM	8.3747E-01	7.9203E-01	7.6143E-01
U	3.8847E+01	1.1238E+01	1.3793E+01

SPECIES	MOLE FRACTIONS		
E-	2.0685E-01	2.5310E-01	3.0059E-01
H	5.2083E-01	4.3708E-01	3.4810E-01
H+	2.0318E-01	2.4276E-01	2.8920E-01
F2	3.7791E-04	6.6711E-05	9.9566E-06
H-	1.1232E-03	2.4716E-03	3.1756E-03
H2+	3.0569E-03	3.6612E-03	2.0452E-03
HE	6.2849E-02	5.1712E-02	4.4484E-02
HE+	1.7389E-03	9.1474E-03	1.2267E-02
HE++	1.0379E-10	1.9512E-06	1.2449E-04

SPECIES	MOLE FRACTIONS		
E-	2.4027E-01	2.8667E-01	3.3625E-01
H	4.5892E-01	3.7492E-01	2.8641E-01
H+	2.3508E-01	2.7539E-01	3.2099E-01
H2	2.0031E-04	2.0962E-05	2.9588E-06
H-	9.5257E-04	2.5225E-03	2.9048E-03
H2+	2.7350E-03	2.4235E-03	1.3119E-03
HE	5.8431E-02	4.6683E-02	3.8074E-02
HE+	3.4066E-03	1.1334E-02	1.4849E-02
HE++	1.3660E-09	1.9436E-05	1.0015E-03

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 5.20E+04 \text{ M/SEC}$
 $XH_2 = .85$

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 5.60E+04 \text{ M/SEC}$
 $XH_2 = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.2347E+03	1.5372E+04	2.6471E+04
T	1.0322E+02	1.8426E+02	2.6952E+02
RHO	9.1181E+00	3.3041E+01	3.6223E+01
H	3.7985E+02	6.6079E+02	8.8433E+02
A	1.4317E+01	1.9164E+01	2.3638E+01
S	2.5701E+00	2.7015E+00	2.8232E+00
Z	2.3744E+00	2.5248E+00	2.7114E+00
GAMM	8.3632E-01	7.8943E-01	7.6460E-01
U	3.7378E+01	1.0303E+01	1.2573E+01

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.5544E+03	1.7411E+04	3.1777E+04
T	1.1373E+02	2.1768E+02	3.2912E+02
RHO	9.2041E+00	3.0219E+01	3.3916E+01
H	4.4047E+02	7.6126E+02	1.0564E+03
A	1.5389E+01	2.1401E+01	2.6658E+01
S	2.6613E+00	2.7854E+00	2.9083E+00
Z	2.4785E+00	2.6468E+00	2.8686E+00
GAMM	8.4018E-01	7.9490E-01	7.5851E-01
U	4.0297E+01	1.2238E+01	1.4969E+01

SPECIES	MOLE FRACTIONS		
E-	2.2404E-01	2.7029E-01	3.1932E-01
H	4.8887E-01	4.0525E-01	3.1422E-01
H+	2.1969E-01	2.5952E-01	3.0644E-01
H2	2.7667E-04	3.7006E-05	5.2178E-06
H-	1.0365E-03	2.5117E-03	3.0707E-03
H2+	2.9168E-03	2.9754E-03	1.6171E-03
HE	6.0700E-02	4.9110E-02	4.1384E-02
HE+	2.4740E-03	1.0253E-02	1.3550E-02
HE++	3.9238E-10	6.5330E-06	3.8817E-04

SPECIES	MOLE FRACTIONS		
E-	2.5623E-01	3.0300E-01	3.5124E-01
H	4.2971E-01	3.4484E-01	2.5972E-01
H+	2.5001E-01	2.9104E-01	3.3254E-01
H2	1.4142E-04	1.1913E-05	1.8289E-06
H-	8.7176E-04	2.4744E-03	2.7153E-03
H2+	2.5125E-03	1.9577E-03	1.0595E-03
HE	5.5939E-02	4.4247E-02	3.4504E-02
HE+	4.5814E-03	1.2372E-02	1.6050E-02
HE++	4.5839E-09	5.3746E-05	2.1294E-03

TABLE I. -Continued

$$P_1 = 100 \text{ kN/m}^2$$

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 5.80E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 6.20E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.7825E+03	1.8313E+04	3.4373E+04
T	1.1955E+02	2.3514E+02	3.5840E+02
RHO	9.1917E+00	2.8787E+01	3.2970E+01
H	4.7241E+02	8.1293E+02	1.1662E+03
A	1.5992E+01	2.2524E+01	2.8075E+01
S	2.7063E+00	2.8237E+00	2.9469E+00
Z	2.5326E+00	2.7055E+00	2.9089E+00
GAMF	8.4491E-01	7.9752E-01	7.5603E-01
U	4.1729E+01	1.3288E+01	1.6123E+01

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.1731E+03	1.9816E+04	3.9089E+04
T	1.3280E+02	2.7052E+02	4.1455E+02
RHO	9.0411E+00	2.5996E+01	3.1162E+01
H	5.3946E+02	9.1866E+02	1.3226E+03
A	1.7402E+01	2.4749E+01	3.0734E+01
S	2.7948E+00	2.8958E+00	3.0186E+00
Z	2.6429E+00	2.8178E+00	3.0259E+00
GAMF	8.6288E-01	8.0353E-01	7.5304E-01
U	4.4520E+01	1.5477E+01	1.8156E+01

SPECIES	MOLE FRACTIONS		
E-	2.7173E-01	3.1761E-01	3.6496E-01
H	+.0159E-01	3.1776E-01	2.3834E-01
H+	2.6428E-01	3.0498E-01	3.4168E-01
H2	9.7709E-05	7.1273E-06	1.2042E-06
H-	7.9940E-04	2.3893E-03	2.5190E-03
H2+	2.2658E-03	1.6044E-03	9.3471E-04
HE	5.3260E-02	4.1957E-02	3.0590E-02
HE+	5.9806E-03	1.3357E-02	1.7087E-02
HE++	1.4682E-08	1.2971E-04	3.8890E-03

SPECIES	MOLE FRACTIONS		
E-	3.0179E-01	3.4457E-01	3.8931E-01
H	3.4754E-01	2.6982E-01	2.0365E-01
H+	2.9144E-01	3.2915E-01	3.5461E-01
H2	4.3135E-05	2.8316E-06	6.0252E-07
H-	6.8493E-04	2.1227E-03	2.1356E-03
H2+	1.7400E-03	1.1063E-03	7.1104E-04
HE	+.7460E-02	3.7359E-02	2.2422E-02
HE+	9.2955E-03	1.5310E-02	1.8177E-02
HE++	1.3542E-07	5.6342E-04	8.9739E-03

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 6.00E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 6.40E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	2.9757E+03	1.9110E+04	3.6852E+04
T	1.2565E+02	2.5268E+02	3.8720E+02
RHO	9.1421E+00	2.7382E+01	3.2054E+01
H	5.0541E+02	8.6527E+02	1.2333E+03
A	1.6655E+01	2.3634E+01	2.5446E+01
S	2.7506E+00	2.8601E+00	2.9840E+00
Z	2.5864E+00	2.7621E+00	2.9692E+00
GAMF	8.5223E-01	8.0034E-01	7.5418E-01
U	4.3141E+01	1.4405E+01	1.7194E+01

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.3753E+03	2.0458E+04	4.1247E+04
T	1.4022E+02	2.8850E+02	4.4210E+02
RHO	8.9214E+00	2.4692E+01	3.0278E+01
H	5.7456E+02	9.7293E+02	1.4143E+03
A	1.8208E+01	2.5857E+01	3.2013E+01
S	2.8363E+00	2.9305E+00	3.0524E+00
Z	2.6943E+00	2.8715E+00	3.0815E+00
GAMF	8.7623E-01	8.0692E-01	7.5228E-01
U	4.5878E+01	1.656CE+01	1.9118E+01

SPECIES	MOLE FRACTIONS		
E-	2.8603E-01	3.3155E-01	3.7774E-01
H	3.7442E-01	4.9254E-01	2.1969E-01
H+	2.7797E-01	3.1760E-01	3.4892E-01
H2	5.5977E-05	4.4330E-06	8.3217E-07
H-	7.3745E-04	2.2652E-03	2.3225E-02
H2+	2.0067E-03	1.3284E-03	8.0923E-04
HE	5.0430E-02	3.9656E-02	2.6644E-02
HE+	7.5651E-03	1.4325E-02	1.7820E-02
HE++	4.5501E-08	2.8140E-04	6.2554E-03

SPECIES	MOLE FRACTIONS		
E-	3.15d9E-01	3.5676E-01	4.0026E-01
H	3.2232E-01	2.4866E-01	1.8900E-01
H+	3.0404E-01	3.3945E-01	3.5947E-01
H2	2.7906E-05	1.8631E-06	4.4564E-07
H-	5.4516E-04	1.9654E-03	1.9531E-03
H2+	1.4913E-03	9.2900E-04	6.2861E-04
HE	4.6585E-02	3.4920E-02	1.8536E-02
HE+	1.1006E-02	1.6247E-02	1.8169E-02
HE++	3.8155E-07	1.0432E-03	1.1973E-02

TABLE I.- Concluded

$$p_1 = 100 \text{ kN/m}^2$$

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 6.60E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 7.00E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.5807E+03	2.0992E+04	4.3146E+04
T	1.4850E+02	3.0600E+02	4.6954E+02
RHO	8.7503E+00	2.3464E+01	2.9303E+01
H	6.1067E+02	1.0281E+C3	1.5083E+03
A	1.9112E+01	2.6931E+01	3.3285E+01
S	2.8774E+00	2.9638E+00	3.0858E+00
Z	2.7555E+00	2.9237E+00	3.1359E+00
GAME	8.9266E-01	8.1065E-01	7.5241E-01
U	4.7195E+01	1.7580E+01	2.0102E+01

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	4.0016E+03	2.1842E+04	4.6226E+04
T	1.6756E+02	3.4036E+02	5.2506E+02
RHO	8.3207E+00	2.1224E+01	2.7177E+01
H	6.8587E+02	1.1418E+03	1.6991E+03
A	2.1144E+01	2.9037E+01	3.5836E+01
S	2.9551E+C0	3.0285E+00	3.1512E+00
Z	2.8701E+01	3.0236E+00	3.2394E+00
GAME	9.2964E-01	8.1931E-01	7.5503E-01
U	4.9730E+01	1.9446E+01	2.1947E+01

SPECIES	----- MOLE FRACTIONS -----
E-	3.2990E-01
H	2.9723E-01
H+	3.1655E-01
H2	1.7469E-05
H-	6.1211E-04
H2+	1.2524E-03
HE	4.1732E-02
HE+	1.2702E-02
HE++	1.0595E-06
	1.7733E-03
	1.5039E-02

SPECIES	----- MOLE FRACTIONS -----
E-	3.5628E-01
H	2.4982E-01
H+	3.4022E-01
H2	6.4813E-06
H-	5.6091E-04
H2+	3.4832E-04
HE	3.6499E-02
HE+	1.5756E-02
HE++	7.3711E-06
	4.2078E-03

$P_1 = 1.00E+05 \text{ N/SQ-M}$, $US_1 = 6.80E+04 \text{ M/SEC}$
 $XH_2 = .85$ $XHE = .15$

	MOVING SHOCK	STANDING SHOCK	REFLECTED SHOCK
P	3.7892E+03	2.1426E+04	4.4753E+04
T	1.5770E+02	3.231CE+02	4.9712E+02
RHO	8.5391E+00	2.2297E+01	2.8229E+01
H	6.4776E+02	1.0843E+C3	1.6030E+C3
A	2.0108E+01	2.7984E+01	3.4563E+01
S	2.9176E+00	2.9964E+00	3.1190E+00
Z	2.8138E+00	2.9740E+00	3.1891E+00
GAME	9.1116E-01	8.1492E-01	7.5350E-01
U	4.8476E+01	1.8548E+01	2.1036E+01

SPECIES	----- MOLE FRACTIONS -----
E-	3.4358E-01
H	2.7267E-01
H+	3.2881E-01
H2	1.0649E-05
H-	5.8422E-04
H2+	1.0338E-03
HE	3.8992E-02
HE+	1.4313E-02
HE++	2.8757E-06
	3.7863E-01
	4.2039E-01
	2.1252E-01
	1.6223E-01
	3.5609E-01
	3.6826E-01
	2.5107E-07
	1.6504E-03
	1.5868E-03
	6.7355E-04
	4.9163E-04
	2.9733E-02
	1.1841E-02
	1.7856E-02
	1.7163E-02
	1.8031E-02

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316

317

318

319

320

321

322

323

324

325

326

327

328

329

330

331

332

333

334

335

336

337

338

339

340

341

342

343

344

345

346

347

348

349

350

351

352

353

354

355

356

357

358

359

360

361

362

363

364

365

366

367

368

369

370

371

372

373

374

375

376

377

378

379

380

381

382

383

384

385

386

387

388

389

390

391

392

393

394

395

396

397

398

399

400

401

402

403

404

405

406

407

408

409

410

411

412

413

414

415

416

417

418

419

420

421

422

423

424

425

426

427

428

429

430

431

432

433

434

435

436

437

438

439

440

441

442

443

444

445

446

447

448

449

450

451

452

453

454

455

456

457

458

459

460

461

462

463

464

465

466

467

468

469

470

471

472

473

474

475

476

477

478

479

480

481

482

483

484

485

486

487

488

489

490

491

492

493

494

495

496

497

498

499

500

501

502

503

504

505

506

507

508

509

510

511

512

513

514

515

516

517

518

519

520

521

522

523

524

525

526

527

528

529

530

531

532

533

534

535

536

537

538

539

540

541

542

543

544

545

546

547

548

549

550

551

552

553

554

555

556

557

558

559

550

551

552

553

554

555

556

557

558

559

560

561

562

563

564

565

566

567

568

569

560

561

562

563

564

565

566

567

568

569

570

571

572

573

574

575

576

577

578

579

570

571

572

573

574

575

576

577

578

579

580

581

582

583

584

585

586

587

588

589

580

581

582

583

584

585

586

587

588

589

590

591

592

593

594

595

596

597

598

599

590

591

592

593

594

595

596

597

598

599

600

601

602

603

604

605

606

607

608

609

600

601

602

603

604

605

606

607

608

609

610

611

612

613

614

615

616

617

618

619

610

611

612

613

614

615

616

617

618

619

620

621

622

623

624

625

626

627

628

629

620

621

622

623

624

625

626

627

628

629

630

631

632

633

634

635

636

637

638

639

630

631

632

633

634

635

636

637

638

639

640

641

642

643

644

645

646

647

648

649

640

641

642

643

644

645

646

647

648

649

650

651

652

653

654

655

656

657

658

659

650

651

652

653

654

655

656

657

658

659

660

661

662

663

664

665

666

667

668

669

660

661

662

663

664

665

666

667

668

669

670

671

672

673

674

675

676

677

678

679

670

671

672

673

674

675

676

677

678

679

680

681

682

683

684

685

686

687

688

689

680

681

682

683

684

685

686

687

688

689

690

691

692

693

694

695

696

697

698

699

690

691

692

693

694

695

696

697

698

699

700

701

702

703

704

705

706

707

708

709

700

701

702

703

704

705

706

707

708

709

710

711

712

713

714

715

716

717

718

719

710

711

712

713

714

715

716

717

718

719

720

721

722

723

724

725

726

727

728

729

720

721

722

723

724

725

726

727

728

729

730

731

732

733

734

735

736

737

738

739

730

731

732

733

734

735

736

737

738

739

740

741

742

743

744

745

746

747

748

749

740

741

742

743

744

745

746

747

748

749

750

751

752

753

754

755

756

757

758

759

750

751

752

753

754

755

756

757

758

759

760

761

762

763

764

765

766

767

768

769

760

761

762

763

764

765

766

767

768

769

770

771

772

773

774

775

776

777

778

779

770

771

772

773

774

775

776

777

778

779

780

781

782

783

784

785

786

787

788

789

780

781

782

783

784

785

786

787

788

789

790

791

792

793

794

795

796

797

798

799

790

791

792

793

794

795

796

797

798

799

800

801

802

803

804

805

806

807

808

809

800

801

802

803

804

805

806

807

808

809

810

811

812

813

814

815

816

817

818

819

810

811

812

813

814

815

816

817

818

819

820

821

822

823

824

825

826

827

828

829

820

821

822

823

824

825

826

827

828

829

830

831

832

833

834

835

836

837

838

839

830

831

832

833

834

835

836

837

838

839

840

841

842

843

844

845

846

847

848

849

840

841

842

843

844

845

846

847

848

849

850

851

852

853

854

855

856

857

858

859

850

851

852

853

854

855

856

857

858

859

860

861

862

863

864

865

866

867

868

869

860

861

862

863

864

865

866

867

868

869

870

871

872

873

874

875

876

877

878

879

870

871

872

873

874

875

876

877

878

879

880

881

882

883

884

885

886

887

888

889

880

881

882

883

884

885

886

887

888

889

890

891

892

893

894

895

896

897

898

899

890

891

892

893

894

895

896

897

898

899

900

901

902

903

904

905

906

907

908

909

900

901

902

903

904

905

906

907

908

909

910

911

912

913

914

915

916

917

918

919

910

911

912

913

914

915

916

917

918

919

920

921

922

923

924

925

926

927

928

929

920

921

922

923

924

925

926

927

928

929

930

931

932

933

934

935

936

937

938

939

930

931

932

933

934

935

936

937

938

939

940

941

942

943

944

945

946

947

948

949

940

941

942

943

944

945

946

947

948

949

950

951

952

953

954

955

956

957

958

959

950

951

952

953

954

955

956

957

958

959

960

961

962

963

964

965

966

967

968

969

960

961

962

963

964

965

966

967

968

969

970

971

972

973

974

975

976

977

978

979

970

971

972

973

974

975

976

977

978

979

980

981

982

983

984

985

986

987

988

989

980

981

982

983

984

985

986

987

988

989

990

991

992

993

994

995

996

997

998

999

990

991

992

993

994

995


996

997


998

999

1000




(a) Prior to diaphragm rupture.



(b) Incident (moving) normal shock in test gas.




(c) Reflected normal shock from end wall.



(d) Standing normal shock at test model.


Figure 1.- Sketches illustrating shock-tube regions of interest:

regions (2), (2s), and (2r).




(a) Pressure p_2/p_1 .

Figure 2.-Thermodynamic properties and flow velocity behind an incident normal shock into a $0.85\text{H}_2 - 0.15\text{He}$ mixture.




(a) Concluded.

Figure 2!- Continued.




(b) Temperature T_2/T_1 .

Figure 2.- Continued.




(b) Concluded.

Figure 2.- Continued.




(c) Density ρ_2/ρ_1 .

Figure 2.- Continued.




(c) Concluded.

Figure 2.- Continued.




(d) Enthalpy h_2/h_1 .

Figure 2.- Continued.




(d) Concluded.

Figure 2.- Continued.




(e) Speed of sound a_2/a_1 .

Figure 2.- Continued.




(e) Concluded.

Figure 2.- Continued.




(f) Entropy s_2/s_1 .

Figure 2.- Continued.




(f) Concluded.

Figure 2.- Continued.




(g) Molecular-weight ratio Z_2/Z_1 .

Figure 2.- Continued.




(g) Concluded.

Figure 2.- Continued.




(h) Isentropic exponent $\gamma_{E,2}/\gamma_{E,1}$.

Figure 2.- Continued.




(h) Concluded.

Figure 2.- Continued.



(i) Flow velocity U_2/a_1 .

Figure 2.- Continued.



(i) Concluded.

Figure 2.- Concluded.






Figure 3.- Thermodynamic properties and flow velocity behind a standing shock for a $0.85\text{H}_2\text{-}0.15\text{He}$ mixture.




(a) Concluded.

Figure 3.- Continued.




(b) Temperature T_{2s}/T_1 .

Figure 3.- Continued.




(b) Concluded.

Figure 3.- Continued.




(c) Density ρ_{2s}/ρ_1 .

Figure 3.- Continued.




(c) Concluded.

Figure 3.- Continued.




(d) Enthalpy h_{2s}/h_1 .

Figure 3.- Continued.




(d) Concluded.

Figure 3.- Continued.




(e) Speed of sound a_{2s}/a_1 .

Figure 3.- Continued.




(e) Concluded.

Figure 3--Continued.




(f) Entropy s_{2s}/s_1 .

Figure 3.- Continued.




(f) Concluded.

Figure 3.- Continued.




(g) Molecular-weight ratio Z_{2s}/Z_1 .

Figure 3.- Continued.




(g) Concluded.

Figure 3.- Continued.




(h) Isentropic exponent $\gamma_{E,2s}/\gamma_{E,1}$.

Figure 3.- Continued.




(h) Concluded.

Figure 3.- Continued.




(i) Flow velocity U_{2s}/a_1 .

Figure 3.- Continued.




(i) Concluded.

Figure 3:- Concluded.




(a) Pressure p_{2r}/p_1 .

Figure 4.- Thermodynamic properties behind a reflected normal shock and reflected shock velocity for a $0.85\text{H}_2-0.15\text{He}$ mixture.




(a) Concluded.

Figure 4.- Continued.




(b) Temperature T_{2r}/T_1 .

Figure 4.- Continued.




(b) Concluded.

Figure 4.- Continued.




(c) Density ρ_{2r}/ρ_1 .

Figure 4.- Continued.




(c) Concluded..

Figure 4.- Continued.




(d) Enthalpy h_{2r}/h_1 .

Figure 4.- Continued.




(d) Concluded.

Figure 4.- Continued.




(e) Speed of sound a_{2r}/a_1 .

Figure 4.- Continued.




(e) Concluded.

Figure 4.- Continued.




(f) Entropy s_{2r}/s_1 .

Figure 4.- Continued.




(f) Concluded.

Figure 4.- Continued.




(g) Molecular-weight ratio Z_{2r}/Z_1 .

Figure 4.- Continued.




(g) Concluded.

Figure 4.- Continued.




(h) Isentropic exponent $\gamma_{E,2r}/\gamma_{E,1}$.

Figure 4.- Continued.




(h) Concluded.

Figure 4.- Continued.



(i) Reflected shock velocity U_r/a_1 .

Figure 4.- Continued.



(i) Concluded.

Figure 4.- Concluded.

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION
WASHINGTON, D.C. 20546

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300

SPECIAL FOURTH-CLASS RATE
BOOK

POSTAGE AND FEES PAID
NATIONAL AERONAUTICS AND
SPACE ADMINISTRATION
451



POSTMASTER : If Undeliverable (Section 158
Postal Manual) Do Not Return

"The aeronautical and space activities of the United States shall be conducted so as to contribute . . . to the expansion of human knowledge of phenomena in the atmosphere and space. The Administration shall provide for the widest practicable and appropriate dissemination of information concerning its activities and the results thereof."

—NATIONAL AERONAUTICS AND SPACE ACT OF 1958

NASA SCIENTIFIC AND TECHNICAL PUBLICATIONS

TECHNICAL REPORTS: Scientific and technical information considered important, complete, and a lasting contribution to existing knowledge.

TECHNICAL NOTES: Information less broad in scope but nevertheless of importance as a contribution to existing knowledge.

TECHNICAL MEMORANDUMS: Information receiving limited distribution because of preliminary data, security classification, or other reasons. Also includes conference proceedings with either limited or unlimited distribution.

CONTRACTOR REPORTS: Scientific and technical information generated under a NASA contract or grant and considered an important contribution to existing knowledge.

TECHNICAL TRANSLATIONS: Information published in a foreign language considered to merit NASA distribution in English.

SPECIAL PUBLICATIONS: Information derived from or of value to NASA activities. Publications include final reports of major projects, monographs, data compilations, handbooks, sourcebooks, and special bibliographies.

TECHNOLOGY UTILIZATION PUBLICATIONS: Information on technology used by NASA that may be of particular interest in commercial and other non-aerospace applications. Publications include Tech Briefs, Technology Utilization Reports and Technology Surveys.

Details on the availability of these publications may be obtained from:

SCIENTIFIC AND TECHNICAL INFORMATION OFFICE

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

Washington, D.C. 20546