



**CASE FILE  
COPY**

---

# **AEROSPACE MEDICINE AND BIOLOGY**

**A CONTINUING BIBLIOGRAPHY**

**WITH INDEXES**

**(Supplement 158)**

**SEPTEMBER 1976**

---

**NATIONAL AERONAUTICS AND SPACE ADMINISTRATION**

## ACCESSION NUMBER RANGES

Accession numbers cited in this Supplement fall within the following ranges:

STAR (N-10000 Series)    N 76-24143    N 76-26142

IAA (A-10000 Series)    A 76-31928    A 76-35227

# AEROSPACE MEDICINE AND BIOLOGY

## A CONTINUING BIBLIOGRAPHY WITH INDEXES

(Supplement 158)

A selection of annotated references to unclassified reports and journal articles that were introduced into the NASA scientific and technical information system and announced in August 1976 in

- *Scientific and Technical Aerospace Reports (STAR)*
- *International Aerospace Abstracts (IAA)*



*Scientific and Technical Information Office*

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

*Washington, D.C.*

SEPTEMBER 1976

**NASA SP-7011 and its supplements are available from the National Technical Information Service (NTIS). Questions on the availability of the predecessor publications, Aerospace Medicine and Biology (Volumes I - XI) should be directed to NTIS.**

**This Supplement is available from the National Technical Information Service (NTIS), Springfield, Virginia 22161, for \$4 00 For copies mailed to addresses outside the United States, add \$2 50 per copy for handling and postage**

# INTRODUCTION

This Supplement to *Aerospace Medicine and Biology* (NASA SP-7011) lists 191 reports, articles and other documents announced during August 1976 in *Scientific and Technical Aerospace Reports (STAR)* or in *International Aerospace Abstracts (IAA)*. The first issue of the bibliography was published in July 1964, since that time, monthly supplements have been issued.

In its subject coverage, *Aerospace Medicine and Biology* concentrates on the biological, physiological, psychological, and environmental effects to which man is subjected during and following simulated or actual flight in the earth's atmosphere or in interplanetary space. References describing similar effects of biological organisms of lower order are also included. Such related topics as sanitary problems, pharmacology, toxicology, safety and survival, life support systems, exobiology, and personnel factors receive appropriate attention. In general, emphasis is placed on applied research, but references to fundamental studies and theoretical principles related to experimental development also qualify for inclusion.

Each entry in the bibliography consists of a bibliographic citation accompanied in most cases by an abstract. The listing of the entries is arranged in two major sections—*IAA Entries* and *STAR Entries*, in that order. The citations, and abstracts when available, are reproduced exactly as they appeared originally in *IAA* or *STAR*, including the original accession numbers from the respective announcement journals. This procedure, which saves time and money, accounts for the slight variation in citation appearances.

Two indexes—subject and personal author—are included.

An annual index will be prepared at the end of the calendar year covering all documents listed in the 1976 Supplements.

# AVAILABILITY OF CITED PUBLICATIONS

## IAA ENTRIES (A76-10000 Series)

All publications abstracted in this Section are available from the Technical Information Service American Institute of Aeronautics and Astronautics, Inc (AIAA), as follows. Paper copies are available at \$5 00 per document up to a maximum of 20 pages. The charge for each additional page is 25 cents. Microfiche<sup>(1)</sup> are available at the rate of \$1 50 per microfiche for documents identified by the # symbol following the accession number. A number of publications, because of their special characteristics, are available only for reference in the AIAA Technical Information Service Library. Minimum airmail postage to foreign countries is \$1 00. Please refer to the accession number, e g , (A76-13400), when requesting publications.

## STAR ENTRIES (N76-10000 Series)

One or more sources from which a document announced in *STAR* is available to the public is ordinarily given on the last line of the citation. The most commonly indicated sources and their acronyms or abbreviations are listed below. If the publication is available from a source other than those listed, the publisher and his address will be displayed on the availability line or in combination with the corporate source line.

Avail NTIS Sold by the National Technical Information Service to U S customers at the price shown in the citation following the letters HC (hard, paper, or facsimile copy). Customers outside the U S should add \$2 50 per copy for handling and postage charges to the price shown. (Prices shown in earlier *STAR* volumes, 1962-1975, have been superseded but may be calculated from the number of pages shown in the citation. The price schedule by page count was published in *STAR* Numbers 2 and 3 of 1976, or it may be obtained from NTIS.)

Microfiche<sup>(1)</sup> is available at a standard price of \$2 25 (plus \$1 50 for non-U S customers) regardless of source or the quality of the fiche for those accessions followed by a # symbol. Accession numbers followed by a † sign are not available as microfiche because of size or reproducibility.

Initially distributed microfiche under the NTIS SRIM (Selected Research in Microfiche) is available at greatly reduced unit prices. For this service and for information concerning subscription to NASA printed reports consult the NTIS Subscription Unit.

NOTE ON ORDERING DOCUMENTS When ordering NASA publications (those followed by the \* symbol) use the N accession number. NASA patent applications (only the specifications are offered) should be ordered by the US-Patent-Appl-SN number. Non-NASA publications (no asterisk) should be ordered by the AD, PB, or other *report* number shown on the last line of the citation, not by the N accession number. It is also advisable to cite the title and other bibliographic identification.

Avail SOD (or GPO) Sold by the Superintendent of Documents, U S Government Printing Office, in hard copy. The current price and order number are given following the availability line. (NTIS will fill microfiche requests, at the standard \$2 25 price, for those documents identified by a # symbol.)

(1) A microfiche is a transparent sheet of film 105 by 148 mm in size containing as many as 60 to 98 pages of information reduced to micro images (not to exceed 26:1 reduction).

- Avail NASA Public Document Rooms Documents so indicated may be examined at or purchased from the National Aeronautics and Space Administration, Public Documents Room (Room 126), 600 Independence Ave., S.W., Washington, D.C. 20546, or public document rooms located at each of the NASA research centers, the NASA Space Technology Laboratories, and the NASA Pasadena Office at the Jet Propulsion Laboratory
- Avail ERDA Depository Libraries Organizations in U.S. cities and abroad that maintain collections of Energy Research and Development Administration reports, usually in microfiche form, are listed in *Nuclear Science Abstracts*. Services available from the ERDA and its depositories are described in a booklet, *Science Information Available from the Energy Research and Development Administration* (TID-4550), which may be obtained without charge from the ERDA Technical Information Center
- Avail Univ. Microfilms Documents so indicated are dissertations selected from *Dissertation Abstracts* and sold by University Microfilms as xerographic copy (HC). All requests should cite the author and the Order Number as they appear in the citation
- Avail USGS Originals of many reports from the U.S. Geological Survey, which may contain color illustrations, or otherwise may not have the quality of illustrations preserved in the microfiche or facsimile reproduction, may be examined by the public at the libraries of the USGS field offices whose addresses are listed in this Introduction. The libraries may be queried concerning the availability of specific documents and the possible utilization of local copying services, such as color reproduction
- Avail HMSO Publications of Her Majesty's Stationery Office are sold in the U.S. by Pendragon House, Inc. (PHI), Redwood City, California. The U.S. price (including a service and mailing charge) is given, or a conversion table may be obtained from PHI<sup>4</sup>
- Avail BLL (formerly NLL) British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England. Photocopies available from this organization at the price shown (if none is given, inquiry should be addressed to the BLL)
- Avail ZLDI Sold by the Zentralstelle für Luftfahrtokumentation und -Information, Munich, Federal Republic of Germany, at the price shown in deutschmarks (DM)
- Avail Issuing Activity, or Corporate Author, or no indication of availability. Inquiries as to the availability of these documents should be addressed to the organization shown in the citation as the corporate author of the document
- Avail U.S. Patent Office Sold by Commissioner of Patents, U.S. Patent Office, at the standard price of 50 cents each, postage free
- Other availabilities If the publication is available from a source other than the above, the publisher and his address will be displayed entirely on the availability line or in combination with the corporate author line

## **SUBSCRIPTION AVAILABILITY**

This publication is available on subscription from the National Technical Information Service (NTIS). The annual subscription rate for the monthly supplements, excluding the annual cumulative index, is \$18.75 domestic, \$23.50 foreign. All questions relating to the subscriptions should be referred to NTIS.



## ADDRESSES OF ORGANIZATIONS

American Institute of Aeronautics  
and Astronautics  
Technical Information Service  
750 Third Ave  
New York, N Y 10017

British Library Lending Division,  
Boston Spa, Wetherby, Yorkshire,  
England

Commissioner of Patents  
U S Patent Office  
Washington, D C 20231

Energy Research and Development  
Administration  
Technical Information Center  
P O Box 62  
Oak Ridge, Tennessee 37830

ESA - Space Documentation Service  
ESRIN  
Via Galileo Galilei  
00044 Frascati (Rome) Italy

Her Majesty's Stationery Office  
P O Box 569, S E 1  
London, England

NASA Scientific and Technical Information  
Facility  
P O Box 8757  
B W I Airport Maryland 21240

National Aeronautics and Space  
Administration  
Scientific and Technical Information  
Office (KSI)  
Washington, D C 20546

National Technical Information Service  
Springfield, Virginia 22161

Pendragon House, Inc  
899 Broadway Avenue  
Redwood City, California 94063

Superintendent of Documents  
U S Government Printing Office  
Washington, D C 20402

University Microfilms  
A Xerox Company  
300 North Zeeb Road  
Ann Arbor, Michigan 48106

University Microfilms, Ltd  
Tylers Green  
London, England

U S Geological Survey  
1033 General Services Administration Bldg  
Washington, D C 20242

U S Geological Survey  
601 E Cedar Avenue  
Flagstaff Arizona 86002

U S Geological Survey  
345 Middlefield Road  
Menlo Park, California 94025


U S Geological Survey  
Bldg 25, Denver Federal Center  
Denver, Colorado 80225

Zentralstelle für Luftfahrt-  
dokumentation und -Information  
8 München 86  
Postfach 880  
Federal Republic of Germany


# TABLE OF CONTENTS

	Page
IAA Entries (A76-10000).....	201
STAR Entries (N76-10000).....	219
Subject Index.....	I-1
Personal Author Index.....	I-21

## TYPICAL CITATION AND ABSTRACT FROM STAR



## TYPICAL CITATION AND ABSTRACT FROM IAA



# AEROSPACE MEDICINE AND BIOLOGY

*A Continuing Bibliography (Suppl. 158)*

SEPTEMBER 1976

## IAA ENTRIES

**A76-31940** Anatomical configuration of the His bundle and bundle branches in the human heart G K Massing and T N James (Alabama, University, Medical Center, Birmingham, Ala) *Circulation*, vol 53, Apr 1976, p 609-621 30 refs Research supported by the Rast Fund for Medical Research, Grants No NIH-PH-43 67-1441, No NIH-1-P17-HL 17667, No NIH HL-11310

**A76-31941 \*** Noninvasive stress testing - Methodology for elimination of the phonocardiogram D H Spodick (Lemuel Shattuck Hospital, Boston, Mass) and V Q Lance (Tufts University, Boston, Mass) *Circulation*, vol 53, Apr 1976, p 673-676 9 refs Grant No NGR 22-012-026

Measurement by systolic time intervals (STI) of cardiac responses requires extremely careful recording during actual stress test performance Previous work indicated no significant changes in the pulse transmission time (PTT) during exercise and other challenges Since external STI depend on the carotid pulse offset by the PTT as an aortic curve equivalent, stable PTT implies that timing of the carotid upstroke and the carotid incisura would respectively track the pre ejection period and the aortic incisura In ten subjects, STIs were recorded at supine rest, sitting, standing, during prompt and sustained squatting and during isometric and dynamic exercise The results demonstrated the tracking of both points Coefficients of correlation and of determination were uniformly high for all challenges except isometric handgrip (IHG) Since left ventricular ejection time is obtained directly from the pulse curve, with the exception of IHG, STI responses during stress testing can be measured without a phonocardiogram (Author)

**A76-32125 \*** On hemispheric differences in evoked potentials to speech stimuli R Galambos, T S Smith, C Schulman Galambos, H Osier (California, University, La Jolla, Calif), and P Benson *Electroencephalography and Clinical Neurophysiology*, vol 39, Sept 1975, p 279-283 6 refs Grants No NGR 05-009-198, No NIH-HD 08694, No NIH-NS-11735

Subjects were asked to count the number of times a 'target' sound occurred in lists of speech sounds (pa or ba) or pure tones (250 or 600 c/sec) in which one of the sounds (the 'frequent') appeared about four times as often as the target The response to both targets and frequent words were separately averaged from electrodes at vertex at symmetrical left and right parietal locations The expected sequence of deflections, including P3 waves with about 350 msec latency, was found in the responses to target stimuli Very little difference was found between the right and left hemispheric responses to speech or pure tones, either frequent or target C K D

**A76-32166** Aerospace Medical Association, Annual Scientific Meeting, 47th, Bal Harbour, Fla, May 10-13, 1976, Preprints Washington, D C, Aerospace Medical Association, 1976 270 p Members, \$10 00, nonmembers, \$15

Papers are presented covering a variety of topics related to aerospace medicine Among the general categories clinical aerospace

nursing, vestibular function, biotechnology, aviation toxicology, accident prevention and survivability, thermal stress, visual perception, and human engineering Special attention is given to studies of the physiological response to stress in the aerospace environment

C K D

**A76-32197** Sleep in the long-range aviation environment F Hawkins *Shell Aviation News*, no 434, 1976, p 8-16

The effects of sleep deprivation in long range aviation are considered Among the adverse effects of cumulative sleep loss are brief lapses of alertness and a reduction in motivation to carry out discriminative functions The detrimental effects of sleep loss can be minimized by the assignment of tasks that are limited in duration, simple, and self paced The tasks should provide knowledge of results to increase interest, and extensive use of short-term memory should be avoided Chronic sleep loss in flight crews can be avoided by eliminating stimulants and stress-inducing activities prior to sleep and ensuring adequate physical activity Some experimental evidence indicates that the practice of relaxation techniques can be beneficial C K D

**A76 32223** The hazards of the radiation of semiconductor laser diodes for the human eye (Zur Gefahrlichkeit von Halbleiter-laserdioden-Strahlung für das menschliche Auge) J Nier (Robert Bosch GmbH, Stuttgart, West Germany) *Bosch Technische Berichte*, vol 5, no 4, 1976, p 193-199 In German

Formulas are derived for the calculation of the intensity of the laser radiation which is received by the human eye, taking into account three ranges concerning the distance of the eye from the laser Formulas for continuous and pulse operation and for an operation with and without lenses are presented With the aid of two examples it is demonstrated that even semiconductor laser diodes of extremely low power can under ordinary operational conditions provide a radiation intensity which is harmful for the eye G R

**A76-32226** Human factors in our expanding technology, Proceedings of the Nineteenth Annual Meeting, Dallas, Tex, October 14-16, 1975 Meeting sponsored by the Human Factors Society Edited by R N Hale, R A McKnight, and J R Moss Santa Monica, Calif, Human Factors Society, 1975 509 p Members, \$13, nonmembers, \$18

The papers contain technical information on human factors in such fields as simulation training, performance measurement and evaluation, law enforcement, and system design and testing Among the topics covered are human factors in aging, human factors in architectural design, physical vs psychological simulation in simulator training, translating information requirements into training device fidelity requirements, pilot error and other accident-enabling factors system-induced errors in CFIT, new product characterization through human factors research, subject/media interactions in learning, decision-making performance measurement for a command and control training system, and man/machine applications of the SAINT system V P

**A76-32227** Training devices - Physical versus psychological simulation S L Johnson (Calspan Corp, Buffalo, N Y) In Human

factors in our expanding technology, Proceedings of the Nineteenth Annual Meeting, Dallas, Tex., October 14-16, 1975

Santa Monica, Calif., Human Factors Society, 1975, p 24-28 5 refs Contract No F33657-75 C-0021

Because the engineering aspects of simulation technology are advancing at a rapid pace while the behavioral aspects are lagging behind, a critical look is taken in this paper at the present state of knowledge regarding the definition of requirements for training devices and the research necessary to allow training specialists to make informed decisions. The aim is to achieve better training at the lowest possible cost V P

**A76-32228 Simulator training reconsidered - Alternative concepts of transfer** P W Caro (Human Resources Research Organization, Alexandria, Va.) In Human factors in our expanding technology, Proceedings of the Nineteenth Annual Meeting, Dallas, Tex., October 14-16, 1975 Santa Monica, Calif., Human Factors Society, 1975, p 29-32

A study showing that flight simulators have been used more effectively by some users than others has given the incentive to reconsider the concepts underlying their design and use. This paper discusses one of these concepts, known as transfer of training, which suggests that all operationally required behaviors and skills must be learned, at least in part, in operational equipment. An alternative concept - transfer of behavior - does not share this unnecessarily restrictive view toward simulation. It suggests that a simulator can serve as a substitute for operational equipment to develop the required behaviors and skills, thus eliminating the need for operational equipment. The differences between the two approaches in the conceptualization of a device training program are discussed V P

**A76-32229 Translating information requirements into training device fidelity requirements** A F Smode and E R Hall (U S Navy, Training Analysis and Evaluation Group, Orlando, Fla.) In Human factors in our expanding technology, Proceedings of the Nineteenth Annual Meeting, Dallas, Tex., October 14-16, 1975 Santa Monica, Calif., Human Factors Society, 1975, p 33-36

The failure of training equipment to meet training needs is frequently attributed to poor engineering fidelity. Inaccurate or inadequate information requirements may be equally responsible for shortcomings in device design. This paper discusses some aspects of determining the training needs and translating this information into design features. Several approaches are outlined, showing that no level of fidelity is uniformly preferable at the expense of other options. The selection from design alternatives depends on a number of considerations involving engineering capability, instructional advantage, and cost. Several approaches may be incorporated effectively into a complex simulator to achieve some desired instructional capability, however, judgements concerning optimum design approaches must be based on an accumulating training effectiveness data base V P

**A76-32233 Methodology for the prediction of complex skill performance** D M Dannhaus and C G Halcomb (Texas Tech University, Lubbock, Tex.) In Human factors in our expanding technology, Proceedings of the Nineteenth Annual Meeting, Dallas, Tex., October 14-16, 1975 Santa Monica, Calif., Human Factors Society, 1975, p 140-144 17 refs

There has been a long and continuing interest in psychomotor batteries as a viable means to improve behavioral assessment and prediction in a variety of task situations. The present paper describes the conceptual framework and a methodology which contributed to the development of a general purpose psychomotor battery. The tasks which comprise the psychomotor battery at the present time include a velocity estimation task, a four-choice discrimination task, an auditory vigilance task, and a recognition memory task. A description of each task within the battery is presented. Research on the battery has suggested the potential usefulness of the battery as a predictor of complex skill performance. A summary of the research

which has been conducted on the psychomotor battery, as well as future research planned, are discussed (Author)

**A76-32234 The effects of visual and proprioceptive feedback on motor learning** J A Adams, D Gopher, and G Lintern (Illinois, University, Urbana, Ill.) In Human factors in our expanding technology, Proceedings of the Nineteenth Annual Meeting, Dallas, Tex., October 14-16, 1975 Santa Monica, Calif., Human Factors Society, 1975, p 162-165 7 refs

A self paced linear positioning task was used to study the effects of visual and proprioceptive feedback on learning and performance. Subjects were trained with knowledge of results (KR) and tested without it. The analysis of the absolute error scores of the no KR trials is discussed in this paper. Visual feedback was the more effective source of sensory feedback, but proprioceptive feedback was also effective. An observation that the response did not become independent of sensory feedback as a result of learning, was interpreted as supporting Adams closed loop theory of motor learning in preference to the motor program hypothesis. Other data showed that the presence of visual feedback during learning could inhibit the later effectiveness of proprioceptive feedback (Author)

**A76-32235 \* A study of moving base simulation motion cues utilizing washout technique** M Kirkpatrick, III, N Shields, Jr., R Brye (Essex Corp, Huntsville, Ala), and F L Vinz (NASA, Marshall Space Flight Center, Huntsville, Ala.) In Human factors in our expanding technology, Proceedings of the Nineteenth Annual Meeting, Dallas, Tex., October 14-16, 1975 Santa Monica, Calif., Human Factors Society, 1975, p 173-178 5 refs Contract No NAS8 29914

The present study was conducted to derive data on non visual motion thresholds utilizing washout technique, and to develop specific threshold values for use as washout parameters. It describes the results of acceleration detection studies carried out using the NASA MSFC General Purpose Simulator which provides six degrees of freedom cab motion. A series of experiments was performed to test the hypothesis that constant velocity visual cues might suppress non visual deceleration sensitivity. The psychophysical method employed was the forced-choice procedure which theoretically yields a pure sensitivity measure. The MSFC General Purpose Simulator was programmed to provide velocity ramps in three axes - pitch, fore-aft translation, and vertical translation. Data were collected with and without a constant velocity visual input. Comparison of the current results with classical data suggested significantly greater sensitivity of the human observer to fore-aft accelerations than has generally been reported, sensitivity tending to depend on motion direction and sign of velocity change (Author)

**A76-32236 Determinants of performance improvement in training under time-sharing conditions** D Gopher and R A North (Illinois, University, Urbana, Ill.) In Human factors in our expanding technology, Proceedings of the Nineteenth Annual Meeting, Dallas, Tex., October 14-16, 1975 Santa Monica, Calif., Human Factors Society, 1975, p 179-185 20 refs Contract No F44620-70-C-0105

A one-dimensional compensatory tracking task and a digit-processing, reaction time task were combined to assess three aspects of training under time-sharing conditions: (1) Manipulation of desired performance levels for dual-task performance comparing performance under single-task demands vs adjustment to dual-task demands, (2) training under equal and unequal task priorities in time-sharing, (3) repeated sequence of single-dual task presentations. Six groups of 10 subjects participated in the experiment. Larger performance improvements under time-sharing conditions were observed when performance demands were based on dual-task performances than on single-task performances. Training under unequal task priorities revealed that tracking was more sensitive to priority differences than the digit-processing task. Whereas tracking performances improved during single-task training, digit-processing improved only in the time-sharing conditions, suggesting that

improvement on the tracking task is in the specific skill of tracking, while digit processing improvement results from improved time-sharing ability (Author)

**A76-32237** The function description inventory as a human factors tool in evaluating system effectiveness in operational environments W R Helm (US Navy, Naval Air Test Center, Patuxent River, Md) In Human factors in our expanding technology, Proceedings of the Nineteenth Annual Meeting, Dallas, Tex, October 14-16, 1975 Santa Monica, Calif, Human Factors Society, 1975, p 206-208

Determination of the ultimate suitability of a major air weapon system through the test and evaluation process includes man machine evaluations of complex components, such as radar, electronic support measures, communications, etc In the present paper, a new method - the Function Description Inventory (FDI) is proposed as a tool for providing quantifiable assessment of the effectiveness of the man-machine interface In addition, the method is an aid toward integrated subsystem analysis in the total weapon system context V P

**A76-32238** Simulator cockpit motion and the transfer of initial flight training R S Jacobs and S N Roscoe (Illinois, University, Urbana, Ill) In Human factors in our expanding technology, Proceedings of the Nineteenth Annual Meeting, Dallas, Tex, October 14-16, 1975 Santa Monica, Calif, Human Factors Society, 1975, p 218-226 20 refs Contract No F44620 70-C 0105

Transfer of flight training from a Singer Link GAT-2 training simulator, modified to approximate a counterpart Piper Cherokee Arrow airplane, was measured for independent groups of nine flight-naive subjects, each trained in one of three simulator cockpit motion conditions normal washout motion in bank with sustained pitch angles, washout banking motion in which the direction of motion relative to that of the simulated airplane was randomly reversed 50% of the time as the cab passed through a wings level attitude, and a fixed-base condition Subjects received predetermined fixed amounts of practice in the simulator on each of 11 flight maneuvers drawn from the Private Pilot flight curriculum Transfer performance measures, including flight time and trials to FAA performance criteria and total errors made in the process, showed reliable transfer for all groups with differential transfer effects and cost effectiveness implications depending upon the type of simulator motion (Author)

**A76-32239** Behavioral data in the design of aircrew training devices B W Cream, F T Eggemeier, and G A Klein (USAF, Human Resources Laboratory, Wright-Patterson AFB, Ohio) In Human factors in our expanding technology, Proceedings of the Nineteenth Annual Meeting, Dallas, Tex, October 14-16, 1975 Santa Monica, Calif, Human Factors Society, 1975, p 260-265 8 refs

Instruction system development (ISD) behavioral data used for specifying aircraft training requirements are insufficient for the actual specification of equipment design The methodology proposed in this paper for designing training equipment goes in some ways beyond the collection of behavioral data and avoids the weaknesses of the behavioral data approach The emphasis is on ensuring that device fidelity requirements are specifically correlated with training requirements The critical areas discussed are acquisition of behavioral data, determination of training capabilities, performance measurement, and special requirements for crew coordination training V P

**A76-32240** Behavioral taxonomy of undergraduate pilot training tasks and skills R P Meyer, J I Laveson, N S Weissman (Design Plus, St Louis, Mo), and E E Eddowes (USAF, Human Resources Laboratory, Williams AFB, Ariz) In Human factors in our expanding technology, Proceedings of the Nineteenth Annual Meeting, Dallas, Tex, October 14-16, 1975

Santa Monica, Calif, Human Factors Society, 1975, p 266-270 Contract No F41609-73 C-0040

The analysis and specification of fundamental flying abilities which comprise the training objectives of Air Force undergraduate pilot training (UPT) was performed The taxonomy of UPT tasks and skills is an analytical tool of considerable generality that can be used to aid in understanding the essential requirements of flying training Surface analyses of fifty UPT maneuvers generated task element descriptions subdivided into a series of cue, mental action, and motor action sequences The resulting task information was used to identify the pilot skills required to execute the flying tasks described A set of classification rules organized the skill into a taxonomic cubic concept in which cues, mental actions, and motor actions represented cube faces The classification rules were validated empirically and used to verify all surface analyses The required task skills were then organized into a matrix system for simple data retrieval operations (Author)

**A76-32241** SATT revisited - A critical post-examination of the systems approach to training R C Sugarman, S L Johnson, W M Hinton, Jr (Calspan Corp, Buffalo, N Y), and C C Buckenmaier, Jr (USAF, Systems Command, Wright Patterson AFB, Ohio) In Human factors in our expanding technology, Proceedings of the Nineteenth Annual Meeting, Dallas, Tex, October 14-16, 1975 Santa Monica, Calif, Human Factors Society, 1975, p 271-273 Contract No F33657-75 C 0021

To reduce the redundancy of ambiguous terms that plague the training field, the proceduralized ISD (Instruction System Development) method is shown to be an element of the conceptual framework of the SAT (System Approach to Training) method The strengths and weaknesses of the SAT process are demonstrated by applying SAT to the design of the B 1 aircrew instructional system SAT is shown to offer the philosophy of system analysis, at the same time it cannot compensate for technically poor decisions, cannot induce creativity and innovation into the decision processes, and cannot provide more than a pointer to the research that is still required to generate a basis for making good decisions V P

**A76-32242** SAINT model of a choice reaction time paradigm R L Hann (USAF, Aerospace Medical Research Laboratory, Wright-Patterson AFB, Ohio) and G G Kuperman (Systems Research Laboratories, Inc, Dayton, Ohio) In Human factors in our expanding technology, Proceedings of the Nineteenth Annual Meeting, Dallas, Tex, October 14-16, 1975 Santa Monica, Calif, Human Factors Society, 1975, p 336-341 9 refs

The development of simulation techniques which model both the operator and the system processes and parameters is examined as a less time-consuming and expensive alternative to man in the-loop real time simulation Attention is focused on one of these techniques, known as SAINT (System Analysis of Integrated Networks of Tasks) It is shown how SAINT can be used to model psychological theory and how it can serve as an initial investigation of performance assessment metrics V P

**A76-32243** SAINT simulation of a remotely piloted vehicle/drone control facility D B Wortman, S D Duket (Pritsker and Associates, Inc, Lafayette, Ind), and D J Seifert (USAF, Aerospace Medical Research Laboratory, Wright Patterson AFB, Ohio) In Human factors in our expanding technology, Proceedings of the Nineteenth Annual Meeting, Dallas, Tex, October 14-16, 1975 Santa Monica, Calif, Human Factors Society, 1975, p 342-346 17 refs Contract No F33615 75-C 5012

SAINT is a modeling and simulation technique that provides the concepts necessary to model systems that contain tasks (discrete elements), state variables (continuous elements), and interactions between them SAINT has been designed to facilitate the modeling and analysis of complex man-machine systems This paper describes a SAINT network model of a real-time simulation of a drone control facility (DCF) in which operators monitor and control the flight of simulated remotely piloted vehicles (RPVs) through the use of visual (CRT) displays (Author)

**A76-32244**      **Development of a computer simulation model for evaluating DAIS display concepts** G G Kuperman (Systems Research Laboratories, Inc , Dayton, Ohio) and D J Seifert (USAF, Aerospace Medical Research Laboratory, Wright-Patterson AFB, Ohio) In Human factors in our expanding technology, Proceedings of the Nineteenth Annual Meeting, Dallas, Tex , October 14-16, 1975      Santa Monica, Calif , Human Factors Society, 1975, p 347-353 9 refs

Systems Analysis of Integrated Networks of Tasks (SAINT) network and computer simulation techniques were applied in support of the Digital Avionics Information System (DAIS) advanced development program A computer-programmed model was developed to closely parallel Aerospace Medical Research Laboratory's Advanced Cockpit Design Simulator (ACDS) man in-the-loop experiments with respect to task scenarios, task durations, and control tolerances used Networks developed for the model represented both multifunction switching and multipurpose display concepts of DAIS and dedicated avionics subsystem display and control concepts of conventional aircraft systems Exercise of the computer model provided estimates of the nature of primary and secondary task interaction, performance predictions, and validation of the modeling concepts and accuracy within the limits of the available empirical data      (Author)

**A76-32245**      **Criterion referenced measures of technical proficiency in maintenance activities** J P Foley, Jr (USAF, Human Resources Laboratory, Wright Patterson AFB, Ohio) In Human factors in our expanding technology, Proceedings of the Nineteenth Annual Meeting, Dallas, Tex , October 14 16, 1975      Santa Monica, Calif , Human Factors Society, 1975, p 375 380 14 refs

It has been shown that written tests of theoretical knowledge are an undependable means of evaluating the ability of maintenance personnel to perform job tasks A model battery of 48 criterion referenced job task performance tests which has been developed to cover all key maintenance activities, such as checkout, align/adjust, remove/replace, trouble shooting, use of test equipment, and soldering, is described Factors such as the identification and classification of tasks to be measured, the hierarchical nature of maintenance tasks, and the ease of test administration were taken into consideration The test battery is intended to be used in training and on-the-job evaluations, and as a means of validating substitute symbolic tests Graphic and video symbolic tests have been developed and given limited validation      C K D

**A76-32246**      **Three-dimensional profiles of movements of human body joint centers** S Deivanayagam, M M Ayoub (Texas Tech University, Lubbock, Tex ), and K Kennedy (USAF, Wright Patterson AFB, Ohio) In Human factors in our expanding technology, Proceedings of the Nineteenth Annual Meeting, Dallas, Tex , October 14-16, 1975      Santa Monica, Calif , Human Factors Society, 1975, p 394-402 Contract No F33615 73-C-4073

Certain results of an experimental investigation on motion profiles, in three dimensional space for various body landmarks while the hand moves from one location to another are presented here Grip, wrist, elbow and shoulder joint centers were of primary consideration for this study A photogrammetric technique was adopted to record the movement and to extract the required information later Seven subjects participated and 30 movements were performed by each of them under three different seat configurations and six controller locations This research was initiated for the purpose of developing computer models in aircraft cockpits      (Author)

**A76-32247**      **Measurement of muscle fatigue using electromyography** M M Ayoub, H F Martz (Texas Tech University, Lubbock, Tex ), and C H Wu (Texas Instruments, Inc , Dallas, Tex ) In Human factors in our expanding technology, Proceedings of the Nineteenth Annual Meeting, Dallas, Tex , October 14 16, 1975      Santa Monica, Calif , Human Factors Society, 1975, p 403-414 13 refs

This paper summarizes research project which investigated the signal characteristics of muscle action potentials when the muscle is fatigued and evaluated these characteristics as a measure of muscle fatigue Eight subjects participated in the study under conditions of static and dynamic loading of the biceps muscle The level of loading varied as a percent of maximum isometric muscle strength The paper presents a criteria which defines muscle fatigue and discusses predictive models for muscle fatigue using this criteria for both static and dynamic loading      (Author)

**A76-32248**      **Effects of the menstrual cycle on the performance of complex perceptual psychomotor tasks** A G Baisden and R S Gibson (US Navy, Naval Aerospace Medical Research Laboratory, Pensacola, Fla ) In Human factors in our expanding technology, Proceedings of the Nineteenth Annual Meeting, Dallas, Tex , October 14 16, 1975      Santa Monica, Calif , Human Factors Society, 1975, p 415-417 20 refs

**A76-32249**      **Scanning patterns in real-time FLIR displays** M J Krebs (Honeywell, Inc , Minneapolis, Minn ) In Human factors in our expanding technology, Proceedings of the Nineteenth Annual Meeting, Dallas, Tex , October 14-16, 1975      Santa Monica, Calif , Human Factors Society, 1975, p 418-422

Scanning behavior was investigated in a target acquisition task using video taped forward looking infrared (FLIR) imagery Comparisons in both target acquisition performance and scan patterns were made between trained FLIR operators and college students with no prior exposure to FLIR For both groups the sequence of fixations and the distribution of fixation densities were different for each scene and dependent on its specific content Subjects appeared to systematically explore areas within a scene in terms of some estimate of the probability of a target being present The eye data may reflect group differences of two types First, the priorities assigned by each group to various areas were apparently different and secondly, the FLIR operators apparently were able to make a 'target, no target' decision more quickly at each fixation as reflected in the typically shorter fixation times      (Author)

**A76-32250 \***      **Design parameters for a stereoptic television system based on direct vision depth perception cues** N L Shields, Jr , M Kirkpatrick, III (Essex Corp , Huntsville, Ala ), T B Malone (Essex Corp , Alexandria, Va ), and C T Huggins (NASA, Marshall Space Flight Center, Huntsville, Ala ) In Human factors in our expanding technology, Proceedings of the Nineteenth Annual Meeting, Dallas, Tex , October 14-16, 1975      Santa Monica, Calif , Human Factors Society, 1975, p 423 427 Contract No NAS8 30545

Remotely controlled systems which use television for visual feedback require that depth cues be available to the operator A number of techniques have been developed to provide stereoptic video An analysis of parameters of such systems as related to the depth cues of convergence and retinal disparity was carried out Parameter requirements were determined for the provision of natural and exaggerated stereoptic cues and expressions were developed for range resolution limits based on the retinal disparity threshold An empirical study was conducted using a stereoptic video system to determine threshold values      (Author)

**A76-32251 \***      **Television systems for remote manipulation** W H Crooks (Perceptronics, Inc , Woodland Hills, Calif ), L A Freedman (RCA, Astro Electronics Div , Princeton, N J ), and P P Coan (NASA, Johnson Space Center, Houston, Tex ) In Human factors in our expanding technology, Proceedings of the Nineteenth Annual Meeting, Dallas, Tex , October 14 16, 1975      Santa Monica, Calif , Human Factors Society 1975 p 428 435 11 refs Contract No NAS9-14266

An analytical and experimental study was conducted to specify a video system for remote manipulation in space An operator function analysis identified two basic characteristics, work volume

and element relationship, which define four manipulation tasks chosen for examination. A visual function analysis developed a set of elemental scene parameters which grouped the visual dimensions into major areas of influence. Simulation testing was conducted with a four degree-of-freedom motion frame which allowed an operator to perform the manipulation tasks. Four video systems were included in the simulation testing: a black and white and a color monoscopic system, a stereoscopic system, and a black and white two-view system. A sequential experimental plan first provided an overall analysis of the effects of tasks, scene parameters, and video systems. This was followed by a detailed experimental examination of the critical dimensions identified in the first experiment. Results are discussed in terms of a recommended TV system. (Author)

**A76-32252** Aviator performance during day and night terrain flight. M. A. Lees, K. A. Kimball, L. W. Stone, and M. A. Hofmann (U.S. Army, Aeromedical Research Laboratory, Fort Rucker, Ala.) In *Human factors in our expanding technology*, Proceedings of the Nineteenth Annual Meeting, Dallas, Tex., October 14-16, 1975. Santa Monica, Calif., Human Factors Society, 1975, p. 436-440.

Terrain flying both day and night is now an Army Aviation tactical requirement. The present investigation compared terrain flight for Low Level (LL) and Nap-of-the-Earth (NOE) profiles for (1) day flight with the unaided eye, (2) night flight with the unaided eye, and (3) night flight using Night Vision Goggles. Data was acquired through use of the Helicopter In-flight Monitoring System (HIMS). The total set of in-flight measures for LL and NOE were analyzed separately with further analysis on the subsets of pilot control variables, and aircraft status variables. Multiple discriminant analysis techniques were used to determine which measures best discriminated between visual conditions. (Author)

**A76-32253** Simulated helo ground target acquisition under different sun angles and ground textures. M. Freitag, R. L. Hilgendorf, and R. G. Searle (Martin Marietta Aerospace, Rockville, Md., USAF, Aerospace Medical Research Laboratory, Wright-Patterson AFB, Ohio). In *Human factors in our expanding technology*, Proceedings of the Nineteenth Annual Meeting, Dallas, Tex., October 14-16, 1975. Santa Monica, Calif., Human Factors Society, 1975, p. 473-479. 7 refs.

Experiments were conducted to study the effect of sun angle and ground texture on tank target acquisition using a 1:1000 terrain table to simulate pop-up maneuver. A three-by-two factor mixed design was used, representing three levels of sun angle and two levels of terrain location, so that each of three groups of ten subjects was tested under one of three sun angles at both target area locations. It is shown that hillier terrain provides easier detection background for the 0 to 180 deg sun angle than does the smoother terrain. For the hilly portion of the terrain table, the 90 deg sun angle group is characterized by a significantly shorter slant range and requires considerably more search time than the zero or 180 degree sun angle groups. This may be due to the interaction of large amounts and depths of shadows in hilly terrain and the difficulty of acquiring a tank target when its shadow is located at the side of the tank. S. D.

**A76-32288** Physical properties of blood and their influence on blood-flow measurement. J. P. Woodcock (Bristol General Hospital, Bristol, England). *Reports on Progress in Physics*, vol. 39, Jan 1976, p. 65-127. 164 refs. Research supported by the Medical Research Council.

The paper discusses the structure and composition of blood, the viscous properties of blood, and the electrical, optical, and thermal properties of blood, and examines how these properties are used in a variety of techniques for measurement of blood flow. The basic features of the current blood flow measurement techniques are then examined. For flow in major vessels, the following techniques are covered: electromagnetic flowmeters, indicator-dilution methods, thermal techniques, resistance thermometry and heated-probe flow meters, pressure-sensitive techniques, and ultrasonic flowmeters, for

flow in organs and tissues, the discussion covers indicator transport techniques, plethysmography, and thermal methods. The advantages and disadvantages of each particular method are discussed, and a table is provided to aid in the optimum choice of flow measurement method for a particular situation. P. T. H.

**A76-32421** Mineral metabolic adaptation to simulated hypogravics. H. Saiki, M. Nakaya, Y. Sugita, and M. Kamachi (Jikei University School of Medicine, Tokyo, Japan). In *International Symposium on Space Technology and Science*, 11th, Tokyo, Japan, June 30-July 4, 1975, Proceedings. Tokyo, AGNE Publishing, Inc., 1975, p. 881-886. 7 refs.

The levels of excreted K(+) and Na(+) were monitored in rats exposed to prolonged hypodynamics. After an initial decrease during the first week of suspension, K(+) excretion increased to a level close to normal. A higher plateau, indicating adaptation, was attained in the third week. About 4 weeks were required for re-adaptation to normal conditions following 5 weeks' suspension. Na(+) metabolism showed a similar, but slower, pattern of adaptation. The anti-kaliuresis induced by suspension was negated by administration of aldosterone during the prestabilized phase. Administration of tetra cycline reduced the level of K(+) excretion in the stabilized phase, an effect which was blocked by administration of aldosterone. The results indicate that a decrease in aldosterone activity in the prestabilized phase followed by an increase in activity during the stabilized phase is characteristic of the process of renal adaptation to hypokinetics. C. K. D.

**A76-32474** Dynamics of two-legged walking II. V. V. Beletskii (Akademiia Nauk SSSR, *Izvestiia, Mekhanika Tverdogo Tela*, July-Aug 1975, p. 3-13). *Mechanics of Solids*, vol. 10, no. 4, 1975, p. 1-10. Translation.

Analytical solutions in closed form are obtained for several problems in which a biped system is simulated as a solid with two inertialess legs with many joints suspended at one point. The compensating motions of the body (balancer), the control moments in the leg joints, and the reactions of the suspension are determined from the given trajectory of the suspension point and the trail trajectory. V. P.

**A76-32501** Sweating responses during changes of hypothalamic temperature in the rhesus monkey. K. A. Smiles, R. S. Elizondo, and C. C. Barney (USAF, Medical Research Laboratory, Wright-Patterson AFB, Ohio, Indiana University, Bloomington, Ind.). *Journal of Applied Physiology*, vol. 40, May 1976, p. 653-657. 11 refs. Grant No. AF-AFOSR 73-2473.

A durable hypothalamic perfusion system which permits independent manipulation of skin and hypothalamic temperature was used to investigate sweating responses during changes in hypothalamic temperature in the rhesus monkey. A linear relation was found between sweat rates on the general body surface and clamped hypothalamic temperature. Changes in skin temperature affected the hypothalamic set-point temperature at which sweating began but did not alter the gain of the hypothalamic temperature-sweat rate relationship. The similarity of this response to that observed in man (Nadel et al., 1971) indicates that the rhesus monkey is a suitable analog for investigating evaporative cooling in man. C. K. D.

**A76-32502** Limiting factors to oxygen transport on Mount Everest. P. Cerretelli (Milano, Università, CNR, Centro Studi di Fisiologia del Lavoro Muscolare, Milan, Italy). *Journal of Applied Physiology*, vol. 40, May 1976, p. 658-667. 33 refs.

The effect of a sudden increase in the inspired oxygen tension on maximum muscular aerobic performance was investigated in 23 healthy males acclimated to an altitude of 5350-8848 m above sea level. The maximal oxygen consumption of acclimated individuals breathing pure oxygen at 390 mm Hg or subjected to a rapid descent to an altitude of 2850 m was sharply reduced in comparison with

unacclimated individuals in spite of the presence of a 40 percent increase in hemoglobin concentration and a limited reduction in maximum cardiac output. This effect is attributed to changes in peripheral circulation, which may involve hindrance of O<sub>2</sub> diffusion by the packing of erythrocytes and/or a bypass of arterial blood from the high-resistance working areas of the body to relieve the load on the heart imposed by increased blood viscosity. C K D

**A76-32503** Effect of neck versus chest cooling on responses to work in heat. E Shvartz (Tel Aviv University, Tel Aviv, Israel) *Journal of Applied Physiology*, vol 40, May 1976, p 668-672 19 refs

Six young men performed bench stepping at a load of 40 W, once at room temperature of 23 C and 3 times in heat (39.5 C dry bulb, 30.3 C wet bulb). Two of the heat exposures included cooling of either the neck or chest by circulating cool water having an inlet temperature of 8.3 C. The heat exchangers for the neck and chest were of equal size and covered 2.2% of the body surface area. Heat exchange between the tubing assemblies and the environment was prevented by proper insulation. Each method of cooling resulted in no change in heart rate, a decrease of 0.5 C in rectal temperature, small and insignificant decreases in skin temperature and 16-22% decreases in sweat rates. Heat removed from the neck and chest equalled 63.1 and 61.9 W/sqm, respectively. This large heat removal and the substantial decreases in rectal temperature and sweat rate as a result of cooling 2.2% of the body surface area were explained in terms of the powerful effect of conductive cooling and the particular regions which were cooled. (Author)

**A76-32504** Autonomic origin of heart rate fluctuations at the onset of muscular exercise. L Fagraeus and D Linnarsson (Kungl Karolinska Institutet, Stockholm, Sweden) *Journal of Applied Physiology*, vol 40, May 1976, p 679-682 25 refs

The time courses of the heart rate (HR) changes were studied in six healthy male subjects who performed step changes from rest to light dynamic leg exercise in the sitting position during control, parasympathetic blockage (atropine), beta-adrenergic blockade (propranolol), and during combined blockade with both drugs. During the control and beta-blockade experiments all subjects showed an immediate, rapid increase in HR, reaching a peak value after about 10 s, whereafter an equally rapid transient drop by 10-20 beats/min took place reaching the lowest values about 17 s after the onset of work. HR then again increased to reach a steady state level within 60-90 s. In the atropine experiments this response pattern was not evident at all, whereas in the experiments with combined blockade it could be distinguished to a small degree. It is concluded that the observed fluctuations of HR at the onset of light dynamic exercise can be explained by a rapid vagal withdrawal, followed by a transient increase in vagal tone. (Author)

**A76-32505** Autonomic thermoregulation in squirrel monkey when behavioral regulation is limited. E R Adair (John B Pierce Foundation Laboratory, Yale University, New Haven, Conn) *Journal of Applied Physiology*, vol 40, May 1976, p 694-700 24 refs Grant No PHS ES-00354

Squirrel monkeys in a cold environment (10, 0, or minus 5 C) learned to partially control their chamber air temperature by pulling a chain for 10-s reinforcements of 30 C air. A maximal response rate of 5/min produced an average air temperature well below their preferred 35 C. Metabolic heat production was elevated 0.3-1.0 W/kg. Preoptic cooling stimulated increased metabolic heat production, with a resultant rise in core temperature. Preoptic warming stimulated reduced heat production and some peripheral vasodilation, resulting in a fall in core temperature. The metabolic response of all animals was directly related to the skin-to-air temperature difference. In most cases the mean skin temperature remained essentially unchanged as a result of a steady behavioral response rate. The study demonstrated that even when behavioral thermoregulation is inefficient, it is generally sustained with maximal vigor over long periods. This behavior is then supplemented by appropriate auto-

nomous adjustments when necessary to achieve full regulation of the body temperature. (Author)

**A76-32506** Closing volumes in man immersed to the neck in water. K R Bondi, J M Young, R M Bennett, and M E Bradley (National Naval Medical Center, Naval Medical Research Institute, Bethesda, Md) *Journal of Applied Physiology*, vol 40, May 1976, p 736-740 23 refs. Research supported by the Bureau of Medicine and Surgery BMS Task M4306,02,8012

Closing volumes (CV), along with residual volume (RV), vital capacity, and expiratory reserve volume (ERV) were determined in 10 subjects in the dry and while immersed to the neck in water. Closing volumes during immersion increased 41.3% over dry values while RV decreased 9.35% and VC decreased 9.94%. The large decrease of 71.3% in ERV resulted in the impingement of closing capacity (CV + RV) on the tidal volume, suggesting that airway closure occurs during tidal ventilation in immersed subjects and may result in impaired gas exchange. When tourniquets were applied to all four limbs during immersion closing volumes increased only 3.2%, but increased to 64.3% when they were removed. If engorgement of peribronchial vessels predisposes airways to collapse, a reduction of plasma volume during an extended period of immersion might lessen this possibility. In a series of long term immersion experiments where moderate reductions in plasma volume were observed no correlative changes in closing volume were found. (Author)

**A76-32507** Acclimatization in a hot, humid environment - Energy exchange, body temperature, and sweating. D Mitchell, L C Senay, C H Wyndham, A J van Rensburg, G G Rogers, and N B Strydom (Chamber of Mines of South Africa, Human Sciences Laboratory, Johannesburg, Republic of South Africa, St Louis University, St Louis, Mo) *Journal of Applied Physiology*, vol 40, May 1976, p 768-778 47 refs

Four young men worked for 4 h/day at 40-50% of their maximum aerobic capacity for 3 days at 25 C dry bulb, 18 C wet bulb and then for 10 consecutive days at 45 C dry bulb, 32 C wet bulb. As a group, the men showed classical acclimatization responses, but there were marked individual differences. A calorimetric analysis revealed that reductions in strain were associated with minor changes in heat balance confined to the first and last hours of exposure. Events occurring within the first 4 days appeared to have little effect on body temperatures. Significant decreases in body temperature took place only when sweat and evaporation rate increased. A 10% increase in evaporation rate was accompanied by a 30% increase in sweat rate and a 200% increase in unevaporated sweat. By the 10th day skin temperature was confined to the level necessary to evaporate sufficient sweat to achieve thermal balance with a fully wet body surface. The efficiency of heat transport within the body did not change with acclimatization. (Author)

**A76-32508** Acclimatization in a hot, humid environment - Cardiovascular adjustments. C H Wyndham, G G Rogers, L C Senay, and D Mitchell (Chamber of Mines of South Africa, Human Sciences Laboratory, Johannesburg, Republic of South Africa, St Louis University, St Louis, Mo) *Journal of Applied Physiology*, vol 40, May 1976, p 779-785 17 refs

Four young men worked for 4 h/day at 40-50% of their maximum aerobic capacity, first for 3 days at 25 C dry bulb, 18 C wet bulb, and then for 10 consecutive days at 45 C dry bulb, 32 C wet bulb. The central circulatory adaptation to work in heat could be divided into four distinct phases. Phase I (day 1) was characterized by a progressive fall in stroke volume (SV) during heat exposure but cardiac output (CO) was maintained above control values by high heart rates. Phase II (days 2 and 3) was marked by increases in SV and decreases in heart rate but with little change in CO from phase I. During phase III (days 4-8 of acclimatization), CO increased due to increases in SV. Phase IV (days 6-8) was associated with decreases in rectal and skin temperature toward control levels. SV and HR both decline in this phase so that CO was not elevated greatly above control levels. The results indicated that central circulatory and temperature regulating events are not causally associated in acclimatization. (Author)



**A76-32509** **Acclimatization in a hot, humid environment - Body fluid adjustments** L C Senay, D Mitchell, and C H Wyndham (Chamber of Mines of South Africa, Human Research Laboratory, Johannesburg, Republic of South Africa, St Louis University, St Louis, Mo) *Journal of Applied Physiology*, vol 40, May 1976, p 786-796 18 refs

Four trained men worked 4 h/day at 40-50% of their maximum aerobic capacity first for 3 days at 25 C dry bulb, 18 C wet bulb and then for 10 consecutive days at 45 C dry bulb, 32 C wet bulb. Between days 1 and 2 of heat exposure mean total circulating protein (TCP) and plasma volume (PV) increased 11.6% and 9%, respectively. Preexposure TCP and PV increased until day 6 of heat exposure. Of the protein fractions beta-globulins underwent the largest relative increase. During work, movement of protein into and out of the vascular compartment was similar in control and acclimatizing subjects but the latter generally maintained a greater amount of protein and fluid within the vascular volume. The increase in vascular volume was ascribed to transfer of interstitial protein and water to the vascular volume. Regression coefficients indicated significant correlations for changes in plasma volume versus heart rate, stroke volume, and cardiac output during acclimatization. It was concluded that the most critical event in heat acclimatization is the expansion of the plasma volume. (Author)

**A76-32510** **Local regulation of collateral ventilation by oxygen and carbon dioxide** R J Traystman, G K Batra, and H A Menkes (Johns Hopkins University, Baltimore, Md) *Journal of Applied Physiology*, vol 40, May 1976, p 819-823 20 refs Grants No PHS-HL-10342, No PHS-HL-05453, No PHS-HL-14153

The effects of varying local alveolar concentrations of oxygen and CO<sub>2</sub> on the mechanics of collateral ventilation were investigated in anesthetized paralyzed dogs. A double lumen catheter was wedged into a peripheral airway, obstructing a segment of lung. Air, 5% CO<sub>2</sub> in air, 10% CO<sub>2</sub> in air, 5% O<sub>2</sub> in N<sub>2</sub>, or 5% O<sub>2</sub> with 5% CO<sub>2</sub> in N<sub>2</sub> was infused at a constant flow through one lumen, while pressure was monitored through the other. When the flow was interrupted, the time for the pressure to fall 63% was defined as the time constant for collateral ventilation, T<sub>coll</sub>. When air was replaced by 5% CO<sub>2</sub>, the resistance to collateral flow, R<sub>coll</sub> (pressure/flow) fell 46.3% and T<sub>coll</sub> fell 41.5%. When the CO<sub>2</sub> concentration was increased to 10%, R<sub>coll</sub> fell an additional 9.2% and T<sub>coll</sub> fell an additional 5.1%. When air was replaced by 5% O<sub>2</sub> in N<sub>2</sub>, R<sub>coll</sub> rose 36.6% and T<sub>coll</sub> rose 13.5%. It is suggested that the mechanisms responsible for the observed effects on the mechanics of collateral ventilation may play a significant role in the regulation of ventilation-perfusion relationships in the lung. C K D

**A76-32511** **Electromechanical stimulator for presenting moving cutaneous stimuli** L F Walsh, R P Hantman, and D L Blank (New York, State University, U.S. Veterans Administration Hospital, Syracuse, N.Y.) *Journal of Applied Physiology*, vol 40, May 1976, p 824-826 7 refs NSF Grant No B-043140X00, Grant No NIH-GM-11413

Recent interest in the neural processing of complex cutaneous stimuli such as moving stimuli has necessitated more versatile stimulating devices. This article describes the construction and application of a relatively inexpensive instrument, utilizing equipment readily available in most neurophysiological laboratories, which provides a variety of moving cutaneous stimuli of selected velocities, excursions, and directions. The electronic portion of the instrument consists of a logically controlled variable rate integrator wired to conform to the electrical and mechanical characteristics of a Grass P5 plug-in. This circuitry operates the remainder of the instrument which consists of a P5 driver amplifier used to drive the pen motor mechanism that provides the moving cutaneous stimulus. (Author)

**A76-32512** **Fluid-filled blood pressure measurement systems** J K-J Li, A G W van Brummelen, and A Noordergraaf (Pennsylvania University, Philadelphia, Pa., Organization of Health

Research TNO, Leiden, Netherlands) *Journal of Applied Physiology*, vol 40, May 1976, p 839-843 20 refs Grant No NIH-HL-10330

The performance of catheter-manometer systems for the measurement of pulsatile pressure has been evaluated by both experimental techniques and theoretical considerations, ranging from extreme lumping to application of transmission line theory while employing different configurations in the system's representation. Multiple maxima in amplitude response have been seen using both approaches. The present paper identifies the sources of the differences found and compares the relative merits of various theoretical approaches. It introduces the compliance of the system as a figure of merit and provides a simple first-order approximation formula for evaluation of the quality of a system. Damping and impedance matching to improve the system's frequency response were found to be unnecessary in a very stiff or a very compliant system. (Author)

**A76-32622** **Role of the carotid chemoreceptors in the hyperpnea of exercise in the cat** D Aggarwal, H T Milhorn, Jr., and L Y Lee (Mississippi, University, Medical Center, Jackson, Miss., East Tennessee State University, Johnson City, Tenn.) *Respiration Physiology*, vol 26, Apr 1976, p 147-155 17 refs

**A76-32623** **Limiting role of stratification in alveolar exchange of oxygen** F Adaro (Buenos Aires, Universidad, Buenos Aires, Argentina) and J Piper (Max-Planck-Institut für experimentelle Medizin, Göttingen, West Germany) *Respiration Physiology*, vol 26, Apr 1976, p 195-206 10 refs Research supported by the Bergbau Berufsgenossenschaft

On the basis of a simple lung model the limiting effects of stratification on tidal/alveolar transfer of O<sub>2</sub> are calculated using values for diffusive conductance of distal airways previously obtained from analysis of wash-out kinetics of He and SF<sub>6</sub>. In particular it is shown that the alveolar capillary transfer of O<sub>2</sub> (neglected in a previous study) plays an important role in giving rise to stratification gradients of O<sub>2</sub> in distal airways. For 10-kg dogs breathing hypoxic mixtures the stratification component of the alveolar arterial PO<sub>2</sub> difference is estimated at about 0.8 torr for resting conditions and at about 3.5 torr for medium level exercise. (Author)

**A76-32635** **The perceptual basis of loudness ratio judgments** B Schneider (Toronto, University, Toronto, Canada), S Parker (American University, Washington, D.C.), G Farrell (Syracuse University, Syracuse, N.Y.), and G Kanow (Pennsylvania, University, Philadelphia, Pa.) *Perception and Psychophysics*, vol 19, no 4, Apr 1976, p 309-320 26 refs Research supported by the National Research Council of Canada, NSF Grant No GB-36211

An experiment was conducted in which five human subjects with normal hearing were required to estimate loudness ratios for 45 pairs of tones produced from ten 1200-Hz tones differing only in intensity. Another experiment was carried out in which eight subjects were required to directly compare two pairs of tones chosen from among the set of 45 pairs of tones and to indicate which pair of tones had the greater loudness ratio. From these binary comparisons, a rank order of loudness differences for the tones was constructed. A nonmetric analysis of this rank order indicated that loudness grew as the 0.26 power of sound pressure. It is shown that both magnitude estimates of loudness ratios and direct comparison of loudness ratios are based on loudness intervals or differences among the tones where loudness is a power function of intensity. Torgerson's (1961) conjecture that there is but one comparative perceptual relationship for loudnesses is verified. The results suggest a reconsideration of the taxonomy of perceptual continua proposed by Stevens (1957). S D

**A76-32636** **Visual masking effects on duration, size, and form discrimination** N E Cantor and E C Thomas (Stanford University, Stanford, Calif.) *Perception and Psychophysics*, vol 19, no 4, Apr 1976, p 321-327 12 refs NSF Grant No GB-43275

A visual noise mask was presented at variable delays after stimulus offset in order to interrupt processing and control the extent of processing time in duration, size, and form discrimination.

tasks Two sets of stimuli, a circle set and a nonsense form set, were used in both temporal and nontemporal discrimination tasks Major conclusions are that perceived duration is greater for filled than for unfilled intervals in both stimulus set conditions and increases with stimulus area in the circle set condition, that both perceived duration and discrimination accuracy in the form set condition vary directly with stimulus duration and mask delay interval, and that manipulation of the mask delay interval does not influence perceived duration in the circle condition although discrimination accuracy is affected Accuracy in size and form discrimination is enhanced with increases in processing time achieved through manipulation of either stimulus duration or mask delay interval A model is proposed for prediction of processing time as a function of stimulus duration, mask delay interval, and the interval between onset of the mask and termination of processing S D

**A76-32637** **Configurational effects in visual information processing** W P Banks (Pomona College, Claremont, Calif ) and W Prinzmetal (Claremont Graduate School, Claremont, Calif ) *Perception and Psychophysics*, vol 19, no 4, Apr 1976, p 361-367 13 refs Research supported by the Pomona College, NSF Grant No BMS-75-20328

The experiments described show that the perceptual organization of a multielement display affects both the speed and accuracy with which a target letter in it is detected The first two experiments show that a target is detected more poorly if it is arranged in good form (a perceptual Gestalt) with noise elements than if it is not This effect is not confounded with target-noise proximity or display size, and it holds for stimuli terminated by the subject's response as well as for stimuli of very brief duration Increasing the number of noise elements can actually improve performance if the added noise elements increase the degree to which the noise elements form perceptual groups separately from the target A third experiment tries out a new method for scaling the perceptual structure of an array, and it shows that the main features of the first two experiments can be predicted from the scaled perceptual structure of the arrays they used (Author)

**A76-32666** **The impact of nuclear medicine on the diagnosis and management of cardiovascular disease** E H Botvinick and D M Shames (California, University, San Francisco, Calif ) *IEEE Transactions on Nuclear Science*, vol NS 23, June 1976, p 1237 1242 31 refs

The capabilities of nuclear cardiology in the noninvasive diagnostic and therapeutic evaluation of cardiovascular disease in human subjects are reviewed Particular attention is given to applications of noninvasive imaging techniques in four areas myocardial perfusion imaging, blood pool imaging, infarct imaging, and left to-right shunt study Myocardial perfusion imaging reliably indicates the presence and location of regions with insufficient blood supply to meet stress demands The diagnosis of heart muscle dysfunction and its complete noninvasive characterization can be achieved only by gated blood pool imaging In infarct imaging, technetium pyrophosphate is deposited in regions of fresh infarction 12 hr to 1 wk following the insult, where the image shows excellent localizing value and may be valuable in infarct sizing Left to right shunt can be reliably and inexpensively documented by radionuclide shunt study The practical utility of imaging methods in various clinical settings is demonstrated S D

**A76-32667** **Radiopharmaceuticals for studying heart disease** J F Lamb and H S Winchell (Medi-Physics, Inc , Emeryville, Calif ) *IEEE Transactions on Nuclear Science*, vol NS 23, June 1976, p 1243 1247 21 refs

Various procedures currently used in nuclear medicine for diagnosis of cardiovascular disorders by means of radio pharmaceuticals are examined, with particular reference to the nature, behavior, and potential of these radioindicators The discussion is limited to the use of radionuclides in evaluating myocardial blood flow, myocardial contractility, extent of tissue damage from infarct and ischemia, and cardiovascular thrombi Radio

pharmaceuticals are subdivided into agents which remain in the blood and those which are removed from circulation The problem of radioindicators with ideal characteristics for use in studying coronary heart disease is discussed S D

**A76-32668** **Myocardial perfusion imaging for the detection of coronary heart disease** H W Strauss, D J Cook, I Bailey, J Rouleau, and B Pitt (Johns Hopkins Medical Institutions, Baltimore, Md ) *IEEE Transactions on Nuclear Science*, vol NS 23, June 1976, p 1248 1250 9 refs

One of the primary goals of cardiological diagnostics is the very early detection of coronary artery disease before any major disabling event has occurred to damage the heart irreversibly The paper outlines the concept and capabilities of regional myocardial perfusion imaging as a reliable noninvasive technique for determining the presence and location of regions with insufficient blood supply The method employs a soluble radioactive cation, thallium 201, as the radiopharmaceutical The regional distribution of thallium in the heart is actually reflecting the regional distribution of blood flow The combination of this tracer with an imaging device permits external mapping of regional myocardial perfusion The thallium 201 myocardial perfusion scan recorded following injection at stress is much brighter and better defined than that recorded with injection at rest Future trends in noninvasive evaluation of regional myocardial perfusion are pointed out S D

**A76-32669** **The measurement of ventricular function and the detection of wall motion abnormalities with high temporal resolution ECG-gated scintigraphic angiocardiology** M V Green, S L Bacharach, M A Douglas, B R Line, H G Ostrow, D R Redwood, J J Bailey, and G S Johnston (National Institutes of Health, Bethesda, Md ) *IEEE Transactions on Nuclear Science*, vol NS 23, June 1976, p 1257-1263 13 refs

**A76-32813 #** **Psychological problems of interplanetary flight (Psikhologicheskie problemy mezhplanetnogo poleta)** A A Leonov and V I Lebedev (Moscow, Izdatel'stvo Nauka, 1975 248 p 233 refs In Russian)

The present work discusses problems related to the psychological compatibility of the crew members of an interplanetary spacecraft under conditions of group isolation and prolonged action of weightlessness on the psychological processes in man Particular attention is devoted to the effect of sensory and informational 'hunger' on the development of unusual mental states Other topics include emotional stress in space flight and rhythm of work and rest in space activities The sociopsychological aspects of interplanetary flight are also examined S D

**A76-32873 \*** **Selective attention and the auditory vertex potential I - Effects of stimulus delivery rate II - Effects of signal intensity and masking noise** V L Schwent, S A Hillyard, and R Galambos (California, University, La Jolla, Calif ) *Electroencephalography and Clinical Neurophysiology*, vol 40, June 1976, p 604-622 58 refs Grants No NIH MH 25544 01, No NGR 05 009 198

The effects of varying the rate of delivery of dichotic tone pip stimuli on selective attention measured by evoked potential amplitudes and signal detectability scores were studied The subjects attended to one channel (ear) of tones, ignored the other, and pressed a button whenever occasional targets - tones of a slightly higher pitch - were detected in the attended ear Under separate conditions, randomized interstimulus intervals were short, medium, and long Another study compared the effects of attention on the N1 component of the auditory evoked potential for tone pips presented alone and when white noise was added to make the tones barely above detectability threshold in a three channel listening task Major conclusions are that (1) N1 is enlarged to stimuli in an attended channel only in the short interstimulus interval condition (averaging 350 msec), (2) N1 and P3 are related to different modes of selective attention, and (3) attention selectivity in multichannel listening task is greater when tones are faint and/or difficult to detect S D

**A76-32874**      **The dimensionality of the human visual evoked scalp potential** R N Kavanagh, T M Darcey, and D H Fender (California Institute of Technology, Pasadena, Calif ) *Electroencephalography and Clinical Neurophysiology*, vol 40, June 1976, p 633-644 15 refs Research supported by the Alfred P Sloan Foundation, Grants No NIH-NS-03627 No NIH-GM 01335

Principal component analysis and principal factor analyses are used to show that N simultaneous visual evoked potential recordings from different electrode placements measure fewer than N independent variables and that processes chosen to model the underlying system must conform to this reduced dimensionality The data are collected from experiments on an adult male subject with 41 channels recorded and on a female subject with 38 channels recorded Analysis of data is carried out using two approaches channels considered as variables and sample times regarded as variables Principal component analysis indicates that six independent processes can account for approximately 97% of the variability in the data Factor analysis and plots of the factor coefficients reveal that the time during which these principal factors are active agree well with the times at which the equipotential maps show some organized activity The possibility of using a dipole to model the response is discussed, showing that its use is more plausible in the light of the results obtained S D

**A76-32875**      **The stability of the sigma sleep spindle** L D Silverstein and C M Levy (Florida, University, Gainesville, Fla ) *Electroencephalography and Clinical Neurophysiology*, vol 40, June 1976, p 666-670 17 refs Grant No NIH-MH 16960

The distribution of sigma sleep spindle activity in six normal human males who slept undisturbed for approximately 8 h/night for 3 consecutive nights was studied using an automatic spindle detector system which performed at 92.5% accuracy when judged against established visual criteria The failure to detect significant differences among nights and the large intra-class correlation point to a noticeable inter night stability of the sigma spindle The sigma spindle activity in the terminal hour is depressed, reflecting the high proportion of REM sleep The sigma spindle density yields consistent patterns within individual subjects An anticipated, the density functions are greatest for stage 2 regardless of night or hours within a night, negligible in stages 1 and REM, and intermediate for stages 3 and 4 There is enough evidence to support the hypothesis that sigma activity is unique to the sleeping EEG S D

**A76-32958**      **Relative role of environmental and genetic factors in respiratory adaptation to high altitude** S Lahiri, R G DeLaney (Pennsylvania, University, Philadelphia, Pa ), J S Brody, M Simpler (Boston University, Boston, Mass ), T Velasquez (Lima, Universidad Nacional, Lima, Peru), E K Motoyama (Yale University, New Haven, Conn ), and C Polgar (Children's Hospital, Detroit, Mich ) *Nature*, vol 261, May 13, 1976, p 133-135 14 refs PHS-supported research

**A76-33323**      **The purple membrane of salt-loving bacteria** W Stoeckenius (California, University, San Francisco, Calif ) *Scientific American*, vol 234, June 1976, p 38-46

An alternate photosynthetic system operative in halobacteria possessing the chromoprotein rhodopsin (but lacking chlorophyll) is described and research on the phenomenon is reviewed The halobacteriorhodopsin can be used to synthesize adenosine triphosphate (ATP) from adenosine diphosphate and inorganic phosphates in vitro or to drive various metabolic processes The bacteriorhodopsin is incorporated in the halobacteria cell membrane, and converts light energy for proton transport across the membrane against an electric potential and a concentration gradient, via a proton pump (or ion pump) mechanism The bacteriorhodopsin molecules are oppositely oriented on opposite sides of the cell membrane A photoreaction cycle alternating between the purple rhodopsin complex absorbing at 570 nm and a bleached complex absorbing at 412 nm is described, as well as light induced pH changes

in cell suspensions, deprotonation and reprotonation processes, and possible chemiosmotic energy transduction R D V

**A76-33368**      **Cross-modality determination of the subjective growth function for whole body vertical, sinusoidal, vibration** T I Hempstock and D J Saunders (Salford, University, Salford, England) *Journal of Sound and Vibration*, vol 46 May 22, 1976, p 279-284 9 refs

A cross modality matching technique with both noise and vibration stimuli has been used to establish the subjective growth of whole body vertical sinusoidal vibration intensity The results show that in the frequency range 5-80 Hz the growth functions are of the Stevens' power law form, expressed in terms of the subjective magnitude of the stimulus and the objective magnitude The value of the growth parameter is found to be greatly influenced by the choice of the stimulus (noise or vibration) which serves as the dependent variable The results of the study suggest that the concept of a vibration growth function should be regarded with a certain amount of caution (Author)

**A76-33369**      **Mathematical modeling of air-to ground target acquisition** C P Greening (Rockwell International Corp , Anaheim, Calif ) *Human Factors*, vol 18, Apr 1976, p 111-147 46 refs Contracts No N00123-73-C 0250, No N00123 74-C 0236

Following a definition of relevant technical terms and the history of air-to-surface target acquisition modeling, six principal models of air-to-ground target acquisition modeling and prediction are described and compared in terms of structure, nature of model output, sensitivity to significant variables, and evidence of validity The models discussed are the MARSAM II (Multiple Airborne Reconnaissance Sensor Assessment Model), GRC/A (General Research Corporation, Model A), SRI (a combination of two systems), VISTRAC (Visual Target Reconnaissance and Acquisition), DETECT II and III, and the visual model AUTONETICS Particular attention is devoted to the geometric characteristics of the observer/observed world situation, characteristics of the visual scene to provide the clues needed for target acquisition, and characteristics of the observer The models are incomplete in the sense that certain aspects of visual search are unaccounted in each The implications of the features of existing models for current applications and future investigations are discussed S D

**A76 33370**      **Signal complexity, response complexity, and signal specification in vigilance** J M Childs (Wayland College, Plainview, Tex ) *Human Factors*, vol 18, Apr 1976, p 149-159 36 refs

Sixty four subjects served in a 50-min auditory monitoring task Task complexity was examined with regard to both signal and response demands in an effort to determine variance contributing to each of these variables Signals were presented at a mean rate of one per min, and no intersignal interval was greater than 2 min Results showed that signal demands were of greater importance in affecting performance than were post detection response contingencies Statistically significant differences were obtained between groups monitoring only one signal and those monitoring any of seven signals, with the former condition exhibiting better performance over time Groups in which signals were left unspecified exhibited lower detection percentages and higher false alarm rates than conditions in which signals were specified No statistical differences between simple and complex response conditions were observed Application of the present findings to applied environments is discussed (Author)

**A76-33371**      **An airplane performance control system - A flight experiment** C A Bergman (Singer Co , Binghamton, N Y ) *Human Factors*, vol 18, Apr 1976, p 173-181 10 refs Contract No F44620-70-C-0105

Pilot performance and preference measures were obtained for 12 pilots in actual flight operations using a twin-engine general aviation aircraft with both conventional controls and a Performance Control System (PCS). The PCS provides zero order control of aircraft bank angle and vertical speed over the ranges of plus or minus 60 deg and plus or minus 457.2 m/min, respectively. An information processing side task was also used. With the PCS, flight error scores were reliably lower than with conventional aircraft controls. Pilot preferences, using a six-point scale, ranging from slight to moderate to strong preference for each of the two control systems, showed a moderate preference for the PCS as the median response. (Author)

**A76-33372** Continuous versus intermittent display of information S P Hepler (Wayne State University, Detroit, Mich) *Human Factors*, vol 18, Apr 1976, p 183-188. 5 refs

Experiments were conducted on six undergraduate students (two males and four females) whose task was to study visually presented stimuli (4 x 4 matrices of consonants) and after the presentation report as much of the stimulus as possible. The two independent variables were the length of an individual presentation referred to as exposure duration and the number of individual presentations of the stimulus before the subject was allowed to respond. Both exposure duration and number of presentations are found to significantly affect the number of items reported, the number of presentations being the more important variable. An equation is proposed which relates the number of items reported to the total time the information is displayed and to the number of presentations. Three stages in the processing of visually presented information are identified: acquisition stage, consolidation stage, and retention stage. S D

**A76-33376** Study of the microbiological environment within long- and medium-range Canadian Forces aircraft A J Clayton (Defence Research Board, Directorate of Preventive Medicine, Ottawa, Canada), D C O'Connell, R A Gaunt, and R E Clarke (Defence Research Board, Directorate of Preventive Medicine, Ottawa, Defence Research Establishment Suffield, Ralston, Alberta, Canada) *Aviation, Space, and Environmental Medicine*, vol 47, May 1976, p 471-482. 11 refs

Because of a possible requirement to carry patients with highly virulent communicable diseases, a study was undertaken to observe smoke patterns within Canadian Forces transport aircraft. This was followed by the quantitative evaluation of the spread of non-pathogenic organisms disseminated within a Boeing 707 and a C130E (Hercules). Thirdly, an attempt to recover respiratory tract viruses during transatlantic flights was made. Smoke patterns showed that an infected patient should be placed at the rear of the aircraft. The spread of the nonpathogenic organisms in a 707 indicated that contamination was largely confined to the rear, except when the aircraft was in an unpressurized mode. In the C130E, contamination was shown to occur throughout the whole aircraft. No respiratory tract viruses were recovered during the transatlantic flights. It is essential that a 707 should be utilized for aeromedical evacuations. If a C130E is being considered, then a portable self-contained isolation care unit is mandatory. (Author)

**A76-33377** Bradycardia induced by negative acceleration J A Kennealy, J S Kirkland, and R E Sneider (USAF, Aerospace Medical Research Laboratory and Medical Center, Wright-Patterson AFB, Ohio) *Aviation, Space, and Environmental Medicine*, vol 47, May 1976, p 483, 484. 5 refs. USAF-sponsored research

Four volunteers were subjected to negative acceleration in a human centrifuge for the purpose of testing a standard lap belt. Three subjects developed a sinus bradycardia. The fourth developed a sinus arrest with a junctional rhythm at -2 G. With return to +1 G, the sinus mechanism recovered with a prolonged P-R interval. Within 2 h, the P-R interval returned to normal. Negative acceleration maneuvers, well within the capabilities of high-performance aircraft, can effect marked changes in the cardiac rhythm. This phenomenon appears to be vagally induced and is remarkably well tolerated. (Author)

**A76-33378** Biomedical aspects of oxygen regulator performance I - Static characteristics P J Zalesky and R D Holden (USAF, School of Aerospace Medicine, Brooks AFB, Tex) *Aviation, Space, and Environmental Medicine*, vol 47, May 1976, p 485-494. 6 refs

Static performance characteristics of current-inventory USAF oxygen regulators were evaluated with the use of a specialized regulator test stand. Outlet suction pressures, flows, positive pressures, and delivered oxygen dilutions were monitored and recorded as functions of operational altitudes. General findings indicated that excessive oxygen addition occurs in all models, especially at low cabin altitudes, positive pressure schedules generally conform to specifications, negative suction pressures for most regulators are less than -2.54 cm H<sub>2</sub>O. The validity of static evaluation is discussed and data interpretation is considered with respect to biomedical compatibility emphasizing maintenance of crewmember physiological sufficiency. (Author)

**A76-33379** Biomedical aspects of oxygen regulator performance II - Dynamic characteristics P J Zalesky, R D Holden, and B F Hiott (USAF, School of Aerospace Medicine, Brooks AFB, Tex) *Aviation, Space, and Environmental Medicine*, vol 47, May 1976, p 495-502. 7 refs

A quantitative assessment of currently available panel and torso-mounted oxygen regulators and of several candidate torso-mounted models was carried out using the results of dynamic respiratory simulation tests and tests with human subjects. Existing oxygen delivery hardware was found to be very sensitive to the instantaneous flow requirement. The suction pressures were excessive during hyperventilatory conditions and potentially capable of inducing or worsening hyperventilation in aircrew members. Results indicate that oxygen regulators cannot be adequately evaluated static methods, dynamic criteria are indispensable and should include assessment of performance characteristics at the mask-user interface. C K D

**A76-33380** Potassium losses in sweat under heat stress M S Malhotra, K Sridharan, and Y Venkataswamy (Defence Institute of Physiology and Allied Sciences, Delhi, India) *Aviation, Space, and Environmental Medicine*, vol 47, May 1976, p 503, 504. 15 refs

Six healthy, heat-acclimatized subjects were exposed to different hot and humid environments in a climatic chamber and sodium, potassium, and chloride concentrations in their sweat, urine, and blood were determined. The concentration of potassium in sweat was found to be considerably higher than that in the plasma, whereas that of sodium and chloride was very much lower. The concentration of potassium in urine was also 8-12 times higher than that in the plasma as compared to 0.5 to 1.5 times higher for sodium and chloride. The total daily computed losses of potassium in sweat and urine, of a person working in severe heat in the tropics, can be about 116 mEq as against a dietary intake of 97 mEq/d, thereby resulting in negative potassium balance. The potassium depletion in sweat, even in acclimatized Indians, is thus heavy and is likely to play an important role in the causation of heat illness. (Author)

**A76-33381** Ultrastructural effects of +Gz stress on swine cardiac muscle J N Lindsey, R T Dowell, L A Sordahl, H H Erickson, and H L Stone (Texas, University, Galveston, Tex) *Aviation, Space, and Environmental Medicine*, vol 47, May 1976, p 505-511. 15 refs. Grant No AF-AFOSR-74-2622

Miniature swine were subjected to 9 G positive vertical acceleration for 60-120 s. Within 2 h following exposure, the anterior papillary muscle was removed and prepared for scanning and electron microscopy. Ultrastructural changes observed in the cardiac myocytes included cellular redistribution of mitochondria and nuclei. Tears in the contractile fibers, bizarre profiles of nuclei, and peculiar membrane-bounded bodies in the cytoplasm also were observed. Hemorrhagic areas were localized around the Purkinje fibers. The T system and plasma membrane appeared unperturbed. The conclusion was drawn that, following high levels of vertical acceleration, damage to myocardial ultrastructure ensues. (Author)

**A76-33382** Amelioration of the symptoms of acute mountain sickness by staging and acetazolamide W O Evans, S M Robinson, D H Horstman, R E Jackson, and R B Weiskopf (U S Army, Research Institute of Environmental Medicine, Natick, Mass ) *Aviation, Space, and Environmental Medicine*, vol 47, May 1976, p 512-516 23 refs

Treatment of 4 d of residence at 1600 m plus the administration of 500 mg acetazolamide b i d for the last 2 d at 1600 m and the first 2 d at 4300 m was compared with no treatment prior to ascent to 4300 m for prophylaxis of acute mountain sickness The treatment successfully prevented almost all symptoms of acute mountain sickness It had no effect on the diminished capacity for maximal or prolonged heavy physical work The treatment produced a relative acidosis and a comparatively greater arterial oxygen tension at 4300 m (Author)

**A76-33383** Mechanism of lung damage in explosive decompression E D L Topliff (Defence and Civil Institute of Environmental Medicine, Downsview, Ontario, Canada) *Aviation, Space, and Environmental Medicine*, vol 47, May 1976, p 517-522 10 refs

It has been shown that closure of the trachea does not reduce mortality in mice subjected to maximally rapid decompression, suggesting that under this condition the lungs and thorax may be treated as a closed system Boyle's Law is invoked in the derivation of a formula for the transthoracic pressure generated during decompression The mortality resulting from maximally rapid decompression is directly related to the transthoracic pressure In slow decompression the transthoracic pressure gradient is degraded by lung expansion and by pressure equalization via the trachea It is suggested that the maximally rapid decompression following a shock front may be responsible for pulmonary blast injuries C K D

**A76-33384** Algorithm for analyses of saccadic eye movements using a digital computer R W Baloh, W E Kumley, and V Honrubia (California, University, Los Angeles, Calif ) *Aviation, Space, and Environmental Medicine*, vol 47, May, 1976, p 523 527 23 refs Research supported by the Deafness Research Foundation, Grant No PHS-NS-09823

An algorithm for digital computer analyses of electro-oculographically recorded saccadic eye movements is presented From a brief, 4-min recording session detailed statistical information about saccade velocity, accuracy, and delay time can be obtained Since these data are not significantly altered by practice or motivational factors, it provides a sensitive functional test of the extra-ocular muscles and their brain control system (Author)

**A76-33385** Method for determining pilot stress through analysis of voice communication I Kuroda, O Fujiwara, N Okamura, and N Utsuki (Japan Air Self-Defense Force, Aeromedical Laboratory, Tokyo, Japan) *Aviation, Space, and Environmental Medicine*, vol 47, May 1976, p 528-533 9 refs

A method has been developed for assessing the level of emotional stress of pilots in emergency situations from radio communications The vibration space shift rate (VSSR) is calculated by comparing the widest vibration space (the space between the vertical deflections of vowel sounds in a sound spectrogram) of the voice during the normal phase of the flight in question with the widest vibration space occurring during the emergency situation The VSSR is divided into three phases (normal, urgent, emergency), each containing three grades of 0.5 S D The proposed technique allows the evaluation of vocal cord tension, which is strongly affected by stress A high VSSR rate throughout the emergency situation is frequently indicative of a fatal outcome associated with loss of ejection altitude, successive inappropriate reactions, or the inability to interpret advice, and may be a useful means of determining whether stress is a contributing factor in the outcome of an in-flight emergency C K D

**A76-33386** Prolactin, thyrotropin, and growth hormone release during stress associated with parachute jumping G L Noel, R C Dimond, J M Earll, and A G Frantz (U S Army, Walter Reed Army Institute of Research, Washington, D C , Columbia University, Presbyterian Hospital, New York, N Y ) *Aviation, Space, and Environmental Medicine*, vol 47, May 1976, p 543 547 25 refs

Prolactin, growth hormone, and thyrotropin (TSH) release during the stress of parachute jumping has been evaluated in 14 male subjects Subjects were studied at several times before and immediately after their first military parachute jump All three hormones had risen significantly 1 to 14 min after the jump, compared to mean levels measured immediately beforehand Earlier studies of physical exercise by ourselves and others would suggest that emotional stress played a role in producing changes of this magnitude We conclude that prolactin, TSH, and growth hormone are released in physiologically significant amounts in association with the stress of parachute jumping (Author)

**A76-33387** Heat and simulated high altitude - Effects on biochemical indices of stress and performance R P Francesconi, B J Fine, and J L Kobrick (U S Army, Research Institute of Environmental Medicine, Natick, Mass ) *Aviation, Space, and Environmental Medicine*, vol 47, May 1976, p 548 552 32 refs

Five healthy, military test volunteers were alternately exposed on separate days to sea level, control conditions (22-23 C, 40-50% relative humidity), a hot, wet environment (35 C, 90% relative humidity) or simulated high altitude (4300 m, 22-23 C, 20-30% relative humidity) while carrying out assigned performance tasks Acute exposure of 7 h to environmental heat consistently elicited significant increments in plasma levels of cortisol, dopamine beta-hydroxylase, and uric acid while cholesterol and cyclic AMP levels were unaffected Alternatively, exposure to altitude for the same duration failed to effect significant alterations in any of the aforementioned biochemical factors Although both environmental stresses caused similar performance decrements, the responses of biochemical indices of stress were consistently related to the environment itself (Author)

**A76-33448 \*** Computer measurement and representation of the heart in two and three dimensions D Rasmussen (NASA, Ames Research Center, Moffett Field, Calif ) In Conference on Cardiovascular Imaging and Image Processing Theory and Practice-1975, Stanford University, Stanford, Calif , July 10-12, 1975, Proceedings Conference sponsored by Stanford University and NASA Palos Verdes Estates, Calif , Society of Photo Optical Instrumentation Engineers (SPIE Proceedings Volume 72), 1976, p 177 182 7 refs

Methods for the measurement and display by minicomputer of cardiac images obtained from fluoroscopy to permit an accurate assessment of functional changes are discussed Heart contours and discrete points can be digitized automatically or manually, with the recorded image in a video, cine, or print format As each frame is digitized it is assigned a code name identifying the data source, experiment, run, view, and frame, and the images are filed for future reference in any sequence Two views taken at the same point in the heart cycle are used to compute the spatial position of the ventricle apex and the midpoint of the aortic valve The remainder of the points on the chamber border are corrected for the linear distortion of the X-rays by projection to a plane containing the chord between the apex and the aortic valve center and oriented so that lines perpendicular to the chord are parallel to the image intensifier face The image of the chamber surface is obtained by generating circular cross sections with diameters perpendicular to the major chord The transformed two- and three-dimensional imagery can be displayed in either static or animated form using a graphics terminal C K D

**A76-33473 \*** The effects of centrifugation on the morphology of the lateral vestibular nucleus in the rat - A light and electron microscopic study J E Johnson, Jr, W R Mehler, and J Oyama (NASA, Ames Research Center, Neurosciences Branch, Moffett Field, Calif ) *Brain Research*, vol 106, 1976, p 205-221 31 refs NASA Task 970-21 11-11, NASA Task 970 21 61 14

**A76-33530 #** The numerical thermal simulation of the human body when undergoing exercise or nonionizing electromagnetic irradiation A F Emery, R E Short, A W Guy, K K Kranning (Washington, University, Seattle, Wash ), and J C Lin (Wayne State University, Detroit, Mich ) (*American Society of Mechanical Engineers, Paper 76-HT-KK*, 1976 ) *ASME, Transactions, Series C - Journal of Heat Transfer*, vol 98, May 1976, p 284-291 56 refs US Department of Health, Education and Welfare Grant No 16-P 56818 013, Contract No F41609 73-C 0002

The human body was modeled by a finite difference numerical procedure to determine the effect of simulating the sweating rate by different analytical models Six different models were used in which the hypothalamus, muscle, average skin, and local skin temperatures were used as the controlling parameters for the rate of local sweating These different models were tested by comparing their predictions of local temperatures for an exercising man with measured values The computer program was then used to compute the thermal response of a man subjected to microwave irradiation of the entire body and the head only Transient head and body temperatures and sweating rates were computed and compared with the temperature changes due to an equivalent exercise level Significant differences in the results found by using the different sweat models point out the need for further work in determining accurate analytical descriptions of this major mode of body heat loss (Author)

**A76-33546** Analytical methods for quantitative evaluation of the radiocardiogram J R Wolberg (Technion - Israel Institute of Technology, Haifa, Israel), G S Freedman (Yale University, New Haven, Conn ), and A Dwyer (St Raphael Hospital, New Haven, Conn ) (*Israel Conference on Mechanical Engineering, 9th, Technion - Israel Institute of Technology, Haifa, Israel, July 1, 2, 1975* ) *Israel Journal of Technology*, vol 13, no 5, 1975, p 309-315 11 refs

Radiocardiograms are obtained by monitoring a radioisotope after injection as it passes through the heart and lungs The purpose of this paper is to discuss several methods used to evaluate cardiac performance from radiocardiogram data Mathematical models are developed for extracting two parameters of interest to cardiologists (1) cardiac chamber flow to volume ratio (F/V), and (2) left ventricle ejection fraction (EF) The model used to characterize F/V is continuous and provides good agreement with data obtained by other physiological methods for the right heart A discrete model is used to characterize the left heart and obtain EF An important aspect of the EF model is that background interference is taken into consideration The analyses include calculations of the statistical uncertainties associated with the computed values of both parameters (Author)

**A76-33566 #** Sonic-boom-startle effects during simulated and actual automobile-driving tests I I Glass, K W Lips, O V Nowakivsky, and L D Reid (Toronto, University, Toronto, Canada) *Canadian Aeronautics and Space Journal*, vol 22, Mar-Apr 1976, p 70-88 8 refs Research supported by the Ministry of Transport and National Research Council of Canada, Grant No AF-AFOSR-72-2274C

Effects of SST-generated sonic booms on automobile driver performance were investigated on the basis of a simulation technique and actual driving tasks The simulation results showed that some drivers were disturbed by sonic booms and took an average of 15 sec to recover from startle effects The tests of actual driving performance involved tracking maneuvers and stopping tasks with and without booms of 150-Pa overpressure, 1-msec rise time, and 100-msec duration Based on these results, it is concluded that overflights of commercial SSTs without sonic booms should not adversely affect a healthy driver's stopping distance or his ability to perform a demanding driving task An examination of possible accident data during severe thunderstorms indicates that sonic booms are unlikely to make drivers accident prone F G M

**A76-33570** Development of assembly robots (*Entwicklung von Montagerobotern*) L Schmieder (Deutsche Forschungs- und Versuchsanstalt für Luft- und Raumfahrt, Institut für Dynamik der Flugsysteme, Oberpfaffenhofen, West Germany) *DFVLR-Nachrichten*, May 1976, p 736, 737 In German

The reported investigations concerning the development of robots make use of the results of studies related to the design of teleoperators for space applications Considerations concerning supervisory control can be applied to industrial robots, in particular, those employed in assembly operations Attempts to 'teach' a manipulator the writing of letters are discussed and a description is given of investigations related to the design of mechanical manipulating devices, giving attention to the optimum arrangement of six joints at a manipulator arm G R

**A76-33974** Evidence for the presence of eye movement potentials during paradoxical sleep in cats K Sakai and R Cesplugio (Lyon I, Université, Lyons, France) *Electroencephalography and Clinical Neurophysiology*, vol 41, July 1976, p 37-48 41 refs Research supported by the Institut National de la Santé et de la Recherche Médicale, Centre Nationale de la Recherche Scientifique Contract No LA 162, Direction des Recherches et Moyens d'Essais Contract No 73/198

**A76-33975** Sleep in the young adult as seen from automatic analysis of records (*Le sommeil du jeune adulte vu par analyse automatique des enregistrements*) J M Gaillard and R Tissot (Clinique Psychiatrique de Bel-Air, Geneva, Switzerland) *Electroencephalography and Clinical Neurophysiology*, vol 41, July 1976, p 73-82 21 refs In French

A previously described (Gaillard et al, 1971, 1973) automatic scoring technique was used to analyze the sleep records of a group of normal male and female subjects 20 to 29 years of age Results were compared with data obtained by Williams et al, (1974) by visual analysis of the sleep records of a similar group of subjects A high degree of correlation was found between results obtained by visual analysis and those obtained by automatic analysis of polygraph records Stage 3 was slightly overestimated, and stage 4 underestimated, by automatic scoring in comparison with visual scoring Automatic scoring detected a larger number of transitions between sleep stages and slightly underestimated REM sleep C K D

**A76-34139** Survey of the state of the art of human biodynamic response A I King (Wayne State University, Detroit, Mich ) In *Aircraft crashworthiness, Proceedings of the Symposium, Cincinnati, Ohio, October 6-8, 1975* Charlottesville, University Press of Virginia, 1975, p 83-120 149 refs Contract No N00014-75 C-1015

Regional biodynamic response to impact acceleration is discussed with particular emphasis on the response of the head, spine, chest, and lower extremities Head injury mechanisms are described along with techniques for evaluating head impact tolerance and mathematical models of head impact Data on the biodynamic response of the spine are reviewed, mechanisms of spinal and neck injury are identified, and mathematical models of the spine are assessed Thoracic injury mechanisms are noted together with models of the thorax, and data on injuries to the lower extremities are summarized The formulation of more realistic models is recommended, some ground rules for impartial evaluation of a model are presented, and it is argued that head injury due to impact acceleration remains the most difficult problem in the study of human biodynamic response F G M

**A76-34141** Injury criteria and human tolerance for the neck C L Ewing (U S Navy, Naval Aerospace Medical Research Laboratory, New Orleans, La ) In *Aircraft crashworthiness, Pro*

ceedings of the Symposium, Cincinnati, Ohio, October 6-8, 1975  
Charlottesville, University Press of Virginia,  
1975, p 141-151 27 refs

Crash injuries to the neck are discussed in terms of two types of injuries: those due to energy transmitted directly to the neck and those due to energy transmitted indirectly from either the torso or head. Causes of direct and indirect impact injuries to the neck are identified along with the types of injuries incurred and ways to prevent or attenuate dynamic response. Studies of neck tolerance limits that have been conducted on jet sleds with human subjects, other primates, and cadavers are reviewed. The present status of research and development in tolerance limits of the human neck is evaluated. It is suggested that the use of vehicular acceleration as a determinant of tolerance limits appears to have only limited application and that input to the neck should be measured directly. The construction is recommended of an analytical mathematical analog of the human response to peak impact acceleration from all vector directions for reasonable rates of onset and durations at peak acceleration. F G M

**A76-34142 Standardization and interpretation of spinal injury criteria and human impact acceleration tolerance** L E Kazarian (USAF, Aerospace Medical Research Laboratory, Wright Patterson AFB, Ohio) In Aircraft crashworthiness, Proceedings of the Symposium, Cincinnati, Ohio, October 6-8, 1975  
Charlottesville, University Press of Virginia, 1975, p 153-173 6 refs

The present paper identifies the level, type, severity, and mechanics of spinal injury that are revealed by the study of clinical and operational accident data. The biomechanics of vertebral trauma is discussed along with subtle fracture patterns, including compression fractures of the vertebral bodies, transverse process fractures, and cleavage fractures of the vertebral centrum. The process of degenerative 'adaptive' musculoskeletal changes is described using data on various species of subhuman primates and apes subjected to +Gz impact forces. Human acceleration tolerance is defined in terms of standardized spinal injury modes, and spinal injury is assessed in terms of acceptable, unacceptable, and radiologically concealed injuries. F G M

**A76-34143 Head injury tolerance** V R Hodgson and L M Thomas (Wayne State University, Detroit, Mich.) In Aircraft crashworthiness, Proceedings of the Symposium, Cincinnati, Ohio, October 6-8, 1975  
Charlottesville, University Press of Virginia, 1975, p 175-193 32 refs

Head-injury tolerance levels are given for soft tissue trauma, skull fracture, and brain injury. These include tolerance thresholds for clinically significant fractures when the contact area is 1 sq in., thresholds of linear fracture for the front, side, and rear of the skull, and impact intensities producing marginal laceration through the scalp. Concussion tolerance to linear acceleration is analyzed, and studies which support the biomechanically established tolerance limits are discussed. F G M

**A76-34144 Human head and neck dynamic response. Analytical models and experimental data** S H Advani, J Huston, W R Powell, and W Cook (West Virginia University, Morgantown, W Va.) In Aircraft crashworthiness, Proceedings of the Symposium, Cincinnati, Ohio, October 6-8, 1975  
Charlottesville, University Press of Virginia, 1975, p 197-212 41 refs. Research sponsored by the U.S. Department of Transportation Grant No. NIH-1 NS-42302

Existing head-injury criteria are examined critically by means of regional mathematical modeling of the human head and neck system. Head injury severity indices are discussed, and two head injury continuum models are presented (translational acceleration and rotational acceleration). Head neck impact response models are also described, and selected correlations with experimental data on human cadaver impact response are evaluated. The continuum models are shown to provide realistic estimates of the skull/brain system response and to demonstrate that brain shear distortion is a

critical parameter for injury. The head/neck models are found to simulate the experimental data accurately and to demonstrate that significant head angular accelerations are generated during impact. F G M

**A76-34145 Simulating and modeling the human head's response to impact** T A Shugar (U.S. Navy, Naval Construction Battalion Center, Port Hueneme, Calif.) In Aircraft crashworthiness, Proceedings of the Symposium, Cincinnati, Ohio, October 6-8, 1975  
Charlottesville, University Press of Virginia, 1975, p 213-234 26 refs. U.S. Department of Transportation Contract No. 4S 289 5501-A

A state-of-the-art review of linear head-injury models based on the finite element method is presented. The models are examined primarily in terms of geometrical representation, boundary condition handling, material property characterization, cost, and potential for nonlinear extension. Statistical data on the distribution and frequency of coup and contrecoup injuries are investigated along with data on the incidence of head injury in survivable accidents. It is shown that rotationally symmetric models cannot account for the asymmetric distribution of brain injuries reflected in the data because such models cannot distinguish frontal, side, and rear impacts from one another. A fully three-dimensional head injury model computer code is described, and its development is traced from preliminary two-dimensional models to the present completed model. This code computes time histories of displacement, stress, and strain for arbitrary direct impact loads and simulates the semisolid nature of brain material through a simple formulation that is best described as a shearless solid. F G M

**A76-34146 # Thoracic dynamics during blunt impact** I Kaleps (USAF, Aerospace Medical Research Laboratory, Wright Patterson AFB, Ohio) In Aircraft crashworthiness, Proceedings of the Symposium, Cincinnati, Ohio, October 6-8, 1975  
Charlottesville, University Press of Virginia, 1975, p 235-252 18 refs. USAF sponsored research

The physical mechanisms leading to intrathoracic overpressures of sufficient amplitude to alter the force-deflection characteristics of the chest due to impact loading are demonstrated by applying a many-degree-of-freedom lumped-parameter model to the chest impact problem. The model is formulated on the basis of available physiological data about thoracic structure and respiratory mechanisms combined with an analysis of body response dynamics during a frontal chest-impact event. It incorporates the elastic properties of the chest as well as the internal reactions of the viscera and air within the thorax and also accounts for total torso displacement and the dynamics of chest surface-tissues compression during impact. The results suggest that overpressure is a prime factor in the development of an injury index and show that overpressures of about 1 atm appear to lie in the injury borderline region. F G M

**A76-34147 Intrusion of the sternum into the thoracic cavity during frontal chest impact and injury potential** S B Roberts (California, University, Los Angeles, Calif.) In Aircraft crashworthiness, Proceedings of the Symposium, Cincinnati, Ohio, October 6-8, 1975  
Charlottesville, University Press of Virginia, 1975, p 253-271 15 refs

The paper demonstrates how a linear finite element representation of the human thorax can be used to assess the penetration of the sternum into the thoracic cavity and the internal stress state within the bony skeleton. The model discussed is THORAX IV A, a finite element representation of a seated small-frame human which consists of three-dimensional beam elements representing the individual ribs, vertebrae, intervertebral disks, and costal cartilage plus flat-plate elements describing the thorax. A criterion for potential injury to the pericardial region of the thorax is proposed on the basis of the notion that if sufficient anterior-posterior deformation of the chest occurs, the sternum will compress the pericardial region against the vertebral column and cause injury to the heart. A deformation value of 20% is proposed as a measure of incipient injury to the heart. The salient features of the analytical predictions obtained

from the present model are shown to compare favorably with experimental data in spite of numerous simplifying assumptions

F G M

**A76-34148** Spinal injury in the crash environment P R Payne (Payne, Inc., Annapolis, Md.) In Aircraft crashworthiness, Proceedings of the Symposium, Cincinnati, Ohio, October 6-8, 1975 Charlottesville, University Press of Virginia, 1975, p 273-298 23 refs

The paper discusses dynamic modeling of the spine in a crash situation when that structure is supported fore and aft by a shoulder harness and seat back and when the acceleration is primarily along the spine's axis. Criteria for choosing dynamic models are considered, the Dynamic Response Index (DRI) model is described, and biodynamic modeling of the spine as a supporting strut is examined. The gross dynamics of a seated human subjected to Gz acceleration is analyzed. A relationship between DRI and the probability of vertebral fracture is derived, and DRI values are plotted for various idealized acceleration pulse shapes. It is concluded that the DRI model is a useful tool in escape system optimization and should be equally valuable in predicting the number of spinal injuries to be expected in a crash situation where only Gz acceleration is present.

F G M

**A76-34149** Calspan three-dimensional crash victim simulation program J T Fleck (Calspan Corp., Buffalo, N.Y.) In Aircraft crashworthiness, Proceedings of the Symposium, Cincinnati, Ohio, October 6-8, 1975 Charlottesville, University Press of Virginia, 1975, p 299-310 10 refs. Research sponsored by the U.S. Department of Transportation.

A computer program is described which can be used to study the highly variable three-dimensional contact force environment and dynamics of a motor vehicle crash victim, either occupant or pedestrian, such as experienced in oblique vehicle collisions or sideswipe pedestrian accidents. It is noted that one version of this program is available with three additional features that were developed to study the problem of pilot ejection. The evolution of the program through the three phases of its development is outlined, and the system equations are illustrated. These equations are derived from Euler's rigid-body equations in a manner that allows variation of the number of segments and joints in the formulation. The input to the program is described in detail. It is shown that this program can be applied to simulate an airplane occupant in crash environments, including in situations where the seat is a separate segment or set of segments. In these applications, both aerodynamic forces and generalized restraint belt routines are included.

F G M

**A76-34150** The UCIN 3-D aircraft-occupant R L Huston, C E Passerello, M W Harlow, and J M Winget (Cincinnati, University, Cincinnati, Ohio) In Aircraft crashworthiness, Proceedings of the Symposium, Cincinnati, Ohio, October 6-8, 1975 Charlottesville, University Press of Virginia, 1975, p 311-324 33 refs. NSF Grant No. GK 41272, Contract No. N0014 72 A-0027-0002.

The latest version of a three-dimensional aircraft-occupant model is presented with particular emphasis on its options, capabilities, and basic formulation. The code is a three-dimensional multisegment computer model designed primarily to study the dynamics of vehicle/occupant systems during crashes or periods of high acceleration; the model itself consists of 12 rigid bodies representing the human body and limbs together with a vehicle frame or cockpit. The fundamental dynamic equations are outlined, and some validation data are given. Examples are discussed which show the advantages of using combined shoulder and lap-belt restraints as opposed to lap belts alone, particularly in the prevention of 'whiplash'.

F G M

**A76-34151** PROMETHEUS - A crash victim simulator R N Karnes, J L Tocher, and D W Twigg (Boeing Computers Services, Inc., Seattle, Wash.) In Aircraft crashworthiness, Proceedings of the Symposium, Cincinnati, Ohio, October 6-8, 1975 Charlottesville, University Press of Virginia, 1975, p 327-346 9 refs. U.S. Department of Transportation Contract No. HS-356-3 719, Contract No. N00014-72 C 0223.

The evolution of the PROMETHEUS crash victim simulator is described along with the model's application to various problems. This simulator is an efficient user-oriented interactive crash-analysis program which simulates a crash victim with either a two-dimensional seven-link side-facing mathematical model restrained by a seat belt and shoulder harness (PROMETHEUS 1) or an eleven-link forward-facing unrestrained model (PROMETHEUS 2). A nonlinear finite element model of the impacting structure is incorporated in both versions and interacts realistically with the occupant. The original program is discussed together with program restructuring into four modular sections, software improvements, and user convenience. Differences between the two versions are noted, several problems of mathematical simulation are illustrated, and it is concluded that the programs are particularly useful tools for parametric studies of the effects of severe impact situations on the human body.

F G M

**A76-34152** Simulation of an aircraft seat and occupant in a crash environment D H Laananen (Pennsylvania State University, University Park, Pa.) In Aircraft crashworthiness, Proceedings of the Symposium, Cincinnati, Ohio, October 6-8, 1975 Charlottesville, University Press of Virginia, 1975, p 347-363 11 refs. U.S. Department of Transportation Contract No. FA72WA 3101.

A digital computer program is described which has been developed for use in analysis and design of light-aircraft seats and restraint systems. The aircraft occupant is modeled by eleven rigid mass segments with rotational springs and dampers at the joints, the response of the occupant is described by Lagrange's equations of motion, which are written as functions of 28 independent generalized coordinates that define the position of the system. The seat model, divided into two major components, makes use of conventional finite element techniques. The program input and initialization are outlined along with the solution procedure, program output, and computer resource requirements. Preliminary comparisons with experimental data show the predictions to be adequate at least for relative evaluation of system crashworthiness.

F G M

**A76-34153** Advanced restraint systems for Army aircraft R W Carr (Ultrasystems, Inc., Phoenix, Ariz.) and G T Singley, III (U.S. Army, Air Mobility Research and Development Laboratory, Fort Eustis, Va.) In Aircraft crashworthiness, Proceedings of the Symposium, Cincinnati, Ohio, October 6-8, 1975 Charlottesville, University Press of Virginia, 1975, p 365-397 12 refs. Army supported research.

The paper describes the design and testing of U.S. Army helicopter crew and troop restraint systems. Preliminary webbing design criteria are presented, and results are discussed for analyses of static and dynamic webbing properties, material stiffness, restraint system slack, and energy absorbing webbing. Test results are summarized for a prototype aircrew restraint system consisting of a single-point release buckle attached to a negative-g strap, right and left-hand lap-belt assemblies with side straps, right and left-hand shoulder straps, a shoulder harness collar assembly, and two reflected straps attached to an inertia reel. The development of two troop restraint system concepts is outlined, and static as well as dynamic test results are evaluated. It is noted that the troop and aircrew restraint systems passed both the static and dynamic tests and are believed to offer the best possible crash protection in light of the cost, weight, and operational factors.

F G M

**A76-34155** An inflatable crewman restraint system M Schulman (U.S. Naval Material Command, Naval Air Development Center, Warminster, Pa.) In Aircraft crashworthiness, Proceedings of the Symposium, Cincinnati, Ohio, October 6-8, 1975 Charlottesville, University Press of Virginia, 1975, p 447-463 18 refs. Navy supported research.



An inflatable restraint system for helicopter crews is described which automatically compensates for any slack in the system and pretensions the occupant in the seat during initial energy absorption stroking. The system was designed according to the air bag concept of enveloping the seated occupant with a gas filled inflatable restraint, but the restraint is worn by a crewman instead of being remotely located from him. The major system components are identified, and results are reported for static preinflated testing, preinflated dynamic tests, and automatically inflated dynamic tests. Plans for more advanced prototype testing with human subjects are briefly noted. It is concluded that the present system will improve body and head restraint by automatically compensating for large variations in upper- and lower-adjustment slack. F G M

**A76-34228 #** Changes in the temperature of the hypothalamus during muscular contractions before and after cold adaptation (Izmenenie temperatury gipotalamusa pri sokrashcheniia kh myshts do i posle adaptatsii k kholodu) V E Divert and M A lakimenko (Akademiia Meditsinskikh Nauk SSSR, Novosibirsk, USSR) *Fiziologicheskii Zhurnal SSSR*, vol 62, Apr 1976, p 523-527 12 refs In Russian

**A76-34229 #** Effect of temperature on the tonus of blood vessels (O vliianii temperatury na tonus krovenosnykh sosudov) V S Kupriianov (Chuvashskii Gosudarstvennyi Universitet, Cheboksary, USSR) *Fiziologicheskii Zhurnal SSSR*, vol 62, Apr 1976, p 573-577 23 refs In Russian

Acute experiments were conducted on adult cats and frogs to evaluate the effect of temperature on the tonus of blood vessels under myographic monitoring of total elimination of muscular tonus in the limbs. The hypothesis that changes in vascular tonus under the influence of reduced temperature are due to the action of catecholamines is assessed. Enough evidence is obtained to suggest that increase in the tonus of peripheral vessels under the action of lowered temperature is attributed to release of catecholamines with adrenomimetic effect, their diffusion from the tissues surrounding the blood vessels, and subsequent action on the smooth muscle of the vascular wall. S D

**A76-34424** Color code size for searching displays of different density M-C Cahill and R C Carter, Jr (Rensselaer Polytechnic Institute, Troy, N Y) *Human Factors*, vol 18, June 1976, p 273-280 12 refs

Twenty observers searched for three-digit numbers on displays ranging in density from 10 to 50 items coded in one through ten colors. Search times increased linearly with density and showed a curvilinear relation to number of colors used. An initial drop in search times as the first few colors were added to an uncoded display was followed by a rise in search times as still more colors were used. Minimal search times at different display densities were associated with different code sizes. Search times increased as more colors were added to the code, even when the number of items per color category was constant. The detrimental effect on search times of larger code sizes is interpreted as a camouflage of the color contour of the target's class by the multiple color boundaries in the heterogeneous background. (Author)

**A76-34425** Estimating the amount of eye movement data required for panel design and instrument placement J J Seeberger and W W Wierwille (Virginia Polytechnic Institute and State University, Blacksburg, Va) *Human Factors*, vol 18, June 1976, p 281-292 10 refs

**A76-34450 \*** Amino acids of the Nogoya and Mokoia carbonaceous chondrites J R Cronin and C B Moore (Arizona State University, Tempe, Ariz) *Geochimica et Cosmochimica Acta*, vol 40, July 1976, p 853-857 12 refs NSF Grant No DES 74-05178, Grant No NGL-03 001-001

Amino acids were found in acid hydrolyzed, hot water extracts of the Nogoya (C2) and Mokoia (C3V) chondrites. About 40 n moles/g of amino acids were found in the Nogoya extract while Mokoia contained less than 1 n mole/g. The amino acid composition of Nogoya differs from that of other C2 chondrites studied earlier. The results from Mokoia are similar to previous data obtained from the C3V chondrite Allende. (Author)

**A76-34497 \*** Light-induced glutamate transport in *Halobacterium halobium* envelope vesicles I - Kinetics of the light-dependence and the sodium-gradient-dependent uptake J K Lanyi, V Yearwood-Drayton (NASA, Ames Research Center, Biological Adaptation Branch, Moffett Field, Calif), and R E MacDonald (NASA, Ames Research Center, Biological Adaptation Branch, Moffett Field, Calif, Cornell University, Ithaca, N Y) *Biochemistry*, vol 15, no 8, 1976, p 1595-1603 59 refs

**A76-34500 \*** Effects of high-LET particles /A-40/ on the brain of *Drosophila melanogaster* J Miquel (NASA, Ames Research Center, Moffett Field, Calif), M M Herman (Stanford University, Stanford, Calif), E V Benton (San Francisco, University, San Francisco, Calif), and G Welch (California, University, Berkeley, Calif) *International Journal of Radiation Biology*, vol 29, no 2, 1976, p 101-124 37 refs Grant No NIH NS-08276

To investigate the effects of galactic heavy particles on nervous tissue, *Drosophila melanogaster* flies were exposed to A-40 from the Super-HILAC accelerator at the Lawrence Berkeley Laboratory. The energy of the particles reaching the *Drosophila* neurons was 4.8 MeV/nucleon, and the fluence ranged from 60,000 to 80 million particles/sq cm. Thirty-five days after irradiation at the higher fluences, extensive tissue fragmentation and cysts were found. At fluences as low as one hit/two cell bodies (about 5 million) and one hit/90 cell bodies (about 90,000 particles/sq cm or 21 rad average dose) swelling of neuronal cytoplasm and focally fragmented membranes were noted, at fluences ranging from one hit/six to one hit/135 cell bodies, there was frequently a marked increase in glial lamellae around nerve-cell processes, which often had degenerative features. These findings support the view that single hits by heavy particles may injure nervous tissue. (Author)

**A76-34532 \*** Angiocardiology - Past and present H Sandler (NASA, Ames Research Center, Biomedical Research Div, Moffett Field, Calif) In Conference on Cardiovascular Imaging and Image Processing - Theory and Practice - 1975, Stanford University, Stanford, Calif, July 10-12, 1975, Proceedings Conference sponsored by Stanford University and NASA Palos Verdes Estates, Calif, Society of Photo-Optical Instrumentation Engineers (SPIE Proceedings Volume 72), 1976, p 83-93 24 refs

Angiocardiology is defined as an X-ray procedure which uses an intravascularly injected contrast material for visualization of the internal anatomy of the heart and great vessels. Past and present efforts in angiocardiology technology and methodology are reviewed, with special emphasis on qualitative and quantitative measurements of heart and vessel geometry. One of the more recent applications of angiographic image analysis has been for pattern recognition of margin motions over a cardiac cycle, termed contourography. Angiocardiology will continue to serve, as it has served in the past, as the principal standard of reference for calibration and/or comparison of newer methods for determining volume or dimensional change, depending on further technologic advances in X-ray equipment and means for displaying computer processed information. S D

**A76-34585** Theory of spatial frequency filtering by the human visual system I - Performance limited by quantum noise II - Performance limited by video noise A D Schnitzler (Institute for Defense Analyses, Arlington, Va) *Optical Society of America, Journal*, vol 66, June 1976, p 608-625 36 refs

Harmonic analysis and statistical decision theory are combined in a quantitative description of spatial-frequency filtering in the human visual system in the vicinity of the sine-wave modulation threshold in the absence of perceptible light fluctuations. The spatial-frequency response (SFR) of the human visual system is derived from threshold modulation data independent decision centers and associated photoreceptive fields (PRF) are incorporated into the model. Detection of sinusoidal gratings near threshold with perceptible luminous fluctuations caused by voltage fluctuations at a CRT display control grid is analyzed theoretically. A technique is advanced for determining modulation sensitivity functions (MSF) of single detection channels from threshold modulation data. Relationships with spatial impulse response (SIR) functions and noise-required modulation (NRM) functions, and modulation transfer functions (MTF) are discussed, for the retina-brain subsystem and for external optics. R D V

**A76-34691 #** A study of the primary processes of the photo-induced evolution of hydrogen by *Chlorella* under flash illumination (Issledovanie pervichnykh protsessov fotoindutsirovanogo vydeleniia vodoroda *Khlorella* pri impul'snom osveshchenii). E I Efimtsev, V A Boichenko, N E Zolotokhin, and F F Litvin (Moskovskii Gosudarstvennyi Universitet, Moscow, Akademiia Nauk SSSR, Institut Fotosineza, Pushchino-on-Oka, USSR) *Akademiia Nauk SSSR, Doklady*, vol 227, Mar 21, 1976, p 731-734 13 refs. In Russian.

**A76-34699 #** Activation of RNA biosynthesis in the liver and spleen of irradiated rats (Aktivatsiia biosinteza RNK v pecheni i slezenke obluchennykh krys). V I Tokarskaia, S R Umanski, O I Skotnikova, and A M Kuzin (Akademiia Nauk SSSR, Institut Biologicheskoi Fiziki, Pushchino-on-Oka, USSR) *Akademiia Nauk SSSR, Doklady*, vol 227, Apr 1, 1976, p 988-990 10 refs. In Russian.

Initial stages in the radiation-induced breakdown of biosynthesis of ribonucleic acids in rat organs differing in radiosensitivity, specifically liver and spleen, are investigated. Sedimentation tests after ultracentrifugation in a sugar gradient revealed 'superproduction' of giant nuclear RNA in the first 30 min following irradiation. Total-body irradiation of rats at 800 r brought about irreversible alterations in liver and spleen tissue, so that earlier observations of intensified liver RNA synthesis accompanied by inhibition of spleen RNA synthesis must be some secondary effect associated with the corticosteroid concentration in the blood of the exposed animals. R D V

**A76-34700 #** Determination by impedance of the volume of gas bubbles in the blood resulting from a decrease in atmospheric pressure (Opredelenie po impedansu ob'ema gazovykh puzyr'kov v krovi, voznikaushchikh pri snizhenii atmosfernogo davleniia). A A Shurubura, V V Petrash, V A Voinov, and E N Danilov (Leningradskii Nauchno-Issledovatel'skii Institut Skoroi Pomoshchi, Vsesoiuznyi Institut Pul'monologii, Leningrad, USSR) *Akademiia Nauk SSSR, Doklady*, vol 227, Apr 1, 1976, p 1021-1024 14 refs. In Russian.

The total volume of gas bubbles in whole and heparinized canine and human blood and in normal saline during decompression at the rate of 100 mm Hg/10 sec was determined from changes in impedance and sample volume. The formation of gas bubbles in whole canine blood occurred from the beginning of depressurization. The introduction of heparin impeded the appearance of gas bubbles. Whole human blood yielded the same results as heparinized canine blood. Measurement of thoracic impedance during decompression in intact mice with and without the introduction of heparin gave results similar to those obtained with whole and heparinized canine blood, respectively. C K D

**A76-34716 #** Some statistical patterns in the control of vascular thermoregulatory responses (O nekotorykh statisticheskikh zakonomernostiakh upravleniia sosudistymi termoregulyatornymi

reaktsiyami) la A Bedrov and B I Gekhman (Akademiia Nauk SSSR, Vychislitel'nyi Tsentr and Laboratoriia Termoregulyatsii i Bioenergetiki, Leningrad, USSR) *Fiziologicheskii Zhurnal SSSR*, vol 62, May 1976, p 754-761 20 refs. In Russian.

The thermoregulatory vascular response of the floor of the ears in intact rabbits exposed to changes in the ambient temperature from 15 to 40 deg C was investigated. A statistical analysis of experimental results shows that the thermoregulatory response is switched on (off) when the weighted sum of the temperature of the hypothalamus, skin temperature of the back, and the rate of change of skin temperature attains (decreases to) a certain extreme value. Quantitative expressions describing this process are obtained. C K D

**A76-34788 \*** The prospects for life on Mars - A pre-Viking assessment. C Sagan (Cornell University, Ithaca, N Y) and J Lederberg (Stanford University, Stanford, Calif) *Icarus*, vol 28, June 1976, p 291-300 45 refs. Grants No NGR-33-010-101, No NGR-05-020-004, Contract No NAS1-9683.

The paper considers implications of the Mariner 9 findings for the investigation of Martian biology in the next decade, beginning with the Viking mission. Previous claims for observations of Martian biological activity are reviewed and refuted or reinterpreted. The question is raised of whether there are combinations of environmental temperature and water activity on Mars that are suitable for a conceivable Martian biology. Four possible classes of Martian organisms associated with temperature/water ecological niches in the external environment are proposed: organisms requiring high temperatures and high water activity, those inhabiting niches with low temperatures and high water activity, those inhabiting niches of high temperature and low water activity, and those which can survive under conditions of low temperature and low water activity. It is noted that organisms of the last two classes may extract water from minerals or from ice and may be of large dimensions. The possible surface distribution of Martian organisms is discussed along with future search strategies for life on Mars. F G M

**A76-34817** Some studies on the capabilities and limitations of humans to judge frequency of vibration applied to whole body. B K N Rao (Birmingham University, Birmingham, England) *Journal of Sound and Vibration*, vol 46, June 8, 1976, p 456-461.

**A76 35175** Physiological and psychological preparation of pilots for function in the presence of high altitude cabin depressurization (Psikhofiziologicheskaiia podgotovka letchikov k deistviuam pri razgernetizatsii kabin na bol'shikh vysotakh). I N Cherniakov, V G Kuznetsov, V F Zhernavkov, E A Kozlovskii, R N Makarov, and I V Maksimov *Voenna-Meditsinskii Zhurnal*, Mar 1976, p 53-57. In Russian.

It has been shown that pilots can be prepared for effective function in the case of cabin depressurization using a ground based training unit. During simulation of cabin depressurization, trainees use the high altitude gear for breathing under excess pressure designed for use at the altitude 'ceiling' of the aircraft in question. The flight tasks executed by the trainees under simulated depressurization are matched in duration and complexity with those typical of high altitude flight. Effective evaluation of the performance of individual trainees can be carried out in one session, a second session is necessary only for those pilots that did not perform satisfactorily during the initial training period. C K D

**A76-35201 \*** Visual/motion simulation of CTOL flare and touchdown comparing data obtained from two model board display systems. R V Parrish, J D Rollins (NASA, Langley Research Center, Hampton, Va), and D J Martin, Jr (Sperry Rand Corp., Hampton, Va) *American Institute of Aeronautics and Astronautics, Visual Motion Simulation Conference, Dayton, Ohio, Apr 26-28, 1976, Paper 76 1709* 13 p 8 refs.

Acquisition of a modern terrain model board display system for

'out the window' scene presentation has allowed for the repetition of an evaluation study of combined visual/motion cues for CTOL flare and touchdown control that was originally carried out on a 1965 vintage landing display system. The motion drive system used in both studies was a nonlinear coordinated adaptive washout based on the method of continuous steepest descent optimization. Comparisons of the results of the studies present flare and touchdown data, as well as dynamic response data, from the two visual landing systems. The new visual system also allowed for the repetition, under visual conditions, of a subjective comparison of a linear and a nonlinear motion washout method done previously under instrument conditions.

(Author)

**Page intentionally left blank**

**Page intentionally left blank**

## STAR ENTRIES

**N76-24245** European Space Agency Paris (France)  
**AIRCRAFT NOISE IN RESIDENTIAL AREAS MEASUREMENT AND ANALYSIS**

Hans Otto Finke R Martin et al *In its* Engine Noise (ESA-TT-244) Feb 1976 p 35-47 refs Transl into ENGLISH from Triebwerkslaerm DGLR Cologne Report DLR-Mitt-74-21 1974 p 35-42

An interdisciplinary investigation was carried out on the effects of aircraft noise on man in the vicinity of airports. The sociological, psychological and physiological effects and the conditions under which they occur were investigated. The manner in which the ambient environment on the psychical or somatic properties of individuals affect their reactions to aircraft noise were determined. The interrelationship of acoustic noise load parameters and the reactions of those affected was studied. The program was carried out in the proximity of a major airport and covered the following activities: sociological interviews, psychological and psycho-physiological experiments, medical anamnesis, and flight noise measurements. ESA

**N76-24246** European Space Agency Paris (France)  
**NOTES ON NOISE INDEX NUMBERS (TAKING INTO ACCOUNT THE RESULTS OF THE MUNICH AIRCRAFT NOISE INVESTIGATION CARRIED OUT BY THE GERMAN RESEARCH ASSOCIATION)**

Klaus Matschat E A Mueller G Zimmermann et al *In its* Engine Noise (ESA-TT-244) Feb 1976 p 48-52 refs Transl into ENGLISH from Triebwerkslaerm, DGLR Cologne Report DLR-Mitt-74-21, 1974 p 43-47

The problem of characterizing the average annoyance effect of a long period noise event (lasting hours or days) as described by the noise level time history (L(t)) by a single number is discussed. Such a number is defined as the noise index. As a rule the formulas from which the noise index is calculated based on L(t) are derived from laboratory and field investigations in which a prescribed noise situation and the reaction shown by a group of test subjects are recorded simultaneously. Proposals of extended noise indices were made accounting for the effect of noise level fluctuation. An equation for an index of this kind was derived. ESA

**N76-24876#** Rochester Univ NY Dept of Microbiology  
**THE PHYSIOLOGICAL BASES FOR MICROBIAL BAROTOLERANCE** Annual Technical Report, 31 Dec 1974 - 31 Dec 1975

Robert E Marquis 31 Dec 1975 33 p  
 (Contract N00014-75-C-0634 NR Proj 136-924)  
 (AD-A018892 TR-4) Avail NTIS CSCL 06/19

The inhibition of streptococcal growth by hydrostatic pressure was found to be the result of an increased demand for adenosine triphosphate under pressure coupled with a somewhat diminished supply. The increased demand seemed to be due to pressure stimulation of membrane adenosine triphosphatase. It was found

also that pressure markedly upsets electrolyte balances in organisms such as *Streptococcus faecalis* but not in organisms such as *Escherichia coli* or *Bacillus licheniformis*. Data is presented in this report to suggest that one atmosphere is not the optimal growth pressure for many bacteria but that growth at 100 atmospheres and a temperature slightly above the optimum is faster and more extensive than is growth at any temperature at one atmosphere. Data is presented also to show that bacterial growth under nonoptimal conditions is highly sensitive to pressure and that at the low temperatures in natural aquatic environments pressures as low as 50 atmospheres can have major inhibitory effects on growth of mesophilic or psychrotrophic bacteria. Finally it was found that high-pressure oxygen stimulates synthesis and excretion of materials that absorb light of 260 nm wavelength and that the toxicity of oxygen may be related to derangements in nucleic acid metabolism. Author (GRA)

**N76-24877#** Seton Hall Univ South Orange NJ Dept of Biology

**THE EFFECT OF HYPERBARIC OXYGEN AND HELIUM ON VIRUS REPLICATION AND HOST PATHOLOGY** Final Report, 1 Apr 1968 - 31 Jul 1974

Ernest V Orsi 31 Dec 1975 8 p  
 (Contract N00014-68-A-0340-0001)  
 (AD-A018894 TR-2) Avail NTIS CSCL 06/13

There is strong experimental evidence that virus infection after exposure to hyperbaric oxygen stress favors the virus over the host cell. Viral mRNA degradation is lessened by diminution of lysosomal RNAase leakage. In turn the interferon synthesizing capability of the host is markedly reduced by direct action of hyperbaric oxygen or compounds such as adrenochrome which mimic its action under normal pressure. GRA

**N76-24878\*#** National Aeronautics and Space Administration  
 Lyndon B Johnson Space Center Houston Tex

**MEDICAL MICROBIOLOGICAL ANALYSIS OF APOLLO-SOYUZ TEST PROJECT CREWMEMBERS**

Gerald R Taylor and S N Zaloguev Apr 1976 26 p refs  
 (NASA-TM-X-58180 JSC-11021) Avail NTIS HC \$4 00 CSCL 06E

The procedures and results of the Microbial Exchange Experiment (AR-002) of the Apollo Soyuz Test Project are described. Included in the discussion of procedural aspects are methods and materials in-flight microbial specimen collection and preliminary analysis of microbial specimens. Medically important microorganisms recovered from both Apollo and Soyuz crewmen are evaluated. Author

**N76-24879\*#** Stanford Univ Calif Integrated Circuits Lab  
**ULTRASONIC DOPPLER MEASUREMENT OF RENAL ARTERY BLOOD FLOW** Progress Report 1 Mar 1974 - 31 Aug 1975

William R Freund and James D Meindl Aug 1975 91 p refs  
 (Grant NGR-05-020-615)  
 (NASA-CR-148131 SEL-76-004) Avail NTIS HC \$5 00 CSCL 06B

An extensive evaluation of the practical and theoretical limitations encountered in the use of totally implantable CW Doppler flowmeters is provided. Theoretical analyses, computer models, in-vitro and in-vivo calibration studies describe the sources and magnitudes of potential errors in the measurement of blood flow through the renal artery as well as larger vessels in the circulatory system. The evaluation of new flowmeter/transducer systems and their use in physiological investigations is reported. Author

**N76-24880\*#** National Aeronautics and Space Administration  
 Ames Research Center Moffett Field Calif

**THE EFFECTS OF A 12-HOUR SHIFT IN THE WAKE-SLEEP CYCLE ON PSYCHOLOGICAL AND BIOCHEMICAL RESPONSES AND ON MULTIPLE TASK PERFORMANCE** Final Report

E A Higgins (FAA Oklahoma City Oklahoma) W D Chiles

(FAA Oklahoma City Oklahoma) J M Mckenzie (FAA Oklahoma City Oklahoma) P F Iampietro (AFOSR Arlington Va) C M Winget G E Funkhouser (FAA Oklahoma City Oklahoma) M J Burr (FAA Oklahoma City Oklahoma) J A Vaughan (FAA Oklahoma City, Oklahoma) and A E Jennings (FAA Oklahoma City Oklahoma) Washington FAA Oct 1975 27 p refs (NASA-TM-X-74115 AD-A021518/6 FAA-AM-75-10) Avail NTIS HC \$4 00 CSCL 06/19

Fifteen male volunteers were studied in three groups of five each. The first 4 days of the experiment they slept nights and worked days. On the fifth night they slept only 3 hours before starting a 10-day period in which the wake-sleep cycle was altered by 12 hours. According to a subjective sleep survey the total quantity and quality of sleep did not change significantly when the cycle was altered. According to the subjective fatigue index the total fatigue for the awake periods was not significantly changed. The times within days for greatest fatigue were altered and 9 days were required for a complete reversal of the daily pattern. Of the physiological parameters measured those making the most rapid response to stress rephased in the shortest period of time after the shift. From the shortest to longest mean rephasing times these were heart rate norepinephrine epinephrine potassium sodium internal body temperature and 17-ketogenic steroids. Author

**N76-24881#** Veterans Administration Washington D C Research Center for Prosthetics

**BULLETIN OF PROSTHETICS RESEARCH, SPRING 1975** 1975 408 p refs (AD-A018516 BPR-10-23 LC-66-60273) Avail NTIS CSCL 06/12

Contents Editorial-control concepts in prosthetics. Physiological response of SACH feet under laboratory testing. Electrode implantation in the human body. New head Control for Quadriplegic patients. The Lift lock--a device to increase the lifting ability of dual-control prostheses. A voluntarily controlled electrohydraulic above-knee prosthesis. Computer optimization of polycentric prosthetic knee mechanisms. Transferring load to flesh-part VIII. Stasis and stress. A five-year review of clinical experience with Johns Hopkins University externally powered upper-limb prostheses and orthoses. VA prosthetics center research report. Highlights of other VA research programs. GRA

**N76-24882#** Army Research Inst of Environmental Medicine Natick Mass

**US ARMY MEDICAL RESEARCH AND DEVELOPMENT TECHNICAL REPORT Annual Progress Report, 1 Jul 1974 - 30 Jun 1975**

1 Jul 1975 182 p refs (DA Proj 3A7-62758-A-827 DA Proj 3A1-61102-B-71R) (AD-A018435) Avail NTIS CSCL 06/5

Contents Prevention of military environmental medical casualties by improved information transfer. Biomedical impact of military clothing and equipment design including the selection of crew compartment environments. Prevention and treatment of disabilities associated with military operations in the heat. The relationship between physical exercise and the health efficiency and morale of the soldier. Development of performance measures for simulated and real military team tasks. Development and characterization of models of heat injuries and disabilities and other heat responses of the soldier. Preservation of myelinated peripheral nerve and metabolic aspects of thermoregulation. GRA

**N76-24883#** School of Aerospace Medicine Brooks AFB Tex **ANALYSIS OF HUMAN BODY COMPOSITION DATA AS RELATED TO HEIGHT AND AGE Final Report, Feb 1964 - Aug 1971**

Clarence F Theis Oct 1975 43 p refs (AF Proj 7930) (AD-A018350 SAM-TR-75-38) Avail NTIS CSCL 06/16

In this study human body composition was determined on 696 male volunteers. The study was a cross sectional study and covered a period of time from February 1964 to August 1971. Data including age barefoot height nude body weight

volume of displacement fat, lean body mass and residual lung volume were obtained on each subject. From these data both simple and multiple linear regression equations based on height and age were computed for each of the following variables: Body weight lean body mass, fat mass fat/body weight ratio, fat/lean body mass ratio, density and residual lung volume. Tolerance limits were also computed for the simple linear regression equations. Author (GRA)

**N76-24884#** Air Force Systems Command, Wright-Patterson AFB Ohio Foreign Technology Div

**CHAIR FOR STUDYING VESTIBULAR ANALYZER** V Belkin 23 Apr 1975 10 p Transl into ENGLISH from Meditsinskaya Gazeta (USSR) no 7 22 Jan 1975 p 3 (AD-A018251 FTD-ID(RS)I-1232-75) Avail NTIS CSCL 05/10

The chair's operating principle is based on stimulating the vestibular analyzer of the individual being studied by creating different angular accelerations. Biopotentials are transmitted from the individual under observation to recording instruments by a collector installed on the chair's rotational axis. When necessary the chair's back can be adjusted and fixed in any inclined position - from vertical to horizontal. A free-standing panel controls the chair's operation. The chair's functional possibilities are on a level with the best models in the world. The time of the action of acceleration is set automatically. GRA

**N76-24885#** Naval Postgraduate School, Monterey Calif **THE EFFECT OF BREATHING 100 PERCENT OXYGEN ON SHORT-TERM MEMORY OF MILITARY OFFICERS WHILE UNDER HEAT STRESS M S Thesis**

Robert Louis Krubsack Sep 1975 42 p refs (AD-A018321) Avail NTIS CSCL 06/19

Using a serial short term memory task subjects were required to respond to symbols presented one-back two-back and three-back from a randomly presented list of four different symbols while breathing either 100 percent oxygen or atmospheric air with an oxygen mask in a heat stressful environment. The purpose of the experiment was to determine if breathing 100 percent oxygen had any effect on the short term memory of a subject under heat stress. Analysis of the data collected from 10 subjects under heat stress indicated breathing pure oxygen had no effect in the 15 minute period on short term memory. GRA

**N76-24886#** Naval Postgraduate School Monterey Calif **THE EFFECT OF ALCOHOL INGESTION ON SHORT TERM MEMORY AND ATTENTION M S Thesis**

Christopher Michael Grauert Sep 1975 60 p refs (AD-A018311) Avail NTIS CSCL 06/15

Using a serial short term memory task subjects were required to respond to stimuli presented one-back two-back and three-back from a random sequence of four different symbols before alcohol ingestion after alcohol ingestion and again after alcohol with motivation. The purpose of the experiment was to determine whether alcohol had an adverse effect on Short Term Memory and once intoxicated whether the degradation of Short Term Memory could be overcome by attention. Analysis of the data collected from 10 subjects showed that alcohol adversely affected Short Term Memory in all three delay modes while motivation had no effect in overcoming this Short Term Memory degradation due to alcohol ingestion. Author (GRA)

**N76-24887#** Army Research Inst of Environmental Medicine Natick Mass

**A SQUIRREL MONKEY BEHAVIORAL MODEL FOR HUMAN ACUTE MOUNTAIN SICKNESS**

L E Banderet Apr 1975 23 p refs (DA Proj 3A1-61102-B-71R) (AD-A019177 USARIEM-M-30-75) Avail NTIS CSCL 06/19

The research determined if squirrel monkey (SM) behavioral changes at high altitude are a model for human acute mountain sickness (AMS). Two monkeys were studied at 0 3 700 4 000 and 4 300 m in chambers instrumented for continuous measurement of climbing and chamber location. Food and water consumption and body weight were measured daily. All measures

were incrementally sensitive to altitude levels and their time courses resembled that for human AMS. In another study behavioral changes at high altitude were minimal when a treatment regime beneficial for man was investigated. Thus SM behaviors at high altitude appear a promising model for the evaluation of prophylactic strategies and study of human AMS. GRA

is similar to that of classical point to plane studies. CD photography is successfully used to study temperature dependence of skin hydration in distilled water and saline solutions. Evidence indicates that variations in certain physiological parameters may be used to determine response to psychological stimuli via corona discharge photography. GRA

**N76-24888#** Army Research Inst of Environmental Medicine  
Natick Mass

**EFFECTS OF HYPOXIA ON PERIPHERAL VISUAL RESPONSE TO DIM STIMULI**

John L Kobrick Apr 1975 28 p refs

(DA Proj 3A7-62758-A-827)

(AD-A019106 USARIEM-M-31-75) Avail NTIS CSCL 06/19

Response times (RTs) of 9 Ss were obtained for detection of 48 flash stimuli distributed throughout the visual field during 3 1/4 hour exposures to each of 4 hypoxia conditions (0 13 000 15 000 17 000 feet equivalent elevation). The luminance of all stimuli were set in common at the detection threshold value for the visual periphery. RTs were impaired in direct relation to hypoxic exposure severity the peak impairments occurring within 90 minutes followed by gradual recovery. Since the present results showed less impairment than previous data for brighter stimuli using the same task it is concluded that stimulus contrast is more critical to peripheral signal detection than absolute stimulus luminance particularly under hypoxia exposure. GRA

**N76-24889#** Army Research Inst of Environmental Medicine  
Natick Mass

**RADIOGRAPHIC CHANGES IN CARDIAC DIMENSIONS DURING EXHAUSTIVE EXERCISE IN MAN**

John T Maher George A Beller John M Foster and L Howard Hartley Sep 1975 20 p refs

(DA Proj 3A1-61102-B-71R)

(AD-A019100 USARIEM-M-8-76) Avail NTIS CSCL 06/16

To further characterize the cardiocirculatory response to endurance exercise serial changes in transverse cardiac diameter (TCD) were evaluated noninvasively using a roentgenographic technique. Forty-inch ECG-synchronized anteroposterior X-rays of the chest were taken of 9 healthy young men at rest during the course of supine bicycle exercise and at exhaustion. Exposures were triggered in end-diastole during end-expiration. Under the conditions of this study the normal physiologic response of decrease in heart size with increase in heart rate was observed. GRA

**N76-24890#** Undersea Medical Society, Bethesda Md  
**PROCEEDINGS OF THE UNDERSEA MEDICAL SOCIETY WORKSHOP (7TH) ON MEDICAL ASPECTS OF SMALL SUBMERSIBLE OPERATIONS**

D A Hall and P G Linaweaver 1975 204 p refs Workshop held at Submarine Dev Group 1 San Diego Calif 19-20 Nov 1974

(Contract N00014-74-C-0319)

(AD-A018474 WS-7-1-75) Avail NTIS CSCL 06/19

Contents Background information Submersible incidents Behavioral considerations Unique vehicles and Non-U S submersible program summaries. GRA

**N76-24891#** Logical Technical Services Corp New York  
**INVESTIGATIONS INTO THE RELIABILITY OF ELECTROPHOTOGRAPHY Final Report**

David Faust Graham L Gross Harry J Kyler and John O Pehek 30 Sep 1975 85 p refs

(Contract MDA903-75-C-0208 ARPA Order 2812)

(AD-A018806 FR-1) Avail NTIS CSCL 06/16

Investigations into corona-discharge photography show that subjects placed in a high-voltage field exhibit corona that may be recorded photographically. The corona formation and structure depend on the applied field strength and gradient the type of film used and the waveform and the pulse repetition rate of the applied voltage. Specimen properties affecting corona formation include resistivity geometry and moisture content other factors may also be important. The discharge mechanism

**N76-24892#** Armed Forces Radiobiology Research Inst  
Bethesda Md

**POLAROGRAPHIC MEASUREMENT OF LOCAL CEREBRAL BLOOD FLOW IN THE CONSCIOUS AND ANESTHETIZED PRIMATE**

J M Fein J A Willis J R Hamilton and L J Parkhurst Aug 1975 33 p refs

(DNA Proj NWED-QAXMC912)

(AD-A018665 AFRRR-SR-75-24) Avail NTIS CSCL 06/16

This study was undertaken to evaluate the brain hemodynamics of the primate *Macaca mulatta* in the conscious and anesthetized state. A polarographic circuit was utilized for repetitive measurements of local and average total cerebral blood flow in the conscious state during analgesia-paralysis and in the anesthetized state. The electrochemical considerations and in vitro testing are described. Blood flow values were highest in sensory and motor cortex (92.5 ± 3.5 and 86.2 ± 2.6 ml/100 g per min) while there were no significant differences found between other regions of association cortex. Mean deep grey matter blood flow values ranged between 57.6 ± 3.8 and 69.2 ± 3.4 ml/100 g per min. The mean local blood flow for the centrum semiovale was found to be 19.5 ± 1.2 ml/100 g per min and that for pontine tegmentum was 58.1 ± 3.5 ml/100 g per min. At any one electrode locus at steady-state levels of arterial blood gases the reproducibility of blood flow ranged between 11-18 percent. Seventy-five percent nitrous oxide-25 percent oxygen in combination with a paralytic agent produced a questionably significant drop in caudate nucleus blood flow. The depressant effects of anesthetic doses of sodium pentobarbital on cerebral blood flow however were significant at most electrode sites. These data indicate that the measured blood flow rates within small brain volumes are critically affected by barbiturate anesthesia and seriously question the value of published reports in which these agents were utilized. Author (GRA)

**N76-24893#** School of Aerospace Medicine Brooks AFB Tex  
**AN AUTOMATED DMFB METHOD FOR THE DETERMINATION OF URINARY AMINO NITROGEN Final Report, Jun 1974 - Jul 1975**

Jesus B Garcia Jr and Frank Bernal Dec 1975 10 p refs

(AF Proj 7930)

(AD-A018720 SAM-TR-75-43) Avail NTIS CSCL 06/1

A method using 2,4-dinitrofluorobenzene (DNFB) is described for the automatic determination of urinary amino nitrogen. Based on existing manual methods it introduces reagents that are easily adaptable to automated techniques. A mean urinary amino nitrogen value of 77.1 mg amino N/gm creatinine was obtained for a group of healthy male subjects compared to a range of 52 to 80 mg reported by other investigators. Direct comparison of analytical results obtained by the automated method and a manual DNFB method on several urine samples yielded a mean difference of 1.34% between the methods. Author (GRA)

**N76-24894\*#** National Aeronautics and Space Administration  
Langley Research Center Langley Station Va

**PSYCHOPHYSICAL RELATIONSHIPS CHARACTERIZING HUMAN RESPONSE TO WHOLE-BODY SINUSOIDAL VERTICAL VIBRATION**

Jack D Leatherwood and Thomas K Dempsey Washington Jun 1976 35 p refs

(NASA-TN-D-8188 L-10496) Avail NTIS HC \$4.00 CSCL 05E

An experimental investigation determined that the psychophysical relationships between subjective discomfort evaluations to vibratory stimuli and subjective evaluations of the intensity of vibratory stimuli can be expressed in a linear fashion. Furthermore

significant differences were found to exist between discomfort and intensity subjective response for several but not all discrete frequencies investigated. The implication of these results is that ride quality criteria based upon subjective evaluation of vibration intensity should be applied cautiously in the development of criteria for human comfort. Author

**N76-24895#** Naval Training Equipment Center Orlando Fla  
**ADAPTIVE TRAINING OF MANUAL CONTROL PERFORMANCE MEASUREMENT INTERVALS AND TASK CHARACTERISTICS** In-house Report, Sep 1974 - Sep 1975  
G L Richard and D A Norman Nov 1975 21 p refs  
(AD-A019233 NAVTRAEQUIPC-IH-252) Avail NTIS CSCL 05/9

An experiment is reported concerning relations between the measurement of trainee performance and parameters of the simulated airframe of an adaptive aircraft roll-control training task. Five values for the performance measurement interval (PMI) were chosen so as to bracket the roll rate time constant of the simulator's lateral transfer function and an acquisition-then-transfer experimental design was used to assess trainee skill development. When the PMI was shorter than the break frequency of the lateral transfer function subjects experienced greater difficulty in developing criterion-level control than when longer PMIs were used. GRA

**N76-24896#** Air Force Systems Command Wright-Patterson AFB Ohio Foreign Technology Div  
**THE CREW AND NEW SYSTEMS**  
N Rudnyi and V Ponomarenko 12 May 1975 20 p Transl into ENGLISH from Aviatsiya i Kosmonavtika (USSR) no 9 1974 p 34-36  
(AD-A018253 FTD-ID(RS)-1256-75) Avail NTIS CSCL 05/5

The report discusses aviation accidents as related to the psychological and mental characteristics of man in a performance environment and stresses taking these factors into account when planning and designing new aviation technology. GRA

**N76-24897#** Virginia Polytechnic Inst and State Univ Blacksburg  
**AN EXPERIMENTAL EVALUATION OF THE SPOT WOBBLE METHOD OF SUPPRESSING RASTER STRUCTURE VISIBILITY** Technical Report, 1 Mar 1973 - 1 Mar 1974  
William S Beamon and Harry L Snyder Nov 1975 47 p refs  
(Contract F33615-71-C-1739)  
(AD-A018566 AMRL-TR-75-63) Avail NTIS CSCL 05/5

Television displays generate an image composed of a number of parallel raster lines. These lines when visible act as an interfering pattern and detract from operator performance in obtaining information from the video system. One way to reduce line visibility is to deflect the scanning spot vertically as it scans; this technique is commonly termed spot wobble. An experiment was conducted which evaluated changes in operator performance as indicated by the ranges at which targets were acquired and the number of correct responses to target presentation in a simulated air-to-ground search task. These performance parameters were evaluated at four spot wobble amplitudes and three viewing distances. The main findings were that spot wobble had no significant effect on the number of correct responses but that large-amplitude spot wobble significantly increased the ranges at which targets were acquired. Additionally several subjective indicators of preferred image quality were evaluated and show that there is wide variance among subjects as to what image characteristics they prefer. GRA

**N76-24898#** Naval Air Development Center Warminster Pa Crew Systems Dept  
**EVALUATION OF THE EC II PROGRAMMABLE MAINTENANCE SIMULATOR IN T-2C ORGANIZATIONAL MAINTENANCE TRAINING** Final Report  
Joann Wright and Jane Campbell 15 May 1975 41 p refs  
(AD-A012336 NADC-75083-40) Avail NTIS CSCL 05/9

An evaluation was conducted of the EC 2 training device a

computerized programmable simulator used in three system courses of the T-2C Organizational Maintenance Training Program: the hydraulics and flight controls course, the environmental (utility) system course and the power plants and related systems course. The findings indicate that the simulator proved at least as equally effective as the conventional hardware units when used to teach general maintenance procedures. Author

**N76-24899#** Air Force Human Resources Lab Brooks AFB Tex  
**USAF EVALUATION OF AN AUTOMATED ADAPTIVE FLIGHT TRAINING SYSTEM** Interim Report, Jan - Dec 1974  
James E Brown Wayne L Waag and Edward E Eddowes Oct 1975 62 p refs  
(AF Proj 1123)  
(AD-A018612 AFHRL-TR-75-55) Avail NTIS CSCL 05/9

The objectives of the study were (1) to evaluate the training effectiveness of the Automated Flight Training (AFTS) in the F-4 training program, (2) to identify desired hardware and software modifications for operational AFTS devices, and (3) to identify effective methods of operational training use. The study was performed at Luke AFB, Arizona, at the request of the Tactical Air Command (TAC). A class of 24 students assigned to F-4 combat crew training was randomly divided into two equal sized groups. One group received GCA training using the AFTS. The other group received normal GCA training from F-4 instructors. Performance data, questionnaire data, and maintenance data were collected and analyzed. Implications of the data for future use and procurement of additional systems are discussed. GRA

**N76-24900\*** National Aeronautics and Space Administration Lyndon B Johnson Space Center Houston Tex  
**SELF-CONTAINED BREATHING APPARATUS Patent**  
John L Sullivan (Scott Aviation Corp), Eugene A Giorgini (Scott Aviation Corp) and Milo R Simmonds (inventors to NASA) (Scott Aviation Corp) Issued 18 May 1976 17 p Filed 11 Nov 1974 Supersedes N75-13534 (13-04 p 0457) Sponsored by NASA  
(NASA-Case-MS-C-14733-1 NASA-Case-MS-C-14735-1 US-Patent-3 957 044 US-Patent-Appl-SN-522971, US-Patent-Class-128-142 2 US-Patent-Class-128-203 US-Patent-Class-137-DIG 9 US-Patent-Class-137-110) Avail US Patent Office CSCL 06K

A self-contained breathing apparatus with automatic redundant fluid pressure controls and a facemask mounted low pressure whistle alarm is described. The first stage of the system includes a pair of pressure regulators connected in parallel with different outlet pressures, both of which reduce the pressure of the stored supply gas to pressures compatible with the second stage breathing demand regulator. A primary regulator in the first stage delivers a low output pressure to the demand regulator. In the event of a failure closed condition of the primary regulator, an automatic transfer valve switches on the backup regulator. A warning that the supply pressure has been depleted is also provided by a supply pressure actuated transfer valve which transfers the output of the first stage pressure regulators from the primary to the backup regulator. The alarm is activated in either the failure closed condition or if the supply pressure is reduced to a dangerously low level.

Official Gazette of the U S Patent Office

**N76-24901\*#** Rockwell International Corp Downey Calif Space Div  
**STUDY TO DETERMINE EXTRAVEHICULAR MOBILITY UNIT (EMU) ADVANCED TECHNOLOGY REQUIREMENTS VOLUME 1 EXECUTIVE SUMMARY** Final Report  
7 May 1976 20 p refs 2 Vol  
(Contract NAS2-8957)  
(NASA-CR-137840 SD-76-SA-0026-Vol-1) Avail NTIS HC \$3 50 CSCL 06K

Requirements are derived for extravehicular mobility units that are responsive to the needs of typical shuttle payloads. Requirements which might require technology advances are stressed. Author



**N76-24902\*#** Rockwell International Corp Downey Calif  
Space Div  
**STUDY TO DETERMINE EXTRAVEHICULAR MOBILITY  
UNIT (EMU) ADVANCED TECHNOLOGY REQUIREMENTS  
VOLUME 2 TECHNICAL ANALYSIS Final Report**  
7 May 1976 114 p refs 2 Vol  
(Contract NAS2-8957)  
(NASA-CR-137841 SD-76-SA-0026-Vol-2) Avail NTIS  
HC \$5 50 CSCL 06K  
For abstract see N76-24901

**N76-24903\*#** Old Dominion Univ Research Foundation Norfolk  
Va  
**DEVELOPMENT OF RIDE COMFORT CRITERIA FOR MASS  
TRANSIT SYSTEMS Final Report**  
Raymond H Kirby Peter J Mikulka and Glynn D Coates May  
1976 32 p refs  
(Grant Nsg-1042)  
(NASA-CR-147962 PR-76-7) Avail NTIS HC \$4 00 CSCL  
05H

Two studies were conducted on the effects of simultaneous  
sinusoidal vibration in the vertical and lateral axes on ratings of  
discomfort in human subjects in a simulated passenger aircraft.  
In the first experiment each of 24 subjects experienced each of  
ten levels of vertical frequency in combination with each of ten  
levels of lateral frequency vibration and rated the discomfort  
produced on a nine-point unipolar scale. In the second experiment  
72 subjects experienced one of four levels of vertical frequency  
at each of four levels of vertical amplitude combined with 16  
(or 4 x 4) lateral frequency and amplitude conditions. The  
results of these two studies strongly suggest that there are effects  
on discomfort that occur when subjects are vibrated in several  
axes at once that cannot be assessed with research using vibration  
in only one axis. Author

**N76-24904\*#** McDonnell-Douglas Technical Services Co Inc  
Houston Tex Astronautics Div  
**PPP EFFECTIVENESS STUDY**  
James D Arbet and R L Benbow 7 May 1976 42 p refs  
(Contract NAS9-14780)  
(NASA-CR-147720 Design-Note-17) Avail NTIS HC \$4 00  
CSCL 05H

This design note presents a study of the Procedures and  
Performance Program (PPP) effectiveness. The intent of the study  
is to determine manpower time savings and the improvements in  
job performance gained through PPP automated techniques. The  
discussion presents a synopsis of PPP capabilities and  
identifies potential users and associated applications. PPP  
effectiveness and PPP applications to other simulation/training  
facilities. Appendix A provides a detailed description of each  
PPP capability. Author

**N76-24905#** Army Aeromedical Research Lab Fort Rucker  
Ala  
**THE USE OF OPAQUE LOUVRES AND SHIELDS TO  
REDUCE REFLECTIONS WITHIN THE COCKPIT, COMPUT-  
ER PROGRAMS FOR TWO APPROACHES TO THE PRO-  
BLEM Final Report**  
Wun C Chiou Frank F Holly Chun K Park and Alford A  
Higdon Jr Nov 1975 22 p refs  
(AD-A018468 USAARL-76-6) Avail NTIS CSCL 05/5

Opaque shields can be used to channel light and thereby  
reduce reflections within the cockpit. These shielding devices  
range from the standard glare shield on top of the instrument  
panel to the more experimental use of Light Control Film and  
Micromesh for this purpose. Previous work in this series has  
demonstrated two mathematical approaches to a specific  
reflection problem in the AH-1 aircraft namely the reflections  
coming from the portion of canopy directly above the gunner's  
head. It was felt that it would be useful to demonstrate the  
compatibility of these two approaches and to publish the computer  
programs (FORTRAN) for each approach for possible use by  
others. GRA

**N76-24906#** Air Force Inst of Tech Wright-Patterson AFB  
Ohio School of Engineering

**DESIGN OF AN OPTICAL LINK FOR A SIDE-MOUNTED  
HELMET DISPLAY USING OFF-THE-SHELF LENSES  
M S Thesis**

James T Larkins Mar 1975 111 p  
(AD-A018332 GEO/PH/75-6) Avail NTIS CSCL 05/8  
The Helmet-Mounted Display (HMD) is a primary component  
of a Visually-Coupled System (VCS). Commercially available optical  
links for the HMDs are available but expensive. Ray-tracing  
techniques were employed to investigate the possibility of using  
off-the-shelf lenses in an optical link. Four inexpensive  
simple-magnifier systems were designed and evaluated with a  
new device the HMD optical test instrument. The theory of  
geometric optics limits such an optical to the simple-magnifier  
systems. GRA

**N76-24907#** Systems Technology Inc Hawthorne Calif  
**EFFECTS OF WIDEBAND AUDITORY NOISE ON MANUAL  
CONTROL PERFORMANCE AND DYNAMIC RESPONSE  
Final Report, Jul 1971 - Mar 1975**  
R Wade Allen and Henry R Jex Oct 1975 31 p refs  
(Contract F33615-73-C-4003 AF Proj 7231)  
(AD-A018667 STI-TR-1027-2 AMRL-TR-75-65) Avail NTIS  
CSCL 05/8

Noise is a common stress in the aerospace environment  
and the purpose of this study was to investigate its effect on  
manual control performance and associated behavior. Nine  
subjects were subjected to white noise at four intensity levels  
of 55 db 75 db 95 db and 115 db while performing a  
simulated pitch/roll tracking task with a high attentional demand.  
Performance actually improved under noise, presumably due to  
an arousal effect. The human operator's dynamic response  
properties were not affected by noise however and the  
performance effects arose from a reduction in remnant (subject  
tracking noise) and possibly cross coupling internal to the operator.  
A measure of subjective reaction to the noise environment showed  
high sensitivity to the various noise levels and some habituation  
over three experimental sessions. Also tracking performance  
showed steady improvement over the three sessions probably  
due to learning. Author (GRA)

**N76-25758\*#** Texas A&M Univ College Station Biology  
Dept  
**SUPPORT OF IN-FLIGHT EXPERIMENTS Final Report**  
Karl P Kuchnow 31 May 1976 175 p refs  
(Contract NAS9-13647)  
(NASA-CR-147748) Avail NTIS HC \$6 75 CSCL 06F

An outline of the various techniques used and the results  
obtained of attempts to achieve satisfactory preservation of ova  
and sperm of *Fundulus heteroclitus* are discussed in terms of  
the greatest amount of time that fertility could be retained and  
also the retention of maximum fertility. Also included are the  
results of tests on delayed embryogenesis should the preservation  
of individual gametes not prove feasible as well as preliminary  
treatment of data on the orientation of ASTP juveniles. Author

**N76-25759\*#** Old Dominion Univ Norfolk Va  
**A STUDY OF THE EFFECT OF LIGHT ON THE EMISSION  
OF TERPENES FROM CERTAIN WOODY PLANTS**  
Lee M Coppedge [1975] 16 p refs  
(Grant NGL-47-003-067)  
(NASA-CR-148142) Avail NTIS HC \$3 50 CSCL 02F

Terpenes emitted from the intact uncrushed foliage of some  
common southeastern Virginia plants are identified along with  
terpene emission rates observed during illumination. J M S

**N76-25760#** Minnesota Univ Minneapolis Chronobiology  
Labs  
**CIRCADIAN RHYTHMS IN PLANTS, INSECTS AND  
MAMMALS EXPOSED TO ELF MAGNETIC AND/OR  
ELECTRIC FIELDS AND CURRENTS Final Report**  
Franz Halberg Laurence Cutkomp Ealter Nelson and Robert  
Sothorn 28 Aug 1975 68 p refs  
(Contract N00014-67-A-0113 0026)  
(AD-A019958) Avail NTIS CSCL 06/16

Proceeding on the basis of knowledge that circadian rhythms

are a predictable source of biological variability with characteristics that can change in response to potentially harmful agents studies were performed on plants insects and mammals in the presence and absence of ELF fields and currents Specifically, circadian rhythms were examined in leaf movements of Albizzia julibrissin (silk tree) in susceptibility of Tribolium confusum (flour beetle) to an insecticide in body temperature and drug resistance of Mus musculus (mouse) In the latter animal body weight food consumption the estrus cycle and survival were also investigated Field conditions ranged from 45 to 75 Hz 0.4 to 2 gauss and 1 to 180 v/m Duration of field exposure varied from a few days to several months Such exposure was consistent with the demonstration of statistically significant circadian rhythms

GRA

**N76-25761\*#** Methodist Hospital Houston Tex  
**REPORT OF 14-DAY BEDREST SIMULATION OF SKYLAB**  
 Philip C Johnson comp and Cheryl Mitchell comp 7 Jun 1976 331 p refs  
 (Contract NAS9-14578)

(NASA-CR-147758) Avail NTIS HC \$10.00 CSCL 06S

Part one of a two-phase bedrest project in which the physiological effects of weightlessness were simulated is presented The project was designed to approximate the medical testing and dietary control of Skylab The test period included a three week pre-flight period a two week bedrest period and a two week post-flight period The test subjects ate measured amounts of the Skylab diet and drank deionized water to recreate the metabolic balance studies of Skylab The medical testing program pre- and postbedrest was similar to that of Skylab including lower body negative pressure testing the orthostatic intolerance noted after both spaceflights and bedrest bicycle ergometry testing the cardiovascular response to graded exercise postural equilibrium vestibular studies and electromyograms Fluid and electrolyte shifts and balance were documented with intake and output records and radionuclide studies The subjects were observed by a psychiatrist who watched for signs of mental stress in the test environment and changes in mental status

A S K

**N76-25762\*#** National Aeronautics and Space Administration  
 Lyndon B Johnson Space Center Houston Tex  
**ELECTROMYOGRAPHIC ANALYSIS OF SKELETAL MUSCLE CHANGES ARISING FROM 9 DAYS OF WEIGHTLESSNESS IN THE APOLLO-SOYUZ SPACE MISSION**

E V LaFevers Nicogossian and W N Hursta Apr 1976 36 p refs Prepared in part by Technology Inc Houston Tex (NASA-TM-X-58177 JSC-10876) Avail NTIS HC \$4.00 CSCL 06S

Both integration and frequency analyses of the electromyograms from voluntary contractions were performed in one crewman of the Apollo-Soyuz Test Project mission Of particular interest were changes in excitability electrical efficiency and fatigability As a result of 9 days of weightlessness muscle excitability was shown to increase muscle electrical efficiency was found to decrease in calf muscles and to increase in arm muscles and fatigability was found to increase significantly as shown by spectral power shifts into lower frequencies It was concluded from this study that skeletal muscles are affected by the disuse of weightlessness early in the period of weightlessness antigravity muscles seem most affected by weightlessness and exercise may abrogate the weightlessness effect It was further concluded that electromyography is a sensitive tool for measuring spaceflight muscle effects

Author

**N76-25763#** Oak Ridge National Lab Tenn  
**RADIATION GENETIC EFFECTS OF ELECTRON VACUUM TUBES OF A RADAR STATION**

O A Stykan [1975] 4 p refs Transl into ENGLISH from Voenno-Med Zh (Moscow) vol 7 no 36-38 Jul 1967 4 p Sponsored by ERDA  
 (ORNL-TR-4053) Avail NTIS HC \$4.50

Results of studies are reported that indicate that in the working areas of a radar station there are sources of soft X radiation whose intensity exceeds the maximum permissible values of dose for the station but observance of the safety rules will

ensure protection of personnel from the action of radiation Non compliance with safety rules in regulating and installation of equipment may result in soft X irradiation of personnel For further insurance of prevention of undesirable effects of radiation on personnel working at a radar station for extended times direct studies of the chromosomes of the somatic cells should be made by cultivation of leucocytes of the peripheral blood which permit judging the mutagenic action of different factors on human chromosomes

Author (ERA)

**N76-25764#** United Nuclear Industries Inc Richland Wash  
**AUDITABLE PROGRAM OF COMPLIANCE WITH ALAP**  
 Leo H Munson and Linda A Freytag 12 Nov 1975 12 p refs Presented at the 9th Topical Symp on Operational Health Physics Denver Colo 9 Feb 1976  
 (Contract AT(45-1)-1857)

(UNI-SA-15 Conf-760202-15) Avail NTIS

Increasing public and government pressure is being felt by all sectors of the nuclear industry to demonstrate compliance to maintaining occupational radiation exposures as low as practicable (ALAP) Systematic approach to occupational radiation exposure reduction is described which will not only reduce radiation exposure usage but will provide an auditable record of compliance with ALAP The essential features of the program include guidelines for identification and appreciation of tasks which involve significant amounts of radiation exposure the contribution of the Health Physicist in reducing radiation exposure and a matrix for evaluation of feasibility practicality and economics of each application

Author (NSA)

**N76-25765#** Los Alamos Scientific Lab N Mex  
**AVERAGE NEUTRON ENERGY MEASUREMENT AT AN ACCELERATOR FACILITY, A PRACTICAL HEALTH PHYSICS PROBLEM**

A J Miller 1975 6 p refs Presented at 9th Topical Symp on Operational Health Phys Denver 9 Feb 1976  
 (Contract W-7405-eng-36)

(LA-UR-75-2235 Conf-760202-12) Avail NTIS HC \$4.50

Surveys designed to estimate the average energy of neutrons escaping from shielded enclosures were made Information obtained from these data proved to be of value in establishing response factors for the personnel monitoring dosimeters (NTA film) The value of measuring average neutron energies was demonstrated when the monthly film badge report indicated significant neutron exposures to personnel Neutron radiation survey data as well as recorded data from area monitoring stations indicated much lower personnel neutron doses Subsequent average neutron energy measurements at the location of interest revealed a well defined region where average neutron energies were considerably greater than previously measured in other occupied areas of the accelerator facility A discussion is given the rationale for the decision to alter for these experimenters the NTA film response factors from that normally applied to the LAMPF film badges

Author (ERA)

**N76-25766#** Army Research Inst of Environmental Medicine  
 Natick Mass  
**INCREASED 2,3-DIPHOSPHOGLYCERATE DURING NORMOCAPNIC HYPOBARIC HYPOXIA**

Allen Cymerman John T Maher Julio C Cruz John T Reeves and Joseph C Denniston 5 Dec 1975 30 p refs  
 (DA Proj 3A7-62758-A-827)

(AD-A019513 USARIEM-M-34-75) Avail NTIS CSCL 06/19

Maintenance of normal plasma pH at high altitude (HA) by acetazolamide has been shown to prevent the HA-induced change in 2,3-diphosphoglycerate (DPG) and P50 To establish whether this phenomenon occurs if hypocapnia is prevented five subjects (Group I) and four subjects (Group II) were exposed to 440 torr with 3.7% CO<sub>2</sub> supplemented and 455 torr with no CO<sub>2</sub> supplemented for five days respectively Similar alveolar oxygen tensions were maintained in both groups Group I P50s were significantly increased on days 2-5 while no changes were observed in Group II until day five Both groups had significant elevations in DPG above sea-level values after two days Mean corpuscular hemoglobin concentrations (MCHC) remained within normal limits during the first two days then decreased significantly

below sea-level values in Group I (days 3-5) and Group II (days 4-5). Thus prevention of respiratory alkalosis by CO<sub>2</sub> supplementation is accompanied by increases in P50 and DPG these changes occur independently of changes in MCHC GRA

**N76-25767#** Air Force Inst of Tech Wright-Patterson AFB Ohio School of Engineering  
**THE PDP-15 ELECTROCARDIOGRAM ANALYSIS SYSTEM. A FURTHER ATTEMPT AT CONTINUOUS REAL-TIME OPERATIONS M S Thesis**  
 Robert L Woerlee Dec 1975 129 p  
 (AD-A019809 GE/BE-75-44) Avail NTIS CSCL 06/12

The thesis describes a continued development of a real-time EKG analysis system using the PDP-15 computer. The system was developed as a joint-effort between the Air Force Institute of Technology and the Cox Heart Institute. The program employs previously proven pattern recognition techniques on patient EKG data from the CCU at Kettering Memorial Hospital. The thesis delineates the program modifications and additions employed to achieve real-time operation GRA

**N76-25768#** Air Force Inst of Tech Wright-Patterson AFB Ohio School of Engineering  
**EFFECTS OF ALTERATION OF SPATIAL FREQUENCY CONTENT OF COMPLEX SCENES ON HUMAN VISUAL SCAN PATTERNS M S Thesis**  
 Carey M Capell Dec 1975 74 p refs  
 (AD-A019854 GE/BE/75-18) Avail NTIS CSCL 06/4

Eye-scan data are recorded by a (Honeywell) remote one cubic-foot oculometer from 12 human subjects given a free-viewing task when shown projected photographic slides. 180 computer plots are prepared from the recorded scanpath data. Stimulus slides include 20 complex outdoor scenes in ten categories according to subject content: low-pass and high-pass versions of these scenes prepared by a coherent optical (He-Ne laser) spatial filtering apparatus are included in the stimulus set. Photographic prints of the stimuli are digitized and computer programs written to analyze the relative spatial frequency content of small subsections of each print. Recommended analysis of eye-scan and spatial frequency data may provide an insight into the mechanisms used by the human visual system in scanning visual scenes GRA

**N76-25769#** Army Research Inst of Environmental Medicine Natick Mass  
**TEMPERATURE REGULATION TRAINING IN A COOLING ENVIRONMENT**

R Newman Aug 1975 26 p refs  
 (AD-A019591 USARIEM-M-35-75) Avail NTIS CSCL 05/10  
 Twelve young men were given biofeedback training to enable them to increase finger temperature at will. They were dressed in warm clothing including gloves and placed six at a time in an environmental chamber at 7C for three hours daily for eight work days. Each was to attempt six rewarmings per session. Finger temperature was presented to the subject on a multipoint recorder. Data from 554 attempts were analyzed. A training effect was not noted but successful rewarmings were present from the start. The 12 subjects varied considerably in ability to rewarm from 89% to 28% successes. They were divided into the most and least consistent groups and compared for temperature through the exposure time. The most consistent six ended the exposure about 6C warmer than the least consistent who nevertheless remained over 10C above air temperature. These performances were compared with another group wearing identical or even much more insulative handwear under roughly comparable conditions but without voluntary rewarming. The advantage of periodic feedback rewarming to maintain finger temperature in such conditions was obvious GRA

**N76-25770#** Artech Corp Falls Church Va  
**THE DESIGN AND FABRICATION OF A PROTOTYPE INFLATABLE HEATED CASUALTY EVACUATION UNIT Final Report, 1 Jul 1974 - 31 Jul 1975**  
 Robert W Ellis R William Smith and Frank E Swindells Sep 1975 58 p ref

(Contract DAMD17-74-C-4129)  
 (AD-A019697 J7406-FR) Avail NTIS CSCL 06/12

ARTECH CORP has designed and fabricated a prototype of a portable, inflatable electrically heated and thermostatically controlled casualty evacuation unit. The ARTECH prototype utilizes good insulation properties coupled with thermal energy storage materials to maintain a casualty for 2 hours at a comfortable temperature (50F or better) if a loss of power occurs. The unit can be heated with three separate power sources including 24 Vdc, 28 Vdc and 115 Vac. When the unit is deflated it can be folded to less than 2 cubic feet for storage and weighs approximately 35 lbs GRA

**N76-25771#** Edgewood Arsenal Aberdeen Proving Ground Md  
**EFFECTS OF ESERINE UPON LIGHT SENSITIVITY AND DARK ADAPTATION Special Publication Jan 1972 - Dec 1973**

M S Trussov Nov 1975 15 p refs Transl into ENGLISH from Ophthalmol Zh (USSR) v 17 no 6 1962 p 366-371  
 (DA Proj 1W7-62718-AD-21)  
 (AD-A019268 EB-SP-76005) Avail NTIS CSCL 06/15

The author, a medical science degree candidate from the eye clinic Khabarovsk Medical Institute studied the effects of systemic administration of eserine upon light sensitivity and dark adaptation on 94 subjects. After injection (probably intramuscular) of eserine the light sensitivity increased noticeably and the dark adaptation process accelerated. He explained these results in terms of the accumulation of acetylcholine in all neural synapses in the visual system viz retina, lateral geniculate body and visual cortex. He emphasized that the process of visual adaptation cannot be reduced only to synthesis of rhodopsin. The maximum increase of light sensitivity measured with a Kravkov-Vishnevsky apparatus occurred 15 to 20 hours after injection of eserine and lasted for 6 to 12 hours. Light sensitivity accelerated the dark adaptation time as measured with the AM Belostotsky-Gofman adaptometer. To achieve these effects a relatively small dose range (0.5 to 0.8 ml of a 0.1% water solution of eserine) must be used. A dosage of 0.3 ml of 0.1% solution was not sufficient to achieve the desired effect and 1.0 ml of 0.1% solution caused undesired effects: vertigo, increased heart (beat) and nausea GRA

**N76-25772#** Naval Postgraduate School Monterey Calif  
**AN ANALYSIS OF MOTOR FUNCTION AND CONTROL IN THE HUMAN NERVOUS SYSTEM M S Thesis**

Robert Edward Dzialo Dec 1975 50 p refs  
 (AD-A020098) Avail NTIS CSCL 06/16

A theory is presented on voluntary learned and unlearned motor movement. The basic elements on motor control are presented analyzed and discussed. These include fundamental reflexes, gamma muscle spindle servo mechanism, reticular system, cerebellum and higher brain centers. The interrelations between the above elements and systems are examined in detail as a basis of the theory presented. The theory follows the transition from unlearned to learned movement and demonstrates how detailed control may be modified by the cerebellum and associated areas GRA

**N76-25773#** School of Aerospace Medicine Brooks AFB Tex  
**INTERRUPTION OF DENITROGENATION BY AIR-BREATHING Final Report, Oct 1974 - Jul 1975**

Julian P Cooke Dec 1975 11 p  
 (AF Proj 7164)

(AD-A020049 SAM-TR-75-45) Avail NTIS CSCL 06/5

This study was designed to determine whether or not a proposed denitrogenation time interrupted with a short air-breathing time and when matched with an additional denitrogenation time equal to the interruption would protect from bends (decompression sickness) during the Shuttle program. The gas mixtures represent those obtainable with the personal breathing system. Using 17 human volunteers the study showed that a 3 hr denitrogenation time with a 95% O<sub>2</sub> 5% N<sub>2</sub> breathing mixture at 14.5 psia (745 torr) would protect most humans from bends during a 2-hr exposure at a suit pressure of 3.8 psia (197 torr) while breathing 92% O<sub>2</sub> 8% N<sub>2</sub>. A 5-or 10-min

interruptive period with air-breathing after 1 2 or 3 hr of denitrogenation at 14.5 psia however even when followed by an additional denitrogenation period equal to the interruptive period will result in an occasional case of bends in some subjects during the 2-hr exposure at 3.8 psia The first symptoms of bends can be expected after about 40 min Testing is suggested with a 95% O<sub>2</sub> - 5% N<sub>2</sub> gas mixture for both exposures along with longer make-up times of denitrogenation Author (GRA)

**N76-25774#** Army Research Inst of Environmental Medicine  
Natick Mass

**EFFECTS OF PRIOR HYPOXIA EXPOSURE ON VISUAL TARGET DETECTION DURING LATER MORE SEVERE HYPOXIA, AND NOTE ON THE RELATIONSHIP BETWEEN INTROVERSION-EXTRAVERSION, DEPENDENCE, AND ACCURACY OF VISUAL TARGET DETECTION**

John L Kobrnick and Bernard J Fine Sep 1975 37 p refs  
(DA Proj 3A0-62110-A-827)

(AD A019250 USARIEM-M-9-76) Avail NTIS CSCL 06/19

Three groups of 15 subjects each were exposed to 3 different combinations of intermediate (staging) altitudes and exposure times and were then tested for visual target detection capability at a final altitude of 4300 meters All groups with staging exposure performed better at altitude and had fewer symptoms of acute mountain sickness than a fourth group which went directly 4300 meters altitude from sea level The data showed that task factors both viewing distance and degree of peripheral target placement significantly influenced detection time within all groups regardless of altitude exposure variations Field dependence-independence (Hidden Shapes Test) and extraversion-introversion (Maudsley Personality Inventory) were found to be separately and jointly related to accuracy of target detection The major effects were attributable to the notably poorer performance of Ss characterized as field-dependent extraverts

GRA

**N76-25775#** Army Research Inst of Environmental Medicine  
Natick Mass

**ROLE OF PHYSICAL CONDITION IN HEAT ACCLIMATIZATION, DECAY, AND REINDUCTION**

K B Pandolf R L Burse and R F Goldman Aug 1975 25 p refs

(DA Proj 3A7 62758-A-827)

(AD-A019588 USARIEM-M-4-76) Avail NTIS CSCL 06/19

The study provides information about (1) the decay of heat acclimatization over periods of 3 6 12 and 18 days assessed by an evaluation of the residual retention (2) the time necessary for reacclimatization and (3) the relative importance of physical condition in these processes

GRA

**N76-25776#** Army Research Inst of Environmental Medicine  
Natick Mass

**SUSTAINED VENOCONSTRICTION IN MAN SUPPLEMENTED WITH CO<sub>2</sub> AT HIGH ALTITUDE**

Julio C Cruz Robert F Grover John T Reeves John T Maher and Allen Cymerman May 1975 27 p refs

(DA Proj 3A7-62758-A-827)

(AD A019119 USARIEM-M-33-75) Avail NTIS CSCL 06/19

Five male subjects were exposed to simulated high altitude (4000-4400 m) with supplemental CO<sub>2</sub> in a hypobaric chamber for four days Similar alveolar O<sub>2</sub> tensions were obtained in four control subjects exposed to an altitude of 3500-4100 m without CO<sub>2</sub> Thus both groups had comparable hypoxic levels but one was nearly normocapnic and the other became spontaneously hypocapnic A water-filled plethysmograph was used to determine forearm flow and venous compliance Systemic blood pressure was measured with the cuff procedure Catecholamines were measured in 24-hour urine collections Venous compliance fell in both groups and was less (p < 0.01) than control values after 2 48 and 72 h at high altitude No significant difference was observed between the groups Forearm flow and resistance were unaltered at altitude in the group with CO<sub>2</sub> supplementation while forearm flow decreased and resistance increased in the hypocapnic group at 72 h of exposure

Urinary catecholamines increased in the group with CO<sub>2</sub> and remained unaltered in the hypocapnic group It is concluded that hypoxia is responsible for decreasing venous compliance and hypocapnia for increasing resistance and decreasing flow Group differences observed in urinary catecholamines may be explained by differences in arterial pH

GRA

**N76-25777#** Army Research Inst of Environmental Medicine  
Natick Mass

**PERCEIVED EXERTION OF ABSOLUTE WORK DURING A MILITARY PHYSICAL TRAINING PROGRAM**

John F Patton William P Morgan and James A Vogel 22 Aug 1975 19 p refs

(DA Proj 3A7-62758-A-827)

(AD-A019118 USARIEM-M-6-76) Avail NTIS CSCL 06/19

The purpose of this study was to compare the rating of perceived exertion (RPE) and heart rate (HR) in two groups of 40 military personnel who differed in their level of fitness as determined by VO<sub>2</sub> max At an initial testing period (T1) Group I represented a sample of personnel not participating in a training program while Group II had engaged in an endurance program (2-4 mile run/day) for 5 months Six months later (T2) Groups I and II were retested after having participated in the program for 6-11 months respectively RPE and HR were measured at the end of each min of a 6-min run at an absolute workload of 6 mph 0% grade on the treadmill At T1 Group II had a significantly lower HR at each min of work but no difference existed in RPE between groups at any time during the run At T2 both groups showed a significant decrease in HR and RPE during each min when compared longitudinally The data suggest that the perception of the intensity of absolute work does not differ in groups differing in their level of fitness when studied cross-sectionally However significant reductions in perceived exertion occur following physical training

Author (GRA)

**N76-25778#** Edgewood Arsenal Aberdeen Proving Ground Md  
**A COMPUTER PROGRAM TO PREDICT ENERGY COST, RECTAL TEMPERATURE, AND HEART RATE RESPONSE TO WORK, CLOTHING, AND ENVIRONMENT** Special Publication, Feb - May 1975

Howard M Berlin Leander Stroschein and Ralph F Goldman Nov 1975 31 p refs

(DA Proj 1W7-62710-A-095)

(AD-A020112 ED-SP-75011) Avail NTIS CSCL 06/19

As a result of many years of thermal stress studies a computer program was developed at USARIEM Natick Massachusetts to predict rectal temperature and heart rate response to work environment and clothing The report defines the mathematical basis of the program and presents a brief guide for its use with the HP9810A programmable calculator

GRA

**N76-25779#** Army Research Inst of Environmental Medicine  
Natick Mass

**THERMAL COMFORT FACTORS, CONCEPTS AND DEFINITIONS**

R F Goldman Aug 1975 6 p

(DA Proj 3A7-62758-A-827)

(AD-A019589, USARIEM-M-5-76) Avail NTIS CSCL 05/5

While air temperature ambient vapor pressure air motion and solar load if any are critical factors of climate clothing is an essential consideration in the microclimate of an individual However it has been ignored by most biometeorologists and physiologists while clothing researchers have concentrated on fit weave style wear-life and costs The clo unit of insulation is useful for estimating the combined radiant and convective heat exchange for a resting clothed man It represents a combination of theory and empiricism If one can define the thermal clo insulation of clothing and how it is modified by wind and by wearer motion and knows the ambient air temperatures in which the clothing will be worn one can with reasonable accuracy estimate the actual heat loss that will occur by long wave radiation and convection short wave (solar) radiation although more complex can also be estimated

GRA

**N76-25780#** Bernard Baruch Coll New York Dept of Psychology

**EVOKED CORTICAL POTENTIALS AND INFORMATION PROCESSING** Annual Report, 1 Jan - 31 Dec 1975

John L Andreassi J J DeSimone B W Mellers J A Gallichio and M A Friend 31 Dec 1975 86 p refs  
(Contract N00014-72-A-0406-0006 NR Proj 201-053)  
(AD-A019199 AR 3) Avail NTIS CSCL 05/10

This is the third annual report to originate from the Psychophysiology Laboratory of the Psychology Department of Baruch College. The research completed over the past year has included a number of studies concerned with evoked cortical potential correlates of stimulus processing in humans. GRA

**N76-25781#** Manned Systems Sciences Inc Northridge Calif  
**ERGONOMIC MODELS OF HUMAN PERFORMANCE SOURCE MATERIALS FOR THE ANALYST**

William T Roe and Dorothy L Finley Aug 1975 107 p refs  
(Contract N00014-74-C-0324 NR Proj 364 090 NR Proj 274-244)

(AD-A020086) Avail NTIS CSCL 05/5

The materials in this report are organized so as to do three things: (1) Introduce the ergonomics view to the analyst who is without background in the behavioral and biological sciences; (2) make the spectrum of ergonomics models reviewable by the sophisticated analyst; and (3) make it apparent that ergonomics concentrates on certain mechanical aspects of the human operator and that even these limited aspects can be very complex. The report contains (1) discussion materials to introduce the viewpoints and approaches of the ergonomist; (2) a presentation of selected samples of ergonomics models; and (3) references to application examples and to other sources of information. GRA

**N76-25782#** Advisory Group for Aerospace Research and Development Paris (France)  
**HIGHER MENTAL FUNCTIONING IN OPERATIONAL ENVIRONMENTS**

Bryce O Hartman ed (School of Aerospace Med Brooks AFB Tex) Apr 1976 82 p refs Presented at Aerospace Med Panel Specialists Meeting Ankara 21 Oct 1975  
(AGARD-CP 181 ISBN 92 835-1216 2) Copyright Avail NTIS HC \$5 00

Psychophysiology of flight stress and human factors engineering for military aviation systems is elaborated.

**N76-25783** Federal Aviation Administration Washington D C Office of Aviation Medicine

**DEFINITION AND MEASUREMENT OF PERCEPTUAL AND MENTAL WORKLOAD IN AIRCREWS AND OPERATORS OF AIR FORCE WEAPON SYSTEMS. A STATUS REPORT**

Siegfried J Gerathewohl /in AGARD Higher Mental Functioning in Operational Environments Apr 1976 7 p refs

The determination of pilot and aircrew workload using psychological, physiological, and operational criteria has yielded valuable results. Methods used in civil aviation can be applied with appropriate modifications to military problems. However, workload measurements associated with highly complex and demanding conditions are still difficult. Data are not available from actual combat missions. The results obtained by simulation are promising and may be improved by the standardization of methods and the application of statistical approaches and mathematical models. Author

**N76-25784** School of Aerospace Medicine Brooks AFB Tex  
**THE CORRELATIONAL STRUCTURE OF TRADITIONAL TASK MEASURES AND ENGINEERING ANALOGUES OF PERFORMANCE IN THE COGNITIVE DOMAIN**

Richard C McNee Richard A Albanese William G Jackson William F Storm and Bryce O Hartman /in AGARD Higher Mental Functioning in Operational Environments Apr 1976 6 p refs

Standard performance measures from a traditional battery of tasks (the Neptune battery) were compared with simulated

antiaircraft gunnery activities under several configurations. These measures were found to correlate only to a moderate degree with the highest canonical correlation between the two sets being .72. Preliminary modeling of the subject reactions on the simulation, a compensatory tracking task, has been accomplished using control theory methods. A tentative conclusion from this work is that the transfer functions associated with random inputs are reasonable to use for this compensatory tracking task which involves both deterministic and random inputs. Author

**N76-25785** Milan Univ (Italy)

**A STUDY OF BEHAVIOUR DURING A TRIAL OF VIGILANCE IN NON PILOTING PERSONNEL**

Ferdinando Monesi and Francesco Ravaccia /in AGARD Higher Mental Functioning in Operational Environments Apr 1976 6 p refs

Subjects highly experienced in air traffic assessment and decision making tasks underwent a performance trial involving visual vigilance in a simulated operative environment. Data were collected by administering self rating scales and recording both reaction times and brain potentials. Statistical analysis of data was performed with parametric and non parametric tests. All types of approach proved to be of value in the assessment of performance, although the greater utility of computerized neurophysiological evaluation must be emphasized for an advance in methodology. Author

**N76-25786** Pacific Missile Test Center Point Mugu Calif  
**SOME PRACTICAL CONSIDERATIONS FOR PERFORMANCE TESTING IN EXOTIC ENVIRONMENTS**

Robert S Kennedy and Ronald A Bruns /in AGARD Higher Mental Functioning in Operational Environments Apr 1976 6 p refs

Correlations and normative data for six different versions of an auditory vigilance task are presented for approximately 100 males. In addition, other findings about effects on performances of practice, distractions, threat stress, and aircraft turbulence are discussed. Instructions for apparatus construction, scoring, and administration are reported. Author

**N76-25787** Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt Bad Godesberg (West Germany)

**AIR OPERATIONS AND CIRCADIAN PERFORMANCE RHYTHMS**

K E Klein H M Wegmann G Athanassenas H Hohlweck and P Kuklinski /in AGARD Higher Mental Functioning in Operational Environments Apr 1976 12 p refs

(Contract F33615-70-C-1598)

Experimental results and pertinent data from literature on circadian behavioral rhythms and their modifications through various factors are reviewed. Considered are operations of aircrews round the clock and on transmeridian routes; some possibilities of appropriate scheduling are discussed. Author

**N76-25788** School of Aerospace Medicine Brooks AFB Tex  
**THE HUMAN AS AN ADAPTIVE CONTROLLER**

Richard A Albanese Richard C McNee Edward J Engelken Peter H Henry and Bryce O Hartman /in AGARD Higher Mental Functioning in Operational Environments Apr 1976 8 p refs

During flight, aircrew members often function as subsystems in feedback control loops. In particular, visual tracking tasks have been studied for many years. For these tasks, it has been observed that the human alters his control actions when the device to be controlled or when the bandwidth of the signal to be tracked is changed. Thus, the human operator appears to be an adaptive controller. This article reviews the adaptive nature of man's control function using previously published data and introduces information theory metrics which show a regularity in these data. Also, new data obtained from twelve subjects flying simulator while under the influence of orally administered 190 proof ethyl alcohol (0.0, 0.3, 0.6, and 0.9 gms/kg body weight) are presented. These results are related to previous studies using both control and information theory metrics. Author

**N76-25789** Civil Aeromedical Inst Oklahoma City Okla  
Aeronautical Center

**ASSESSMENT OF PERCEPTUAL AND MENTAL PERFORMANCE IN CIVIL AVIATION PERSONNEL**

Siegfried J Gerathewohl (FAA Washington D C) W Dean Chiles and Richard I Thackray /n AGARD Higher Mental Functioning in Operational Environments Apr 1976 4 p refs

A series of experiments were conducted in order to study functions of relevance to aircrew pilot and ATC performance. They concerned the assessment of mental functions and complex performance on single operators and five man crews while monitoring static and dynamic processes of perceptual motor tracking ability as well as group problem solving. Operator proficiency was measured at various levels of demand induced by the simultaneous performance of different combinations of tasks requiring the exercise of psychological and mental processes. It was found that multiple task performance varied significantly as a function of information input and group interaction. Substantial correlations were obtained between perceptual motor type problem solving and mental ability tests. Moreover the results obtained from two tracking tasks suggest that a central process exerts a regulatory influence on a variety of physiological variables during increased attention demand and furthermore a correlation exists between the ability to sustain attention and personality characteristics of the operator. Author

**N76-25790** Surrey Univ Guildford (England)

**EMOTIONAL STRESS AND FLYING EFFICIENCY**

L R C Haward /n AGARD Higher Mental Functioning in Operational Environments Apr 1976 5 p refs

A comparative study of the effects of emotional and intellectual stress upon flying performance is described. Ten pilots with self confessed emotional problems but certified medically fit to fly were matched approximately for age and flying experience with ten pilots confessing to no emotional problems. Emotional stress was induced by a clinical abreactive technique and measured in terms of psychophysiological concomitants. Intellectual stress was induced by the PASAT technique which is an automated numerical task designed to produce mental overload. Flying skill was measured in the presence and absence of both types of stress separately by means of a crossover design. The results show significant differences in flying performance between the two groups and between the two types of stress. It is demonstrated that intellectual stress produces impaired flying skill which is predictable both in degree and duration whereas emotional stress produces substantially more severe but fluctuating degrees of impairment of unpredictable duration. The use of a psychometric technique using personal keywords and physiological monitoring clearly differentiates the two groups of pilots and indicates the origins of emotional stress. Its possible use for screening aircraft captains before important missions is examined. Author

**N76-25791** Defence and Civil Inst of Environmental Medicine Downsview (Ontario)

**A CONCEPTUAL MODEL FOR OPERATIONAL STRESS**

William A LePage Robert F Thatcher and Peter J Dean /n AGARD Higher Mental Functioning in Operational Environments Apr 1976 5 p refs

In the Canadian Forces as in the NATO Air Forces there are a variety of stressful operations. In discussing these complex stress situations with operational commanders it was found beneficial to utilize a conceptual model to describe the circumstances. This model is described and discussed. Author

**N76-25792** Aerospace Medical Research Labs Wright-Patterson AFB Ohio

**SECONDARY TASK ASSESSMENT OF COGNITIVE WORKLOAD IN ALTERNATIVE COCKPIT CONFIGURATIONS**

Robert D ODonnell /n AGARD Higher Mental Functioning in Operational Environments Apr 1976 4 p refs

AMRL-TR-75-49)

New developments in cockpit design introduce significantly greater cognitive demand on the crew member. In a series of pilot studies traditional secondary task reserve capacity concepts were modified to be used at sub-maximal levels of workload. A primary flight simulation was performed simultaneously with the item recognition task. This task was chosen because the intercept and slope functions of the memory load/reaction time function appear to independently assess cognitive and sensory motor workload. The secondary task shows reliable and consistent changes with variations in workload and appears promising as an objective measure of higher mental functions. Auditory and visual versions have been constructed and further validation studies are being carried out. Author

**N76-25793** School of Aerospace Medicine Brooks AFB Tex  
**THE EFFECTS OF TWO STRESSORS ON TRADITIONAL AND ENGINEERING ANALOGUES OF COGNITIVE FUNCTIONING**

William F Storm Richard C McNee Richard A Albanese and Bryce O Hartman /n AGARD Higher Mental Functioning in Operational Environments Apr 1976 12 p refs

The sensitivities to stress of traditional psychometric measures and human operator technology engineering parameters were compared in two experiments. In the first study the effects of mild (8 000 ft) and moderate (15 000 ft) hypoxia were assessed. In the second study standby alert duty was simulated. Systematic comparison was made between performance following sudden awakening and performance following enforced wakefulness. A battery of tasks emphasizing cognitive processes generated traditional performance measures. Psychomotor functions involving vigilance problem solving short term memory and compensatory tracking were exercised. In addition a two dimensional tracking task provided traditional task measures and human operator engineering parameters. The properties of the task were systematically varied and models developed for each condition. Both the traditional task measures and the HOT model parameters were analyzed for changes suggestive of alterations in cognitive functioning. The data suggest significant influences of both stressors on cognitive functioning. Conventional performance measures from the HOT task were more sensitive to the stress effects than the traditional task battery. Author

**N76-25794\*#** Agnew Tech-Tran Inc Woodland Hills Calif  
**A SCIENTIFIC DIALOG BETWEEN THE LEADING SPACE POWERS**

R Z Sagdeyev and G M Frank Washington NASA Jun 1976 12 p refs Transl into ENGLISH from Priroda (USSR) no 2 Feb 1976 p 147-151  
(Contract NASw-2789)

(NASA-TT-F-15463) Avail NTIS HC \$3 50 CSCL 05H

A three volume book Principles of Space Biology and Medicine was published in both English and Russian. The three volumes contain chapters written by American and Soviet specialists. The first volume is devoted to space as a medium of habitation. The second volume deals with the effects of space flight on practical questions of life and health support in manned space ships. The book concludes with a description of the potentials for manned space flights. Author

**N76-25795\*#** Vought Corp Dallas Tex Systems Div  
**DEVELOPMENT OF A REFRIGERATION SYSTEM FOR LUNAR SURFACE AND SPACECRAFT APPLICATIONS Final Report**

R J Copeland 9 Apr 1976 42 p refs

(Contract NAS9-9912)

(NASA-CR-147761 T122-RP-046) Avail NTIS HC \$4 00 CSCL 06K

An evaluation of refrigeration devices suitable for potential lunar surface and spacecraft applications was performed. The following conclusions were reached: (1) the vapor compression system is the best overall refrigeration system for lunar surface and spacecraft applications and the single phase radiator system is generally preferred for earth orbit applications. (2) the vapor

compression cycle may have some application for simultaneous heating and cooling (3) a Stirling cycle refrigerator was selected for the manned cabin of the space shuttle and (4) significant increases in payload heat rejection can be obtained by a kit vapor compression refrigerator added to the shuttle R-21 loop. The following recommendations were made: (1) a Stirling cycle refrigerator may be used for food freezer and biomedical sample storage; (2) the best system for a food freezer/experiments compartment for an earth orbit space station has not been determined; (3) a deployed radiator system can be designed for large heat loads in earth orbit. Y J A

**N76-25796\*#** Nebraska Univ Lincoln  
**HEALTH PROTECTION AND FOOD PRESERVATION BY GAMMA IRRADIATION** Final Report, May 1976

May 1976 33 p refs  
 (Contract NAS9-11045)

(NASA-CR-147779) Avail NTIS HC \$4 00 CSCL 06R

Results of several major studies on food systems for space missions beginning with Apollo 12 through Apollo-Soyuz and investigations of the application of irradiation to food for manned space flight are reported. The study of flight food systems involved the application of radurization (pasteurizing levels) doses of gamma irradiation to flour and bread supplied by Pepperidge Farms in advance of the missions. All flights from Apollo 12 through 17 carried irradiated fresh bread. On Apollo 17 cooperation with Natick Laboratories permitted the introduction of a ham sandwich using irradiated bread and irradiated sterile ham. Investigations centered on irradiated bread were conducted during the course of these missions. Studies were applied to the concept of improving fresh bread from the point of view of mold inhibition. The studies considered how irradiation could best be applied at what levels and on a variety of bread types. Throughout the studies of the application of gamma irradiation the emphasis was placed upon using low levels of irradiation in the pasteurizing or radurizing doses--under a Megarad. The primary goal was to determine if a public health benefit could be demonstrated using radurization along with food preservation and food quality improvements. The public health benefit would be parallel to that of pasteurization of milk as a concept. Publications are included providing the details of these observations: one dealing with the flour characteristics and the other dealing with the influence on fresh bread types. These demonstrate the major findings noted during the period of the studies examining bread. Author

**N76-25797\*#** Massachusetts Inst of Tech Cambridge Dept of Nutrition and Food Science

**MECHANISMS OF DETERIORATION OF NUTRIENTS** Annual Report, 13 Mar 1975 - 13 Mar 1976

Marcus Karel and James M Flink 13 Mar 1976 197 p refs  
 (Contract NAS9-12485)

(NASA-CR-147780) Avail NTIS HC \$7 50 CSCL 06H

Methods which produce freeze dried foods of improved quality were examined with emphasis on storage stability. Specific topics discussed include: microstructure of freeze dried systems; investigation of structural changes in freeze dried systems; artificial food matrices; osmotic preconcentration to yield improved quality freeze dried fruits; and storage stability of osmotically preconcentrated freeze dried fruits. J M S

**N76-25798#** Air Force Inst of Tech Wright-Patterson AFB Ohio School of Engineering

**A STUDY OF THE EFFECT OF PERIPHERAL VISION MOTION CUES ON ROLL AXIS TRACKING** M S Thesis

Don R Price Dec 1975 112 p refs

(AD-A019852 GE/EE/75-37) Avail NTIS CSCL 05/10

Six subjects were used as controllers for an experiment in which compensatory roll axis tracking was performed with and without the presence of peripheral vision motion cues. Two different controlled plant dynamics were simulated on an analog computer. Control was commanded via a force stick located in a stationary fighter aircraft cockpit mockup. Controlled plant roll rate in the form of vertically moving black and white grid lines was displayed on two 21 inch television screens positioned on either side of the cockpit. RMS error scores and time histories were recorded for individual runs. Frequency domain analysis

and data averaging techniques were used to study and compare subject performance. GRA

**N76-25799#** Naval Air Development Center Warminster Pa Crew Systems Dept  
**EVALUATION OF AN ADVANCED AUTOMOTIVE RESTRAINT SYSTEM USING HUMAN SUBJECTS** Final Report

Edwin Hendler Joseph ORourke Leon Domzalski Mark Katzpef and Marvin Schulman 5 Jun 1975 101 p refs

(Contract DOT-HS-063-1-0811)

(AD-A012469 NADC-75067-40) Avail NTIS CSCL 13/12

Safety administration NHTSA sponsored a research program at the Naval Air Development Center NAVAIRDEVCCEN utilizing its horizontal accelerator facility to conduct dynamic tests on advanced passive seat belt restraint systems using both anthropometric dummies and human volunteers. During this phase two subjects succeeded in tolerating exposures to simulated car crashes involving velocity changes of over 30 MPH and peak accelerations of over 21 G when using a conventionally configured restraint system of advanced design and applying techniques of body posturing and muscular tensing. When injuries caused by motions of the head and neck are avoided a three-point belt restraint system of advanced design is capable of providing considerable protection to the wearer up to car crash levels of practical significance. GRA

**N76-25800\*#** Cornell Univ Ithaca N Y Center for Radiophysics and Space Research

**EXOBIOLGY AND THE ORIGIN OF LIFE** Annual Status Report, 1 Jul 1975 - 30 Jun 1976

Carl Sagan and Bishun N Khare May 1976 12 p


(Grant NGR-33-010-101)

(NASA-CR-148177 CRSR-637) Avail NTIS HC \$3 50 CSCL 03B

Abstracts on planetary studies and the search for extraterrestrial life are presented. Studies of the Jovian atmosphere were conducted. An assessment of the prospects for life on Mars is presented. And the means of contacting extraterrestrial civilizations is discussed. A S K

# SUBJECT INDEX

## Typical Subject Index Listing



The title is used to provide a description of the subject matter. When the title is insufficiently descriptive of the document content a title extension is added separated from the title by three hyphens. The NASA or AIAA accession number is included in each entry to assist the user in locating the abstract in the abstract section of this supplement. If applicable a report number is also included as an aid in identifying the document.

### A

- ACCELERATION (PHYSICS)**  
A study of moving base simulation motion cues utilizing washout technique  
A76-32235
- ACCELERATION STRESSES (PHYSIOLOGY)**  
Bradycardia induced by negative acceleration  
A76-33377  
Ultrastructural effects of +Gz stress on swine cardiac muscle  
A76-33381  
The effects of centrifugation on the morphology of the lateral vestibular nucleus in the rat - A light and electron microscopic study  
A76-33473
- ACCELERATION TOLERANCE**  
Standardization and interpretation of spinal injury criteria and human impact acceleration tolerance  
A76-34142  
Head injury tolerance --- for face, skull and brain  
A76-34143  
Spinal injury in the crash environment  
A76-34148
- ACCIDENT PREVENTION**  
Advanced restraint systems for Army aircraft  
A76-34153
- ACCIDENT PRONENESS**  
Sonic-boom-startle effects during simulated and actual automobile-driving tests  
A76-33566
- ACTIVITY (BIOLOGY)**  
The prospects for life on Mars - A pre-Viking assessment  
A76-34786
- ADAPTATION**  
Mineral metabolic adaptation to simulated hypogravics  
A76-32421
- ADAPTIVE CONTROL**  
Adaptive training of manual control: Performance measurement intervals and task characteristics [AD-A019233]  
N76-24895
- ADENOSINE TRIPHOSPHATE**  
The purple membrane of salt-loving bacteria --- rhodopsin powered photosynthesis  
A76-33323
- AEROSPACE MEDICINE**  
Aerospace Medical Association, Annual Scientific Meeting, 47th, Bal Harbour, Fla., May 10-13, 1976, Preprints  
A76-32166
- Medical microbiological analysis of Apollo-Soyuz test project crewmembers  
[NASA-TM-X-58180]  
N76-24878  
Report of 14-day bedrest simulation of Skylab [NASA-CR-147758]  
N76-25761  
A scientific dialog between the leading space powers [NASA-TT-P-15463]  
N76-25794
- AGING (BIOLOGY)**  
Analysis of human body composition data as related to height and age  
[AD-A018350]  
N76-24883
- AIR BAG RESTRAINT DEVICES**  
An inflatable crewman restraint system --- for helicopters  
A76-34155
- AIR POLLUTION**  
A study of the effect of light on the emission of terpenes from certain woody plants  
[NASA-CR-148142]  
N76-25759
- AIR TRANSPORTATION**  
Study of the microbiological environment within long- and medium-range Canadian Forces aircraft  
A76-33376  
Development of ride comfort criteria for mass transit systems  
[NASA-CR-147962]  
N76-24903
- AIRBORNE INFECTION**  
Study of the microbiological environment within long- and medium-range Canadian Forces aircraft  
A76-33376
- AIRCRAFT ACCIDENT INVESTIGATION**  
Method for determining pilot stress through analysis of voice communication  
A76-33385  
Survey of the state of the art of human biodynamic response --- to impact acceleration  
A76-34139  
Standardization and interpretation of spinal injury criteria and human impact acceleration tolerance  
A76-34142
- AIRCRAFT ACCIDENTS**  
The UCIN 3-D aircraft-occupant --- three dimensional computer model of automotive restraint systems  
A76-34150
- AIRCRAFT COMPARTMENTS**  
The use of opaque louvers and shields to reduce reflections within the cockpit, computer programs for two approaches to the problem  
[AD-A018468]  
N76-24905
- AIRCRAFT CONTROL**  
An airplane performance control system - A flight experiment --- banking angle and vertical speed control  
A76-33371  
A study of the effect of peripheral vision motion cues on roll axis tracking --- flight simulators for evaluating pilot performance in controlling aircraft  
[AD-A019852]  
N76-25798
- AIRCRAFT DESIGN**  
Simulation of an aircraft seat and occupant in a crash environment  
A76-34152
- AIRCRAFT MAINTENANCE**  
Evaluation of the EC II programmable maintenance simulator in T-2C organizational maintenance training  
[AD-A012336]  
N76-24898
- AIRCRAFT MANEUVERS**  
Aviator performance during day and night terrain flight  
A76-32252



## AIRCRAFT NOISE

## SUBJECT INDEX

## AIRCRAFT NOISE

Aircraft noise in residential areas: Measurement and analysis --- human reactions near airports  
N76-24245

Notes on noise index numbers (taking into account the results of the Munich Aircraft Noise Investigation carried out by the German Research Association)  
N76-24246

**AIRCRAFT SAFETY**  
The crew and new systems --- aviation safety in terms of human performance under stress  
[AD-A018253] N76-24896

**AIRCRAFT STABILITY**  
Development of ride comfort criteria for mass transit systems  
[NASA-CR-147962] N76-24903

**AIRCRAFT SURVIVABILITY**  
An inflatable crewman restraint system --- for helicopters  
A76-34155

**AIRPORTS**  
Aircraft noise in residential areas: Measurement and analysis --- human reactions near airports  
N76-24245

Notes on noise index numbers (taking into account the results of the Munich Aircraft Noise Investigation carried out by the German Research Association)  
N76-24246

**ALGORITHMS**  
Algorithm for analyses of saccadic eye movements using a digital computer  
A76-33384

**ALTITUDE ACCLIMATIZATION**  
Limiting factors to oxygen transport on Mount Everest  
A76-32502

Relative role of environmental and genetic factors in respiratory adaptation to high altitude  
A76-32958

Physiological and psychological preparation of pilots for function in the presence of high altitude cabin depressurization  
A76-35175

**ALTITUDE SICKNESS**  
Amelioration of the symptoms of acute mountain sickness by staging and acetazolamide  
A76-33382

**ALTITUDE SIMULATION**  
Heat and simulated high altitude - Effects on biochemical indices of stress and performance  
A76-33387

**ALTITUDE TOLERANCE**  
Amelioration of the symptoms of acute mountain sickness by staging and acetazolamide  
A76-33382

**ALVEOLAR AIR**  
Local regulation of collateral ventilation by oxygen and carbon dioxide  
A76-32510

Limiting role of stratification in alveolar exchange of oxygen  
A76-32623

**AMINES**  
An automated DMPB method for the determination of urinary amino nitrogen  
[AD-A018720] N76-24893

**AMINO ACIDS**  
Amino acids of the Nogoya and Mokoya carbonaceous chondrites  
A76-34450

**ANATOMY**  
Anatomical configuration of the His bundle and bundle branches in the human heart  
A76-31940

**ANESTHESIA**  
Polarographic measurement of local cerebral blood flow in the conscious and anesthetized primate  
[AD-A018665] N76-24892

**ANGIOGRAPHY**  
The measurement of ventricular function and the detection of wall motion abnormalities with high temporal resolution ECG-gated scintigraphic angiocardiology  
A76-32669

Angiocardiology - Past and present  
A76-34532

## ANTHROPOMETRY

Three-dimensional profiles of movements of human body joint centers --- anthropometric data for aircraft cockpit design  
A76-32246

**APOLLO SOYUZ TEST PROJECT**  
Medical microbiological analysis of Apollo-Soyuz test project crewmembers  
[NASA-TM-X-58180] N76-24878

**ARTERIES**  
Ultrasonic Doppler measurement of renal artery blood flow  
[NASA-CR-148131] N76-24879

**ASTRONAUT PERFORMANCE**  
Psychological problems of interplanetary flight --- Russian book  
A76-32813

**ATTENTION**  
The effect of alcohol ingestion on short term memory and attention  
[AD-A018311] N76-24886

**AUDITORY PERCEPTION**  
The perceptual basis of loudness ratio judgments  
A76-32635

**AUDITORY SIGNALS**  
Effects of wideband auditory noise on manual control performance and dynamic response  
[AD-A018667] N76-24907

**AUDITORY STIMULI**  
On hemispheric differences in evoked potentials to speech stimuli  
A76-32125

Selective attention and the auditory vertex potential. I - Effects of stimulus delivery rate. II - Effects of signal intensity and masking noise  
A76-32873

**AUDITORY TASKS**  
Signal complexity, response complexity, and signal specification in vigilance --- for auditory monitoring task  
A76-33370

**AUTOMATA THEORY**  
Development of assembly robots --- manipulator arm design  
A76-33570

**AUTOMOBILE ACCIDENTS**  
Sonic-boom-startle effects during simulated and actual automobile-driving tests  
A76-33566

Calspan three-dimensional crash victim simulation program  
A76-34149

Evaluation of an advanced automotive restraint system using human subjects  
[AD-A012469] N76-25799

**AUTONOMIC NERVOUS SYSTEM**  
Autonomic origin of heart rate fluctuations at the onset of muscular exercise  
A76-32504

Autonomic thermoregulation in squirrel monkey when behavioral regulation is limited  
A76-32505

**AVIONICS**  
Development of a computer simulation model for evaluating DAIS display concepts --- Digital Avionics Information System  
A76-32244

**AZIMUTH**  
Simulated helo ground target acquisition under different sun angles and ground textures --- airborne visual tasks  
A76-32253

## B

**BACK INJURIES**  
Spinal injury in the crash environment  
A76-34148

**BACTERIA**  
The purple membrane of salt-loving bacteria --- rhodopsin powered photosynthesis  
A76-33323

The physiological bases for microbial barotolerance  
[AD-A018892] N76-24876

**BED REST**  
Report of 14-day bedrest simulation of Skylab  
[NASA-CR-147758] N76-25761

**BIOCHEMISTRY**

The effects of a 12-hour shift in the wake-sleep cycle on physiological and biochemical responses and on multiple task performance  
[NASA-TM-X-74115] A76-24880

**BIOCENTROL SYSTEMS**

Algorithm for analyses of saccadic eye movements using a digital computer A76-33384

**BIODYNAMICS**

Measurement of muscle fatigue using electromyography A76-32247

Survey of the state of the art of human biodynamic response --- to impact acceleration A76-34139

Human head and neck dynamic response - Analytical models and experimental data A76-34144

Simulating and modeling the human head's response to impact A76-34145

Thoracic dynamics during blunt impact A76-34146

Intrusion of the sternum into the thoracic cavity during frontal chest impact and injury potential A76-34147

**BIOELECTRIC POTENTIAL**

Selective attention and the auditory vertex potential. I - Effects of stimulus delivery rate. II - Effects of signal intensity and masking noise A76-32873

The dimensionality of the human visual evoked scalp potential A76-32874

Evidence for the presence of eye movement potentials during paradoxical sleep in cats A76-33974

**BIOENGINEERING**

Three-dimensional profiles of movements of human body joint centers --- anthropometric data for aircraft cockpit design A76-32246

PROMETHEUS - A crash victim simulator A76-34151

Simulation of an aircraft seat and occupant in a crash environment A76-34152

Bulletin of Prosthetics Research, Spring 1975 [AD-A018516] N76-24881

**BIOINSTRUMENTATION**

Electromechanical stimulator for presenting moving cutaneous stimuli A76-32511

Fluid-filled blood pressure measurement systems A76-32512

**BIOMETRICS**

Computer measurement and representation of the heart in two and three dimensions A76-33448

**BIONICS**

Human head and neck dynamic response - Analytical models and experimental data A76-34144

Simulating and modeling the human head's response to impact A76-34145

Calspan three-dimensional crash victim simulation program A76-34149

The UCIN 3-D aircraft-occupant --- three dimensional computer model of automotive restraint systems A76-34150

**BIOSYNTHESIS**

Activation of RNA biosynthesis in the liver and spleen of irradiated rats A76-34699

**BLOOD**

Determination by impedance of the volume of gas bubbles in the blood resulting from a decrease in atmospheric pressure A76-34700

**BLOOD CIRCULATION**

Effect of temperature on the tonus of blood vessels A76-34229

Some statistical patterns in the control of vascular thermoregulatory responses A76-34716

**BLOOD FLOW**

Physical properties of blood and their influence on blood-flow measurement A76-32288

The impact of nuclear medicine on the diagnosis and management of cardiovascular disease A76-32666

Radiopharmaceuticals for studying heart disease A76-32667

Ultrasonic Doppler measurement of renal artery blood flow [NASA-CR-148131] N76-24879

Polarographic measurement of local cerebral blood flow in the conscious and anesthetized primate [AD-A018665] N76-24892

**BLOOD PRESSURE**

Fluid-filled blood pressure measurement systems A76-32512

Analytical methods for quantitative evaluation of the radiocardiogram A76-33546

**BLOOD VESSELS**

Effect of temperature on the tonus of blood vessels A76-34229

Some statistical patterns in the control of vascular thermoregulatory responses A76-34716

**BODY COMPOSITION (BIOLOGY)**

Analysis of human body composition data as related to height and age [AD-A018350] N76-24883

**BODY FLUIDS**

Acclimatization in a hot, humid environment - Body fluid adjustments A76-32509

**BODY KINEMATICS**

Three-dimensional profiles of movements of human body joint centers --- anthropometric data for aircraft cockpit design A76-32246

**BODY TEMPERATURE**

Effect of neck versus chest cooling on responses to work in heat A76-32503

Autonomic thermoregulation in squirrel monkey when behavioral regulation is limited A76-32505

Acclimatization in a hot, humid environment - Energy exchange, body temperature, and sweating A76-32507

The numerical thermal simulation of the human body when undergoing exercise or nonionizing electromagnetic irradiation [ASHE PAPER 76-HT-KK] A76-33530

A computer program to predict energy cost, rectal temperature, and heart rate response to work, clothing, and environment [AD-A020112] N76-25778

**BRADYCARDIA**

Bradycardia induced by negative acceleration A76-33377

**BRAIN DAMAGE**

Head injury tolerance --- for face, skull and brain A76-34143

**BREATHING APPARATUS**

Self-contained breathing apparatus [NASA-CASE-MSC-14733-1] N76-24900

**C****CABIN ATMOSPHERES**

Biomedical aspects of oxygen regulator performance. I - Static characteristics --- current-inventory USAF equipment A76-33378

Biomedical aspects of oxygen regulator performance. II - Dynamic characteristics --- test on breathing machines and human subjects A76-33379

Physiological and psychological preparation of pilots for function in the presence of high altitude cabin depressurization A76-35175

**CARBON DIOXIDE**

Sustained venoconstriction in man supplemented with CO<sub>2</sub> at high altitude [AD-A019119] N76-25776

## CARBONACEOUS CHONDRITES

## SUBJECT INDEX

- CARBONACEOUS CHONDRITES**  
Amino acids of the Nogoya and Mokoia carbonaceous chondrites  
A76-34450
- CARDIAC VENTRICLES**  
Anatomical configuration of the His bundle and bundle branches in the human heart  
A76-31940  
The measurement of ventricular function and the detection of wall motion abnormalities with high temporal resolution ECG-gated scintigraphic angiocardiology  
A76-32669
- CARDIOGRAPHY**  
Analytical methods for quantitative evaluation of the radiocardiogram  
A76-33546
- CARDIOLOGY**  
The impact of nuclear medicine on the diagnosis and management of cardiovascular disease  
A76-32666  
Computer measurement and representation of the heart in two and three dimensions  
A76-33448
- CARDIOVASCULAR SYSTEM**  
Acclimatization in a hot, humid environment - Cardiovascular adjustments  
A76-32508  
Angiocardiology - Past and present  
A76-34532
- CAROTID SINUS BODY**  
Role of the carotid chemoreceptors in the hyperpnea of exercise in the cat  
A76-32622
- CATECHOLAMINE**  
Effect of temperature on the tonus of blood vessels  
A76-34229
- CATHETERIZATION**  
Fluid-filled blood pressure measurement systems  
A76-32512
- CENTRAL NERVOUS SYSTEM**  
The effects of centrifugation on the morphology of the lateral vestibular nucleus in the rat - A light and electron microscopic study  
A76-33473
- CENTRIFUGING STRESS**  
The effects of centrifugation on the morphology of the lateral vestibular nucleus in the rat - A light and electron microscopic study  
A76-33473
- CEREBRUM**  
Polarographic measurement of local cerebral blood flow in the conscious and anesthetized primate [AD-A018665]  
N76-24892
- CHEMICAL ANALYSIS**  
An automated DMFB method for the determination of urinary amino nitrogen [AD-A018720]  
N76-24893
- CHEMORECEPTORS**  
Role of the carotid chemoreceptors in the hyperpnea of exercise in the cat  
A76-32622
- CHLORELLA**  
A study of the primary processes of the photo-induced evolution of hydrogen by Chlorella under flash illumination  
A76-34691
- CIRCADIAN RHYTHMS**  
Sleep in the long-range aviation environment  
A76-32197  
Circadian rhythms in plants, insects and mammals exposed to ELF magnetic and/or electric fields and currents [AD-A019958]  
N76-25760  
Air operations and circadian performance rhythms  
N76-25787
- CIVIL AVIATION**  
Assessment of perceptual and mental performance in civil aviation personnel  
N76-25789
- CLINICAL MEDICINE**  
Aerospace Medical Association, Annual Scientific Meeting, 47th, Bal Harbour, Fla., May 10-13, 1976, Preprints  
A76-32166  
Analytical methods for quantitative evaluation of the radiocardiogram  
A76-33546
- CLOTHING**  
Thermal comfort factors, concepts and definitions --- for human clothing [AD-A019589]  
N76-25779
- COCKPIT SIMULATORS**  
Simulator cockpit motion and the transfer of initial flight training  
A76-32238  
Visual/motion simulation of CTOL flare and touchdown comparing data obtained from two model board display systems [AIAA PAPER 76-1709]  
A76-35201
- COCKPITS**  
Three-dimensional profiles of movements of human body joint centers --- anthropometric data for aircraft cockpit design  
A76-32246  
The use of opaque louvers and shields to reduce reflections within the cockpit, computer programs for two approaches to the problem [AD-A018468]  
N76-24905  
Secondary task assessment of cognitive workload in alternative cockpit configurations [AMRL-TR-75-49]  
N76-25792
- COGNITIVE PSYCHOLOGY**  
Higher mental functioning in operational environments [AGARD-CP-181]  
N76-25782  
Secondary task assessment of cognitive workload in alternative cockpit configurations [AMRL-TR-75-49]  
N76-25792  
The effects of two stressors on traditional and engineering analogues of cognitive functioning --- considering hypoxia and sleep deprivation in pilot performance evaluation  
N76-25793
- COLD ACCLIMATIZATION**  
Changes in the temperature of the hypothalamus during muscular contractions before and after cold adaptation  
A76-34228
- COLD WEATHER**  
The design and fabrication of a prototype inflatable heated casualty evacuation unit [AD-A019697]  
N76-25770
- COLOR VISION**  
Color code size for searching displays of different density  
A76-34424
- COMMAND AND CONTROL**  
Ergonomic models of human performance: Source materials for the analyst [AD-A020086]  
N76-25781
- COMPENSATORY TRACKING**  
Sonic-boom-startle effects during simulated and actual automobile-driving tests  
A76-33566  
The correlational structure of traditional task measures and engineering analogues of performance in the cognitive domain  
N76-25784  
The human as an adaptive controller  
N76-25788  
Assessment of perceptual and mental performance in civil aviation personnel  
N76-25789
- COMPLEX SYSTEMS**  
SAINT simulation of a remotely piloted vehicle/drone control facility --- Systems Analysis of Integrated Networks of Tasks  
A76-32243
- COMPUTER PROGRAMS**  
The use of opaque louvers and shields to reduce reflections within the cockpit, computer programs for two approaches to the problem [AD-A018468]  
N76-24905  
A computer program to predict energy cost, rectal temperature, and heart rate response to work, clothing, and environment [AD-A020112]  
N76-25778
- COMPUTER TECHNIQUES**  
The measurement of ventricular function and the detection of wall motion abnormalities with high temporal resolution ECG-gated scintigraphic angiocardiology  
A76-32669  
PPP effectiveness study --- automatic procedures recording and crew performance monitoring system [NASA-CR-147720]  
N76-24904

- The PDP-15 electrocardiogram analysis system, a further attempt at continuous real-time operations [AD-A019809] N76-25767
- COMPUTERIZED SIMULATION**
- SAINT model of a choice reaction time paradigm --- Systems Analysis of Integrated Network of Tasks A76-32242
- SAINT simulation of a remotely piloted vehicle/drone control facility --- Systems Analysis of Integrated Networks of Tasks A76-32243
- Development of a computer simulation model for evaluating DAIS display concepts --- Digital Avionics Information System A76-32244
- Calspan three-dimensional crash victim simulation program A76-34149
- The UCIN 3-D aircraft-occupant --- three dimensional computer model of automotive restraint systems A76-34150
- PROMETHEUS - A crash victim simulator A76-34151
- CONDITIONING (LEARNING)**
- Autonomic thermoregulation in squirrel monkey when behavioral regulation is limited A76-32505
- CONFERENCES**
- Aerospace Medical Association, Annual Scientific Meeting, 47th, Bal Harbour, Fla., May 10-13, 1976, Preprints A76-32166
- Human factors in our expanding technology; Proceedings of the Nineteenth Annual Meeting, Dallas, Tex., October 14-16, 1975 A76-32226
- Proceedings of the Undersea Medical Society Workshop (7th) on Medical Aspects of Small Submersible Operations [AD-A018474] N76-24890
- Higher mental functioning in operational environments [AGARD-CP-181] N76-25782
- COOLING**
- Effect of neck versus chest cooling on responses to work in heat A76-32503
- COOLING SYSTEMS**
- Development of a refrigeration system for lunar surface and spacecraft applications [NASA-CR-147761] N76-25795
- CORONARY ARTERY DISEASE**
- Myocardial perfusion imaging for the detection of coronary heart disease A76-32668
- CORONARY CIRCULATION**
- Acclimatization in a hot, humid environment - Cardiovascular adjustments A76-32508
- Analytical methods for quantitative evaluation of the radioCardiogram A76-33546
- CRASH INJURIES**
- Survey of the state of the art of human biodynamic response --- to impact acceleration A76-34139
- Injury criteria and human tolerance for the neck A76-34141
- Standardization and interpretation of spinal injury criteria and human impact acceleration tolerance A76-34142
- Human head and neck dynamic response - Analytical models and experimental data A76-34144
- Simulating and modeling the human head's response to impact A76-34145
- Thoracic dynamics during blunt impact A76-34146
- Intrusion of the sternum into the thoracic cavity during frontal chest impact and injury potential A76-34147
- Spinal injury in the crash environment A76-34148
- Calspan three-dimensional crash victim simulation program A76-34149
- The UCIN 3-D aircraft-occupant --- three dimensional computer model of automotive restraint systems A76-34150
- PROMETHEUS - A crash victim simulator A76-34151
- Advanced restraint systems for Army aircraft A76-34153
- CRASH LANDING**
- Simulation of an aircraft seat and occupant in a crash environment A76-34152
- D**
- DARK ADAPTATION**
- Effects of eserine upon light sensitivity and dark adaptation [AD-A019268] N76-25771
- DATA ACQUISITION**
- PPP effectiveness study --- automatic procedures recording and crew performance monitoring system [NASA-CR-147720] N76-24904
- DECOMPRESSION SICKNESS**
- Determination by impedance of the volume of gas bubbles in the blood resulting from a decrease in atmospheric pressure A76-34700
- Interruption of denitrogenation by air-breathing [AD-A020049] N76-25773
- DENITROGENATION**
- Interruption of denitrogenation by air-breathing [AD-A020049] N76-25773
- DESIGN ANALYSIS**
- Translating information requirements into training device fidelity requirements A76-32229
- Development of assembly robots --- manipulator arm design A76-33570
- DETERIORATION**
- Mechanisms of deterioration of nutrients --- of freeze dried foods [NASA-CR-147780] N76-25797
- DIGITAL SIMULATION**
- Computer measurement and representation of the heart in two and three dimensions A76-33448
- The numerical thermal simulation of the human body when undergoing exercise or nonionizing electromagnetic irradiation [ASME PAPER 76-HT-KK] A76-33530
- Simulation of an aircraft seat and occupant in a crash environment A76-34152
- DIGITAL SYSTEMS**
- Development of a computer simulation model for evaluating DAIS display concepts --- Digital Avionics Information System A76-32244
- DIGITAL TECHNIQUES**
- Algorithm for analyses of saccadic eye movements using a digital computer A76-33384
- DIMENSIONAL MEASUREMENT**
- Computer measurement and representation of the heart in two and three dimensions A76-33448
- DIPHOSPHATES**
- Increased 2,3-diphosphoglycerate during normocapnic hypobaric hypoxia [AD-A019513] N76-25766
- DISPLAY DEVICES**
- Continuous versus intermittent display of information --- in man-machine systems A76-33372
- Color code size for searching displays of different density A76-34424
- Estimating the amount of eye movement data required for panel design and instrument placement A76-34425
- Theory of spatial-frequency filtering by the human visual system. I - Performance limited by quantum noise. II - Performance limited by video noise A76-34585

Visual/motion simulation of CTOL flare and  
touchdown comparing data obtained from two model  
board display systems  
[AIAA PAPER 76-1709] A76-35201  
Design of an optical link for a side-mounted  
helmet display using off-the-shelf lenses  
[AD-A018332] N76-24906

**DIVING (UNDERWATER)**  
Proceedings of the Undersea Medical Society  
Workshop (7th) on Medical Aspects of Small  
Submersible Operations  
[AD-A018474] N76-24890

**DOPPLER EFFECT**  
Ultrasonic Doppler measurement of renal artery  
blood flow  
[NASA-CR-148131] N76-24879

**DROSOPHILA**  
Effects of high-LET particles /A-40/ on the brain  
of Drosophila melanogaster A76-34500

**DYNAMIC CHARACTERISTICS**  
Biomedical aspects of oxygen regulator  
performance. II - Dynamic characteristics ---  
test on breathing machines and human subjects  
A76-33379

**DYNAMIC MODELS**  
Dynamics of two-legged walking. II A76-32474  
Spinal injury in the crash environment A76-34148  
Calspan three-dimensional crash victim simulation  
program A76-34149  
The UCIN 3-D aircraft-occupant --- three  
dimensional computer model of automotive  
restraint systems A76-34150  
PROMETHEUS - A crash victim simulator A76-34151  
Simulation of an aircraft seat and occupant in a  
crash environment A76-34152

**DYNAMIC RESPONSE**  
Survey of the state of the art of human biodynamic  
response --- to impact acceleration A76-34139  
Thoracic dynamics during blunt impact A76-34146  
Effects of wideband auditory noise on manual  
control performance and dynamic response  
[AD-A018667] N76-24907

**E**

**EFFERENT NERVOUS SYSTEMS**  
An analysis of motor function and control in the  
human nervous system  
[AD-A020098] N76-25772

**EGGS**  
Support of in-flight experiments  
[NASA-CR-147748] N76-25758

**ELECTRIC CORONA**  
Investigations into the reliability of  
electrophotography  
[AD-A018806] N76-24891

**ELECTRO-OPTICS**  
Design of an optical link for a side-mounted  
helmet display using off-the-shelf lenses  
[AD-A018332] N76-24906

**ELECTROCARDIOGRAPHY**  
Anatomical configuration of the His bundle and  
bundle branches in the human heart A76-31940  
The measurement of ventricular function and the  
detection of wall motion abnormalities with high  
temporal resolution ECG-gated scintigraphic  
angiocardiology A76-32669  
The PDP-15 electrocardiogram analysis system, a  
further attempt at continuous real-time operations  
[AD-A019809] N76-25767

**ELECTROENCEPHALOGRAPHY**  
On hemispheric differences in evoked potentials to  
speech stimuli A76-32125  
The dimensionality of the human visual evoked  
scalp potential A76-32874

The stability of the sigma sleep spindle A76-32875  
A study of behaviour during a trial of vigilance  
in non-piloting personnel N76-25785

**ELECTROLYTE METABOLISM**  
Potassium losses in sweat under heat stress A76-33380

**ELECTROMAGNETIC FIELDS**  
Circadian rhythms in plants, insects and mammals  
exposed to ELF magnetic and/or electric fields  
and currents  
[AD-A019958] N76-25760

**ELECTROMECHANICAL DEVICES**  
Electromechanical stimulator for presenting moving  
cutaneous stimuli A76-32511

**ELECTROMYOGRAPHY**  
Measurement of muscle fatigue using electromyography  
A76-32247  
Changes in the temperature of the hypothalamus  
during muscular contractions before and after  
cold adaptation A76-34228  
Electromyographic analysis of skeletal muscle  
changes arising from 9 days of weightlessness in  
the Apollo-Soyuz space mission  
[NASA-TN-X-58177] N76-25762

**ELECTROPHYSIOLOGY**  
Investigations into the reliability of  
electrophotography  
[AD-A018806] N76-24891

**EMBRYOLOGY**  
Support of in-flight experiments  
[NASA-CR-147748] N76-25758

**EMOTIONAL FACTORS**  
Method for determining pilot stress through  
analysis of voice communication A76-33385

**ENDOCRINE SECRETIONS**  
Prolactin, thyrotropin, and growth hormone release  
during stress associated with parachute jumping  
A76-33386

**ENVIRONMENT EFFECTS**  
Autonomic thermoregulation in squirrel monkey when  
behavioral regulation is limited A76-32505  
Acclimatization in a hot, humid environment -  
Energy exchange, body temperature, and sweating  
A76-32507  
Study of the microbiological environment within  
long- and medium-range Canadian Forces aircraft  
A76-33376

**ENZYME ACTIVITY**  
Heat and simulated high altitude - Effects on  
biochemical indices of stress and performance  
A76-33387

**ETHYL ALCOHOL**  
The effect of alcohol ingestion on short term  
memory and attention  
[AD-A018311] N76-24886

**EVACUATING (TRANSPORTATION)**  
The design and fabrication of a prototype  
inflatable heated casualty evacuation unit  
[AD-A019697] N76-25770

**EVOKED RESPONSE (PSYCHOPHYSIOLOGY)**  
On hemispheric differences in evoked potentials to  
speech stimuli A76-32125  
selective attention and the auditory vertex  
potential. I - Effects of stimulus delivery  
rate. II - Effects of signal intensity and  
masking noise A76-32873  
The dimensionality of the human visual evoked  
scalp potential A76-32874

**EXERCISE (PHYSIOLOGY)**  
Radiographic changes in cardiac dimensions during  
exhaustive exercise in man  
[AD-A019100] N76-24889

**EXO BIOLOGY**  
The prospects for life on Mars - A pre-Viking  
assessment A76-34786  
A scientific dialog between the leading space powers  
[NASA-TT-P-15463] N76-25794  
Exobiology and the origin of life  
[NASA-CR-148177] N76-25800

- EXPLOSIVE DECOMPRESSION**  
Mechanism of lung damage in explosive decompression  
A76-33383
- EXTRATERRESTRIAL LIFE**  
The prospects for life on Mars - A pre-Viking  
assessment  
A76-34786  
Exobiology and the origin of life  
[NASA-CR-148177] N76-25800
- EXTRAVEHICULAR MOBILITY UNITS**  
Study to determine Extravehicular Mobility Unit  
(EMU) advanced technology requirements. Volume  
1: Executive summary  
[NASA-CR-137840] N76-24901  
Study to determine Extravehicular Mobility Unit  
(EMU) advanced technology requirements. Volume  
2: Technical analysis  
[NASA-CR-137841] N76-24902
- EYE (ANATOMY)**  
The hazards of the radiation of semiconductor  
laser diodes for the human eye  
A76-32223
- EYE MOVEMENTS**  
Evidence for the presence of eye movement  
potentials during paradoxical sleep in cats  
A76-33974  
Estimating the amount of eye movement data  
required for panel design and instrument placement  
A76-34425
- F**
- FINITE ELEMENT METHOD**  
Simulating and modeling the human head's response  
to impact  
A76-34145  
Intrusion of the sternum into the thoracic cavity  
during frontal chest impact and injury potential  
A76-34147  
PROMETHEUS - A crash victim simulator  
A76-34151
- FLASH LAMPS**  
A study of the primary processes of the  
photo-induced evolution of hydrogen by *Chlorella*  
under flash illumination  
A76-34691
- FLIGHT CONTROL**  
SAINT simulation of a remotely piloted  
vehicle/drone control facility --- Systems  
Analysis of Integrated Networks of Tasks  
A76-32243
- FLIGHT CREWS**  
Sleep in the long-range aviation environment  
A76-32197  
Behavioral data in the design of aircrew training  
devices  
A76-32239  
SATT revisited - A critical post-examination of  
the systems approach to training --- for B-1 crews  
A76-32241  
Psychological problems of interplanetary flight  
--- Russian book  
A76-32813  
The crew and new systems --- aviation safety in  
terms of human performance under stress  
[AD-A018253] N76-24896  
Definition and measurement of perceptual and  
mental workload in aircrews and operators of Air  
Force weapon systems, a status report  
N76-25783  
Air operations and circadian performance  
rhythms  
N76-25787  
A conceptual model for operational stress  
N76-25791
- FLIGHT SIMULATION**  
Physiological and psychological preparation of  
pilots for function in the presence of high  
altitude cabin depressurization  
A76-35175  
Visual/motion simulation of CTOL flare and  
touchdown comparing data obtained from two model  
board display systems  
[AIAA PAPER 76-1709] A76-35201  
The effects of two stressors on traditional and  
engineering analogues of cognitive functioning  
--- considering hypoxia and sleep deprivation in  
pilot performance evaluation  
N76-25793
- FLIGHT SIMULATORS**  
A study of the effect of peripheral vision motion  
cues on roll axis tracking --- flight simulators  
for evaluating pilot performance in controlling  
aircraft  
[AD-A019852] N76-25798
- FLIGHT STRESS**  
Air operations and circadian performance rhythms  
N76-25787  
Emotional stress and flying efficiency  
N76-25790  
A conceptual model for operational stress  
N76-25791
- FLIGHT STRESS (BIOLOGY)**  
Method for determining pilot stress through  
analysis of voice communication  
A76-33385
- FLIGHT TIME**  
Air operations and circadian performance rhythms  
N76-25787
- FLIGHT TRAINING**  
Simulator cockpit motion and the transfer of  
initial flight training  
A76-32238  
USAF evaluation of an automated adaptive flight  
training system  
[AD-A018612] N76-24899
- FOOD**  
Health protection and food preservation by gamma  
irradiation  
[NASA-CR-147779] N76-25796  
Mechanisms of deterioration of nutrients --- of  
freeze dried foods  
[NASA-CR-147780] N76-25797
- FORCED VIBRATION**  
Cross-modality determination of the subjective  
growth function for whole-body vertical,  
sinusoidal, vibration  
A76-33368
- FREEZE DRYING**  
Mechanisms of deterioration of nutrients --- of  
freeze dried foods  
[NASA-CR-147780] N76-25797
- G**
- GAMMA RAYS**  
Health protection and food preservation by gamma  
irradiation  
[NASA-CR-147779] N76-25796
- GAS EVOLUTION**  
A study of the primary processes of the  
photo-induced evolution of hydrogen by *Chlorella*  
under flash illumination  
A76-34691
- GAS EXCHANGE**  
Limiting role of stratification in alveolar  
exchange of oxygen  
A76-32623
- GENERAL AVIATION AIRCRAFT**  
An airplane performance control system - A flight  
experiment --- banking angle and vertical speed  
control  
A76-33371
- GENETICS**  
Radiation genetic effects of electron vacuum tubes  
of a radar station  
[ORNL-TR-4053] N76-25763
- GLARE**  
The use of opaque louvers and shields to reduce  
reflections within the cockpit, computer  
programs for two approaches to the problem  
[AD-A018468] N76-24905
- GLAUCOMA**  
Effects of eserine upon light sensitivity and dark  
adaptation  
[AD-A019268] N76-25771
- GLUTAMATES**  
Light-induced glutamate transport in *Halobacterium*  
*halobium* envelope vesicles. I - Kinetics of the  
light-dependence and the  
sodium-gradient-dependent uptake  
A76-34497
- GLYCERIDES**  
Increased 2,3-diphosphoglycerate during  
normocapnic hypobaric hypoxia  
[AD-A019513] N76-25766

## GRAVITATIONAL EFFECTS

Ultrastructural effects of +Gz stress on swine cardiac muscle  
A76-33381

## H

## HALOPHILES

The purple membrane of salt-loving bacteria --- rhodopsin powered photosynthesis  
A76-33323

Light-induced glutamate transport in Halobacterium halobium envelope vesicles. I - Kinetics of the light-dependence and the sodium-gradient-dependent uptake  
A76-34497

## HARMONIC ANALYSIS

Theory of spatial-frequency filtering by the human visual system. I - Performance limited by quantum noise. II - Performance limited by video noise  
A76-34585

## HARMONIC OSCILLATION

Cross-modality determination of the subjective growth function for whole-body vertical, sinusoidal, vibration  
A76-33368

## HEAD (ANATOMY)

Head injury tolerance --- for face, skull and brain  
A76-34143

Simulating and modeling the human head's response to impact  
A76-34145

## HEAD MOVEMENT

Human head and neck dynamic response - Analytical models and experimental data  
A76-34144

## HEALTH PHYSICS

Average neutron energy measurement at an accelerator facility, a practical health physics problem [LA-UR-75-2235]  
N76-25765

## HEART

Radiographic changes in cardiac dimensions during exhaustive exercise in man [AD-A019100]  
N76-24889

## HEART DISEASES

The impact of nuclear medicine on the diagnosis and management of cardiovascular disease  
A76-32666

Radiopharmaceuticals for studying heart disease  
A76-32667

Myocardial perfusion imaging for the detection of coronary heart disease  
A76-32668

## HEART FUNCTION

Anatomical configuration of the His bundle and bundle branches in the human heart  
A76-31940

Noninvasive stress testing - Methodology for elimination of the phonocardiogram  
A76-31941

The measurement of ventricular function and the detection of wall motion abnormalities with high temporal resolution ECG-gated scintigraphic angiocardiology  
A76-32669

Computer measurement and representation of the heart in two and three dimensions  
A76-33448

Analytical methods for quantitative evaluation of the radiocardiogram  
A76-33546

Angiocardiography - Past and present  
A76-34532

## HEART RATE

Autonomic origin of heart rate fluctuations at the onset of muscular exercise  
A76-32504

Acclimatization in a hot, humid environment - Cardiovascular adjustments  
A76-32508

Perceived exertion of absolute work during a military physical training program [AD-A019118]  
N76-25777

A computer program to predict energy cost, rectal temperature, and heart rate response to work, clothing, and environment [AD-A020112]  
N76-25778

## HEAT ACCLIMATIZATION

Acclimatization in a hot, humid environment - Energy exchange, body temperature, and sweating  
A76-32507

Acclimatization in a hot, humid environment - Cardiovascular adjustments  
A76-32508

Acclimatization in a hot, humid environment - Body fluid adjustments  
A76-32509

Potassium losses in sweat under heat stress  
A76-33380

## HEAT EXCHANGERS

Effect of neck versus chest cooling on responses to work in heat  
A76-32503

## HEAT TOLERANCE

Heat and simulated high altitude - Effects on biochemical indices of stress and performance  
A76-33387

Role of physical condition in heat acclimatization, decay, and reinduction [AD-A019588]  
N76-25775

## HEIGHT

Analysis of human body composition data as related to height and age [AD-A018350]  
N76-24883

## HELICOPTER DESIGN

Advanced restraint systems for Army aircraft  
A76-34153

An inflatable crewman restraint system --- for helicopters  
A76-34155

## HELIUM

The effect of hyperbaric oxygen and helium on virus replication and host pathology [AD-A018894]  
N76-24877

## HEMODYNAMICS

Physical properties of blood and their influence on blood-flow measurement  
A76-32288

Polarographic measurement of local cerebral blood flow in the conscious and anesthetized primate [AD-A018665]  
N76-24892

## HIGH ALTITUDE

A squirrel monkey behavioral model for human acute mountain sickness [AD-A019177]  
N76-24887

Sustained venoconstriction in man supplemented with CO<sub>2</sub> at high altitude [AD-A019119]  
N76-25776

## HIGH ALTITUDE BREATHING

Limiting factors to oxygen transport on Mount Everest  
A76-32502

Relative role of environmental and genetic factors in respiratory adaptation to high altitude  
A76-32958

## HIGH PRESSURE

The effect of hyperbaric oxygen and helium on virus replication and host pathology [AD-A018894]  
N76-24877

## HIS BUNDLE

Anatomical configuration of the His bundle and bundle branches in the human heart  
A76-31940

## HORMONE METABOLISMS

Prolactin, thyrotropin, and growth hormone release during stress associated with parachute jumping  
A76-33386

## HUMAN BEHAVIOR

Behavioral data in the design of aircrew training devices  
A76-32239

Behavioral taxonomy of undergraduate pilot training tasks and skills  
A76-32240

## HUMAN BEINGS

Effects of alteration of spatial frequency content of complex scenes on human visual scan patterns --- imaging techniques using optical data processing [AD-A019854]  
N76-25768

## HUMAN BODY

Analysis of human body composition data as related to height and age [AD-A018350]  
N76-24883

Auditable program of compliance with ALAP [DRI-SA-15]  
N76-25764

## SUBJECT INDEX

## HYPERPNEA

- An analysis of motor function and control in the human nervous system  
[AD-A020098] N76-25772
- Sustained venoconstriction in man supplemented with CO<sub>2</sub> at high altitude  
[AD-A019119] N76-25776
- HUMAN CENTRIFUGES**  
Bradycardia induced by negative acceleration  
A76-33377
- HUMAN FACTORS ENGINEERING**  
Human factors in our expanding technology; Proceedings of the Nineteenth Annual Meeting, Dallas, Tex., October 14-16, 1975  
A76-32226
- Training devices - Physical versus psychological simulation --- departures from fidelity with real world  
A76-32227
- The function description inventory as a human factors tool in evaluating system effectiveness in operational environments --- for weapon systems  
A76-32237
- Criterion referenced measures of technical proficiency in maintenance activities  
A76-32245
- Three-dimensional profiles of movements of human body joint centers --- anthropometric data for aircraft cockpit design  
A76-32246
- Estimating the amount of eye movement data required for panel design and instrument placement  
A76-34425
- Psychophysical relationships characterizing human response to whole-body sinusoidal vertical vibration  
[NASA-TN-D-8188] N76-24894
- USAF evaluation of an automated adaptive flight training system  
[AD-A018612] N76-24899
- Development of ride comfort criteria for mass transit systems  
[NASA-CR-147962] N76-24903
- Thermal comfort factors, concepts and definitions --- for human clothing  
[AD-A019589] N76-25779
- Ergonomic models of human performance: Source materials for the analyst  
[AD-A020086] N76-25781
- Higher mental functioning in operational environments  
[AGARD-CP-181] N76-25782
- Secondary task assessment of cognitive workload in alternative cockpit configurations  
[AMRL-TR-75-49] N76-25792
- HUMAN PERFORMANCE**  
Determinants of performance improvement in training under time-sharing conditions  
A76-32236
- Criterion referenced measures of technical proficiency in maintenance activities  
A76-32245
- Effect of neck versus chest cooling on responses to work in heat  
A76-32503
- Autonomic origin of heart rate fluctuations at the onset of muscular exercise  
A76-32504
- The perceptual basis of loudness ratio judgments  
A76-32635
- The stability of the sigma sleep spindle  
A76-32875
- Signal complexity, response complexity, and signal specification in vigilance --- for auditory monitoring task  
A76-33370
- Heat and simulated high altitude - Effects on biochemical indices of stress and performance  
A76-33387
- Sonic-boom-startle effects during simulated and actual automobile-driving tests  
A76-33566
- The effects of a 12-hour shift in the wake-sleep cycle on psychical and biochemical responses and on multiple task performance  
[NASA-TN-X-74115] N76-24880
- PPP effectiveness study --- automatic procedures recording and crew performance monitoring system  
[NASA-CR-147720] N76-24904
- Effects of wideband auditory noise on manual control performance and dynamic response  
[AD-A018667] N76-24907
- The correlational structure of traditional task measures and engineering analogues of performance in the cognitive domain  
N76-25784
- A study of behaviour during a trial of vigilance in non-piloting personnel  
N76-25785
- Some practical considerations for performance testing in exotic environments  
N76-25786
- The human as an adaptive controller  
N76-25788
- Assessment of perceptual and mental performance in civil aviation personnel  
N76-25789
- Secondary task assessment of cognitive workload in alternative cockpit configurations  
[AMRL-TR-75-49] N76-25792
- HUMAN REACTIONS**  
The dimensionality of the human visual evoked scalp potential  
A76-32874
- Survey of the state of the art of human biodynamic response --- to impact acceleration  
A76-34139
- Some studies on the capabilities and limitations of humans to judge frequency of vibration applied to whole body  
A76-34817
- Aircraft noise in residential areas: Measurement and analysis --- human reactions near airports  
N76-24245
- Notes on noise index numbers (taking into account the results of the Munich Aircraft Noise Investigation carried out by the German Research Association)  
N76-24246
- The effect of alcohol ingestion on short term memory and attention  
[AD-A018311] N76-24886
- Psychophysical relationships characterizing human response to whole-body sinusoidal vertical vibration  
[NASA-TN-D-8188] N76-24894
- Evoked cortical potentials and information processing  
[AD-A019199] N76-25780
- HUMAN TOLERANCES**  
Injury criteria and human tolerance for the neck  
A76-34141
- Standardization and interpretation of spinal injury criteria and human impact acceleration tolerance  
A76-34142
- Temperature regulation training in a cooling environment  
[AD-A019591] N76-25769
- HUMIDITY**  
Acclimatization in a hot, humid environment - Energy exchange, body temperature, and sweating  
A76-32507
- Acclimatization in a hot, humid environment - Cardiovascular adjustments  
A76-32508
- Acclimatization in a hot, humid environment - Body fluid adjustments  
A76-32509
- HYDROGEN**  
A study of the primary processes of the photo-induced evolution of hydrogen by Chlorella under flash illumination  
A76-34691
- HYDROSTATIC PRESSURE**  
The physiological bases for microbial barotolerance  
[AD-A018892] N76-24876
- HYPERCAPNIA**  
Local regulation of collateral ventilation by oxygen and carbon dioxide  
A76-32510
- HYPERPNEA**  
Role of the carotid chemoreceptors in the hyperpnea of exercise in the cat  
A76-32622



## HYPOCAPNIA

## SUBJECT INDEX

## HYPOCAPNIA

Local regulation of collateral ventilation by oxygen and carbon dioxide A76-32510

## HYPODYNAMIA

Mineral metabolic adaptation to simulated hypogravics A76-32421

## HYPOTHALAMUS

Sweating responses during changes of hypothalamic temperature in the rhesus monkey A76-32501  
Changes in the temperature of the hypothalamus during muscular contractions before and after cold adaptation A76-34228

## HYPOXIA

Limiting factors to oxygen transport on Mount Everest A76-32502  
Local regulation of collateral ventilation by oxygen and carbon dioxide A76-32510  
Relative role of environmental and genetic factors in respiratory adaptation to high altitude A76-32958  
A squirrel monkey behavioral model for human acute mountain sickness [AD-A019177] N76-24887  
Effects of hypoxia on peripheral visual response to dim stimuli [AD-A019106] N76-24888  
Increased 2,3-diphosphoglycerate during normocapnic hypobaric hypoxia [AD-A019513] N76-25766  
Effects of prior hypoxia exposure on visual target detection during later more severe hypoxia, and note on the relationship between introversion-extraversion, field-dependence-independence, and accuracy of visual target detection [AD-A019250] N76-25774  
The effects of two stressors on traditional and engineering analogues of cognitive functioning --- considering hypoxia and sleep deprivation in pilot performance evaluation N76-25793

## IMAGING TECHNIQUES

The impact of nuclear medicine on the diagnosis and management of cardiovascular disease A76-32666  
Myocardial perfusion imaging for the detection of coronary heart disease A76-32668  
An experimental evaluation of the spot wobble method of suppressing raster structure visibility [AD-A018566] N76-24897  
Effects of alteration of spatial frequency content of complex scenes on human visual scan patterns --- imaging techniques using optical data processing [AD-A019854] N76-25768

## IMPACT ACCELERATION

Survey of the state of the art of human biodynamic response --- to impact acceleration A76-34139  
Injury criteria and human tolerance for the neck A76-34141  
Standardization and interpretation of spinal injury criteria and human impact acceleration tolerance A76-34142

## IMPACT DAMAGE

Simulating and modeling the human head's response to impact A76-34145

## IMPACT LOADS

Head injury tolerance --- for face, skull and brain A76-34143  
Thoracic dynamics during blunt impact A76-34146  
Intrusion of the sternum into the thoracic cavity during frontal chest impact and injury potential A76-34147  
Spinal injury in the crash environment A76-34148

## IMPACT TOLERANCES

Head injury tolerance --- for face, skull and brain A76-34143

## IMPEDANCE MEASUREMENTS

Determination by impedance of the volume of gas bubbles in the blood resulting from a decrease in atmospheric pressure A76-34700

## INDEXES (RATIOS)

Notes on noise index numbers (taking into account the results of the Munich Aircraft Noise Investigation carried out by the German Research Association) N76-24246

## INFECTIOUS DISEASES

Study of the microbiological environment within long- and medium-range Canadian Forces aircraft A76-33376

## INFLATABLE STRUCTURES

An inflatable crewman restraint system --- for helicopters A76-34155  
The design and fabrication of a prototype inflatable heated casualty evacuation unit [AD-A019697] N76-25770

## INFORMATION SYSTEMS

Development of a computer simulation model for evaluating DAIS display concepts --- Digital Avionics Information System A76-32244

## INFRARED IMAGERY

Scanning patterns in real-time FLIR displays --- target acquisition task using Forward Looking Infrared Imagery A76-32249

## INFRARED RADIATION

The hazards of the radiation of semiconductor laser diodes for the human eye A76-32223

## INSECTS

Circadian rhythms in plants, insects and mammals exposed to ELF magnetic and/or electric fields and currents [AD-A019958] N76-25760

## INSOMNIA

Sleep in the long-range aviation environment A76-32197

## INTERPLANETARY FLIGHT

Psychological problems of interplanetary flight --- Russian book A76-32813

## ION EXCHANGE MEMBRANE ELECTROLYTES

Light-induced glutamate transport in Halobacterium halobium envelope vesicles. I - Kinetics of the light-dependence and the sodium-gradient-dependent uptake A76-34497

## IRRADIATION

Health protection and food preservation by gamma irradiation [NASA-CR-147779] N76-25796

## JOINTS (ANATOMY)

Three-dimensional profiles of movements of human body joint centers --- anthropometric data for aircraft cockpit design A76-32246

## JUDGMENTS

The perceptual basis of loudness ratio judgments A76-32635

## LABORATORY EQUIPMENT

Chair for studying vestibular analyzer [AD-A018251] N76-24884

## LASER OUTPUTS

The hazards of the radiation of semiconductor laser diodes for the human eye A76-32223

## LIFE SUPPORT SYSTEMS

Biomedical aspects of oxygen regulator performance. I - Static characteristics --- current-inventory USAF equipment A76-33378

- Biomedical aspects of oxygen regulator performance. II - Dynamic characteristics --- test on breathing machines and human subjects  
A76-33379
- LIGHT (VISIBLE RADIATION)**  
A study of the effect of light on the emission of terpenes from certain woody plants  
[NASA-CR-148142] N76-25759
- LIGHT EMITTING DIODES**  
The hazards of the radiation of semiconductor laser diodes for the human eye  
A76-32223
- LINEAR ENERGY TRANSFER (LET)**  
Effects of high-LET particles /A-40/ on the brain of *Drosophila melanogaster*  
A76-34500
- LIVER**  
Activation of RNA biosynthesis in the liver and spleen of irradiated rats  
A76-34699
- LOUDNESS**  
The perceptual basis of loudness ratio judgments  
A76-32635
- LOW ALTITUDE**  
Aviator performance during day and night terrain flight  
A76-32252
- LUNAR SURFACE VEHICLES**  
Development of a refrigeration system for lunar surface and spacecraft applications  
[NASA-CR-147761] N76-25795
- LUNG MORPHOLOGY**  
Limiting role of stratification in alveolar exchange of oxygen  
A76-32623
- LUNGS**  
Closing volumes in man immersed to the neck in water  
A76-32506
- M**
- MAINTENANCE**  
Criterion referenced measures of technical proficiency in maintenance activities  
A76-32245
- MAMMALS**  
Circadian rhythms in plants, insects and mammals exposed to ELF magnetic and/or electric fields and currents  
[AD-A019958] N76-25760
- MAN MACHINE SYSTEMS**  
Human factors in our expanding technology; Proceedings of the Nineteenth Annual Meeting, Dallas, Tex., October 14-16, 1975  
A76-32226
- Simulator training reconsidered - Alternative concepts of transfer  
A76-32228
- Translating information requirements into training device fidelity requirements  
A76-32229
- Methodology for the prediction of complex skill performance  
A76-32233
- The function description inventory as a human factors tool in evaluating system effectiveness in operational environments --- for weapon systems  
A76-32237
- Behavioral data in the design of aircrew training devices  
A76-32239
- SATT revisited - A critical post-examination of the systems approach to training --- for B-1 crews  
A76-32241
- SAINT model of a choice reaction time paradigm --- Systems Analysis of Integrated Network of Tasks  
A76-32242
- SAINT simulation of a remotely piloted vehicle/drone control facility --- Systems Analysis of Integrated Networks of Tasks  
A76-32243
- Development of a computer simulation model for evaluating DAIS display concepts --- Digital Avionics Information System  
A76-32244
- Criterion referenced measures of technical proficiency in maintenance activities  
A76-32245
- An airplane performance control system - A flight experiment --- banking angle and vertical speed control  
A76-33371
- Continuous versus intermittent display of information --- in man-machine systems  
A76-33372
- MANNED SPACE FLIGHT**  
A scientific dialog between the leading space powers  
[NASA-TT-P-15463] N76-25794
- MANOMETERS**  
Fluid-filled blood pressure measurement systems  
A76-32512
- MANUAL CONTROL**  
Adaptive training of manual control: Performance measurement intervals and task characteristics  
[AD-A019233] N76-24895
- Effects of wideband auditory noise on manual control performance and dynamic response  
[AD-A018667] N76-24907
- MARS ENVIRONMENT**  
The prospects for life on Mars - A pre-Viking assessment  
A76-34786
- MASKING**  
Visual masking effects on duration, size, and form discrimination  
A76-32636
- MATHEMATICAL MODELS**  
Mathematical modeling of air-to-ground target acquisition  
A76-33369
- MEDICAL EQUIPMENT**  
Bulletin of Prosthetics Research, Spring 1975  
[AD-A018516] N76-24881
- The PDP-15 electrocardiogram analysis system, a further attempt at continuous real-time operations  
[AD-A019809] N76-25767
- The design and fabrication of a prototype inflatable heated casualty evacuation unit  
[AD-A019697] N76-25770
- MEDICAL SCIENCE**  
Proceedings of the Undersea Medical Society Workshop (7th) on Medical Aspects of Small Submersible Operations  
[AD-A018474] N76-24890
- MEDICAL SERVICES**  
US Army medical research and development technical report  
[AD-A018435] N76-24882
- MEMBRANES**  
The purple membrane of salt-loving bacteria --- rhodopsin powered photosynthesis  
A76-33323
- MEMORY**  
The effect of breathing 100 percent oxygen on short-term memory of military officers while under heat stress  
[AD-A018321] N76-24885
- MENSTRUATION**  
Effects of the menstrual cycle on the performance of complex perceptual psychomotor tasks  
A76-32248
- MENTAL PERFORMANCE**  
Emotional stress and flying efficiency  
N76-25790
- METABOLIC WASTES**  
Potassium losses in sweat under heat stress  
A76-33380
- METEORITIC COMPOSITION**  
Amino acids of the Nogoya and Mokola carbonaceous chondrites  
A76-34450
- MICROBIOLOGY**  
Study of the microbiological environment within long- and medium-range Canadian Forces aircraft  
A76-33376
- Medical microbiological analysis of Apollo-Soyuz test project crewmembers  
[NASA-TN-X-58180] N76-24878
- MILITARY AVIATION**  
Higher mental functioning in operational environments  
[AGARD-CP-181] N76-25782
- Definition and measurement of perceptual and mental workload in aircrews and operators of Air Force weapon systems, a status report  
N76-25783

- A conceptual model for operational stress  
N76-25791
- MILITARY OPERATIONS**  
US Army medical research and development technical report  
[AD-A018435] N76-24882
- MINERAL METABOLISM**  
Mineral metabolic adaptation to simulated hypogravics  
A76-32421
- MIOSIS**  
Effects of eserine upon light sensitivity and dark adaptation  
[AD-A019268] N76-25771
- MONKEYS**  
A squirrel monkey behavioral model for human acute mountain sickness  
[AD-A019177] N76-24887
- MOTION PERCEPTION**  
A study of moving base simulation motion cues utilizing washout technique  
A76-32235
- MOTION SIMULATORS**  
A study of moving base simulation motion cues utilizing washcut technique  
A76-32235
- Simulator cockpit motion and the transfer of initial flight training  
A76-32238
- Visual/motion simulation of CTOL flare and touchdown comparing data obtained from two model board display systems  
[AIAA PAPER 76-1709] A76-35201
- MUSCULAR FATIGUE**  
Measurement of muscle fatigue using electromyography  
A76-32247
- Electromyographic analysis of skeletal muscle changes arising from 9 days of weightlessness in the Apollo-Soyuz space mission  
[NASA-TM-X-58177] N76-25762
- MUSCULAR FUNCTION**  
Autonomic origin of heart rate fluctuations at the onset of muscular exercise  
A76-32504
- Changes in the temperature of the hypothalamus during muscular contractions before and after cold adaptation  
A76-34228
- MYOCARDIUM**  
Radiopharmaceuticals for studying heart disease  
A76-32667
- Myocardial perfusion imaging for the detection of coronary heart disease  
A76-32668
- Ultrastructural effects of +Gz stress on swine cardiac muscle  
A76-33381
- N**
- NECK (ANATOMY)**  
Injury criteria and human tolerance for the neck  
A76-34141
- Human head and neck dynamic response - Analytical models and experimental data  
A76-34144
- NERVOUS SYSTEM**  
An analysis of motor function and control in the human nervous system  
[AD-A020098] N76-25772
- NEURONS**  
The effects of centrifugation on the morphology of the lateral vestibular nucleus in the rat - A light and electron microscopic study  
A76-33473
- Effects of high-LET particles /A-40/ on the brain of *Drosophila melanogaster*  
A76-34500
- NEUROPHYSIOLOGY**  
Electromechanical stimulator for presenting moving cutaneous stimuli  
A76-32511
- Evidence for the presence of eye movement potentials during paradoxical sleep in cats  
A76-33974
- NEUTRON FLUX DENSITY**  
Average neutron energy measurement at an accelerator facility, a practical health physics problem  
[LA-UR-75-2235] N76-25765
- NIGHT FLIGHTS (AIRCRAFT)**  
Aviator performance during day and night terrain flight  
A76-32252
- NIGHT VISION**  
Aviator performance during day and night terrain flight  
A76-32252
- NITROGEN**  
An automated DMFB method for the determination of urinary amino nitrogen  
[AD-A018720] N76-24893
- NOISE (SOUND)**  
Effects of wideband auditory noise on manual control performance and dynamic response  
[AD-A018667] N76-24907
- NOISE INTENSITY**  
Selective attention and the auditory vertex potential. I - Effects of stimulus delivery rate. II - Effects of signal intensity and masking noise  
A76-32873
- NOISE MEASUREMENT**  
Aircraft noise in residential areas: Measurement and analysis --- human reactions near airports  
N76-24245
- NUTRITION**  
Mechanisms of deterioration of nutrients --- of freeze dried foods  
[NASA-CR-147780] N76-25797
- O**
- OCULOMETERS**  
Algorithm for analyses of saccadic eye movements using a digital computer  
A76-33384
- OPERATOR PERFORMANCE**  
SAINT model of a choice reaction time paradigm --- Systems Analysis of Integrated Network of Tasks  
A76-32242
- Scanning patterns in real-time FLIR displays --- target acquisition task using Forward Looking Infrared Imagery  
A76-32249
- Television systems for remote manipulation --- in space  
A76-32251
- OPTICAL DATA PROCESSING**  
Effects of alteration of spatial frequency content of complex scenes on human visual scan patterns --- imaging techniques using optical data processing  
[AD-A019854] N76-25768
- OXYGEN**  
Limiting role of stratification in alveolar exchange of oxygen  
A76-32623
- OXYGEN CONSUMPTION**  
Limiting factors to oxygen transport on Mount Everest  
A76-32502
- OXYGEN MASKS**  
Biomedical aspects of oxygen regulator performance. II - Dynamic characteristics --- test on breathing machines and human subjects  
A76-33379
- OXYGEN REGULATORS**  
Biomedical aspects of oxygen regulator performance. I - Static characteristics --- current-inventory USAF equipment  
A76-33378
- Biomedical aspects of oxygen regulator performance. II - Dynamic characteristics --- test on breathing machines and human subjects  
A76-33379
- OXYGEN SUPPLY EQUIPMENT**  
Self-contained breathing apparatus  
[NASA-CASE-MSC-14733-1] N76-24900
- OXYGEN TENSION**  
Amelioration of the symptoms of acute mountain sickness by staging and acetazolamide  
A76-33382

## P

- PARACHUTE DESCENT**  
Prolactin, thyrotropin, and growth hormone release during stress associated with parachute jumping  
A76-33386
- PARTICLE ACCELERATORS**  
Average neutron energy measurement at an accelerator facility, a practical health physics problem  
[LA-UR-75-2235] N76-25765
- PASSENGERS**  
Psychophysical relationships characterizing human response to whole-body sinusoidal vertical vibration  
[NASA-TN-D-8188] N76-24894  
Evaluation of an advanced automotive restraint system using human subjects  
[AD-A012469] N76-25799
- PATTERN RECOGNITION**  
Scanning patterns in real-time FLIR displays --- target acquisition task using Forward Looking Infrared Imagery  
A76-32249  
Visual masking effects on duration, size, and form discrimination  
A76-32636
- PAYLOADS**  
Study to determine Extravehicular Mobility Unit (EMU) advanced technology requirements. Volume 1: Executive summary  
[NASA-CR-137840] N76-24901  
Study to determine Extravehicular Mobility Unit (EMU) advanced technology requirements. Volume 2: Technical analysis  
[NASA-CR-137841] N76-24902
- PERFORMANCE PREDICTION**  
Methodology for the prediction of complex skill performance  
A76-32233
- PERIPHERAL VISION**  
A study of the effect of peripheral vision motion cues on roll axis tracking --- flight simulators for evaluating pilot performance in controlling aircraft  
[AD-A019852] N76-25798
- PERSONNEL**  
Perceived exertion of absolute work during a military physical training program  
[AD-A019118] N76-25777
- PERSPIRATION**  
Sweating responses during changes of hypothalamic temperature in the rhesus monkey  
A76-32501  
Acclimatization in a hot, humid environment - Energy exchange, body temperature, and sweating  
A76-32507  
Potassium losses in sweat under heat stress  
A76-33380  
The numerical thermal simulation of the human body when undergoing exercise or nonionizing electromagnetic irradiation  
[ASME PAPER 76-HT-KK] A76-33530
- PHARMACOLOGY**  
Amelioration of the symptoms of acute mountain sickness by staging and acetazolamide  
A76-33382
- PHONOCARDIOGRAPHY**  
Noninvasive stress testing - Methodology for elimination of the phonocardiogram  
A76-31941
- PHOTOCHEMICAL REACTIONS**  
Light-induced glutamate transport in Halobacterium halobium envelope vesicles. I - Kinetics of the light-dependence and the sodium-gradient-dependent uptake  
A76-34497
- PHOTOSENSITIVITY**  
Effects of eserine upon light sensitivity and dark adaptation  
[AD-A019268] N76-25771
- PHOTOSYNTHESIS**  
The purple membrane of salt-loving bacteria --- rhodopsin powered photosynthesis  
A76-33323
- A study of the primary processes of the photo-induced evolution of hydrogen by *Chlorella* under flash illumination  
A76-34691
- PHYSICAL EXERCISE**  
Noninvasive stress testing - Methodology for elimination of the phonocardiogram  
A76-31941  
Limiting factors to oxygen transport on Mount Everest  
A76-32502  
Autonomic origin of heart rate fluctuations at the onset of muscular exercise  
A76-32504  
Acclimatization in a hot, humid environment - Cardiovascular adjustments  
A76-32508  
Role of the carotid chemoreceptors in the hyperpnea of exercise in the cat  
A76-32622  
The numerical thermal simulation of the human body when undergoing exercise or nonionizing electromagnetic irradiation  
[ASME PAPER 76-HT-KK] A76-33530  
Perceived exertion of absolute work during a military physical training program  
[AD-A019118] N76-25777
- PHYSICAL FITNESS**  
Role of physical condition in heat acclimatization, decay, and reinduction  
[AD-A019588] N76-25775
- PHYSICAL WORK**  
Effect of neck versus chest cooling on responses to work in heat  
A76-32503  
Acclimatization in a hot, humid environment - Energy exchange, body temperature, and sweating  
A76-32507  
Acclimatization in a hot, humid environment - Body fluid adjustments  
A76-32509
- PHYSIOLOGICAL EFFECTS**  
Aerospace Medical Association, Annual Scientific Meeting, 47th, Bal Harbour, Fla., May 10-13, 1976, Preprints  
A76-32166
- PHYSIOLOGICAL FACTORS**  
Relative role of environmental and genetic factors in respiratory adaptation to high altitude  
A76-32958
- PHYSIOLOGICAL RESPONSES**  
Sweating responses during changes of hypothalamic temperature in the rhesus monkey  
A76-32501  
Effect of neck versus chest cooling on responses to work in heat  
A76-32503  
Relative role of environmental and genetic factors in respiratory adaptation to high altitude  
A76-32958  
The effects of a 12-hour shift in the wake-sleep cycle on physiological and biochemical responses and on multiple task performance  
[NASA-TN-X-74115] N76-24880  
A computer program to predict energy cost, rectal temperature, and heart rate response to work, clothing, and environment  
[AD-A020112] N76-25778
- PHYSIOLOGICAL TESTS**  
Perceived exertion of absolute work during a military physical training program  
[AD-A019118] N76-25777
- PILOT PERFORMANCE**  
Aviator performance during day and night terrain flight  
A76-32252  
An airplane performance control system - A flight experiment --- banking angle and vertical speed control  
A76-33371  
Method for determining pilot stress through analysis of voice communication  
A76-33385  
The effect of breathing 100 percent oxygen on short-term memory of military officers while under heat stress  
[AD-A018321] N76-24885  
Emotional stress and flying efficiency  
N76-25790

**PILOT TRAINING**

**SUBJECT INDEX**

- The effects of two stressors on traditional and engineering analogues of cognitive functioning --- considering hypoxia and sleep deprivation in pilot performance evaluation N76-25793
- A study of the effect of peripheral vision motion cues on roll axis tracking --- flight simulators for evaluating pilot performance in controlling aircraft [AD-A019852] N76-25798
- PILOT TRAINING**
- Behavioral taxonomy of undergraduate pilot training tasks and skills A76-32240
- Physiological and psychological preparation of pilots for function in the presence of high altitude cabin depressurization A76-35175
- Adaptive training of manual control: Performance measurement intervals and task characteristics [AD-A019233] N76-24895
- PLANTS (BOTANY)**
- Circadian rhythms in plants, insects and mammals exposed to ELF magnetic and/or electric fields and currents [AD-A019958] N76-25760
- POLAROGRAPHY**
- Polarographic measurement of local cerebral blood flow in the conscious and anesthetized primate [AD-A018665] N76-24892
- POTASSIUM**
- Potassium losses in sweat under heat stress A76-33380
- PREDICTION ANALYSIS TECHNIQUES**
- A computer program to predict energy cost, rectal temperature, and heart rate response to work, clothing, and environment [AD-A020112] N76-25778
- PRESSURE MEASUREMENTS**
- Fluid-filled blood pressure measurement systems A76-32512
- PRESSURE REDUCTION**
- Physiological and psychological preparation of pilots for function in the presence of high altitude cabin depressurization A76-35175
- PRIMARY COSMIC RAYS**
- Effects of high-LET particles /A-40/ on the brain of *Drosophila melanogaster* A76-34500
- PRIMATES**
- Polarographic measurement of local cerebral blood flow in the conscious and anesthetized primate [AD-A018665] N76-24892
- PROPHYLAXIS**
- Amelioration of the symptoms of acute mountain sickness by staging and acetazolamide A76-33382
- PROPRIOCEPTION**
- The effects of visual and proprioceptive feedback on motor learning A76-32234
- PROSTHETIC DEVICES**
- Bulletin of Prosthetics Research, Spring 1975 [AD-A018516] N76-24881
- PROTEIN METABOLISM**
- Light-induced glutamate transport in *Halobacterium halobium* envelope vesicles. I - Kinetics of the light-dependence and the sodium-gradient-dependent uptake A76-34497
- PSYCHOLOGICAL FACTORS**
- Psychological problems of interplanetary flight --- Russian book A76-32813
- PSYCHOLOGICAL TESTS**
- Signal complexity, response complexity, and signal specification in vigilance --- for auditory monitoring task A76-33370
- PSYCHOMETRICS**
- A study of behaviour during a trial of vigilance in non-piloting personnel N76-25785
- PSYCHOMOTOR PERFORMANCE**
- Methodology for the prediction of complex skill performance A76-32233
- The effects of visual and proprioceptive feedback on motor learning A76-32234
- Effects of the menstrual cycle on the performance of complex perceptual psychomotor tasks A76-32248
- The crew and new systems --- aviation safety in terms of human performance under stress [AD-A018253] N76-24896
- PSYCHOPHYSICS**
- Configurational effects in visual information processing A76-32637
- PSYCHOPHYSIOLOGY**
- Physiological and psychological preparation of pilots for function in the presence of high altitude cabin depressurization A76-35175
- Investigations into the reliability of electrophotography [AD-A018806] N76-24891
- Psychophysical relationships characterizing human response to whole-body sinusoidal vertical vibration [NASA-TN-D-8188] N76-24894
- Temperature regulation training in a cooling environment [AD-A019591] N76-25769
- Evoked cortical potentials and information processing [AD-A019199] N76-25780
- Some practical considerations for performance testing in exotic environments N76-25786
- Assessment of perceptual and mental performance in civil aviation personnel N76-25789
- A conceptual model for operational stress N76-25791
- PULMONARY FUNCTIONS**
- Closing volumes in man immersed to the neck in water A76-32506
- Local regulation of collateral ventilation by oxygen and carbon dioxide A76-32510
- PULMONARY LESIONS**
- Mechanism of lung damage in explosive decompression A76-33383

**R**

- RADIATION DOSAGE**
- Auditable program of compliance with ALAP [UNI-SA-15] N76-25764
- RADIATION EFFECTS**
- The numerical thermal simulation of the human body when undergoing exercise or nonionizing electromagnetic irradiation [ASME PAPER 76-HT-KK] A76-33530
- Effects of high-LET particles /A-40/ on the brain of *Drosophila melanogaster* A76-34500
- Activation of RNA biosynthesis in the liver and spleen of irradiated rats A76-34699
- Radiation genetic effects of electron vacuum tubes of a radar station [ORNL-TR-4053] N76-25763
- RADIATION HAZARDS**
- The hazards of the radiation of semiconductor laser diodes for the human eye A76-32223
- Average neutron energy measurement at an accelerator facility, a practical health physics problem [LA-UR-75-2235] N76-25765
- RADIOACTIVE ISOTOPES**
- The impact of nuclear medicine on the diagnosis and management of cardiovascular disease A76-32666
- Radiopharmaceuticals for studying heart disease A76-32667
- Myocardial perfusion imaging for the detection of coronary heart disease A76-32668
- Analytical methods for quantitative evaluation of the radiocardiogram A76-33546

- RADIOBIOLOGY**  
Effects of high-LET particles /A-40/ on the brain of *Drosophila melanogaster* A76-34500  
Activation of RNA biosynthesis in the liver and spleen of irradiated rats A76-34699
- RADIOGRAPHY**  
Radiographic changes in cardiac dimensions during exhaustive exercise in man [AD-A019100] N76-24889
- RAPID EYE MOVEMENT STATE**  
The stability of the sigma sleep spindle A76-32875
- REACTION TIME**  
SAINT model of a choice reaction time paradigm --- Systems Analysis of Integrated Network of Tasks A76-32242
- REAL TIME OPERATION**  
The PDP-15 electrocardiogram analysis system, a further attempt at continuous real-time operations [AD-A019809] N76-25767
- REFRIGERATING MACHINERY**  
Development of a refrigeration system for lunar surface and spacecraft applications [NASA-CR-147761] N76-25795
- RELAXATION (PHYSIOLOGY)**  
Sleep in the long-range aviation environment A76-32197
- REMOTE CONTROL**  
Television systems for remote manipulation --- in space A76-32251
- REMOTELY PILOTED VEHICLES**  
SAINT simulation of a remotely piloted vehicle/drone control facility --- Systems Analysis of Integrated Networks of Tasks A76-32243
- RENAL FUNCTION**  
Ultrasonic Doppler measurement of renal artery blood flow [NASA-CR-148131] N76-24879
- RESEARCH AND DEVELOPMENT**  
Development of a refrigeration system for lunar surface and spacecraft applications [NASA-CR-147761] N76-25795
- RESIDENTIAL AREAS**  
Aircraft noise in residential areas: Measurement and analysis --- human reactions near airports N76-24245  
Notes on noise index numbers (taking into account the results of the Munich Aircraft Noise Investigation carried out by the German Research Association) N76-24246
- RESPIRATION**  
Interruption of denitrogenation by air-breathing [AD-A020049] N76-25773
- RESPIRATORY IMPEDANCE**  
Biomedical aspects of oxygen regulator performance. II - Dynamic characteristics --- test on breathing machines and human subjects A76-33379
- RESPIRATORY PHYSIOLOGY**  
Thoracic dynamics during blunt impact A76-34146
- RESPIRATORY SYSTEM**  
Closing volumes in man immersed to the neck in water A76-32506  
Mechanism of lung damage in explosive decompression A76-33383
- RETENTION (PSYCHOLOGY)**  
The effect of alcohol ingestion on short term memory and attention [AD-A018311] N76-24886
- RETINAL IMAGES**  
Design parameters for a stereoptic television system based on direct vision depth perception cues A76-32250  
Theory of spatial-frequency filtering by the human visual system. I - Performance limited by quantum noise. II - Performance limited by video noise A76-34585
- RIBONUCLEIC ACIDS**  
Activation of RNA biosynthesis in the liver and spleen of irradiated rats A76-34699
- ROBOTS**  
Development of assembly robots --- manipulator arm design A76-33570
- S**
- SACCADIC EYE MOVEMENTS**  
Algorithm for analyses of saccadic eye movements using a digital computer A76-33384
- SAFETY DEVICES**  
Advanced restraint systems for Army aircraft A76-34153  
Evaluation of an advanced automotive restraint system using human subjects [AD-A012469] N76-25799
- SCENE ANALYSIS**  
Television systems for remote manipulation --- in space A76-32251
- SEAT BELTS**  
Advanced restraint systems for Army aircraft A76-34153
- SEATS**  
Simulation of an aircraft seat and occupant in a crash environment A76-34152
- SEMICONDUCTOR LASERS**  
The hazards of the radiation of semiconductor laser diodes for the human eye A76-32223
- SENSORY DISCRIMINATION**  
The perceptual basis of loudness ratio judgments A76-32635  
Selective attention and the auditory vertex potential. I - Effects of stimulus delivery rate. II - Effects of signal intensity and masking noise A76-32873
- SENSORY FEEDBACK**  
The effects of visual and proprioceptive feedback on motor learning A76-32234
- SENSORY PERCEPTION**  
Ergonomic models of human performance: Source materials for the analyst [AD-A020086] N76-25781
- SENSORY STIMULATION**  
Electromechanical stimulator for presenting moving cutaneous stimuli A76-32511
- SEX FACTOR**  
Sleep in the young adult as seen from automatic analysis of records A76-33975
- SHIELDING**  
The use of opaque louvres and shields to reduce reflections within the cockpit, computer programs for two approaches to the problem [AD-A018468] N76-24905
- SINE WAVES**  
Cross-modality determination of the subjective growth function for whole-body vertical, sinusoidal, vibration A76-33368
- SIZE (DIMENSIONS)**  
Radiographic changes in cardiac dimensions during exhaustive exercise in man [AD-A019100] N76-24889
- SIZE DETERMINATION**  
Visual masking effects on duration, size, and form discrimination A76-32636
- SKIN (ANATOMY)**  
Electromechanical stimulator for presenting moving cutaneous stimuli A76-32511
- SKIN TEMPERATURE (BIOLOGY)**  
Sweating responses during changes of hypothalamic temperature in the rhesus monkey A76-32501
- SKYLAB PROGRAM**  
Report of 14-day bedrest simulation of Skylab [NASA-CR-147758] N76-25761
- SLEEP**  
The stability of the sigma sleep spindle A76-32875

## SLEEP DEPRIVATION

Evidence for the presence of eye movement potentials during paradoxical sleep in cats  
A76-33974

Sleep in the young adult as seen from automatic analysis of records  
A76-33975

**SLEEP DEPRIVATION**  
Sleep in the long-range aviation environment  
A76-32197

The effects of two stressors on traditional and engineering analogues of cognitive functioning --- considering hypoxia and sleep deprivation in pilot performance evaluation  
N76-25793

**SONIC BOOMS**  
Sonic-boom-startle effects during simulated and actual automobile-driving tests  
A76-33566

**SOUND INTENSITY**  
On hemispheric differences in evoked potentials to speech stimuli  
A76-32125

**SPACE EXPLORATION**  
A scientific dialog between the leading space powers [NASA-TT-F-15463]  
N76-25794

**SPACE FLIGHT FEEDING**  
Health protection and food preservation by gamma irradiation [NASA-CR-147779]  
N76-25796

**SPACE FLIGHT STRESS**  
Mineral metabolic adaptation to simulated hypogravics  
A76-32421

Psychological problems of interplanetary flight --- Russian book  
A76-32813

**SPACE LABORATORIES**  
Support of in-flight experiments [NASA-CR-147748]  
N76-25758

**SPACE PERCEPTION**  
Design parameters for a stereoptic television system based on direct vision depth perception cues  
A76-32250

**SPACE SHUTTLES**  
Study to determine Extravehicular Mobility Unit (EMU) advanced technology requirements. Volume 1: Executive summary [NASA-CR-137840]  
N76-24901

Study to determine Extravehicular Mobility Unit (EMU) advanced technology requirements. Volume 2: Technical analysis [NASA-CR-137841]  
N76-24902

**SPACECRAFT ENVIRONMENTS**  
Development of a refrigeration system for lunar surface and spacecraft applications [NASA-CR-147761]  
N76-25795

**SPACECREWS**  
PPP effectiveness study --- automatic procedures recording and crew performance monitoring system [NASA-CR-147720]  
N76-24904

Interruption of denitrogenation by air-breathing [AD-A020049]  
N76-25773

**SPATIAL FILTERING**  
Theory of spatial-frequency filtering by the human visual system. I - Performance limited by quantum noise. II - Performance limited by video noise  
A76-34585

**SPEECH**  
On hemispheric differences in evoked potentials to speech stimuli  
A76-32125

**SPEECH RECOGNITION**  
Method for determining pilot stress through analysis of voice communication  
A76-33385

**SPERMATOZOA**  
Support of in-flight experiments [NASA-CR-147748]  
N76-25758

**SPINAL CORD**  
Standardization and interpretation of spinal injury criteria and human impact acceleration tolerance  
A76-34142

Spinal injury in the crash environment  
A76-34148

## SUBJECT INDEX

**SPLEEN**  
Activation of RNA biosynthesis in the liver and spleen of irradiated rats  
A76-34699

**STATIC TESTS**  
Biomedical aspects of oxygen regulator performance. I - Static characteristics --- current-inventory USAF equipment  
A76-33378

**STATISTICAL ANALYSIS**  
Some statistical patterns in the control of vascular thermoregulatory responses  
A76-34716

**STEREOSCOPIC VISION**  
Design parameters for a stereoptic television system based on direct vision depth perception cues  
A76-32250

**STERNUM**  
Intrusion of the sternum into the thoracic cavity during frontal chest impact and injury potential  
A76-34147

**STREPTOCOCCUS**  
The physiological bases for microbial barotolerance [AD-A018892]  
N76-24876

**STRESS (PHYSIOLOGY)**  
Noninvasive stress testing - Methodology for elimination of the phonocardiogram  
A76-31941

Aerospace Medical Association, Annual Scientific Meeting, 47th, Bal Harbour, Fla., May 10-13, 1976, Preprints  
A76-32166

Prolactin, thyrotropin, and growth hormone release during stress associated with parachute jumping  
A76-33386

Heat and simulated high altitude - Effects on biochemical indices of stress and performance  
A76-33387

The effect of hyperbaric oxygen and helium on virus replication and host pathology [AD-A018894]  
N76-24877

US Army medical research and development technical report [AD-A018435]  
N76-24882

The effect of breathing 100 percent oxygen on short-term memory of military officers while under heat stress [AD-A018321]  
N76-24885

A squirrel monkey behavioral model for human acute mountain sickness [AD-A019177]  
N76-24887

Proceedings of the Undersea Medical Society Workshop (7th) on Medical Aspects of Small Submersible Operations [AD-A018474]  
N76-24890

Role of physical condition in heat acclimatization, decay, and reinduction [AD-A019588]  
N76-25775

A computer program to predict energy cost, rectal temperature, and heart rate response to work, clothing, and environment [AD-A020112]  
N76-25778

**STRESS (PSYCHOLOGY)**  
Prolactin, thyrotropin, and growth hormone release during stress associated with parachute jumping  
A76-33386

US Army medical research and development technical report [AD-A018435]  
N76-24882

The crew and new systems --- aviation safety in terms of human performance under stress [AD-A018253]  
N76-24896

Emotional stress and flying efficiency  
N76-25790

**STRESS MEASUREMENT**  
Some practical considerations for performance testing in exotic environments  
N76-25786

**SUBMERGING**  
Closing volumes in man immersed to the neck in water  
A76-32506

**SUPERSONIC TRANSPORTS**  
Sonic-boom-startle effects during simulated and actual automobile-driving tests  
A76-33566

**SURFACE ROUGHNESS EFFECTS**

Simulated helo ground target acquisition under different sun angles and ground textures --- airborne visual tasks  
A76-32253

**SYSTEM EFFECTIVENESS**

Training devices - Physical versus psychological simulation --- departures from fidelity with real world  
A76-32227

Translating information requirements into training device fidelity requirements  
A76-32229

The function description inventory as a human factors tool in evaluating system effectiveness in operational environments --- for weapon systems  
A76-32237

**SYSTEMS ANALYSIS**

SATT revisited - A critical post-examination of the systems approach to training --- for B-1 crews  
A76-32241

SAINT model of a choice reaction time paradigm --- Systems Analysis of Integrated Network of Tasks  
A76-32242

SAINT simulation of a remotely piloted vehicle/drone control facility --- Systems Analysis of Integrated Networks of Tasks  
A76-32243

Development of a computer simulation model for evaluating DAIS display concepts --- Digital Avionics Information System  
A76-32244

**SYSTOLIC PRESSURE**

Noninvasive stress testing - Methodology for elimination of the phonocardiogram  
A76-31941

**T****TACTILE DISCRIMINATION**

Electromechanical stimulator for presenting moving cutaneous stimuli  
A76-32511

**TARGET ACQUISITION**

Scanning patterns in real-time FLIR displays --- target acquisition task using Forward Looking Infrared Imagery  
A76-32249

Simulated helo ground target acquisition under different sun angles and ground textures --- airborne visual tasks  
A76-32253

Mathematical modeling of air-to-ground target acquisition  
A76-33369

**TARGET RECOGNITION**

Effects of prior hypoxia exposure on visual target detection during later more severe hypoxia, and note on the relationship between introversion-extraversion, field-dependence-independence, and accuracy of visual target detection  
[AD-A019250]  
N76-25774

**TASK COMPLEXITY**

Methodology for the prediction of complex skill performance  
A76-32233

Criterion referenced measures of technical proficiency in maintenance activities  
A76-32245

Effects of the menstrual cycle on the performance of complex perceptual psychomotor tasks  
A76-32248

Signal complexity, response complexity, and signal specification in vigilance --- for auditory monitoring task  
A76-33370

**TAXONOMY**

Behavioral taxonomy of undergraduate pilot training tasks and skills  
A76-32240

**TECHNOLOGY ASSESSMENT**

Biomedical aspects of oxygen regulator performance. I - Static characteristics --- current-inventory USAF equipment  
A76-33378

Angiocardiology - Past and present  
A76-34532

Study to determine Extravehicular Mobility Unit (EMU) advanced technology requirements. Volume 1: Executive summary  
[NASA-CR-137840]  
N76-24901

Study to determine Extravehicular Mobility Unit (EMU) advanced technology requirements. Volume 2: Technical analysis  
[NASA-CR-137841]  
N76-24902

**TELEVISION RECEIVERS**

An experimental evaluation of the spot wobble method of suppressing raster structure visibility  
[AD-A018566]  
N76-24897

**TELEVISION SYSTEMS**

Design parameters for a stereoptic television system based on direct vision depth perception cues  
A76-32250

Television systems for remote manipulation --- in space  
A76-32251

**TEMPERATURE EFFECTS**

Effect of temperature on the tonus of blood vessels  
A76-34229

**TERPENES**

A study of the effect of light on the emission of terpenes from certain woody plants  
[NASA-CR-148142]  
N76-25759

**TERRAIN**

Simulated helo ground target acquisition under different sun angles and ground textures --- airborne visual tasks  
A76-32253

**THERMAL SIMULATION**

The numerical thermal simulation of the human body when undergoing exercise or nonionizing electromagnetic irradiation  
[ASME PAPER 76-HT-KK]  
A76-33530

**THERMAL STRESSES**

The effect of breathing 100 percent oxygen on short-term memory of military officers while under heat stress  
[AD-A018321]  
N76-24885

Thermal comfort factors, concepts and definitions --- for human clothing  
[AD-A019589]  
N76-25779

**THERMOREGULATION**

Sweating responses during changes of hypothalamic temperature in the rhesus monkey  
A76-32501

Autonomic thermoregulation in squirrel monkey when behavioral regulation is limited  
A76-32505

Changes in the temperature of the hypothalamus during muscular contractions before and after cold adaptation  
A76-34228

Some statistical patterns in the control of vascular thermoregulatory responses  
A76-34716

Temperature regulation training in a cooling environment  
[AD-A019591]  
N76-25769

Role of physical condition in heat acclimatization, decay, and reinduction  
[AD-A019588]  
N76-25775

Thermal comfort factors, concepts and definitions --- for human clothing  
[AD-A019589]  
N76-25779

**THORAX**

Thoracic dynamics during blunt impact  
A76-34146

Intrusion of the sternum into the thoracic cavity during frontal chest impact and injury potential  
A76-34147

**THRESHOLDS (PERCEPTION)**

A study of moving base simulation motion cues utilizing washout technique  
A76-32235

Theory of spatial-frequency filtering by the human visual system. I - Performance limited by quantum noise. II - Performance limited by video noise  
A76-34585

**TIME RESPONSE**

Noninvasive stress testing - Methodology for elimination of the phonocardiogram  
A76-31941



## TIME SHARING

Determinants of performance improvement in training under time-sharing conditions

A76-32236

## TISSUES (BIOLOGY)

Ultrastructural effects of +Gz stress on swine cardiac muscle

A76-33381

## TRACHEA

Mechanism of lung damage in explosive decompression

A76-33383

## TRACKING (POSITION)

Determinants of performance improvement in training under time-sharing conditions

A76-32236

A study of the effect of peripheral vision motion cues on roll axis tracking --- flight simulators for evaluating pilot performance in controlling aircraft

[AD-A019852] N76-25798

## TRAINING DEVICES

Translating information requirements into training device fidelity requirements

A76-32229

Behavioral data in the design of aircrew training devices

A76-32239

SATT revisited - A critical post-examination of the systems approach to training --- for B-1 crews

A76-32241

## TRAINING SIMULATORS

Training devices - Physical versus psychological simulation --- departures from fidelity with real world

A76-32227

Simulator training reconsidered - Alternative concepts of transfer

A76-32228

Evaluation of the EC II programmable maintenance simulator in T-2C organizational maintenance training

[AD-A012336] N76-24898

## TRAJECTORY ANALYSIS

Dynamics of two-legged walking. II

A76-32474

## TRANSFER FUNCTIONS

The correlational structure of traditional task measures and engineering analogues of performance in the cognitive domain

N76-25784

The human as an adaptive controller

N76-25788

## TRANSFER OF TRAINING

Simulator training reconsidered - Alternative concepts of transfer

A76-32228

Simulator cockpit motion and the transfer of initial flight training

A76-32238

## TRANSPORT AIRCRAFT

Study of the microbiological environment within long- and medium-range Canadian Forces aircraft

A76-33376

## TREES (PLANTS)

A study of the effect of light on the emission of terpenes from certain woody plants

[NASA-CR-148142] N76-25759

## U

## ULTRASONIC FLAW DETECTION

Ultrasonic Doppler measurement of renal artery blood flow

[NASA-CR-148131] N76-24879

## UNDERWATER VEHICLES

Proceedings of the Undersea Medical Society Workshop (7th) on Medical Aspects of Small Submersible Operations

[AD-A018474] N76-24890

## URINE

An automated DMPE method for the determination of urinary amino nitrogen

[AD-A018720] N76-24893

## V

## VACUUM TUBES

Radiation genetic effects of electron vacuum tubes of a radar station

[ORNL-TR-4053] N76-25763

## VASOCONSTRICTION

Some statistical patterns in the control of

vascular thermoregulatory responses

A76-34716

Sustained venoconstriction in man supplemented

with CO<sub>2</sub> at high altitude

[AD-A019119] N76-25776

## VENTILATION

Closing volumes in man immersed to the neck in water

A76-32506

Local regulation of collateral ventilation by

oxygen and carbon dioxide

A76-32510

Role of the carotid chemoreceptors in the

hyperpnea of exercise in the cat

A76-32622

## VERTICAL MOTION

Cross-modality determination of the subjective

growth function for whole-body vertical,

sinusoidal, vibration

A76-33368

## VESTIBULAR TESTS

Chair for studying vestibular analyzer

[AD-A018251] N76-24884

## VESTIBULES

The effects of centrifugation on the morphology of the lateral vestibular nucleus in the rat - A

light and electron microscopic study

A76-33473

## VIBRATION EFFECTS

Psychophysical relationships characterizing human

response to whole-body sinusoidal vertical

vibration

[NASA-TN-D-8188] N76-24894

Development of ride comfort criteria for mass

transit systems

[NASA-CR-147962] N76-24903

## VIBRATION MODE

Cross-modality determination of the subjective

growth function for whole-body vertical,

sinusoidal, vibration

A76-33368

## VIBRATION PERCEPTION

Some studies on the capabilities and limitations

of humans to judge frequency of vibration

applied to whole body

A76-34817

## VIKING MARS PROGRAM

The prospects for life on Mars - A pre-Viking

assessment

A76-34786

## VIRUSES

The effect of hyperbaric oxygen and helium on

virus replication and host pathology

[AD-A018894] N76-24877

## VISCIOUS FLUIDS

Physical properties of blood and their influence

on blood-flow measurement

A76-32288

## VISUAL ACUITY

A study of behaviour during a trial of vigilance

in non-piloting personnel

N76-25785

## VISUAL CONTROL

The human as an adaptive controller

N76-25788

## VISUAL DISCRIMINATION

Simulated helo ground target acquisition under

different sun angles and ground textures ---

airborne visual tasks

A76-32253

Visual masking effects on duration, size, and form

discrimination

A76-32636

## VISUAL FLIGHT

Aviator performance during day and night terrain

flight

A76-32252

## VISUAL PERCEPTION

Effects of the menstrual cycle on the performance

of complex perceptual psychomotor tasks

A76-32248

- Configurational effects in visual information processing A76-32637
- Theory of spatial-frequency filtering by the human visual system. I - Performance limited by quantum noise. II - Performance limited by video noise A76-34585
- Effects of hypoxia on peripheral visual response to dim stimuli [AD-A019106] N76-24888
- Effects of alteration of spatial frequency content of complex scenes on human visual scan patterns --- imaging techniques using optical data processing [AD-A019854] N76-25768
- Evoked cortical potentials and information processing [AD-A019199] N76-25780
- Some practical considerations for performance testing in exotic environments N76-25786
- VISUAL PIGMENTS**  
The purple membrane of salt-loving bacteria --- rhodopsin powered photosynthesis A76-33323
- VISUAL SIGNALS**  
Design parameters for a stereoptic television system based on direct vision depth perception cues A76-32250
- VISUAL STIMULI**  
Visual masking effects on duration, size, and form discrimination A76-32636
- The dimensionality of the human visual evoked scalp potential A76-32874
- VISUAL TASKS**  
The effects of visual and proprioceptive feedback on motor learning A76-32234
- Effects of the menstrual cycle on the performance of complex perceptual psychomotor tasks A76-32248
- Scanning patterns in real-time FLIR displays --- target acquisition task using Forward Looking Infrared Imagery A76-32249
- Television systems for remote manipulation --- in space A76-32251
- Simulated helo ground target acquisition under different sun angles and ground textures --- airborne visual tasks A76-32253
- Mathematical modeling of air-to-ground target acquisition A76-33369
- Continuous versus intermittent display of information --- in man-machine systems A76-33372
- Color code size for searching displays of different density A76-34424
- Estimating the amount of eye movement data required for panel design and instrument placement A76-34425
- VOICE COMMUNICATION**  
Method for determining pilot stress through analysis of voice communication A76-33385

**W**

- WAKEFULNESS**  
Sleep in the long-range aviation environment A76-32197
- WALKING MACHINES**  
Dynamics of two-legged walking. II A76-32474
- WEAPON SYSTEMS**  
The function description inventory as a human factors tool in evaluating system effectiveness in operational environments --- for weapon systems A76-32237

Definition and measurement of perceptual and mental workload in aircrews and operators of Air Force weapon systems, a status report N76-25783

**WEIGHTLESSNESS SIMULATION**

Mineral metabolic adaptation to simulated hypogravics A76-32421

**WORK-REST CYCLE**

The effects of a 12-hour shift in the wake-sleep cycle on physiological and biochemical responses and on multiple task performance [NASA-TM-X-74115] N76-24880

**WORKLOADS (PSYCHOPHYSIOLOGY)**

Definition and measurement of perceptual and mental workload in aircrews and operators of Air Force weapon systems, a status report N76-25783

**X**

**X RAY ANALYSIS**


Angiocardiography - Past and present A76-34532

**Page intentionally left blank**

**Page intentionally left blank**

# PERSONAL AUTHOR INDEX

## Typical Personal Author Index Listing



The title of the document is used to provide the user with a brief description of the subject matter. The NASA or AIAA accession number is included in each entry to assist the user in locating the abstract in the abstract section of this supplement. If applicable a report number is also included as an aid in identifying the document.

## A

- ADAIR, E. B.**  
Autonomic thermoregulation in squirrel monkey when behavioral regulation is limited  
A76-32505
- ADAMS, J. A.**  
The effects of visual and proprioceptive feedback on motor learning  
A76-32234
- ADARO, F.**  
Limiting role of stratification in alveolar exchange of oxygen  
A76-32623
- ADVANI, S. H.**  
Human head and neck dynamic response - Analytical models and experimental data  
A76-34144
- AGGARWAL, D.**  
Role of the carotid chemoreceptors in the hyperpnea of exercise in the cat  
A76-32622
- ALBAHESE, R. A.**  
The correlational structure of traditional task measures and engineering analogues of performance in the cognitive domain  
N76-25784  
The human as an adaptive controller  
N76-25788  
The effects of two stressors on traditional and engineering analogues of cognitive functioning  
N76-25793
- ALLEN, R. W.**  
Effects of wideband auditory noise on manual control performance and dynamic response [AD-A018667]  
N76-24907
- ANDREASSI, J. L.**  
Evoked cortical potentials and information processing [AD-A019199]  
N76-25780
- ARBET, J. D.**  
PPP effectiveness study [NASA-CR-147720]  
N76-24904
- ATHANASSENAS, G.**  
Air operations and circadian performance rhythms  
N76-25787
- AYOUB, M. H.**  
Three-dimensional profiles of movements of human body joint centers  
A76-32246  
Measurement of muscle fatigue using electromyography  
A76-32247

## B

- BACHARACH, S. I.**  
The measurement of ventricular function and the detection of wall motion abnormalities with high temporal resolution ECG-gated scintigraphic angiocardiology  
A76-32669
- BAILEY, I.**  
Myocardial perfusion imaging for the detection of coronary heart disease  
A76-32668
- BAILEY, J. J.**  
The measurement of ventricular function and the detection of wall motion abnormalities with high temporal resolution ECG-gated scintigraphic angiocardiology  
A76-32669
- BAIRDEN, A. G.**  
Effects of the menstrual cycle on the performance of complex perceptual psychomotor tasks  
A76-32248
- BALOH, R. W.**  
Algorithm for analyses of saccadic eye movements using a digital computer  
A76-33384
- BANDERET, L. E.**  
A squirrel monkey behavioral model for human acute mountain sickness [AD-A019177]  
N76-24887
- BANKS, W. P.**  
Configurational effects in visual information processing  
A76-32637
- BARNEY, C. C.**  
Sweating responses during changes of hypothalamic temperature in the rhesus monkey  
A76-32501
- BATRA, G. K.**  
Local regulation of collateral ventilation by oxygen and carbon dioxide  
A76-32510
- BEAMON, W. S.**  
An experimental evaluation of the spot wobble method of suppressing raster structure visibility [AD-A018566]  
N76-24897
- BEDROV, IA. A.**  
Some statistical patterns in the control of vascular thermoregulatory responses  
A76-34716
- BELETSKII, V. V.**  
Dynamics of two-legged walking. II  
A76-32474
- BELKIN, V.**  
Chair for studying vestibular analyzer [AD-A018251]  
N76-24884
- BELLER, G. A.**  
Radiographic changes in cardiac dimensions during exhaustive exercise in man [AD-A019100]  
N76-24889
- BENBOW, R. L.**  
PPP effectiveness study [NASA-CR-147720]  
N76-24904
- BENNETT, R. H.**  
Closing volumes in man immersed to the neck in water  
A76-32506
- BENSON, P.**  
On hemispheric differences in evoked potentials to speech stimuli  
A76-32125
- BENTON, E. V.**  
Effects of high-LET particles /A-40/ on the brain of *Drosophila melanogaster*  
A76-34500

- BERGMAN, C. A.  
An airplane performance control system - A flight experiment  
A76-33371
- BERLIN, H. M.  
A computer program to predict energy cost, rectal temperature, and heart rate response to work, clothing, and environment  
[AD-A020112] N76-25778
- BERNAL, F.  
An automated DMFB method for the determination of urinary amino nitrogen  
[AD-A018720] N76-24893
- BLANK, D. L.  
Electromechanical stimulator for presenting moving cutaneous stimuli  
A76-32511
- BOICHENKO, V. A.  
A study of the primary processes of the photo-induced evolution of hydrogen by *Chlorella* under flash illumination  
A76-34691
- BONDI, K. E.  
Closing volumes in man immersed to the neck in water  
A76-32506
- BOTVINICK, E. H.  
The impact of nuclear medicine on the diagnosis and management of cardiovascular disease  
A76-32666
- BRADLEY, M. E.  
Closing volumes in man immersed to the neck in water  
A76-32506
- BRODY, J. S.  
Relative role of environmental and genetic factors in respiratory adaptation to high altitude  
A76-32958
- BROWN, J. E.  
USAF evaluation of an automated adaptive flight training system  
[AD-A018612] N76-24899
- BRUNS, R. A.  
Some practical considerations for performance testing in exotic environments  
N76-25786
- BRYE, R.  
A study of moving base simulation motion cues utilizing washout technique  
A76-32235
- BUCKENMAIER, C. C., JR.  
SATT revisited - A critical post-examination of the systems approach to training  
A76-32241
- BURR, M. J.  
The effects of a 12-hour shift in the wake-sleep cycle on physiological and biochemical responses and on multiple task performance  
[NASA-TM-X-74115] N76-24880
- BURSE, R. L.  
Role of physical condition in heat acclimatization, decay, and reinduction  
[AD-A019588] N76-25775
- C**
- CABILL, M.-C.  
Color code size for searching displays of different density  
A76-34424
- CAMPBELL, J.  
Evaluation of the EC II programmable maintenance simulator in T-2C organizational maintenance training  
[AD-A012336] N76-24898
- CANTOR, H. E.  
Visual masking effects on duration, size, and form discrimination  
A76-32636
- CAPELL, C. M.  
Effects of alteration of spatial frequency content of complex scenes on human visual scan patterns  
[AD-A019854] N76-25768
- CARO, F. W.  
Simulator training reconsidered - Alternative concepts of transfer  
A76-32228
- CARR, R. W.  
Advanced restraint systems for Army aircraft  
A76-34153
- CARTER, R. C., JR.  
Color code size for searching displays of different density  
A76-34424
- CERRITELLI, P.  
Limiting factors to oxygen transport on Mount Everest  
A76-32502
- CESPUGLIO, R.  
Evidence for the presence of eye movement potentials during paradoxical sleep in cats  
A76-33974
- CHEBRIAKOV, I. M.  
Physiological and psychological preparation of pilots for function in the presence of high altitude cabin depressurization  
A76-35175
- CHILDS, J. M.  
Signal complexity, response complexity, and signal specification in vigilance  
A76-33370
- CHILES, W. D.  
The effects of a 12-hour shift in the wake-sleep cycle on physiological and biochemical responses and on multiple task performance  
[NASA-TM-X-74115] N76-24880  
Assessment of perceptual and mental performance in civil aviation personnel  
N76-25789
- CHIOU, W. C.  
The use of opaque louvres and shields to reduce reflections within the cockpit, computer programs for two approaches to the problem  
[AD-A018468] N76-24905
- CLARKE, R. E.  
Study of the microbiological environment within long- and medium-range Canadian Forces aircraft  
A76-33376
- CLAYTON, A. J.  
Study of the microbiological environment within long- and medium-range Canadian Forces aircraft  
A76-33376
- COAN, P. P.  
Television systems for remote manipulation  
A76-32251
- COATES, G. D.  
Development of ride comfort criteria for mass transit systems  
[NASA-CR-147962] N76-24903
- COOK, D. J.  
Myocardial perfusion imaging for the detection of coronary heart disease  
A76-32668
- COOK, W.  
Human head and neck dynamic response - Analytical models and experimental data  
A76-34144
- COOKE, J. P.  
Interruption of denitrogenation by air-breathing  
[AD-A020049] N76-25773
- COPELAND, R. J.  
Development of a refrigeration system for lunar surface and spacecraft applications  
[NASA-CR-147761] N76-25795
- COPPEDGE, L. M.  
A study of the effect of light on the emission of terpenes from certain woody plants  
[NASA-CR-148142] N76-25759
- CREAM, B. W.  
Behavioral data in the design of aircrew training devices  
A76-32239
- CRONIN, J. R.  
Amino acids of the Nogoya and Mokoia carbonaceous chondrites  
A76-34450
- CROOKS, W. H.  
Television systems for remote manipulation  
A76-32251
- CRUZ, J. C.  
Increased 2,3-diphosphoglycerate during normocapnic hypobaric hypoxia  
[AD-A019513] N76-25766  
Sustained venoconstriction in man supplemented with CO<sub>2</sub> at high altitude  
[AD-A019119] N76-25776

- CUTKOMP, L.**  
Circadian rhythms in plants, insects and mammals exposed to ELF magnetic and/or electric fields and currents  
[AD-A019958] N76-25760
- CYBERBAH, A.**  
Increased 2,3-diphosphoglycerate during normocapnic hypobaric hypoxia  
[AD-A019513] N76-25766  
Sustained venoconstriction in man supplemented with CO<sub>2</sub> at high altitude  
[AD-A019119] N76-25776
- D**
- DANILOV, E. N.**  
Determination by impedance of the volume of gas bubbles in the blood resulting from a decrease in atmospheric pressure  
A76-34700
- DANNHAUS, D. H.**  
Methodology for the prediction of complex skill performance  
A76-32233
- DARCEY, T. H.**  
The dimensionality of the human visual evoked scalp potential  
A76-32874
- DEAN, P. J.**  
A conceptual model for operational stress  
N76-25791
- DEIVANAYAGAM, S.**  
Three-dimensional profiles of movements of human body joint centers  
A76-32246
- DELANEY, R. G.**  
Relative role of environmental and genetic factors in respiratory adaptation to high altitude  
A76-32958
- DEMPSEY, T. K.**  
Psychophysical relationships characterizing human response to whole-body sinusoidal vertical vibration  
[NASA-TN-D-8188] N76-24894
- DENNISTON, J. C.**  
Increased 2,3-diphosphoglycerate during normocapnic hypobaric hypoxia  
[AD-A019513] N76-25766
- DESIMONE, J. J.**  
Evoked cortical potentials and information processing  
[AD-A019199] N76-25780
- DINORD, R. C.**  
Prolactin, thyrotropin, and growth hormone release during stress associated with parachute jumping  
A76-33386
- DIVERT, V. E.**  
Changes in the temperature of the hypothalamus during muscular contractions before and after cold adaptation  
A76-34228
- DOMZALSKI, L.**  
Evaluation of an advanced automotive restraint system using human subjects  
[AD-A012469] N76-25799
- DOUGLAS, H. A.**  
The measurement of ventricular function and the detection of wall motion abnormalities with high temporal resolution ECG-gated scintigraphic angiocardiology  
A76-32669
- DOWELL, B. T.**  
Ultrastructural effects of +Gz stress on swine cardiac muscle  
A76-33381
- DUKET, S. D.**  
SAINT simulation of a remotely piloted vehicle/drone control facility  
A76-32243
- DWYER, A.**  
Analytical methods for quantitative evaluation of the radiocardiogram  
A76-33546
- DZIALO, R. E.**  
An analysis of motor function and control in the human nervous system  
[AD-A020098] N76-25772
- E**
- EABELL, J. H.**  
Prolactin, thyrotropin, and growth hormone release during stress associated with parachute jumping  
A76-33386
- EDDOWES, E. E.**  
Behavioral taxonomy of undergraduate pilot training tasks and skills  
A76-32240  
USAF evaluation of an automated adaptive flight training system  
[AD-A018612] N76-24899
- EPINTSEV, E. I.**  
A study of the primary processes of the photo-induced evolution of hydrogen by *Chlorella* under flash illumination  
A76-34691
- EGGENBERG, F. T.**  
Behavioral data in the design of aircrew training devices  
A76-32239
- ELIZONDO, R. S.**  
Sweating responses during changes of hypothalamic temperature in the rhesus monkey  
A76-32501
- ELLIS, R. W.**  
The design and fabrication of a prototype inflatable heated casualty evacuation unit  
[AD-A019697] N76-25770
- EMERY, A. F.**  
The numerical thermal simulation of the human body when undergoing exercise or nonionizing electromagnetic irradiation  
[ASME PAPER 76-HT-KK] A76-33530
- ENGELKEN, E. J.**  
The human as an adaptive controller  
N76-25788
- BRICKSON, H. H.**  
Ultrastructural effects of +Gz stress on swine cardiac muscle  
A76-33381
- EVANS, W. O.**  
Abelioration of the symptoms of acute mountain sickness by staging and acetazolamide  
A76-33382
- EWING, C. L.**  
Injury criteria and human tolerance for the neck  
A76-34141
- F**
- FAGRAEUS, L.**  
Autonomic origin of heart rate fluctuations at the onset of muscular exercise  
A76-32504
- FARBRELL, G.**  
The perceptual basis of loudness ratio judgments  
A76-32635
- FAUST, D.**  
Investigations into the reliability of electrophotography  
[AD-A018806] N76-24891
- FEIN, J. H.**  
Polarographic measurement of local cerebral blood flow in the conscious and anesthetized primate  
[AD-A018665] N76-24892
- FENDER, D. H.**  
The dimensionality of the human visual evoked scalp potential  
A76-32874
- FINE, B. J.**  
Heat and simulated high altitude - Effects on biochemical indices of stress and performance  
A76-33387  
Effects of prior hypoxia exposure on visual target detection during later more severe hypoxia, and note on the relationship between introversion-extraversion, field-dependence-independence, and accuracy of visual target detection  
[AD-A019250] N76-25774
- FINKE, H. O.**  
Aircraft noise in residential areas. Measurement and analysis  
N76-24245

- FINLEY, D. L.  
Ergonomic models of human performance: Source materials for the analyst [AD-A020086] N76-25781
- PLECK, J. T.  
Calspan three-dimensional crash victim simulation program A76-34149
- FLINK, J. M.  
Mechanisms of deterioration of nutrients [NASA-CR-147780] N76-25797
- POLEY, J. P., JR.  
Criterion referenced measures of technical proficiency in maintenance activities A76-32245
- FOSTER, J. M.  
Radiographic changes in cardiac dimensions during exhaustive exercise in man [AD-A019100] N76-24889
- FRANCESCONI, R. P.  
Heat and simulated high altitude - Effects on biochemical indices of stress and performance A76-33387
- FRANK, G. M.  
A scientific dialog between the leading space powers [NASA-TT-F-15463] N76-25794
- FRANTZ, A. G.  
Prolactin, thyrotropin, and growth hormone release during stress associated with parachute jumping A76-33386
- FREEDMAN, G. S.  
Analytical methods for quantitative evaluation of the radiocardiogram A76-33546
- FREEDMAN, L. A.  
Television systems for remote manipulation A76-32251
- PREITAG, M.  
Simulated helo ground target acquisition under different sun angles and ground textures A76-32253
- FREUND, W. R.  
Ultrasonic Doppler measurement of renal artery blood flow [NASA-CR-148131] N76-24879
- PREYTAG, L. A.  
Auditable program of compliance with ALAP [UNI-SA-15] N76-25764
- FRIEND, M. A.  
Evoked cortical potentials and information processing [AD-A019199] N76-25780
- FUJIWARA, O.  
Method for determining pilot stress through analysis of voice communication A76-33385
- FUNKHOUSER, G. E.  
The effects of a 12-hour shift in the wake-sleep cycle on physiological and biochemical responses and on multiple task performance [NASA-TM-X-74115] N76-24880
- G**
- GAILLARD, J.-M.  
Sleep in the young adult as seen from automatic analysis of records A76-33975
- GALAMBOS, B.  
On hemispheric differences in evoked potentials to speech stimuli A76-32125  
Selective attention and the auditory vertex potential. I - Effects of stimulus delivery rate. II - Effects of signal intensity and masking noise A76-32873
- GALLICCHIO, J. A.  
Evoked cortical potentials and information processing [AD-A019199] N76-25780
- GARCIA, J. B., JR.  
An automated DMFB method for the determination of urinary amino nitrogen [AD-A018720] N76-24893
- GAUNT, R. A.  
Study of the microbiological environment within long- and medium-range Canadian Forces aircraft A76-33376
- GEKHMAN, B. I.  
Some statistical patterns in the control of vascular thermoregulatory responses A76-34716
- GERATHEWOHL, S. J.  
Definition and measurement of perceptual and mental workload in aircrews and operators of Air Force weapon systems, a status report N76-25783  
Assessment of perceptual and mental performance in civil aviation personnel N76-25789
- GIBSON, R. S.  
Effects of the menstrual cycle on the performance of complex perceptual psychomotor tasks A76-32248
- GIORGINI, E. A.  
Self-contained breathing apparatus [NASA-CASE-MSC-14733-1] N76-24900
- GLASS, I. I.  
Sonic-boom-startle effects during simulated and actual automobile-driving tests A76-33566
- GOLDMAN, R. F.  
Role of physical condition in heat acclimatization, decay, and reinduction [AD-A019588] N76-25775  
A computer program to predict energy cost, rectal temperature, and heart rate response to work, clothing, and environment [AD-A020112] N76-25778  
Thermal comfort factors, Concepts and definitions [AD-A019589] N76-25779
- GOPHER, D.  
The effects of visual and proprioceptive feedback on motor learning A76-32234  
Determinants of performance improvement in training under time-sharing conditions A76-32236
- GRAUBERT, C. M.  
The effect of alcohol ingestion on short term memory and attention [AD-A018311] N76-24886
- GREEN, H. V.  
The measurement of ventricular function and the detection of wall motion abnormalities with high temporal resolution ECG-gated scintigraphic angiocardiology A76-32669
- GREENING, C. P.  
Mathematical modeling of air-to-ground target acquisition A76-33369
- GROSS, G. L.  
Investigations into the reliability of electrophotography [AD-A018806] N76-24891
- GROVER, R. F.  
Sustained venoconstriction in man supplemented with CO<sub>2</sub> at high altitude [AD-A019119] N76-25776
- GUY, A. W.  
The numerical thermal simulation of the human body when undergoing exercise or nonionizing electromagnetic irradiation [ASME PAPER 76-HT-KK] A76-33530
- H**
- HALBERG, F.  
Circadian rhythms in plants, insects and mammals exposed to ELF magnetic and/or electric fields and currents [AD-A019958] N76-25760
- HALCOMB, C. G.  
Methodology for the prediction of complex skill performance A76-32233
- HALE, R. M.  
Human factors in our expanding technology; Proceedings of the Nineteenth Annual Meeting, Dallas, Tex., October 14-16, 1975 A76-32226
- HALL, D. A.  
Proceedings of the Undersea Medical Society Workshop (7th) on Medical Aspects of Small Submersible Operations [AD-A018474] N76-24890

- HALL, E. B.  
Translating information requirements into training device fidelity requirements  
A76-32229
- HAMILTON, J. B.  
Polarographic measurement of local cerebral blood flow in the conscious and anesthetized primate [AD-A018665]  
N76-24892
- HANN, B. L.  
SAINT model of a choice reaction time paradigm  
A76-32242
- HARTMAN, B. P.  
Electromechanical stimulator for presenting moving cutaneous stimuli  
A76-32511
- HARLOW, H. W.  
The UCIN 3-D aircraft-occupant  
A76-34150
- HARTLEY, L. B.  
Radiographic changes in cardiac dimensions during exhaustive exercise in man [AD-A019100]  
N76-24889
- HARTMAN, B. O.  
Higher mental functioning in operational environments [AGARD-CP-181]  
N76-25782  
The correlational structure of traditional task measures and engineering analogues of performance in the cognitive domain  
N76-25784  
The human as an adaptive controller  
N76-25788  
The effects of two stressors on traditional and engineering analogues of cognitive functioning  
N76-25793
- HAWARD, L. B. C.  
Emotional stress and flying efficiency  
N76-25790
- HAWKINS, F.  
Sleep in the long-range aviation environment  
A76-32197
- HELM, W. B.  
The function description inventory as a human factors tool in evaluating system effectiveness in operational environments  
A76-32237
- HEMPSTOCK, T. I.  
Cross-modality determination of the subjective growth function for whole-body vertical, sinusoidal, vibration  
A76-33368
- HENDLER, E.  
Evaluation of an advanced automotive restraint system using human subjects [AD-A012469]  
N76-25799
- HENRY, P. B.  
The human as an adaptive controller  
N76-25788
- HEPLER, S. P.  
Continuous versus intermittent display of information  
A76-33372
- HERMAN, H. M.  
Effects of high-LET particles /A-40/ on the brain of *Drosophila melanogaster*  
A76-34500
- HIGDON, A. A., JR.  
The use of opaque louvers and shields to reduce reflections within the cockpit, computer programs for two approaches to the problem [AD-A018468]  
N76-24905
- HIGGINS, E. A.  
The effects of a 12-hour shift in the wake-sleep cycle on physiological and biochemical responses and on multiple task performance [NASA-TM-X-74115]  
N76-24880
- HILGENDORF, R. L.  
Simulated helo ground target acquisition under different sun angles and ground textures  
A76-32253
- HILLYARD, S. A.  
Selective attention and the auditory vertex potential. I - Effects of stimulus delivery rate. II - Effects of signal intensity and masking noise  
A76-32873
- HINTON, W. M., JR.  
SATT revisited - A critical post-examination of the systems approach to training  
A76-32241
- HIOTT, B. F.  
Biomedical aspects of oxygen regulator performance. II - Dynamic characteristics  
A76-33379
- HODGSON, V. R.  
Head injury tolerance  
A76-34143
- HOPMANN, H. A.  
Aviator performance during day and night terrain flight  
A76-32252
- HOHLWECK, H.  
Air operations and circadian performance rhythms  
N76-25787
- HOLDEN, B. D.  
Biomedical aspects of oxygen regulator performance. I - Static characteristics  
A76-33378  
Biomedical aspects of oxygen regulator performance. II - Dynamic characteristics  
A76-33379
- HOLLY, P. F.  
The use of opaque louvers and shields to reduce reflections within the cockpit, computer programs for two approaches to the problem [AD-A018468]  
N76-24905
- HOERUBIA, V.  
Algorithm for analyses of saccadic eye movements using a digital computer  
A76-33384
- HORSTMAN, D. H.  
Amelioration of the symptoms of acute mountain sickness by staging and acetazolamide  
A76-33382
- HUGGINS, C. T.  
Design parameters for a stereoptic television system based on direct vision depth perception cues  
A76-32250
- HURSTA, W. W.  
Electromyographic analysis of skeletal muscle changes arising from 9 days of weightlessness in the Apollo-Soyuz space mission [NASA-TM-X-58177]  
N76-25762
- HUSTON, J.  
Human head and neck dynamic response - Analytical models and experimental data  
A76-34144
- HUSTON, B. L.  
The UCIN 3-D aircraft-occupant  
A76-34150
- I
- IAKIMENKO, H. A.  
Changes in the temperature of the hypothalamus during muscular contractions before and after cold adaptation  
A76-34228
- IAMPINETRO, P. F.  
The effects of a 12-hour shift in the wake-sleep cycle on physiological and biochemical responses and on multiple task performance [NASA-TM-X-74115]  
N76-24880
- J
- JACKSON, R. B.  
Amelioration of the symptoms of acute mountain sickness by staging and acetazolamide  
A76-33382
- JACKSON, W. G.  
The correlational structure of traditional task measures and engineering analogues of performance in the cognitive domain  
N76-25784
- JACOBS, R. S.  
Simulator cockpit motion and the transfer of initial flight training  
A76-32238
- JAMES, T. H.  
Anatomical configuration of the His bundle and bundle branches in the human heart  
A76-31940



- JENNINGS, A. E.**  
The effects of a 12-hour shift in the wake-sleep cycle on physiological and biochemical responses and on multiple task performance  
[NASA-TM-X-74115] N76-24880
- JEX, H. R.**  
Effects of wideband auditory noise on manual control performance and dynamic response  
[AD-A018667] N76-24907
- JOHNSON, J. E., JR.**  
The effects of centrifugation on the morphology of the lateral vestibular nucleus in the rat - A light and electron microscopic study A76-33473
- JOHNSON, P. C.**  
Report of 14-day bedrest simulation of Skylab  
[NASA-CR-147758] N76-25761
- JOHNSON, S. L.**  
Training devices - Physical versus psychological simulation A76-32227  
SATT revisited - A critical post-examination of the systems approach to training A76-32241
- JOHNSTON, G. S.**  
The measurement of ventricular function and the detection of wall motion abnormalities with high temporal resolution ECG-gated scintigraphic angiocardiology A76-32669
- K**
- KALEPS, I.**  
Thoracic dynamics during blunt impact A76-34146
- KAMACHI, H.**  
Mineral metabolic adaptation to simulated hypogravics A76-32421
- KANOW, G.**  
The perceptual basis of loudness ratio judgments A76-32635
- KARL, H.**  
Mechanisms of deterioration of nutrients  
[NASA-CR-147780] N76-25797
- KARWES, R. H.**  
PROMETHEUS - A crash victim simulator A76-34151
- KATZEPF, H.**  
Evaluation of an advanced automotive restraint system using human subjects  
[AD-A012469] N76-25799
- KAVANAGH, E. H.**  
The dimensionality of the human visual evoked scalp potential A76-32874
- KAZARIAN, L. E.**  
Standardization and interpretation of spinal injury criteria and human impact acceleration tolerance A76-34142
- KENNEALY, J. A.**  
Bradycardia induced by negative acceleration A76-33377
- KENNEDY, K.**  
Three-dimensional profiles of movements of human body joint centers A76-32246
- KENNEDY, R. S.**  
Some practical considerations for performance testing in exotic environments N76-25786
- KHARE, B. H.**  
Exobiology and the origin of life  
[NASA-CR-148177] N76-25800
- KIMBALL, K. A.**  
Aviator performance during day and night terrain flight A76-32252
- KING, A. I.**  
Survey of the state of the art of human biodynamic response A76-34139
- KIRBY, R. H.**  
Development of ride comfort criteria for mass transit systems  
[NASA-CR-147962] N76-24903
- KIRKLAND, J. S.**  
Bradycardia induced by negative acceleration A76-33377
- KIRKPATRICK, H., III**  
A study of moving base simulation motion cues utilizing washout technique A76-32235  
Design parameters for a stereoptic television system based on direct vision depth perception cues A76-32250
- KLEIN, G. A.**  
Behavioral data in the design of aircrew training devices A76-32239
- KLEIN, K. E.**  
Air operations and circadian performance rhythms N76-25787
- KOBRICK, J. L.**  
Heat and simulated high altitude - Effects on biochemical indices of stress and performance A76-33387  
Effects of hypoxia on peripheral visual response to dim stimuli N76-24888  
[AD-A019106]  
Effects of prior hypoxia exposure on visual target detection during later more severe hypoxia, and note on the relationship between introversion-extraversion, field-dependence-independence, and accuracy of visual target detection N76-25774  
[AD-A019250]
- KOZLOVSKII, E. A.**  
Physiological and psychological preparation of pilots for function in the presence of high altitude cabin depressurization A76-35175
- KRAWING, K. K.**  
The numerical thermal simulation of the human body when undergoing exercise or nonionizing electromagnetic irradiation  
[ASME PAPER 76-HT-KK] A76-33530
- KREBS, H. J.**  
Scanning patterns in real-time FLIR displays A76-32249
- KRUBSACK, R. L.**  
The effect of breathing 100 percent oxygen on short-term memory of military officers while under heat stress  
[AD-A018321] N76-24885
- KUCHNOW, K. P.**  
Support of in-flight experiments  
[NASA-CR-147748] N76-25758
- KUKLINSKI, P.**  
Air operations and circadian performance rhythms N76-25787
- KUHLBY, W. E.**  
Algorithm for analyses of saccadic eye movements using a digital computer A76-33384
- KUPERMAN, G. G.**  
SAINT model of a choice reaction time paradigm A76-32242  
Development of a computer simulation model for evaluating DAIS display concepts A76-32244
- KUPIRIANOV, V. S.**  
Effect of temperature on the tonus of blood vessels A76-34229
- KURODA, I.**  
Method for determining pilot stress through analysis of voice communication A76-33385
- KUZIN, A. H.**  
Activation of RNA biosynthesis in the liver and spleen of irradiated rats A76-34699
- KUZNETSOV, V. G.**  
Physiological and psychological preparation of pilots for function in the presence of high altitude cabin depressurization A76-35175
- KYLER, H. J.**  
Investigations into the reliability of electrophotography  
[AD-A018806] N76-24891

## L

**LAANANEN, D. H.**  
 Simulation of an aircraft seat and occupant in a crash environment  
 A76-34152

**LAPEVENS, E. V.**  
 Electromyographic analysis of skeletal muscle changes arising from 9 days of weightlessness in the Apollo-Soyuz space mission [NASA-TN-X-58177]  
 N76-25762

**LAHRI, S.**  
 Relative role of environmental and genetic factors in respiratory adaptation to high altitude  
 A76-32958

**LANE, J. P.**  
 Radiopharmaceuticals for studying heart disease  
 A76-32667

**LANCE, V. Q.**  
 Noninvasive stress testing - Methodology for elimination of the phonocardiogram  
 A76-31941

**LANYI, J. K.**  
 Light-induced glutamate transport in Halobacterium halobium envelope vesicles. I - Kinetics of the light-dependence and the sodium-gradient-dependent uptake  
 A76-34497

**LARKINS, J. T.**  
 Design of an optical link for a side-mounted helmet display using off-the-shelf lenses [AD-A018332]  
 N76-24906

**LAVESON, J. I.**  
 Behavioral taxonomy of undergraduate pilot training tasks and skills  
 A76-32240

**LEATHERWOOD, J. D.**  
 Psychophysical relationships characterizing human response to whole-body sinusoidal vertical vibration [NASA-TN-D-8188]  
 N76-24894

**LEBEDEV, V. I.**  
 Psychological problems of interplanetary flight  
 A76-32813

**LEDEBERG, J.**  
 The prospects for life on Mars - A pre-Viking assessment  
 A76-34786

**LEE, L. Y.**  
 Role of the carotid chemoreceptors in the hyperpnea of exercise in the cat  
 A76-32622

**LEES, M. A.**  
 Aviator performance during day and night terrain flight  
 A76-32252

**LEONOV, A. A.**  
 Psychological problems of interplanetary flight  
 A76-32813

**LEPAGE, W. A.**  
 A conceptual model for operational stress  
 N76-25791

**LEVY, C. M.**  
 The stability of the sigma sleep spindle  
 A76-32875

**LI, J. K.-J.**  
 Fluid-filled blood pressure measurement systems  
 A76-32512

**LIN, J. C.**  
 The numerical thermal simulation of the human body when undergoing exercise or nonionizing electromagnetic irradiation [ASME PAPER 76-HI-KK]  
 A76-33530

**LINHAWEAVER, P. G.**  
 Proceedings of the Undersea Medical Society Workshop (7th) on Medical Aspects of Small Submersible Operations [AD-A018474]  
 N76-24890

**LINDSEY, J. N.**  
 Ultrastructural effects of +Gz stress on swine cardiac muscle  
 A76-33381

**LIEB, B. R.**  
 The measurement of ventricular function and the detection of wall motion abnormalities with high temporal resolution ECG-gated scintigraphic angiocardiology  
 A76-32669

**LINHARSSON, D.**  
 Autonomic origin of heart rate fluctuations at the onset of muscular exercise  
 A76-32504

**LISTER, G.**  
 The effects of visual and proprioceptive feedback on motor learning  
 A76-32234

**LIPS, K. W.**  
 Sonic-boom-startle effects during simulated and actual automobile-driving tests  
 A76-33566

**LITVIN, F. F.**  
 A study of the primary processes of the photo-induced evolution of hydrogen by Chlorella under flash illumination  
 A76-34691

## M

**MACDONALD, R. E.**  
 Light-induced glutamate transport in Halobacterium halobium envelope vesicles. I - Kinetics of the light-dependence and the sodium-gradient-dependent uptake  
 A76-34497

**MABER, J. T.**  
 Radiographic changes in cardiac dimensions during exhaustive exercise in man [AD-A019100]  
 N76-24889

Increased 2,3-diphosphoglycerate during normocapnic hypobaric hypoxia [AD-A019513]  
 N76-25766

Sustained venoconstriction in man supplemented with CO<sub>2</sub> at high altitude [AD-A019119]  
 N76-25776

**MAKAROV, R. N.**  
 Physiological and psychological preparation of pilots for function in the presence of high altitude cabin depressurization  
 A76-35175

**MAKSIMOV, I. V.**  
 Physiological and psychological preparation of pilots for function in the presence of high altitude cabin depressurization  
 A76-35175

**MALHOTRA, M. S.**  
 Potassium losses in sweat under heat stress  
 A76-33380

**MALONE, T. B.**  
 Design parameters for a stereoptic television system based on direct vision depth perception cues  
 A76-32250

**MARQUIS, R. E.**  
 The physiological bases for microbial barotolerance [AD-A018892]  
 N76-24876

**MARTIN, D. J., JR.**  
 Visual/motion simulation of CTOL flare and touchdown comparing data obtained from two model board display systems [AIAA PAPER 76-1709]  
 A76-35201

**MARTIN, R.**  
 Aircraft noise in residential areas: Measurement and analysis  
 N76-24245

**MARTZ, H. F.**  
 Measurement of muscle fatigue using electromyography  
 A76-32247

**MASSING, G. K.**  
 Anatomical configuration of the His bundle and bundle branches in the human heart  
 A76-31940

**MATSHAT, K.**  
 Notes on noise index numbers (taking into account the results of the Munich Aircraft Noise Investigation carried out by the German Research Association)  
 N76-24246

**MCKENZIE, J. M.**  
 The effects of a 12-hour shift in the wake-sleep cycle on physiological and biochemical responses and on multiple task performance [NASA-TN-X-74115]  
 N76-24880

**MCKNIGHT, R. A.**  
 Human factors in our expanding technology; Proceedings of the Nineteenth Annual Meeting, Dallas, Tex., October 14-16, 1975  
 A76-32226

- MCNEE, R. C.  
The correlational structure of traditional task measures and engineering analogues of performance in the cognitive domain N76-25784  
The human as an adaptive controller N76-25788  
The effects of two stressors on traditional and engineering analogues of cognitive functioning N76-25793
- MEHLER, W. R.  
The effects of centrifugation on the morphology of the lateral vestibular nucleus in the rat - A light and electron microscopic study A76-33473
- MEINDL, J. D.  
Ultrasonic Doppler measurement of renal artery blood flow [NASA-CR-148131] N76-24879
- MELLERS, B. W.  
Evoked cortical potentials and information processing [AD-A019199] N76-25780
- MEHKES, H. A.  
Local regulation of collateral ventilation by oxygen and carbon dioxide A76-32510
- MEYER, R. P.  
Behavioral taxonomy of undergraduate pilot training tasks and skills A76-32240
- MIKULKA, P. J.  
Development of ride comfort criteria for mass transit systems [NASA-CR-147962] N76-24903
- MILBORN, B. T., JR.  
Role of the carotid chemoreceptors in the hyperpnea of exercise in the cat A76-32622
- MILLER, A. J.  
Average neutron energy measurement at an accelerator facility, a practical health physics problem [LA-UR-75-2235] N76-25765
- MIQUEL, J.  
Effects of high-LET particles /A-40/ on the brain of *Drosophila melanogaster* A76-34500
- MITCHELL, C.  
Report of 14-day bedrest simulation of Skylab [NASA-CR-147758] N76-25761
- MITCHELL, D.  
Acclimatization in a hot, humid environment - Energy exchange, body temperature, and sweating A76-32507  
Acclimatization in a hot, humid environment - Cardiovascular adjustments A76-32508  
Acclimatization in a hot, humid environment - Body fluid adjustments A76-32509
- MOHESI, F.  
A study of behaviour during a trial of vigilance in non-piloting personnel N76-25785
- MOORE, C. B.  
Amino acids of the Nogoya and Mokoia carbonaceous chondrites A76-34450
- MORGAN, W. P.  
Perceived exertion of absolute work during a military physical training program [AD-A019118] N76-25777
- MOSS, J. R.  
Human factors in our expanding technology; Proceedings of the Nineteenth Annual Meeting, Dallas, Tex., October 14-16, 1975 A76-32226
- MOTOYAMA, E. K.  
Relative role of environmental and genetic factors in respiratory adaptation to high altitude A76-32958
- MUELLER, E. A.  
Notes on noise index numbers (taking into account the results of the Munich Aircraft Noise Investigation carried out by the German Research Association) N76-24246
- MUNSON, L. H.  
Auditable program of compliance with ALAP [UNI-SA-15] N76-25764
- ## N
- NAKAYA, M.  
Mineral metabolic adaptation to simulated hypogravics A76-32421
- NELSON, E.  
Circadian rhythms in plants, insects and mammals exposed to ELF magnetic and/or electric fields and currents [AD-A019958] N76-25760
- NEWMAN, R.  
Temperature regulation training in a cooling environment [AD-A019591] N76-25769
- NICOGOSSIAN  
Electromyographic analysis of skeletal muscle changes arising from 9 days of weightlessness in the Apollo-Soyuz space mission [NASA-TM-X-58177] N76-25762
- NIER, J.  
The hazards of the radiation of semiconductor laser diodes for the human eye A76-32223
- NOEL, G. L.  
Prolactin, thyrotropin, and growth hormone release during stress associated with parachute jumping A76-33386
- NOORDERGRAAF, A.  
Fluid-filled blood pressure measurement systems A76-32512
- NORMAN, D. A.  
Adaptive training of manual control: Performance measurement intervals and task characteristics [AD-A019233] N76-24895
- NORTH, R. A.  
Determinants of performance improvement in training under time-sharing conditions A76-32236
- NOWAKIWSKY, O. V.  
Sonic-boom-startle effects during simulated and actual automobile-driving tests A76-33566
- ## O
- OCONEWELL, D. C.  
Study of the microbiological environment within long- and medium-range Canadian Forces aircraft A76-33376
- ODONWELL, R. D.  
Secondary task assessment of cognitive workload in alternative cockpit configurations [AMRL-TR-75-49] N76-25792
- OKAMURA, H.  
Method for determining pilot stress through analysis of voice communication A76-33385
- OROURKE, J.  
Evaluation of an advanced automotive restraint system using human subjects [AD-A012469] N76-25799
- ORSI, E. V.  
The effect of hyperbaric oxygen and helium on virus replication and host pathology [AD-A018894] N76-24877
- OSIER, H.  
On hemispheric differences in evoked potentials to speech stimuli A76-32125
- OSTROW, H. G.  
The measurement of ventricular function and the detection of wall motion abnormalities with high temporal resolution ECG-gated scintigraphic angiocardiology A76-32669
- OYAMA, J.  
The effects of centrifugation on the morphology of the lateral vestibular nucleus in the rat - A light and electron microscopic study A76-33473

## P

- PANDOLF, K. B.  
Role of physical condition in heat acclimatization, decay, and reinduction  
[AD-A019588] N76-25775
- PARK, C. K.  
The use of opaque louvers and shields to reduce reflections within the cockpit, computer programs for two approaches to the problem  
[AD-A018468] N76-24905
- PARKER, S.  
The perceptual basis of loudness ratio judgments  
A76-32635
- PARKHURST, L. J.  
Polarographic measurement of local cerebral blood flow in the conscious and anesthetized primate  
[AD-A018665] N76-24892
- PARRISH, R. V.  
Visual/motion simulation of CTOL flare and touchdown comparing data obtained from two model board display systems  
[AIAA PAPER 76-1709] A76-35201
- PASSERELLO, C. E.  
The UCIN 3-D aircraft-occupant  
A76-34150
- PATTON, J. F.  
Perceived exertion of absolute work during a military physical training program  
[AD-A019118] N76-25777
- PAYNE, P. B.  
Spinal injury in the crash environment  
A76-34148
- PEBEK, J. O.  
Investigations into the reliability of electrophotography  
[AD-A018806] N76-24891
- PETRASH, V. V.  
Determination by impedance of the volume of gas bubbles in the blood resulting from a decrease in atmospheric pressure  
A76-34700
- PIIPER, J.  
Limiting role of stratification in alveolar exchange of oxygen  
A76-32623
- PITT, B.  
Myocardial perfusion imaging for the detection of coronary heart disease  
A76-32668
- POLGAR, C.  
Relative role of environmental and genetic factors in respiratory adaptation to high altitude  
A76-32958
- PONOMARENKO, V.  
The crew and new systems  
[AD-A018253] N76-24896
- POWELL, W. B.  
Human head and neck dynamic response - Analytical models and experimental data  
A76-34144
- PRICE, D. R.  
A study of the effect of peripheral vision motion cues on roll axis tracking  
[AD-A019852] N76-25798
- PRINZMETAL, W.  
Configurational effects in visual information processing  
A76-32637
- R
- RAO, B. K. H.  
Some studies on the capabilities and limitations of humans to judge frequency of vibration applied to whole body  
A76-34817
- RASMUSSEN, D.  
Computer measurement and representation of the heart in two and three dimensions  
A76-33448
- RAVACCIA, F.  
A study of behaviour during a trial of vigilance in non-piloting personnel  
N76-25785

- REDWOOD, D. B.  
The measurement of ventricular function and the detection of wall motion abnormalities with high temporal resolution ECG-gated scintigraphic angiocardiology  
A76-32669
- REEVES, J. T.  
Increased 2,3-diphosphoglycerate during normocapnic hypobaric hypoxia  
[AD-A019513] N76-25766  
Sustained venoconstriction in man supplemented with CO<sub>2</sub> at high altitude  
[AD-A019119] N76-25776
- REID, L. D.  
Sonic-boom-startle effects during simulated and actual automobile-driving tests  
A76-33566
- RICHARD, G. L.  
Adaptive training of manual control: Performance measurement intervals and task characteristics  
[AD-A019233] N76-24895
- ROBERTS, S. B.  
Intrusion of the sternum into the thoracic cavity during frontal chest impact and injury potential  
A76-34147
- ROBINSON, S. H.  
Amelioration of the symptoms of acute mountain sickness by staging and acetazolamide  
A76-33382
- ROE, W. T.  
Ergonomic models of human performance: Source materials for the analyst  
[AD-A020086] N76-25781
- ROGERS, G. G.  
Acclimatization in a hot, humid environment - Energy exchange, body temperature, and sweating  
A76-32507  
Acclimatization in a hot, humid environment - Cardiovascular adjustments  
A76-32508
- ROLLINS, J. D.  
Visual/motion simulation of CTOL flare and touchdown comparing data obtained from two model board display systems  
[AIAA PAPER 76-1709] A76-35201
- ROSCOR, S. H.  
Simulator cockpit motion and the transfer of initial flight training  
A76-32238
- ROULEAU, J.  
Myocardial perfusion imaging for the detection of coronary heart disease  
A76-32668
- RUDEYI, H.  
The crew and new systems  
[AD-A018253] N76-24896
- S
- SAGAN, C.  
The prospects for life on Mars - A pre-Viking assessment  
A76-34786  
Exobiology and the origin of life  
[NASA-CR-148177] N76-25800
- SAGDEYEV, R. Z.  
A scientific dialog between the leading space powers  
[NASA-TT-P-15463] N76-25794
- SAIKI, H.  
Mineral metabolic adaptation to simulated hypogravics  
A76-32421
- SAKAI, K.  
Evidence for the presence of eye movement potentials during paradoxical sleep in cats  
A76-33974
- SAWDLER, H.  
Angiocardiology - Past and present  
A76-34532
- SAUNDERS, D. J.  
Cross-modality determination of the subjective growth function for whole-body vertical, sinusoidal, vibration  
A76-33368
- SCHIEDER, L.  
Development of assembly robots  
A76-33570

- SCHNEIDER, B.  
The perceptual basis of loudness ratio judgments  
A76-32635
- SCHNITZLER, A. D.  
Theory of spatial-frequency filtering by the human visual system. I - Performance limited by quantum noise. II - Performance limited by video noise  
A76-34585
- SCHULMAN-GALANBOS, C.  
On hemispheric differences in evoked potentials to speech stimuli  
A76-32125
- SCHULMAN, M.  
An inflatable crewman restraint system  
A76-34155  
Evaluation of an advanced automotive restraint system using human subjects  
[AD-A012469] N76-25799
- SCHWENT, V. L.  
Selective attention and the auditory vertex potential. I - Effects of stimulus delivery rate. II - Effects of signal intensity and masking noise  
A76-32873
- SEARLE, R. G.  
Simulated helo ground target acquisition under different sun angles and ground textures  
A76-32253
- SEEBERGER, J. J.  
Estimating the amount of eye movement data required for panel design and instrument placement  
A76-34425
- SEIFERT, D. J.  
SAINT simulation of a remotely piloted vehicle/drone control facility  
A76-32243  
Development of a computer simulation model for evaluating DAIS display concepts  
A76-32244
- SEWAY, L. C.  
Acclimatization in a hot, humid environment - Energy exchange, body temperature, and sweating  
A76-32507  
Acclimatization in a hot, humid environment - Cardiovascular adjustments  
A76-32508  
Acclimatization in a hot, humid environment - Body fluid adjustments  
A76-32509
- SHAMES, D. M.  
The impact of nuclear medicine on the diagnosis and management of cardiovascular disease  
A76-32666
- SHIELDS, W. L., JR.  
Design parameters for a stereoptic television system based on direct vision depth perception cues  
A76-32250
- SHIELDS, W., JR.  
A study of moving base simulation motion cues utilizing washout technique  
A76-32235
- SHORT, R. E.  
The numerical thermal simulation of the human body when undergoing exercise or nonionizing electromagnetic irradiation  
[ASME PAPER 76-HT-KK] A76-33530
- SHUGAR, T. A.  
Simulating and modeling the human head's response to impact  
A76-34145
- SHURUBURA, A. A.  
Determination by impedance of the volume of gas bubbles in the blood resulting from a decrease in atmospheric pressure  
A76-34700
- SHVARTZ, E.  
Effect of neck versus chest cooling on responses to work in heat  
A76-32503
- SILVERSTEIN, L. D.  
The stability of the sigma sleep spindle  
A76-32875
- SIMMONDS, M. R.  
Self-contained breathing apparatus  
[NASA-CASE-MSC-14733-1] N76-24900
- SIMPSON, M.  
Relative role of environmental and genetic factors in respiratory adaptation to high altitude  
A76-32958
- SINGLEY, G. T., III  
Advanced restraint systems for Army aircraft  
A76-34153
- SKOTNIKOVA, O. I.  
Activation of RNA biosynthesis in the liver and spleen of irradiated rats  
A76-34699
- SMILES, K. A.  
Sweating responses during changes of hypothalamic temperature in the rhesus monkey  
A76-32501
- SMITH, R. W.  
The design and fabrication of a prototype inflatable heated casualty evacuation unit  
[AD-A019697] N76-25770
- SMITH, T. S.  
On hemispheric differences in evoked potentials to speech stimuli  
A76-32125
- SMODE, A. F.  
Translating information requirements into training device fidelity requirements  
A76-32229
- SNEIDER, R. E.  
Bradycardia induced by negative acceleration  
A76-33377
- SNYDER, H. L.  
An experimental evaluation of the spot wobble method of suppressing raster structure visibility  
[AD-A018566] N76-24897
- SORDAHL, L. A.  
Ultrastructural effects of +Gz stress on swine cardiac muscle  
A76-33381
- SOTHERN, R.  
Circadian rhythms in plants, insects and mammals exposed to ELF magnetic and/or electric fields and currents  
[AD-A019958] N76-25760
- SPODICK, D. H.  
Noninvasive stress testing - Methodology for elimination of the phonocardiogram  
A76-31941
- SRIDHARAN, K.  
Potassium losses in sweat under heat stress  
A76-33380
- STOCKENIUS, W.  
The purple membrane of salt-loving bacteria  
A76-33323
- STONE, H. L.  
Ultrastructural effects of +Gz stress on swine cardiac muscle  
A76-33381
- STONE, L. W.  
Aviator performance during day and night terrain flight  
A76-32252
- STORN, W. P.  
The correlational structure of traditional task measures and engineering analogues of performance in the cognitive domain  
N76-25784  
The effects of two stressors on traditional and engineering analogues of cognitive functioning  
N76-25793
- STRAUSS, H. W.  
Myocardial perfusion imaging for the detection of coronary heart disease  
A76-32668
- STROSCHER, L.  
A computer program to predict energy cost, rectal temperature, and heart rate response to work, clothing, and environment  
[AD-A020112] N76-25778
- STRYDOM, H. B.  
Acclimatization in a hot, humid environment - Energy exchange, body temperature, and sweating  
A76-32507
- STYKAN, O. A.  
Radiation genetic effects of electron vacuum tubes of a radar station  
[ORNL-TR-4053] N76-25763

SUGARMAN, R. C.  
SATT revisited - A critical post-examination of  
the systems approach to training A76-32241

SUGITA, Y.  
Mineral metabolic adaptation to simulated  
hypogravics A76-32421

SULLIVAN, J. L.  
Self-contained breathing apparatus  
[NASA-CASE-MSC-14733-1] N76-24900

SWINBELLS, P. E.  
The design and fabrication of a prototype  
inflatable heated casualty evacuation unit  
[AD-A019697] N76-25770

## T

TAYLOR, G. B.  
Medical microbiological analysis of Apollo-Soyuz  
test project crewmembers  
[NASA-TM-X-58180] N76-24878

THACKRAY, R. I.  
Assessment of perceptual and mental performance in  
civil aviation personnel N76-25789

THATCHER, B. P.  
A conceptual model for operational stress  
N76-25791

THEIS, C. P.  
Analysis of human body composition data as related  
to height and age  
[AD-A018350] N76-24883

THOMAS, E. C.  
Visual masking effects on duration, size, and form  
discrimination A76-32636

THOMAS, L. M.  
Head injury tolerance A76-34143

TISSOT, R.  
Sleep in the young adult as seen from automatic  
analysis of records A76-33975

TOCHER, J. L.  
PROMETHEUS - A crash victim simulator  
A76-34151

TOKARSKAIA, V. I.  
Activation of RNA biosynthesis in the liver and  
spleen of irradiated rats A76-34699

TOPLIFF, E. D. L.  
Mechanism of lung damage in explosive decompression  
A76-33383

TRAYSTHAN, R. J.  
Local regulation of collateral ventilation by  
oxygen and carbon dioxide A76-32510

TRUSSOV, M. S.  
Effects of eserine upon light sensitivity and dark  
adaptation  
[AD-A019268] N76-25771

TWIGG, D. W.  
PROMETHEUS - A crash victim simulator  
A76-34151

## U

UMANSKII, S. R.  
Activation of RNA biosynthesis in the liver and  
spleen of irradiated rats A76-34699

UTSUKI, N.  
Method for determining pilot stress through  
analysis of voice communication A76-33385

## V

VAN BRUNNEN, A. G. W.  
Fluid-filled blood pressure measurement systems  
A76-32512

VAN RENSBERG, A. J.  
Acclimatization in a hot, humid environment -  
Energy exchange, body temperature, and sweating  
A76-32507

VAUGHAN, J. A.  
The effects of a 12-hour shift in the wake-sleep  
cycle on physiological and biochemical responses  
and on multiple task performance  
[NASA-TM-X-74115] N76-24880

VELASQUEZ, T.  
Relative role of environmental and genetic factors  
in respiratory adaptation to high altitude  
A76-32958

VENKATASWAMY, Y.  
Potassium losses in sweat under heat stress  
A76-33380

VINZ, P. L.  
A study of moving base simulation motion cues  
utilizing washout technique A76-32235

VOGEL, J. A.  
Perceived exertion of absolute work during a  
military physical training program  
[AD-A019118] N76-25777

VOINOV, V. A.  
Determination by impedance of the volume of gas  
bubbles in the blood resulting from a decrease  
in atmospheric pressure A76-34700

## W

WAAG, W. L.  
USAP evaluation of an automated adaptive flight  
training system  
[AD-A018612] N76-24899

WALSH, L. P.  
Electromechanical stimulator for presenting moving  
cutaneous stimuli A76-32511

WEGMANN, H. M.  
Air operations and circadian performance rhythms  
N76-25787

WEISKOPF, R. B.  
Amelioration of the symptoms of acute mountain  
sickness by staging and acetazolamide A76-33382

WEISSMAN, H. S.  
Behavioral taxonomy of undergraduate pilot  
training tasks and skills A76-32240

WELCH, G.  
Effects of high-LET particles /A-40/ on the brain  
of Drosophila melanogaster A76-34500

WIERWILLE, W. W.  
Estimating the amount of eye movement data  
required for panel design and instrument placement  
A76-34425

WILLIS, J. A.  
Polarographic measurement of local cerebral blood  
flow in the conscious and anesthetized primate  
[AD-A018665] N76-24892

WINCHELL, R. S.  
Radiopharmaceuticals for studying heart disease  
A76-32667

WINGET, C. M.  
The effects of a 12-hour shift in the wake-sleep  
cycle on physiological and biochemical responses  
and on multiple task performance  
[NASA-TM-X-74115] N76-24880

WINGET, J. M.  
The UCIN 3-D aircraft-occupant  
A76-34150

WOERLE, R. L.  
The PDP-15 electrocardiogram analysis system, a  
further attempt at continuous real-time operations  
[AD-A019809] N76-25767

WOLBERG, J. R.  
Analytical methods for quantitative evaluation of  
the radiocardiogram A76-33546

WOODCOCK, J. P.  
Physical properties of blood and their influence  
on blood-flow measurement A76-32288

WORTHAN, D. B.  
SAINT simulation of a remotely piloted  
vehicle/drone control facility  
A76-32243

WRIGHT, J.

PERSONAL AUTHOR INDEX

WRIGHT, J.

Evaluation of the EC II programmable maintenance simulator in T-2C organizational maintenance training  
[AD-A012336] N76-24898

WU, C. H.

Measurement of muscle fatigue using electromyography  
A76-32247

WYNDHAM, C. H.

Acclimatization in a hot, humid environment - Energy exchange, body temperature, and sweating  
A76-32507

Acclimatization in a hot, humid environment - Cardiovascular adjustments

A76-32508

Acclimatization in a hot, humid environment - Body fluid adjustments

A76-32509

Y

YEARWOOD-DRAYTON, V.

Light-induced glutamate transport in Halobacterium halobium envelope vesicles. I - Kinetics of the light-dependence and the sodium-gradient-dependent uptake

A76-34497

YOUNG, J. H.

Closing volumes in man immersed to the neck in water  
A76-32506

Z

ZALESKY, P. J.

Biomedical aspects of oxygen regulator performance. I - Static characteristics  
A76-33378

Biomedical aspects of oxygen regulator performance. II - Dynamic characteristics  
A76-33379

ZALOGUEV, S. M.

Medical microbiological analysis of Apollo-Soyuz test project crewmembers  
[NASA-TM-X-58180] N76-24878

ZATOLOKIN, N. E.

A study of the primary processes of the photo-induced evolution of hydrogen by Chlorella under flash illumination

A76-34691

ZHERNAVKOV, V. P.

Physiological and psychological preparation of pilots for function in the presence of high altitude cabin depressurization

A76-35175

ZIMMERMANN, G.

Notes on noise index numbers (taking into account the results of the Munich Aircraft Noise Investigation carried out by the German Research Association)

N76-24246

1 Report No NASA SP-7011 (158)	2 Government Accession No	3 Recipient's Catalog No	
4 Title and Subtitle AEROSPACE MEDICINE AND BIOLOGY A Continuing Bibliography (Supplement 158)		5 Report Date September 1976	6 Performing Organization Code
		8 Performing Organization Report No	
7 Author(s)		10 Work Unit No	
9 Performing Organization Name and Address National Aeronautics and Space Administration Washington, D. C. 20546		11 Contract or Grant No	
		13 Type of Report and Period Covered	
12 Sponsoring Agency Name and Address		14 Sponsoring Agency Code	
		15 Supplementary Notes	
16 Abstract  This bibliography lists 191 reports, articles, and other documents introduced into the NASA scientific and technical information system in August 1976.			
17 Key Words (Suggested by Author(s)) Aerospace Medicine Bibliographies Biological Effects		18 Distribution Statement  Unclassified - Unlimited	
19 Security Classif (of this report) Unclassified	20 Security Classif (of this page) Unclassified	21 No of Pages 72	22 Price* \$4.00 HC



# PUBLIC COLLECTIONS OF NASA DOCUMENTS

## DOMESTIC

NASA distributes its technical documents and bibliographic tools to ten special libraries located in the organizations listed below. Each library is prepared to furnish the public such services as reference assistance, interlibrary loans, photocopy service, and assistance in obtaining copies of NASA documents for retention.

### CALIFORNIA

University of California, Berkeley

### COLORADO

University of Colorado, Boulder

### DISTRICT OF COLUMBIA

Library of Congress

### GEORGIA

Georgia Institute of Technology, Atlanta

### ILLINOIS

The John Crerar Library, Chicago

### MASSACHUSETTS

Massachusetts Institute of Technology, Cambridge

### MISSOURI

Linda Hall Library, Kansas City

### NEW YORK

Columbia University, New York

### PENNSYLVANIA

Carnegie Library of Pittsburgh

### WASHINGTON

University of Washington, Seattle

NASA publications (those indicated by an "\*" following the accession number) are also received by the following public and free libraries:

### CALIFORNIA

Los Angeles Public Library

San Diego Public Library

### COLORADO

Denver Public Library

### CONNECTICUT

Hartford Public Library

### MARYLAND

Enoch Pratt Free Library, Baltimore

### MASSACHUSETTS

Boston Public Library

### MICHIGAN

Detroit Public Library

### MINNESOTA

Minneapolis Public Library

### MISSOURI

Kansas City Public Library

St. Louis Public Library

### NEW JERSEY

Trenton Public Library

### NEW YORK

Brooklyn Public Library

Buffalo and Erie County Public Library

Rochester Public Library

New York Public Library

### OHIO

Akron Public Library

Cincinnati Public Library

Cleveland Public Library

Dayton Public Library

Toledo Public Library

### OKLAHOMA

Oklahoma County Libraries, Oklahoma City

### TENNESSEE

Memphis Public Library

### TEXAS

Dallas Public Library

Fort Worth Public Library

### WASHINGTON

Seattle Public Library

### WISCONSIN

Milwaukee Public Library

An extensive collection of NASA and NASA-sponsored documents and aerospace publications available to the public for reference purposes is maintained by the American Institute of Aeronautics and Astronautics, Technical Information Service, 750 Third Avenue, New York, New York, 10017.

## EUROPEAN

An extensive collection of NASA and NASA-sponsored publications is maintained by the British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England. By virtue of arrangements other than with NASA, the British Library Lending Division also has available many of the non-NASA publications cited in *STAR*. European requesters may purchase facsimile copy or microfiche of NASA and NASA-sponsored documents, those identified by both the symbols "\*" and "#", from ESRO/ELDO Space Documentation Service, European Space Research Organization, 114, av. Charles de Gaulle, 92-Neuilly-sur-Seine, France.

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION  
WASHINGTON D C 20546

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE \$300

SPECIAL FOURTH CLASS MAIL  
Book

POSTAGE AND FEES PAID  
NATIONAL AERONAUTICS AND  
SPACE ADMINISTRATION  
NASA-451



POSTMASTER If Undeliverable (Section 158  
Postal Manual) Do Not Return

## NASA CONTINUING BIBLIOGRAPHY SERIES

NUMBER	TITLE	FREQUENCY
NASA SP-7011	AEROSPACE MEDICINE AND BIOLOGY Aviation medicine, space medicine, and space biology	Monthly
NASA SP-7037	AERONAUTICAL ENGINEERING Engineering, design, and operation of aircraft and aircraft components	Monthly
NASA SP-7039	NASA PATENT ABSTRACTS BIBLIOGRAPHY NASA patents and applications for patent	Semiannually
NASA SP-7041	EARTH RESOURCES Remote sensing of earth resources by aircraft and spacecraft	Quarterly
NASA SP-7043	ENERGY Energy sources, solar energy, energy conversion, transport, and storage	Quarterly
NASA SP-7500	MANAGEMENT Program, contract, and personnel management, and management techniques	Annually

*Details on the availability of these publications may be obtained from:*

SCIENTIFIC AND TECHNICAL INFORMATION OFFICE  
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION  
Washington, D.C. 20546