General Disclaimer

One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some
 of the material. However, it is the best reproduction available from the original
 submission.

Produced by the NASA Center for Aerospace Information (CASI)

Program information and without liability for any use made thereot."

NASA STI FACILITY ACQ. BR (191) APR 1 9 1976

(E76-10282) NATIONAL PROJECT FOR THE EVALUATION OF ERTS IMAGERY APPLICATIONS TO VARIOUS EARTH RESOURCES PROBLEMS OF TURKEY Progress Report, 1 Cct. - 31 Dec. 1975 Unclass (Maden Tetkik ve Arma Enstitusu, Ankara) G3/43 00282

N76-21649 HC\$5.50

Unclas


NATIONAL PROJECT FOR THE EVALUATION OF ERTS IMAGERY APPLICATIONS TO VARIOUS EARTH RESOURCES PROBLEMS OF TURKEY

(PROJECT NUMBER 28320)

FIRST PROGRESS REPORT
OCT. 1, 1975 - Dec. 31, 1975

PRINCIPLE INVESTIGATO.

Asse. Prof Dr.Sadrettin ALFAN ALFAN MTA Enstitüsü - ANKARA



Introduction

The purpose of the project is to evaluate the various ground resource problems of Turkey. Using ERTS images. The main object of the studies to be carried out within this region is primarily to establish research methods to use the underground water found in the limestone formations in the agricultural irrigation activities and also evaluate the procedures used to determine the location of fracture zones within the calcerous formations by making correlations with the available data. In so far as the studies in the agricultural field are concerned, this project will be of great assistance to analyse the selection of agricultural fields land use, soil-water relation, natural vegetation cover, planted and fallow areas, irrigated and non irrigated areas, controlling efforts for disease control and pest control and finally to evaluate the applicability of ERTS data to oil exploration in the Urfa Region.

Technique

Twenty two black and white images in four seperate bands of Urfa region have been received as required by the projects.

There is no color composites in hard at present of any field related to the project. The studies performed on the existing images once more showed that the geological studies are carried out best on the 5 th band, the Hydrogeological studies on the 6 th and 7 th bands. However, the color composites should be obtained for agricultural activity studies.

Hydrogeologic Studies:

A photo mosaic was prepared from the 6 th and 7 th bands of the following images: 2194-7285, 2140-7292, 2193-7231, 2228-7171, 2228-7165, 2228-7162, 2175-7233, 2174-7175, 2175-7240, 2209-7113 In addition false color images were obtained by using 70 mm. positive films of the above numbered images on the viewer and these were then used together with the original images in studies. During the interpretation stage of hydrogeologic studies ground truth information was obtained from a careful study of previous investigations of ground water in the limestone areas. In addition aerophotos were used to locate the trace of fractures.

ORIGINAL PAGE IS POOR

Agricultural Studies:

A photomosaic map similar to the one mentioned above has been the major part of the studies at present. In Urfa region the photo mosaic map was studied together with the existing geological and soil maps as well as the meteorological informations. The correlation of above studies with the false color images is in process.

Petroleum Studies:

These studies are presently carried out on the photo mosaic map as well as on the viewer. Color composites are being extensively used and the previous investigations relating to oil exploration in the Urfa region are utilized as the ground truth for the results obtained from the images.

Problems:

The main problem ancountred up to now is at the stage of obtaining images from the Eros Data Center making extra number of copies for distrubution. As an example an image sent from EROS Data Center in the middle of September as reached the investigators in the first part of November. However it can now be stated that the data flow is now quite normal and no more delays during distrubution of images is anticipated.

Publications:

In the studies carried out up to now, the scientific correspondence between the investigators is successfully managed by formal or informal written or verbal comminications.

Data quality and delivery:

The information concerning the delivery conditions was pointed out under the heading of "Problems". It can in general said that the quality of data is between good and very good. It is understood that very detailed studies of the Urfa region can be carried out by the images in hand.

Conclusions:

The following conclusions can be drawn from the studies on the photomosaic maps.

- a. Fracture trace maps can be prepared
- b. The number of fracture traces, their extensions, their locations and intersections obtained from the photo mosaic maps, can be compared with those obtained from panchromatic photographes.
- c. The relationship, of fracture to springs can be investigated.
- d. The correlation between fracture zones and whell productivity can be utilized to improve the choice of drilling locations.
- e. Useful information can be provided for the construction of irrigation systems.
- f. Information can be supplied to efforts control the plant disease.
- g. The pestiside damage to plant and agricultural products can be determined.
- h. Tectonic map which can be used to locate the petroleum provinces of the region can be constructed.

2832 B

<u>Co-Investigator</u>	:	TUNCER IPLİKÇİ	
Geology	:	Nurettin Büyükyanbolu	ETİBANK
		Muhterem Bolgün	"
		Orhan Uzluk	No. 1
		Assoc.Prof.Teoman Norman	O.D.T.U.
		İsmail Özkaya	"
		Ural Tümer	M.T.A.
		Gülten Mumcuoğlu	M.T.A.
		Mustafa Aslaner	K.T.U.
		Tusuf Tatar	
		Remzi Dilek	
Hydrogeology	:	Dr.Nihal Atuk	D.S.1.
Agriculture	:	Prof.Nuri Munsuz	A.U.Z.F.
		Ekrem Kün	A.U.Z.F.

Introduction

The purpose of the project is to evaluate the various ground resource problems of Turkey, using ERTS images. The main object of the studies is primarily to establish research methods to locate the known or new copper ore mineralization zones in this region, to prepare fracture zone maps in the limestone formations and to study other karst problems of the area.

In the studies of agriculture, land-use soil characteristic, soil-water relation, drainage pattern, natural vegetation cover, planted and fallow areas, irrigated and nonirrigated areas will be studied. Also the environmental hazard maps will be prepared.

Technique

Nineteen black and white images in four seperate bands of Elazig region have been received and rest of images are expected. There is no color composites in hand at present of any field related to the project. The studies performed on the existing images once more showed that the geological studies are carried out best on the 5th band, the hydrogeological studies on the 6th and 7th bands. However, the color composites should be obtained for agricultural activity studies. In this region geological, hydrogeological and agriculturel studies have been carried out.

Geology

For studies, a photomosaic was prepared from the 5th band of the following images: 2194-7285, 2194-7282, 2193-7224, 2175-7231, 2174-7172, 2229-7220. An attemp is made to determine any relationship between the mineralization zones and the regional tectonic framework. A photomosaic is prepared using the 5th bands of images, numbered above. It is then attempted to draw the formation boundries using these false color images. In all these studies, photogeological information available were utilized to a great extent.

Hydrogeology

A photomosaic was prepared from the 6th and 7th bands of the above images. ERTS images were mainly used to seek the relationship between the previously determined faults and frac-

PROPERTY PAGE IS POOR

tures and newly developed water springs. (in the Ke'an dam area) Additional work was carried out on the false color images, prepared using the viewer.

Agriculture

On the photomosaic maps following work were carried out: Available agricultural fields, soil-water relationship, drainage pattern, natural vegetation, planted and fallow areas, irrigated and nonirrigated areas, vegetation pattern and epidemic plant disease and pest control.

Problems.

The main problem encountered, up to now is at the stage of obtaining images from the EROS Data Center and making extra number of copies for distribution. As an example an image sent from Eros Data Center in the middle of september has reached the investigators in the first part of November. However, it can now be stated that the data flow is now quite normal and no more delays during distribution of images is anticipated.

Publications

In the studies carried out up to now, the scientific correspondence between the investigators is successfully managed by formal or informal written or verbal comminications.

Data Quality And Delivery

The information concerning the delivery conditions was pointed out under the heading of "problems". It can be in general said that the quality of data is between good and very good. It is underatood that very detailed studies of the Elazığ region can be carried out by the images in hand.

Conclusions

The following conclusions can be drawn from the studies on the photomosaic maps:

- a. Important tectonic trends can be located,
- b. Geological contacts can definitely be drawn,
- c. Karstic problems of the region can be shown,
- d. The fracture zones in the limestone formations can be mapped,
- e. Correlation between the copper deposit areas and surface alteration zones can be made.

2832 J

Co-:	Investigator	:	Prof.Altan Gümüş	K.T.U.
Rese	earch Groups			
	Geclogy	:	Mustafa Aslaner	к.т
			Yusuf Tatar	
			Remzi Dilek	"
			Orhan Uzluk	ETİBANK
			Nurettin Büyükyanbolu	u
			Muhterem Bolgün	u u
			Ural Tümer	M.T.A.
			Büke Tansel	
			Teoman Norman	O.D.T.U.
			Vedat Doyuran	
Forestry		Cemal Alptekin	ORMAN BAK.	
		Mehmet Sümer		
			Burhan Soykan	K.T.U.
			Yılmaz Öztan	
			Rahim Ansin	

Introduction

The purpose of this project is to evaluate the various earth resources problems of Turkey using ERTS images. The main object of the studies on this region is to locate the known or new copper deposits in the Trabzon area. The other object is determination and classification of the dense forest cover in the same region.

Techn gue

The studies have not been carried out as they should be due to the cloud coverage and delay in the delivery of images. In this region the studies of geology and forestry have been attempted. The studies had been carried out using the image, with ID number 2176-7282 on four bands. The North Anatolian Fault zone had been clearly observed on this frame it is shown that the most important problem is, clouds and cloud shadows on the studies of Forestry

Conclusion

The following conclusions can be drawn from the studies on the photomosaic.

- -A good tectonic map of this region can be prepared
- -It is unde stood that if the cloud free images are received, more detailed studies can be carried out about vegetation coverage and Forest classification.