

General Disclaimer

One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some of the material. However, it is the best reproduction available from the original submission.

04

Type II PROGRESS REPORT

"Made available under NASA sponsorship
in the interest of early and wide dis-
semination of Earth Resources Survey
Program information and without liability
for any use made thereof."

E 7.6-10237

CR-146520

3/12/76

II

EVALUATION OF LANDSAT-2 DATA

FOR

SELECTED HYDROLOGIC APPLICATIONS

Donald R. Wiesnet, Principal Investigator *etc.*
David F. McGinnis, Jr., Coinvestigator
Michael C. McMillan, Associate

Unclass
00237

NOAA/NESS/ESG
FOB 4, Stop D
Washington, D.C. 20233

Original photography may be purchased from:
EROS Data Center
10th and Dakota Avenue
Sioux Falls, SD 57198

N76-20585

(E76-10237) EVALUATION OF LANDSAT-2 DATA
FOR SELECTED HYDROLOGIC APPLICATIONS
Progress Report (National Oceanic and
Atmospheric Administration) 6 p HC \$3.50
CSCL 08H G3/43

Landsat-2 Investigation No. 23170

Contract No. NAS-53991A

23170

RECEIVED

MAR 22 1976

SIS/902.6



A. Problems

Analysis of Phoenix March 17, 1975 soil moisture survey temporarily halted due to machine stretching of Landsat CCT, making it unusable. Replacement tape expected to arrive by late March. Aircraft (P-3) flight over Cranberry Lake test site aborted in February, rescheduled for mid-March.

B. Accomplishments

1. Digital Muirhead Display (DMD) (SMS-2) IR images of the Phoenix test site were prepared for 2015Z on 17 March and 18 March 1976 as well as 1015Z on 18 March 1975. 32 mm CRT displays of temperature differences have been generated for 2015Z, 3/18-2015Z, 3/17; 2015Z, 3/17-1015Z, 3/18; and 2015Z, 3/18-1015Z, 3/18. (Cf. figures 1 and 2). Necessary conversion of existing computer programs to accept SMS data has slowed progress in this area.

2. Landsat MSS 5 (0.6-0.7 μ m) and MSS 7 (0.8-1.1 μ m) digital data were compared with averaged soil moisture values for bare and vegetated fields from the Phoenix test site. Regression analyses produced a correlation coefficient of $r^2=0.75$ for a power fit of satellite MSS 5 radiance values vs. averaged soil moisture for bare fields, and an r^2 equal to 0.74 for a similar fit of MSS 7 values. (see figure 3). For vegetated fields, MSS 5 values remained almost constant, not affected by vegetation type or soil moisture. Using MSS 7 data, alfalfa fields increased in brightness as soil moisture increased, providing an r^2 of 0.88 for a parabolic fit. Wheat field MSS 7 brightness varied

little with moisture changes.

3. CCT's for all American River basin snow scenes for 1975 have been received. DMD prints for each date have been produced.

C. Significant Results

None.

D. Publications

None.

E. Recommendations

None.


F. Funds Expended

\$20.5K has been expended to date. Work performed during this period was charged to NOAA funds.


G. Data Use

CCT's were tested and screened. Damaged tape was returned. DMD images were processed.

SATELLITE RADIANCE VALUES DIMENSIONLESS



SMS IR Differencing Program 18MART5 2015 Z LESS 7MART5 2015 Z



4
REPRODUCIBILITY OF THE
ORIGINAL PAGE IS POOR

4

DAY TEMPS - NIGHT TEMPS

DAY TEMPS - NIGHT TEMPS