

## General Disclaimer

### One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some of the material. However, it is the best reproduction available from the original submission.

03  
N76-13549  
Unclas 00062  
63/43  
CSCCL 08L  
(E76-10062) ICE INVESTIGATIONS USING  
LANDSAT-2 IMAGERY Quarterly Report  
(Helsinki Univ.) 10 F HC \$3.50

"Made available under NASA sponsorship  
in the interest of early and wide dissemination of Earth Resources Survey  
Program information and without liability  
for any use made thereof."

Supplement  
RECEIVED  
NASA STI FACILITY  
ACQ. BR.  
F DECO 2 1975  
DCAF: 016271

First quarterly report  
of ice investigations using LANDSAT-2 imagery.  
By Erkki Palosuo

In March 1975 Finnish-Swedish project of wide spread ice  
research was arranged to find the best method of using LANDSAT-2  
in winternavigation.

E7.6-10.062  
CR-145754

The recognition of ice situation was made using different kind  
of methods: air photography IR-scanner, SLAR-, FLAR-systems etc.  
A list of these arrangements is included.

Three sets of LANDSAT-2 coverage were received:

March 14	E-2051-09101	N65-33 E025-50
" 15	E-2052-09155	N65-31 E024-23
" 16	E-2053-09214	N65-34 E023-01

These pictures have been analyzed and comparison of results with  
other methods is going on. A complete report will be ready in a  
few months.

To study the deformation of an ice field the following LANDSAT-2  
pictures were also analyzed:

April 2	E-2070-09155	N65-37 E024-18
"	E-2070-09161	N64-16 E022-56

At the time the ice field was already broken and was drifting.  
The floes were clearly seen in the pictures and therefore easy to  
recognize.

28600

RECEIVED  
NOV 04 1975  
SIS/902.6

SUMMARY OF REGISTRATIONS MADE DURING "SEA ICE -75"

	10/3	11/3	12/3	13/3	14/3	15/3	16/3	17/3	18/3	19/3	20/3	21/3
	Day 0				Day 1		Day 2		Day 3		Day 4	
SR (NOAA 4)	X	X	X	X	X	X	X	X	X	X	X	X
VHRR (NOAA 4)	X	X	X	X	X	X	X	X	X	X	X	X
MSS (Landsat 2)					X	X	X					
High altitude camera	X		X					X				
Wild camera					X			X				
MS-camera				X					X			
IR-Scanner										X	X	
IR-radiometer										X	X	
SLAR			(X)	X	X				X	X	X	X
FLAR		(X)	(X)	X	X			(X)	X	X	X	
ODAR									X	X	X	
Ships radar		X	X			X	X	X				
Radar altimeter		(X)			X	X	X	(X)	X	X	X	
Microwave radiometer									X	X	X	
Under water camera	X			X	X		X	X	X		X	X
Under water TV	X					X	X	X	X		X	
Sonar												
Meteorological parameters	X	X	X	X	X	X	X	X	X	X	X	X
Oceanographic parameters	X	X	X	X	X	X	X	X	X	X	X	X
Ice parameters Swedish area	X	X	X	X	X	X	X	X	X	X	X	X
Ice parameters Finnish area												

(X) indicates preliminary tests  
 X indicates successful registrations

<u>Sensor</u>	<u>Date</u>	<u>Time</u>	<u>Scale</u>	<u>Altitude</u>	<u>Cloud %</u>	<u>Covered area</u>
<u>Optical and IR-sensors</u>						
<u>Satellites</u>						
SR (NOAA-4) (Vis+IR)	10	0921		1473 km	10-20	Bay of Bothnia
"	11	0822		"	70	"
"	12	0917		"	10-20	"
"	13	0817		"	20	"
"	"	1012		"	70	"
"	14	0918		"	10	"
"	15	0811		"	60	"
"	16	0907		"	50-60	"
"	17	0807		"	0	"
"	"	1001		"	0	"
"	18	0902		"	10-20	"
"	19	0802		"	0	"
"	"	0957		"	0	"
"	20	0957		"	80	"
"	"	1050		"	50-60	"
VHRR (NOAA 4)	Cf SR (NOAA 4)					
MSS (Landsat 2)	15/3 or 16/3 or 17/3					
<u>Aeroplanes</u>						
High altitude camera	10/3	1330	1:200.000	11.600 m	0	Luleå → Malören → TOR → KF 0310 → Rödkallen → Luleå Covers Finnish and Swedish 15x15 km areas

	<u>Date</u>	<u>Time</u>	<u>Scale</u>	<u>Altitude</u>	<u>Cloud %</u>	<u>Covered area</u>
High altitude camera	10/3	1330	1:52.000	11.600 m	0	Luleå → Malören → TOR Covers great parts of the Swedish 5x5 km area
"	"	1330	1:5.000	"	0	Track over TOR direction 160° Width 1.5 km, Length 19 km, Covers half of the Swedish 1x1 km area
"	12/3	1100	1:160.000	9.000 m	0	Track from Malören direction 200° Width 18 km, Length 47 km, Covers half of the Swedish 15x15 km area
"	"	1100	1:15.000	"	0	Three tracks over unidenti- fied areas
"	17/3	0930	1:200.000	11.600 m	0	Luleå → Malören → south- wards → (TOR in a corner), Luleå → southwards Parts difficult to identify. Covers half of the Swedish 15x15 km area
Wild camera	14/3	14.30-15.10	1:30.000	4.600 m	0	Swedish 15x15 km area
"	17/3	14.20-15.40	1:30.000	4.600 m	0	Swedish 15x15 km area
MS-camera	13/3	11.40-12.30	1:15.000 1:30.000	1.500 m	0	Swedish 5x5 km area
"	18/3	11.20-12.10	1:15.000 1:30.000	1.500 m		Swedish 5x5 km area

	<u>Date</u>	<u>Time</u>	<u>Scale</u>	<u>Altitude</u>	<u>Cloud %</u>	<u>Covered area</u>
IR-scanner (GeHg-detector)	19/3	11.45-12.30		300 m 500 m		Swedish 5x5 km area (50% of the area)
"	"	12.30-13		500 m		Swedish 5x5 km area (90% of the area)
IR-scanner (MCT-detector)	"	15 - 16		2.000 m		Swedish 5x5 km area
"	"	16.00-16.15		2.000 m		Part of the distance Malören → Bjuröklubb
IR-radiometer	19/3	8 -	-			Swedish 1x1 km area
"	"		-			IR-band within the Swedish 5x5 km area
"	"		-			Track Tor → eastnortheast km
"	20/3	7 -	-			Swedish 1x1 km area
"	"		-			IR-band within the Swedish 5x5 km area
"	"		-			Track Tor → eastnortheast km.
<u>Microwave sensors</u>						
SLAR	12/3	14.50-15.50	1:100.000	300 m		Swedish 15x15 km area. Preliminary tests
"	13/3	13.15-14.10	1:100.000 (1:200.000)	300 m		Swedish 15x15 km area

ORIGINAL PAGE IS  
OF POOR QUALITY

	<u>Date</u>	<u>Time</u>	<u>Scale</u>	<u>Altitude</u>	<u>Cloud_%</u>	<u>Covered_area</u>
SLAR	14/3	11.00-13.00	1:100.000 (1:50.000)	400 m (70)		Luleå → Malören → Bjuröklubb → eastsoutheast to the Finnish coast → north to Malören → Luleå. Band width 2x6, 3 km
"	18/3	11.05-11.50	1:100.000	300 m		Swedish 15x15 km area
"	18/3	12.10-13.20	1:200.000	7.000 m		Malören → Bjuröklubb east to the Finnish coast → north to Malören covering Finnish and Swedish 15x15 km areas → Luleå. Band width 1x25 km
"	19/3	13.20-15.10	1:100.000	170 m 300 m		Finnish and Swedish 15x15 km area
FLAR	11/3	15-16		450 m		Swedish 15x15 km area. Preliminary tests
"	12/3	14.30-16		100 m 450 m		Swedish 15x15 km area. Preliminary tests
"	13/3	13.15-14.30		100 m 250 m 450 m		Swedish 15x15 km area
"	14/3	10.45-13.00		50 m 450 m		Same as the SLAR 14/3
"	17/3	13.15-14.15		100 m 250 m		Swedish 15x15 km area Preliminary tests
"	18/3	11.00-13.30		100 m 450 m		Same as the SLAR 13/3

ORIGINAL PAGE IS  
OF POOR QUALITY

	<u>Date</u>	<u>Time</u>	<u>Scale</u>	<u>Altitude</u>	<u>Cloud %</u>	<u>Covered area</u>
FLAR	19/3	13.30-15.45		100 m 450 m		Finnish and Swedish 15x15 km areas
"	21/3	12.30-13.25		1.800 m		Malören - Bjuröklubb Holmön
ODAR	18/3	10.00-11.30	1:100.000 1:200.000	100 m 200 m 300 m 500 m		Swedish 15x15 km area
"	19/3	10.00-11.15	1:100.000 1:200.000	30 m 170 m 300 m 700 m		Swedish 5x5 km and 15x15 km areas
"	19/3	13.10-14.30	1:50.000 1:1.000.000 1.000 m 1.700 m	30 m 170 m 1.000 m 1.700 m		Swedish 1x1 km area. The northern parts of the Bay of Bothnia
"	20/3	09.20-10.20	1:200.000 1:1.000.000	700 m		The northern parts of the Bay of Bothnia
Ships radar (3 cm)	12/3	17.00	1:1.000 1:5.000	25 m		Covers a circular area around TOR
"	15/3	17.15	1:1.000	"		"
"	16/3	20.30	1:1.000 1:1.5.000	"		"
"	17/3	16.00	1:1.000 1:5.000	"		"
"	19/3	18.50	1:1.000 1:5.000	"		"



	<u>Date</u>	<u>Time</u>	<u>Scale</u>	<u>Altitude</u>	<u>Cloud %</u>	<u>Covered area</u>
Ships radar (10 cm)	11/3	07.00	1:1.000 1:5.000	25 m		Covers a circular area around TOR
"	12/3	17.20	1:10.000	"		"
"	15/3	17.30	1:5.000 1:10.000	"		"
"	16/3	20.50	1:5.000 1:10.000	"		"
"	17/3	16.20	1:10.000	"		"
"	19/3	19.00	1:5.000 1:10.000	"		"
Radar altimeter	11/3	13-14	-	2-30 m		Luleå → TOR. Preliminary tests
"	14/3	10-11	-	4-10 m		Swedish 1x1 km area
"	15/3	10-11	-	4-10 m		Swedish 5x5 km area
"	16/3	14-15	-	4-10 m		Swedish 5x5 km area
Microwave radiometer	17/3					Preliminary tests
"	18/3			25 m 50 m		Swedish 5x5 km area (lines A, B, C, D, E and F)
"	19/3			25 m 50 m		Swedish 5x5 km area (lines A, B, C, D, E and F)
"	19/3			25 m		Test track within the Swedish area identical with the track followed by the IR-scanner.

ORIGINAL PAGE IS OF POOR QUALITY

Covered area  
 Test track via TOR along  
 a green Decca line J42  
 between the red lines F3  
 and E15 (TOR: Green J42, 0  
 and Red E17, 75)

Altitude  
 50 m  
 100 m

Cloud %

Date  
 19/3

Time  
 20/3

Scale

20 m  
 40 m  
 80 m

10/3  
 13/3  
 14/3  
 16/3  
 17/3  
 18/3  
 20/3

Underwater sensors

Underwater camera

Underwater TV

Sonar

Ground truth

Meteorological parameters

Wind

Temperature

Air pressure

Humidity

Around TOR

"

"

"

Every 15 min

"

"

"

and continuously

Every 3 hours

	<u>Date</u>	<u>Time</u>	<u>Scale</u>	<u>Altitude</u>	<u>Cloud %</u>	<u>Covered area</u>
Visibility	10-20/3	Every 3 hours				Around TOR
Clouds	"	"				"
Weather	"	"				"
Oceanographic parameters						
Current	10-20/3	Continuously + occasionally				Around TOR
Watertemp.	"	Occasionally				"
Salinity	"	"				"
Ice parameters (Swedish area)						
Concentration	10-19/3	Regularly				Northern Bay of Bothnia
Thickness	"	"				1x1, 5x5 and 15x15 km areas
Pressure ridges (height-width)	"	"				"
Roughness	"	"				"
Snow cover	"	"				"
Ice-open water	"	"				Northern Bay of Bothnia
Floes size	"	"				1x1, 5x5 and 15x15 km areas
Ice drift	10-20/3	Every 15 min				Position of TOR
Ice deformation	"	"				5x5 and 15x15 km areas
Ice temperature	10-19/3	Continuously				Around TOR
Ice salinity	19/3					"