




PLASMA PHYSICS GROUP



UNIVERSITY OF CALIFORNIA
LOS ANGELES



(NASA-CR-141984) THE COLLISIONAL DRIFT MODE
IN A PARTIALLY IONIZED PLASMA (California
Univ.) 24 p HC \$3.25 CSCL 201

N75-16353

G3/75

Unclas
08941

The Collisional Drift Mode
in a Partially Ionized Plasma

Mary K. Hudson* and Charles F. Kennel†

PPG-202

December 1974

Department of Physics
and
Institute of Geophysics and Planetary Physics
University of California
Los Angeles, California 90024

*Present address: Space Sciences Laboratory
University of California
Berkeley, California 94720

†Temporary address: Centre de Physique Théorique
École Polytechnique
17 rue Descartes
Paris V. France

Abstract

The structure of the drift instability is examined in several density regimes. Let λ_e be the total electron mean free path, k_z the wave-vector component along the magnetic field, and v_\perp/v_\parallel the ratio of perpendicular ion diffusion to parallel electron streaming rates. At low densities ($k_z \lambda_e > 1$) the drift mode is isothermal and should be treated kinetically. In the finite heat conduction regime $\sqrt{m/M} < k_z \lambda_e < 1$ the drift instability threshold is reduced at low densities ($v_\perp/v_\parallel < 0.1$) and increased at high densities ($v_\perp/v_\parallel > 0.1$) as compared to the isothermal threshold. Finally, in the energy transfer limit ($k_z \lambda_e < \sqrt{m/M}$) the drift instability behaves adiabatically in a fully ionized plasma and isothermally in a partially ionized plasma for an ion-neutral to Coulomb collision frequency ratio $\nu_{in}/\nu_{ii} > 2\sqrt{m/M}$ at $T_i = T_e = T_n$.

Introduction

The most obvious source of free energy for the instability of the nighttime equatorial F region called spread F is the sharp plasma density gradient on the underside of the postsunset F layer. While a variety of density gradient dependent modes have been considered (cf. Farley et al. 1970) to explain the geomagnetic field aligned density irregularities with perpendicular wavelengths from a few m to km, Hudson and Kennel (1974a) are the first to consider collisional drift waves driven solely by the density gradient. The collisional drift mode appeared in the electrostatic limit of the electromagnetic dispersion relation for low frequency density-gradient driven modes in a partially ionized collisional plasma derived in the companion paper (Hudson and Kennel 1974b). The observed altitude threshold for spread F onset (Farley et al. 1970) suggested the extension of previous work on the collisional drift mode (Tsai et al. 1970) to partially ionized plasmas where neutral collisions affect the instability threshold and growth rate.

Recent work on the collisional drift mode has shown that its growth rate is modified by finite electron heat conduction along the magnetic field at parallel wavelengths exceeding the electron momentum transfer mean free path λ_e . However, there is an apparent paradox in the literature; Ellis and Motley (1974) find that the drift mode growth rate is enhanced by finite heat conduction, while Tsai et al. (1970) conclude that it is reduced, especially at high densities. We resolve this conflict by obtaining an explicit criterion which separates the finite heat conduction regime $\sqrt{m/M} < k_z \lambda_e < 1$ into low and high density regions where the drift mode growth

rate is enhanced or reduced from its isothermal value. A single parameter which is the ratio of the perpendicular ion diffusion to parallel electron streaming rates, $v_{\perp}/v_{\parallel} = 0.1$, separates the low and high density regions. In application to equatorial F region irregularities $v_{\perp}/v_{\parallel} < 0.1$ in general (Hudson and Kennel 1974a) and the drift mode growth rate is enhanced by finite heat conduction.

Since equatorial F region geometry permits very long parallel wavelengths, we have extended the analysis of the collisional drift mode to parallel wavelengths exceeding the energy transfer mean free path, $k_z \lambda_e < \sqrt{m/M}$, where we find that temperature fluctuations and finite heat conduction effects are suppressed. In this long wavelength regime which we call the energy transfer limit, a fully ionized plasma behaves adiabatically, because there is a balance of energy exchange between electrons and ions. A partially ionized plasma with $v_{in}/v_{ii} > 2\sqrt{m/M}$ at $T_e = T_i = T_n$ behaves isothermally (Hudson 1974), because energy in electron temperature fluctuations is lost to the ions and then lost to the neutral sink faster than it can be transferred back to the electrons.

Electrostatic Dispersion Relation

Finite electron heat conduction, energy transfer between species and neutral collisions have all been included in our derivation of the electrostatic dispersion relation for the collisional drift mode from two fluid theory in the companion paper (Hudson and Kennel 1974b)

$$b \left\{ (\omega + R_T \omega_D) (\omega + i\nu_{\perp}/b) \right\} = -i\nu_{\parallel} \frac{[\omega + i\nu_{\parallel}(\bar{\chi} - \bar{\rho})]}{[\omega + i\nu_{\parallel}\bar{\chi}]} \cdot \left\{ \omega[1 + \rho b] - \omega_D + i\nu_{\perp}\rho \right\} \quad (1a)$$

neglecting gravity which has a minor effect on the drift mode and acoustic terms which are stabilizing for $k_z C_s \geq \omega_D$ (Hudson 1974). Here L_{\perp} is the density gradient scale length, $b = k_y^2 C_s^2 / \Omega^2$ is the ion FLR parameter, $\omega_D = -\sqrt{b} C_s / L_{\perp}$ is the diamagnetic drift frequency in terms of the ion acoustic speed $C_s^2 = T_e / M$, $\nu_{\perp}/b = \nu_{in} + 0.3 b \nu_{ii}$ is the perpendicular ion diffusion rate, $\nu_{\parallel} = k_z^2 a_e^2 / 2C_r \nu_e$ is the parallel electron streaming rate, $\nu_e = \nu_{ei} + \nu_{es}$ is the total electron collision frequency, ν_{ji} and ν_{jn} ($j = 3, i$) are Coulomb and neutral collision frequencies. $\rho = 1 + R_T = 1 + T_i / T_e$.

We also define

$$\bar{\chi} = 2/3 \left[C_r C_x + (1 + C_t)^2 \right] + i 2(m/M) \nu_e / \nu_{\parallel} \cdot (m/M) (2\nu_{ei} + \nu_{en}) / \nu_{\parallel}$$

$$\bar{\rho} = 2/3 (1 + C_t)^2 + 2(1 + C_t)(1 - R_t) + i \cdot (1 - R_T) (m/M) (\nu_{en} - 3\nu_{ei}) / \nu_{\parallel}$$

which are combinations of finite electron heat conduction terms, plotted in Figure 1 neglecting the energy transfer terms proportional to m/M which dominate at high densities and long parallel wavelengths ($k_z \lambda_e < \sqrt{m/M}$).

In the electrostatic dispersion relation (1a) the drift mode is coupled to the entropy mode (Tsai et al. 1970; Hudson and Kennel 1974b), interchange and acoustic terms. Finite parallel electron heat conduction is included in (1a), which reduces to the electrostatic dispersion relation obtained by

Tsai et al. (1970), when neutral collisions and energy transfer from electrons to ions and neutrals are neglected.

Isothermal Limit

The isothermal limit which applies to $k_z \lambda_e > 1$ is formally recovered from (1a) by letting the dimensionless coefficient of electron thermal conductivity $C_x \rightarrow \infty$. Hence $\bar{\chi} \rightarrow \infty$ in contrast to $\bar{\xi}$ which remains finite, and (1a) yields

$$\begin{aligned} & b \left\{ (\omega + R_T \omega_D) (\omega + i\nu_{\perp}/b) + g/L_1 \right\} \\ & = -i\nu_{\parallel} \{ \omega [1 + \rho b] - \omega_D + i\nu_{\perp} \rho \} \end{aligned} \quad (1b)$$

The collisionless limit $k_z \lambda_e > 1$ is only fully treated by a kinetic theory (Coroniti and Kennel 1970) which includes Landau resonance effects.

Neglecting these resonances (1b) reduces to the fluid limit of their kinetic dispersion relation as $\nu_e \rightarrow 0$ or $\nu_{\parallel} \rightarrow \infty$.

In the opposite limit $\nu_{\parallel} \rightarrow 0$ for $R_T \sim 1$, we again find that $\bar{\chi} \rightarrow \infty$ while $\bar{\xi}$ remains finite. Hence by including energy transfer effects in $\bar{\chi}$ and $\bar{\xi}$, we have obtained the short parallel wavelength isothermal results at long parallel wavelengths. Including ion temperature fluctuations neglected in the derivation of (1a), we have found that this result is valid in a partially ionized plasma with $\nu_{in}/\nu_{ii} > 2\sqrt{m/M}$ at $T_e = T_i = T_n$ (Hudson 1974). For this small ratio of ion-neutral to Coulomb collision frequencies, the ion energy loss rate to the neutral sink exceeds the ion energy transfer

rate back to the electrons, and the plasma behaves isothermally at parallel wavelengths exceeding the electron energy transfer mean free path $\sqrt{M/m} \lambda_e$. However, in a fully ionized plasma there is a balance of energy exchange between ions and electrons, and the plasma behaves adiabatically at long parallel wavelengths.

The isothermal dispersion relation (1a) has therefore acquired a new significance at long parallel wavelengths where Landau resonance effects are negligible. Note that the cubic dispersion relation (1a) reduces to a quadratic (1b) with the elimination of the entropy mode in the isothermal approximation. It is useful first to obtain the marginal stability criterion in this isothermal approximation for the simple quadratic, since the same procedure will be used to derive the general marginal stability criterion for the cubic.

Isothermal Marginal Stability Criterion

At marginal stability ω is real and the real and imaginary parts of (1b) vanish separately. The imaginary part yields the dispersion relation

$$\omega = \omega_D \frac{(1 - R_T v_{\perp}/v_{\parallel})}{(1 + \rho b + v_{\perp}/v_{\parallel})}, \quad \rho = 1 + R_T \quad (2a)$$

For $R_T v_{\perp}/v_{\parallel} \ll 1$ we obtain the drift mode dispersion relation

$$\omega = \omega_D / (1 + \rho b) \quad (2b)$$

The drift mode marginal stability criterion is obtained by substituting (2a) back into the real part of (1b), neglecting gravity

$$0 < \hat{K} = \frac{(1 - R_T v_{\perp} / v_{\parallel})}{(1 + \rho b + v_{\perp} / v_{\parallel})^2}$$

$$K \equiv v_{\perp} v_{\parallel} / b \omega_D^2 \propto k_z^2 L_{\perp}^2 \quad (3)$$

Instability results for $0 < K < \hat{K}$, where K is the destabilizing parameter proportional to the density gradient scale length L_{\perp} . An unstable drift mode is only obtained for $R_T v_{\perp} / v_{\parallel} < 1$, which requires finite k_z . Equation (3) is plotted in Figure 2 for $R_T = 1$ and $b \ll v_{\perp} / v_{\parallel} < 1$. The threshold increases ($\hat{K} \propto k_z^2 L_{\perp}^2$ decreases) with increasing $v_{\perp} / v_{\parallel}$ proportional to total density.

General Marginal Stability Criterion

Having analyzed the marginally stable quadratic (1b) containing the FLR coupled interchange and drift modes in the isothermal limit, we now consider the marginally stable cubic (1a) containing the FLR coupled interchange, entropy and drift modes at intermediate parallel wavelengths $\sqrt{m/M} < k_z \lambda_e < 1$ where finite heat conduction effects apply in general.

The real and imaginary parts of (1a) vanish separately at marginal stability where ω is real. The imaginary part, which was linear in the isothermal case, is now quadratic with the addition of the entropy mode.

Expanding that quadratic assuming $|1 - R_T v_{\perp}/v_{\parallel}| > b(3R_T + K)$ yields the drift mode root

$$\frac{\omega_+}{\omega_D} = \frac{(1 - R_T v_{\perp}/v_{\parallel}) - R_T \bar{\chi} b}{[1 + v_{\perp}/v_{\parallel} + (1 + R_T + \bar{\chi})b]} + \frac{(\chi - \bar{\xi})(1 + R_T)bK}{(1 - R_T v_{\perp}/v_{\parallel})} \quad (4)$$

The instability criterion for the drift mode is obtained by substituting (4) back into the real part of (1a), yielding (Tsai et al. 1970)

$$\begin{aligned} K^{-1} - (1 + v_{\perp}/v_{\parallel})^2 \frac{(1 + \bar{\xi} - R_T v_{\perp}/v_{\parallel})}{(1 + R_T v_{\perp}/v_{\parallel})^2} > \\ b \{ (\bar{\chi} - \bar{\xi})^2 K [v_{\parallel}/v_{\perp} + 4R_T + 1 + \bar{\chi}] \\ - \bar{\chi}(v_{\parallel}/v_{\perp})(\bar{\chi} - \bar{\xi}) + 4[4(\bar{\xi} - 1)(1 + R_T) + 1] \} \\ + O[bv_{\perp}/v_{\parallel}, b^2] \end{aligned} \quad (5)$$

This is the most general drift mode marginal stability criterion which applies to all densities $k_z \lambda_e < 1$.

We have plotted the marginally stable \hat{K} vs. v_{\perp}/v_{\parallel} in Figure 3 for a fully ionized plasma at $R_T = 1$ and several values of the parameter $N = 0.3$ L_{\perp}/λ_e proportional to density. We use the fully ionized values of $\bar{\chi} = 3.03$

and $\bar{\xi} = 1.95$ (Tsai et al. 1970) and substitute for $b = (1/N \sqrt{K v_{\perp}/v_{\parallel}})$. Comparison with the isothermal curve in Figure 2 demonstrates that the drift instability threshold is lower at low densities ($v_{\perp}/v_{\parallel} \ll 0.1$) than in the isothermal limit.

Analytic approximations to the high and low density limits can be obtained from the left and right hand sides of (5) respectively. At high densities the left hand side of (5) yields (Tsai et al. 1970)

$$K < \frac{(1 - R_T v_{\perp}/v_{\parallel})^2}{(1 + v_{\perp}/v_{\parallel})^2 (1 + \bar{\xi} - R_T v_{\perp}/v_{\parallel})} \quad (6)$$

which is plotted as the horizontal dashed curve in Figure 3. At low densities the right hand side of (5) yields

$$K < \frac{\bar{\chi}(\bar{\chi} - \bar{\xi})v_{\parallel}/v_{\perp} - 4[4(\bar{\xi} - 1)(1 + R_T) + 1]}{(\bar{\chi} - \bar{\xi})^2 [v_{\parallel}/v_{\perp} + 4R_T + 1 + \bar{\chi}]} \quad (8a)$$

which approaches

$$K < \bar{\chi}/(\bar{\chi} - \bar{\xi}) \quad (8b)$$

as $v_{\perp}/v_{\parallel} \rightarrow 0$. Equation (7) is plotted as the vertical dashed curve in Figure 3. These approximate marginal stability criteria again demonstrate the increase at high densities and decrease at low densities, as compared to the isothermal threshold (3).

It is significant to note in Figure 3 that for all N values the exact marginal stability curves (5) cross at $v_{\perp}/v_{\parallel} = 0.1$, $K = 0.25$ where the approximate curves (6) and (7) cross. This single parameter point separates the finite heat conduction behavior of the drift mode into high and low density regions where the threshold is increased or decreased from its isothermal value.

In both the large and small v_{\perp}/v_{\parallel} limits the finite heat conduction marginal stability criteria (6) and (7) reduce to the isothermal threshold (3) as $\bar{\chi} \rightarrow \infty$. In (6) $(1 + \bar{\xi})$ comes from $1 + \bar{\chi} - (\bar{\chi} - \bar{\xi})$, and $\bar{\xi}$ remains finite as we take the isothermal limit $\bar{\chi} \rightarrow \infty$. Hence for $k_z \lambda_e < \sqrt{m/M}$ the plasma behaves isothermally, independent of v_{\perp}/v_{\parallel} , under the assumptions discussed in the preceding section.

Drift Mode Growth Rate

Assuming ω/v_{\parallel} , v_{\perp}/v_{\parallel} and $bR_{T_D} \omega/v_{\parallel} \ll 1$ decouples the drift mode from entropy and interchange mode terms in (1a) and yields an approximate expression for the drift mode dispersion relation and growth rate in the low density finite heat conduction limit

$$\omega = \omega_D / (1 + \rho b) \quad (15a)$$

$$\gamma/v_{\perp} = \rho / (1 + \rho b) \left[\bar{\chi} / (\bar{\chi} - \bar{\xi}) \left(K^{-1} / (1 + \rho b) \right) - 1 \right] \quad (15b)$$

Neglecting FLR corrections, this result agrees with Ellis and Motley (1974). In the limit $\bar{\chi} \rightarrow \infty$ the isothermal growth rate is recovered (Chu et al. 1969). It is apparent that finite heat conduction increases the drift mode growth rate by the factor $\chi/(\chi - \xi) = (5/3)^2$ in a fully ionized plasma at low densities ($v_{\perp}/v_{\parallel} < 0.1$). At higher densities ($v_{\perp}/v_{\parallel} > 0.1$) and well above marginal stability where the preceding assumptions break down the drift mode growth rate must be obtained by solving the cubic dispersion relation (1a) in general.

The drift mode propagates in the electron diamagnetic drift direction. It is destabilized by the difference between the electron guiding center current and the ion current which is an ion FLR effect of order b . In contrast, in the companion paper we have seen that the interchange mode is stabilized by FLR effects in a weakly collisional plasma ($v_{\perp}/b < 2\sqrt{g/L_{\perp}}$). We therefore expect the drift mode growth rate to peak at shorter perpendicular wavelengths (Hudson and Kennel 1974c). Damping is proportional to the perpendicular ion diffusion rate $v_{\perp}/b = v_{in} + 0.3 b v_{ii}$.

Conclusions

We have obtained a marginal stability criterion for the drift mode in a partially ionized plasma which is valid for all wavelengths greater than the total electron mean free path ($k_z \lambda_e < 1$). An apparent contradiction in the effect of finite heat conduction on the instability threshold and growth rate has been resolved (Tsai et al. 1970; Ellis and Motley, 1974). At low densities ($v_{\perp}/v_{\parallel} < 0.1$) the drift mode decouples from the entropy mode

and the growth rate of the former is enhanced. At higher densities ($v_{\perp}/v_{\parallel} > 0.1$) the drift and entropy modes are coupled, and the drift mode growth rate is suppressed.

When $k_z \lambda_e < \sqrt{m/M}$ the drift mode approaches the isothermal electron limit for all v_{\perp}/v_{\parallel} , and we recover the isothermal instability criterion of Chu et al. (1969) generalized to a partially ionized plasma. This assumes that ions behave isothermally due to energy loss to the neutral sink, which Hudson (1974) has shown is valid for $v_{in}/v_{ii} > 2\sqrt{m/M}$ at $T_e = T_i = T_n$. In a fully ionized plasma there is a balance of energy exchange between ions and electrons in long parallel wavelength modes ($k_z \lambda_e < \sqrt{m/M}$) which behave adiabatically. This distinction in behavior at long parallel wavelengths is significant since the drift instability threshold and growth rate is modified by the nonisothermal effects considered above.

Acknowledgements

The authors wish to thank F. Chen, F. Coroniti and J. Maggs for helpful discussions. This work was supported by NASA grant NGL-05-007-190 and ONR grant N00014-69-A-0200-4050.

References

- Chu, T.K., B. Coppi, H. W. Hendel and F. W. Perkins, Phys. Fluids, 12, 203, 1969.
- Coroniti, F.V. and C.F. Kennel J. Geophys. Res., 75, 1863, 1970.
- Ellis, R. F. and R. W. Motley, Phys. Fluids, 17, 582, 1974.
- Farley, D.T., B.B. Balsley, R.F. Woodman and J. P. McClure, J. Geophys. Res., 75, 7199, 1970.
- Hudson, Mary K., Ph.D. Thesis, University of California at Los Angeles, Department of Physics, 1974.
- Hudson, M. K. and C. F. Kennel, J. Geophys. Res., (submitted), 1974a.
- Hudson, M. K. and C. F. Kennel, J. Plasma Phys., (submitted), 1974b.
- Hudson, M. K. and C. F. Kennel, Phys. Fluids, (submitted), 1974c.
- Schunk, R. W. and J. C. G. Walker, Planet. Space Sci., 18, 1535, 1970.
- Shkarofsky, I. P., Can. J. Phys., 39, 1619, 1961.
- Tsai, S. T., F. W. Perkins, T. H. Stix, Phys. Fluids, 13, 1970.

Figure Captions

Figure 1. Plot of energy heat flow parameters for $R_T = 1$ neglecting energy transfer terms. $\chi = 2/3 [C_r C_x + (1 + C_t)^2]$ and $\xi = 2/3 (1 + C_t)^2$, where C_r , C_t , and C_x are the dimensionless resistive, thermal force, and thermal conductivity coefficients computed by Braginskii (1965) for a fully ionized plasma: $C_r = 0.15$, $C_t = 0.71$ and $C_x = 3.16$. Schunk and Walker (1970) have plotted them for a partially ionized plasma as $g_\sigma = C_r$, $g_\sigma/g_{||} = C_t^{-1}$ and $(1/g_k - 0.5 g_\sigma/g_{||} g_r) = C_x/5$ from Shkarofsky's (1961) tabulation of the g-factors. Here we assume that electrons collide with hard sphere neutrals at a rate proportional to the electron thermal speed $v = a_e$.

Figure 2. Plot of the isothermal drift mode marginally stable parameter $K \equiv v_\perp v_{||} / b \omega_D^2$ as a function of $v_\perp / v_{||}$ from (3) at $R_T = 1$ for $b \ll v_\perp / v_{||} < 1$. The threshold increases ($\hat{K} \propto k_z^2 L_\perp^2$ decreases) with increasing $v_\perp / v_{||}$ proportional to total density.

Figure 3. Plot of the fully ionized finite heat conduction drift mode marginally stable parameter $K \equiv v_\perp v_{||} / b \omega_D^2$ as a function of $v_\perp / v_{||}$ from (5) at $R_T = 1$ for several values of $N = 0.3 L_\perp / \lambda_e$ proportional to density. The exact curves are well approximated by the dashed lines (6) and (7) at high and low densities; they correspond to the left and right hand sides of (5) which are separately independent of N . The crossover point at $v_\perp / v_{||} = 0.1$ corresponds to the separation between the low and high density finite heat conduction regimes where the drift instability threshold is lowered ($\hat{K} \propto k_z^2 L_\perp^2$ increased) and raised compared to the isothermal threshold in Figure 2.




Figure 1




Figure 2




Figure 3

REPRODUCIBILITY OF THE ORIGINAL PAGE IS POOR

UCLA PLASMA PHYSICS GROUP REPORTS

- PPG-1 "Propagation of Ion Acoustic Waves Along Cylindrical Plasma Columns", A.Y. Wong (July 1965). Phys. Fluids 9, 1261 (1966).
- PPG-2 "Stability Limits for Longitudinal Waves in Ion Beam-Plasma Interaction", B.D. Fried and A.Y. Wong (August 1965). Phys. Fluids 9, 1084 (1966).
- PPG-3 "The Kinetic Equation for an Unstable Plasma in Parallel Electric and Magnetic Fields", B.D. Fried and S.L. Ossakow (November 1965). Phys. Fluids 9, 2428 (1966).
- PPG-4 "Low-Frequency Spatial Response of a Collisional Electron Plasma", B.D. Fried, A.N. Kaufman and D.L. Sachs (August 1965). Phys. Fluids 9, 292 (1966).
- PPG-5 "Effects of Collisions on Electrostatic Ion Cyclotron Waves", A.Y. Wong, D. Judd and F. Hai (December 1965). Phys. Letters, 21, 157 (1966).
- PPG-6 "Interaction Between Ion Beams and Plasmas", R. Rosenberg, A.Y. Wong and J.M. Seiten (April 1966). APS Bull. 10, 1182 (1965).
- PPG-7 "Observation of Cyclotron Echoes from a Highly Ionized Plasma", D.E. Kaplan and R.M. Hill (May 1966). Phys. Lett. 21, 157 (1966).
- PPG-8 "Excitation and Damping of Drift Waves", A.Y. Wong and R. Rosenberg (July 1966). Proceedings of 1st Int. Conf. on Quiescent Plasmas, Frascati, Rome, 1967. Phys. Rev. Lett. 18, 526 (1967).
- PPG-9 "The Guiding Center Approximation in Lowest Order", A. Ramos, Jr. (Sept. 1966). J. Plasma Phys. 1, 505 (1967).
- PPG-10 "Plasma Streaming into a Magnetic Field", S.L. Ossakow (Nov. 1966) Dissertation.
- PPG-11 "Cooperative Effects in Plasma Echo Phenomena", A.Y. Wong (March 1967). Proc. of 1st Inter. Conf. on Quiescent Plasmas, Frascati, Rome, 1967.
- PPG-12 "A Quantum Mechanical Study of the Electron Gas Via the Test Particle Method", M.E. Ranskin (March 1967). Dissertation.
- PPG-13 "Linear and Nonlinear Theory of Grid Excitation of Low Frequency Waves in a Plasma", G.L. Johnston (April 1967). Dissertation.
- PPG-14 "The Expansion and Diffusion of an Isolated Plasma Column", J. Hyman (May 1967). Dissertation.
- PPG-15 "Two-Pole Approximation for the Plasma Dispersion Function", B.D. Fried, C.L. Hedrick and J. McCune (Aug. 1967). Phys. Fluids 11, 249 (1968).
- PPG-16 "Experimental Investigation of Electron Runaway Phenomena", J.S. DeGroot (Aug. 1967). Dissertation.
- PPG-17 "Parametric Coupling Between Drift Waves", F. Hai, R. Rosenberg and A.Y. Wong (Oct. 1967). Proc. of 2nd Int. Symp. on Fluctuations and Diffusion in Plasmas, June, 1967.
- PPG-18 "Cyclotron Echoes from Doppler Effects", A.Y. Wong (March 1968).
- PPG-19 "Ion Wave Echoes", D.R. Baker, M.R. Adams and A.Y. Wong (Nov. 1967). Phys. Rev. Lett. 20, 318 (1968).
- PPG-20 "Cyclotron Echoes in Plasmas", D. Judd (March 1968). Dissertation.
- PPG-21 "Exact Bethe Theory for Quantum Plasmas", M.E. Ranskin (Oct. 1967). Phys. Rev. 164, 175 (1967).
- PPG-22 "Artificial Van Allen Belt", C.F. Kennel (Nov. 1967).
- PPG-23 "Landau Damping of Ion Acoustic Waves in a Cosmion Plasma with Variable Electron-Ion Temperature Ratio", K.S. Ramjagan (Oct. 1967). Dissertation.
- PPG-24 "The Inhomogeneous Two-Stream Instability", G. Esory (Sept. 1967).
- PPG-25 "Magnetic Turbulence in Shocks", C.F. Kennel and H.E. Petschek (Dec. 1967). in *Physics of the Magnetosphere*, R. Carovillain, J.P. McIlroy, and H.K. Rosokki, eds: 448-515, D. Reidel, Dordrecht, Holland, 1968.
- PPG-26 "Soliton Excitation in a High Beta Plasma", V. Kominson and C.F. Kennel (Feb. 1968). J. Plasma Phys. 5, 55 (1968).
- PPG-27 "Low Beta Plasma Penetration Across a Magnetic Field", B.D. Fried and S. Ossakow (Mar. 1968). Phys. Fluids 12, 702 (1969).
- PPG-28 "Annual Status Report", Feb. 1, 1967-Jan. 31, 1968. Principal Investigators, A. Ramos, Jr., B.D. Fried, C.F. Kennel.
- PPG-29 "The Theorist's Magnetosphere", C.F. Kennel (April 1968).
- PPG-30 "Electromagnetic Pitch Angle Instabilities in Space", C.F. Kennel and F.L. Scarf (April 1968) in *Plasma Waves in Space and in the Laboratory*, ed. J.O. Thomas and S.J. Lindmark, Edinburgh U. Press, Edinburgh, Vol. 11, 1969.
- PPG-31 "Electromagnetic Echoes in Collisionless Plasmas", A.Y. Wong (April 1968). Phys. Fluids 12, 866 (1969).
- PPG-32 "Parametric Excitation of Drift Waves in a Resistive Plasma", G. Weyl and M. Goldman (June 1968). Phys. Fluids 12, 1097 (1969).
- PPG-33 "Parametric Excitation from Thermal Fluctuations at Plasma Drift Wave Frequencies", A.Y. Wong, M.V. Goldman, P. Hai, R. Rosenberg (May 1968). Phys. Rev. Letters 21, 518 (1968).
- PPG-34 "Current Decay in a Streaming Plasma Due to Weak Turbulence", S.L. Ossakow and B.D. Fried (June 1968). Phys. Fluids 11, 274 (1968).
- PPG-35 "Temperature Gradient Instabilities in Axisymmetric Systems", C.S. Liu (Aug. 1968). Phys. Fluids 12, 1489 (1969).
- PPG-36 "Electron Cyclotron Echo Phenomena in a Hot Collisionless Plasma", D. Judd (Aug. 1968). Dissertation.
- PPG-37 "Transverse Plasma Wave Echoes", B.D. Fried and C. Olson (Oct. 1968). Phys. Rev. 180, 214 (1969). also presented at APS Plasma Physics Div. Am. Meeting, Nov. 1968.
- PPG-38 "Low Frequency Interchange Instabilities of the Ring Current Belt", C.S. Liu (Jan. 1969). J. Geophys. Res. 75, 5789 (1970).
- PPG-39 "Drift Waves in the Linear Regime", R.E. Rosenberg and A.Y. Wong (Feb. 1969). Phys. Fluids 13, 661 (1970).
- PPG-40 "Parametric Mode-Mode Coupling Between Drift Waves in Plasmas", F. Hai and A.Y. Wong (Jan. 1969). Phys. Fluids 13, 672 (1970).
- PPG-41 "Nonlinear Oscillatory Phenomena with Drift Waves in Plasmas", F. Hai and A.Y. Wong (Sept. 1970).
- PPG-42 "Ion-Burst Excited Wave in a Plasma", H. Ikezi and R.J. Taylor (Feb. 1969). J. Appl. Phys. 41, 758 (1970).
- PPG-43 "Measurements of Diffusion in Velocity Space from Ion-Ion Collisions", A. Wong and D. Baker (March 1969). Phys. Rev. 182, 1 (1969).
- PPG-44 "Nonlinear Excitation in the Ionosphere", A.Y. Wong (March 1969).
- PPG-45 "Observation of 1st order Ion Energy Distribution in Ion Acoustic Waves", H. Ikezi, R. Taylor, Phys. Rev. Lett. 22, 923 (1969).
- PPG-46 "A New Representation for the Conductivity Tensor of a Collisionless Plasma in a Magnetic Field", B.D. Fried and C. Hedrick (March 1969). Festschrift for Gregor Metzler, U. of Chicago Press, 1969.
- PPG-47 "Direct Measurement of Linear Growth Rates and Nonlinear Saturation Coefficients", A.Y. Wong and F. Hai (April 1969). Phys. Rev. Lett. 23, 165 (1969).
- PPG-48 "Electron Precipitation Pulsations", F. Coroniti and C.F. Kennel (April 1969). J. Geophys. Res. 75, 1279 (1970).
- PPG-49 "Auroral Micropulsation Instability", F. Coroniti and C.F. Kennel (May 1969). J. Geophys. Res. 75, 1865 (1970).
- PPG-50 "Effect of Fokker-Planck Collisions on Plasma Wave Echoes", G. Johnston (June 1969). Phys. Fluids 13, 136 (1970).
- PPG-51 "Linear and Nonlinear Theory of Grid Excitation of Low Frequency Waves in a Plasma", G. Johnston (July 1969).
- PPG-52 "Theory of Stability of Large Amplitude Periodic (MCK) Waves in Collisionless Plasmas", M.V. Goldman (June 1969). Phys. Fluids 13, 1281 (1970).
- PPG-53 "Excitation of Strong Ion-Wave-Wave Interaction", R. Taylor and H. Ikezi (Aug. 1969).
- PPG-54 "Optical Mixing in a Magnetoactive Plasma", G. Weyl (Aug. 1969). Phys. Fluids 13, 1802 (1970).
- PPG-55 "Trapped Particles and Echoes", A.Y. Wong and R. Taylor (Oct. 1969). Phys. Rev. Lett. 23, 958 (1969).
- PPG-56 "Formation and Interaction of Ion-Acoustic Solitons", H. Ikezi, A.J. Taylor and D.R. Baker, Phys. Rev. Lett. 25, 11 (1970).
- PPG-57 "Observation of Collisionless Electrostatic Shocks", R. Taylor, D. Baker and H. Ikezi, Phys. Rev. Lett. 24, 206 (1970).
- PPG-58 "Turbulent Loss of Ring Current Protons", J.M. Cornwall, F.V. Coroniti and R.M. Thorne (Jan. 1970). J. Geophys. Res. 75, 4699 (1970).
- PPG-59 "Efficient Modulation Coupling Between Electron and Ion Resonances in Magnetoactive Plasmas", A. Wong, D.R. Baker, M. Booth (Dec. 1969). Phys. Rev. Lett. 24, 804 (1970).
- PPG-60 "Interaction of Quasi-Transverse and Quasi-Longitudinal Waves in an Inhomogeneous Vlasov Plasma", C.L. Hedrick (Jan. 1970) Dissertation.
- PPG-61 "Observation of Strong Ion-Acoustic Wave-Wave Interaction", R.J. Taylor and H. Ikezi (Jan. 1970).
- PPG-62 "Turbulent Ion Distribution in Ion Waves and Echoes", H. Ikezi and R.J. Taylor (Jan. 1970). Phys. Fluids 13, 2348 (1970).
- PPG-63 "Propagation of Ion Cyclotron Harmonic Wave", E.R. Hull and H. Ikezi (Nov. 1970). Phys. Fluids 13, 2874 (1970).
- PPG-64 "The Analytic and Asymptotic Properties of the Plasma Dispersion Function", A. Sando, Jr. and G. Johnston (Feb. 1970).
- PPG-65 "Effect of Ion-Ion Collision and Ion Wave Turbulence on the Ion Wave Echo", D. Baker (June 1970).
- PPG-66 "Dispersion Discontinuities of Strong Collisionless Shocks", F.V. Coroniti (Mar. 1970). J. Plasma Phys. 4, 265 (1970).
- PPG-67 "An Ion Cyclotron Instability", E.S. Weibel (Apr. 1970). Dissertation.
- PPG-68 "Turbulence Structure of Finite-Beta Perpendicular Fast Shocks", F.V. Coroniti (Apr. 1970). J. Geophys. Res. 75, 7007 (1970).
- PPG-69 "Steepening of Ion Acoustic Waves and Formation of Collisionless Electrostatic Shocks", R. Taylor (April 1970).
- PPG-70 "A Method of Studying Trapped Particles Behavior in Magnetic Geometries", C.S. Liu and A.Y. Wong (Apr. 1970). Phys. Rev. Lett. 25, 1702 (1970).
- PPG-71 "A Note on the Differential Equation $\nabla \cdot \nabla^2 \phi = 0$ ", E.S. Weibel (April 1970).
- PPG-72 "Plasma Response to a Step Electric Field Greater than the Critical Runaway Field, With and Without an Externally Applied Magnetic Field", J.E. Rubin (June 1970). Dissertation.
- PPG-73 "The UC Mathematical On-Line Systems as a Tool for Teaching Physics", B.D. Fried and R.B. White (Aug. 1970). Proc. of Computer Graphics, 136-154, 1970.
- PPG-74 "High Frequency Hall Current Instability", K. Lee, C.F. Kennel, J.M. Kindel (Aug. 1970). Radio Sci. 6, 209 (1971).
- PPG-75 "Linear Wave Train Structure of Collisionless Magnetic Slow Shocks", F.V. Coroniti (Sept. 1970). Nucl. Fusion 11, 261 (1971).
- PPG-76 "Field-Aligned Current Instabilities in the Topside Ionosphere", J.M. Kindel and C.F. Kennel (Aug. 1970). J. Geophys. Res. 76, 3005 (1971).
- PPG-77 "Spatial Cyclotron Damping", Craig Olson (Sept. 1970). Phys. Fluids 15, 160 (1972).
- PPG-78 "Electromagnetic Plasma Wave Propagation Along a Magnetic Field", C.L. Olson (Sept. 1970). Dissertation.
- PPG-79 "Electron Plasma Waves and Free-Streaming Electron Bursts", H. Ikezi, P.J. Barrett, R.B. White and A.Y. Wong (Nov. 1970). Phys. Fluids 14, 1997 (1971).
- PPG-80 "Relativistic Electron Precipitation During Magnetic Storm Main Phase", R.M. Thorne and C.F. Kennel (Nov. 1970). J. Geophys. Res. 76, 4446 (1971).
- PPG-81 "A Unified Theory of SAE-Arc Formation at the Planopause", J.M. Cornwall, F.V. Coroniti and R.M. Thorne (Nov. 1970). J. Geophys. Res. 76, 4428 (1971).
- PPG-82 "Nonlinear Collisionless Interaction Between Electron and Ion Modes in Inhomogeneous Magnetoactive Plasmas", M. Booth (Dec. 1970). Dissertation.
- PPG-83 "Observation of Parametrically Excited Ion Acoustic Waves", R. Stenzel (March 1971).
- PPG-84 "Wave-Mode Resonance Coupling of Radar Energy to Ionospheric Irregularities", C.F. Kennel (Jan. 1971). Com. Astro. and Space Phys. 3, 27 (1971).
- PPG-85 "Ion Acoustic Waves in a Multi-Ion Plasma", B.D. Fried, R.B. White, T. Samoc (Jan. 1971). Phys. Fluids 14, 2388 (1971).
- PPG-86 "Current-Driven Electrostatic and Electromagnetic Ion Cyclotron Instabilities", D.W. Forslund, C.F. Kennel, J.M. Kindel (Feb. 1971).
- PPG-87 "Locating the Magnetospheric Ring Current", C.F. Kennel and Richard Thorne (Mar. 1961). Com. on Astrophys. and Space Phys. 1, 115 (1971).
- PPG-88 "Wave Instabilities Due to Ion Streaming Across Magnetic Field", P.J. Barrett, R.J. Taylor (March 1971).
- PPG-89 "Evolution of Turbulent Electrostatic Shocks", A.Y. Wong and R. Means (July 1971). Phys. Rev. Lett. 27, 973 (1971).
- PPG-90 "Density Step Production of Large Amplitude Collisionless Electrostatic Shocks and Solitons", D.B. Cohen (June 1971). Submitted Phys. Rev. Lett. (1971).
- PPG-91 "Turbulent Resistivity, Diffusion and Heating", B.D. Fried, C.F. Kennel, K. McKenzie, F.V. Coroniti, J.M. Kindel, R. Stenzel, R.J. Taylor, R.B. White, A.Y. Wong, M. Bernstein, J.M. Seiten, J. D. Forslund and R.Z. Sagdeev (June 1971). Proc. of the 4th Conf. on Plasma Phys. and Cont. Nucl. Fusion Res., Madison, Wis., IAEA-CN-28/E-4, Plasma Physics and Cont. Nucl. Fusion Res., Vol. 11, Vienna 1971.
- PPG-92 "Waveless Excitation and Evolution of an Unstable Electrostatic Wave", B.D. Fried, C.S. Liu, R.M. Means and R.Z. Sagdeev (Aug. 1971). Submitted Doklady, 1973.
- PPG-93 "Cross-Field Current-Driven Ion Acoustic Instability", P.J. Barrett, A.D. Fried, C.F. Kennel, J.M. Seiten and R.J. Taylor (Dec. 1971). Phys. Rev. Lett. 28, 337 (1972).
- PPG-94 "3-D Velocity Space Diffusion in Beam-Plasma Interaction Without Magnetic Field", P.J. Barrett, D. Gresillon and A.Y. Wong (Sept. 1971). Proc. of 3rd Int. Conf. on Quiescent Plasmas, 291, Eindhoven, Calif. 1971. Submitted Phys. Rev. Lett.
- PPG-95 "Daytime Auroral Oval Plasma Density and Conductivity Enhancements Due to Magnetosheath Electron Precipitation", C.F. Kennel and M.N. Ross (Sept. 1971). J. Geophys. Res. 77, 2294 (1972).
- PPG-96 "Collisionless Wave-Particle Interactions Perpendicular to the Magnetic Field", A.Y. Wong, D.L. Jassby (Sept. 1972). Phys. Rev. Lett. 29, 41 (1972).
- PPG-97 "Magnetospheric Substorms", F.V. Coroniti and C.F. Kennel (Sept. 1971). in *Cosmic Plasma Physics*, Proc. of the Conf. on Cosmic Plasma Phys., held at the European Space Res. Inst., Sept. 1971. PLENUM Press, 1972. ed. Karl Schindler.
- PPG-98 "Magnetopause Motions, DP-2, and the Growth Phase of Magnetospheric Substorms", F.V. Coroniti and C.F. Kennel (Sept. 1971).
- PPG-99 "Structure of Ion Acoustic Solitons and Shock Waves in a Two-Component Plasma", R.B. White, B.D. Fried and F.V. Coroniti (Oct. 1971). Phys. Fluids 14, 148 (1972).
- PPG-100 "Solar Wind Interaction with Lunar Magnetic Field", G. Siscoe (Meteorology Dept.) and Bruce Goldstein (JPL) (Nov. 1971).
- PPG-101 "Changes in Magnetospheric Configuration During Substorm Growth Phase", F.V. Coroniti and C.F. Kennel (Nov. 1971). J. Geophys. Res. 77, 3361 (1972).
- PPG-102 "Trip Report - 1971 Kiev Conference on Plasma Theory and Visits to Lebedev and Kurchatov Institutes", B.D. Fried (Oct. 1971).
- PPG-103 "Pitch-Angle Diffusion of Radiation Belt Electrons Within the Plasmasphere", L.R. Lyons, R.M. Thorne, C.F. Kennel (Jan. 1972). J. Geophys. Res. 77, 3455 (1972).
- PPG-104 "Remote Feedback Stabilization of a High-Beta Plasma", F.F. Chen, D. Jassby and M. Maric (Dec. 1971). Phys. Fluids 15, 1646 (1972).
- PPG-105 "Remote Plasma Control": Heating Measurements of Electron Distribution and Trapped Particles by Nonlinear Electromagnetic Interaction", A.Y. Wong, F.P. Chen, M. Booth, D.L. Jassby, R. Stenzel, D. Baker and C.S. Liu (June 1971). J. of Plasma Phys. and Cont. Nucl. Fusion Res. 3, 335 (1971).
- PPG-106 "Computational and Experimental Plasma Physics for Theoreticians", B.D. Fried (Jan. 1972).
- PPG-107 "Threshold and Saturation of the Parametric Decay Instability", R. Stenzel and A.Y. Wong (Nov. 1971). Phys. Rev. Lett. 28, 274 (1972).
- PPG-108 "Laser Amplification in an Inhomogeneous Plasma", R. White (Jan. 1972).
- PPG-109 "External Production and Control of Electrojet Irregularities", K. Lee, P.K. Kaw and C.F. Kennel (Jan. 1972). J. Geophys. Res. 77, 4197 (1972).
- PPG-110 "Ion Heating Via Turbulent Ion Acoustic Waves", R.J. Taylor and F.V. Coroniti (Feb. 1972). Phys. Rev. Lett. 29, 34 (1972).
- PPG-111 "Characteristics of Auroral Electrojet", F.V. Coroniti and C.F. Kennel (Feb. 1972). J. Geophys. Res. 77, 1835 (1972).
- PPG-112 "Wave-Mode Resonance Coupling of Radar Energy to Unstable Ion Acoustic Waves", P. Martin and B.D. Fried (Feb. 1972). Phys. Fluids 15, 2275 (1972).
- PPG-113 "Parallel Magnetic Multi-pole Confinement of a Magnetic Field-Free Plasma", R. Limpacher (Mar. 1972) Dissertation. Submitted Rev. Sci. Instr., 1973.
- PPG-114 "Turbulence in Electrostatic Collisionless Shock Waves", R.M. Means (Apr. 1972). Dissertation.
- PPG-115 "Large Diameter, Quiescent Plasma in a Magnetospheric Field", E. Ault (Apr. 1972). Dissertation.
- PPG-116 "Parametric Pitch-Angle Diffusion of Radiation Belt Particles by Ion-Cyclotron Waves", L.R. Lyons and R.M. Thorne (May 1972). J. Geophys. Res. 77, 5508 (1972).
- PPG-117 "A New Role for Infrared Lasers", F.F. Chen (May 1972). Com. Plasma Phys. and Cont. Nucl. Fusion, 1, 81 (1972).
- PPG-118 "Electrostatic Instability of Ring Current Protons Beyond the Planopause During Injection Events", F.V. Coroniti, L.R. Lyons and R.B. White (May 1972). J. Geophys. Res. 77, 6243 (1972).
- PPG-119 "Magnetospheres of the Outer Planets", C.F. Kennel (May 1972). Space Sci. Rev. 16, 511 (1975).
- PPG-120 "Measurement of Transverse and Longitudinal Heat Flow in a Laser-Heated, Magnetically Confined Arc Plasma", S.W. Fay (June 1972). Dissertation. Condensed version by S.W. Fay, F. Chen and D. Jassby, Phys. Lett. 42A, 161 (1972).
- PPG-121 "Plasmaspheric Hiss", R.M. Thorne, E.J. Smith, R.K. Burton, R.E. Holzer (July 1972). J. Geophys. Res. 77, 1581 (1975).
- PPG-122 "Magnetospheric Electrons", F.V. Coroniti and R.M. Thorne (July 1972). Ann. Rev. of Earth-Plan. Sci. Vol. 1, 1973.

REPRODUCIBILITY OF THE
ORIGINAL PAGE IS POOR

- PPG-124 "Calculation of Reflection and Transmission Coefficients for a Class of One-Dimensional Wave Propagation Problems in Inhomogeneous Media," Alfredo Baños, Jr. (September 1972). *J. Math. Phys.* 14, 963 (1973).
- PPG-125 "Electromagnetic Wave Functions for Parabolic Plasma Density Profiles," Alfredo Baños, Jr. and Daniel L. Kelly. (September 1972). Accepted by *Physics of Fluids*.
- PPG-126 "Amplification of Electromagnetic Waves in Overdense Plasmas," F.F. Chen and R.B. White (September 1972, revised August 1973). *J. Plasma Physics* 16, 565 (1974).
- PPG-127 "Abstracts presented at the American Physical Society Division of Plasma Physics Annual Meeting, Monterey, November 13-16, 1972".
- PPG-128 "Can the Ionosphere Regulate Magnetospheric Convection?" F.V. Coroniti and C.F. Kennel (October 1972). *J. Geophys. Res.* 78, 2837 (1973).
- PPG-129 "Nonlinear Stabilization of Oscillating Two-Stream Instability," K. Nishikawa, Y.C. Lee and P.K. Kaw (October 1972). *Physics of Fluids* 16, 1380 (1973).
- PPG-130 "Drift Waves in Finite Beta Plasmas," Morrell S. Chance (October 1972). Thesis.
- PPG-131 "Wave Packet Formulation of Nonlinear Plasma Wave Kinetics," K. Nishikawa and B.D. Fried (October 1972). *Physics of Fluids* 16, 1321 (1973).
- PPG-132 "Electron Cyclotron Drift Instability Experiment," B.H. Ripin and R.L. Stenzel (October 1972). *Phys. Rev. Letters* 30, 45 (1973).
- PPG-133 "Resonant Excitation of Electrostatic Modes with Electromagnetic Waves," G. Schmidt (October 1973). *Physics of Fluids* 16, 1676 (1973).
- PPG-134 "Energetic Ion Beam Source and Free-Stream Beam Diagnostic Techniques," R.L. Stenzel and B.H. Ripin (November 1972). *Rev. Sci. Instr.* 44, 617 (1973).
- PPG-135 "Electron Plasma Waves in an Unbounded Uniform Magnetoplasma," R.L. Stenzel (November 1972). *Physics of Fluids* 16, 565 (1973).
- PPG-136 "Convective Amplification of Type I Irregularities in the Equatorial Electrojet," K. Lee and C.F. Kennel (November 1972), *J. Geophys. Res.* 78, 4619 (1973).
- PPG-137 "Effects of Propagation Parallel to the Magnetic Field on the Type I Electrojet Irregularity Instability," K. Lee and C.F. Kennel (November 1972). *Planetary and Space Sciences* 21, 1339 (1973).
- PPG-138 "Analog Computer Simulation of Parametric Instabilities," R.L. Stenzel (November 1972). Submitted to *Transactions of IEEE*.
- PPG-139 "Theory of Double Resonance Parametric Excitation in Plasmas," D. Arnush, B.D. Fried, C.F. Kennel, K. Nishikawa and A.Y. Wong (November 1972). *Physics of Fluids* 16, 2270 (1973).
- PPG-140 "Filamentation and Trapping of Electromagnetic Radiation in Plasmas," P. Kaw, G. Schmidt and T. Wilcox (December 1972). *Physics of Fluids* 16, 1522 (1973).
- PPG-141 "Finite Beta Drift Alfvén Instability," M.S. Chance, F.V. Coroniti and C.F. Kennel (January 1973). *J. Geophys. Res.* 78, 7521 (1973).
- PPG-142 "The Formation of Ion Acoustic Shocks," R.B. White, B.D. Fried and F.V. Coroniti (January 1973). *Physics of Fluids* 17, 211, 1974.
- PPG-143 "Experiments on Parametric Instabilities," A.Y. Wong (March 1973).
- PPG-144 "On Cosmic Ray Generation by Pulsars," C.F. Kennel, G. Schmidt and T. Wilcox (March 1973). *Phys. Rev. Letters* 31, 1364 (1973).
- PPG-145 "On the Marginally Stable Saturation Spectrum of Unstable Type I Equatorial Electrojet Irregularities," K. Lee, C.F. Kennel and F.V. Coroniti (April 1973). *J. Geophys. Research* 79, 249, 1974.

REPRODUCIBILITY OF THE
ORIGINAL PAGE IS POOR

- PPG-146 "Spatial Growth Properties of Parametric and Backscattering Plasma Instabilities," B.D. Fried, R. Gould and G. Schmidt (April 1973). Submitted to Phys. Rev. Letters.
- PPG-147 "Evolution of BGK-Like Modes with Trapped Electrons," A.Y. Wong, B.H. Quon and B. Ripin (April 1973). Phys. Rev. Letters 30, 1299 (1973).
- PPG-148 "Stabilization of Ion Acoustic Waves by Electron Trapping," N. Albright (April 1973). Physics of Fluids 17, 206, 1974.
- PPG-149 "Turbulence in Electrostatic Ion Acoustic Shocks," R.W. Means, F.V. Coroniti, A.Y. Wong and R.B. White (May 1973). Physics of Fluids 16, 2304, 1973.
- PPG-150 "Theory of Dielectric Function in a Magnetized Plasma," Y.C. Lee and C.S. Liu (June 1973). Submitted to Physics of Fluids.
- PPG-151 "Physical Interpretation of the Oscillatory Two-Stream Instability," A.Y. Wong and G. Schmidt (June 1973). Submitted to Physics of Fluids.
- PPG-152 "Relativistic Particle Motion in Nonuniform Electromagnetic Waves," G. Schmidt and T. Wilcox (June 1973). Phys. Rev. Letters 31, 1380, 1973.
- PPG-153 "The Ring Current and Magnetic Storms," F.V. Coroniti (July 1973). Radio Science 8, 1007, 1973.
- PPG-154 "Energetic Electrons in Jupiter's Magnetosphere," F.V. Coroniti (July 1973). Astrophysical Journal 27, 261, 1974.
- PPG-155 "Stably Trapped Proton Fluxes in the Jovian Magnetosphere," F.V. Coroniti, C.F. Kennel and R.M. Thorne (July 1973). Astrophysical Journal 189, 383, 1974.
- PPG-156 "Absolute Raman Scattering Instabilities in an Inhomogeneous Plasma," J.F. Drake and Y.C. Lee (July 1973). Physical Review Letters 31, 1197 (1973).
- PPG-157 "Growth and Saturation of the Absolute Electron Cyclotron Drift Instability," R.L. Stenzel and B.H. Ripin (July 1973). Phys. Rev. Letters 31, 1545 (1973).
- PPG-158 "Parametric Instabilities of Electromagnetic Waves in Plasmas," J. Drake, P.K. Kaw, Y.C. Lee, G. Schmidt, C.S. Liu and M.N. Rosenbluth (July 1973). Physics of Fluids 17, 778, (1974).
- PPG-159 "Nonlinear Optics of Plasmas," F.F. Chen (August 1973). Proceedings of the International Congress on Waves and Instabilities in Plasmas, Innsbruck, Austria, April 2-7, 1973.
- PPG-160 "Physical Mechanisms for Laser and Plasma Heating - Parametric Instabilities," F.F. Chen (August 1973). Presented at the Sixth International Conference on Laser Fusion, August 13-17, 1973, New York.
- PPG-161 "Trip Report on the Sixth European Conference on Controlled Fusion and Plasma Physics, July 30 - August 4, 1973, Moscow," B.D. Fried (August 1973).
- PPG-162 "Abstracts presented at the Philadelphia Meeting of the American Physical Society, Division of Plasma Physics, October 31 - November 3, 1973".
- PPG-163 "Enhancement of Plasma DC Currents by Intense AC Fields," A.T. Lin and J.M. Dawson, October 1973. Physics of Fluids 17, 987, 1974.
- PPG-164 "Temporal Electrostatic Instabilities in Inhomogeneous Plasmas," Y.C. Lee and P.K. Kaw, November, 1973. Physical Review Letters 32, 135 (1974).
- PPG-165 "Nonlinear Schrodinger Equation Model of the Oscillating Two-Stream Instability," G.J. Morales, Y.C. Lee and R.B. White, December 1973. Phys. Rev. Letters 32, 457 (1974).
- PPG-166 "Backscattering Decay Processes in Electron Beam-Plasma Interactions Including Ion Dynamics," B.H. Quon, A.Y. Wong and B.H. Ripin, December 1973. Phys. Rev. Letters 32, 406, 1974.
- PPG-167 "Conversion of Electromagnetic Waves to Electrostatic Waves in Inhomogeneous Plasmas," R. Stenzel, A.Y. Wong and H.C. Kim, December 1973. Phys. Rev. Letters 32, 654, 1974.

REPRODUCIBILITY OF THE
ORIGINAL PAGE IS POOR

- PPG-168 "Langmuir Wave Turbulence - Condensation and Collapse," Y.C. Lee, C.S. Liu and K. Nishikawa, January 1974. To appear in Comments on Plasma Physics and Controlled Fusion.
- PPG-169 "The Consequences of Micropulsations on Geomagnetically Trapped Particles," R.M. Thorne, January 1974. Accepted by Reviews of Space Science.
- PPG-170 "Linear Wave Conversion in Inhomogeneous Plasmas," D.L. Kelly and A. Baños, Jr., March, 1974.
- PPG-171 "The Cause of Storm After Effects in the Middle Latitude D-Region Ionosphere," W.N. Spjeldvik and R.M. Thorne, March 1974. Submitted to J. of Atmospheric and Terrestrial Physics.
- PPG-172 "Application of an Electromagnetic Particle Simulation Code to the Generation of Electromagnetic Radiation," A.T. Lin, J.M. Dawson and H. Okuda, March 1974. Accepted by Physics of Fluids.
- PPG-173 "The Ponderomotive Force Exerted on a Plasma by an Infrared Laser Beam," M. Marhic, March 1974 (Dissertation)
- OOG-174 "What we have Learned from the Magnetosphere," C.F. Kennel, April 1974. Submitted to Comments on Astrophysics and Space Science.
- PPG-175 "Observation of the Ponderomotive Force and Oscillating Two-Stream Instability," H.C. Kim, R. Stenzel and A.Y. Wong, April 1974.
- PPG-176 "Electron Beam Plasma Interaction Including Ion Dynamic," B.H. Quon, June 1974. Thesis.
- PPG-177 "Linear Conversion and Parametric Instabilities in a Non-Uniform Plasma," H.C. Kim, R. Stenzel and A.Y. Wong, June 1974. Thesis.
- PPG-178 "Stimulated Compton Scattering of Electromagnetic Waves in Plasma," A.T. Lin and J.M. Dawson, June 1974. Accepted by Physics of Fluids.
- PPG-179 "Equatorial Spread F: Low Frequency Modes in a Collisional Plasma," M.K. Hudson, July 1974 (Dissertation).
- PPG-180 "Effect of the Ponderomotive Force in the Interaction of a Capacitor RF Field with a Nonuniform Plasma," G.J. Morales and Y.C. Lee, July 1974. Phys. Rev. Letters 33, 1016, 1974.
- PPG-181 "Deduction of Ionospheric Tidal Winds by Dynamo Simulation," J.P. Schieldge and S.V. Venkataswaran, August, 1974. Submitted to J. of Atmospheric and Terrestrial Physics.
- PPG-182 "Response of the Middle Latitude D-Region to Geomagnetic Storms," W. Spjeldvik and R.M. Thorne, August 1974. Submitted to J. of Atmospheric and Terrestrial Physics.
- PPG-183 "Production of Negative Ions and Generation of Intense Neutral Beams," A.Y. Wong, J.M. Dawson and W. Gekelman, August 1974. Submitted to Applied Physics Letters.
- PPG-184 "Development of Cavitons and Trapping of RF Fields," H.C. Kim, R. Stenzel and A.Y. Wong, August 1974. Phys. Rev. Letters 33, 886 (1974).
- PPG-185 "Albuquerque Abstracts: Papers presented at Albuquerque Meeting of the American Physical Society Division of Plasma Physics, October 28-31, 1974."
- PPG-186 "Localized Quasi-Stationary Plasma Modes in One, Two and Three Dimensions," J. Zitkova Wilcox and T.J. Wilcox, September 1974. Submitted to Physical Review Letters.
- PPG-187 "Denouement of Jovian Radiation Belt Theory," F.V. Coroniti, September 1974. Proceedings of Conference on Magnetospheres of the Earth and Jupiter, Frascati, Italy, May 28 - June 1, 1974.
- PPG-188 "Is Jupiter's Magnetosphere Like a Pulsar's or Earth's?" C.F. Kennel and F.V. Coroniti, September 1974. Ibid.
- PPG-189 "Parametric Instability of the Sheath Plasma Resonance," R. Stenzel, H.C. Kim and A.Y. Wong, September 1974. Bull. Am. Phys. Soc., October 1974.
- PPG-190 "Effect of Localized Electric Fields on the Evolution of the Velocity Distribution Function," G.J. Morales and Y.C. Lee, September 1974. Submitted to Phys. Rev. Letters.
- PPG-191 "Parametric Instabilities in Plasma," J.M. Dawson and A.T. Lin, September 1974.

REPRODUCIBILITY OF THE
ORIGINAL PAGE IS POOR

- PPG-192 "Surmac - a Large Surface Magnetic Confinement Device," A. Y. Wong, September 1974.
- PPG-193 "Extraction of Energy From High Intensity Ion Beams," A. T. Forrester, September 1974. Presented at the IInd Symposium on Ion Sources and Formation of Ion Beams, Berkeley, Calif. 22-25 October, 1974.
- PPG-194 "Parametric Instability of the Sheath Plasma Resonance," R. Stenzel, H.C. Kim and A.Y. Wong, July 1974.
- PPG-195 "Electrostatic Waves Near the Lower Hybrid Frequency," R. Stenzel and W. Gekelman, October 1974.
- PPG-196 "A Corrugated Mirror-Cyclotron Frequency Direct Conversion System (Comi-Cyfer)," A.T. Forrester, J. Busnardo-Neto and J.T. Crow, October 1974. Submitted to IEEE Transactions on Plasma Science.
- PPG-197 "The Study of Comparative Magnetospheres: The Future of Space Physics," F.V. Coroniti and C.F. Kennel, October 1974. Presented to the NASA Study Group On "Outlook for Space", Goddard Space Flight Center, September 10, 1974.
- PPG-198 "Application of the Fokker-Planck Numerical Method to Anisotropic and Energy-Dependent Electron Precipitation," W. Spjeldvik, October 1974.
- PPG-199 "Self-focusing and Filamentation of Laser Light in Plasmas," Y.C. Lee, C.S. Liu, H.H. Chen and K. Nishikawa, October 1974. To appear in Proceedings of IAEA Sixth Conference on Plasma Physics, held in Tokyo, Nov. 1974.
- PPG-200 "Stimulated Brillouin Backscatter in the Equatorial Electrojet," D. D. Barbosa and C.F. Kennel, November 1974. Submitted to Planetary and Space Sciences.
- PPG-201 "The Electromagnetic Interchange Mode in a Partially Ionized Collisional Plasma," M. K. Hudson and C. F. Kennel, December 1974. Submitted to J. of Plasma Physics.
- PPG-202 "The Collisional Drift Mode in a Partially Ionized Plasma," M. K. Hudson and C. F. Kennel, December 1974. Submitted to J. of Plasma Physics.
- PPG-203 "High Density Constraint on the Entropy Instability," M. K. Hudson and C. F. Kennel, December 1974. Submitted to Physics of Fluids.