
View metadata, citation and similar papers at core.ac.uk

brought to you by CORE

Made available under NASA sponsorship in the interest of early and wide dissemination of Earth Resources Survey Program information and without liability for any use made thereot."



THE CARTOGRAPHIC APPLICATION OF ERTS/REV IMAGERY IN POLAR REGIONS

William R. MacDonald U. S. Geological Survey Reston, Virginia 22092

1 January 1974

Type II Progress Report for Period 1 July 1973 - 31 December 1973

(E74-10383) THE CARTOGEAPHIC APPLICATION N74-18992 CF ENIS/REV IMAGERY IN POIAR REGIONS Progress Report, 1 Jul. - 31 Dec. 1973 (Geological Survey, Reston, Va.) 4 p HC (SCL 08B G3/13 00383 \$4.00

Prepared for:

Goddard Space Flight Center Greenbelt, Maryland 20771

Publication authorized by the Director, U. S. Geological Survey

TECHNICAL REPORT STANDARD TITLE PAGE

1. Report No. 2. Government Accession Ho. 4. Yille and Sublitle THE CARTOGRAPHIC APPLICATION OF ERTS/RBV IMAGERY IN POLAR REGIONS (SR 149)	3. Recipient's Coinlog No.
THE CARTOGRAPHIC APPLICATION OF ERTS/RBV	
THE CARTOGRAPHIC APPLICATION OF ERTS/RBV	3. Report Dote
IMAGERY IN POLAR REGIONS (SR 149)	1 January 1974
	6. Performing Organization Code
	8. Performing Organization Report No
7. Author(s)	
<u>William R. KacDonald (IM391)</u> 9. Performing Organization Homo and Adotres	10. Work Unit No.
U.S. Geological Survey	11. Contract or Grant Ho.
National Center, Stop 515	
Reston, Virginia 22092	S-70243-AG 13. Type of Report and Period Cavere
· · · · · · · · · · · · · · · · · · ·	
2. Sponsoring Agency Heme and Address	Type II Progress Rp
Mr. Frederick Gordøn, Jr.	1 July 73 - 31 Dec. 73
Goddard Space Flight Center	14. Sponsoring Agency Code
Greenhelt, Maryland 20771	
5. Supplementary Notes	• • • •
	Maria Carlo Car
	·
ERTS-1 scene, 1174 19433-7, 13 January 1973 w and 1:250,000-scale. The scene covers the Ro area of Antarctica. Both the single scene pr marginal information. Proof copies have been	oss Island and Dry Valley roducts contain a grid and n produced and are present
ERTS-1 scene, 1174 19433-7, 13 January 1973 w and 1:250,000-scale. The scene covers the Ro area of Antarctica. Both the single scene pr	oss Island and Dry Valley roducts contain a grid and n produced and are present inting. ERTS imagery was d the American Geographica 1:3,000,000-scale Arctic of the map at 1:5,000,000- 974. The same selected orking mosaic of the Alask . Sufficient cloud free ic for the three remaining
ERTS-1 scene, 1174 19433-7, 13 January 1973 w and 1:250,000-scale. The scene covers the Ro area of Antarctica. Both the single scene pr marginal information. Proof copies have been being reviewed prior to authorization for pro- used in a cooperative effort between USGS and Society (AGS) of New York to revise the AGS I Region map manuscripts prior to publication of scale, scheduled for printing by mid-year, 19 band 7 70mm imagery was also used to lay a we Western Canadian quadrant of the Arctic Area imagery was not available to complete a mosa	oss Island and Dry Valley roducts contain a grid and n produced and are present inting. ERTS imagery was d the American Geographica 1:3,000,000-scale Arctic of the map at 1:5,000,000- 974. The same selected orking mosaic of the Alask . Sufficient cloud free ic for the three remaining
ERTS-1 scene, 1174 19433-7, 13 January 1973 wand 1:250,000-scale. The scene covers the Rearea of Antarctica. Both the single scene promarginal information. Proof copies have been being reviewed prior to authorization for provised in a cooperative effort between USGS and Society (AGS) of New York to revise the AGS I Region map manuscripts prior to publication of scale, scheduled for printing by mid-year, 19 band 7 70mm imagery was also used to lay a we Western Canadian quadrant of the Arctic Area imagery was not available to complete a mosa	oss Island and Dry Valley roducts contain a grid and n produced and are present inting. ERTS imagery was d the American Geographica 1:3,000,000-scale Arctic of the map at 1:5,000,000- 974. The same selected orking mosaic of the Alask . Sufficient cloud free ic for the three remaining
ERTS-1 scene, 1174 19433-7, 13 January 1973 w and 1:250,000-scale. The scene covers the Ro area of Antarctica. Both the single scene pr marginal information. Proof copies have been being reviewed prior to authorization for pri- used in a cooperative effort between USGS and Society (AGS) of New York to revise the AGS I Region map manuscripts prior to publication of scale, scheduled for printing by mid-year, 19 band 7 70mm imagery was also used to lay a we Western Canadian quadrant of the Arctic Area imagery was not available to complete a mosa	oss Island and Dry Valley roducts contain a grid and n produced and are present inting. ERTS imagery was d the American Geographica 1:3,000,000-scale Arctic of the map at 1:5,000,000- 974. The same selected orking mosaic of the Alask . Sufficient cloud free ic for the three remaining
ERTS-1 scene, 1174 19433-7, 13 January 1973 w and 1:250,000-scale. The scene covers the Ro area of Antarctica. Both the single scene pr marginal information. Proof copies have been being reviewed prior to authorization for pro- used in a cooperative effort between USGS and Society (AGS) of New York to revise the AGS I Region map manuscripts prior to publication of scale, scheduled for printing by mid-year, 19 band 7 70mm imagery was also used to lay a we Western Canadian quadrant of the Arctic Area imagery was not available to complete a mosa	oss Island and Dry Valley roducts contain a grid and n produced and are present inting. ERTS imagery was d the American Geographica 1:3,000,000-scale Arctic of the map at 1:5,000,000- 974. The same selected orking mosaic of the Alask . Sufficient cloud free ic for the three remaining
ERTS-1 scene, 1174 19433-7, 13 January 1973 wand 1:250,000-scale. The scene covers the Rearea of Antarctica. Both the single scene promarginal information. Proof copies have been being reviewed prior to authorization for provised in a cooperative effort between USGS and Society (AGS) of New York to revise the AGS I Region map manuscripts prior to publication of scale, scheduled for printing by mid-year, 19 band 7 70mm imagery was also used to lay a we Western Canadian quadrant of the Arctic Area imagery was not available to complete a mosa	oss Island and Dry Valley roducts contain a grid and n produced and are present inting. ERTS imagery was d the American Geographica 1:3,000,000-scale Arctic of the map at 1:5,000,000- 974. The same selected orking mosaic of the Alask . Sufficient cloud free ic for the three remaining
ERTS-1 scene, 1174 19433-7, 13 January 1973 wand 1:250,000-scale. The scene covers the Ro area of Antarctica. Both the single scene pr marginal information. Proof copies have been being reviewed prior to authorization for pri- used in a cooperative effort between USGS and Society (AGS) of New York to revise the AGS 1 Region map manuscripts prior to publication of scale, scheduled for printing by mid-year, 19 band 7 70mm imagery was also used to lay a wo Western Canadian quadrant of the Arctic Area imagery was not available to complete a mosa experiments for both the Arctic and Antarctic	oss Island and Dry Valley roducts contain a grid and n produced and are present inting. ERTS imagery was d the American Geographica 1:3,000,000-scale Arctic of the map at 1:5,000,000- 974. The same selected orking mosaic of the Alash . Sufficient cloud free ic for the three remaining c.
ERTS-1 scene, 1174 19433-7, 13 January 1973 wand 1:250,000-scale. The scene covers the Rearea of Antarctica. Both the single scene promarginal information. Proof copies have been being reviewed prior to authorization for provised in a cooperative effort between USGS and Society (AGS) of New York to revise the AGS I Region map manuscripts prior to publication of scale, scheduled for printing by mid-year, 19 band 7 70mm imagery was also used to lay a we Western Canadian quadrant of the Arctic Area imagery was not available to complete a mosa	oss Island and Dry Valley roducts contain a grid and n produced and are present inting. ERTS imagery was d the American Geographica 1:3,000,000-scale Arctic of the map at 1:5,000,000- 974. The same selected orking mosaic of the Alash . Sufficient cloud free ic for the three remaining c.
ERTS-1 scene, 1174 19433-7, 13 January 1973 wand 1:250,000-scale. The scene covers the Ro area of Antarctica. Both the single scene pr marginal information. Proof copies have been being reviewed prior to authorization for pri- used in a cooperative effort between USGS and Society (AGS) of New York to revise the AGS 1 Region map manuscripts prior to publication of scale, scheduled for printing by mid-year, 19 band 7 70mm imagery was also used to 1ay a we Western Canadian quadrant of the Arctic Area imagery was not available to complete a mosa experiments for both the Arctic and Antarctic 17. Key Words (& lected by Author(s)) 18. Distribution	oss Island and Dry Valley roducts contain a grid and n produced and are present inting. ERTS imagery was d the American Geographica 1:3,000,000-scale Arctic of the map at 1:5,000,000- 974. The same selected orking mosaic of the Alash . Sufficient cloud free ic for the three remaining c.
ERTS-1 scene, 1174 19433-7, 13 January 1973 wand 1:250,000-scale. The scene covers the Ro area of Antarctica. Both the single scene pr marginal information. Proof copies have been being reviewed prior to authorization for pri- used in a cooperative effort between USGS and Society (AGS) of New York to revise the AGS 1 Region map manuscripts prior to publication of scale, scheduled for printing by mid-year, 19 band 7 70mm imagery was also used to lay a we Western Canadian quadrant of the Arctic Area imagery was not available to complete a mosa experiments for both the Arctic and Antarctic 17. Key Words (& Vected by Author(s)) Polar cartography	oss Island and Dry Valley roducts contain a grid and n produced and are present inting. ERTS imagery was d the American Geographica 1:3,000,000-scale Arctic of the map at 1:5,000,000- 974. The same selected orking mosaic of the Alash . Sufficient cloud free ic for the three remaining c.
ERTS-1 scene, 1174 19433-7, 13 January 1973 wand 1:250,000-scale. The scene covers the Roarea of Antarctica. Both the single scene promarginal information. Proof copies have been being reviewed prior to authorization for provided in a cooperative effort between USGS and Society (AGS) of New York to revise the AGS I Region map manuscripts prior to publication of scale, scheduled for printing by mid-year, 19 band 7 70mm imagery was also used to lay a we Western Canadian quadrant of the Arctic Area imagery was not available to complete a mosa experiments for both the Arctic and Antarctic for both the Arctic and Antarctic for both the Arctic and Antarctic Glaciology (Glaciology)	oss Island and Dry Valley roducts contain a grid and n produced and are present inting. ERTS imagery was d the American Geographica 1:3,000,000-scale Arctic of the map at 1:5,000,000- 974. The same selected orking mosaic of the Alash . Sufficient cloud free ic for the three remaining c.
ERTS-1 scene, 1174 19433-7, 13 January 1973 wand 1:250,000-scale. The scene covers the Roarea of Antarctica. Both the single scene promarginal information. Proof copies have been being reviewed prior to authorization for provide a cooperative effort between USGS and Society (AGS) of New York to revise the AGS 1 Region map manuscripts prior to publication of scale, scheduled for printing by mid-year, 19 band 7 70mm imagery was also used to lay a we Western Canadian quadrant of the Arctic Area imagery was not available to complete a mosate experiments for both the Arctic and Antarctic for both the Arctic and Antarctic Glaciology Scale.	oss Island and Dry Valley roducts contain a grid and n produced and are present inting. ERTS imagery was d the American Geographica 1:3,000,000-scale Arctic of the map at 1:5,000,000- 974. The same selected orking mosaic of the Alash . Sufficient cloud free ic for the three remaining c.
ERTS-1 scene, 1174 19433-7, 13 January 1973 wand 1:250,000-scale. The scene covers the Roarea of Antarctica. Both the single scene promarginal information. Proof copies have been being reviewed prior to authorization for priused in a cooperative effort between USGS and Society (AGS) of New York to revise the AGS I Region map manuscripts prior to publication of scale, scheduled for printing by mid-year, 19 band 7 70mm imagery was also used to 1ay a we Western Canadian quadrant of the Arctic Area imagery was not available to complete a mosate experiments for both the Arctic and Antarctic for both the Arctic and Antarctic for both the Arctic and Antarctic for Scale. Numataks	oss Island and Dry Valley roducts contain a grid and n produced and are present inting. ERTS imagery was d the American Geographica 1:3,000,000-scale Arctic of the map at 1:5,000,000- 974. The same selected orking mosaic of the Alash . Sufficient cloud free ic for the three remaining c.
and 1:250,000-scale. The scene covers the Re area of Antarctica. Both the single scene pr marginal information. Proof copies have been being reviewed prior to authorization for pri- used in a cooperative effort between USGS and Society (AGS) of New York to revise the AGS I Region map manuscripts prior to publication of scale, scheduled for printing by mid-year, 19 band 7 70mm imagery was also used to lay a we Western Canadian quadrant of the Arctic Area imagery was not available to complete a mosa experiments for both the Arctic and Antarctic 17. Key Words (Scleeted by Author(s)) Polar cartography Glaciology Sea Jee.	oss Island and Dry Valley roducts contain a grid and n produced and are present inting. ERTS imagery was d the American Geographica 1:3,000,000-scale Arctic of the map at 1:5,000,000- 974. The same selected orking mosaic of the Alash . Sufficient cloud free ic for the three remaining c.

Figure 2. Technical Report Standard Title Page '

-/-

:

Type II Progress Report

ERTS-A

a. Title: The Cartographic Application of ERTS/RBV Imagery in Polar Regions

ERTS A Proposal No.: SR 149

b. GSFC ID No. of P.I.: IN 391

c. Statement and explanation of <u>any</u> problems that are impeding the progress of the investigation:

New investigative efforts on the Antarctic experiments were inactive because no imagery was received over any portion of Antarctica during this reporting period. Complete and final cartographic image products over the experimental areas can not be prepared due to the absence of cloud free imagery obtained over the polar regions.

Indexing of the large volumn of imagery received remains a time consuming and costly procedure. It has become necessary to convert a percentage of the money allocated to each experiment from strictly cartographic investigations to the manual tasks of indexing.

d. Discussion of the accomplishments during the reporting period and those planned for the next reporting period:

Arctic

Sufficient cloud free imagery has now been selected for the Fairbanks, Alaska 1:1,000,000 photoimage mosaic (Experiment No. 7). The mosaic will be completed by next reporting period with a print proof available for review.

A Cartographer from the American Geographical Society (AGS) of New York completed the temporary assignment with USGS in the cooperative effort to research, select, and use the ERTS Arctic region imagery in the compilation of the AGS 1:5,000,000-scale map and to lay a working mosaic by quadrants of the Arctic region in support of Experiment No. 6. Changes to the AGS map manuscripts using the ERTS imagery were mostly shorelines and

-2-

realignment of major rivers. One mosaic covering the Alaskan-Canadian quadrant using 70mm imagery, was laid, however the other three quadrants remain incomplete due to insufficient cloud-free imagery.

Antarctica

A single image product was prepared at 1:250,000 scale and 1:500,000 scale. The ERTS-1 scene used was 1174 19433-7, 13 January 1973. The image scene contains a grid and marginal information. Proof copies are now being reviewed by scientists for possible applications to scientific programs in Antarctica.

Mosaic preparation continues on the Victoria Land Coast photoimage strip mosaic, Thwaites Area, and McMurdo Sound region.

e. Discussion of significant scientific results and their relationship to practical applications or operational problems including estimates of the cost benefits of any significant results:

Emphasis was placed on investigation of the ERTS-1 imagery over the Arctic region in support of Experiment No. 6. Once again our investigations showed that ERTS imagery can successfully be used for revising coastlines on small-scale maps and detecting changes i.e., realignment of rivers, repositioning of land features which were previously depicted on maps.

f. A listing of published articles, and/or papers, preprints, in-house reports, abstracts of talks, that were released during the reporting period:

Abstract and paper "The Cartographic and Scientific Applications of ERTS-1 Imagery in Polar Regions," presented at the ASP/ACSM fall convention, Orlando, Florida.

Abstract and presentation, NASA's Discipline Panel Review of Investigation of Proposal SR-149.

Abstract and paper "New Space Technology Advances Knowledge of the Remote Polar Regions," presented at the 3rd ERTS-1 Principal Investigator's Symposium.

g. Recommendation concerning practical changes in operations, additional investigative effort, correlation of effort and/or results as related to a maximum utilization of the ERTS system:

To best meet project requirements for SR-149 and international user's needs it is suggested that NASA allot maximum tape time to acquire ERTS imagery in the Antarctic during the austral season (October - March) on an annual basis.

h. A listing by date of any changes in Standing Order Forms: N/A

i. ERTS Image Descriptor forms: N/A

j. Listing by date of any changed Data Request forms submitted to Goddard Space Flight Center/NDPF during the reporting period: N/A