

EXACT SOLUTIONS OF UNSTEADY FREE CONVECTION FLOW PAST
AN OSCILLATING PLATE WITH NEWTONIAN HEATING

ABID HUSSANAN

A thesis submitted in fulfilment of the
requirements for the award of the degree of
Master of Science (Mathematics)

Faculty of Science
Universiti Teknologi Malaysia

AUGUST 2013

ACKNOWLEDGEMENT

In the Name of Allah, the Most Beneficent, the Most Merciful, Who made all things possible, give me the strength and power to complete this project successfully.

This research project would not have been possible without the support of many people. First of all, I would like to express my deep appreciation and gratitude to my supervisor Assoc. Prof. Dr. Sharidan Shafie for his guidance, suggestions and support throughout the course of this study. I wish to acknowledge my vitals thanks to Dr. Ilyas Khan for his valuable suggestions and guidance throughout my project made me able in completing my project successfully. I am also thankful to Mr. Muhammad Imran Anwar for his help and guidance.

I am grateful to the faculty, staff of the Department of Mathematical Sciences, Faculty of Science and Nor Asikin Binti Mohamad, Perpustakaan Sultanah Zanariah, Universiti Teknologi Malaysia (UTM) for their help and support.

I would like to express my heartiest gratitude to my family who provided the initial impetus in understanding the world of knowledge, their love, prayers, constant care and invaluable cooperation were the assets for me during the span of my studies from start till end. I also would like to thank all those who have assisted me directly or indirectly towards the completion of this thesis.

Abid Hussanan

ABSTRACT

The motion of a viscous fluid caused by the oscillations of a vertical plate is important in many applied problems such as acoustic streaming around an oscillating body and an unsteady boundary layer with fluctuations. In boundary layer, free convection flow is a motion that results from the interaction of gravity with density differences within a fluid. These differences occur due to temperature or concentration gradients or due to their composition. The situation where the heat is transported to the convective fluid via a bounding surface having finite heat capacity is known as Newtonian heating (or conjugate convective flows). This configuration occurs in convection flows set up when the bounding surfaces absorb heat by solar radiation. In this thesis, the unsteady free convection flow of an incompressible viscous fluid past an oscillating vertical plate with Newtonian heating is studied. The free convection flow with either heat or heat and mass transfer with radiation effect is considered. The problem of magnetohydrodynamic free convection flow in a porous medium is also studied. Appropriate non-dimensional variables are used to reduce the dimensional governing equations along with imposed initial and boundary conditions into dimensionless forms. The exact solutions for velocity, temperature and concentration are obtained using the Laplace transform technique. The corresponding expressions for skin friction, Nusselt number and Sherwood number are also calculated. The graphical results are displayed to illustrate the influence of various embedded parameters such as Newtonian heating parameter, radiation parameter, Grashof number and phase angle. The results obtained show that the effect of Newtonian heating parameter increases the Nusselt number but reduces the skin friction. However, the Nusselt number is decreased when the radiation parameter is increased. Also, the skin friction is decreased when the radiation parameter, phase angle and Grashof number are increased.

ABSTRAK

Gerakan bendalir likat yang disebabkan oleh plat menegak berayun penting dalam kebanyakan masalah kenaikan contohnya penjurusan akustik yang mengelilingi jasad berayun dan lapisan sempadan tak mantap yang turun naik. Dalam lapisan sempadan, aliran olakan bebas merupakan gerakan yang disebabkan oleh interaksi graviti dengan perbezaan ketumpatan di dalam bendalir. Perbezaan ini berlaku disebabkan oleh kecerunan suhu atau kepekatan atau komposisi kedua-duanya. Situasi di mana haba dipindahkan ke bendalir berolak melalui permukaan tertutup, yang mempunyai muatan haba terhingga dikenali sebagai pemanasan Newtonan (atau aliran berolak jodoh). Dalam aliran olakan, konfigurasi ini berlaku apabila permukaan tertutup menyerap haba melalui sinaran suria. Dalam tesis ini, aliran olakan bebas bagi bendalir likat tak boleh mampat merentasi plat menegak berayun beserta pemanasan Newtonan dikaji. Aliran olakan bebas tersebut sama ada dengan haba atau haba dan jisim dengan kesan sinaran dipertimbangkan. Masalah aliran olakan bebas hidrodinamik magnet di dalam bahantara berliang juga dikaji. Pembolehubah tak matra yang bersesuaian digunakan untuk menurunkan persamaan menakluk beserta syarat awal dan syarat sempadan bermatra ke bentuk tak bermatra. Penyelesaian tepat bagi halaju, suhu dan kepekatan diperoleh menggunakan teknik penjelmaan Laplace. Ungkapan yang sepadan untuk geseran kulit, nombor Nusselt dan nombor Sherwood juga dihitung. Keputusan grafik dipaparkan untuk menggambarkan pengaruh pelbagai parameter yang ditetapkan seperti parameter pemanasan Newtonan, parameter sinaran, nombor Grashof dan sudut fasa. Keputusan yang diperoleh menunjukkan kesan parameter pemanasan Newtonan meningkatkan nombor Nusselt tetapi menurunkan geseran kulit. Namun, nombor Nusselt berkurang apabila parameter sinaran meningkat. Juga, geseran kulit berkurang apabila parameter sinaran, sudut fasa dan nombor Grashof meningkat.

TABLE OF CONTENTS

CHAPTER	TITLE	PAGE
	DECLARATION	ii
	DEDICATION	iii
	ACKNOWLEDGEMENT	iv
	ABSTRACT	v
	ABSTRAK	vi
	TABLE OF CONTENTS	vii
	LIST OF TABLES	x
	LIST OF FIGURES	xi
	LIST OF SYMBOLS / NOTATIONS	xiv
1	INTRODUCTION	1
1.1	Introduction	1
1.2	Research Background	1
1.3	Problem Statement	6
1.4	Research Objectives	6
1.5	Scope of Research	7
1.6	Research Methodology	7
1.7	Significance of the Study	8
1.8	Thesis Outlines	9
2	LITERATURE REVIEW	11
2.1	Introduction	11
2.2	Free Convection Flow Past an Oscillating Plate with Newtonian Heating	11

2.3	Free Convection Flow Past an Oscillating Plate with Newtonian Heating and Constant Mass Diffusion	15
2.4	MHD Free Convection Flow Past an Oscillating Plate in a Porous Medium with Newtonian heating	17
3	FREE CONVECTION FLOW PAST AN OSCILLATING PLATE WITH NEWTONIAN HEATING	20
3.1	Introduction	20
3.2	Mathematical Formulation	21
3.3	Solution of the Problem	31
3.4	Limiting Cases	35
3.5	Results and Discussion	36
4	FREE CONVECTION FLOW PAST AN OSCILLATING PLATE WITH NEWTONIAN HEATING AND CONSTANT MASS DIFFUSION	45
4.1	Introduction	45
4.2	Mathematical Formulation	45
4.3	Solution of the Problem	48
4.4	Limiting Cases	54
4.5	Results and Discussion	55
5	MHD FREE CONVECTION FLOW PAST AN OSCILLATING PLATE IN A POROUS MEDIUM WITH NEWTONIAN HEATING	63
5.1	Introduction	63
5.2	Mathematical Formulation	64
5.3	Solution of the Problem	67
5.4	Limiting Cases	70
5.5	Results and Discussion	71

6	CONCLUSION	79
6.1	Summary of Research	79
6.2	Suggestions for Future Research	81
	REFERENCES	83
	Appendices A-B	92-96

LIST OF TABLES

TABLE NO.	TITLE	PAGE
3.1	Variation of skin friction for different parameters.	44
3.2	Variation of Nusselt number for different parameters.	44
4.1	Variation of skin friction for different parameters.	62
4.2	Variation of Sherwood number for different parameters.	62
5.1	Variation of skin friction for different parameters.	78

LIST OF FIGURES

FIGURE NO.	TITLE	PAGE
3.1	Physical model and coordinate system.	21
3.2	Normal and shear stress components.	23
3.3	Energy fluxes entering and exiting at the control volume.	26
3.4	Heat fluxes entering and exiting the control volume.	28
3.5	Radiant fluxes entering and exiting at the control volume.	29
3.6	Velocity profiles for different values of Pr , when $t = 0.2$, $R = 2$, $Gr = 5$, $\gamma = 1$ and $\omega = \pi/3$.	39
3.7	Velocity profiles for different values of Gr , when $t = 0.2$, $R = 2$, $Pr = 0.71$, $\gamma = 1$ and $\omega = \pi/3$.	39
3.8	Velocity profiles for different values of R , when $t = 0.2$, $Gr = 5$, $Pr = 0.71$, $\gamma = 1$ and $\omega = \pi/3$.	40
3.9	Velocity profiles for different values of ωt , when $t = 0.2$, $R = 2$, $Gr = 5$, $Pr = 0.71$ and $\gamma = 1$.	40
3.10	Velocity profiles for different values of t , when $R = 2$, $Gr = 5$, $Pr = 0.71$, $\gamma = 1$ and $\omega = 0$.	41
3.11	Velocity profiles for different values of γ , when $t = 0.2$, $R = 2$, $Gr = 5$, $Pr = 0.71$ and $\omega = \pi/3$.	41
3.12	Temperature profiles for different values of Pr , when	42

	$t = 0.2, R = 2$ and $\gamma = 1$.	
3.13	Temperature profiles for different values of R , when $t = 0.2, Pr = 0.71$ and $\gamma = 1$.	42
3.14	Temperature profiles for different values of t , when $R = 2, Pr = 0.71$ and $\gamma = 1$.	43
3.15	Temperature profiles for different values of γ , when $t = 0.2, R = 2$ and $Pr = 0.71$.	43
4.1	Physical model and coordinate system.	46
4.2	Velocity profiles for different values of t , when $R = 2, Gr = 5, Gm = 2, Pr = 0.71, Sc = 0.78, \gamma = 1$ and $\omega = 0$.	57
4.3	Velocity profiles for different values of R , when $t = 0.2, Gr = 5, Gm = 2, Pr = 0.71, Sc = 0.78, \gamma = 1$ and $\omega = \pi/3$.	57
4.4	Velocity profiles for different values of Pr , when $t = 0.2, R = 2, Gr = 5, Gm = 2, Sc = 0.78, \gamma = 1$ and $\omega = \pi/3$.	58
4.5	Velocity profiles for different values of Gr , when $t = 0.2, R = 2, Gm = 2, Pr = 0.71, Sc = 0.78, \gamma = 1$ and $\omega = \pi/3$.	58
4.6	Velocity profiles for different values of Gm , when $t = 0.2, R = 2, Gr = 5, Pr = 0.71, Sc = 0.78, \gamma = 1$ and $\omega = \pi/3$.	59
4.7	Velocity profiles for different values of Sc , when $t = 0.2, R = 2, Gr = 5, Gm = 2, Pr = 0.71, \gamma = 1$ and $\omega = \pi/3$.	59
4.8	Velocity profiles for different values of γ , when $t = 0.2, R = 2, Gr = 5, Gm = 2, Pr = 0.71, Sc = 0.78$ and $\omega = \pi/3$.	60
4.9	Velocity profiles for different values of ωt , when $t = 0.2, R = 2, Gr = 5, Gm = 2, Pr = 0.71, Sc = 0.78$ and $\gamma = 1$.	60
4.10	Concentration profiles for different values of t , when	61

	$Sc = 0.62$.	
4.11	Concentration profiles for different values of Sc , when $t = 0.2$.	61
5.1	Physical model and coordinate system.	64
5.2	Velocity profiles for different values of Pr , when $t = 0.2$, $R = 2$, $Gr = 5$, $M = 2$, $K = 0.2$, $\gamma = 1$ and $\omega = \pi/3$.	74
5.3	Velocity profiles for different values of Gr , when $t = 0.2$, $R = 2$, $Pr = 0.71$, $M = 2$, $K = 0.2$, $\gamma = 1$ and $\omega = \pi/3$.	74
5.4	Velocity profiles for different values of R , when $t = 0.2$, $Gr = 5$, $Pr = 0.71$, $M = 2$, $K = 0.2$, $\gamma = 1$ and $\omega = \pi/3$.	75
5.5	Velocity profiles for different values of M , when $t = 0.2$, $R = 2$, $Gr = 5$, $Pr = 0.71$, $K = 0.2$, $\gamma = 1$ and $\omega = \pi/3$.	75
5.6	Velocity profiles for different values of K , when $t = 0.2$, $R = 2$, $Gr = 5$, $Pr = 0.71$, $M = 2$, $\gamma = 1$ and $\omega = \pi/3$.	76
5.7	Velocity profiles for different values of t , when $R = 2$, $Gr = 5$, $Pr = 0.71$, $M = 2$, $K = 0.2$, $\gamma = 1$ and $\omega = 0$.	76
5.8	Velocity profiles for different values of γ , when $t = 0.2$, $R = 2$, $Gr = 5$, $Pr = 0.71$, $M = 2$, $K = 0.2$ and $\omega = \pi/3$.	77
5.9	Velocity profiles for different values of ωt , when $t = 0.2$, $R = 2$, $Gr = 5$, $Pr = 0.71$, $M = 2$, $K = 0.2$ and $\gamma = 1$.	77

LIST OF SYMBOLS/ NOTATIONS

u'	-	dimensional velocity
t'	-	dimensional time
x'	-	coordinate axis parallel to the plate
y'	-	coordinate axis normal to the plate
g	-	acceleration due to gravity
M	-	magnetic parameter
k	-	thermal conductivity of the fluid
k_l	-	permeability
k^*	-	mean absorption coefficient
K	-	porosity parameter
R	-	radiation parameter
D	-	mass diffusivity
t	-	dimensionless time
U_0	-	amplitude of the plate oscillations
C'	-	Species concentration in the fluid
C_ω	-	species concentration near the plate
C_∞	-	concentration in the fluid far away from the plate
C	-	dimensionless concentration
C_p	-	specific heat at constant pressure
T	-	temperature of the fluid near the plate
T_∞	-	ambient temperature
B_0	-	applied magnetic field
Gr	-	Grashof number
Gm	-	modified Grashof number
Sc	-	Schmidt number
Pr	-	Prandtl number
q_r	-	radiative heat flux along the y' -axis

h_s	-	heat transfer parameter for Newtonian heating
u	-	dimensionless velocity
y	-	dimensionless coordinate axis normal to the plate
q	-	Laplace transform parameter

Greek Symbols

ω	-	frequency of the plate oscillation
τ	-	dimensionless skin friction
τ'	-	dimensional skin friction
θ	-	dimensionless temperature
ϕ	-	porosity of the medium
ρ	-	density of the fluid
σ	-	electrical conductivity of the fluid
σ^*	-	Stefan-Boltzman constant
ν	-	kinematic viscosity
μ	-	viscosity
γ	-	Newtonian heating parameter
β	-	volumetric coefficient of thermal expansion
β^*	-	volumetric coefficient of mass expansion

Subscripts

ω	-	condition at the wall
∞	-	ambient condition

Superscript

'	-	dimensional variables
---	---	-----------------------

CHAPTER 1

INTRODUCTION

1.1 Introduction

This chapter will discuss about the research background, problem statement, objectives and scope of research, research methodology, significance of the study and finally thesis outlines.

1.2 Research Background

A fluid is a substance that continuously deforms under an applied shear stress. Fluids which obey Newton's law of viscosity and for which dynamic viscosity has a constant value are known as Newtonian fluids.

Mathematically,

$$\tau \propto \frac{du}{dy}, \quad (1.1)$$

$$\tau = \mu \frac{du}{dy}. \quad (1.2)$$

In above expression τ is the shear stress exerted by the fluid, μ is the dynamic viscosity of fluid and du/dy is the shear strain or rate of deformation perpendicular

to the direction of shear. Equation (1.2) is known as Newton's law of viscosity. Simply, this means that the fluid continues to flow regardless of the forces acting on it. For example, water is Newtonian, because it continues to exemplify fluid properties no matter how fast it is stirred or mixed.

Heat transfer (or heat) is thermal energy in transit due to a spatial temperature difference. Whenever there exists a temperature difference in a medium or between media, heat transfer must occur. Likewise if we have a multicomponent system with a concentration gradient, one constituent of the mixture gets transported from the region of higher concentration to the region of lower concentration till the concentration gradient reduces to zero. This phenomenon of the transport of mass as a result of concentration gradient is called mass transfer (Cengel *et al.* 1998 and Incropera *et al.* 2011).

There are three types of heat transfer: conduction, convection and radiation. Conduction is heat transfer by means of molecular agitation within a material without any motion of the material as a whole. Convection is the transfer of thermal energy from one place to another by the movement of fluids or gases. Whereas radiation is heat transfer by the emission of electromagnetic waves which carry energy away from the emitting object. Further in convection, if the fluid motion is induced by some external resources such as fluid machinery or vehicle motion, the process is generally called forced convection flow. While if the motion in the fluid is induced by body forces such as gravitational or centrifugal forces, this kind of flow is said to be free or natural convection. Mixed convection flow occurs when free (natural) and forced convection mechanisms simultaneously and significantly contribute to the heat transfer.

Free convection has its applications such as those found in heat transfer from a heater to air, heat transfer from nuclear fuel rods to the surrounding coolant, heat transfer from pipes, cooling of the electronic devices, the spreading of pollutants from smoke stacks and atmospheric and oceanic circulation as explained by Ghoshdastidar (2004). Free convection flows occur not only due to temperature difference, but also due to concentration difference or the combination of these two.

The study of free convection flow with heat and mass transfer plays an important role in the design of chemical processing equipment, formation and dispersion of fog, crop damage due to freezing, nuclear reactors and environmental pollution.

In the advancement of space technology and in processes involving high temperatures thermal radiation effects play an important role. Recent developments in missile reentry, rocket combustion chambers, hypersonic flights, power plants for inter planetary flight, gas cooled nuclear reactors and power plants for inter planetary flight, have focused attention on thermal radiation as a mode of energy transfer and emphasize the need for improved understanding of radiative transfer in these process. Heat transfer by thermal radiation is basically very important in many aspects of practical engineering applications. Some well known examples are the composite structures applied in industry, chemical engineering, solar radiation in buildings, foundry engineering and solidification processes. The radiative heat transfer problems are also important in industrial textiles, textiles designed for use under hermetic protective barrier, multilayer clothing materials and needle heating in heavy industrial sewing as explained by Korycki (2006).

On the other hand, the motion caused by oscillations of the plate is known as Stokes's second problem in the literature. Such a motion is not only possess a theoretical appeal but it also occurs in many applied problems such as acoustic streaming around an oscillating body and in the study of unsteady boundary layer with fluctuations (Tanner, 1962). The transient solution for the flow of a viscous fluid due to an oscillating plate have been studied by Penton (1968). Erdogan (2000) considered the unsteady flow of a viscous incompressible fluid due to an oscillations of plane wall and obtained the exact solutions by mean of the Laplace transform technique. Extensive research work has been published on the flow of a viscous fluid due to oscillations of the plate for different constitutive models (see for instance Das *et al.* (2008), Fetecau *et al.* (2009) and the references therein). However, the motion induced by oscillations of the plate in free convection flow are rarely studied in the literature. Such investigations are further narrowed down when the exact solutions of free convection flow are desired particularly by using the Laplace transform

technique. Perhaps, it is due to the difficulty in finding the inverse Laplace transforms.

In the mathematical modelling of convective boundary layer flow problems, the researchers usually use the boundary conditions of constant wall temperature or constant heat flux. However, in many practical situations where the heat transfer from the surface is taken to be proportional to the local surface temperature, the above assumptions fail to work. Such type of flows are termed as conjugate convective flows and the proportionally condition of the heat transfer to the local surface temperature is termed as Newtonian heating. This work was pioneered by Merkin (1994) for the free convection boundary layer flow over a vertical flat plate immersed in a viscous fluid. However, due to numerous practical applications in many important engineering devices, several other researchers are getting interested to consider the Newtonian heating condition in their problems. Few of these applications are found in heat exchanger, heat management in electrical appliances (such as computer power supplies or substation transformer) and engine cooling (such as thin fins in car radiator). Therefore, in view of such applications various authors have been used the Newtonian heating condition in their convective heat transfer problems and have obtained the solutions either numerically or in analytical forms.

Interestingly, so far no study has been reported in the literature to study the magnetohydrodynamics (MHD) free convection flow of viscous fluid over an oscillating plate with Newtonian heating. The MHD flow on the other hand has several applications in the field of agricultural engineering, geophysics and petroleum industries. Recently, considerable attention has been focused on applications of MHD and heat transfer such as metallurgical processing, MHD generators and geothermal energy extraction. Therefore, it is of great interest to study the effects of magnetic field and other participating parameters on the temperature distribution and heat transfer when the fluid is not only an electrically conducted but also when it is capable of absorbing-emitting radiation.

Furthermore, the flow through porous media has received considerable attention in recent years because of its several important applications such as those involving heat removal from nuclear fuel debris, drug permeation through human skin, flow of oil through porous rock, filtration of solids from liquids, just to name a few. A porous medium is a material containing void spaces (pores), either connected or unconnected, dispersed within it in either a regular or random manner. These voids may contain a variety of fluids such as water, air and oil. If the voids represent a certain portion of the bulk volume, a complex network can be formed which is able to carry fluids. Porous media play an important role in applied science and engineering such as

- Soil Science: The porous medium (soil) contains and transports water and nutrients to plants.
- Hydrology: The porous medium is a water bearing and sealing layer.
- Chemical Engineering: Porous medium is applied as filter or catalyst bed.
- Petroleum Engineering: Porous medium (reservoir rock) stores, crude oil and natural gas.

In view of the above discussion and the immense need of the Newtonian heating in the free convection flow, the present study aims to investigate the free convection flow of an incompressible viscous fluid past an oscillating vertical plate with either heat or heat and mass transfer with Newtonian heating boundary condition. Moreover, the problem of MHD free convection flow in a porous medium is also studied. To the date, it is worth to mention that problem of MHD free convection flow in a porous medium with Newtonian heating is still not available in the literature. It is due to the complex nature of these problems and mostly the researchers could not obtain the exact solutions.

1.3 Problem Statement

The focus of this study is to analyze the effects of Newtonian heating and thermal radiation on the heat and mass transfer of an incompressible viscous fluid past an oscillating vertical plate. Heat transfer analysis is also considered in the presence of MHD and porosity effects. This study will explain the following questions. How does the Newtonian fluid model behave in the problem of unsteady free convection flow past an oscillating plate with Newtonian heating? How does the mathematical model behave in this problem involving heat and mass transfer? How does the presence of porosity, MHD and other fluid parameters affect the fluid motion? How the analytical solution for complicated free convection flow with Newtonian heating condition can be obtained? Specifically the problems investigated in this work are

Problem I. To find exact solution for free convection flow with heat transfer past an oscillating plate.

Problem II. To find exact solution for free convection flow with heat and mass transfer past an oscillating plate.

Problem III. To find exact solution for MHD free convection flow with heat transfer past an oscillating plate in a porous medium.

1.4 Research Objectives

Having obtained the solutions of each problem, the main interest of this study is to investigate the effect of

- i. The frequency of oscillating plate on velocity in free convection flow with heat transfer.
- ii. The frequency of oscillating plate on velocity in free convection flow with heat and mass transfer.

- iii. The frequency of oscillating plate on velocity in MHD free convection flow through a porous medium with heat transfer.

1.5 Scope of Research

This study will focus on the unsteady free convection flow of an incompressible viscous fluid with either heat or heat and mass transfer together. The radiation effect on the free convection flows past an oscillating vertical plate with Newtonian heating will be investigated. Moreover, the radiation effect on MHD free convection flow past an oscillating plate in a porous medium will also be investigated in this project. The solutions for velocity, temperature and concentration fields are presented in simple forms in terms of the exponential function and complementary error function. In all the proposed problems, the exact solutions have been obtained by a Laplace transform technique (see appendix A) and plotted graphically using either Mathematica-5.2 or Mathcad-15.

1.6 Research Methodology

First of all, the physical problem in each case will be modeled in the form of coupled linear partial differential equations prescribed with a set of linear initial and boundary conditions. Then a set of non-dimensional variables will be introduced to transform the dimensional coupled partial differential equations into their dimensionless forms along with the imposed initial and boundary conditions. The non-dimensional partial differential equations along with imposed initial and boundary conditions are solved using a Laplace transform technique to get velocity, temperature and concentration fields. Moreover, the corresponding skin friction, Nusselt number and Sherwood number are also evaluated.

In order to understand an insight of the problem, the exact solutions will be plotted. The softwares used for plotting are Mathematica-5.2 and Mathcad-15. The choice of selection of one of these softwares or both simultaneously, depends on the nature of the problem. Graphical results will enhance the understanding of the physical phenomenon of the problems. Furthermore, these results will be used to ensure the correctness of the solutions by satisfying all imposed initial and boundary conditions. The effects of the pertinent flow parameters will be noticed on the velocity, temperature, concentration, skin friction, Nusselt number and Sherwood number. The analytical results obtained through Laplace transform technique will be compared to the existing solutions available in the literature to verify the accuracy of the presented analysis.

1.7 Significance of the Study

The results obtained from this project will be significant because of the following reasons:

- i. These results can be used as the basis for fluid flow problems frequently occur in engineering and applied sciences.
- ii. The obtained results will be helpful in checking the accuracy of the solutions obtained through numerical schemes.
- iii. The study of MHD free convection flow is important in view of its possible applications in astrophysics and geophysics.
- iv. Convection in porous media has important applications in geothermal energy storage and flow through filtering devices.

1.8 Thesis Outlines

This thesis consists of six chapters including this chapter. Chapter 1 discuss some basic terminologies of fluid mechanics, research background, problem statement, research objectives, scope of research, research methodology and significance of the present study. Chapter 2 provides the required literature regarding the problems outlined in the objectives.

Chapter 3 discusses the unsteady free convection flow of an incompressible viscous fluid past an oscillating vertical plate with Newtonian heating. The effects of thermal radiation are considered. It is assumed that the fluid is electrically conducted and absorbing-emitting radiation but a non-scattering medium. The motion in the fluid is induced due to buoyancy force and oscillations of the plate. The Boussinesq approximation for a Newtonian fluid is employed to model the governing problem. The Rosseland approximation is used to described the radiative heat flux in the energy equation. By using non-dimensional variables, the resulting governing equations along with initial and boundary conditions are written in dimensionless form. These equations are solved for the exact solutions using Laplace transform technique. The expressions for velocity and temperature are obtained. They satisfy all imposed initial and boundary conditions. As a special case, these solutions can be reduced to the existing solutions in the literature. The skin friction and Nusselt number are evaluated analytically as well as numerically and presented in tabular forms. Numerical results for velocity and temperature are shown graphically for various parameters of interest and the physics of the problem is well explored.

In Chapter 4, an extension of Chapter 3, we also consider the effects of mass transfer on the free convection flow of a viscous incompressible fluid past an oscillating vertical plate with Newtonian heating. As in the previous chapter, the equations of the problem are first formulated using the Boussinesq approximation and transformed into their dimensionless forms. Then Laplace transform method is used to find the exact solutions for velocity, temperature and concentration. These solutions satisfy all imposed initial and boundary conditions. Moreover, expression for skin friction, Nusselt number and Sherwood number are obtained. The obtained

numerical results for the pertinent flow parameters are plotted graphically and presented in tabular forms. The analytical results are compared to the existing solutions available in the literature to verify the accuracy of the presented analysis.

Chapter 5 is also an extension of Chapter 3. This chapter discusses the unsteady MHD flow of a viscous incompressible fluid passing through a porous medium with Newtonian heating. It is assumed that the fluid is electrically conducted and the magnetic field of uniform strength is applied perpendicular to the plate. The magnetic Reynolds number on the flow is considered to be small so that the induced magnetic field is negligible. The effect of viscous dissipation is also neglected in the energy equation. All the fluid properties are assumed to be constant except the influence of the density variation with temperature is considered only in the body force term. The motion in the fluid is induced due to buoyancy force and oscillations of the plate. The Boussinesq approximation is employed to model the governing flow problem and Laplace transform technique is used to obtain velocity and temperature fields. The corresponding skin friction and Nusselt number are also calculated. Numerical results for velocity are shown graphically for various parameters of interest. The solutions for hydrodynamic flow in a non porous medium are recovered from the presented analysis.

Finally, Chapter 6 presents the summary of this research and discuss several recommendations for future work. The references are given at the end of the thesis followed by some appendices.

REFERENCES

- Abid, H., Anwar, M. I., Farhad, A., Khan, I. and Sharidan, S. (2013). Natural convection flow past an oscillating plate with Newtonian heating. *Heat Transfer Research*. DOI: 10.1615/HeatTransRes.2013006385.
- Abramowitz, M. and Stegun, I. A. (1972). *Handbook of Mathematical Functions*. Washington: U. S. Government printing press.
- Ahmed, N. and Dutta, M. (2013). Transient mass transfer flow past an impulsively started infinite vertical plate with ramped plate velocity and ramped temperature. *International Journal of the Physical Sciences*. 8: 254-263.
- Alagoa, K. D., Tay, G. and Abbey, T. M. (1999). Radiative and free convective effects of a MHD flow through a porous medium between infinite parallel plates with time dependent suction. *Astrophysics and Space Science*. 260: 455-468.
- Anjalidevi, S. P. and Kandasamy, R. (1999). Effects of chemical reaction, heat and mass transfer on laminar flow along a semi-infinite horizontal plate. *Heat and Mass Transfer*. 35: 465-467.
- Bejan, A. and Kraus, A. D. (Eds.) (2003). *Heat Transfer Handbook*. New York: Wiley.
- Camargo, R., Luna, E. and Trevino, C. (1996). Numerical study of the natural convective cooling of a vertical plate. *Heat and Mass Transfer*. 32: 89-95.
- Cengel, Y., Klein, S. and Beckman, W. (1998). *Heat Transfer, A Practical Approach*. (3rd ed.). New York: McGraw-Hill.
- Chamkha, A. J., Takhar, H. S. and Soundalgekar, V. M. (2001). Radiation effects on free convection flow past a semi-infinite vertical plate with mass transfer. *Chemical Engineering Journal*. 84: 335-342.
- Chandrakala, P. and Raj, S. A. (2008). Radiation effects on MHD flow past an impulsively started infinite isothermal vertical plate. *Indian Journal of Chemical Technology*. 15: 63-67.

- Chandrakala, P. and Bhaskar, P. N. (2009). Thermal radiation effects on MHD flow past a vertical oscillating plate. *International Journal of Applied Mechanics and Engineering*. 14: 349-358.
- Chandrakala, P. (2010). Radiation effects on flow past an impulsively started vertical oscillating plate with uniform heat flux. *International Journal of Dynamics of Fluid*. 6: 209-215.
- Chandrakala, P. and Bhaskar, P. N. (2012). Radiation effects on oscillating vertical plate with uniform heat flux and mass diffusion. *International Journal of Fluids Engineering*. 4: 1-11.
- Chandran, P., Sacheti, N. C. and Singh, A. K. (1998). Unsteady hydromagnetic free convection flow with heat flux and accelerated boundary motion. *Journal of the Physical Society of Japan*. 67: 124-129.
- Chandran, P. (2001). Inverse Laplace transforms of a class of non-rational fractional functions. *International Journal of Mathematical Education in Science and Technology*. 32: 136-140.
- Chandran, P., Sacheti, N. C. and Singh, A. K. (2005). Natural convection near a vertical plate with ramped wall temperature. *Heat and Mass Transfer*. 41: 459-464.
- Chaudhary, R. C. and Jain, P. (2006). Unsteady free convection boundary layer flow past an impulsively started vertical surface with Newtonian heating. *Romanian Journal of Physics*. 51: 911-925.
- Chaudhary, R. C. and Jain, A. (2008). MHD transient convection flow past a vertical surface embedded in a porous medium with oscillating temperature. *Turkish Journal of Engineering and Environmental Sciences*. 32: 13-22.
- Chaudhary, R. C., Goyal, M. C. and Jain, A. (2009). Free convection effects on MHD flow past an infinite vertical accelerated plate embedded in porous media with constant heat flux. *Matematicas Enseñanza Universitaria*. 17: 73-82.
- Das, K. (2010). Exact solution of MHD free convection flow and mass transfer near a moving vertical plate in presence of thermal radiation. *African Journal of Mathematical Physics*. 8: 29-41.
- Das, K. (2011). Effects of heat and mass transfer on MHD free convection flow near a moving vertical plate of a radiating and chemically reacting fluid. *Journal of Siberian Federal University, Mathematics and Physics*. 4: 18-31.

- Das, S., Jana, M., Guria, M. and Jana, R. N. (2008). Unsteady viscous incompressible flow due to an oscillating plate in a rotating fluid. *Journal of Physical Sciences*. 12: 51-64.
- Das, S., Jana, M. and Jana, R. N. (2011). Radiation effect on natural convection near a vertical plate embedded in porous medium with ramped wall temperature. *Open Journal of Fluid Dynamics*. 1: 1-11.
- Das, S., Mandal, C. and Jana, R. N. (2012). Radiation effects on unsteady free convection flow past a vertical plate with Newtonian heating. *International Journal of Computer Applications*. 41: 36-41.
- Das, U. N., Deka, R. and Soundaigekar, V. M. (1994). Effects of mass transfer on flow past an impulsively started infinite vertical plate with constant heat flux and chemical reaction. *Forschung im Ingenieurwesen*. 60: 284-287.
- Das, U. N., Deka, R. K. and Soundalgekar, V. M. (1996). Radiation effects on flow past an impulsively started vertical infinite plate. *Journal of Theoretical and Applied Mechanics*. 1: 111-115.
- Das, U. N., Deka, R. K. and Soundalgekar, V. M. (1999). Transient free convection flow past an infinite vertical plate with periodic temperature variation. *Journal of Heat Transfer*. 121: 1091-1094.
- Deka, R. K. and Neog, B. C. (2009). Unsteady MHD flow past a vertical oscillating plate with thermal radiation and variable mass diffusion. *Chamchuri Journal of Mathematics*. 1: 79-92.
- Deka, R. K. and Das, S. K. (2011). Radiation effects on free convection flow near a vertical plate with ramped wall temperature. *Engineering*. 3: 1197-1206.
- Erdogan, M. E. (2000). A note on an unsteady flow of a viscous fluid due to an oscillating plane wall. *International Journal of Non-Linear Mechanics*. 35: 1-6.
- Farhad, A., Norzieha, M., Sharidan, S., Khan, I. and Samiulhaq. (2012). Hydromagnetic rotating flow in a porous medium with slip condition and Hall current. *International Journal of Physical Sciences*. 7: 1540-1548.
- Farhad, A., Khan, I., Samiulhaq, Mustapha, N. and Sharidan, S. (2012a) Unsteady MHD oscillatory flow of viscoelastic fluids in a porous channel with heat and mass transfer. *Journal of the Physical Society of Japan*. 81: 064402.
- Farhad, A., Mustapha, N., Sharidan, S., Khan, I. and Hayat, T. (2012b) New exact solutions of Stokes' second problem for MHD second grade fluid in a porous space. *International Journal of Non-Linear Mechanics*. 47: 521-525.

- Fetecau, C., Jamil, M., Fetecau, C. and Siddique, I. (2009). A note on the second problem of Stokes for Maxwell fluids. *International Journal of Non-Linear Mechanics*. 44: 1085-1090.
- Geindreau, C. and Auriault, J. L. (2002). MHD flows in porous media. *The Journal of Fluid Mechanics*. 466: 343-363.
- Ghoshdastidar, P. S. (2004). *Heat Transfer*. USA: Oxford University Press.
- Goldstein, R. J. and Eckert, E. R. G. (1960). The steady and transient free convection boundary layer on a uniformly heated vertical plate. *International Journal of Heat and Mass Transfer*. 1: 208-210.
- Harris, S. D., Ingham, D. B. and Pop, I. (1997). Free convection from a vertical plate in a porous medium subject to a sudden change in surface heat flux. *Transport in Porous Media*. 26: 207-226.
- Hayat, T., Afzaal, M. F., Fetecau, C. and Hendi, A. A. (2011). Slip effects on the oscillatory flow in a porous medium. *Journal of Porous Media*. 14: 481-493.
- Hayat, T., Ahmed, N., Sajid, M. and Asghar, S. (2007). On the MHD flow of a second grade fluid in a porous channel. *Computers and Mathematics with Applications*. 54: 407-414.
- Herbert, O. J. and Prandtl, L. (2004). *Prandtl's Essentials of Fluid Mechanics*. Springer Verlag.
- Hetnarski, R. B. (1975). An algorithm for generating some inverse Laplace transforms of exponential form. *Journal of Applied Mathematics and Physics*. 26: 249-253.
- Hossain, M. A. and Takhar, H. S. (1996). Radiation effects on mixed convection along a vertical plate with uniform surface temperature. *Heat and Mass Transfer*. 31: 243-248.
- Incropera, F., Bergman, T., Lavine, A. and Dewitt, D. (2011). *Fundamentals of Heat and Mass Transfer*. Wiley.
- Ingham, D. B., Bejan, A., Mamut, E. and Pop, I. (Eds.) (2004). *Emerging Technologies and Techniques in Porous Media*. Kluwer: Dordrecht.
- Kaliappan, M., Rajamanickam, M. and Venu, T. (2009). Radiation and chemical reaction effects on isothermal vertical oscillating plate with variable mass diffusion. *Thermal Science*. 13: 155-162.
- Kasim, A. R. M., Mohammad, N. F., Aurangzaib and Sharidan, S. (2012). Natural convection boundary layer flow of a viscoelastic fluid on solid sphere with

- Newtonian heating. *World Academy of Science, Engineering and Technology*. 64: 628-633.
- Khan, I., Fakhar, K. and Sharidan, S. (2011). MHD free convection flow past an oscillating plate embedded in a porous medium. *Journal of the Physical Society of Japan*. 80: 1-10.
- Khan, I., Farhad, A., Sharidan, S. and Norzieha, M. (2011a). Effects of Hall Current and Mass Transfer on the Unsteady MHD Flow in a Porous Channel. *Journal of the Physical Society of Japan*. 80: 064401.
- Kim, S. and Vafai, K. (1989). Analysis of natural convection about a vertical plate embedded in a porous medium. *International Journal of Heat and Mass Transfer*. 32: 665-677.
- Korycki, R. (2006). Sensitivity analysis and shape optimization for transient heat conduction with radiation. *International Journal of Heat and Mass Transfer*. 49: 2033-2043.
- Lesnic, D., Ingham, D. B. and Pop, I. (1999). Free convection boundary layer flow along a vertical surface in a porous medium with Newtonian heating. *International Journal of Heat and Mass Transfer*. 42: 2621-2627.
- Lesnic, D., Ingham, D. B. and Pop, I. (2000). Free convection from a horizontal surface in a porous medium with Newtonian heating. *Journal of Porous Media*. 3: 227-235.
- Lesnic, D., Ingham, D. B., Pop, I. and Storr, C. (2004). Free convection boundary layer flow above a nearly horizontal surface in a porous medium with Newtonian heating. *Heat and Mass Transfer*. 40: 665-672.
- Magyari, E. and Pantokratoras, A. (2011). Note on the effect of thermal radiation in the linearized Rosseland approximation on the heat transfer characteristics of various boundary layer flows. *International Communications in Heat and Mass Transfer*. 38: 554-556.
- Magyari, E., Pop, I. and Keller, B. (2004). Analytic solutions for unsteady free convection in porous media. *Journal of Engineering Mathematics*. 48: 93-104.
- Martynenko, O. G., Berezovsky, A. A. and Sakovishin, Y. A. (1984). Laminar free convection from a vertical plate. *International Journal of Heat and Mass Transfer*. 27: 869-881.
- Mebine, P. and Adigio, E. M. (2009). Unsteady free convection flow with thermal radiation past a vertical porous plate with Newtonian heating. *Turkish Journal of Physics*. 33: 109-119.

- Merkin, J. H. (1994). Natural convection boundary layer flow on a vertical surface with Newtonian heating. *International Journal of Heat and Fluid Flow*. 15: 392-398.
- Merkin, J. H., Nazar, R. and Pop, I. (2012). The development of forced convection heat transfer near a forward stagnation point with Newtonian heating. *Journal of Engineering Mathematics*. 74: 53-60.
- Mohamed, R. A., Dahab, S. M. A. and Nofal, T. A. (2010). Thermal radiation and MHD effects on free convection flow of a polar fluid through a porous medium in the presence of internal heat generation and chemical reaction. *Mathematical Problems in Engineering*. 2010: 27.
- Mohammed, A. H., Khan, I. and Shafie, S. (2012). Exact solutions of MHD natural convection transient flow near an oscillating plate emmerged in a porous medium. *Jurnal Teknologi*. 57: 1-16.
- Murthy, C. V. R. and Parveen, S. (2011). Heat and mass transfer in free convection flow past an oscillating plate in porous media. *International Journal of Mathematics Archive*. 2: 602-609.
- Muthucumaraswamy, R., Sriperumbudur, Ganesan, P., Chennai and Soundalgekar, V. M. (2001). Heat and mass transfer effects on flow past an impulsively started vertical plate. *Acta Mechanica*. 146: 1-8.
- Muthukumaraswamy, R. (2004). Natural convection on flow past an impulsively started vertical plate with variable surface heat flux. *Far East Journal of Applied Mathematics*. 14: 99-109.
- Muthucumaraswamy, R. and Kumar, G. S. (2004). Heat and mass transfer effects on moving vertical plate in the presence of thermal radiation. *Journal of Theoretical and Applied Mechanics*. 31: 35-46.
- Muthucumaraswamy, R., Chandrakala, P. and Raj. S. A. (2006). Radiative heat and mass transfer effects on moving isothermal vertical plate in the presence of chemical reaction. *International Journal of Applied Mechanics and Engineering*. 11: 639-646.
- Muthucumaraswamy, R. and A. Vijayalakshmi, A. (2008). Effects of heat and mass transfer on flow past an oscillating vertical plate with variable temperature. *International Journal of Applied Mathematics and Mechanics*. 4: 59-65.
- Muthucumaraswamy, R. (2010). Chemical reaction effects on vertical oscillating plate with variable temperature. *Chemical Industry and Chemical Engineering Quarterly*. 16: 167-173.

- Narahari, M. and Ishak, A. (2011). Radiation effects on free convection flow near a moving vertical plate with Newtonian heating. *Journal of Applied Sciences*. 11: 1096-1104.
- Narahari, M. and Dutta, B. K. (2012). Effects of thermal radiation and mass diffusion on free convection flow near a vertical plate with Newtonian heating. *Chemical Engineering Communications*. 199: 628-643.
- Nield, D. A. and Bejan, A. (1999). *Convection in Porous Media*. (2nd ed.). New York: Springer.
- Palani, G. and Abbas, I. A. (2009). Free convection MHD flow with thermal radiation from an impulsively started vertical plate. *Nonlinear Analysis, Modelling and Control*. 14: 73-84.
- Pathak, G., Maheshwari, C. H. and Gupta, S. P. (2006). Effects of radiation on unsteady free convection flow bounded by an oscillating plate with variable temperature. *International Journal of Applied Mechanics and Engineering*. 11: 371-382.
- Penton, R. (1968). The transient for Stokes's oscillating plane, a solution in terms of tabulated functions. *The Journal of Fluid Mechanics*. 3: 819-825.
- Perdikis, C. P. and Takhar, H. S. (1986). Free convection effects on flow past a moving vertical infinite porous plate. *Astrophysics and Space Science*. 125: 205-209.
- Pop, I. (1983). *Theory of Unsteady Boundary Layers*. Bucharest: Romanian Academy of Sciences.
- Pop, I., Lesnic, D. and Ingham, D. B. (2000). Asymptotic solutions for the free convection boundary layer flow along a vertical surface in a porous medium with Newtonian heating. *Hybrid Methods in Engineering*. 2: 31-40.
- Rajesh, V. (2012). Effects of mass transfer on flow past an impulsively started infinite vertical plate with Newtonian heating and chemical reaction. *Journal of Engineering Physics and Thermophysics*. 85: 221-228.
- Raju, M. C. and Varma, S. V. K. (2011). Unsteady MHD free convection oscillatory Couette flow through a porous medium with periodic wall. *I-Manager's Journal on Future Engineering and Technology*. 6: 7-11.
- Raptis, A. and Perdikis, C. (1983). MHD Unsteady free convective flow through a porous medium. *International Journal of Energy Research*. 7: 391-395.
- Raptis, A. and Perdikis, C. (1999). Radiation and free convection flow past a moving plate. *International Journal of Applied Mechanics and Engineering*. 4: 817-821.

- Raptis, A. and Perdikis, C. (2002). Free convection flow of water near 4°C past a moving plate. *Forschung in Ingenieurwesen*. 67: 206-208.
- Revankar, S. T. (2000). Free convection effect on flow past an impulsively started or oscillating infinite vertical plate. *Mechanics Research Communications*. 27: 241-246.
- Sacheti, N. C. and Chandran, P. (1994). An exact solution for unsteady MHD free convection flow with constant heat flux. *International Communications in Heat and Mass Transfer*. 21: 131-142.
- Salleh, M. Z., Nazar, R. and Pop, I. (2010). Boundary layer flow and heat transfer over a stretching sheet with Newtonian heating. *Journal of the Taiwan Institute of Chemical Engineers*. 41: 651-655.
- Salleh, M. Z., Nazar, R. and Pop, I. (2012). Numerical solutions of free convection boundary layer flow on a solid sphere with Newtonian heating in a micropolar fluid. *Meccanica*. 47: 1261-1269.
- Samiulhaq, Fetecau, C., Khan, I., Farhad, A. and Sharidan, S. (2012). Radiation and porosity effects on the MHD flow past an oscillating vertical plate with uniform heat flux. *Zeitschrift Naturforschung A*. 67: 572-580.
- Seth, G. S., Ansari, M. S. and Nandkeolyar, R. (2011). MHD natural convection flow with radiative heat transfer past an impulsively moving plate with ramped wall temperature. *Heat Mass Transfer*. 47: 551-561.
- Siegel, R. (1958). Transient free convection from a vertical flat plate. *Transactions of the American Societies of Mechanical Engineers*. 80: 347-359.
- Siegel, R. and Howell, J. R. (2002). *Thermal Radiation Heat Transfer*. (4th ed.). Taylor and Francis.
- Soundalgekar, V. M. (1977). Free convection effects on Stokes problem for a vertical plate. *Journal of Heat Transfer*. 99: 499-501.
- Soundalgekar, V. M. (1979a). Free convection effects on the flow past a vertical oscillating plate. *Astrophysics and Space science*. 64: 165-172.
- Soundalgekar, V. M. and Murty, T. V. R. (1979b). Heat transfer in MHD flow with pressure gradient, suction and injection. *Journal of Engineering Mathematics*. 14: 155-159.
- Soundalgekar, V. M., Gupta, S. K. and Birajdar, N. S. (1979c). Effects of mass transfer and free convection currents on MHD Stokes problem for a vertical plate. *Nuclear Engineering Design*. 53: 339-346.

- Soundalgekar, V. M., Patil, M. R. and Jahagirdar, M. D. (1981). MHD Stokes problem for a vertical plate with variable temperature. *Nuclear Engineering Design*. 64: 39-42.
- Soundalgekar, V. M. and Akolkar, S. P. (1983). Effects of free convection currents and mass transfer on flow past a vertical oscillating plate. *Astrophysics and Space Science*. 89: 241-254.
- Soundalgekar, V. M., Birajdar, N. S. and Darwhekar, V. K. (1984). Mass transfer effects on the flow past an impulsively started infinite vertical plate with variable temperature or constant heat flux. *Astrophysics and Space Science*. 100: 159-164.
- Soundalgekar, V. M. and Takhar, H. S. (1993). Radiation effects on free convection flow past a semi-infinite vertical plate. *Modeling Measurement and Control*. 51: 31-40.
- Soundalgekar, V. M., Lahurikar, R. M., Pohanerkar, S. G. and Birajdar, N. S. (1994). Effects of mass transfer on the flow past an oscillating infinite vertical plate with constant heat flux. *Thermophysics and AeroMechanics*. 1: 119-124.
- Soundalgekar, V. M., Pohanerkar, S. G., Lahurikar, R. M. and Birajdar, N. S. (1995). Mass transfer effects on flow past a vertical oscillating plate with variable temperature. *Heat and Mass transfer*. 30: 309-312.
- Soundalgekar, V. M., Das, U. N. and Deka, R. K. (1997). Free convection effects on MHD flow past an infinite vertical oscillating plate with constant heat flux. *Indian journal of mathematics*. 39: 195-202.
- Stokes, G. G. (1851). On the effect of internal friction of fluid on the motion of pendulum. *Transactions Cambridge Philosophical Society*. 9: 8-106.
- Stuart, J. T. (1972). *Recent Research on Unsteady Boundary Layers*. Quibec: Laval University Press.
- Tanner, R. (1962). Notes on the Rayleigh parallel problem for a viscoelastic fluid. *Journal of Applied Mathematics and Physics*. 13: 573-580.
- Telionis, D. P. (1981). *Unsteady Viscous Flows*. New York: Springer-Verlag.