

Indiana University – Purdue University Fort Wayne Opus: Research & Creativity at IPFW

Computer and Electrical Engineering Technology &
Information Systems and Technology Senior Design
Projects

School of Engineering, Technology and Computer
Science Design Projects

5-5-1975

Digital Anemometer

Larry D. Burkholder
Indiana University - Purdue University Fort Wayne

Follow this and additional works at: http://opus.ipfw.edu/etc_seniorproj



Part of the [Computer Sciences Commons](#), and the [Engineering Commons](#)

Opus Citation

Larry D. Burkholder (1975). Digital Anemometer.
http://opus.ipfw.edu/etc_seniorproj/398

This Senior Design Project is brought to you for free and open access by the School of Engineering, Technology and Computer Science Design Projects at Opus: Research & Creativity at IPFW. It has been accepted for inclusion in Computer and Electrical Engineering Technology & Information Systems and Technology Senior Design Projects by an authorized administrator of Opus: Research & Creativity at IPFW. For more information, please contact admin@lib.ipfw.edu.

DIGITAL ANEMOMETER

Presented By:

Larry D. Burkholder

Senior

Purdue University

Fort Wayne
Campus

on:

5 May 1975

TABLE OF CONTENTS

<u>Letter of Transmittal</u>	i
<u>Acknowledgements</u>	ii
<u>Abstract</u>	1
<u>Introduction</u>	2
<u>Sensing a Wind Velocity</u>	3
<u>Optical Sensing</u>	4
<u>Getting Rid of the Noise</u>	5
<u>The TIL306</u>	7
<u>Control Logic</u>	9
<u>Display Strobing</u>	13
<u>System Update Clocks</u>	14
<u>Battery Operation</u>	15
<u>Low Battery Indicator</u>	15
<u>Remote Power Supply</u>	16
<u>Remote Display</u>	17
<u>Results</u>	17
<u>Calibration Procedure</u>	18
<u>Summary</u>	23
<u>Conclusion</u>	26
<u>References</u>	28
<u>Appendix I</u>	Coursework EET490
<u>Appendix II</u>	Correspondence
<u>Appendix III</u>	Component Specification Sheets
<u>Appendix IV</u>	Electro-Mechanical Drafting

LIST OF ILLUSTRATIONS

<u>Optical Sensor</u>	5
<u>Optical Sensor Output</u>	6
<u>Complete Sensor Circuitry</u>	7
<u>Initial Control Pulses</u>	10
<u>Final Control Pulses</u>	12
<u>Blanking Logic</u>	14
<u>Low Power Comparator Sensor</u>	15.1
<u>Rotational Motion to Period Derivation</u>	18
<u>Calibration Table</u>	20
<u>MPH Calibration Graph</u>	21
<u>KNOTS Calibration Graph</u>	22
<u>System Timing Diagram</u>	24
<u>Project Drafting</u>	Appendix IV

ABSTRACT

The digital anemometer is a solid state device utilizing integrated circuits. A wind velocity is optically sensed and the pulsed information is filtered and amplified prior to its arrival at the counter inputs. The display is embodied in MSI circuitry containing LED's, decoder-drivers, latches and counters. This circuitry is controlled by a programmable counter. Operating from a small time base, the controller is precisely timed by counting a preset number of time base pulses. This controller provides two synced control pulses of precise duration which allow the display to update over the calibrated time period. Update rates are initiated by a 555 Timer. An additional 555 Timer strobos the display for power conservation purposes.

The remote power supply provides power conversion to the five volt logic level. Included in the remote unit is the slave display which employs three decades of seven segment LED readouts. Power and logic information is transmitted over a twenty foot interconnection cable.