

University of Illinois Library at Urbana-Champaign ACES

1975 Performance of Commercial Soybeans in Illinois

AGRICULT

Circular 1117/University of Illinois at Urbana-Champaign College of Agriculture/Cooperative Extension Service

Contents

Plan of the Tests		• • • • •	3
Measuring Performance			3
Growing Conditions on 1975 Test Fields	••••		3
Sources of Seed	•••		5
Seed Germinations	•••	• • • •	6
1975 Oil and Protein Content	• • •		7
Results of Variety Tests			
DeKalb		· · · •	8
Urbana			9
Brownstown.		1	0
Belleville		1	1
Carbondale		1	1
Dixon Springs		1	2

This circular was prepared by G. L. Ross, Assistant Agronomist, Jim Bowan and Richard Mulvihill, Research Assistants, and D. W. Graffis, Professor of Forage Crops Extension.

Urbana, Illinois

January, 1976

Issued in furtherance of Cooperative Extensian Work, Acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture. JOHN B. CLAAR, Director, Cooperative Extension Service, University of Illinais at Urbana-Champaign.

The Illinois Cooperative Extension Service provides equal opportunities in programs and employment.

PERFORMANCE OF COMMERCIAL SOYBEANS IN ILLINOIS, 1975 With 1973 and 1974 Results

THE UNIVERSITY OF ILLINOIS commercial soybean testing program was started in 1969 as a result of requests by seedsmen to test their private varieties. The number of participating individuals has increased each year since the start of the program.

This commercial soybean testing program intends to provide unbiased, objective, and accurate testing of all varieties entered. The tests are conducted on as uniform a soil as is available in the testing area. Small plots are used to reduce the chance of soil and climatic variations occurring between one variety plot and another.

The results of these tests should help you judge the merits of varieties in comparison with other private and public varieties. Since your soils and management may differ from those of the test location, you may wish to plant variety strips of the higher-performing varieties on your farm. The results printed in this circular should help you decide which varieties to try.

Plan of the Tests

Selection of entries. Soybean producers in Illinois and surrounding states were invited to enter varieties, brands, or blends in the 1975 Illinois soybean performance trials. To help finance the testing program, a fee of 40 dollars was charged for each entry entered by the seed producer. Most of these varieties, brands, or blends are commercially available, but experimental varieties were also entered by producers.

Entries. A total of 262 entries were tested in 1975.

Number and location of tests. Seven separate tests were conducted in Illinois in 1975. These sites represent major soils and maturity zones of the state.

Field-plot design. All tests were set up in either a lattice square or square lattice design with three or four replications. Each variety plot was four 30-inch rows wide and 20-22 feet long. The middle two rows of each plot were harvested to measure yield.

Fertility and weed control. All test locations were at a high level of fertility. A herbicide was used at all test locations to control weeds; all plots were also hand-hoed to help control grass and weeds.

Method of planting and harvesting. The plots at Brownstown, Belleville, Carbondale, and Dixon Springs were planted with a Planet Jr., while those at DeKalb, Macomb, and Urbana were planted with a modified small grain seeder. Harvesting at Urbana, Brownstown, Carbondale, and Dixon Springs utilized a small plot thrasher, while the plots at Belleville, Macomb, and DeKalb were harvested by combine. No allowances were made for beans that may have been lost due to combining or shattering.

Measuring Performance

Yield. Soybean yield was measured in bushels (60 pounds) per acre at a moisture content of 12.5 percent. An electronic moisture tester was used for all moisture readings.

Lodging. The amount of lodging was rated shortly before harvest. The following scores were used to compare entries.

1. Almost all plants erect.

2. All plants leaning slightly or a few plants down.

3. All plants leaning moderately (45°), or 25 to 50 percent of the plants down.

4. All plants leaning considerably, or 50 to 80 percent of the plants down.

5. Almost all plants down.

Maturity. Maturity was stated as the date when approximately 95 percent of the pods were ripe.

Height. Height was measured at or shortly before harvest time. It is the average length of plants from the ground to the tip of the main stem.

Comparing entries. In any test of plant material, it is impossible to measure performance exactly. Samples may vary, soils may not be uniform, and many other conditions may produce variability. Results of repeated tests are more reliable than those of a single year or a single strip test. When one variety consistently outyields another at several test locations and over several years of testing, the chances are good that this difference is real and should be considered in selecting a variety. However, yield is not the only indicator. You should also consider maturity and lodging.

As an aid in comparing soybean varieties, brands, and blends, certain statistical tests have been devised. One test is Fisher's L.S.D. When two entries in a trial are compared and the difference between them is greater than the tabulated L.S.D. value, the entries are said to be "significantly different."

Growing Conditions on 1975 Test Fields

DeKalb. The DeKalb test was located on the University's Northern Illinois Research Center near Shab-

bona ir. DeKalb County. Richard Bell is the field manager and Derreld L. Mulvaney is the area agronomist in charge of research at the Center. The soil type is Flanagan silt loam, a dark-brown adequately drained soil of high fertility. The 1975 growing season was good, although rainfall was low in July. The test was planted May 28 and harvested November 11 and 12.

Macomb. A test was planted at the Agriculture Experiment Station of Western Illinois University in McDonough County with Frank Gardner, cooperating agronomist. Establishment and growth were good. The seasonal rainfall was about average, but there was a dry period in late June to early July. Because of very little lodging, a combine was used for harvesting. Prior to he vest some livestock entered the field, damaging entries at randow. The damage could not be accurately evaluated. Several varieties had also shattered excessively before harvest (November 7). After a review



Location of 1975 test fields.

of the data collected, it was evident that the combination of losses from livestock and shattering made the yield data unreliable. Therefore, the report of this location is being omitted from this circular.

Urbana. This test was located on the Agronomy South Farm of the University of Illinois at Urbana-Champaign in Champaign County. M. G. Oldham is the farm manager. The field on which the test plots were located was a level heavy-textured Drummer silty clay loam. The 1975 growing season was good. The test was planted May 21 and harvested according to variety maturity on September 28 and 30, and October 15 and 16.

Brownstown. This test was located on the University's Brownstown Research Center in Fayette County. Frank Zajicek is the agronomist in charge. The test plots were located on a Cisne silt loam, a poorly drained gray prairie soil with a well-developed claypan. Natural fertility of this soil is not high, but good fertilization practices and crop rotations have brought the yield potential of the field to a moderately high level. The 1975 growing season was wet in the spring and dry in July. This test was plante way 23 and harvested according to variety maturity on September 24 and October 17.

Belleville. This test was located on the Southern Illinois University Research Center at Belleville in St. Clair County. George Kapusta is the cooperating agronomist. The trial was located on an Ebbert silt loam soil and was in soybeans in 1973 and 1974. The 1975 growing season was generally good for crop growth. The spring was warm and the summer wet. This test was planted May 22 and harvested November 5.

Carbondale. This test was located on the campus farm of Southern Illinois University at Carbondale in Jackson County. George Kapusta and Roy Browning are the cooperating agronomists. The test plots were located on a Weir silt loam soil and were in beans in 1974. The 1975 growing season was favorable. This trial was planted May 20 and harvested November 4.

Dixon Springs. This test was located on the University of Illinois research center at Dixon Springs in Pope County. George McKibben is the cooperating agronomist. The test plots were located on a Sharon silt loam, a light-colored, moderately well-drained, medium-textured, bottomland soil. The land used for the 1975 trials was in beans in 1974. The 1975 growing season was very favorable for crop growth. This test was planted May 19 and harvested November 13 and 14.

Sources of Seed

14 S I

Company	Varieties	Locations entered ^a	Varieties	Locations entered ^a
Agripro, Inc., P.O. Box 1668, Ames, IA 50010	Agripro 20 Agripro 25	D, U D, U	Agripro 27 Agripro 35	D, U U, Br, Be
Asgrow Seed Company, 4244 Clinton Drive, Des Moines, IA 50310 Loùis Bellatti, Route 1, Mt. Pulaski, IL 62548 Clemens Seed Company, Beaman, IA 50609	Asgrow A2340* Asgrow A2440 Asgrow XP2444 Asgrow XP2656 Seedmaker 1-E	D, U D D D, U U, Br, DS D, U D U U U D	Agripho 33 Asgrow A2770 Asgrow A3300* Asgrow A3440* Asgrow XP4086 Clemens CX215 Clemens CX215 Clemens CX282 Clemens CX290 Clemens CX327 Clemens Exp. C736	U U U Br D, U U U U U U U
Farmers Forage Research Cooperative, 4112 E. State	Clemens Exp. 22 Clemens Exp. 66 Clemens Exp. 93 Clemens Exp. 94	U U D, U	Clemens Exp. C135 Clemens Exp. 980	D D, U
Road 225, W. Lafayette, IN 47906	FFR 111 FFR 444	D Br, Be, C	FFR 555 FFR 550	DS DS
View, CA 94042 (Hulting Hybrids, Box 24, Geneseo, IL 61254) FS Services, Inc. (Northern), 315 N. Sixth Street,	McKoy 1100	D, U		
DeKalb, IL 60115 Funk Seeds International, Inc., 1300 W. Washington	FS Hisoy 225	D		
Street, Bloomington, IL 6170 b Hoblit Seed Company, Atlanta, IL 61723 acques Seed Company, Prescott, WI 54021	Funk G-3272 Hoblit 2-5 Jacques J-98*	D, U U D	Funk G-3333 Jacques J-114*	U, Br U
anders Seed Company, Inc., P.O. Box 120, Sullivan,	Jacques J-104*	D, U		
IL 61951	Landers L-23-432 McCurdy 101+*	D, U Br, U D, U	Landers L-32-458 Landers L-33-344 McCurdy X500*	D, U U, Br U, Br
North American Plant Breeders, RFD 2, Brookston, IN 47923	McCurdy 109+* N.A.P.B. Amsoy 71	D, U, Br D, U	N.A.P.B. Corsoy	D, U
Vorthrup, King and Company, P.O. Box 49, Washing- ton, IA 52353	N.A.P.B. Beeson S-1474 2928 Exp. 3409 Exp. Multivar 50* Multivar 51*	D, U D, U D U D D	Multivar 60* Multivar 70* Multivar 80* Multivar 90*	D U U, Br, Be U, Br, Be
ternational, Inc., 3261 West Airline Highway, Waterloo, IA 50701	Peterson 105P* Peterson 125* Peterson X514C* Peterson 2120T* Pride B186	D, U U, Br, Be DS U, Br, Be D	Peterson 3100* Peterson 3105* Peterson 3120X* Peterson 3125* Pride B216	D D, U D, U, Br, Be Br, Be, C, DS D, U
David Rieso, R.R. 2, New Athens, IL 62264	Rieso	Br, Be Br, Be, C, DS	Washington II*	U, Br, Be
Seedmakers, Inc., Princeville, IL 61559	Pontiac SM 2-A SM 26691-D SM 26691-F SM 26691-M SM 26913-C SM 3-E	U D U Be D D Br, Be, DS	SM 36691-G SM 36691-T SM 46691-M SM 4-C SM 4-E SM 5-C	Be U Be D, U U, Be D, U
eed Soybean Research (Illiana Seed Specialists Corp.), Box 22, R.R. 1, Granville, IL 61326	17722 Exp. 17812 Exp.	D U	17815 Exp. 19716 Exp.	U D
bybean Research Foundation, P.O. Box 72, Mason City, IL 62664	SRF 150 SRF 200	D D, U	SRF 350 SRF 425	U, Be, DS, B U, Br, Be, C, I
	SRF 307P Teweles XR70* Teweles XK140 Teweles XR244* Teweles XR250* Teweles XK262	D, U, Be U, Br, Be D D, U D, U	SRF 450 Teweles XR272* Teweles XR304* Teweles XR305* Teweles XK505 Teweles XK585	Br, Be, C, DS D, U Br, Be U, Br, Be D, U D, U, Br
	V.R. Buccaneer V.R. Classic II	D, U U	V.R. Viking	D
oris Seeds, Inc., Box 457, Windfall, IN 46076	Voris-Blend 200* Voris-Blend 300* Voris-Blend 400* Voris-Soy 245	D U Br D	Voris-Soy 285 Voris-Soy 295 Voris-Soy 405	D, Br U U, Br

 a D = DeKalb, U = Urbana, Br = Brownstown, Be = Belleville, C = Carbondale, and DS = Dixon Springs. * Indicates brand or blend.

Seed Germinations

Company source	Variety	May, 1975 greenhouse germination (72° F.)	June, 1975 field germi- nation ^a	Company source	Variety	May, 1975 greenhouse germination (72° F.)	June, 1975 field germi- nation ^a
Agripro	20	98	85	Pride		100	96
Agripro		98	88	Pride		96	73
-0- F	27.	100	88	Rieso		98	92
Agripro		100 96	84	Schultz		90	85
Asgrow		100	86 77	Schultz		98 98	82 59
Asgrow	XP-2440	98	93	Seedmaker		98 94	80
Asgrow	XP-2656	96	83	Seedmaker		88	81
Asgrow	A-2770	100	83	Seedmaker		96	88
Asgrow		98	90	Seedmaker		90	87
Asgrow		96	83	Seedmaker		88	70
Asgrow	XP-3585	98	92	Seedmaker		84	78
Asgrow	XP-4007	98	95	Seedmaker		98	90
Asgrow	XP-4086	96	94	Seedmaker	SM 36691-T	90	91
Bellatti		98	91	Seedmaker	SM 46691-M	90	83
Clemens		96	78	Seedmaker		92	78
Clemens		94	90	Seedmaker		92	81
Clemens		94	89	Seedmaker		78	69
Clemens		90	85	Seedmaker		94	91
Clemens		92	87	Seedmaker		96	91
Clemens		98	93	Seed Soybean Research		98	94 95
Clemens		86 92	80 84	Seed Soybean Research		92	85
Clemens		92 94	84 94	Seed Soybean Research		90 92	91 82
Clemens	CX 114	94	94	Seed Soybean Research		92 88	82 87
Clemens	CX 215	100	82	SRF	200	00 94	85
Clemens		98	80	SRF		94 94	89
Clemens	CX 202	98	89	SRF		92	85
Clemens	CX 327	98	62	SRF		90	91
Clemens		94	88	SRF		100	89
Clemens		98	93	Teweles		90	53
Clemens		94	85	Teweles		92	77
Perry-Morse		100	76	Teweles		80	84
FR		98	84	Teweles		98	83
FR	444	98	90	Teweles		96	73
FR		100	88	Teweles		86	81
FR		9 6	81	Teweles	XR 304	96	86
S	Hisoy 225	98	66	Teweles		100	89
⁷ unk		96	65	Teweles	XK 505	90	88
Funk		96	73	Teweles		100	93
Hoblit		98	85	Voris-Blend		96	78
acques		98	77	Voris-Blend		92	78
acques	J-104	100	78		400	90	87
acques	J-114	92	68	Voris-Soy	245	90	84
anders		98	85	Voris-Soy.		94	87
Landers		98 98	76	Voris-Soy		92 86	82
anders		98 96	86 73	Voris-Soy		80 98	69 68
anders		90	73 78	V.R		98 92	77
AcCurdy	101+	98 94	84	V.R V.R		92	80
AcCurdy		94	74	V.IX		90	74
NAPB		94	76			94	84
NAPB		100	88			98	87
NAPB		94	75			88	81
Northrup-King		100	70			100	83
Northrup-King		98	68			98	79
Northrup-King		94	84			86	55
Northrup-King		96	86			90	74
Northrup-King	Multivar 51	96	80		Essex	100	87
Northrup-King	Multivar 60	92	77		Forrest	98	80
Northrup-King	Multivar 70	96	70			94	83
Northrup-King	Multivar 80	82	50		Hill	100	89
Northrup-King	Multivar 90	92	72			96	73
eterson		92	95			82	63
Peterson		98	84	· · · · · · · · · · · · · · · · · · ·		96	78
Peterson	A514C	100	77	•••••		94	64
eterson	21201	100	76			94	86
10t04000	5100	96	73			96	73
eterson	2105	0.4	07			04	07
eterson	3105	94 100	87 91			94 90	87 77

^a Field germination test planted June 2 and emerged seedlings counted June 14.

1975 Oil and Protein Content

								S
Variety	% oil	% prot.	Variety	% oil	% prot.	Variety	% oil	% prot.
DeKelh			Decem	21 5	11 6	McCurder X 500	21.8	37.1
DeKalb	01 7	20.0	Beeson Bellatti-Seedmaker 1-E		$\begin{array}{c} 41.6\\ 42.4 \end{array}$	McCurdy X500 Northrup-King Multivar 80		37.3
Agripro 20		38.2 39.3	Clemens 2E.		41.5	Northrup-King Multivar 90		39.2
Agripro 27.		39.6	Clemens 2ER-75		42.1	Peterson 125	22.3	39.5
Amsoy 71		41.7	Clemens Exp. 66		43.8	Peterson 2120T.		40.6
Asgrow A2340	. 21.9	39.3	Clemens Exp. 93		42.4	Peterson 3120X		40.6
Asgrow A2440.	. 21.7	39.9	Clemens Exp. 94 Clemens CX114		$41.3 \\ 41.6$	Peterson 3125		39.5 43.1
Asgrow XP2444 Asgrow XP2656		38.3 39.5	Clemens 2L-75		41.8	Schultz-Mitchell.		39.3
Beeson		41.7	Clemens CX215	21.5	43.7	Schultz-Washington II		37.0
Clemens 2E.		40.3	Clemens CX290	21.4	42.3	Seedmaker SM 3-E		39.5
Clemens 12E	. 22.9	39.0	Clemens CX327	20.7	42.6	SRF 350		38.5
Clemens 2ER-75		38.2	Clemens Exp. C736		$\begin{array}{c}43.6\\41.9\end{array}$	SRF 425 SRF 450		$\begin{array}{c} 40.7\\ 40.5\end{array}$
Clemens Exp. 22 Clemens Exp. 94		41.1 40.5	Clemens 9L-75 Clemens Exp. 980		43.3	Teweles XR 70.		38.0
Clemens CX114		37.9	Corsoy		41.5	Teweles XR 304		40.1
Clemens CX282		40.1	Ferry-Morse McKoy 1100		40.7	Teweles XR 305		38.8
Clemens Exp. C935	. 22.3	37.6	Funk G-3272		43.3	Teweles XK 585		37.1
Clemens Exp. 980		42.2	Funk G-3333		$\begin{array}{c}41.5\\42.5\end{array}$	Voris-Blend 400 Voris-Soy 405		39.7 41.6
Corsoy.		41.6	Hoblit 2-5 Jacques J-104		42.3	Williams.		37.7
Ferry-Morse McKoy 1100 FFR 111		$40.8 \\ 40.8$	Jacques J-114		42.5	Woodworth		41.2
FS Hisoy 225		38.1	Landers L-22-410	21.4	41.0	Belleville		
Funk G-3272	. 20.0	40.5	Landers L-23-432		41.8	Agripro 35	25.0	39.4
Hark.		41.2	Landers L-32-458	20.9	42.0	FFR 444	23.9	39.4
Jacques J-98 Jacques J-104		$39.9 \\ 40.0$	Landers L-33-344 McCurdy 101+		$\begin{array}{c}41.6\\40.7\end{array}$	Kent.	22.3	40.4
Landers L-22-410		37.9	McCurdy $109 + \dots$		42.9	Northrup-King Multivar 80		38.4
Landers L-32-458		40.0	McCurdy X500		42.3	Northrup-King Multivar 90		40.0
McCurdy 101+		39.1	NAPB Amsoy 71		40.9	Peterson 125 Peterson 2120T		$\frac{41.4}{40.2}$
McCurdy 109+		41.1	NAPB Beeson		41.3	Peterson 3120X		39.2
NAPB Amsoy 71	. 21.4	$\frac{38.4}{20.8}$	NAPB Corsoy Northrup-King S-1474		$\begin{array}{c}41.2\\43.3\end{array}$	Peterson 3125		42.3
NAPB Beeson NAPB Corsov		39.8 37.6	Northrup-King 3409 Exp.		40.4	Rieso		39.1
Northrup-King S-1474		39.9	Northrup-KingMultivar 70		40.8	Schultz-Mitchell		38.2
Northrup-King 2928 Exp.		38.1	Northrup-King Multivar 80		42.0	Schultz-Washington 11		$39.5 \\ 40.9$
Northrup-King Multivar 50	0 21.0	39.7	Northrup-King Multivar90	21.9	41.6	Seedmaker 26691F		39.4
Northrup-King Multivar 51	1 20 6	39.7	Peterson 105P.	21.8	$41.1 \\ 42.5$	Seedmaker 46691M	24.1	40.1
Northrup-King Multivar 60 Peterson 105P	J 20.5	40.2	Peterson 125 Peterson 2120T		41.7	Seedmaker SM 3-E		38.2
Peterson 3100		40.1 40.5	Peterson 3105		41.4	Seedmaker SM 4-E		39.7
Peterson 3105		40.1	Peterson 3120X		42.7	SRF 307P		39.9
Peterson 3120X		39.2	Pride B216	21.8	42.0	SRF 350 SRF 425		40.7 41.1
Pride B186		40.2	Schultz Pontiac	21.7	40.4	SRF 425		40.4
Pride B216		39.8	Schultz Washington 11 Seedmaker 26691D		$41.3 \\ 43.2$	Teweles XR 70		41.6
Rampage Seedmaker SM 2-A	. 21.0	$42.1 \\ 40.3$	Seedmaker 36691T		43.3	Teweles XR 304	23.6	40.4
Seedmaker SM 26913C		40.5	Seedmaker SM 4-C	19.3	45.0	Teweles XR 305		38.3
Seedmaker SM 26691M		39.9	Seedmaker SM 4-E		42.3	Williams		39.2
Seedmaker SM 4-C		41.8	Seedmaker SM 5-C		40.7	Carbondale		
Seedmaker SM 5-C		41.1	S. S. R. 17812 Exp S. S. R. 17815 Exp		42.5 41.6	Bonus		43.7
S. S. R. 17722 Exp		$ 40.1 \\ 39.3 $	SRF 200.		39.0	Calland		39.8
SRF 150.	21.9	39.7	SRF 307P		42.5	Columbus Dare		$41.8 \\ 39.0$
SRF 200	. 22.0	37.5	SRF 350		43.0	Essex		41.5
SRF 307P		39.6	SRF 425		42.1	FFR 444	21.8	41.9
Teweles XK 140	. 21.2	41.8	Teweles XR 70 Teweles XR 250	20.7	$\begin{array}{c} 42.5\\ 41.8\end{array}$	Forrest		39.3
Teweles XR 244 Teweles XR 250		39.5 41.1	Teweles XK 262	21.9	41.7	Hill.		40.4 41.1
Teweles XK 262	21.6	38.5	Teweles XR 272	21.4	41.0	Kent Peterson 3125		$\frac{41.1}{41.8}$
Teweles XR 272	20.2	40.3	Teweles XR 305	21.4	43.5	Pomona		41.7
Teweles XK 505	20.7	40.5	Teweles XK 505		$\frac{42.6}{44.0}$	Schultz-Mitchell	22.7	41.1
Teweles XK 585 Voris-Blend 200		$\begin{array}{c} 40.7\\ 41.0 \end{array}$	Teweles XK 585		42.2	SRF 425		40.8
Voris-Soy 245		$41.0 \\ 40.7$	Voris-Soy 295		42.8	SRF 450.		39.8 41.1
Voris-Soy 285		40.4	Voris-Soy 405	21.1	41.2	Williams		39.8
VR Buccaneer	20.7	40.1	VR Buccaneer.		41.2			07.0
VR Viking		40.3	VR Classic II		$\begin{array}{c} 41.8\\ 41.6\end{array}$	Dixon Spring		10.0
Wavne		41.8 43.1	Wolliams		43.3	Bellatti-Seedmaker 1-E		$\begin{array}{r} 43.9\\ 41.9 \end{array}$
Williams.		39.6			10.0	Columbus		41.9
Woodworth		43.4	Brownstown			FFR 555		41.0
			Agripro 35	22.7	38.3	FFR 556	19.4	41.7
Urbana	22.7	10 1	Asgrow XP4086		39.0	Kent.		41.0
Agripro 20		$\begin{array}{c} 40.4\\ 40.3 \end{array}$	Bellatti-Seedmaker 1-E		$\begin{array}{r}42.3\\42.5\end{array}$	Mack		$41.3 \\ 41.1$
Agripro 25		40.3	Bonus Columbus		$42.5 \\ 44.5$	Peterson X514C Peterson 3125		$41.1 \\ 41.3$
Agripro 35.		42.5	Cutler 71		39.0	Schultz-Mitchell.		41.5
Amsoy 71	22.4	41.6	FFR 444	24.3	39.1	Seedmaker SM 3-E	23.6	40.5
Asgrow A2340	21.2	42.0	Funk G-3333	21.2	41.2	SRF 350		43.3
Asgrow XP2656		$\begin{array}{c} 40.8\\ 41.2 \end{array}$	Kent		41.2	SRF 425		42.1
Asgrow A2770 Asgrow A3300		41.2	Landers L-23-432		$\begin{array}{c} 39.5\\ 40.0 \end{array}$	SRF 450		$41.5 \\ 40.7$
Asgrow A3440.		42.0	McCurdy 109+		42.7	Woodworth		40.0

DeKalb Soybean Variety Trial Results

		1	975 resu	lts		19	74 resul		197	73 result	ts
Brand and variety	Yield (bu.)	Mois- ture (pct.)	Lodg- ing score	Matu- rity date	Height (in.)	Yield (bu.)	Lodg- ing score	Height (in.)	Yield (bu.)	Lodg- ing	Height (in.)
Agripro 20		13.4	1.1	9-30	40						
Agripro 25 Agripro 27		$\begin{array}{c}12.7\\12.9\end{array}$	$1.1 \\ 1.1$	$10-4 \\ 10-4$	$\frac{36}{40}$	$\begin{array}{c} 22.9\\ 23.3 \end{array}$	2.0 1.2	38 34	56.2	1.7	42
Amsoy 71	. 45.4	13.5	3.0	9-28	34	28.6	1.3	32	56.9	2.	42
Asgrow A2340		$13.3 \\ 13.4$	$\begin{array}{c}4.0\\2.2\end{array}$	9-22 9-22	36 34						
Asgrow X22444	. 51.0	13.7	2.6	9-24	38						1
Asgrow XP2656		13.2 12.0	1.3 1.2	9–28 9–30	$\frac{40}{38}$	24.7	1.4	33	57.0	1.7	39
Clemens 2E	. 44.9	13.5	3.0	9-30	42	21.,	1.1	0.7	0110		0.2
Clemens 12E Clemens 25R 75		13.3 12.6	$\frac{1}{2}$	9–15 9–24	28 38						
Cleme 22	. 27.8	12.4	1.3	9-15	34						
Clemens E		15.5	$\frac{1.1}{1.6}$	9–30 9–25	$\frac{40}{36}$						
Clemens CX 282	. 0.2	12.3	1.5	9-11	26						
Clemens Exp. C935 Clemens Exp. 980		12 5	1 6	9-17 10-1	28 36						
Corsoy	. 51.4	12.6	4.0	9-22	38	30.6	1.4	32	56.0	2.7	37
Ferry-Morse McKoy 1100	.51.1	$\begin{array}{c}13.6\\12.6\end{array}$	3.0 3.0	9-30 9-23	$\begin{array}{c} 40\\ 42 \end{array}$	$\begin{array}{c} 27.8\\ 31.6\end{array}$	$1.6 \\ 1.2$	36 32	50.8	2.5	41
FS Hisoy 225		14.6	3.0	9-23 9-28	36	51.0	1.2	34			
Funk G-3272	. 46.1	14.5	$\frac{3.0}{1.2}$	10-2	44	10 7	1 1	30	48.3	2.8	36
Hark Jacques J-98		$\begin{array}{c}12.5\\14.0\end{array}$	$1.2 \\ 3.0$	9-30 9-21	$\frac{46}{32}$	29.7	1.1	30	40.3	2.0	50
Jacques J-104	. 45.0	12.8	3.5	9-25	34	29.6	1.7	34			
Landers L-22-410 Landers L-32-458	55.0	$\begin{array}{c} 14.7 \\ 13.6 \end{array}$	3.3 1.1	9–24 10–3	$\begin{array}{c} 40 \\ 46 \end{array}$						
McCurdy 101+	. 48.0	12.6	1.3	9–30	38	30.3	2.4	34	53.8	3.7	40
McCurdy 109+ NAPB Amsoy 71		$\begin{array}{c}13.0\\13.3\end{array}$	1.2 1.2	10-4 9-30	$\frac{46}{42}$	18.0	3.0	36			
NAPB Beeson	50.0	13.5	1.4	9–30	34						
NAPB Corsoy Northrup-King S-1474	46.2	$\begin{array}{c} 14.0 \\ 14.3 \end{array}$	4.0 3.5	9–22 9–28	$\begin{array}{c} 32\\ 40 \end{array}$	28.6	2.0	30	57.2	3.5	39
Northrup-King 2928 Exp	55.2	11.8	1.1	9-28	30						
Northrup-King Multivar 50 Northrup-King Multivar 51		$14.2 \\ 12.5$	1.2 1.3	$9-24 \\ 9-30$	36 42						
Northrup-King Multivar 60	51.4	13.0	1.2	9-29	34						
Peterson 105P	46.8	$\begin{array}{c}14.2\\13.5\end{array}$	1.9 2.4	$9-28 \\ 9-24$	38 36	$\begin{array}{c} 31.1\\ 35.2 \end{array}$	2.1 1.3	$\frac{34}{32}$	52.8	2.3	38
Peterson 3105	. 54.9	12.9	2.5	10-2	41	26.4	2.0	$3\overline{4}$	63.1	2.7	40
Peterson 3120X Pride B186		13.6 11.3	3.0 1.4	9–30 9–15	38 36						
Pride B216	50.9	13.0	2.3	9-25	32						
Rampage Seedmaker SM 2-A	. 37.8	$13.2 \\ 11.6$	1.4 1.2	9-22 9-18	28 32	30.8	1.3	30	52.9	2.0	34
Seedmaker SM 26913-C		12.9	1.2	9-18	28						
Seedmaker SM 26691-M Seedmaker SM 4-C		14.5	1.4	9-29	42	22 4	1.2	34	56.9	4.0	36
Seedmaker SM 5-C		$\begin{array}{c}13.4\\12.8\end{array}$	$\begin{array}{c}1.3\\1.3\end{array}$	10-2 10-1	36 36	23.4	1.2	34	50.9	4.0	50
Seed Soybean Research 17722 Exp		14.2	1.5	9-27	34						
Seed Soybean Research 19716 Exp SRF 150		$\begin{array}{c}13.8\\13.0\end{array}$	3.5 1.1	9–28 9–18	$\frac{40}{30}$	30.7	1.1	28	52.2	1.3	36
SRF 200	. 42.3	15.4	3.0	9-29	36	25.4	1.2	32	52.9	2.0	40
SRF 307Ρ Γeweleş XK 140		$13.5 \\ 12.3$	$\begin{array}{c} 2.0\\ 1.4 \end{array}$	$10-3 \\ 9-15$	$\begin{array}{c} 40\\ 34 \end{array}$	20.9	3.0	34			
Геweles X R 244	49.0	13.1	3.3	9-23	36						
Геweles XҞ 262 Геweles XR 272		$\begin{array}{c}12.8\\12.7\end{array}$	1.7 1.3	$10-1 \\ 9-30$	36 38						
Γeweles XR 250	44.8	14.4	1.1	9-30	40			27	50 7	0.6	10
Геweles XK 505 Геweles XK 585		13.0 12.4	$\begin{array}{c}1.2\\2.2\end{array}$	9-30 10-3	$\frac{40}{38}$	27.1	1.2	36	50.7	2.6	40
Voris-Blend 200	51.4	12.1	4.0	9-24	38	32.9	1.2	32			
Voris-Soy 245 Voris-Soy 285		12.2 13.5	4.5 1.3	9-24 10-3	36 42						
/R Buccaneer	48.0	13.7	4.0	10-1	38						
VR Viking Wayne		12.8 13.1	$\begin{array}{c} 2.0\\ 2.0\end{array}$	9–28 10–5	$\begin{array}{c} 40\\ 42 \end{array}$	19.9	3.0	36	63.6	3.7	42
Wells	46.1	11.1	1.1	9-27	34	28.0	1.0	34	0010	0.1	. 4
Villiams		$\begin{array}{c}12.2\\11.4\end{array}$	$\begin{array}{c}1.1\\1.5\end{array}$	$10-5 \\ 10-5$	$\begin{array}{c} 44 \\ 42 \end{array}$						
Average		11.4	2.0		42 37	26.9	1.9	34	53.1	2.6	39
L.S.D10	7.5	1.3	2.0	•••		20.9	1.9				
L.S.D30 C.V		1.1			••	8.99	• • •	••	9.9	• • •	• •
	11.0	•••	• • •	• • •	••	0.99	• • •	••	9.7		••

Urbana Soybean Variety Trial Results

		1	975 resul	ts		197	74 result	s	19	73 result	s
Brand and variety	Yield (bu.)	Mois- ture (pct.)	Lodg- ing score	Matu- rity date	Height (in.)	Yield (bu.)	Lodg- ing score	Height (in.)	Yield (bu.)	Lodg- ing score	Height (in.)
Agripro 20. Agripro 23. Agripro 23. Agripro 35. Amsoy 71. Asgrow A-2340. Asgrow XP-2656.	56.6 58.4 56.4 53.5 46.3 48.5	$ \begin{array}{c} 10.7 \\ 10.2 \\ 11.6 \\ 12.5 \\ 12.1 \\ 11.4 \\ 10.7 \\ 11.0 \\ \end{array} $	$ \begin{array}{r} 1.8 \\ 1.4 \\ 1.3 \\ 3.0 \\ 2.0 \\ 3.5 \\ 2.0 \\ 1.7 \\ \end{array} $	9-24 9-20 9-23 9-28 9-14 9-5 9-6	38 46 37 43 45 39 42	52.0 52.7 53.0	1.5 1.7 2.3	41 38 44	52.6	1.7	42.
Asgrow A-2770 Asgrow A-3300. Asgrow A-3440. Beeson Bellatti-Seedmaker 1-E. Clemens 2E. Clemens 2ER-75. Clemens Exp. 66.	54.8 54.9 53.2 51.9 51.3 55.6 52.9	11.9 11.2 11.1 12.7 11.9 12.0 12.4 11.8	$ \begin{array}{c} 1.7\\ 1.3\\ 1.3\\ 3.7\\ 4.7\\ 2.5\\ 2.7\\ 4.0\\ \end{array} $	9-14 9-23 9-26 9-13 9-20 9-12 9-13 9-25 9-25	44 45 47 41 46 45 45 43	51.0 48.9	1.8 1.8	39 41	51.5 48.2	1.8 1.72 .9 21 .02	43 81
Clemens Exp. 93. Clemens Exp. 94. Clemens CX-114. Clemens 2L-75. Clemens CX-215. Clemens CX-290. Clemens CX-327. Clemens Exp. C-736*. Clemens 9L-75.	53.0 44.0 52.0 56.4 52.4 54.1 57.0 61.9	11.8 12.0 12.2 10.6 10.7 11.3 11.0 12.6 11.7	$\begin{array}{c} 4.0\\ 2.5\\ 3.0\\ 1.1\\ 2.7\\ 2.5\\ 2.5\\ 1.7\\ 2.0\\ 2.0\\ 1.7\\ 2.0\\ 2.0\\ 1.7\\ 1.7\\ 2.0\\ 1.7\\ 1.7\\ 1.7\\ 1.7\\ 1.7\\ 1.7\\ 1.7\\ 1.7$	9-13 9-12 9-8 9-18 9-18 9-14 9-25 9-28 9-27 9-27	$\begin{array}{c} 47\\ 34\\ 42\\ 39\\ 45\\ 42\\ 51\\ 51\\ 47\\ 47\\ 40\\ \end{array}$	₩. 	*15				
Clemens Exp. 980 Corsoy Ferry-Morse McKoy 1100 Funk G-3272	50.6 52.3	$12.1 \\ 11.8 \\ 11.3 \\ 12.4$	3.0 4.3 1.8 1.5	$9-12 \\ 9-5 \\ 9-15 \\ 9-14$	$40 \\ 44 \\ 48 \\ 44$	51.2	1.9	40			
Funk G-3333. Hoblit 2-5. Jacques J-104. Jacques J-114. Landers L-22-410. Landers L-23-432.	62.2 55.5 51.4 49.0 57.5	$ \begin{array}{c} 11.7\\ 10.4\\ 11.7\\ 11.7\\ 11.8\\ 10.2\\ 11.0\\ \end{array} $	3.5 1.7 3.0 2.3 3.0 2.2	9-24 9-18 9-5 9-23 9-11 9-25	$ \begin{array}{r} 43 \\ 46 \\ 43 \\ 40 \\ 46 \\ 41 \\ 48 \\ \end{array} $	55.6 51.2 51.4	1.6 1.5 2.3	39 38 40			
Landers L-23-458 Landers L-33-344 McCurdy 101 + McCurdy 109 + McCurdy X500 NAPB Amsoy 71 NAPB Beeson	57.1 57.4 58.4 59.4 51.3	11.0 11.4 10.1 13.3 13.5 11.8 11.4	2.0 1.5 2.0 2.5 2.7 2.0 1.3	9-25 9-24 9-11 9-24 9-28 9-18 9-14	48 42 40 45 45 32 38	$49.7 \\ 52.0 \\ 48.9$	1.8 2.5 2.5	40 40 41	68.3 56.3	2.3 2.8	44 45
NAPB Corsoy. Northrup-King S-1474. Northrup-King Exp. 3409. Northrup-King Multivar 70. Northrup-King Multivar 80. Northrup-King Multivar 90*.	46.0 51.7 51.1 52.2 55.9	12.0 12.0 10.0 11.3 10.7 11.1	4.0 3.5 2.6 2.0 2.5 1.6	9-8 9-11 9-26 9-24 9-24 9-30	$ \begin{array}{r} 40 \\ 38 \\ 49 \\ 44 \\ 42 \\ 47 \\ \end{array} $	49.6	2.1	37	53.4	2 6	39
Peterson 105P. Peterson 125. Peterson 2120T.	50.9 57.6	11.5 12.4 10.6	2.5 2.0 4.0	9-7 9-27 9-25	45 48 43	51.3 50.2	$\begin{array}{c}1.9\\2.6\end{array}$	39 44	53.1	2.7	44
Peterson 3105 Peterson 3120X. Pride B-216. Schultz Pontiac. Schultz Washington II*. Seedmaker SM 26691-D.	58.2 54.0 56.5 59.2 60.3 46.8	9.9 11.6 12.3 11.3 11.9 11.7	3.04.01.72.01.31.2	9-23 9-18 9-13 9-17 9-24 9-10	43 41 37 39 46 38	52.3	2.2	39	54.2	2.2	42
Seedmaker SM 36691-T Seedmaker SM 4-C Seedmaker SM 4-E Seedmaker SM 5-C Seed Soybean Research 17812 Exp.	51.6 59.4 51.7 41.1	$ \begin{array}{c} 11.6\\ 11.1\\ 11.5\\ 12.3\\ 11.4\\ \end{array} $	$2.0 \\ 3.8 \\ 4.0 \\ 3.0 \\ 2.0 \\ c$	9-29 9-18 9-24 9-13 9-6	$47 \\ 34 \\ 45 \\ 39 \\ 46$	49.3 55.5	2.4 3.8	37 51	55.6 60.2	2.4 3.4	36 45
Seed Soybean Research 17815 Exp SRF 200. SRF 307P. SRF 350*. SRF 425*. Teweles XR70. Teweles XR250. Teweles XK262. Teweles XR272. Teweles XR305.	50.5 57.3 47.4 49.5 52.2 55.4 60.1 54.4	11.7 10.8 11.9 10.5 13.3 13.2 11.3 10.8 12.2 12.4	2.62.54.71.72.52.02.33.91.42.0	9-25 9-17 9-23 9-29 10-2 9-28 9-12 9-25 9-13 9-25	$ \begin{array}{r} 46 \\ 40 \\ 44 \\ 49 \\ 51 \\ 42 \\ 42 \\ 43 \\ 42 \\ 48 \\ \end{array} $	50.2 52.8 52.1 43.9	2.0 2.3 2.2 2.5	38 42 40 43	51.9 57.8 59.2 55.4	2.4 2.8 2.4 3.0	40 45 44 47

* Harvested at latest harvest date for this site, October 3.

Urbana Soybean	Variety '	Frial Results	(continued)
----------------	-----------	----------------------	-------------

		1	975 resul	ts -		197	4 result	s	197	3 result	S
brand and variety	Yield (bu)	Mois- ture (pct.)	Lodg- ing score	Matu- rity date	Height (in.)	Yield (l·u.)	Lodg- ing score	Height (in.)	Vield (bu.)	Lodg- ing score	Height (in.)
Teweles XK505	53.1	12.2	1.7	9-13	38	49.7	1.4	40	52.0	1.2	40
Teweles XK585		11.0	3.0	9-24	48	49.6	2.2	38	59.4	2.1	42
Voris-Blend 300		10.7	2.0	9 - 24	52	53.8	1.4	41			
Voris-Soy 295		11.3	2.8	9-20	46	53.5	1.8	44			
Voris-Soy 405*	44.0	15.6	4.0	10 - 2	49						
V.R. Buccaneer	53.5	13.1	2.0	9-16	43						
V.R. Classic II*	55.8	11.1	2.0	9-29	51						
Williams		12.6	1.7	9-25	44	48.8	2.6	39	57.2	1.5	45
Woodworth	54.6	11.0	1.5	9-26	46	54.0	2.6	40		•	
Average	53.8	11.6	2.5		43	50.2	2.2	41	53.4	2.2	43
L.S.D10	7.6	2.6	.6			4.05					
L.S.D30	6.4	1.7	. 5								
C.V	10.2					6.93			10.6		

* Harvested at latest harvest date for this site, October 3.

Brownstown	Soybean	Variety	Trial Result	s
------------	---------	---------	--------------	---

		19	975 resul	tsª		19	74 resul	ts	19	73 resul	ts
Brand and variety	Yield (b u.)	Mois- ture (pct.)	Lodg- ing score	Matu- rity date	Harvest date	Yield (bu.)	Lodg- ing score	Height (in.)	Yield (bu.)	Lodg- ing score	Height (in.)
Agripro 35	43.3	13.0	1.0	9–16	9-24						
Asgrow XP4086	. 41.7	13.1	4.0	9-13	9-24						
Bellatti-Seedmaker 1-E	. 37.3	12.8	1.0	9-11	9-24	42.5	1.2	32	35.6	1.0	34
Bonus	. 44.4	13.4	1.1	9-14	9-24	47.6	1.1	32	17.7	1.4	31
Columbus		8.9	1.2	9-23	10-17		1.0	2.6			2.6
Cutler 71		11.8	1.1	9-9	9-24	50.5	1.0	36	34.1	1.0	36
FFR 444		13.9	1.2	9-17	9-24	46.3	1.0	30			
Funk G-3333		11.5	1.3	9-12	9-24	10.0	1 0			2.0	24
Kent.		10.7	1.8	9-27	10-17	48.2	1.2	30	44.6	2.0	34
Landers L-23-432		13.6	2.0	9-13	9-24						
Landers L-33-344		13.3	1.0	9-13	9-24	10.1	1.0	20	20.1	1.0	2.2
McCurdy $109 + \dots$		$9.9 \\ 15.8$	1.2	9–21 9–19	$10-17 \\ 9-24$	40.1 44.9	$1.0 \\ 1.2$	30 32	28.1	1.0	33
McCurdy X500.		13.8	$1.4 \\ 1.2$	9-19 9-14	9-24 9-24	44.9	1.2	32	30.1	1.0	34
Northrup-King Multivar 80	20.4	12.2	1.2	9-14 9-16	9-24 9-24						
Northrup-King Multivar 90 Peterson 125	. 39.4	12.2	1.1	9-10 9-13	9-24 9-24	45.0	1.1	34	32.0	1.0	36
Peterson 2120T.		12.0	1.3	9-13 9-14	9-24 9-24	45.0	1.1	34	32.0	1.0	30
Peterson 3120X		12.9	1.5	9-14 9-8	9-24 9-24						
Peterson 3125		13.4	1.3	9-14	9-24						
Rieso		10.5	$1.2 \\ 1.7$	9-24	10-17						
Schultz-Mitchell.		13.3	1.1	9-17	9-24	50.5	1.2	34	41.4	1.0	33
Schultz-Washington II.		12.3	1.2	9-13	9-24	47.0	1.0	28	TI.T	1.0	55
Seedmaker SM 3-E	13 0	13.9	1.7	9-15	9-24	50.2	1.4	38	32.4	1.0	35
SRF 350		11.8	1.6	9–19	9-24	00.2	1.1	00	02.1	1.0	00
SRF 425		10.0	1.3	9-20	10-17						
SRF 450		10.0	1.3	9-23	10-17						
Teweles XR70		13.7	1.0	9-19	9-24						
Teweles XR304		13.0	1.2	9-12	9-24						
Teweles XR305	37.0	12.5	1.2	9-15	9-24						
Teweles XK585		11.1	1.2	9-8	9-24						
Voris-Blend 400		15.0	2.2	9-18	9-24						
Voris-Soy 285	40.0	13.3	1.1	9-10	9-24						
Voris-Soy 405		8.9	1.6	9-21	10 - 17						
Williams	. 39.4	12.4	1.1	9 - 17	9-24	47.0	1.0	30	31.9	1.0	32
Woodworth		9.8	1.1	9-20	10-17	35.4	1.2	28			
Average		12.3	1.4			60.2	3.8	46	48.8	1.7	41
L.S.D10		2.6		• • •		7.91					
L.S.D30		2.2						• •			
C.V	. 11.5					11.03		• •	14.5		

^a 1975 data for height were lost.

Belleville	Soybean	Variety	Trial	Results
------------	---------	---------	-------	---------

	,	19	75 result	S		197	4 result	s	197	73 result	s
Brand and variety	Yield (bu.)	Mois- ture (pct.)	Lodg- ing score	Matu- rity date	Height (in.)	Yield (bu.)	Lodg- ing score	Height (in.)	Yield (bu.)	Lodg- ing score	Heigh (in.)
Agripro 35		15.1	1.4	9-24	50						
FFR 444	63.1	12.6	2.1	9-23	48	49.9	3.5	44			
Kent	61.6	12.5	1.4	9-30	46	44.4	3.0	44	47.4	2.0	- 39
Northrup-King Multivar 80	61.9	14.3	1.4	9-18	44						
Northrup-King Multivar 90		14.2	1.5	9-26	48						
Peterson 125		13.8	2.0	9-28	52						
Peterson 2120T.	66.8	14.2	2.4	9-16	44						
Peterson 3120X	57.2	15.1	2.0	9-11	42						
Peterson 3125	68.0	13.3	1.3	9 - 27	51						
Rieso	60.1	14.4	3.5	9-30	58						
Schultz-Mitchell	62.3	14.6	1.1	9-19	42	50.3	3.0	42	51.0	1.7	40
Schultz-Washington II		16.1	1.3	9-22	42	52.7	2.1	42			
Seedmaker SM 26691-F	73.8	14.5	3.4	9-26	50						
Seedmaker SM 3-E	69.1	12.8	4.5	9-24	58	49.0	4.0	52	40.1	1.8	- 36
Seedmaker SM 36691-G	65.9	15.5	1.4	9-15	55	51.7	3.5	44	47.6	1.1	41
Seedmaker SM 4-E	62.2	15.9	3.5	9-15	55						
Seedmaker SM 46691-M		13.9	3.0	9-24	51						
SRF 307P	67.2	13 6	1.7	9-16	48	47.3	3.0	44	46.7	2.0	33
SRF 350	64.3	13.8	3.0	9-22	50	48.7	3.0	40	48.3	1.1	34
SRF 425	64.7	14.0	1.5	9 - 28	52	53.3	3.0	44	48.1	1.5	42
SRF 450	63.2	13.9	1.2	9-30	44	45.9	2.5	42	42.5	1.4	34
Teweles XR70		13.4	1.8	9 - 28	48						
Teweles XR304	62.3	14.6	1.5	9-17	48						
Teweles XR305		12.5	1.2	9-18	42						
Williams		14.5	1.2	9-20	42	56.6	3.0	40	53.1	1.0	36
Average	65.4	14.1	2.0		48	42.7	3.2	42	46.5	1.9	37
L.S.D10	11.6	. 8	. 6			6.06					
L.S.D30	9.8	. 7	. 5								
C.V						11.99			12.4		

Carbondale Soybean Variety Trial Results

		1	1974 results				
Brand and variety		Moisture (pct.)	Lodging score	Maturity date	Height (in.)	Yield (bu.)	Lodging score
Bonus	. 78.0	12.8	1.2	9-24	42		
Calland	. 75.8	14.0	1.3	9-17	38		
Columbus		14.6	2.6	10-3	38		
Dare		15.4	2.5	10-12	38	35.3	1.5
Essex	. 73.6	15.5	1.2	10-11	36	43.6	1.4
FFR 444	. 79.1	10.6	3.9	9-18	42	24.3	1.0
Forrest		15.2	3.0	10 - 13	40	37.8	1.4
Hill		16.4	4.0	10 - 7	36	38.8	1.3
Kent	. 76.6	13.4	2.0	10-1	44		
Peterson 3125	. 83.6	13.9	2.5	9-23	42		
Pomona	. 70.2	15.7	1.2	9-30	36		
Schultz-Mitchell	. 82.0	12.2	1.3	9-19	34	38.5	1.2
SRF 425	. 68.4	11.7	2.3	9-25	44	26.9	1.2
SRF 450	. 76.8	10.9	1.3	10-1	40	35.2	1.1
Williams	. 79.9	12.5	2.0	9-22	38		
Woodworth	. 80.9	13.5	3.5	9-12	38		
Average	. 74.5	13.6	2.2		39	32.3	1.1
L.S.D10		2.7	.6			5.25	
L.S.D30	. 9.5	2.3	. 5				
C.V	. 11.0					13.53	

Dixon Springs Soybean Variety Trial Results

	1975 results				1974 results			1973 results			
Brand and variety	Yield (bu.)	Mois ture (pct.)	Lodg- ing score	Matu- rity date	Height (in.)	Yield (bu.)	Lodg- ing score	Height (in.)	Vield (bu.)	Lodg- ing score	Height (in.)
Bellatti-Seedmaker 1-E	58.3	12.9	4.7	9-14	40	51.8	4.5	42	57.2	1.0	43
Columbus	64.3	12.1	4.0	9-23	41	66.1	4.5	44			
Essex.	71.0	11.0	4.0	10-11	34						
FFR 555		11.3	4.0	10-1	38						
FFR 556		11.8	4.0	10 - 7	60						
Kent		11.9	2.7	10 - 1	40	68.5	2.0	48	49.5	1.5	41
Mack		11.4	4.0	10 - 7	33	54.9	4.5	40			
Peterson X514C	63.8	12.3	3.8	9 - 27	40						
Peterson 3125		12.0	2.5	9-23	38						
Schultz-Mitchell	60.5	11.7	2.5	9–19	36	71.6	3.0	50	56.2	1.5	41
Seedmaker SM 3-E		12.4	4.2	9-24	41	61.9	4.5	56	45.1	2.0	46
SRF 350		11.8	3.8	9-22	33						
SRF 425		11.7	3.8	9-25	37	64.4	4.5	46	55.7	1.0	46
SRF 450		11.9	2.5	10 - 1	39	69.5	2.0	46	53.9	1.5	41
Williams	59.7	11.8	3.0	9-17	30						
Woodworth	56.5	11.3	3.5	9-20	32	60.9	3.0	48			
Grand mean		11.8	3.6		38	60.2	3.8	46	48.8	1.7	41
L.S.D10		. 9	. 5			7.91					
L.S.D30		. 7	. 4								
C.V	10.9					11.03		• •	14.5		• •

1



