

# Cardiac protective effects of *Moringa oleifera* seeds in spontaneous hypertensive rats

Submitted by Séverine Derbre on Tue, 06/07/2016 - 15:24

Titre	Cardiac protective effects of <i>Moringa oleifera</i> seeds in spontaneous hypertensive rats
Type de publication	Article de revue
Auteur	Randriamboavonjy, Joseph Iharinjaka [1], Loirand, Gervaise [2], Vaillant, Nathalie [3], Lauzier, Benjamin [4], Derbré, Séverine [5], Michalet, Serge [6], Pacaud, Pierre [7], Tesse, Angela [8]
Pays	Etats-Unis
Editeur	Oxford University Press (OUP)
Ville	Oxford
Type	Article scientifique dans une revue à comité de lecture
Année	2016
Langue	Anglais
Date	10 Fév. 2016
Pagination	873-881
Titre de la revue	American Journal of Hypertension
ISSN	0895-7061
Mots-clés	Blood Pressure [9], cardiac hypertrophy [10], Fibrosis [11], hypertension. [12]
Résumé en anglais	<p><b>BACKGROUND</b> Hypertension is characterized by a maintained high blood pressure leading to cardiac complications such as left ventricular hypertrophy and fibrosis and an increased risk of heart failure and myocardial infarction. This study investigated the cardiac effects of oral administration of <i>Moringa oleifera</i> (MOI) seed powder in spontaneous hypertensive rats (SHR).</p> <p><b>METHODS</b> SHR received food containing MOI seed powder (750mg/d, 8 weeks) or normal food. In vivo measurement of hemodynamic parameters by telemetry and cardiac structure and function analysis by echocardiography were performed. Histological studies were performed to determine fibrosis and protein expression.</p> <p><b>RESULTS</b> MOI treatment did not modify blood pressure in SHR but reduced nocturnal heart rate and improved cardiac diastolic function (reduction of isovolumetric relaxation time and deceleration time of the E wave, increase of ejection volume and cardiac output compared to nontreated SHR). Left ventricular anterior wall thickness, interseptal thickness on diastole, and relative wall thickness were reduced after MOI treatment. Furthermore, we found a significant reduction of fibrosis in the left ventricle of MOI-treated SHR. This antihypertrophic and antifibrotic effect of MOI was associated with increased expression of peroxisome proliferator-activated receptor (PPAR)-<math>\alpha</math> and <math>\delta</math>, reduced cardiac triglyceride level, and enhanced plasmatic prostacyclins.</p> <p><b>CONCLUSIONS</b> Our data show a beneficial effect of MOI on the cardiac structure and function in SHR associated with an upregulation of PPAR-<math>\alpha</math> and <math>\delta</math> signaling. This study thus provides scientific rational support for the empirical use of MOI in the traditional Malagasy medicine against cardiac diseases associated with blood pressure overload.</p>

---

URL de la notice	<a href="http://okina.univ-angers.fr/publications/ua14682">http://okina.univ-angers.fr/publications/ua14682</a> [13]
DOI	10.1093/ajh/hpw001 [14]
Lien vers le document	<a href="http://ajh.oxfordjournals.org/content/early/2016/02/10/ajh.hpw001">http://ajh.oxfordjournals.org/content/early/2016/02/10/ajh.hpw001</a> [15]
Titre abrégé	AJHYPE

---

## Liens

- [1] [http://okina.univ-angers.fr/publications?f\[author\]=17370](http://okina.univ-angers.fr/publications?f[author]=17370)
- [2] [http://okina.univ-angers.fr/publications?f\[author\]=130](http://okina.univ-angers.fr/publications?f[author]=130)
- [3] [http://okina.univ-angers.fr/publications?f\[author\]=24806](http://okina.univ-angers.fr/publications?f[author]=24806)
- [4] [http://okina.univ-angers.fr/publications?f\[author\]=24807](http://okina.univ-angers.fr/publications?f[author]=24807)
- [5] <http://okina.univ-angers.fr/severine.derbre/publications>
- [6] [http://okina.univ-angers.fr/publications?f\[author\]=19986](http://okina.univ-angers.fr/publications?f[author]=19986)
- [7] [http://okina.univ-angers.fr/publications?f\[author\]=17371](http://okina.univ-angers.fr/publications?f[author]=17371)
- [8] [http://okina.univ-angers.fr/publications?f\[author\]=124](http://okina.univ-angers.fr/publications?f[author]=124)
- [9] [http://okina.univ-angers.fr/publications?f\[keyword\]=6200](http://okina.univ-angers.fr/publications?f[keyword]=6200)
- [10] [http://okina.univ-angers.fr/publications?f\[keyword\]=21070](http://okina.univ-angers.fr/publications?f[keyword]=21070)
- [11] [http://okina.univ-angers.fr/publications?f\[keyword\]=7752](http://okina.univ-angers.fr/publications?f[keyword]=7752)
- [12] [http://okina.univ-angers.fr/publications?f\[keyword\]=21071](http://okina.univ-angers.fr/publications?f[keyword]=21071)
- [13] <http://okina.univ-angers.fr/publications/ua14682>
- [14] <http://dx.doi.org/10.1093/ajh/hpw001>
- [15] <http://ajh.oxfordjournals.org/content/early/2016/02/10/ajh.hpw001>

Publié sur *Okina* (<http://okina.univ-angers.fr>)