

2009/74



Sustainability, optimality,
and viability in the Ramsey model

Noël Bonneuil and Raouf Boucekkine



CORE

DISCUSSION PAPER

Center for Operations Research
and Econometrics

Voie du Roman Pays, 34
B-1348 Louvain-la-Neuve
Belgium

<http://www.uclouvain.be/core>

CORE DISCUSSION PAPER
2009/74

**Sustainability, optimality, and viability
in the Ramsey model**

Noël BONNEUIL¹ and Raouf BOUCEKKINE²

November 2009

Abstract

The Ramsey model of economic growth is revisited from the point of view of viability. A viable state is a state from which there exists at least one trajectory that remains in the set of constraints of minimal consumption and positive wealth. Viability is presented with a constraint of minimal consumption, then with an additional criterion of economic sustainability. The comparison of viability kernels with or without sustainability shows how much consumption should be reduced and when. The viable-optimal solution in the sense of inter-temporal consumption is obtained on the viability boundary of an auxiliary system. Technological progress works against population growth to favor the possibility for a given state of being viable or viable-sustainable.

Keywords: viability theory, optimization, sustainability, Ramsey model.

JEL Classification: C61, C63, C65, O41

¹ Institut national d'études démographiques, and Ecole des hautes études en sciences sociales, F-75980 Paris cedex 20, France. E-mail: bonneuill@ined.fr

² Université catholique de Louvain, CORE and IRES, B-1348 Louvain-la-Neuve, Belgium. E-mail: raouf.boucekkine@uclouvain.be

Thanks to Andrea Ariu, Anton Belyakov, Tanguy Isaac, Jim Malley, François Maniquet, Gabriel Talmain, Vladimir Veliov, Yuri Yatsenko, participants in the 2007 Viennese Vintage Workshop, the economics seminar at University of Glasgow, and the Louvain seminar in social choice and welfare for useful comments. Boucekkine acknowledges support from the ARC project 09/14-018 on "Sustainability (French speaking community of Belgium).

This paper presents research results of the Belgian Program on Interuniversity Poles of Attraction initiated by the Belgian State, Prime Minister's Office, Science Policy Programming. The scientific responsibility is assumed by the authors.

1 Introduction

The theory of economic growth is based preeminently on the neoclassical growth model, which relies on the maximization of an inter-temporal or inter-generational welfare function. The basic optimization apparatus used is optimal control as pioneered by Pontryagin. Inter-temporal optimization in traditional growth theory relies on a time discounted social welfare function, which, because it gives more weight to present generations, has no reason to satisfy long-term sustainability criteria (for the dependence of development on natural resources: Withagen, 1998; Van Geldrop and Withagen, 2000).

Beltrati et al. (1994), for example, used a standard growth model with renewable resources to show the possible non existence of any stationary long-term equilibrium for small enough discounting rates and upper-bounded renewal rate of resources. It is therefore necessary to amend the typical neoclassical framework to enforce sustainability criteria. Chichilnisky (1993) added a long-term outcome term to the traditional inter-temporal optimization of utility. This modification enables the identification of a green golden rule in the extreme case where utility is reduced to this long-term outcome term, but, in the general case of a convex combination of this term with inter-temporal utility, there is no guarantee of the existence of an optimal sustainable path (Beltratti et al., 1994). Other authors have moved away from the constant social discount rate assumption inherent in the neoclassical model and instead assumed that the discount rate is endogenous (dependent on consumption or the capital stock, as reviewed by Le Kama and Schubert (2007)).

In both frameworks, inter-temporal optimization remains the criterion of inter-generational resource allocation. Arrow et al. (2004) formalized sustainability in line with the Brundtland Commission (1987), by requiring that inter-temporal social welfare $V(t)$ would not decrease over time t . Arrow et al. emphasized that this criterion “does not identify a unique consumption path: the

criterion could in principle be met by many consumption paths” (: 150), and that “in defining sustainable development, there is no presumption that the consumption path being followed is in the sense of maximizing V ” (: 150). The scheme advocated by these authors need not be compatible with inter-temporal optimality in the sense of optimal control, say Pontryagin optimality.

So far no criterion has been made operational. We wish to show the close affinity between sustainability as defined by the Brundtland Commission and viability theory, a theory pioneered by Nagumo in 1942 and developed by Aubin (1997). One result in viability theory is the existence and the computation of the largest (possibly empty) set, called the viability kernel, containing all initial states from which there exists at least one trajectory along which some qualitative or quantitative property —represented by a set of constraints— is satisfied up to a given, possibly infinite, time horizon. We shall draw on this theory to study Brundtland sustainability in the sense of Arrow et al. and to disentangle its economic and demographic determinants. Viability theory and the method we shall present to compute viable-optimal paths are promising when used in models incorporating energy and natural resources in the framework of environmental policy and intergenerational justice (Asheim et al., forthcoming).

In addition to containing the states through which a given criterion is optimized *while satisfying the constraints*, the viability kernel also allows one to identify sub-optimal trajectories under a given dynamic. Early applications of viability in economics are Bonneuil (1994a, 1994b), Aubin (1997), Bonneuil and Boarini (2004), Valence (2005), Marco and Romaniello (2006), and Bonneuil and Saint-Pierre (2008). The relationship between viability and optimality in the sense of optimal control, say Pontryagin optimality, has been studied in abstract settings. It receives a precise formulation in the proposal of Arrow et al. (2004). Viability theory bridges the difference between sustainability and Pontryagin optimality. Cannarsa and Frankowska (1991) showed that, for the Mayer problem, the epigraph of the value function is the viability kernel of an extended con-

trol system. We shall use similar arguments to clarify the relationship between Brundtland sustainability and Pontryagin optimality in standard growth models.

For the sake of clarity, we focus on the well-known Ramsey growth model originated in the seminal work of Frank Ramsey (1928) (Barro and Sala-i-Martin, 1995, Chapter 2). The Ramsey problem is recalled in the beginning of section 2. In this section, we also convert the Ramsey problem into a benchmark viability problem where an elementary minimal consumption constraint is to be satisfied over time. Brundtland sustainability is introduced formally. Section 2 ends with a comprehensive analysis of the viability and sustainability of optimal paths in the Ramsey model. In Section 3, elements of viability theory are presented, and the link between Pontryagin optimality and viability is made using the Ramsey model and its viability counterpart. Section 4 is devoted to the computation of viability kernels corresponding to sustainability criteria. In particular, we use the algorithm developed by Bonneuil (2006) to compute viability kernels with and without the Brundtland criterion by randomly drawing the technological, demographic and preference parameters of the model in plausible ranges. A regression of the volumes of these sets will show the influence of each determinant and overcome the intractability of obtaining an analytical expression for these volumes. We will show that sustainability is achieved at the expense of consumption, and we will identify all states from which there exists a sustainable path contained in the viability kernel. For states for which such a path no longer exists under regular dynamics, we will recommend a drastic extraordinary reduction of consumption, an impulse, outside the regular dynamics, setting the system to a viable state. Then, from this new starting point, viable policies are to be applied, changing as the state of the system navigates in the viability kernel.

2 A Preliminary investigation into Viability, Optimality, and Brundtland Sustainability

2.1 A Viability Formulation of the Ramsey Model with Minimal Consumption

The Ramsey model features a planner (either an individual or a government) whose objective is to maximize the net present value of future utility gains $w(c(t))e^{-\rho t}$ as a positive function of consumption per head $c(t)$ at time t and depending on a subjective rate ρ of time preference, where $0 < \rho < 1$, over an infinite time horizon and continuous time:

$$\left\{ \begin{array}{l} \max_{c(\cdot)} V(0) := \max_{c(\cdot)} \int_0^{\infty} w(c(\tau))e^{-\rho\tau} d\tau \\ \text{subject to} \\ k'(t) = f(k(t)) - (n + \delta)k(t) - c(t) \end{array} \right. \quad (1)$$

where “now” is time 0, n denotes the population growth rate, δ the depreciation rate of capital, $k(t)$ the capital per worker, $k(0) > 0$ is given.¹ Utility w is a strictly increasing and concave utility function, and the production function f is strictly increasing and concave. In the traditional formulation, the state constraints are:

$$k \geq 0, c \geq 0. \quad (2)$$

The optimal paths corresponding to model (1) are well known. As already mentioned, Chichilnisky (1993) criticized the discounting objective function, arguing that in many circumstances this function fails to guarantee subsistence levels for future generations. We begin with the viability idea of minimal consumption for all generations. The former objective of inter-temporal utility optimization is replaced by feasibility from the present until a given time horizon, a concept which is represented formally by the dynamics under viability constraints.

¹No Ponzi game conditions are added to preclude trivial solutions of the “chain letter” type. We shall ignore this technicality and focus on more conceptual aspects of the Ramsey problem.

- When the capital per head $k(t)$ is governed by an autonomous differential equation, the dynamics is 2-dimensional:

$$\begin{cases} (i) & k'(t) = f(k(t)) - (n + \delta)k(t) - c(t) \\ (ii) & c'(t) = u(t) \in U := [u^b, u^\#] \end{cases} \quad (3)$$

where U is a closed set of measurable admissible consumption changes $u(t)$, and $u^b \leq u^\#$ are two real numbers.

- When the capital per head $k(t)$ is governed by a non autonomous differential equation, notably with a production function that depends an increase in productivity over time, the dynamics is 3-dimensional (the time t being a state variable):

$$\begin{cases} (i) & k'(t) = f(t, k(t)) - (n + \delta)k(t) - c(t) \\ (ii) & c'(t) = u(t) \in U := [u^b, u^\#] \\ (iii) & t' = 1 \end{cases} \quad (4)$$

with the production function defined as:

$$f(t, k(t)) := A \exp(\eta t) \hat{f}(k(t)) \quad (5)$$

with \hat{f} increasing and concave, satisfying Inada conditions, A a constant expressing the technological level at time 0 and η the rate of technological progress. For the sake of simplicity, we will consider

$$\hat{f}(k) = k^\alpha \quad (6)$$

where α represents capital share.

In both cases, the constraints are:

$$\begin{cases} k(t) \geq 0 \\ c(t) \geq \underline{c}(t) \\ t \in [0, T] \end{cases} \quad (7)$$

where T is the time horizon, possibly infinite. Eq. (7) defines a set K of constraints, where $\underline{c}(t)$ is a given consumption threshold. It ensures that people consume enough to have a satisfactory standard of living. Instead of inter-temporal optimization, the programs $\{(3),(7)\}$ or $\{(4),(7)\}$ now require that their solutions satisfy the qualitative property (7) at any time.

One could argue that the issue of ensuring minimal consumption can be handled in an optimal control formulation (adding the corresponding control constraint). This would miss the point, made by Arrow et al. (2004) among others, that the mathematics of maintenance or sustainability differ substantially from those of optimality. We capture the issue of maintenance through the minimal consumption requirement. Adding viability constraints to the standard Ramsey model can be handled by the systematic computational analysis provided by viability theory. Optimal control experts know how difficult it is to deal with even simple state constraints.

The viability problem $\{(4),(7)\}$ has three state variables $k(t)$, $c(t)$, and t in the non autonomous case, a fact which seems to contradict the optimal control problem (1). The original control variable $c(t)$ is handled as a state variable, but no $c(0)$ value is imposed. While an optimal control technique seeks the optimal value of $c(0)$, viability is concerned with all initial conditions $(k(0), c(0))$ from which there exists at least one solution to dynamics (3) or (4) remaining in constraints (7) until a given time horizon. Another novelty with respect to optimal control is the appearance of the control $u(t)$, formalizing any admissible change in consumption, which ultimately allows us to write a state equation for $c(t)$. At any given point in time, there may be an infinity of admissible changes, namely changes in consumption compatible with viability constraints (7). At a given date, there is a technological and social constraint on consumption which, in a regular regime, rules out infinite changes in this variable. The control then varies in a bounded set U , which is more realistic than assuming that $c'(t)$ can take any value.

2.2 Brundtland Sustainability

Arrow et al. (2004) identify social welfare with “the present discounted value of the flow of utility from consumption from the present to infinity, discounted using the constant rate” $\rho > 0$ (: 149). They use the sustainability criterion from the report by the World Commission on Environment and Development (1987), known as the Brundtland Commission (after its chairperson). Sustainable development was defined as “development that meets the needs of the present without compromising the ability of future generations to meet their own needs.” They take “sustainability to mean that inter-temporal social welfare $V(\theta)$ must not decrease over time θ ,” where θ represents the “now” which was set to 0 so far. We treat “now” as a variable in order “to concentrate on the change in V .” Social welfare at time θ is then:

$$V(\theta) = \int_{\theta}^{\infty} w(c(\tau))e^{-\rho(\tau-\theta)} d\tau \quad (8)$$

the differential of which is:

$$V'(\theta) = -w(c(\theta)) + \rho V(\theta) \quad (9)$$

and the Brundtland condition of sustainability is:

$$V'(\theta) \geq 0. \quad (10)$$

2.3 Pontryagin Optimality, Viability, and Brundtland Sustainability: Preliminary Results

We consider the standard Ramsey model with strictly concave utility and production functions, both satisfying the Inada conditions. The Pontryagin method gives the velocities $k'(t)$ and $c'(t)$ on the optimal paths in the autonomous problem (1) (corresponding to $\eta = 0$ and $A = 1$). In this problem, the unique saddle point, where $k'(t) = 0$, $c'(t) = 0$, is (\hat{k}^*, \hat{c}^*) with \hat{k}^* solution of $\hat{f}'_k(k) = \rho + \delta$

and $\hat{c}^* := \hat{f}(k^*)$, independent of the initial condition $k(0) > 0$. We define $k^*(t) = (A \exp(\eta t))^{1/(1-\alpha)} \hat{k}^*$ and $c^*(t) = (A \exp(\eta t))^{1/(1-\alpha)} \hat{c}^*$. In the autonomous problem, for any initial condition $k(0) > 0$, the level of consumption is chosen such that the system jumps on the saddle path and moves to the balanced growth point at (\hat{k}^*, \hat{c}^*) . Similarly, in the non autonomous problem (4), for any initial condition $k(0) > 0$, the level of consumption is chosen such that the system jumps on the saddle path augmented by $A \exp(\eta t)^{1/(1-\alpha)}$ and travels to the balanced growth point at $(k^*(t), c^*(t))$. Thus, optimal trajectories remain on a stable branch and converge to the steady state equilibrium (Barro and Sala-i-Martin, 1995, chapter 2). In the autonomous case, the equation of the stable branch in the plane (k, c) is denoted $c = \phi(k)$. In the case of a Cobb-Douglas production function and a utility function with constant elasticity of inter-temporal substitution, the most studied case in textbooks, $\phi(0) = 0$ and $\phi'(x) > 0, \forall x \geq 0$.² In particular, if $k(0) < k^*$, consumption increases strictly from $\phi(k(0))$ to c^* . If $k(0) > k^*$, consumption is strictly decreasing from $\phi(k(0))$ to c^* .

If consumption can no longer jump on the stable path, but is governed by a bounded change, and must remain above a given threshold \underline{c} over time, all states do not have the same status: from the viable ones, there exists at least one solution remaining in the set of constraints until the time horizon T ; from the non viable ones, all solutions leave the set of constraints before the time horizon T .

Straightforward propositions help situate viability with respect to Pontryagin solutions. From Eq. (9),

$$V'(\theta) = \rho \int_{\theta}^{\infty} (-w(c(\theta)) + w(c(t))) e^{-\rho(t-\theta)} dt \quad (11)$$

On the stable branch converging to the saddle point, consumption varies monotonically, hence:

²The concavity of the stable branch (the saddle path) depends on the inter-temporal elasticity of substitution (Barro and Sala-i-Martin, 1995, chapter 2).

Proposition 2.1 *An optimal path converging to the saddle point and on which consumption $c(\cdot)$ is increasing is Brundtland-sustainable in the sense that it satisfies condition (10). Optimal paths with decreasing consumption cannot be Brundtland-sustainable.*

(proof obvious).

The minimal consumption threshold, $\underline{c}(t) > 0$, is such that:

Proposition 2.2 *If, for any time t , $\underline{c}(t) > c^*(t)$, then all optimal consumption paths converging to the saddle point and starting from (k, c) , $c \geq \underline{c}(0)$, leave the set of constraints in finite time, or equivalently, no such state (k, c) is viable.*

If $k(0) \leq k^*(0)$, then the optimal consumption path increases along the stable branch to $c^*(0) < \underline{c}(0)$, failing to guarantee the minimal consumption criterion during the transition. If $k(0) > k^*(0)$, the optimal consumption path decreases to $c^*(t)$, again failing to satisfy the minimal consumption criterion on the part of the saddle-path going from $\underline{c}(t)$ to $c^*(t)$. We focus hereafter on the case $\underline{c}(t) < c^*(t)$.

Proposition 2.3 *Define $\underline{k}(t) = \phi^{-1}(\underline{c}(t))$ such that $0 < \underline{k}(t) < k^*(t)$. If $\underline{c}(t) < c^*(t)$, then:*

1. *if $0 \leq k(0) < \underline{k}(t)$, the optimal consumption path leaves the constraints: $(k(0), c(0))$ is not viable.³*
2. *if $\underline{k}(t) \leq k(0) \leq k^*(t)$, the optimal consumption path remains in the constraints and is Brundtland-sustainable: $(k(0), c(0))$ is viable.*
3. *if $k(0) > k^*(t)$, the optimal consumption path remains in the constraints $c(t) \geq \underline{c}(t)$ for all $t \geq 0$: $(k(0), c(0))$ is viable, but not Brundtland-sustainable.*

³In such a case, the optimal consumption paths are increasing, and Brundtland-sustainable by Proposition 1. However, this is of little interest if consumption is lower bounded.

These properties, stemming from the structure of the optimal paths in the Ramsey model and from Proposition 2.1, reveal a feature of inter-temporal optimization models: initially optimal economies starting from insufficient capital (case 1 of Proposition 2.3) cannot be viable (in the sense of guaranteeing a minimal standard of living). Optimal economies with a large enough allowance in endowment of capital (case 3) are viable, but not Brundtland-sustainable: inter-temporal substitution and income effects inherent in the standard neoclassical optimal growth model yield strictly decreasing optimal consumption patterns, and a subsequent decreasing net present value. The virtuous configuration where Pontryagin optimality occurs together with viability and Brundtland-sustainability lies in the intermediate case 2, where the agent consumes moderately, thus accumulating capital and continuing to increase the income of future generations.

We confirm the point made by Arrow et al. (2004), that inter-temporal optimality need not be compatible with any sustainability criterion. In this section, we showed this property for the minimal consumption criterion and for Brundtland sustainability. But if optimality in the sense of Pontryagin does not guarantee sustainability, is it possible to characterize sustainable paths in a more operational way than the mere fulfillment of state constraints (2) or (10)? This is the question we address now, in examining the relationship between optimality and viability.

3 Pontryagin Optimality and Viability: Theory

3.1 A Short Introduction to Viability Theory

Consider the autonomous problem $\{(3),(7)\}$, for n constant. It has a synthetic expression as a differential inclusion:

$$x'(t) \in F(x(t)) \text{ and } \forall t, x(t) \in K \tag{12}$$

with $K = \mathbb{R}^{+*} \times \mathbb{R}^+$, $x = (k, c)$ and

$$F(x) = \{(f(k) - c - (n + \delta), u) \mid u \in U\}. \quad (13)$$

A state $x_0 = (k_0, c_0)$ is said to be viable in K under F if there exists at least one solution $x(t)$ of Eq. (12), starting from $x(0) = x_0$ and remaining in K forever. A set of viable states is called a viability domain, and Aubin (1997) showed that there exists a maximal viability domain including all other viability domains. This set is the viability kernel $\text{Viab}_F(K)$ (which is then a set of initial conditions):

$$\text{Viab}_F(K) := \{x_0 \mid \exists x(\cdot), x(0) = x_0 \text{ and } \forall t \geq 0, x'(t) \in F(x(t)), x(t) \in K\} \quad (14)$$

Trajectories visiting states outside the viability kernel are doomed to fall below their sufficiency thresholds. For viable states, some trajectories may also pass under the threshold, but there is at least one that does not. The viability property is translated into local terms through the ‘‘tangential’’ condition:

Theorem 3.1 (Bebernes and Schuur, 1970) *For $F : \text{Dom}(F) \subset X \mapsto X$ an upper semi-continuous correspondence with convex compact values and such that:*

$$\sup_{y \in F(x)} \|y\| \leq b(\|x\| + 1) \quad (15)$$

for some real b . K is a viability domain for F if and only if

$$\forall x \in K, F(x) \cap T_K(x) \neq \emptyset \quad (16)$$

where $T_K(x) = \{v \in X \text{ such that } \liminf_{h \rightarrow 0} \frac{1}{h} d_K(x + hv) = 0\}$ is the contingent cone to K at x and $d_K(x)$ the distance from x to K .

Viability conditions are stipulated at each time, not necessarily in the neighborhood of equilibria or attractors. Contrary to optimization, we are no longer concerned with predicting the trajectory the system will take, but with the maintenance of the system in K . What matters is that a right decision must be selected at the right time so as to remain in K . No knowledge of the future is required,

as it is for an optimal decision. This makes viability theory valuable for dealing with sustainability.

Saint-Pierre (1994) devised an algorithm to compute this viability kernel when F is Marchaud⁴ and Lipschitz. He discretized Eq. (12) so that the sequence of subsets K_j starting at $K_0 = K$ and defined recursively by:

$$K_{j+1} := K_j \cap F(K_j) \quad (17)$$

converges to a subset contained in the viability kernel of K under F . He showed that this sequence converges to the viability kernel if F is also Lipschitz:

$$\text{Viab}_F(K) = \bigcap_{j=0}^{\infty} K_j \quad (18)$$

Although this algorithm is theoretically valid in any dimension, in practice, as K is reduced to a discrete grid, the algorithm must be able to update every cell of the grid at any time, which is a formidable task exceeding the memory of most computers. The algorithm is then limited to three state dimensions. Bonneuil (2006) addressed the computation of viable states and of the viability kernel in large state dimension, using a different procedure, based on stochastic optimization. The idea is to minimize the distance to the set of constraints of solutions starting from a given state, and to assess the viability status of this state whether or not the minimization of the distance leads to at least one trajectory remaining in the set of constraints. The search for viable states is also achieved by the minimization of a distance to the set of constraints, so that the procedure relies on a double stochastic optimization: one where the initial state under examination is fixed, so as to decide whether it is viable or not, and one where this initial state is varied. We shall use this algorithm later in our computational work later on.

⁴A set-valued map $F : X \rightarrow K$ is a Marchaud map if the graph and the domain of F are closed and not empty; the values $F(x)$ are convex; F is non “explosive”: $\exists b \forall x \in \text{Dom}(F), \|F(x)\| := \max_{y \in F(x)} \|y\| \leq b(\|x\| + 1)$.

3.2 The viability-capture basin: the non autonomous case

Consider the non autonomous problem $\{(4),(7)\}$, for n constant. It has a synthetic expression as a differential inclusion:

$$x'(t) \in F(x(t)) \text{ and } \forall t, x(t) \in K \quad (19)$$

with $x(t) = (k(t), c(t), t)$, $K = \mathbb{R}^3$, and

$$F(x) = \{(f(k, t) - c - \delta k - nk, u, 1) \mid u \in U\}. \quad (20)$$

A state $x_0 = (k_0, c_0, 0)$ is said to be viable in $K \subset \mathbb{R}^2 \times \{0\}$ under F if there exists at least one solution $x(t)$ under Eq. (19), starting from $x(0) = x_0$ and that remains in K until horizon T and hits the target $C := \mathbb{R}^2 \times \{T\}$. The *capture-viability basin* $\text{Capt}_F(K, C, T)$ at time horizon T of a target-set C viable in K under the dynamic F is defined as the set of all states of $\mathbb{R}^2 \times \{0\}$ from which there exists at least one solution that remains in K until time T and hitting the target C at time T :

$$\text{Capt}_F(K, C, T) := \{x_0 \mid \exists x(\cdot), x(0) = x_0 \text{ and } \forall t \geq 0, x'(t) \in F(x(t)), x(t) \in K, x(T) \in C\} \quad (21)$$

Both Saint-Pierre's (1994) and Bonneuil's (2006) algorithms are adapted to compute capture-viability basins after the modification of the image $F(x)$ of x into:

$$\begin{cases} F(x) & \text{if } x(t) \notin C \\ \overline{\text{Co}}\{F(x) \cup \{0\}\} & \text{if } x(t) \in C \end{cases} \quad (22)$$

where $\overline{\text{Co}}A$ designates the closure of the smallest convex set containing the set A .

3.3 Link between Optimality and Viability

We show that optimal solutions remaining in the constraints start from the boundary of a specific capture viability basin. The classical treatment of optimality in the Ramsey model is to maximize the Hamiltonian and to focus on the

behavior around the steady state. However, what about non stationary solutions which do nonetheless remain in the set of constraints?

To the classical program of inter-temporal utility maximization, we add constraints on consumption and on consumption change. We define the auxiliary system:

$$\begin{aligned} & \max_{u(\cdot)} \sup_{t \geq 0} \int_0^t w(c(\tau)) e^{-\rho\tau} d\tau \\ & \text{subject to} \\ & \left\{ \begin{array}{l} (i) \quad k'(t) = f(t, k(t)) - (n + \delta)k(t) - c(t) \\ (ii) \quad c'(t) = u(t) \\ (iii) \quad t' = 1 \\ (iv) \quad y'(t) = -w(c(t))e^{-\rho t} \end{array} \right. \end{aligned} \quad (23)$$

under state constraints defining the closed set K :

$$\left\{ \begin{array}{l} k(t) \geq 0 \\ c(t) \geq \underline{c} \end{array} \right. \quad (24)$$

and control constraints:

$$u(t) \in U := [u^b, u^\#] \quad (25)$$

Defining $x := (k, c, V, t)$, the state of the system is $\tilde{x} := (x, y) := (k, c, V, t, y) \in \mathbb{R}^{+5}$.

Cannarsa and Frankowska (1991) showed that the infimum of $\int_0^\infty g(x(t)) dt$ for a given positive continuous function g and a continuous-time dynamic $x'(t) \in F(x(t))$ (in continuous time) under constraints $x \in K$ for a closed set K is obtained on the boundary in the direction of low y of the viable capture basin of the set K of constraints associated with the auxiliary system:

$$\left\{ \begin{array}{l} x'(t) \in F(x(t)) \\ y'(t) = -g(x(t)) \end{array} \right. \quad (26)$$

where y is an auxiliary variable.

Similarly, the maximum is obtained on the boundary in the direction of high y of the viable capture basin of K associated with this auxiliary system. Some authors mistakenly believe that programming the maximum is achieved by changing

a plus into a minus and the viability kernel into another specific set (the “invariance kernel”). The maximum requires a specific treatment and the interesting set is a viability-capture basin:

Proposition 3.2 *For $g : X \rightarrow \mathbb{R}^+$ a positive continuous function, the valuation function of the T -horizon control problem:*

$$\overset{T^{\text{sup}}}{V}(x) = \sup_{u(\cdot) \text{ solution to (26)}} \int_0^T g(x(\tau)) d\tau \quad (27)$$

with $x(0) = x$, is related to the capture viability basin $\text{Capt}_{(26)}(K \times \mathbb{R}^+, K, T)$ by:

$$\overset{T^{\text{sup}}}{V}(x) = \sup_{(x,y) \in \text{Capt}_{(26)}(K \times \mathbb{R}^+, K, T)} y \quad (28)$$

Proof: For a given time horizon T , $\forall (x_1, y_1) \in \text{Capt}_{(26)}(K \times \mathbb{R}^+, K, T)$, $\exists u(\cdot)$ and $x(\cdot)$ such that $x(0) = x_1$, $\forall t \geq 0$, $x(t) \in K$, and $y(t) = y_1 - \int_0^t g(x(\tau)) d\tau \geq 0$. At time T , the target $C = K$ is hit, so that

$$y(T) = 0 \quad (29)$$

and

$$y_1 = \int_0^T g(x(\tau)) d\tau \quad (30)$$

Hence,

$$y_1 \leq \overset{T^{\text{sup}}}{V}(x) \quad (31)$$

or

$$\sup_{(x,y) \in \text{Capt}_{(26)}(K \times \mathbb{R}^+, K, T)} y \leq \overset{T^{\text{sup}}}{V}(x) \quad (32)$$

Conversely, take a sequence $(\epsilon_n)_{n \in \mathbb{N}}$ of strictly positive real numbers converging to zero. Then, by definition of the supremum, we can associate a sequence of solution $(x_n(\cdot))_{n \in \mathbb{N}}$:

$$\begin{aligned} & \forall \epsilon_n > 0, \exists x_n(\cdot) \mid x_n(0) = x \text{ and } \forall t, x_n(t) \in K \\ & \text{and } \overset{T^{\text{sup}}}{V}(x) - \epsilon_n \leq \int_0^T g(x_n(\tau)) d\tau \leq \overset{T^{\text{sup}}}{V}(x) \end{aligned} \quad (33)$$

If $\bar{V}^{T^{\text{sup}}}(x)$ is finite, $\int_0^T g(x_n(\tau)) d\tau$ converges. As g is continuous and K closed, $x_n(\cdot)$ converges in K , to a solution $x(\cdot)$. By letting ϵ_n tend to zero,

$$\bar{V}^{T^{\text{sup}}}(x) \leq \int_0^T g(x(\tau)) d\tau \quad (34)$$

hence

$$\bar{V}^{T^{\text{sup}}}(x) = \int_0^T g(x(\tau)) d\tau \quad (35)$$

with

$$\forall t, x(t) \in K \text{ and } x(0) = x \quad (36)$$

Subsequently,

$$(x, \bar{V}^{T^{\text{sup}}}(x)) \in \text{Capt}_{(26)}(K \times \mathbb{R}^+, K, T) \quad (37)$$

□

The proposition identifies optimal paths that remain in the set of constraints. An analytic expression for the sets involved is unlikely to be available, because of non linearity and set-valued analysis, and except in trivial cases the solution is computational.

Proposition 3.2 extends to the infinite horizon optimal control problem.

Proposition 3.3 *For $g : X \rightarrow \mathbb{R}^+$ a positive continuous function, the valuation function in the infinitesimal horizon control problem:*

$$\bar{V}^{\infty^{\text{sup}}}(x) = \sup_{u(\cdot) \text{ solution to (26)}} \int_0^{\infty} g(x(\tau)) d\tau \quad (38)$$

with $x(0) = x$, is related to the capture viability basin

$$\text{Capt}_{(26)}(K \times \mathbb{R}^+, K) := \bigcup_{T \geq 0} \text{Capt}_{(26)}(K \times \mathbb{R}^+, K, T) \quad (39)$$

by:

$$\bar{V}^{\infty^{\text{sup}}}(x) = \sup_{(x,y) \in \text{Capt}_{(26)}(K \times \mathbb{R}^+, K)} y \quad (40)$$

proof: As g is positive, $\forall x \in X, \forall T \geq 0, \bar{V}^{\infty\text{sup}}(x) \geq \bar{V}^{T\text{sup}}(x)$. From Proposition 3.2, $\forall T \geq 0$,

$$\forall T \geq 0, \bar{V}^{\infty\text{sup}}(x) \geq \sup_{(x,y) \in \text{Capt}_{(26)}(K \times \mathbb{R}^+, K, T)} y \quad (41)$$

or

$$\bar{V}^{\infty\text{sup}}(x) \geq \sup_{(x,y) \in \bigcup_{T \geq 0} \text{Capt}_{(26)}(K \times \mathbb{R}^+, K, T)} y \quad (42)$$

or

$$\bar{V}^{\infty\text{sup}}(x) \geq \sup_{(x,y) \in \text{Capt}_{(26)}(K \times \mathbb{R}^+, K)} y \quad (43)$$

Conversely, take a sequence $(\epsilon_n)_{n \in \mathbb{N}}$ of strictly positive real numbers converging to zero. Then, by definition of the supremum, we associate a sequence of solution $(x_n(\cdot))_{n \in \mathbb{N}}$:

$$\begin{aligned} \forall \epsilon_n > 0, \exists T_n \geq 0, \exists x_n(\cdot) \mid x_n(0) = x \text{ and } \forall t, x_n(t) \in K \\ \text{and } \bar{V}^{\infty\text{sup}}(x) - \epsilon_n \leq \int_0^{T_n} g(x_n(\tau)) d\tau \leq \bar{V}^{\infty\text{sup}}(x) \end{aligned} \quad (44)$$

For all $t \in [0, T_n]$, $x_n(t)$ belongs to K , then $(x, \bar{V}^{\infty\text{sup}}(x) - \epsilon_n)$ belongs to $\text{Capt}_{(26)}(K \times \mathbb{R}^+, K, T_n)$, then to the union over T , $\text{Capt}_{(26)}(K \times \mathbb{R}^+, K)$. Then, similar to in the proof of Proposition 3.2, with $n \rightarrow \infty$, $(x, \bar{V}^{\infty\text{sup}}(x)) \in \text{Capt}_{(26)}(K \times \mathbb{R}^+, K)$.

Finally, $\bar{V}^{\infty\text{sup}}(x) = \sup_{(x,y) \in \text{Capt}_{(26)}(K \times \mathbb{R}^+, K)} y$.

□

4 Computing Viability Kernels

We begin with the simple viability problem $\{(4),(7)\}$ with minimal consumption, then with the criterion of non-decreasing inter-temporal social welfare—the Brundtland criterion—and then we shall check robustness. For the specific problem (23), the introduction of the auxiliary variable adds one dimension; even two in the autonomous case because time in System (23) is a variable in its own right through the discounting term $\exp(-\rho t)$. The computation must be done in state

dimension greater than three, a task made possible by Bonneuil’s (2006) viability algorithm. A variant of this algorithm (Bonneuil, forthcoming) is used to compute the boundary of the capture viability basin in the direction of high y without the knowledge of the whole viability kernel, which is very time-consuming. The principle involves two steps: firstly, a viable state is found for the auxiliary dynamic; secondly y is maximized for the same x . For each new attempt (x, y) , a simulated annealing is performed to find one trajectory remaining in K and reaching the target C on time horizon T . For T infinite, an approximation and extrapolation of “reaching the target” is used, a task here made easy by the discounting term $\exp(-\rho t)$.

4.1 Minimal Consumption Viability

Figure 1 shows a set of attainable states from a given initial state x_0 and the viability kernel for constant minimal consumption \underline{c} in the autonomous case. It contains all initial states from which an agent can navigate in capital and consumption, with the changes in consumption the agent can afford or she is compelled to make. At any time, the agent is able to safeguard minimal satisfaction, because, by definition, his or her state (k, c) remains in the set of constraints defined by Eq. (7). Within the viability kernel, any change in consumption is viable. The difficulty lies at the boundary of the viability kernel: on the boundary in the direction of high consumption, the only viable change in consumption is reduction at velocity $u^b := \inf_U u(t)$, leading to both reduction in consumption and capital, until reaching the boundary of the set of constraints itself, which occurs at $c = \underline{c}$, allowing the entrance into the interior of K again (semi-permeability property of Quincampoix, 1990). The boundary $c = \underline{c}$ of the viability kernel is also the boundary of the set of constraints, so that the control $u(t)$ is not necessarily unique (as indeed it is not in our Ramsey case study) .

In the autonomous case, with $f(k) := Ak^\alpha$ (with parameters A as technolog-

ical level and α as capital share), when velocity is maintained at the minimum available u^b (so that $c = c_0 + u^b t$), the corresponding boundary solution is a function $k = \kappa_{u^b}(c)$ at f , n , and δ fixed. The viability boundary in the direction of high c corresponds to the solution of:

$$d\kappa_{u^b} = \frac{1}{u^b} (f(\kappa_{u^b}) - c - (\delta + n)\kappa_{u^b}) dc \quad (45)$$

passing through $(f^{-1}(\underline{c}), \underline{c})$. The non autonomous case is less straightforward.

4.2 Optimal Inter-Temporal Consumption

The maximum of the integral of the net present utility is obtained by remaining on the boundary of the capture-viability basin of K in System $\{(23),(24)\}$ in the direction of high y . With the specification $w(c) = \frac{c^{1-\sigma}}{1-\sigma}$ and $f(k) = Ak^\alpha$, Figure 2 presents states on the projection of this boundary onto the space (k, c, y) . These states give maximal $\int_0^\infty w(c(\tau))e^{-\rho\tau} d\tau$ with (k, c) remaining in the set of constraints.

Figure 2 shows that intertemporal utility y can be maximized along other (viable) trajectories than the saddle path of Pontryagin maximization. One trajectory $(k(\cdot), c(\cdot), y(\cdot))$ is represented: it leads from the initial state $x(0) = (k(0), c(0), 0, y(0) = y_0)$ to $(k(T), c(T), T, y(T) \approx 0)$. As $x(0)$ is on the boundary of the viability-capture basin, y_0 is the maximal value attainable from $k(0), c(0)$ while satisfying the state and the control constraints all along the trajectory. Notably, no jump in consumption is allowed, as it is in the classical Ramsey framework. In the case of Figure 2, we recognize that $c(T) \approx c^*$, but there is a transitional phase during which $c(t)$ moves to c^* with its constraints U on consumption change. The slight “fluctuations” displayed by the trajectory on Figure 2 come about because of the numerical precision inherent in simulated annealing. They should not deflect attention from the efficiency with which Bonneuil’s algorithm successfully identifies the correct trajectory and the correct boundary.




Figure 1: Viability kernel, delimited by the black line in the direction of high consumption, by \underline{c} in the direction of low consumption, with an example of a set of attainable states. $f(k) = 0.04\sqrt{k}$, $n + \delta = 0.01$ (autonomous case).




Figure 2: Maximal $\int_0^T w(c(\tau))e^{-\rho\tau} d\tau$ with $(k(\cdot), c(\cdot))$ remaining in the set of constraints. Case $f(k) = 0.04\sqrt{k}$, $n + \delta = 0.01$, $\rho = 0.05$, $\sigma = 0.5$.

Obtaining the extremum of the integral criterion through viability has the advantage that constraints are specifically taken into account; they do not appear as a penalization in a static formulation using Lagrange multipliers. Hamilton-Jacobi-Bellman requires properties of entering field (Soner condition). With viability, the delineation of the viability kernel allows the absence of entering field on the border of K . Also, both viability theory and algorithm support non-linearity naturally.

If the initial state (k_0, c_0) is both located on a saddle path of Pontryagin maximization and not viable, where is the “second best” initial state (k_0, c_0^*) on which to jump by immediately reducing consumption c_0 to c_0^* so that $V(0)$ is maximal? The answer is given by the shape of the boundary of the viability kernel in direction of high y on Figure 2: numerical simulations show that its planar shape increases significantly with c_0 (coefficient 0.91 with standard deviation 0.08 in the regression of $V(0)$ on c_0 and k_0). Then the second best is obtained in jumping to the state (k_0, c_0^*) located on the boundary of the viability kernel in direction of high consumption in the plane (k, c) .

4.3 Brundtland Sustainability

In Section 2.2 we showed that Brundtland sustainability amounts to adding Eq. (10), which yields:

$$V(\theta) \geq \frac{w(c(\theta))}{\rho} \quad (46)$$

We introduce the auxiliary variable y , and with it, the time variable t involved in y if it is not present yet:

$$\left\{ \begin{array}{l} (i) \quad k'(t) = f(t, k(t)) - (n + \delta)k(t) - c(t) \\ (ii) \quad c'(t) = u(t) \\ (iii) \quad t' = 1 \\ (iv) \quad V'(t) = -w(c(t)) + \rho V(t) \\ (v) \quad y'(t) = -w(c(t))e^{-\rho t} \end{array} \right. \quad (47)$$

Satisfying the Brundtland condition amounts to having (k, c, t, V, y) remain in the closed set defined by the constraints $\{(24), (46)\}$ until reaching the target $y = 0$ at the time horizon. The dynamics (47) is 5-dimensional. The numerical computation follows Bonneuil's (2006) algorithm. The robustness to parameters is addressed below.

The comparison in Figure 3 of the projection onto the plane $(k, c, 0)$ of the viability kernel with and without Brundtland sustainability highlights the necessity to reduce one's consumption with the hope of being Brundtland-sustainable. It also specifies the level of maximal consumption, when change in consumption is necessary (when the viability boundary is attained), and what this change u must be (such that there exists one trajectory remaining in K until a given time horizon T). Figure 1 presented the autonomous case, with a production function of the form $f(k) = Ak^\alpha$; Figure 3 presents the 3-dimensional non autonomous case with $f(t, k) = Ae^{\eta t}k^\alpha$ with a technological growth rate η .

Any Brundtland-viable state is viable without Brundtland sustainability, because the set of constraints with Brundtland is a subset of the set of constraints without Brundtland. This explains why the capture basin with Brundtland is included in the capture basin without it, a general result illustrated in Figure 3. We denote the maximum consumption, with $k' = 0$, in the autonomous system ($\eta = 0$) by $(\hat{k}^{**}, \hat{c}^{**})$, and define $k^{**}(t) = (A \exp(\eta t))^{1/(1-\alpha)} \hat{k}^{**}$ and $c^{**}(t) = (A \exp(\eta t))^{1/(1-\alpha)} \hat{c}^{**}$. The fact that the boundary of the viability kernel with Brundtland increases with k is due to positive technological progress, which enables trajectories starting from certain states with a high $k(0)$ and a $c(0) > c^{**}(0)$ to attain a $c(t) \leq c^{**}(t)$. Then, the system has the possibility of sliding over time at the same $k(t)$, and then of being Brundtland-viable. The fact that the boundary of the viability kernel without Brundtland increases with k is not as simple as in the autonomous case (Eq. (45)), hence the need for an algorithm.

Figure 3 also shows that the drop in allowed consumption from viability (suf-




Figure 3: Comparison of the projections onto the plane $(k, c, 0)$ of the viability kernel with and without Brundtland sustainability (non autonomous case). Case $f(k) = 0.21e^{0.005t}k^{0.55}$, $n + \delta = 0.011$, $\sigma = 0.5$, $\rho = 0.02$, $\underline{c} = 1.32$, $u^b = -0.034$, $T = 200$.

ficient consumption) to Brundtland sustainability increases with initial capital, a fact which implies that the rich must sacrifice more to enable Brundtland sustainability. The introduction of viability and sustainability into the Ramsey model has then a consequence on the distribution of the effort with respect to wealth.

4.4 Optimal Inter-Temporal Consumption with Brundtland Sustainability

Similar to our computation of the viable-optimal solution in the Ramsey model, the viable-optimal solution in the Ramsey model with Brundtland sustainability is obtained on the boundary of the viability kernel in the direction of high y of the 5-dimensional auxiliary system (47). The constraint of inequality (46) was added. The 3D-projection onto the space (k, c, y) is represented on Figure 4.

4.5 Robustness

Using the Bonneuil (2006) algorithm, we computed viability kernels with and without the Brundtland criterion for 200 different sets of parameters drawn at random. The parameters are:

- the elasticity σ in the iso-elastic utility function $w(c) = \frac{c^{1-\sigma}}{1-\sigma}$; the range of variation of σ was taken as $[0.2, 0.8]$;
- the technological progress level A (ranging in $[0.01, 0.5]$), the technological progress rate η (ranging in $[0.0, 0.03]$), and the capital share α (ranging in $[0.3, 0.7]$) in the production function $A \exp(\eta t) k^\alpha$;
- the consumption threshold \underline{c} (positive);
- the discounting factor ρ , which to satisfy the requirement of integral convergence for $T = \infty$, must be greater than $(1 - \sigma)\eta$, so ρ was drawn randomly




Figure 4: Maximal $\int_0^T w(c(\tau))e^{-\rho\tau} d\tau$ with $(k(\cdot), c(\cdot), t(\cdot), V(\cdot))$ remaining in the set of constraints, and particular trajectory leading to maximal $\int_0^T w(c(\tau))e^{-\rho\tau} d\tau$ with $(k(\cdot), c(\cdot), t(\cdot), V(\cdot))$ remaining in the set of constraints. Case $f(k) = 0.04\sqrt{k}$, $n + \delta = 0.01$, $\rho = 0.05$, $\sigma = 0.5$.

from $[(1 - \sigma)\eta, 0.05]$;

- the population growth rate n (in $[-0.02, 0.02]$);
- the set of controls, with u^b varying in $[-0.01, 0]$ and $u^\#$ in $[0, 0.01]$;
- T was set large enough so that all trajectories starting from any k in the $(k, c, 0)$ plane have the time to leave the set of constraints.

The regression of the volume of the viability kernel suffers from a selection issue, because we measure the effects of co-variates only when we observe the non emptiness of the viability kernel. This difficulty is solved by the two-stage Heckman procedure (Heckman, 1979; Wooldridge, 2002; Cameron and Trivedi, 2005). We recall that the dependency of the point $k^{**}(t), c^{**}(t)$ of maximum consumption with $k'(t) = 0$ on parameters is:

$$k^{**}(t) = \left(\frac{\alpha A e^{\eta t}}{n + \delta} \right)^{\frac{1}{1-\alpha}} \quad (48)$$

and

$$c^{**}(t) = f(k^{**}(t)) - (n + \delta)k^{**}(t) = c^{**}(0)e^{\frac{\eta t}{1-\alpha}} \quad (49)$$

For $0 \in U$, the viability kernel without sustainability is trivially empty for $\underline{c} > c^{**}(T)$, and trivially non empty for $\underline{c} \leq c^{**}(T)$. The identification of emptiness with the value of \underline{c} with respect to the state of maximum consumption $c^{**}(t)$ for which $k' = 0$ means that the inverse Mills ratio, an additional term introduced in the regression of the volume to correct the bias resulting from using a non-randomly selected sample (Heckman, 1979) –here the condition that the volume is non empty–, is automatically set to zero in the regression.

Similarly, for the viability kernel with sustainability, all states over $c^{**}(T)$ are passed through by trajectories which either leave K in finite time or require $c' < 0$ at least once, thus, from Proposition 2.1, these states are not Brundtland-viable. A state sliding along $(k^{**}(t), c^{**}(t))$, which is allowed when $0 \in U$, has a non decreasing net present value and is Brundtland sustainable. Again, the

Heckmann procedure sets the inverse Mills ratio automatically to zero, because non emptiness is equivalent to $\underline{c} \leq c^{**}(T)$.

For the volume of the viability kernel without sustainability, Table 1 confirms what can be guessed from Figure 1 namely that the higher the consumption threshold \underline{c} , the smaller the viability kernel; and the higher the production coefficient A , the larger the viability kernel; the same is true for the technology growth rate η which accompanies A . Conversely, the population growth rate n , which appears in the expression of c^{**} for example with an effect contrary to that of A , has a decreasing effect on the volume of the viability kernel: population growth, in this Malthusian model, reduces wealth per head. The lower the minimal control u^b , the greater the scope for reducing one's standard of living and hence the larger the viability kernel.

For the volume of the viability kernel with sustainability, Table 2 shows the effect of relevant variables, notably the positive effect of $k^{**}(0)$ or $c^{**}(0)$ which is strongly correlated with $k^{**}(0)$, and the additional positive effect of the technological growth rate η . Proposition 2.1 implies that the value of the minimal change $u^b < 0$ in consumption plays no role on the volume of the viability kernel with sustainability, as the simulation confirms, and that non emptiness requires that the value of the maximal change $u^\#$ be non negative: at some time, the system must have a non decreasing consumption to prevent V from decreasing. Neither the discount rate ρ nor elasticity σ play any significant role. These two parameters slightly distort the set of equilibria and the viability kernel, but not sufficiently for this to be significant with the method of computing kernels by drawing points at random. The variation of the viability kernel with other parameters (technological level A , population growth rate n , capital share α) passes through the dependency on $c^{**}(t)$.

Table 1: Regression (two-step Heckman procedure) of the volume of the viability kernel *without* sustainability for $\underline{c} \leq c^{**}(T)$ (all variables standardized in $[0,1]$).

Variable	Estimate	Standard deviation
Intercept	0.04	0.03
minimal change u^b	-0.42*	0.02
maximal change u^\sharp	-0.01	0.02
technology level A	0.40*	0.03
technology growth rate η	0.17*	0.03
capital share α	0.30*	0.03
population growth rate n	-0.08*	0.03
minimal consumption \underline{c}	-73.44*	5.34
inverse Mills ratio	0.00	.

*: significant at the 5% level N=200, R=0.81

Table 2: Regression (Two-step Heckman procedure) of the volume of the viability kernel *with* sustainability for $\underline{c} \leq c^{**}(T)$ (all variables standardized in $[0,1]$).

Variable	Estimate	Standard deviation
Intercept	0.07	0.03
technology growth rate η	0.26*	0.03
maximal consumption c^{**} where $k' = 0$	25.15*	1.58
minimal consumption \underline{c}	-62.80*	4.23
discount rate ρ	-0.02	0.03
elasticity σ	0.02	0.03
inverse Mills ratio	0.00	.

*: significant at the 5% level N=200, R=0.74

Note: u^b and u^\sharp contained in c^{**}

5 Conclusion

Re-visiting the Ramsey model of neoclassical optimal growth, we enriched the theory by completing the usual concepts of optimal path and of equilibria with that of viable state. This allowed us to diversify the classical study of the sole optimal solution converging to the steady state: instead of looking at where the system goes, turned the question on its head: to satisfy given constraints, what are the initial states from which this is possible, and what are the changes in consumption that make this possible? By proceeding thus, we no longer needed to add an ad-hoc long-term outcome term to the traditional inter-temporal optimization of utility as in Chichilnisky (1993).

We delineated the viability kernel –the largest set of such viable states– in the autonomous and in the non autonomous cases. We went on to consider the constraint reflecting economic sustainability in the sense of the Brundtland commission, before situating optimality in the Pontryagin sense, Brundtland sustainability, and viability in relation with each other. We compared viability kernels with or without sustainability and showed by how much consumption must be reduced to ensure sustainability. Being outside the viability-capture basin requires an abrupt reduction in consumption to a Brundtland viable state, followed by the implementation of viable policies.

The viable-optimal solution in the sense of inter-temporal consumption is optimal among the solutions continuously satisfying the constraints. It is no longer obtained through Pontryagin, and we showed that it is obtained on the capture-viability boundary of an auxiliary system. We solved the similar problem augmented for Brundtland sustainability. We then successfully combined viability, optimality, and sustainability.

On the applied side, we revealed significant technological, demographic, consumption (\underline{c}), and decision-making (u^b) determinants of viability kernels. As expected in the Ramsey model which is Malthusian in spirit (population growth

always has a negative effect on wealth), population growth reduces the viability kernel, favoring the movement of the state toward poverty ($k = 0$), while technological progress always increases the viability kernel, giving more room to manoeuvre against impoverishment. We showed that technological progress works against population growth to favor the possibility for a given state of being viable or viable-sustainable.

We suggest that this new concept of viability and optimality-viability, which reveals the potential of economic models, in this case the simple Ramsey model, to account for the presence of constraints and for the intrinsic diversity and unpredictability in the resulting behaviors and destinies of the system.

References

- Asheim, G., W. Bossert, Y. Sprumont, and K. Suzumura. (forthcoming). "Infinite-horizon choice functions." *Economic Theory*.
- Arrow, K., P. Dasgupta, L. Goulder, G. Daily et al. 2004. "Are we consuming too much?" *Journal of Economic Perspectives*, 18(3): 147-172.
- Aubin, J.-P. (1997). *Dynamic Economic Theory: A Viability Approach*. Boston, Basel: Springer-Verlag Birkhäuser.
- Barro, R., and X. Sala-i-Martin. 1995. *Economic Growth*. New York, London, Montreal: McGraw Hill.
- Bebernes, J. W., and J. D. Schuur 1970. "The Wazewski topological method for contingent equations." *Annali di Matematica Pura et Applicata*, 87: 271-280.
- Bonneuil, Noël. 1994a. "Malthus, Boserup and Population Viability." *Mathematical Population Studies*, 4(5): 107-119.
- Bonneuil, Noël. 1994b. "Capital accumulation, inertia of consumption and norms of reproduction." *Journal of Population Economics*, 7: 49-62.

- Bonneuil, Noël. 2006. "Computing the viability kernel in large state dimension." *Journal of Mathematical Analysis and Applications*, 323(2): 1444-1454.
- Bonneuil, Noël. (forthcoming) "Computing the optimum under viability constraints."
- Bonneuil, Noël, and Romina Boarini (2004) "Preserving Transfer Benefit for Present and Future Generations." *Mathematical Population Studies*, 11(3-4): 181-204.
- Bonneuil, Noël, and Patrick Saint-Pierre. 2008. "Beyond Optimality: Managing Children, Assets, and Consumption over the Life Cycle." *Journal of Mathematical Economics*, 44(3-4): 227-241.
- Beltrati, A., G. Chichilnisky, and G. Heal .1994. "The environment and the long run: a comparison of different criteria." *Ricerche Economiche* 48: 319-340.
- Cameron, Colin A., and Pravin K. Trivedi. 2005. "Micro-econometrics, Methods and Applications." Cambridge: Cambridge University Press.
- Cannarsa, P., and H. Frankowska. 1991. "Some characterizations of optimal trajectories in control theory." *SIAM J. of Control and optimization*, 29: 1322-1347.
- Chichilnisky, G. (1993) "What is sustainable development?" Paper presented at the 1993 workshop of the Stanford Institute for Theoretical Economics.
- Heckman, James J. 1979. "Sample Selection Bias as a Specification Error." *Econometrica*, 47: 153-161.
- Le Kama, A., and K. Schubert. 2007. "A note on the consequences of an endogenous discounting depending on the environmental quality." *Macroeconomic Dynamics*, 11: 272-289.
- de Marco, Guiseppe, and Maria Romaniello. 2006. "Dynamics of mixed coalitions under social cohesion constraints." *Mathematical Population Studies*,

13(1): 39-62.

Nagumo, M. 1942. "Über die Lage der integralkurven gewöhnlicher Differentialgleichungen." *Proc. Phys. Math. Soc. Japan* 24: 551-559.

Quincampoix, Marc 1990. "Frontières de domaines d'invariance et de viabilité pour des inclusions différentielles avec contraintes." *Comptes-Rendus de l'Académie des Sciences, Paris*, 311: 411-416.

Ramsey, Frank P. 1928. "A mathematical theory of saving." *Economic Journal*, 38: 543-559.

Saint-Pierre, Patrick. 1994. "Approximation of the viability kernel." *Applied Mathematics and Optimization* 29: 187-209.

Valence, Arnaud. 2005. "Demand dynamics in a psycho-socio-economic evolving network of consumers." *Mathematical Population Studies*, 12(3): 159-179.

Van Geldrop, J., and C. Withagen, 2000. "Natural capital and sustainability." *Ecological Economics* 32: 445-455.

Withagen, C. (1998) "Theoretical aspects of the economic modelling of sustainable development." in J. van den Bergh and M. Hofkes (eds.), *Theory and Implementation of Economic models for Sustainable Development*. Dordrecht: Kluwer Academic Publishers, 101-110.

Wooldridge, Jeffrey M. 2002. *Econometric Analysis of Cross Section and Panel Data*. Cambridge, MA: MIT Press.

Recent titles

CORE Discussion Papers

- 2009/36. Sabien DOBBELAERE, Roland Iwan LUTTENS and Bettina PETERS. Starting an R&D project under uncertainty.
- 2009/37. Carlotta BALESTRA and Davide DOTTORI. Aging society, health and the environment.
- 2009/38. Alain PHOLO BALA. Urban concentration and economic growth: checking for specific regional effects.
- 2009/39. Alain PHOLO BALA. Gates, hubs and urban primacy in Sub-Saharan Africa.
- 2009/40. Nicolas BOCCARD. On efficiency, concentration and welfare.
- 2009/41. Taoufik BOUEZMARNI, Jeroen V.K. ROMBOUTS and Abderrahim TAAMOUTI. A nonparametric copula based test for conditional independence with applications to Granger causality.
- 2009/42. Jozef KONINGS and Hylke VANDENBUSSCHE. Antidumping protection hurts exporters: firm-level evidence from France.
- 2009/43. Pierre PESTIEAU and Uri M. POSSEN. Retirement as a hedge.
- 2009/44. Santanu S. DEY and Laurence A. WOLSEY. Lifting group inequalities and an application to mixing inequalities.
- 2009/45. Jean CAVAILHES, Pierre FRANKHAUSER, Dominique PEETERS and Isabelle THOMAS. Residential equilibrium in a multifractal metropolitan area.
- 2009/46. Daisuke OYAMA, Yasuhiro SATO, Takatoshi TABUCHI and Jacques-François THISSE. On the impact of trade on industrial structures: The role of entry cost heterogeneity.
- 2009/47. Ken-Ichi SHIMOMURA and Jacques-François THISSE. Competition among the big and the small.
- 2009/48. Frédéric BABONNEAU, Yurii NESTEROV and Jean-Philippe VIAL. Design and operations of gas transmission networks.
- 2009/49. Olivier BOS. How lotteries outperform auctions for charity.
- 2009/50. Nicolas BOCCARD and Xavier WAUTHY. Entry accommodation under multiple commitment strategies: judo economics revisited.
- 2009/51. Joachim GAHUNGU and Yves SMEERS. Multi-assets real options.
- 2009/52. Nicolas BOCCARD and Xavier WAUTHY. Regulating quality by regulating quantity: a case against minimum quality standards.
- 2009/53. David DE LA CROIX and Frédéric DOCQUIER. An incentive mechanism to break the low-skill immigration deadlock.
- 2009/54. Henry TULKENS and Vincent VAN STEENBERGHE. "Mitigation, adaptation, suffering": In search of the right mix in the face of climate change.
- 2009/55. Santanu S. DEY and Quentin LOUVEAUX. Split rank of triangle and quadrilateral inequalities.
- 2009/56. Claire DUJARDIN, Dominique PEETERS and Isabelle THOMAS. Neighbourhood effects and endogeneity issues.
- 2009/57. Marie-Louise LEROUX, Pierre PESTIEAU and Maria RACIONERO. Voting on pensions: sex and marriage.
- 2009/58. Jean J. GABSZEWICZ. A note on price competition in product differentiation models.
- 2009/59. Olivier BOS and Martin RANGER. All-pay auctions with endogenous rewards.
- 2009/60. Julio DAVILA and Marie-Louise LEROUX. On the fiscal treatment of life expectancy related choices.
- 2009/61. Luc BAUWENS and Jeroen V.K. ROMBOUTS. On marginal likelihood computation in change-point models.
- 2009/62. Jorge ALCALDE-UNZU and Elena MOLIS. Exchange of indivisible goods and indifferences: the Top Trading Absorbing Sets mechanisms.
- 2009/63. Pascal MOSSAY and Pierre M. PICARD. On spatial equilibria in a social interaction model.
- 2009/64. Laurence JACQUET and Dirk VAN DE GAER. A comparison of optimal tax policies when compensation or responsibility matter.
- 2009/65. David DE LA CROIX and Clara DELAVALLADE. Why corrupt governments may receive more foreign aid.

Recent titles

CORE Discussion Papers - continued

- 2009/66. Gilles GRANDJEAN, Ana MAULEON and Vincent VANNETELBOSCH. Strongly rational sets for normal-form games.
- 2009/67. Kristian BEHRENS, Susana PERALTA and Pierre M. PICARD. Transfer pricing rules, OECD guidelines, and market distortions.
- 2009/68. Marco MARINUCCI and Wouter VERGOTE. Endogenous network formation in patent contests and its role as a barrier to entry.
- 2009/69. Andréas HEINEN and Alfonso VALDESOGO. Asymmetric CAPM dependence for large dimensions: the Canonical Vine Autoregressive Model.
- 2009/70. Skerdilajda ZANAJ. Product differentiation and vertical integration in presence of double marginalization.
- 2009/71. Marie-Louise LEROUX and Grégory PONTIERE. Wives, husbands and wheelchairs: Optimal tax policy under gender-specific health.
- 2009/72. Yu. NESTEROV and Levent TUNCEL. Local quadratic convergence of polynomial-time interior-point methods for conic optimization problems.
- 2009/73. Grégory VANDENBULCKE, Claire DUJARDIN, Isabelle THOMAS, Bas DE GEUS, Bart DEGRAEUWE, Romain MEEUSEN and Luc INT PANIS. Cycle commuting in Belgium: Spatial determinants and 're-cycling' strategies.
- 2009/74. Noël BONNEUIL and Raouf BOUCEKKINE. Sustainability, optimality, and viability in the Ramsey model.

Books

- Public goods, environmental externalities and fiscal competition: 22 selected papers in public economics by Henry Tulkens*, edited and introduced by Parkash Chander, Jacques Drèze, C. Knox Lovell and Jack Mintz, Springer, Boston 2006 (588 pp.).
- V. GINSBURGH and D. THROSBY (eds.) (2006), *Handbook of the economics of art and culture*. Amsterdam, Elsevier.
- J. GABSZEWICZ (ed.) (2006), *La différenciation des produits*. Paris, La découverte.
- L. BAUWENS, W. POHLMEIER and D. VEREDAS (eds.) (2008), *High frequency financial econometrics: recent developments*. Heidelberg, Physica-Verlag.
- P. VAN HENTENRYCKE and L. WOLSEY (eds.) (2007), *Integration of AI and OR techniques in constraint programming for combinatorial optimization problems*. Berlin, Springer.
- P-P. COMBES, Th. MAYER and J-F. THISSE (eds.) (2008), *Economic geography: the integration of regions and nations*. Princeton, Princeton University Press.
- J. HINDRIKS (ed.) (2008), *Au-delà de Copernic: de la confusion au consensus ?* Brussels, Academic and Scientific Publishers.
- J-M. HURIOT and J-F. THISSE (eds) (2009), *Economics of cities*. Cambridge, Cambridge University Press.

CORE Lecture Series

- C. GOURIÉROUX and A. MONFORT (1995), *Simulation Based Econometric Methods*.
- A. RUBINSTEIN (1996), *Lectures on Modeling Bounded Rationality*.
- J. RENEGAR (1999), *A Mathematical View of Interior-Point Methods in Convex Optimization*.
- B.D. BERNHEIM and M.D. WHINSTON (1999), *Anticompetitive Exclusion and Foreclosure Through Vertical Agreements*.
- D. BIENSTOCK (2001), *Potential function methods for approximately solving linear programming problems: theory and practice*.
- R. AMIR (2002), *Supermodularity and complementarity in economics*.
- R. WEISMANTEL (2006), *Lectures on mixed nonlinear programming*.