

INTERNATIONAL FOOD POLICY RESEARCH INSTITUTE sustainable solutions for ending hunger and poverty

ENVIRONMENT AND PRODUCTION TECHNOLOGY DIVISION

MAY 2006

EPT Discussion Paper 153

Farmer Management of Production Risk on Degraded Lands: The Role of Wheat Genetic Diversity in Tigray Region, Ethiopia

Salvatore Di Falco, Jean-Paul Chavas, and Melinda Smale

2033 K Street, NW, Washington, DC 20006-1002 USA • Tel.: +1-202-862-5600 • Fax: +1-202-467-4439 ifpri@cgiar.org www.ifpri.org

IFPRI Division Discussion Papers contain preliminary material and research results. They have not been subject to formal external reviews managed by IFPRI's Publications Review Committee, but have been reviewed by at least one internal or external researcher. They are circulated in order to stimulate discussion and critical comment.

Copyright 2006, International Food Policy Research Institute. All rights reserved. Sections of this material may be reproduced for personal and not-for profit use without the express written permission of but with acknowledgment to IFPRI. To reproduce the material contained herein for profit or commercial use requires express written permission. To obtain permission, contact the Communications Division at ifpricopyright@cgiar.org.

ACKNOWLEDGMENT

We'd like to thank John Pender for his support as a colleague, for making the data available to us, and for his constructive comments on various drafts of this paper.

ABSTRACT

This paper investigates the effects of wheat genetic diversity and land degradation on risk and agricultural productivity in less favored production environments of a developing agricultural economy. Drawing production data from household survey conducted in the highlands of Ethiopia, we estimate a stochastic production function to evaluate the effects of variety richness, land degradation, and their interaction on the mean and the variance of wheat yield. Ethiopia is a centre of diversity for durum wheat and farmers manage complex variety mixtures on multiple plots. Econometric evidence shows that variety richness increases farm productivity. Variety richness also reduces yield variability but only for high levels of genetic diversity. Simulations with estimated parameters illustrate how planting more diverse durum wheat varieties on multiple plots contributes to improving farmer's welfare.

Keywords: Wheat genetic diversity; productivity; risk; land degradation; Ethiopia

TABLE OF CONTENTS

1. Introduction	1
2. Model	4
3. Background	7
4. Empirical Application	10
5. Empirical Results	15
6. Simulations	20
7. Conclusion	23
References	26

Farmer Management of Production Risk on Degraded Lands: The Role of Wheat Genetic Diversity in Tigray Region, Ethiopia

Salvatore Di Falco,¹ Jean-Paul Chavas,² and Melinda Smale³

1. INTRODUCTION

Coping with chronically low and variable yields of food crops is critical for the survival of farm households in dry environments of developing agricultural economies where agroclimatic conditions are challenging, technological progress is slow, and market institutions are poorly developed. Often, use of improved seed is limited by poor adaptation to local conditions, while use of fertilizers is uneconomic, either because moisture cannot be controlled through irrigation, or transport and transactions costs are prohibitive. Land degradation, brought about through a prolonged interface between human-induced and natural factors, exacerbates low productivity.

Managing risk exposure is an important preoccupation of agricultural households, particularly in such environments (Bromley and Chavas 1989, Paxson 1992, Fafchamps 1992, Deaton 1992, Fafchamps et al. 1998, Fafchamps and Pender 1997). Insurance mechanisms, whether formal or informal, often function imperfectly due to credit constraints, information asymmetries and commitment failures (Deaton 1990, Fafchamps 1992, Kurosaki and Fafchamps 2002). Off-farm, non-covariant income may be restricted. Although farmers can accumulate grain and livestock as buffer stocks, drawing down farm assets to meet consumption needs has long-

¹Senior Research Associate at CSERGE School of Environmental Sciences, University of East Anglia, <u>s.difalco@uea.ac.uk</u>
² Professor of Agricultural and Applied Economics, University of Wisconsin, Madison WI 53713,

jchavas@wisc.edu

Research Fellow, International Food Policy Research Institute, m.smale@cgiar.org

term consequences. Therefore, *ex ante* crop production decisions remains an important strategy for farm households (Just and Candler 1985, Fafchamps 1992, Chavas and Holt 1996).

Tigray region in the northern Ethiopian highlands is an example. During the last millennia, at least 25 severe drought periods were recorded, and crop production in most areas of Tigray "never topped subsistence levels" (REST: 137). Ethiopia has one of the highest rates of soil nutrient depletion in Sub-Saharan Africa (Stoorvogel and Smaling 1990; Grepperud 1996; FAO 2001). Hurni (1993) estimated that 42 t/ha of soil were lost on the sloped cropland of Ethiopia each year. More than half of the area in the highlands of Tigray is highly degraded. Concerted efforts have been made to rehabilitate the environment in Tigray over the past decade, although it remains one of the harshest in Ethiopia (Gebremedhin 1998; Gebremedhin and Swinton 2003).

Rainfall is sparse and unpredictable in Tigray, both over space and over time. Mean annual rainfall has been estimated at 650 mm or less over the past few decades (REST 1995; Pender and Gebremedhin 2004), and the coefficient of variation for yield in Tigray is four times the national level (REST 1995). Farms are characterized by highly varied micro-environments that differ in topography, soil type, rainfall, temperature and soil fertility, and this heterogeneity varies over relatively small distances (Bekele 1984; Hagos, Pender, and Gebreselassie 1999).

To manage *ex ante* the risks of food production in the highlands of Tigray, farmers have little other than their land and labour—and their crop genetic resources embedded in crop seeds. Having crop varieties that respond differently to weather randomness ensures that "whatever the environmental conditions there will be plants of given functional types that thrive under those conditions" (Heal 2000). Moreover, when harshness is an important feature of the physical environment, then facilitation (rather than competition) may increase as interactions among

plants exhibit a greater reliance on positive synergies (Vandermeer 1989; Bertness and Callaway 1994; Callaway 1995; Callaway and Walker 1997).

Ethiopia is a recognized global center of genetic diversity for several crops, including durum wheat (Harlan 1992; Vavilov 1949; Pecetti et al. 1992), and the majority of durum wheat varieties grown in Ethiopia are farmers' varieties, or "landraces." Geneticists have argued that the genetic variation or heterogeneity found in landraces of durum wheat provides insurance against crop failures under adverse conditions (Tesemma and Bechere 1998: 324). Bechere et al. (1996) have reported a high amount of variation in morphogenetic traits and other breeding attributes, specifically in seed samples collected from Tigray and other northern regions. Geneticists have ascribed the wide range of morphogenetic diversity in Ethiopia durum wheat to environmental factors, and to natural cross-fertilization from farmers' practice of growing variety mixtures contiguously.

Most households in the Tigray region remain far from roads, transport, and markets. Based on the survey data used in this paper, the average walking time to the nearest all-weather road is more than 2 hours, with 4 hours walking to the nearest bus service, and 3.5 hours to the nearest *woreda* town. Access to information is also difficult: at the time of the survey in 1998, only 15 percent of household heads had had formal schooling (only 6 percent had more than 2 years of formal education), and only 7 percent had participated in a literacy campaign (Pender and Gebremedhin 2004).

The econometric analysis presented in this paper illustrates how farmers use the richness of wheat varieties to enhance productivity and reduce yield variability on degraded land. This research relies on data drawn from a detailed survey of 135 wheat-growing households in the Tigray region, conducted in 1999. A stochastic production function approach (Just and Pope

1978) is used to test the effects of variety richness, degraded lands, and their interaction on the mean and variance of durum wheat yield. The analysis relies on large variations in weather conditions across space to estimate production risk and evaluate the role of genetic diversity in risk management. To evaluate the effects on farmer welfare, the estimated parameters are used to simulate the insurance value of higher levels of variety richness in the presence of high levels of land degradation.

2. MODEL

Consider a farm household involved in the production of farm output y. The farm technology is represented by the production function

 $\mathbf{y} = \mathbf{g}(\mathbf{x}, \mathbf{v}),$

where y is output, x is a vector of controllable inputs (e.g., fertilizer, land, labour, biodiversity), v is vector of non-controllable inputs (e.g., weather conditions), and g(x, v) denotes the largest feasible output given x and v. Of particular interest here are the interactions between the inputs x (including variety diversity) and the random variables v (representing production uncertainty), with implications for risk management.

Given our focus on subsistence farms, risk management decisions are made at the household level. In this context, the farm output y can be either consumed by the household or marketed: $y = c_1 + m$, where c_1 is the part of farm output consumed by the household, and m is the marketed surplus that can be marketed at price p_1 . The marketed surplus can be positive (m > 0) when the farm household produces more that it consumes, or negative (m < 0) when the household produces less than it consumes. The household also consumes another good c_2 that it can purchase at price p_2 . The household income is: $p_1 m + N(\mathbf{x})$, where $p_1 m$ is the income generated from the marketed surplus, and $N(\mathbf{x})$ denotes the net income from other activities (net

of the cost of inputs **x**). Normalizing prices such that $p_2 = 1$, the household budget constraint is: $c_2 \le p_1 m + N(\mathbf{x})$. With $m = y - c_1 = g(\mathbf{x}, \mathbf{v}) - c_1$, and assuming that the budget constraint is binding, solving the budget constraint for c_2 yields: $c_2 = N(\mathbf{x}) + p_1 [g(\mathbf{x}, \mathbf{v}) - c_1]$. Let $U(c_1, c_2)$ be a von Neumann Morgenstern utility function representing household preferences under risk. Under the expected utility model, the household makes decisions about c_1 and \mathbf{x} so as to solve the optimization problem

Max {EU(
$$c_1$$
, N(x) + p_1 [g(x , v) – c_1])}, (1)

where E is the expectation operator based on the subjective probability distribution of the uncertain variables (including production uncertainty \mathbf{v}) facing the decision maker.

Following Pratt (1964), consider measuring the implicit cost of private risk bearing by the risk premium R_a , where R_a satisfies EU(c_1 , N(\mathbf{x}) + p_1 [g(\mathbf{x} , \mathbf{v}) – c_1]) = U(c_1 , E[N(\mathbf{x}) + p_1 [g(\mathbf{x} , \mathbf{v}) – c_1]] - R_a). The risk premium R_a is the sure amount of money the decision maker is willing to pay to eliminate risk exposure by replacing the random revenue N(\mathbf{x}) + p_1 [g(\mathbf{x} , \mathbf{v}) – c_1] by its mean E[N(\mathbf{x}) + p_1 [g(\mathbf{x} , \mathbf{v}) – c_1]]. By definition, the decision maker is averse to risk, neutral to risk, or risk-loving when $R_a > 0$, = 0, or < 0, corresponding respectively to $\partial^2 U/\partial c_2^2 < 0$, = 0, or > 0 (Pratt 1964). The risk premium R_a depends in general on risk preferences and on the distribution of risk.

Given $\partial U/\partial c_2 > 0$, the maximization problem in equation (1) implies that all production decisions are made so as to solve the following maximization problem

Max {E[c₁, N(x) + p₁ g(x, v)] - R_a(x))}, (2)

where $E[c_1, N(\mathbf{x}) + p_1 [g(\mathbf{x}, \mathbf{v})] - R_a(\mathbf{x})$ is the "certainty equivalent" measured as the expected revenue minus the cost of private risk bearing (captured by the risk premium $R_a(\mathbf{x})$).

The variance of yields can contribute to the cost of private risk-bearing. Letting $\pi = N(\mathbf{x})$ + p₁ [g(\mathbf{x} , \mathbf{v})] and following Pratt (1964), the risk premium R_a can be approximated as

$$R_a \approx \frac{1}{2} r_a M_2 \quad (3)$$

where $M_2 = E[\pi - E(\pi)]^2$ is the variance of net revenue, and $r_a = -(\partial^2 U/\partial \pi^2)/(\partial U/\partial \pi)$ is the Arrow-Pratt coefficient of absolute risk aversion evaluated at $E(\pi)$. Therefore, the certainty equivalent, $CE = E(\pi) - R_a$, can be expressed as

 $CE \approx E(\pi) - \frac{1}{2} r_a M_2$ (4)

Risk-averse decision makers are adversely affected by risk, thus providing an incentive to reduce their risk exposure. To do so, farm households manage their production inputs in numerous ways. In dry, marginal environments of developing agricultural economies, *ex ante* risk management strategies involve planting decisions, such as sequential planting or multiple plots, crops and varieties. One hypothesis in the literature about on-farm crop genetic resources is that the genetic diversity of crop varieties enables farmers to better cope with production risk in marginal environments.

Equation (3) provides a convenient way to investigate this and related hypotheses concerning the cost of bearing risk, wheat diversity and land degradation. As a complement to (3), the "absolute risk premium" R_a can be expressed in relative terms as $R_r = R_a/E(\pi)$, where R_r is the "relative risk premium" measuring the risk premium as a proportion of expected return. Using (3), the relative risk premium can be approximated as

 $R_r \approx \frac{1}{2} r_a M_2 / E(\pi).$ (3')

The risk premium depends on the risk preferences of the decision maker. We consider the case of farmers who exhibit constant relative risk aversion (CRRA), where the Arrow-Pratt relative risk aversion coefficient $r_r \equiv r_a E(\pi)$ is constant with $r_r > 1$. Following Pratt (1964), this

corresponds to the utility function $U(c_1, \pi) = a(c_1) - b(c_1) \pi^{1-r_r}$, with $b(c_1) > 0$. Assuming constant relative risk aversion is attractive for three reasons. First, CRRA with r_r between 1 and 4 represents typical forms of risk behaviour (e.g., Binswanger 1981; Gollier 2001). Second, CRRA allows for risk aversion, and implies decreasing absolute risk aversion (where the risk premium decreases with wealth; see Pratt (1964)). This is consistent with experimental evidence on farmers' attitudes toward risk in Ethiopian highlands (Yesuf 2004). Third, assuming CRRA and constant returns to scale, and taking the cultivated area as given, maximizing expected utility of net income implies maximizing expected utility of net income per hectare.⁴ In this context, below, we will use equations (3), (3') and (4) to simulate the effects of risk and alternative management strategies on farmer's welfare.

3. BACKGROUND

The dataset used in the analysis is from a farm survey conducted in 1999 in the highlands (more than 1500 meters above sea-level (masl)) of Tigray region of Ethiopia by researchers from Mekelle University, the International Food Policy Research Institute (IFPRI), and the International Livestock Research Institute (ILRI). The survey involved a stratified sampling of farm households, with the strata being chosen according to agricultural potential, market access, and population density (Pender et al. 1999). In Tigray Region, peasant associations (PAs) were stratified by whether an irrigation project was present or not, and for those without irrigation, by distance to the *woreda* town (greater or less than 10 km). Three strata were defined, with 54 PAs randomly selected per strata. PAs closer to towns and in irrigated areas were selected with a

⁴ Let A denote farm size (measured by the area cultivated). Under constant return to scale, net revenue $\pi > 0$ is proportional to A: $\pi = k$ A, where k > 0 is net income per hectare. Under CRRA with $r_r > 1$, the expected utility is EU(c_1, π) = a(c_1) - b(c_1) (A^{1- r_r}) E k^{1- r_r}, where b(c_1) > 0. This shows that maximizing expected utility implies maximizing the expected utility of net income per hectare.

higher sampling fraction to assure adequate representation. Four PAs in the northern part of Tigray could not be studied due to the war with Eritrea. From each of the remaining PAs, two villages were randomly selected, and from each village, five households were randomly selected. A total of 50 PAs, 100 villages, and 500 households were then surveyed.

Usable data were available for 96 villages, or kushets. Out of 96 villages, 63 were growing wheat and modern varieties represented only about 23 percent of wheat area. These 63 villages are dispersed throughout the region of Tigray with the exception of the western part where no wheat producers are recorded in the sample. A total of 135 households grew wheat on 236 different plots in the survey year analyzed here. After controlling for outliers and observations with missing values for relevant variables, 118 observations remained.

Most of the population depends on mixed crop and livestock farming, and cereals are the most widely grown crops (85 percent of the cultivated land), including wheat, teff, barley, maize, finger millet, sorghum, and pearl millet. Oxen power is used for land preparation and threshing.

The wheat varieties named by farmers include a large number of local types as well as modern types. Varieties were selected by farmers from local germplasm and those they have adapted from modern varieties (Abay 2002). Twenty-seven named local varieties were grown in 50 kushets of Tigray during the survey period, and 10 modern wheat varieties, of which 9 could be traced to a known cultivar and pedigree history.

In and of themselves, these modern bread wheats are diverse with respect to breeding history, and release dates. They include 4 tall improved wheats, of which two originated in Kenya, in addition to a set of semi-dwarf wheats with ancestry from the International Center for Maize and Wheat Improvement (CIMMYT). CIMMYT ancestry entails complex genealogies with parental lines from international sources (Smale et al. 2002). The varieties with CIMMYT

ancestry that are grown in Tigray span three decades (1970s, 1980s, 1990s). In each decade, they include a variety from the leading CIMMYT cross of that time period. Of the cultivars released during the early green revolution, most were selections from the 'Mexipak' cross. The 'Veery' cross, which widened the gene pool of spring bread wheat through the 1BL/1RS wheat-rye (Secale cereale L.) chromosomal translocation, was the leading cross among cultivars released during the 1980s. Cultivars selected from the Attila cross (cross made in 1984, first cultivar released from selection in 1995) are now of growing popularity.

Most of the named local varieties are likely to be durum wheat because bread wheat is a more recent introduction. All improved varieties of wheat named are bread wheat, and many of the bread wheat varieties were brought in through government seed programs because they lodge less than the taller, improved durum wheat varieties of Ethiopia. The relationship between wheat variety names and genotype diversity has not been established conclusively in Tigray. Some researchers maintain that a variety is not named unless farmers recognize its distinctive phenological or agronomic features. Others argue that different names may be given to varieties with the same genotypes, reflecting farmers' use preferences. Furthermore, varieties that differ in genotype may be given the same name. Evidence from research at University of Mekelle suggests that farmers deliberately enhance the existing diversity of their wheat cultivars, by selecting different types of plants for seed based on their differential response to environmental stresses— in particular, lack of moisture. Rust diseases of wheat are not common, and pesticides are not applied (Abay 2002; Sefera, Adal, and Teshome 2002).

Inspection of the data shows that six wheat varieties dominated the plots planted in wheat in Tigray from 1991 to 1998. The landraces "white" and "black" are likely to be mixtures or landrace classes of durum wheat, differentiated by color and other characteristics but with

considerable within-variety genetic heterogeneity. The landrace Shehan or Shelan appears to be widely grown in much of Tigray, with many farmers producing it continuously and replacing the seed frequently from other farmer sources (Sefera, Adal, and Teshome 2002). Pavon and Enkoy also appear to be extensively grown in Tigray, and for some time. Enkoy has been described as a "rusticated" Kenyan improved variety introduced in Ethiopia in 1979. Enkoy is tall in stature, and although preferred for bread consumption, is vulnerable to stripe rust and performs poorly on less fertile soils. As a consequence, farmers tended to grow it with fertilizer (Hailye, Verkuijl, Mwangi, Yallew 1998).

4. EMPIRICAL APPLICATION

PRODUCTION FUNCTION ESTIMATION

In general, equations (1) and (2) allow for both price uncertainty and production uncertainty. Here we focus on the case of production uncertainty as represented by the stochastic production function $y = g(\mathbf{x}, \mathbf{v})$, where weather conditions (\mathbf{v}) are not known at planting time. We assume that the farmer has a subjective probability distribution about \mathbf{v} . Just and Pope (1978) proposed to specify $g(\mathbf{x}, \mathbf{v}) = f(\mathbf{x}) + [h(\mathbf{x})]^{1/2} e(\mathbf{v})$, where $h(\mathbf{x}) > 0$ and $e(\mathbf{v})$ is a random variable with mean zero and variance 1. In this context, the Just-Pope production function is

$$y = f(x) + e(v) [h(x)]^{1/2}$$
. (5)

This implies that $f(\mathbf{x})$ represents the mean production function, while $h(\mathbf{x})$ is the variance of output: $E(y) = f(\mathbf{x})$ and $Var(y) = Var(e) h(\mathbf{x}) = h(\mathbf{x})$. Given $\partial Var(y)/\partial \mathbf{x} = \partial h/\partial \mathbf{x}$, it follows that $\partial h/\partial \mathbf{x} > 0$ identifies inputs x that are risk-increasing, while $\partial h/\partial \mathbf{x} < 0$ identifies inputs that are risk-decreasing. Note that $e(\mathbf{v}) [h(\mathbf{x})]^{1/2}$ behaves like an error term with mean zero and variance

 $h(\mathbf{x})$. This reflects the fact that the Just-Pope specification corresponds to a regression model with heteroscedastic error term.

After choosing a parametric form for $f(\mathbf{x})$ and $h(\mathbf{x})$, the model can be consistently and efficiently estimated using maximum likelihood estimation. This provides consistent and asymptotically efficient estimates of the parameters, of the mean production $f^{e}(\mathbf{x})$, and of the variance $h^{e}(\mathbf{x})$.

The Just-Pope stochastic production function provides a convenient and flexible representation of the effects of inputs on means and variances. Widely applied, the approach has also been used in several previous studies that tested the effects of crop genetic diversity on productivity and yield variability (Smale et al. 1998; Widawsky and Rozelle 1998; Di Falco and Perrings 2005). We apply it to investigate the effects of variety diversity, land degradation, and their interaction on productivity and yield variability. The model and econometric approach enable us to explore the role of variety diversity in reducing the cost of risks borne by households farming degraded lands.

VARIABLES

Wheat yields are measured in kg per squared meter. Explanatory variables were constructed from the plot level data, which record the varieties of wheat grown, along with a set of cultivation and land management practices, input use and output in 1998. Table 1 defines explanatory variables and Table 2 reports summary statistics.

Labour	Quantity of labour in person day	
Oxen	Quantity of oxen power, in days	
Fertilizer	Fertilizer applied (1=yes; 0=no)	
Improved seed	Seed technology shift variable represented by use of improved varieties (1=yes; 0=no)	
Variety richness	Varieties richness index [(number of varieties)/ln(wheat area)]	
Land degradation	Share of eroded land	
Degradation*variety richness	interaction between variety richness and degradation	
Slope	Share of land on steep slope	
Altitude	Household altitude, masl	
Burning	Burning of crop residues (Yes=1; 0=No)	
Fragmentation	Number of plots planted to wheat	

Table 1--Variables list and definitions

i abiv 1- Descriptive statistics				
Variables	Mean	Std Deviation	Min	Max
Labour	22.7	16.38	2.8	94
Oxen	6.98	6.37	0	50
Fertilizer	0.33	0.47	0	1
Improved seeds	0.14	0.35	0	1
Variety richness	0.46	0.23	0.26	1.2
Land degradation	0.36	0.36	0	1
Degradation*variety richness	0.16	0.18	0	0.82
Altitude	2434	270	1840	2950
Slope	0.086			
Burning	0.088	0.28	0	1
Fragmentation	1.6	0.89	1	5

Table 1- Descriptive statistics

Conventional inputs are few in this wheat production system. Purchased input use on wheat plots consisted solely of fertilizer, but since only 25 of the 135 households applied it, a dummy variable was used to control for use. Similarly a dummy variable was added for the 15 farmers who burned crop residues. Labour and animal power is measured respectively in person days and oxen days. An intercept shift controls for differences in levels of yield between farmers' varieties and improved varieties, as categories of genetic resources. Two physical characteristics of wheat production are included. Plot altitude, which is associated closely with temperature and micro-climates, ranges from 1840 to 2950 masl for farmers surveyed. The dispersion or physical fragmentation of production is expressed by the number of plots planted to wheat. In the survey, farmers plant wheat on 1 to 5 plots.

Land degradation is a complex process affecting productivity and management decisions. Farmers' perception of the degree of degradation on plots was evaluated in the survey.⁵ In our model, we used the share of wheat production on lands classified by the farmer as eroded as a proxy for land degradation. Other physical characteristics can also affect the productivity of the land. In our sample, about 10 percent of the plots cultivated by all farmers surveyed are on "steep" slopes, and 40 percent have shallow soils (Pender and Gebremedhin 2004). To control for the potential effect of slope and shallow soils on both productivity and risk, we incorporated the share of land under the category "steep slope" and the share of land with shallow soil into the analysis. However, the latter was found statistically not significant. As a result, it was not included in the model specification reported in Table 3.

Table 2- Econometric results for mean yield function and variance function

⁵ Farmers' understanding of land degradation in Tigray has been analyzed in two studies Hunting (1976) and Tilahun (1996). These studies showed that farmers realized the consequences of land degradation on production and were aware of land quality differences.

Variables	Mean Yield	Variance Function
	Function	(B)
	(A)	
Constant	-0.41/***	
	(0.002)	
Labour	0.000615***	0.033***
	(0.00017)	(0.01)
Labour squared	0.000005	_
Luooui squarea	(0.73E-05)	
Fertilizer	0.0053	1 39***
rennizer	(0.0086)	(0.29)
Oven	0 0010**	0 13***
Oxen	(0.001)	(0.02)
Orașe a serve d	0.0000/7***	
Oxen squared	-0.00006/*** (0.22E-04)	-
	(0.221-04)	
Variety richness	1.1***	35***
	(0.127)	(6.7)
Variety richness-squared	-0.45***	-19.1***
	(0.062)	(3.35)
Land degradation	0.029**	7.17***
-	(0.0145)	(0.94)
Degradation*variety richness	-0.098***	-25***
Degradation variety nomess	(0.016)	(2.12)
Improved seeds	0.052***	1 95***
Improvou soous	(0.008)	(0.39)
Altitude	0 000073***	0.001**
Annude	(0.00001)	(0.0005)
	0.04***	2.02***
Fragmentation	-0.24*** (0.02)	-3.92*** (1.5)
	(0.02)	(1.5)
Burning	0.0089*	-
	(0.0033)	
Slope	-0.036***	4.1***
	(0.01)	(0.78)

Breusch Pagan statistics = 62.54.; F- statistic (B)= 11.96; Log Likelihood function: 208. 64; Restricted Log Likelihood:169.5 n = 116

Standard errors are in parentheses. Significance levels are denoted by one asterisk (*) at the 10 percent level, two asterisks (**) at the 5 percent level, three asterisks (***) at the 1 percent level.

Variety richness expresses one concept, or dimension of durum wheat diversity. No single indicator of genetic diversity can capture all dimensions of genetic diversity, nor all interactions between genes and the environment (Meng et al. 1998; Smale et al. 2002; Brock and Xepapadeas 2003). Here, we measure diversity by a modified Margalef index, adapted from the ecology literature. Variety richness is defined as the number of varieties that are grown and recognized as distinct by farmers, divided by the logarithm of wheat area cultivated by the household. Typically calculated over large areas and samples, the numerator of the Margalef index is defined as the number of species or sub-species less one.

Richness indices treat each unit as equal, accounting neither for relative abundance nor for genetic distance. Nonetheless, variety richness is an intuitive concept that has appeal in an applied study of farmer decision-making. Farmers observe variety richness, and policies can directly influence local levels of variety richness through encouraging the supply of new seed varieties or reducing the farmer's cost of obtaining them. Finally, to investigate the role of variety richness in possibly mitigating the effects of land degradation on productivity and yield risk, we introduce an interaction term between variety richness and land degradation.

5. EMPIRICAL RESULTS

We used a flexible quadratic functional specification for the mean function. This specification is particularly suited for the study of yield response and allows for zero values in the set of inputs. A linear specification was specified for the variance function, with a quadratic term for variety richness. Alternative specifications were also considered for the variance

function.⁶ In general, the estimated results reported below were found to be fairly robust to the model specification.

First, we examine whether the model may be subject to endogeneity issues. This would occur if some of the explanatory variables are correlated with the error term. For example, if variety richness were correlated with the error term, the least-squares estimate of the effects of variety richness on the mean and variance of wheat yield would be biased due to endogeneity. A similar situation may also arise with respect to land degradation. Thus, the potential presence of endogeneity must be tested.

A possible strategy to test for endogeneity is using a Durbin-Wu-Hausman test (see Davidson and MacKinnon 1993; Wooldridge 2002). The test involves estimating auxiliary reduced-form regressions for the right-hand side variables suspected to be endogenous, followed by estimation of an augmented original model including the reduced-form residuals as additional explanatory variables. The statistical significance of the coefficients associated with the residuals is then evaluated. First, the test was implemented for variety richness. The distance of the household from the nearest input supplier was used as an instrumental variable. The coefficient on the residual was not statistically different from zero. Thus, we failed to find statistical evidence of significant endogeneity related to variety richness. We also tested for endogeneity in our degradation measure in a similar way, using household distance from the nearest market town as instrument. Again, we found no evidence of endogeneity. On that basis, the econometric estimates reported below were obtained using weighted least squares.⁷

⁶ For instance, quadratic terms were used for land degradation along with interaction terms. However, these terms were found to be statistically insignificant. As a result, they are not included in the specification reported in table 3.

⁷ Given that only one instrument has been used for one endogenous variable, the Sargan-Hansen-based test for exogeneity of instruments, such as the C test, cannot be calculated. The equation is exactly identified. However, the data do show that each instrument is correlated with each potentially endogenous variable. Note that maximum likelihood estimation is equivalent to iterated weighted least squares estimation.

The null hypothesis of homoscedasticity was tested against alternative hypotheses of: i) general heteroscedasticity and ii) multiplicative heteroscedasticity (e.g. Just and Pope 1978 1979) using the Breusch Pagan test and an F-test. Results strongly reject the null hypothesis of homoscedasticity and find support for the multiplicative heteroscedastic model. On that basis, the Just and Pope specification provides an appropriate framework for the analysis presented in this article. After controlling for agro-climatic conditions (e.g., altitude, land degradation), the analysis relies on the spatial variations in weather conditions to estimate production risk and evaluate the role of genetic diversity in risk management.

ESTIMATION OF YIELD MEAN AND VARIANCE

The econometric results are reported in Table 3 for the mean function and the variance function. Most of the estimated coefficients in the mean function are statistically different from zero at the 1 percent significance level (Table 3, column A). Conventional inputs have positive marginal effects, consistent with theory. Labour and oxen have positive effects. The joint effects of oxen use and oxen use-squared are statistically significant with evidence of declining marginal returns. The quadratic term of labour is positive, though not statistically significant. The estimated coefficient for fertilizer use (primarily urea) is positive but not statistically significant. The estimated coefficient for the use of improved seeds is positive and statistically significant. Therefore, the use of new varieties increases mean yield. The practice of burning the crop residue is also positively and significantly correlated with mean yields. Physical characteristics of wheat production are also important. Altitude positively affects wheat productivity, probably due to the relatively cooler temperatures that are associated with higher elevation. Fragmented production significantly reduces yields and the use of burning is positively and significantly correlated with yield. The share of land with a steep slope affects productivity negatively, and it is statistically significant.

The effects of wheat diversity on mean yield are captured through three terms: a linear term, a quadratic term, and an interaction term with land degradation. Both the coefficient of the linear term and the coefficient of the quadratic term are statistically significant. This shows that crop genetic diversity exhibit decreasing marginal productivity. Evaluated at sample means, the elasticity of mean wheat yields with respect to variety richness is 3.33. This indicates that wheat genetic diversity has a large and positive effect on mean productivity. This positive effect of variety richness holds for the full range of values found in the sample. However, the coefficient of the interaction term between diversity and land degradation is negative and significant. This means that the effects of diversity on mean productivity are relatively larger when there is less land degradation. Alternatively stated, land degradation tends to reduce the mean productivity benefits of genetic diversity.

All the estimated coefficients associated with land degradation are highly significant. The coefficient of the linear term is positive, but the interaction effect of land degradation with variety richness is negative. When evaluated at sample means, the elasticity of wheat yields with respect to land degradation is negative (-0.06). In fact, increasing the share of degraded land planted to wheat is found to reduce productivity through most of the range of the sample data. The negative coefficient of the interaction term "land degradation - variety richness" implies that the effect of land degradation on mean production is sensitive to the level of crop genetic diversity.

Regression results for the variance function are shown in Table 3, column B. Both the linear and quadratic coefficients of variety richness are statistically significant. The positive linear term and negative quadratic term imply that variety richness reduces the variance of yields

but only above a certain wheat diversity level. Evaluated at sample means for the other variables, we find that the diversity decreases the variance when the richness index is above 0.68. Since the sample mean for the richness index is 0.45, this indicates that diversity reduces risk exposure for a significant part of the sample data. The coefficient of the interaction effect "land degradation variety richness" is negative and statistically significant. This implies that the range of values where diversity reduces risk exposure tends to increase with land degradation. To illustrate, consider the situation in which 55 percent of operated plots are degraded. Then, diversity would reduce the variance when the richness index is above 0.55. If instead, 70 percent of the plots are degraded, then a richness index larger than 0.45 would suffice to obtain a beneficial risk-reducing effect of diversity. This underscores that the risk-reducing benefits of crop genetic diversity can be relatively larger when degradation is more severe. It can also indicate the presence of facilitative (rather than competitive) effects of diversity as it may help buffer weather shocks in the presence of highly degraded soils. Under severe environmental conditions, different plants may be able to exploit positive synergies among them to reduce the adverse effects associated with the harshness of environmental conditions.

The share of wheat production on degraded lands is found to have a significant effect on yield variance both through its positive linear term and its negative interaction term with variety richness. This shows that the extent of degraded land can affect farm household exposure to environmentally-induced risk. For example, land degradation is found to have a positive effect on yield variance for low levels of diversity.

Fertilizer use increases exposure to risk (which is consistent with the finding of Just and Pope (1979), Roumasset et al. (1979) and Rosegrant and Roumasset (1985)) and anecdotal evidence from Ethiopia. Households producing wheat at higher altitudes are less exposed to risk,

perhaps because cooler temperatures reduce yield variability. Labour use has a positive marginal effect on yield variability, although more use of oxen appears to reduce risk. Production fragmentation across multiple plots has a negative and statistically significant effect on the variance of yields. This may be due to the diversification of production conditions. The steep slope of the plots is found to increase farmers' exposure to risk.

6. SIMULATIONS

The econometric estimates just discussed were used to simulate selected welfare effects, using equation (3), (3') and (4). Figure 1 shows the simulated effects of variety richness on expected revenue, on the absolute risk premium R_a given in (3), on the certainty equivalent in (4), and on the relative risk aversion given in (3'). The simulations are evaluated at market prices (e.g., price of wheat = 1.4 Birr) and at sample means otherwise. Risk preferences are assumed to exhibit CRRA, with a relative risk aversion parameter equal to 3.⁸

⁸ We implemented the simulations also for a relative risk aversion parameter of 1 and 2. The results were qualitatively similar to the one reported below. This indicates that our main findings are not sensitive to the chosen risk aversion parameter.





Figure 1 shows that expected revenue increases with variety richness, while the risk premium and the certainty equivalent exhibit more complex patterns. The effect of variety richness on expected revenue is relatively large for all levels of the richness index. This documents the strong productivity-enhancing role of variety richness. The risk-reducing benefit of variety richness is also illustrated in figure 1. It shows how both the absolute and the relative risk premium vary with variety diversity. The absolute risk premium R_a first increases with diversity up to 0.68, then declines. Thus, for higher levels of variety richness (i.e., above 0.68), diversity reduces risk exposure and the cost of private risk bearing. To be effective in reducing

the cost of risk (as captured by the absolute risk premium), the level of crop genetic diversity must be moderate to high. The non-monotonic effect of diversity on the risk premium also affects the certainty-equivalent. For high levels of diversity, the certainty-equivalent becomes even larger because of an associated reduction in the risk premium.

Figure 1 shows that the risk-reducing effect of diversity does not apply for low levels of variety richness. However, it remains true that the relative risk premium $R_r = R_a/E(\pi)$ declines monotonically with diversity throughout the range of the sample data. It means that, for any level of diversity, increasing variety richness always reduces the relative cost of risk bearing (as measured by R_r). The reason is that, at low levels of diversity, a higher variety richness increases expected revenue $E(\pi)$ relatively more than it increases the absolute risk premium R_a . This illustrates that crop genetic diversity has important risk management implications for the whole range of sample values of the richness index. When the richness index is small, Figure 1 shows that the positive productivity effect dominates the cost-of-risk effect. And when the richness index becomes large, then diversity has two beneficial effects on farmer's welfare: it increases mean productivity and it decreases risk exposure.

These results illustrate the importance of high genetic diversity among the wheat varieties cultivated by farmers in Tigray, including a range of improved and local materials, and differentiated, genetically heterogeneous local materials. They show that growing more than one variety expands the function of the locally available gene pool, enhancing productivity and enabling farmers to better manage environmental shocks.

7. CONCLUSION

We have analyzed the role of wheat genetic diversity in supporting wheat productivity and mitigating exposure to risk on degraded lands in the region of Tigray, Ethiopia. Ethiopia is a globally important centre of wheat diversity. Farmers grow a spectrum of improved and local varieties of both bread and durum wheat. Durum wheat varieties, in particular, are heterogeneous, often containing several different genetic lines. Farm households face high costs of market transaction in Tigray and must rely on their own production to meet their food needs. Use of purchased inputs is minimal, and non-farm sources of income are few, so that farmers manage risk *ex ante*, largely through labour, land, and seed management.

A stochastic production function was estimated using data collected from a sample of farmers located in 63 villages, including 135 households growing wheat. The econometric results were then used to simulate the effects of varying levels of variety richness on wheat productivity, yield variability, and cost of risk exposure, with interacting effects with land degradation.

Estimated mean and variance functions are consistent with economic theory for conventional inputs. Findings provide empirical evidence that variety richness enhances productivity and can reduce yield variability. However, in order to capture the risk reducing benefits of crop genetic diversity, the richness index must reach a certain threshold level (0.68 compared to a sample mean of 0.46). We also found that the marginal effect of diversity on variance varies with to land degradation. Indeed, the range of values where diversity reduces risk exposure tends to increase with land degradation. In Tigray where land degradation is a serious issue, variety diversification is therefore an important farm strategy for managing production risk.

The econometric estimates were used to evaluate the economic implications of crop genetic diversity on farmer welfare. We found that variety richness strongly increases expected revenue from wheat and can reduce the cost of risk. For all levels of crop genetic diversity, the positive effect of wheat diversity on productivity is found to be large. Risk-reducing effects of variety richness are also found to be important, especially for high levels of diversity. To capture the relationship between the private cost of risk and biodiversity we used two related concepts: the absolute risk premium and the relative risk premium (measuring the cost of risk as a proportion of expected return). We found that the absolute risk premium decreases with the index of variety richness only beyond a certain threshold. This means that biodiversity must be moderate/high to contribute to a reduction in the cost of risk. However, we also find that the relative risk premium decreases monotonically with diversity. This is because, at low levels of diversity, higher variety richness increases expected revenue relatively faster than it increases the absolute risk premium. This reflects the fact that, at low levels of the richness index, the productivity effect of diversity dominates the risk exposure effect in welfare analysis.

Our analysis has some important implications. First, we documented the productivity benefits of variety richness in difficult agro-climatic environments. Second, the risk-reducing benefits of biodiversity appear to be significant, at least for high levels of diversity. While other risk-coping mechanisms might also provide needed income insurance to farm households in Tigray, within the range represented by the sample data, higher levels of variety richness help insure against risky agro-climatic conditions in wheat production. These results highlight the importance of assuring the richness and heterogeneity of varieties grown by farmers in challenging production environments. This includes appropriate seed interventions and the development and delivery of improved varieties. In a rain-fed, drought-prone environment with

harsh environments with imperfect markets for seed and products.

REFERENCES

- Abay, F. Farmers' management of wheat diversity in Tigray: Implications for land management. Manuscript, Mekelle University, 2002.
- Anderson, J.R., Dillon, J.D., B. Hardaker. 1977. *Agricultural decision analysis*. Ames IA, Iowa: The Iowa State University Press.
- Bechere, E. and T. Payne. 2000. Personal communication.. Addis Ababa: Ethiopian National Wheat Improvement Program, and International Maize and Wheat Improvement Program
- Bekele, E. 1984. Analysis of regional patterns of phenotypica diversity in Ethiopian tetraploid and hexaploid wheats. *Hereditas* 100: 131-145.
- Bertness M.D. and R.M. Callaway. 1994. Positive interactions in communities *Trends in Ecology and Evolution* 9: 191-193.
- Binswanger, H.P. 1981. Attitudes toward risk: Theoretical implications of an experiment in rural India. *The Economic Journal* 91: 867-890.
- Brock, W.A., and A. Xepapadeas. 2003. Valuing biodiversity from an economic perspective: A unified economic, ecological and genetic approach" *American Economic Review* 93: 1597-1614.
- Bromley, Daniel W. and J.-P. Chavas. 1989. On risk, transactions and economic development in the semi-arid tropics. *Economic Development and Cultural Change* 37: 719-736.
- Callaway, R.M. 1995. Positive interactions among plant. Botanical Review 61: 306-349.
- Callaway, R.M. and L.R. Walker. 1997. Competition and facilitation: A synthetic approach to interactions in plant communities. *Ecology* 78: 1958-1965.
- Chavas, J.P., and M.T. Holt. 1996. Economic behaviour under uncertainty: A joint analysis of risk preferences and technology. *Review of Economics and Statistics* 78: 329-335.
- Davidson, R. and J. G. MacKinnon. 1993. *Estimation and inference in econometrics*. New York: Oxford University Press.
- Deaton, A. 1989. Savings in developing countries: Theory and review. *World Bank Economic Review* Proceedings of the Annual World Bank Conference on Development Economics.
- Deaton, A. 1992. Saving and income smoothing in Cote d'Ivoire" *Journal of African Economies* 1: 1-24.
- Di Falco, S., and C. Perrings. 2005. Crop biodiversity, risk management and the implications of agricultural assistance. *Ecological Economics* 55(2005): 459-466.

- Evenson, R.E., and D. Gollin. 1997. Genetic resources, international organizations, and improvement in rice varieties. *Economic Development and Cultural Change* 45: 471-500.
- Fafchamps, M. "Cash Crop Production, Food Price Volatility and Rural Market Integration in the Third World" *American Journal of Agricultural Economics* 74 (1992): 90-99.
- Fafchamps, M. and J. Pender. "Precautionary Savings, Credit Constraints, and Irreversible Investment: Evidence from Semi-Arid India" *Journal of Business and Economic Statistics* 15(April 1997): 180-194
- Fafchamps, M., C. Udry and Czukas, K. 1998. Drought and saving in West Africa: Are livestock a buffer stock?" *Journal of Development Economics* 55: 273-305
- FAO (Food and Agriculture Organization of the United Nations). *The economics of soil* productivity in Sub-Saharan Africa. Rome, 2001.
- Gebremedhin, B., S.M. Swinton, and Yibebe Tilahun. 1998. Effects of stone terraces on crop yields and farm profitability: Results of on-farm research in Tigray, northern Ethiopia. *Journal of Soil and Water Conservation* 54: 568-573.
- Gebremedhin, B., Swinton, S.M. 2003. Investment in soil conservation in northern Ethiopia: The role of tenure security and public programs. *Agricultural Economics* 69: 64-84.
- Gollier, C. The Economics of risk and time. 2001. Cambridge, MA: The MIT Press.
- Grepperud, S. 1996. Population pressure and land degradation: The case of Ethiopia. *Journal of Environment, Economics, and Management* 30: 18-33.
- Hagos, F., J. Pender and N. Gebreselassie. 1999. Land degradation in the highlands of Tigray and strategies for sustainable land management. Socioeconomic and Policy Research Working Paper No. 25. Livestock Analysis Project. Addis Ababa: International Livestock Research Institute.
- Hailye, A., H. Verkuijl, W. Mwangi, and A. Yallew. 1998. Farmers' wheat seed sources and seed management in Enebbsie Area, Ethiopia. Economics Program Working Paper. Mexico: International Maize and Wheat Improvement Center (CIMMYT).
- Harlan, J.R. *Crops and man.* 1992. 2nd edition. Madison, Wisconsin: American Society of Agronomy and Crop Science.
- Heal, G. 2000. *Nature and the marketplace: Capturing the value of ecosystem services*. New York: Island Press.
- Hunting. 1976. Tigray rural development report. Hunting Technical Service Ltd.
- Hurni, H. 1993. Land degradation, famines and resource scenarios in Ethiopia. In *World soil* erosion and conservation, ed. D. Pimental. Cambridge: Cambridge University Press.

- Just, R.E., and R.D. Pope. 1978. Stochastic representation of production functions and econometric implications. *Journal of Econometrics* 7: 67-86.
- Just, R.E., and R.D. Pope. 1979. Production function estimation and related risk considerations American Journal of Agricultural Economics, 61: 276-284.
- Just, R.E. and W. Candler. 1985. Production functions and rationality of mixed cropping *European Review of Agricultural Economics* 12: 207-231.
- Just, R.E., and R.D. Pope. 1979. Production function estimation and related risk considerations American Journal of Agricultural Economics 61: 276-284
- Kurosaki, T. and M. Fafchamps. 2002. Insurance market efficiency and crop choices in Pakistan *Journal of Development Economics* 67(2002): 419-53.
- Mahmud, Y. 2004. Risk, time and land management under market imperfections: Applications to Ethiopia Ph.D. Thesis, Department of Economics, Goteborg University, 2004.
- Meng, E.C.H., M. Smale, M.R. Bellon, and D. Grimanelli. 1998. Definition and measurement of crop diversity for economic analysis. In Farmers, gene banks, and crop breeding, ed, Smale, M. Boston: Kluwer.
- Naeem, S., L. J. Thompson, S. P. Lawler, J. H. Lawton, and R. M. Woodfin. 1994. Declining biodiversity can affect the functioning of ecosystems *Nature* 368: 734-737
- Paxson, C.H. 1992. Using weather variability to estimate the response of saving to transitory income in Thailand *American Economic Review* 82: 15-33.
- Pecetti L., A.B. Damania, and G. Kashour. 1992. Geographic variation for spike and grain characteristics in durum wheat germplasm adapted to dry land conditions *Genetic Resources and Crop Evolution* 39: 97-105.
- Pender, J.and B. Gebremedhin. 2004. Impacts of policies and technologies in dryland agriculture: Evidence from Northern Ethiopia In *Challenges and strategies for dryland* agriculture. CSSA Special Publication No. 32. Madison, WI: Crop Science Society of America and American Society of Agronomy.
- Pender, J., Place, F. and Ehui, S. 1999. Strategies for sustainable agricultural development in the east African highlands. EPT Working Paper No. 41. Washington, DC: International Food Policy Research Institute.
- Pratt, J.W. 1964. Risk aversion in the small and in the large Econometrica 32: 122-36.
- Relief Society of Tigray (REST) and NORAGRIC at the Agricultural University of Norway. 1995. Farming systems, resource management and household coping strategies in Northern Ethiopia: Report of a social and agro-ecological baseline study in central Tigray.

- Sefera, T., S. Adal, and Z. Teshome. 2002. Identification and characterization of wheat landraces at Wukro Woreda, Gerealta and Dauga Tanbein. In Tigray regional state faculty of dryland agriculture. Mekelle University.
- Smale, M., J. Hartell, P.W. Heisey, and B. Senauer. 1998. The contribution of genetic resources and diversity to wheat production in the Punjab of Pakistan. *American Journal of Agricultural Economics*, 80: 482-493
- Smale, M., M.P. Reynolds, M. Warburton, B. Skovmand, R. Trethowan, R.P. Singh, I. Ortiz-Monasterio, and J. Crossa. 2002. Dimensions of diversity in modern spring bread wheat in developing countries from 1965. *Crop Sciences* 42: 1766-1779
- Stoorvogel, J.J., E.M. Smaling, B.H. Jansen. 1993. Calculating soil nutrient balance in Africa at different scales. I. Supranational scale. *Fertilizer research* 35: 227-235.
- Rosegrant, M.W. and Roumasset, J.A. 1985. The effect of fertilizer on risk: A heteroscedastic production function with measurable stochastic inputs *Australian Journal of Agricultural Economics* 29: 107-121.
- Roumasset, J.A. 1978. *Risk, uncertainty and agricultural development*. Los Banos and New York: SEARCA and Agricultural Development Council.
- Tesemma, T. and E. Bechere. 1998. Developing elite durum wheat landrace selections (composites) for Ethiopian peasant farm use: Raising productivity while keeping diversity alive *Euphytica* 102: 323-328.
- Tilahun, Y. 1996. Impacts of conservation bunds on crop yields in Degua Tembien, Northern Ethiopia. M.Sc. Thesis, Agricultural University of Norway.
- Vandermeer, J.H. 1989. *The ecology of intercropping*. Cambridge, MA: Cambridge University Press.
- Vavilov, N.I. 1949. The Origin, variation, immunity and breeding of cultivated plants *Chron. Bot.* 13: 1-364.
- Widawsky, D., Rozelle, S. 1998. Varietal diversity and yield variability in Chinese rice production. In *Farmers, gene banks, and crop breeding*, ed. Smale, M. Boston: Kluwer.
- Wooldridge, J. 2002. *Econometric analysis of cross section and panel data*. Cambridge, MA: MIT Press.

- 1. Sustainable Agricultural Development Strategies in Fragile Lands, by Sara J. Scherr and Peter B.R. Hazell, June 1994.
- 2. Confronting the Environmental Consequences of the Green Revolution in Asia, by Prabhu L. Pingali and Mark W. Rosegrant, August 1994.
- 3. Infrastructure and Technology Constraints to Agricultural Development in the Humid and Subhumid Tropics of Africa, by Dunstan S.C. Spencer, August 1994.
- 4. Water Markets in Pakistan: Participation and Productivity, by Ruth Meinzen-Dick and Martha Sullins, September 1994.
- 5. The Impact of Technical Change in Agriculture on Human Fertility: Districtlevel Evidence from India, by Stephen A. Vosti, Julie Witcover, and Michael Lipton, October 1994.
- 6. Reforming Water Allocation Policy through Markets in Tradable Water Rights: Lessons from Chile, Mexico, and California, by Mark W. Rosegrant and Renato Gazri S, October 1994.
- 7. Total Factor Productivity and Sources of Long-Term Growth in Indian Agriculture, by Mark W. Rosegrant and Robert E. Evenson, April 1995.
- 8. Farm-Nonfarm Growth Linkages in Zambia, by Peter B.R. Hazell and Behjat Hoijati, April 1995.
- 9. Livestock and Deforestation in Central America in the 1980s and 1990s: A Policy Perspective, by David Kaimowitz (Interamerican Institute for Cooperation on Agriculture. June 1995.
- 10. Effects of the Structural Adjustment Program on Agricultural Production and Resource Use in Egypt, by Peter B.R. Hazell, Nicostrato Perez, Gamal Siam, and Ibrahim Soliman, August 1995.
- 11. Local Organizations for Natural Resource Management: Lessons from Theoretical and Empirical Literature, by Lise Nordvig Rasmussen and Ruth Meinzen-Dick, August 1995.

- 12. Quality-Equivalent and Cost-Adjusted Measurement of International Competitiveness in Japanese Rice Markets, by Shoichi Ito, Mark W. Rosegrant, and Mercedita C. Agcaoili-Sombilla, August 1995.
- 13. Role of Inputs, Institutions, and Technical Innovations in Stimulating Growth in Chinese Agriculture, by Shenggen Fan and Philip G. Pardey, September 1995.
- 14. Investments in African Agricultural Research, by Philip G. Pardey, Johannes Roseboom, and Nienke Beintema, October 1995.
- 15. Role of Terms of Trade in Indian Agricultural Growth: A National and State Level Analysis, by Peter B.R. Hazell, V.N. Misra, and Behjat Hoijati, December 1995.
- 16. Policies and Markets for Non-Timber Tree Products, by Peter A. Dewees and Sara J. Scherr, March 1996.
- 17. Determinants of Farmers' Indigenous Soil and Water Conservation Investments in India's Semi-Arid Tropics, by John Pender and John Kerr, August 1996.
- 18. Summary of a Productive Partnership: The Benefits from U.S. Participation in the CGIAR, by Philip G. Pardey, Julian M. Alston, Jason E. Christian, and Shenggen Fan, October 1996.
- 19. Crop Genetic Resource Policy: Towards a Research Agenda, by Brian D. Wright, October 1996.
- 20. Sustainable Development of Rainfed Agriculture in India, by John M. Kerr, November 1996.
- 21. Impact of Market and Population Pressure on Production, Incomes and Natural Resources in the Dryland Savannas of West Africa: Bioeconomic Modeling at the Village Level, by Bruno Barbier, November 1996.
- 22. Why Do Projections on China's Future Food Supply and Demand Differ? by Shenggen Fan and Mercedita Agcaoili-Sombilla, March 1997.
- 23. Agroecological Aspects of Evaluating Agricultural R&D, by Stanley Wood and Philip G. Pardey, March 1997.

- 24. Population Pressure, Land Tenure, and Tree Resource Management in Uganda, by Frank Place and Keijiro Otsuka, March 1997.
- 25. Should India Invest More in Less-favored Areas? by Shenggen Fan and Peter Hazell, April 1997.
- 26. Population Pressure and the Microeconomy of Land Management in Hills and Mountains of Developing Countries, by Scott R. Templeton and Sara J. Scherr, April 1997.
- 27. Population Land Tenure and Natural Resource Management: The Case of Customary Land Area in Malawi, by Frank Place and Keijiro Otsuka, April 1997.
- 28. Water Resources Development in Africa: A Review and Synthesis of Issues, Potentials, and Strategies for the Future, by Mark W. Rosegrant and Nicostrato D. Perez, September 1997.
- 29. Financing Agricultural R&D in Rich Countries: What's Happening and Why? by Julian M. Alston, Philip G. Pardey, and Vincent H. Smith, September 1997.
- 30. How Fast Have China's Agricultural Production and Productivity Really Been Growing? by Shenggen Fan, September 1997.
- 31. Does Land Tenure Insecurity Discourage Tree Planting? Evolution of Customary Land Tenure and Agroforestry Management in Sumatra, by Keijiro Otsuka, S. Suyanto, and Thomas P. Tomich, December 1997.
- 32. Natural Resource Management in the Hillsides of Honduras: Bioeconomic Modeling at the Micro-Watershed Level, by Bruno Barbier and Gilles Bergeron, January 1998.
- Government Spending, Growth, and Poverty: An Analysis of Interlinkages in Rural India, by Shenggen Fan, Peter Hazell, and Sukhadeo Thorat, March 1998. Revised December 1998.
- 34. Coalitions and the Organization of Multiple-Stakeholder Action: A Case Study of Agricultural Research and Extension in Rajasthan, India, by Ruth Alsop, April 1998.

- 35. Dynamics in the Creation and Depreciation of Knowledge and the Returns to Research, by Julian Alston, Barbara Craig, and Philip Pardey, July, 1998.
- 36. Educating Agricultural Researchers: A Review of the Role of African Universities, by Nienke M. Beintema, Philip G. Pardey, and Johannes Roseboom, August 1998.
- 37. The Changing Organizational Basis of African Agricultural Research, by Johannes Roseboom, Philip G. Pardey, and Nienke M. Beintema, November 1998.
- Research Returns Redux: A Meta-Analysis of the Returns to Agricultural R&D, by Julian M. Alston, Michele C. Marra, Philip G. Pardey, and T.J. Wyatt, November 1998.
- 39. Technological Change, Technical and Allocative Efficiency in Chinese Agriculture: The Case of Rice Production in Jiangsu, by Shenggen Fan, January 1999.
- 40. The Substance of Interaction: Design and Policy Implications of NGO-Government Projects in India, by Ruth Alsop with Ved Arya, January 1999.
- 41. Strategies for Sustainable Agricultural Development in the East African Highlands, by John Pender, Frank Place, and Simeon Ehui, April 1999.
- 42. Cost Aspects of African Agricultural Research, by Philip G. Pardey, Johannes Roseboom, Nienke M. Beintema, and Connie Chan-Kang, April 1999.
- 43. Are Returns to Public Investment Lower in Less-favored Rural Areas? An Empirical Analysis of India, by Shenggen Fan and Peter Hazell, May 1999.
- 44. Spatial Aspects of the Design and Targeting of Agricultural Development Strategies, by Stanley Wood, Kate Sebastian, Freddy Nachtergaele, Daniel Nielsen, and Aiguo Dai, May 1999.
- 45. Pathways of Development in the Hillsides of Honduras: Causes and Implications for Agricultural Production, Poverty, and Sustainable Resource Use, by John Pender, Sara J. Scherr, and Guadalupe Durón, May 1999.
- 46. Determinants of Land Use Change: Evidence from a Community Study in Honduras, by Gilles Bergeron and John Pender, July 1999.

- 47. Impact on Food Security and Rural Development of Reallocating Water from Agriculture, by Mark W. Rosegrant and Claudia Ringler, August 1999.
- 48. Rural Population Growth, Agricultural Change and Natural Resource Management in Developing Countries: A Review of Hypotheses and Some Evidence from Honduras, by John Pender, August 1999.
- 49. Organizational Development and Natural Resource Management: Evidence from Central Honduras, by John Pender and Sara J. Scherr, November 1999.
- 50. Estimating Crop-Specific Production Technologies in Chinese Agriculture: A Generalized Maximum Entropy Approach, by Xiaobo Zhang and Shenggen Fan, September 1999.
- 51. Dynamic Implications of Patenting for Crop Genetic Resources, by Bonwoo Koo and Brian D. Wright, October 1999.
- 52. Costing the Ex Situ Conservation of Genetic Resources: Maize and Wheat at CIMMYT, by Philip G. Pardey, Bonwoo Koo, Brian D. Wright, M. Eric van Dusen, Bent Skovmand, and Suketoshi Taba, October 1999.
- 53. Past and Future Sources of Growth for China, by Shenggen Fan, Xiaobo Zhang, and Sherman Robinson, October 1999.
- 54. The Timing of Evaluation of Genebank Accessions and the Effects of Biotechnology, by Bonwoo Koo and Brian D. Wright, October 1999.
- 55. New Approaches to Crop Yield Insurance in Developing Countries, by Jerry Skees, Peter Hazell, and Mario Miranda, November 1999.
- 56. Impact of Agricultural Research on Poverty Alleviation: Conceptual Framework with Illustrations from the Literature, by John Kerr and Shashi Kolavalli, December 1999.
- 57. Could Futures Markets Help Growers Better Manage Coffee Price Risks in Costa Rica? by Peter Hazell, January 2000.
- 58. Industrialization, Urbanization, and Land Use in China, by Xiaobo Zhang, Tim Mount, and Richard Boisvert, January 2000.

- 59. Water Rights and Multiple Water Uses: Framework and Application to Kirindi Oya Irrigation System, Sri Lanka, by Ruth Meinzen-Dick and Margaretha Bakker, March 2000.
- 60. Community natural Resource Management: The Case of Woodlots in Northern Ethiopia, by Berhanu Gebremedhin, John Pender and Girmay Tesfaye, April 2000.
- 61. What Affects Organization and Collective Action for Managing Resources? Evidence from Canal Irrigation Systems in India, by Ruth Meinzen-Dick, K.V. Raju, and Ashok Gulati, June 2000.
- 62. The Effects of the U.S. Plant Variety Protection Act on Wheat Genetic Improvement, by Julian M. Alston and Raymond J. Venner, May 2000.
- 63. Integrated Economic-Hydrologic Water Modeling at the Basin Scale: The Maipo River Basin, by M. W. Rosegrant, C. Ringler, DC McKinney, X. Cai, A. Keller, and G. Donoso, May 2000.
- 64. Irrigation and Water Resources in Latin America and he Caribbean: Challenges and Strategies, by Claudia Ringler, Mark W. Rosegrant, and Michael S. Paisner, June 2000.
- 65. The Role of Trees for Sustainable Management of Less-favored Lands: The Case of Eucalyptus in Ethiopia, by Pamela Jagger & John Pender, June 2000.
- 66. Growth and Poverty in Rural China: The Role of Public Investments, by Shenggen Fan, Linxiu Zhang, and Xiaobo Zhang, June 2000.
- 67. Small-Scale Farms in the Western Brazilian Amazon: Can They Benefit from Carbon Trade? by Chantal Carpentier, Steve Vosti, and Julie Witcover, September 2000.
- 68. An Evaluation of Dryland Watershed Development Projects in India, by John Kerr, Ganesh Pangare, Vasudha Lokur Pangare, and P.J. George, October 2000.
- 69. Consumption Effects of Genetic Modification: What If Consumers Are Right? by Konstantinos Giannakas and Murray Fulton, November 2000.
- 70. South-North Trade, Intellectual Property Jurisdictions, and Freedom to Operate in Agricultural Research on Staple Crops, by Eran Binenbaum, Carol

Nottenburg, Philip G. Pardey, Brian D. Wright, and Patricia Zambrano, December 2000.

- 71. Public Investment and Regional Inequality in Rural China, by Xiaobo Zhang and Shenggen Fan, December 2000.
- 72. Does Efficient Water Management Matter? Physical and Economic Efficiency of Water Use in the River Basin, by Ximing Cai, Claudia Ringler, and Mark W. Rosegrant, March 2001.
- 73. Monitoring Systems for Managing Natural Resources: Economics, Indicators and Environmental Externalities in a Costa Rican Watershed, by Peter Hazell, Ujjayant Chakravorty, John Dixon, and Rafael Celis, March 2001.
- 74. Does Quanxi Matter to NonFarm Employment? by Xiaobo Zhang and Guo Li, June 2001.
- 75. The Effect of Environmental Variability on Livestock and Land-Use Management: The Borana Plateau, Southern Ethiopia, by Nancy McCarthy, Abdul Kamara, and Michael Kirk, June 2001.
- 76. Market Imperfections and Land Productivity in the Ethiopian Highlands, by Stein Holden, Bekele Shiferaw, and John Pender, August 2001.
- 77. Strategies for Sustainable Agricultural Development in the Ethiopian Highlands, by John Pender, Berhanu Gebremedhin, Samuel Benin, and Simeon Ehui, August 2001.
- 78. Managing Droughts in the Low-Rainfall Areas of the Middle East and North Africa: Policy Issues, by Peter Hazell, Peter Oram, Nabil Chaherli, September 2001.
- 79. Accessing Other People's Technology: Do Non-Profit Agencies Need It? How To Obtain It, by Carol Nottenburg, Philip G. Pardey, and Brian D. Wright, September 2001.
- 80. The Economics of Intellectual Property Rights Under Imperfect Enforcement: Developing Countries, Biotechnology, and the TRIPS Agreement, by Konstantinos Giannakas, September 2001.
- 81. Land Lease Markets and Agricultural Efficiency: Theory and Evidence from Ethiopia, by John Pender and Marcel Fafchamps, October 2001.

- 82. The Demand for Crop Genetic Resources: International Use of the U.S. National Plant Germplasm System, by M. Smale, K. Day-Rubenstein, A. Zohrabian, and T. Hodgkin, October 2001.
- 83. How Agricultural Research Affects Urban Poverty in Developing Countries: The Case of China, by Shenggen Fan, Cheng Fang, and Xiaobo Zhang, October 2001.
- 84. How Productive is Infrastructure? New Approach and Evidence From Rural India, by Xiaobo Zhang and Shenggen Fan, October 2001.
- 85. Development Pathways and Land Management in Uganda: Causes and Implications, by John Pender, Pamela Jagger, Ephraim Nkonya, and Dick Sserunkuuma, December 2001.
- 86. Sustainability Analysis for Irrigation Water Management: Concepts, Methodology, and Application to the Aral Sea Region, by Ximing Cai, Daene C. McKinney, and Mark W. Rosegrant, December 2001.
- 87. The Payoffs to Agricultural Biotechnology: An Assessment of the Evidence, by Michele C. Marra, Philip G. Pardey, and Julian M. Alston, January 2002.
- 88. Economics of Patenting a Research Tool, by Bonwoo Koo and Brian D. Wright, January 2002.
- 89. Assessing the Impact of Agricultural Research On Poverty Using the Sustainable Livelihoods Framework, by Michelle Adato and Ruth Meinzen-Dick, March 2002.
- 90. The Role of Rainfed Agriculture in the Future of Global Food Production, by Mark Rosegrant, Ximing Cai, Sarah Cline, and Naoko Nakagawa, March 2002.
- 91. Why TVEs Have Contributed to Interregional Imbalances in China, by Junichi Ito, March 2002.
- 92. Strategies for Stimulating Poverty Alleviating Growth in the Rural Nonfarm Economy in Developing Countries, by Steven Haggblade, Peter Hazell, and Thomas Reardon, July 2002.
- 93. Local Governance and Public Goods Provisions in Rural China, by Xiaobo Zhang, Shenggen Fan, Linxiu Zhang, and Jikun Huang, July 2002.

- 94. Agricultural Research and Urban Poverty in India, by Shenggen Fan, September 2002.
- 95. Assessing and Attributing the Benefits from Varietal Improvement Research: Evidence from Embrapa, Brazil, by Philip G. Pardey, Julian M. Alston, Connie Chan-Kang, Eduardo C. Magalhães, and Stephen A. Vosti, August 2002.
- 96. India's Plant Variety and Farmers' Rights Legislation: Potential Impact on Stakeholders Access to Genetic Resources, by Anitha Ramanna, January 2003.
- 97. Maize in Eastern and Southern Africa: Seeds of Success in Retrospect, by Melinda Smale and Thom Jayne, January 2003.
- 98. Alternative Growth Scenarios for Ugandan Coffee to 2020, by Liangzhi You and Simon Bolwig, February 2003.
- 99. Public Spending in Developing Countries: Trends, Determination, and Impact, by Shenggen Fan and Neetha Rao, March 2003.
- 100. The Economics of Generating and Maintaining Plant Variety Rights in China, by Bonwoo Koo, Philip G. Pardey, Keming Qian, and Yi Zhang, February 2003.
- Impacts of Programs and Organizations on the Adoption of Sustainable Land Management Technologies in Uganda, Pamela Jagger and John Pender, March 2003.
- 102. Productivity and Land Enhancing Technologies in Northern Ethiopia: Health, Public Investments, and Sequential Adoption, Lire Ersado, Gregory Amacher, and Jeffrey Alwang, April 2003.
- 103. Animal Health and the Role of Communities: An Example of Trypanasomosis Control Options in Uganda, by Nancy McCarthy, John McDermott, and Paul Coleman, May 2003.
- 104. Determinantes de Estrategias Comunitarias de Subsistencia y el uso de Prácticas Conservacionistas de Producción Agrícola en las Zonas de Ladera en Honduras, Hans G.P. Jansen, Angel Rodríguez, Amy Damon, y John Pender, Juno 2003.

- 105. Determinants of Cereal Diversity in Communities and on Household Farms of the Northern Ethiopian Highlands, by Samuel Benin, Berhanu Gebremedhin, Melinda Smale, John Pender, and Simeon Ehui, June 2003.
- 106. Demand for Rainfall-Based Index Insurance: A Case Study from Morocco, by Nancy McCarthy, July 2003.
- 107. Woodlot Devolution in Northern Ethiopia: Opportunities for Empowerment, Smallholder Income Diversification, and Sustainable Land Management, by Pamela Jagger, John Pender, and Berhanu Gebremedhin, September 2003.
- 108. Conservation Farming in Zambia, by Steven Haggblade, October 2003.
- 109. National and International Agricultural Research and Rural Poverty: The Case of Rice Research in India and China, by Shenggen Fan, Connie Chan-Kang, Keming Qian, and K. Krishnaiah, September 2003.
- 110. Rice Research, Technological Progress, and Impacts on the Poor: The Bangladesh Case (Summary Report), by Mahabub Hossain, David Lewis, Manik L. Bose, and Alamgir Chowdhury, October 2003.
- 111. Impacts of Agricultural Research on Poverty: Findings of an Integrated Economic and Social Analysis, by Ruth Meinzen-Dick, Michelle Adato, Lawrence Haddad, and Peter Hazell, October 2003.
- 112. An Integrated Economic and Social Analysis to Assess the Impact of Vegetable and Fishpond Technologies on Poverty in Rural Bangladesh, by Kelly Hallman, David Lewis, and Suraiya Begum, October 2003.
- 113. Public-Private Partnerships in Agricultural Research: An Analysis of Challenges Facing Industry and the Consultative Group on International Agricultural Research, by David J. Spielman and Klaus von Grebmer, January 2004.
- 114. The Emergence and Spreading of an Improved Traditional Soil and Water Conservation Practice in Burkina Faso, by Daniel Kaboré and Chris Reij, February 2004.
- 115. Improved Fallows in Kenya: History, Farmer Practice, and Impacts, by Frank Place, Steve Franzel, Qureish Noordin, Bashir Jama, February 2004.

- 116. To Reach The Poor Results From The ISNAR-IFPRI Next Harvest Study On Genetically Modified Crops, Public Research, and Policy Implications, by Atanas Atanassov, Ahmed Bahieldin, Johan Brink, Moises Burachik, Joel I. Cohen, Vibha Dhawan, Reynaldo V. Ebora, José Falck-Zepeda, Luis Herrera-Estrella, John Komen, Fee Chon Low, Emeka Omaliko, Benjamin Odhiambo, Hector Quemada, Yufa Peng, Maria Jose Sampaio, Idah Sithole-Niang, Ana Sittenfeld, Melinda Smale, Sutrisno, Ruud Valyasevi, Yusuf Zafar, and Patricia Zambrano, March 2004
- 117. Agri-Environmental Policies In A Transitional Economy: The Value of Agricultural Biodiversity in Hungarian Home Gardens, by Ekin Birol, Melinda Smale, And Ágnes Gyovai, April 2004.
- 118. New Challenges in the Cassava Transformation in Nigeria and Ghana, by Felix Nweke, June 2004.
- 119. International Exchange of Genetic Resources, the Role of Information and Implications for Ownership: The Case of the U.S. National Plant Germplasm System, by Kelly Day Rubenstein and Melinda Smale, June 2004.
- 120. Are Horticultural Exports a Replicable Success Story? Evidence from Kenya and Côte d'Ivoire, by Nicholas Minot and Margaret Ngigi, August 2004.
- 121. Spatial Analysis of Sustainable Livelihood Enterprises of Uganda Cotton Production, by Liangzhi You and Jordan Chamberlin, September 2004
- 122. Linkages between Poverty and Land Management in Rural Uganda: Evidence from the Uganda National Household Survey, 1999/00, by John Pender, Sarah Ssewanyana, Kato Edward, and Ephraim Nkonya, September 2004.
- 123. Dairy Development in Ethiopia, by Mohamed A.M. Ahmed, Simeon Ehui, and Yemesrach Assefa, October 2004.
- 124. Spatial Patterns of Crop Yields in Latin America and the Caribbean, by Stanley Wood, Liangzhi You, and Xiaobo Zhang, October 2004.
- 125. Variety Demand within the Framework of an Agricultural Household Model with Attributes: The Case of Bananas in Uganda, by Svetlana Edmeades, Melinda Smale, Mitch Renkow and Dan Phaneuf, November 2004.
- 126. Assessing the Spatial Distribution of Crop Production Using a Cross-Entropy Method, Liangzhi You and Stanley Wood, November 2004.

- 127. Water Allocation Policies for the Dong Nai River Basin in Vietnam: An Integrated Perspective, by Claudia Ringler and Nguyen Vu Huy, December 2004.
- 128. Participation of Local People in Water Management: Evidence from the Mae Sa Watershed, Northern Thailand, by Helene Heyd and Andreas Neef, December 2004.
- 129. Improved Water Supply in the Ghanaian Volta Basin: Who Uses it and Who Participates in Community Decision-Making? by Stefanie Engel, Maria Iskandarani, and Maria del Pilar Useche, January 2005.
- 130. Improved Fallows in Eastern Zambia: History, Farmer Practice and Impacts, by Freddie Kwesiga, Steven Franzel, Paramu Mafongoya, Olu Ajayi, Donald Phiri, Roza Katanga, Elias Kuntashula, Frank Place, and Teddy Chirwa, February 2005.
- 131. The Case of Smallholder Dairying in Eastern Africa, by Margaret Ngigi, February 2005.
- 132. Incorporating Project Uncertainty in Novel Environmental Biotechnologies: Illustrated Using Phytoremediation, by Nicholas A. Linacre, Steven N. Whiting, and J. Scott Angle, May 2005.
- Ecological Risks of Novel Environmental Crop Technologies Using Phytoremediation as an Example, by J. Scott Angle and Nicholas A. Linacre, May 2005.
- 134. Policy Options for Increasing Crop Productivity and Reducing Soil Nutrient Depletion and Poverty in Uganda, Ephraim Nkonya, John Pender, Crammer Kaizzi, Kato Edward, and Samuel Mugarura, March 2005.
- 135. Local Seed Systems and Village-Level Determinants of Millet Crop Diversity in Marginal Environments of India, by Latha Nagarajan and Melinda Smale, June 2005.
- 136. The Emergence of Insect Resistance in Bt-Corn: Implication of Resistance Management Information under Uncertainty, by Nicholas A. Linacre and Colin J. Thompson, June 2005.
- 137. Incorporating Collateral Information Using an Adaptive Management Framework for the Regulation of Transgenic Crops, by Nicholas Linacre, Mark A. Burgman, Peter K. Ades, And Allen Stewart-Oaten, August 2005.

- 138. Security Analysis for Agroterrorism: Applying the Threat, Vulnerability, Consequence Framework to Developing Countries, by Nicholas A. Linacre, Joanne Gaskell, Mark W. Rosegrant, Jose Falck-Zepeda, Hector Quemada, Mark Halsey, and Regina Birner, August 2005.
- 139. Comparing Farm and Village-Level Determinants of Millet Diversity in Marginal Environments of India: The Context of Seed Systems, Latha Nagarajan, Melinda Smale, and Paul Glewwe, August 2005.
- 140. Analysis for Biotechnology Innovations Using Strategic Environmental Assessment (SEA), by Nicholas A. Linacre, Joanne Gaskell, Mark W. Rosegrant, Jose Falck-Zepeda, Hector Quemada, Mark Halsey, and Regina Birner, July 2005.
- 141. Water Pricing and Valuation in Indonesia: Case Study of the Brantas River Basin, by Charles Rodgers and Petra J.G.J. Hellegers, August 2005.
- 142. Farmer Willingness to Pay for Seed-Related Information: Rice Varieties in Nigeria and Benin, by J. Daniela Horna, Melinda Smale, and Matthias von Oppen, September 2005.
- 143. Impact of Global Warming on Chinese Wheat Productivity, by Liangzhi You, Mark W. Rosegrant, Cheng Fang, and Stanley Wood, October 2005.
- 144. On Farm Conservation of Rice Biodiversity in Nepal: A Simultaneous Estimation Approach, by D. Gauchan, M. E. Van Dusen, and M. Smale, November 2005.
- 145. Development and Evaluation of a Regional Water Poverty Index for Benin, by Claudia Heidecke, January 2006.
- 146. Comparative Analysis of the National Biosafety Regulatory Systems in East Africa, by Greg Jaffe, January 2006.
- 147. An Analysis of Trade Related International Regulations of Genetically Modified Food and their Effects on Developing Countries, by Guillaume P. Gruère, February 2006.
- 148. A Hedonic Approach to Estimating the Supply of Variety Attributes of a Subsistence Crop, by Svetlana Edmeades, February 2006.

- 149. Gap Analysis of Confined Field Trial Application Forms for Genetically Modified Crops in East Africa: Evaluating the Potential for Harmonization by Nicholas Linacre and Joel Cohen, April 2006.
- 150. Impacts of Considering Climate Variability on Investment Decisions in Ethiopia, by Paul J. Block, Kenneth Strzepek, Mark Rosegrant, and Xinshen Diao, May 2006.
- 151. Local Seed Systems for Millet Crops in Marginal Environments of India: Industry and Policy Perspectives, by Latha Nagarajan, Philip G. Pardey, and Melinda Smale.
- 152. An Exploration of the Potential Benefits of Integrated Pest Management Systems and the Use of Insect Resistant Potatoes to Control the Guatemalan Tuber Moth (*Tecia solanivora* Povolny) in Ventaquemada, Colombia, by José Falck Zepeda, Nancy Barreto-Triana, Irma Baquero-Haeberlin, Eduardo Espitia-Malagón, Humberto Fierro-Guzmán, and Nancy López, May 2006.