

MAGYAR TUDOMÁNYOS AKADÉMIA  
KÖZGAZDASÁGTUDOMÁNYI INTÉZET

KTEI  
IE

INSTITUTE OF ECONOMICS  
HUNGARIAN ACADEMY OF SCIENCES

MŰHELYTANULMÁNYOK

DISCUSSION PAPERS

MT-DP – 2011/20

# Transferable Utility Games with Uncertainty

HELGA HABIS - P. JEAN-JACQUES HERINGS

Discussion papers  
MT-DP – 2011/20

Institute of Economics, Hungarian Academy of Sciences

KTI/IE Discussion Papers are circulated to promote discussion and provoke comments.  
Any references to discussion papers should clearly state that the paper is preliminary.  
Materials published in this series may subject to further publication.

Transferable Utility Games with Uncertainty

Authors:

Helga Habis  
junior research fellow  
Institute of Economics  
Hungarian Academy of Sciences  
E-mail: [habis@econ.core.hu](mailto:habis@econ.core.hu)

P. Jean-Jacques Herings  
Professor of Microeconomics  
Department of Economics, Universiteit Maastricht  
E-mail: [P.Herings@algec.unimaas.nl](mailto:P.Herings@algec.unimaas.nl)

May 2011

ISBN 978-615-5024-56-6  
ISSN 1785 377X

# Transferable Utility Games with Uncertainty

Helga Habis - P. Jean-Jacques Herings

## Abstract

We introduce the concept of a TUU-game, a transferable utility game with uncertainty. In a TUU-game there is uncertainty regarding the payoffs of coalitions. One out of a finite number of states of nature materializes and conditional on the state, the players are involved in a particular transferable utility game. We consider the case without ex ante commitment possibilities and propose the Weak Sequential Core as a solution concept. We characterize the Weak Sequential Core and show that it is non-empty if all ex post TU-games are convex.

**Keywords:** transferable utility games, uncertainty, Weak Sequential Core

**JEL Classification:** C71, C73

## Acknowledgement:

The author would like to thank the Netherlands Organization for Scientific Research (NWO) for financial support.

# Átruházható hasznosságú játékok bizonytalansággal

Habis Helga - P. Jean-Jacques Herings

## Összefoglaló

Bevezetjük a TUU-játék fogalmát, azaz az átruházható hasznosságú játékot bizonytalansággal. Egy TUU-játékban a koalíciók kifizetése bizonytalan. A véges számú világhelyzetek közül egy megvalósul, és a világhelyzettől függően a játékosok egy bizonyos átruházható hasznosságú játékban vesznek részt. Az ex ante kötelezettségvállalási lehetőségek nélküli esetet vizsgáljuk és a gyenge szekvenciális magot javasoljuk ennek megoldására. Karakterizáljuk a gyenge szekvenciális magot és megmutatjuk, hogy nem üres, ha az összes ex post TUU-játék konvex.

Tárgyszavak: átruházható hasznosságú játékok, bizonytalanság, gyenge szekvenciális mag

JEL kódok: C71, C73

# Transferable Utility Games with Uncertainty

Helga Habis\* and P. Jean-Jacques Herings†

April 8, 2011

## Abstract

We introduce the concept of a TUU-game, a transferable utility game with uncertainty. In a TUU-game there is uncertainty regarding the payoffs of coalitions. One out of a finite number of states of nature materializes and conditional on the state, the players are involved in a particular transferable utility game. We consider the case without ex ante commitment possibilities and propose the Weak Sequential Core as a solution concept. We characterize the Weak Sequential Core and show that it is non-empty if all ex post TU-games are convex.

*Keywords: transferable utility games, uncertainty, Weak Sequential Core*

*JEL Classification: C71, C73*

## 1 Introduction

The vast majority of cooperative game theory has focused on games with deterministic payoffs. Nevertheless, uncertainty plays an inevitable role in most surplus sharing problems.

---

\*Institute of Economics, Hungarian Academy of Sciences, and Department of Microeconomics, Corvinus University of Budapest, Fővám tér 8., 1093, Budapest, Hungary. E-mail: helga.habis@uni-corvinus.hu. The author would like to thank the Hungarian Academy of Sciences for the financial support under the Momentum Programme (LD-004/2010).

†Department of Economics, Maastricht University, P.O. Box 616, 6200 MD, Maastricht, The Netherlands. E-mail: P.Herings@maastrichtuniversity.nl. The author would like to thank the Netherlands Organization for Scientific Research (NWO) for financial support.

In this paper we introduce transferable utility games with uncertainty, called TUU-games. A TUU-game consists of two time periods, 0 and 1. Period 0 is a time period before the resolution of uncertainty. In period 1 one out of a finite number of states of nature materializes and conditional on the state, the players are involved in a particular transferable utility game. An allocation therefore specifies a payoff to each player conditional on each possible state of nature. A utility function is then used to assign a utility level to each profile of state-contingent payoffs.

This new set-up provides a more general treatment of uncertainty than the approach that has appeared in the literature so far. Granot (1977) introduced a cooperative game where the values of the coalitions are random variables with given distribution functions, and players are risk-neutral. This treatment is less complete since it specifies only the marginal distribution of the worths of coalitions, whereas our approach allows for the complete specification of the distribution, implying that for instance correlation between the worths of several coalitions can be incorporated. Suijs and Borm (1999) and Suijs, Borm, De Waegenare, and Tijs (1999) no longer assume risk neutrality, but keep the specification where only marginal distributions of worths are given. Bossert, Derks, and Peters (2005) consider a pair of TU-games, one of which will be the true game. They do not use utility functions but perform a worst-case analysis. Closest to our set-up is Predtetchinski (2007), where the non-transferable utility case is studied in an infinite horizon setting. His approach is similar to ours in the sense that the game to be played is determined by the particular realization of the state of nature.

The introduction of uncertainty into cooperative games raises many new and interesting issues. When players can make state-contingent agreements before the resolution of uncertainty, i.e. at the ex ante stage, period 0, the situation boils down to a non-transferable utility game, and we can apply for instance the classical concept of the Core to determine allocations of payoffs that are stable.

We, on the contrary, are interested in the case where no binding agreements are possible before the state of nature is known, but where players have the option to discuss agreements in period 0. Lacking the possibility to make binding agreements concerning the ex post stage, period 1, such agreements have to be self-enforcing. Our motivation for period 0 is thereby similar to the one underlying the notion of Coalition-Proof Nash equilibrium, where players discuss the strategies they are going to use, but cannot make binding commitments, and their choices have to be self-enforcing. After the resolution of uncertainty in period 1,

players know the TU-game that they play and can make binding commitments as is usual in cooperative game theory.

A consequence of the absence of binding agreements in period 0 is that many ex ante desirable transfers of payoffs across states are not feasible. Indeed, in the absence of binding agreements in period 0, only allocations in the Core of the transferable utility game that results after the state of nature is known, are self-enforcing.

Throughout the paper we assume symmetric information. There is also a rather extensive literature on cooperation in economies with private information, where usually a third stage between the ex ante and ex post stages is distinguished, namely an interim stage in which the agents learn their private information. See for instance Vohra (1999) for a study of the core in this framework. In these models, however, subject to incentive compatibility constraints, a complete contracting environment results; for the special case of symmetric information one is lead to the classical core. The study of asymmetric information issues in an incomplete contracting framework remains an interesting subject for further research.

We are interested in the appropriate definition of the Core in a TUU-game. In this setting coalitions are allowed to form in both periods. Stability requires that a suggested allocation cannot be blocked by any coalition at any period, i.e. both before and after the resolution of uncertainty. We concentrate on agreements which are self-enforcing in the sense that a coalition can only deviate from a given allocation if no sub-coalition ever has a credible counter-deviation. Ray (1989) shows that in a static environment the set of deviations coincides with the set of credible deviations. This is no longer true in our setting, and leads to the solution concept of the Weak Sequential Core.

The Weak Sequential Core was introduced in Kranich, Perea, and Peters (2005) for finite deterministic sequences of TU-games, and it was defined for two-period exchange economies with incomplete markets in Predtetchinski, Herings, and Perea (2006). In Kranich, Perea, and Peters (2005) the Weak Sequential Core was defined as the set of feasible payoff allocations for the grand coalition, from which no coalition ever has a credible deviation. In Habis and Herings (2010) it is demonstrated that the definition of credibility in Kranich, Perea, and Peters (2005) has to be adapted in order to show that the Weak Sequential Core has a nice characterization in terms of the cores of appropriately defined subgames. In Predtetchinski, Herings, and Perea (2006) this characterization was used as the definition of the Weak Sequential Core in a two-period exchange economy; i.e. the issue of the credibility of deviations is neglected there.

We extend the notion of credible deviation of Habis and Herings (2010) to TUU-games and show that an allocation belongs to the Weak Sequential Core only if conditional on the state of nature it belongs to the Core of the related ex post TU-game. This result follows from the absence of credible deviations in period 1. The absence of credible deviations in period 0 is then used to show that an allocation belongs to the Weak Sequential Core if moreover there is no coalition in period 0 that can propose state-contingent Core elements of the ex post games restricted to that coalition, which gives each of its members higher expected utility. In this way we obtain a characterization of the Weak Sequential Core. This characterization is in the spirit of the one proposed by Kranich, Perea, and Peters (2005) and later proved properly by Habis and Herings (2010), extended to the case with uncertainty.

A problem of the Weak Sequential Core concept is that the existing literature has failed to provide a general non-emptiness result, whereas moreover both Kranich, Perea, and Peters (2005) and Predtetchinski, Herings, and Perea (2006) give examples where the Weak Sequential Core is empty. We provide a general result on the non-emptiness of the Weak Sequential Core of TUU-games. We show that if all the ex post TU-games are convex, then the Weak Sequential Core is non-empty. This result does not impose any assumptions on the utility functions of the players beyond continuity and state-separability. We also provide examples to show that the convexity condition cannot be weakened to permutational convexity, not even when the permutation is the same for all ex post TU-games, nor can it be weakened to exactness.

The outline of the paper is as follows. We specify the model in Section 2 and give the formal definition of the Weak Sequential Core in Section 3, followed by its characterization in Section 4. We show the non-emptiness result in Section 5 and present the examples showing that permutational convexity or exactness are not sufficient for non-emptiness. Section 6 concludes.

## 2 Preliminaries

Consider a game with two time periods,  $t \in T = \{0, 1\}$ . Period 0 corresponds to an ex ante stage before the resolution of uncertainty. In period 1 one state  $s$  out of a finite set of states of nature  $\{1, \dots, S\}$  occurs. Since no confusion can arise, we also denote this set by  $S$ . We define the state of nature for period 0 as state 0, so the set of all states is



$S' = \{0\} \cup S$ . In period 1 the players are involved in a *cooperative game with transferable utility*, or briefly *TU-game*, where the game itself is allowed to be state-dependent.

The TU-game  $\Gamma_s$  played in state  $s \in S$  is a pair  $(N, v_s)$ , where  $N = \{1, 2, \dots, n\}$  is the set of players and  $v_s : 2^N \rightarrow \mathbb{R}$  is a characteristic function which assigns to each coalition  $C \subset N$  its *worth*  $v_s(C)$ , with the convention that  $v_s(\emptyset) = 0$ . The collection of non-empty subsets of  $N$  is denoted by  $\mathcal{N}$ , so  $\mathcal{N} = 2^N \setminus \{\emptyset\}$ . Player  $i \in N$  evaluates his payoffs by a utility function  $u^i : \mathbb{R}^S \rightarrow \mathbb{R}$ , which assigns to every profile of payoffs  $x^i = (x_1^i, \dots, x_S^i) \in \mathbb{R}^S$  a utility level  $u^i(x^i)$ . The utility function is assumed to be continuous and state-separable, i.e.  $u^i(x^i) = \sum_{s \in S} u_s^i(x_s^i)$ , where  $u_s^i(x_s^i)$  is monotonically increasing. Von Neumann-Morgenstern utility functions are a prominent example of utility functions satisfying these assumptions.

A TU-game with uncertainty is defined as follows.

**Definition 2.1.** A *TU-game with uncertainty (TUU-game)*  $\Gamma$  is a tuple  $(N, S, v, u)$  where  $v = (v_1, \dots, v_S)$  are state-dependent characteristic functions and  $u = (u^1, \dots, u^n)$  are utility functions.

Note that there are no payoffs in state 0. State 0 is merely introduced as a point in time when the players face the uncertainty in the future and may decide to agree upon future state-contingent payoff allocations. Payoffs in state 0 could be incorporated into our model but our main interest is to get insight into the effect of future uncertainty on the stability of payoff allocations.

Another observation is that when the cardinality of  $S$  is one, the concept of a TUU-game collapses with the one of a TU-game. In the absence of uncertainty, all monotonic transformations of utility functions are equivalent, and it is without loss of generality to take  $u^i(x^i) = x^i$ . Our interest is obviously in the cases with non-degenerate uncertainty.

The central question in a TUU-game is how the worth  $v_s(N)$  of the grand coalition is distributed among its members in every state  $s \in S$ . A distribution of worth, represented by a matrix  $x = (x^1, \dots, x^n) \in \mathbb{R}^{S \times N}$ , is called an *allocation*. The state- $s$  component  $x_s = (x_s^1, \dots, x_s^n) \in \mathbb{R}^N$  of an allocation is referred to as the allocation in state  $s \in S$ . The total worth obtained by coalition  $C$  in state  $s$  is  $x_s(C) = \sum_{i \in C} x_s^i$ . An allocation for a coalition  $C$  is a matrix  $x^C = (x^i)_{i \in C} \in \mathbb{R}^{S \times C}$ , with a state- $s$  component  $x_s^C \in \mathbb{R}^C$ . The restriction of a TUU-game  $\Gamma$  to coalition  $C$  is a TUU-game itself and is denoted by  $(\Gamma, C)$ .

### 3 The Weak Sequential Core

We study which allocations in the game  $\Gamma$  are stable. In general,  $\bar{x}$  is stable if there is no state  $s' \in S'$  and no coalition  $C \subset N$  which has a profitable deviation from  $\bar{x}$  at state  $s'$ . There are various ways in which the notion of profitable deviation might be formulated. Here we concentrate on the Weak Sequential Core, introduced in Kranich, Perea, and Peters (2005) for finite deterministic sequences of TU-games and in Predtetchinski, Herings, and Perea (2006) for two-period exchange economies with incomplete markets. Here we define the Weak Sequential Core for TUU-games.

When the classical definition of the Core (Gillies, 1959) is adapted to situations with time and uncertainty, it is typically assumed that agents can fully commit to any state-contingent allocation. In this case one would define the set of feasible allocations for a coalition  $C \subset N$  as

$$X^C = \{x^C \in \mathbb{R}^{S \times C} \mid x^C(C) \leq v(C)\},$$

resulting in the set of utilities for coalition  $C$  given by

$$V(C) = \{\bar{u}^C \in \mathbb{R}^C \mid \exists x^C \in X^C, \forall i \in C, \bar{u}^i = u^i(x^i)\},$$

thereby obtaining an NTU-game. Full commitment may be a strong and unrealistic assumption in the presence of time and uncertainty. Once the state of nature is known, there are typically players which have no incentives to stick to the previously arranged allocation of payoffs. Here we analyze the case with absence of commitments and look for agreements which are self-enforcing.

First we define what allocations, and thereby deviations, are feasible for coalitions at different states, then we formalize the notion of credible deviations and finally we define the Weak Sequential Core of a TUU-game. We start with feasibility at future states.

**Definition 3.1.** Fix some allocation  $\bar{x}$ . The allocation  $x^C$  is *feasible* for coalition  $C$  at state  $s \in S$  given  $\bar{x}$  if

$$\begin{aligned} x_{-s}^C &= \bar{x}_{-s}^C, \\ x_s^C(C) &\leq v_s(C). \end{aligned}$$

The first condition requires that the members of a coalition take allocations outside state  $s$  as given. Since utility functions are assumed to be state-separable, this assumption

is harmless. According to the second condition, in state  $s$  the members of a coalition can redistribute at most their worth.

We turn next to feasibility as state 0.

**Definition 3.2.** The allocation  $x^C$  is *feasible* for a coalition  $C$  at state 0 if

$$x^C(C) \leq v(C).$$

Note that feasibility at state 0 requires that the allocation must be feasible for coalition  $C$  in every state; it requires  $\sum_{i \in C} x_s^i \leq v_s(C)$  to hold for all states  $s$  in period 1.

We continue by defining deviations as feasible allocations that improve the utility of every coalition member.

**Definition 3.3.** Fix some allocation  $\bar{x}$ . A coalition  $C$  can *deviate* from  $\bar{x}$  at state  $s' \in S'$  if there exists a feasible allocation  $x^C$  for  $C$  at  $s'$  given  $\bar{x}$  such that

$$u^i(x^i) > u^i(\bar{x}^i), \text{ for all } i \in C.$$

The allocation  $x^C$  in Definition 3.3 is referred to as a *deviation*. Definition 3.3 can be extended in an obvious way to define deviations from an allocation  $x^C$  by a sub-coalition  $D$  of  $C$ .

We show in the following example that deviations are not necessarily self-enforcing.

**Example 3.4.** Consider a TUU-game with two players and with two states in period 1 with equal probability of occurrence. The players are assumed to be strictly risk-averse expected utility maximizers. Let the state-dependent characteristic function be the following:  $v_1(\{1, 2\}) = v_2(\{1, 2\}) = 1$ ,  $v_1(\{1\}) = v_2(\{2\}) = 1$ ,  $v_1(\{2\}) = v_2(\{1\}) = 0$ . The characteristic function has the feature that player  $i$  does not contribute to the surplus at state  $s = -i$ .

Let the allocation

$$\bar{x} = (\bar{x}^1, \bar{x}^2) = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}$$

be given. Now consider the allocation

$$x = (x^1, x^2) = \begin{pmatrix} \frac{1}{2} & \frac{1}{2} \\ \frac{1}{2} & \frac{1}{2} \end{pmatrix},$$

which is feasible for the grand coalition in state 0. Since both players are risk-averse,  $x$  is a deviation from  $\bar{x}$  at state 0 by coalition  $\{1, 2\}$ .

The allocation  $x$  is not self-enforcing though, since after the resolution of uncertainty it will always be blocked by a singleton coalition; at state 1 player 1 can block  $x_1^1 = \frac{1}{2}$  by  $\hat{x}_1^1 = v_1(\{1\}) = 1$  and at state 2 player 2 can block  $x_2^2 = \frac{1}{2}$  by  $\hat{x}_2^2 = v_2(\{2\}) = 1$ .

Since deviations should be self-enforcing, we introduce the notion of credible deviations. In defining credibility, we follow the approach developed in Ray (1989) for the static case. Ray (1989) shows that in a static environment the set of deviations coincides with the set of credible deviations. This is no longer true in our setting.

Credible deviations are defined recursively and by backwards induction. At any future state, any deviation by a singleton coalition is credible. A two-player coalition has a credible deviation at a future state if there is no singleton sub-coalition with a credible counter-deviation at that state. A credible deviation at a future state for an arbitrary coalition is then defined by recursion. More formally, a recursive definition of a credible deviation at state  $s \in S$  by a coalition  $C$  is as follows.

**Definition 3.5.** Fix some allocation  $\bar{x}$ . Any deviation  $x^C$  from  $\bar{x}$  at state  $s \in S$  by a singleton coalition is *credible*. Suppose credible deviations have been defined for each coalition of size  $k$ . Let  $C$  be a coalition of size  $k + 1$ . A deviation  $x^C$  from  $\bar{x}$  at state  $s$  by coalition  $C$  is *credible* if there is no sub-coalition  $D \subsetneq C$  such that  $D$  has a credible deviation from  $x^C$  at state  $s$ .

At state 0, again, any deviation by a singleton coalition is credible. A two-player coalition has a credible deviation at state 0 if there is no singleton sub-coalition with a credible counter-deviation at any state, current or future. A credible deviation at state 0 by an arbitrary coalition is then defined by recursion. More formally, we have the following definition.

**Definition 3.6.** Fix some allocation  $\bar{x}$ . Any deviation  $x^C$  from  $\bar{x}$  at state 0 by a singleton coalition is *credible*. Suppose credible deviations have been defined for each coalition of size  $k$ . Let  $C$  be a coalition of size  $k + 1$ . A deviation  $x^C$  from  $\bar{x}$  at state 0 by coalition  $C$  is *credible* if there is no sub-coalition  $D \subsetneq C$  and state  $s' \in S'$  such that  $D$  has a credible deviation from  $x^C$  at  $s'$ .

**Definition 3.7.** The *Weak Sequential Core*  $WSC(\Gamma)$  of the game  $\Gamma$  is the set of feasible allocations  $\bar{x}$  for the grand coalition from which no coalition ever has a credible deviation.

Our definition of the Weak Sequential Core is different from the one in Kranich, Perea, and Peters (2005) and the one in Predtetchinski, Herings, and Perea (2006). Kranich, Perea, and Peters (2005) do not require the counter-deviation by a sub-coalition to be credible, which leads to problems as demonstrated in Habis and Herings (2010). We adapt the definition in Habis and Herings (2010) to TUU-games. The definition of the Weak Sequential Core in Predtetchinski, Herings, and Perea (2006) for an incomplete markets exchange economy is based directly on the characterization we present in Theorem 4.4. We would also like to point out the similarity of our recursive definition to the one used in the concept of Coalition-Proof Nash equilibrium (Bernheim, Peleg, and Whinston, 1987). In both cases the notion of self-enforcement is interpreted as the absence of deviating sub-coalitions, where the recursive approach guarantees consistency of this notion.

**Example 3.4 (continued).** We show that  $\bar{x}$  is the only allocation which belongs to the Weak Sequential Core of the game. For an allocation  $x$  to belong to the Weak Sequential Core, it must hold that  $x_1^1 \geq 1$ , since otherwise player 1 could credibly block  $x$  in state 1 by  $\hat{x}_1^1 = v_1(\{1\}) = 1$ . An analogous reasoning implies that  $x_1^2 \geq 0$ . Similarly,  $x_2^2 \geq 1$  must hold, since otherwise player 2 could credibly block  $x$  in state 2 by  $\hat{x}_2^2 = v_2(\{2\}) = 1$ , and by analogous reasons we have  $x_2^1 \geq 0$ . Now it follows from feasibility for the grand coalition that  $\bar{x}$  is the only candidate element of WSC( $\Gamma$ ).

Clearly, singleton coalitions cannot deviate from  $\bar{x}$  at any state. The same is obviously true for the grand coalition at any future state. The arguments already used to derive that  $\bar{x}$  is the only candidate as a Weak Sequential Core element, imply that the grand coalition does not have a credible deviation from  $\bar{x}$  at state 0.

## 4 Characterization

In this section we provide a useful characterization for the Weak Sequential Core. Consider a particular credible deviation at state 0 by some coalition. We show that the set consisting of all credible deviations which improve the utility of all coalition members by the same amount or more is a compact set.

**Lemma 4.1.** *Let  $\bar{x}$  be a feasible allocation and let  $\hat{x}^C$  be a credible deviation from  $\bar{x}$  at state 0 by a coalition  $C$  of size greater than or equal to two. Let  $X$  be the set of credible*

deviations  $x^C$  from  $\bar{x}$  at state 0 by coalition  $C$  such that  $u^i(x^i) \geq u^i(\hat{x}^i)$  for all  $i \in C$ . Then the set  $X$  is compact.

**Proof.** First we show that  $X$  is closed. Consider a sequence  $(x_m^C)_{m \in \mathbb{N}}$  with  $x_m^C \in X$  converging to  $\tilde{x}^C$ . We need to show that  $\tilde{x}^C \in X$ , so

(i)  $\tilde{x}^C$  is a credible deviation from  $\bar{x}$  at state 0 by  $C$ ,

(ii)  $u^i(\tilde{x}^i) \geq u^i(\hat{x}^i)$  for all  $i \in C$ .

The continuity of  $u^i$  implies  $u^i(\tilde{x}^i) \geq u^i(\hat{x}^i)$  for all  $i \in C$ , thus (ii) holds.

Clearly,  $\tilde{x}^C$  is a deviation from  $\bar{x}$  at state 0 by  $C$ , so if  $\tilde{x}^C$  is not a credible deviation then there is a credible deviation  $y^D$  from  $\tilde{x}^C$  at  $s' \in S'$  by a sub-coalition  $D \subsetneq C$ . Since  $u^i(\tilde{x}^i) < u^i(y^i)$  for all  $i \in D$  there must be an  $\hat{m}$  such that if  $m > \hat{m}$  then for all  $i \in D$ ,  $u^i(x_m^i) < u^i(y^i)$ . This makes  $y^D$  a credible deviation from  $x_m^C$  at state  $s'$  by coalition  $D$ , a contradiction, so (i) holds. Hence,  $X$  is closed.

Now we show that  $X$  is bounded. For all  $x^C \in X$  it holds that

$$x^i \geq v(\{i\}), \quad i \in C,$$

since no player in  $C$  should have a credible deviation from  $x^C$  at any  $s \in S$ . Therefore  $X$  is bounded from below. Since  $x^C(C) \leq v(C)$ , it follows that  $X$  is also bounded from above.  $\square$

Note that Lemma 4.1 is not true for the set of deviations rather than the set of credible deviations, since in the case of deviations it might be possible to compensate arbitrarily negative payoffs in one state by sufficiently high positive payoffs in other states. For the same reason, Lemma 4.1 is not true for singleton coalitions, since for these coalitions deviations and credible deviations coincide.

Our characterization of the Weak Sequential Core makes use of the classical notion of the Core of a TU-game.

**Definition 4.2.** A coalition  $C$  can *improve* upon an allocation  $\bar{x}$  in a TU-game  $(N, v)$  if  $\bar{x}(C) < v(C)$ .

**Definition 4.3.** The *Core*  $C(N, v)$  of a TU-game  $(N, v)$  is the collection of allocations  $\bar{x}$  such that  $\bar{x}(N) = v(N)$  and there is no coalition  $C$  that can improve upon  $\bar{x}$ .

The Weak Sequential Core can be characterized by means of the Core of suitably chosen subgames.

**Theorem 4.4.** *The following two statements are equivalent:*

- (a)  $\bar{x} \in \text{WSC}(\Gamma)$ ,
- (b)  $\bar{x}$  is such that  $\bar{x}_s \in C(\Gamma_s)$  for all  $s \in S$ , and there is no  $C \subset N$  and allocation  $x^C$  such that  $x_s^C \in C(\Gamma_s, C)$  for all  $s \in S$ , and  $u^i(x^i) > u^i(\bar{x}^i)$  for all  $i \in C$ .

**Proof.**

(a)  $\Rightarrow$  (b). Consider some state  $s \in S$  and suppose there is a coalition  $C \subset N$  that can improve upon  $\bar{x}_s$  by  $x_s^C$ . We define  $x_{-s}^C = \bar{x}_{-s}^C$ . Either  $x^C$  is a credible deviation from  $\bar{x}$  at state  $s$  by coalition  $C$  or there is a sub-coalition  $D \subsetneq C$  such that  $D$  has a credible deviation  $y^D$  from  $x^C$  at  $s$ . In the latter case  $y^D$  is also a credible deviation from  $\bar{x}$  at state  $s$  by coalition  $D$ . In both cases we have a contradiction with  $\bar{x} \in \text{WSC}(\Gamma)$ . It follows that  $\bar{x}_s \in C(\Gamma_s)$ .

Suppose there is  $C \subset N$  and  $x^C$  such that  $x_s^C \in C(\Gamma_s, C)$  for all  $s \in S$ , and  $u^i(x^i) > u^i(\bar{x}^i)$  for all  $i \in C$ . We show that if such a deviation exists then there also exists a credible deviation, thereby contradicting (a). If  $x^C$  is a credible deviation from  $\bar{x}$  at 0 by  $C$ , then we are done, so suppose this is not the case. Since  $x_s^C \in C(\Gamma_s, C)$  holds for all  $s \in S$ , there cannot be a credible deviation from  $x^C$  at  $s \in S$  by some coalition  $D \subsetneq C$ , so there must be a credible deviation  $y^D$  from  $x^C$  at state 0 by some coalition  $D \subsetneq C$ . But then  $y^D$  is also a credible deviation from  $\bar{x}$  at state 0 by  $D$  since  $u^i(y^i) > u^i(x^i) > u^i(\bar{x}^i)$  for all  $i \in D$ .

(b)  $\Rightarrow$  (a). Suppose (a) does not hold. Since  $\bar{x}_s \in C(\Gamma_s)$  for all  $s \in S$ , no coalition has a credible deviation from  $\bar{x}$  at  $s \in S$  and so there must be a credible deviation  $\hat{x}^C$  from  $\bar{x}$  at state 0 by a coalition  $C$ . We will show that then there also exists a credible deviation  $\tilde{x}^C$  from  $\bar{x}$  at state 0 by coalition  $C$  such that  $\tilde{x}_s^C \in C(\Gamma_s, C)$  for all  $s \in S$ , thereby violating (b). When  $C$  contains a single player, say  $i$ , we define  $\tilde{x}_s^C = v_s(\{i\})$  for all  $s \in S$  and we are done, so consider the case where  $C$  is of size greater than or equal to two.

Let  $X$  be the set of credible deviations  $x^C$  from  $\bar{x}$  at state 0 by  $C$  with the property that  $u^i(x^i) \geq u^i(\hat{x}^i)$  for all  $i \in C$ . Let  $\tilde{x}^C$  be a solution of the problem

$$\max_{x^C \in X} \sum_{i \in C} u^i(x^i). \tag{1}$$

Since the allocation  $\hat{x}^C$  belongs to  $X$ ,  $X$  is non-empty. We know from Lemma 4.1 that  $X$  is compact. Therefore the set of maximizers in (1) is non-empty.

We show that  $\tilde{x}_s^C$  belongs to  $C(\Gamma_s, C)$  for all  $s \in S$ . Suppose there exists a state  $s \in S$  for which  $\tilde{x}_s^C \notin C(\Gamma_s, C)$ . Then there is a coalition  $D \subset C$  that can improve upon  $\tilde{x}_s^C$  by means of  $y_s^D \gg \tilde{x}_s^C$ . We define the allocation  $y^D$  by setting  $y_{-s}^D = \tilde{x}_{-s}^C$ . Since  $\tilde{x}^C$  is a credible deviation from  $\bar{x}$ , either  $D = C$  or  $D \subsetneq C$  and there is a proper sub-coalition of  $D$  with a credible counter-deviation from  $y^D$  at state  $s$ . The latter credible counter-deviation is a credible deviation from  $\tilde{x}^C$  at state  $s$ , a contradiction. It follows that  $D = C$ .

We show that  $y^C$  belongs to  $X$ . By the separability of the utility function it holds that  $u^i(y^i) > u^i(\tilde{x}^i) \geq u^i(\hat{x}^i)$  for all  $i \in C$ . Moreover, since  $\tilde{x}^C$  is a credible deviation from  $\bar{x}$  at state 0 by  $C$  and  $y_s^C \geq \tilde{x}_s^C$  for all  $s \in S$ , we have that  $y^C$  is a credible deviation from  $\bar{x}$  at state 0 by  $C$ , and it follows that  $y^C \in X$ .

We have that  $\sum_{i \in C} u^i(y^i) > \sum_{i \in C} u^i(\tilde{x}^i)$ , which contradicts that  $\tilde{x}^C$  is a maximizer. We have shown that  $\tilde{x}_s^C \in C(\Gamma_s, C)$  for all  $s \in S$ .  $\square$

For an allocation to belong to the Weak Sequential Core of the TUU-game  $\Gamma$ , the allocation should belong to the Core of the TU-game  $\Gamma_s$  in every state  $s \in S$ . Moreover, no coalition should be able to pick an element of the Core of the game restricted to  $C$  in every state, and in doing so improve utility in an ex ante sense.

It follows immediately from Theorem 4.4 that the Weak Sequential Core of a TUU-game with one state coincides with the Core of that game.

In a TUU-game one can distinguish ex ante and ex post efficiency.

**Definition 4.5.** An allocation  $\bar{x}$  is *ex ante efficient* in the game  $\Gamma$  if:

- (i)  $\bar{x}(N) = v(N)$ .
- (ii) There does not exist an allocation  $x$  with  $x(N) \leq v(N)$  such that  $u^i(x^i) > u^i(\bar{x}^i)$  for all  $i \in N$ .

**Definition 4.6.** An allocation  $\bar{x}$  is *ex post efficient* in the game  $\Gamma$  if  $\bar{x}(N) = v(N)$ .

Note, that the concept of ex post efficiency says more than the usual feasibility conditions in TU-games, since it requires  $\sum_{i \in N} \bar{x}_s^i = v_s(N)$  to hold at all states  $s \in S$ , but contrary to ex ante efficiency it does not imply Pareto-efficiency, since it does not consider reallocation possibilities across states.



**Corollary 4.7.** *If  $\bar{x} \in \text{WSC}(\Gamma)$ , then  $\bar{x}$  is ex post efficient.*

Observe that Example 3.4 demonstrates that an allocation in the Weak Sequential Core might not be ex ante efficient.

## 5 Non-emptiness

Kranich, Perea, and Peters (2005) show that the Weak Sequential Core of a finite deterministic sequence of TU-games is non-empty if all utility functions are linear. Predtetchinski, Herings, and Perea (2006) give sufficient conditions for non-emptiness for the case of an exchange economy with two agents. These are the only results in the literature so far regarding non-emptiness of the Weak Sequential Core. Both papers present examples where the Weak Sequential Core is empty.

The Weak Sequential Core can also be empty in a TUU-game, as shown in the following example.

**Example 5.1.** Consider a TUU-game  $\Gamma$  with three players and two future states, both occurring with equal probability. The characteristic function  $v$  is presented in Table 1.

Table 1: Characteristic function

$v$	$\emptyset$	$\{1\}$	$\{2\}$	$\{3\}$	$\{1,2\}$	$\{1,3\}$	$\{2,3\}$	$\{1,2,3\}$
$v_1$	0	5	50	10	140	20	140	150
$v_2$	0	50	5	10	140	140	20	150

Players are strictly risk averse expected utility maximizers.

By Theorem 4.4 only allocations in the Core of  $\Gamma_1$  and  $\Gamma_2$  can be stable. The Core of each of these TU-games consists of exactly one vector:

$$C(\Gamma_1) = \{(10, 130, 10)\},$$

$$C(\Gamma_2) = \{(130, 10, 10)\}.$$

The resulting allocation

$$\bar{x} = (\bar{x}^1, \bar{x}^2, \bar{x}^3) = \begin{pmatrix} 10 & 130 & 10 \\ 130 & 10 & 10 \end{pmatrix}$$

leads to high uncertainty for players 1 and 2, which could be completely eliminated if they cooperated. Coalition  $\{1, 2\}$  can credibly deviate from  $\bar{x}$  by perfectly pooling their risks at state 0, using

$$x^{\{1,2\}} = (x^1, x^2) = \begin{pmatrix} 70 & 70 \\ 70 & 70 \end{pmatrix},$$

and so achieving a higher utility, since both players are strictly risk-averse expected utility maximizers. We have shown that  $\text{WSC}(\Gamma) = \emptyset$ .

We show next that if  $\Gamma_s$  is convex for all  $s \in S$ , then the Weak Sequential Core is non-empty. Notice that in Example 5.1 convexity is violated for both  $\Gamma_1$  and  $\Gamma_2$ .

**Definition 5.2.** A TU-game  $(N, v)$  is *convex* if for all  $C \subset N$  and for all  $S \subsetneq T \subset N \setminus C$  it holds that  $v(S \cup C) - v(S) \leq v(T \cup C) - v(T)$ .

**Theorem 5.3.** *Let the TUU-game  $\Gamma$  be such that  $\Gamma_s$  is convex for all  $s \in S$ . Then  $\text{WSC}(\Gamma) \neq \emptyset$ .*

**Proof.** Let  $\pi : N \rightarrow N$  be a permutation, assigning rank number  $\pi(i)$  to any player  $i \in N$ . For a player  $i \in N$ , we define  $\pi^i = \{j \in N \mid \pi(j) \leq \pi(i)\}$  as the set of predecessors of player  $i$ . For every  $s \in S$ , the marginal vector  $m^\pi(\Gamma_s) \in \mathbb{R}^N$  is given by

$$m^{\pi,i}(\Gamma_s) = v_s(\pi^i) - v_s(\pi^i \setminus \{i\}), \quad i \in N,$$

and thus assigns to player  $i$  his marginal contribution to the worth of the coalition consisting of all his predecessors in  $\pi$ . We show that  $\bar{x}$  defined by  $\bar{x}_s = m^\pi(\Gamma_s)$ ,  $s \in S$ , belongs to  $\text{WSC}(\Gamma)$ .

Since  $\Gamma_s$  is convex, it holds that  $\bar{x}_s \in C(\Gamma_s)$  for all  $s \in S$  (Shapley, 1971). Using Theorem 4.4, it remains to be shown that there is no  $C \subset N$  and allocation  $x^C$  such that  $x_s^C \in C(\Gamma_s, C)$  for all  $s \in S$ , and  $u^i(x^i) > u^i(\bar{x}^i)$  for all  $i \in C$ .

Consider  $C \subset N$  and  $x^C$  with  $x_s^C \in C(\Gamma_s, C)$  for all  $s \in S$ . Let  $i$  be the player in  $C$  with the highest value of  $\pi(i)$ . It holds that

$$x_s^i \leq v_s(C) - v_s(C \setminus \{i\}) \leq v_s(\pi^i) - v_s(\pi^i \setminus \{i\}) = \bar{x}_s^i,$$

where the first inequality follows since  $x_s^C \in C(\Gamma_s, C)$  and the second inequality since by the choice of  $i$  as the highest ranked player in  $C$  according to  $\pi$  it holds that  $C \setminus \{i\} \subset \pi^i \setminus \{i\}$

and  $\Gamma_s$  is convex. By monotonicity of  $u^i$  we have that  $u^i(x^i) \leq u^i(\bar{x}^i)$ , which completes the proof.  $\square$

In the proof of Theorem 5.3 we construct an allocation in the Weak Sequential Core by fixing a permutation and allocating the payoffs in each state by means of the corresponding marginal vector. Convexity of  $\Gamma_s$  implies that all marginal vectors belong to the Core of  $\Gamma_s$ . Convexity is used once more to demonstrate that the highest ranked player in a deviating coalition gets less payoff in each state than in the original allocation.

An interesting feature of Theorem 5.3 is that we do not need to make additional assumptions on the utility functions of the players. Within the framework of expected utility, we allow for both risk-averse and risk-loving players. Also many theories of non-expected utility maximization are covered by our result. This is in contrast to the classical definition of the Core, which might be empty-valued under the same assumptions. Considering the lack of results on non-emptiness of the Weak Sequential Core in the literature so far, this comes as a surprise.

The idea of fixing a certain permutation in the proof, might suggest that the convexity assumption could be weakened to permutational convexity; i.e. assuming that each TU-game  $\Gamma_s$  is permutationally convex with respect to the same permutation  $\pi$ . Note however, that this weaker assumption holds for the TUU-game presented in Example 5.1 for the permutation  $\pi = (3, 2, 1)$ , whereas the Weak Sequential Core of that game is empty.

We show next that it is not possible to weaken convexity to exactness, a property introduced in Schmeidler (1972).

**Definition 5.4.** A TU-game  $(N, v)$  is *exact* if for all  $C \subset N$  there exists a core allocation  $x$  such that  $x(C) = v(C)$ .

For TU-games with three players, the notion of convexity coincides with the one of exactness. For games with more than three players, exactness is a weaker property. To verify whether a game is exact, we use the notion of exact balancedness, introduced in Csóka, Herings, and Kóczy (2011). For  $C \subset N$ ,  $a(C) \in \mathbb{R}^N$  is the *membership vector* in  $C$ , where  $a_i(C) = 1$  if  $i \in C$  and  $a_i(C) = 0$  otherwise.

**Definition 5.5.** An *exactly balanced vector of weights* is a vector  $(\lambda_C)_{C \in \mathcal{N}}$  such that  $\lambda_D \in \mathbb{R}$  for some  $D \in \mathcal{N}$ , and  $\lambda_C \in \mathbb{R}_+$  for all  $C \neq D$ , and  $\sum_{C \in \mathcal{N}} \lambda_C a(C) = a(N)$ .

A TU-game  $(N, v)$  is *exactly balanced* if  $\sum_{C \in \mathcal{N}} \lambda_C v(C) \leq v(N)$  for all exactly balanced vectors of weights.

The following result was shown in Csóka, Herings, and Kóczy (2011).

**Theorem 5.6.** *A TU-game  $(N, v)$  is exact if and only if it is exactly balanced.*

The only difference to the condition of balancedness is that one weight,  $\lambda_D$ , is not restricted to be non-negative. Since this creates an extra degree of freedom, the set of exactly balanced vectors is larger than the set of balanced vectors, so the class of exactly balanced games is a subset of the class of balanced games. Exact balancedness can also be used to give any easy proof of the fact that the class of exactly balanced games is a subset of the class of totally balanced games.

The following example shows that the Weak Sequential Core can be empty when all the games  $\Gamma_s$  are exact.

**Example 5.7.** Consider a TUU-game  $\Gamma$  with five players and six future states, all occurring with equal probability. All players are strictly risk-averse von Neumann-Morgenstern utility maximizers. We consider the vectors  $w^1 = (2, 1, 3, 0, 2)$  and  $w^2 = (0, 5, 1, 2, 0)$ , and we define a TU-game  $(N, w)$  with  $N = \{1, \dots, 5\}$  by

$$w(C) = \min\{w^1(C), w^2(C)\}, \quad C \subset N.$$

We define the permutations  $\pi_1, \dots, \pi_6$  by

$$\begin{aligned} \pi_1 &= (1, 2, 3, 4, 5), & \pi_3 &= (3, 1, 2, 4, 5), & \pi_5 &= (2, 3, 1, 4, 5), \\ \pi_2 &= (1, 2, 3, 5, 4), & \pi_4 &= (3, 1, 2, 5, 4), & \pi_6 &= (2, 3, 1, 5, 4), \end{aligned}$$

and, for  $s = 1, \dots, 6$ , we define the TU-game  $\Gamma_s = (N, v_s)$  by setting

$$v_s(C) = w(\pi_s(C)), \quad C \subset N,$$

resulting in a TUU-game  $\Gamma$  with five players and six states.

The TU-games  $(N, v_s)$  are all obtained by renaming the players in the TU-game  $(N, w)$ . All properties derived for  $(N, w)$  thereby immediately carry over to the games  $(N, v_s)$  by taking appropriate permutations. We first analyze  $(N, w)$ . We show that  $(N, w)$  is exact. By Definition 5.5 we have to check exact balancedness. Consider a vector of balancing weights  $(\lambda_C)_{C \in \mathcal{N}}$ . If all the balancing weights are non-negative, then

$$\sum_{C \in \mathcal{N}} \lambda_C w(C) \leq \min\left\{\sum_{C \in \mathcal{N}} \lambda_C w^1(C), \sum_{C \in \mathcal{N}} \lambda_C w^2(C)\right\} \leq \min\{w^1(N), w^2(N)\} = w(N),$$

where the second inequality follows from the additivity of the TU-games derived from  $w^1$  and  $w^2$ . If one of the balancing weights is negative, say  $\lambda_D$ , then assume without loss of generality that  $w(D) = w^1(D)$ . We have that

$$\begin{aligned} \sum_{C \in \mathcal{N} \setminus \{D\}} \lambda_C w(C) &\leq \min\{\sum_{C \in \mathcal{N} \setminus \{D\}} \lambda_C w^1(C), \sum_{C \in \mathcal{N} \setminus \{D\}} \lambda_C w^2(C)\} \\ &\leq \min\{w^1(N) + \lambda_D w^1(D), w^2(N) + \lambda_D w^2(D)\} = w(N) + \lambda_D w(D). \end{aligned}$$

We next compute the Core  $C(N, w)$ . It is immediate to verify that  $w^1, w^2 \in C(N, w)$ , as well as all convex combinations  $\mu w^1 + (1 - \mu)w^2$ , where  $\lambda \in [0, 1]$ . Choices for  $\mu$  below 0 or above 1 lead to allocations outside the Core. We show next that  $C(N, w)$  is contained in a 1-dimensional space, leading to the characterization of the Core of  $(N, w)$  as the convex hull of  $w^1$  and  $w^2$ .

Let  $x \in C(N, w)$ . Since  $x(N) = w(N)$ , we have that

$$x_1 + x_2 + x_3 + x_4 + x_5 = 8. \quad (2)$$

Since  $w(\{1, 2, 3\}) = 6$  and  $w(\{4, 5\}) = 2$ , we find that

$$x_4 + x_5 = 2. \quad (3)$$

It holds that

$$x_3 + x_4 = 3, \quad (4)$$

$$x_2 + x_3 + x_5 = 6, \quad (5)$$

since  $w(\{1, 2, 5\}) = 5$  and  $w(\{3, 4\}) = 3$ , and  $w(\{1, 4\}) = 2$  and  $w(\{2, 3, 5\}) = 6$ , respectively. Since (2)–(5) are four independent equations in five unknowns, we have shown that the Core of  $(N, w)$  is contained in a 1-dimensional space.

Consider  $\bar{x} \in \text{WSC}(\Gamma)$ . By Theorem 4.4 it holds that  $\bar{x}_s \in \Gamma_s$  for all  $s \in S$ . Moreover, there is no  $C \subset N$  and allocation  $x^C$  such that  $x_s^C \in C(\Gamma_s, C)$  for all  $s \in S$ , and  $u^i(x^i) > u^i(\bar{x}^i)$  for all  $i \in C$ . Suppose there are states  $s, s' \in S$  such that  $\bar{x}_s^4 \neq \bar{x}_{s'}^4$ . Take  $C = \{4, 5\}$ . Since  $\bar{x}_s^4 + \bar{x}_s^5 = 2$  for all  $s \in S$ , it holds that

$$x_{\bar{s}}^C := \left( \frac{1}{6} \sum_{s \in S} \bar{x}_s^4, \frac{1}{6} \sum_{s \in S} \bar{x}_s^5 \right) \in C(\Gamma_{\bar{s}}, C), \quad \bar{s} \in S.$$

Because players 4 and 5 are strictly risk-averse, we have that  $u^4(x^4) > u^4(\bar{x}^4)$  and  $u^5(x^5) > u^5(\bar{x}^5)$ , a contradiction to  $\bar{x} \in \text{WSC}(\Gamma)$ . Consequently, it holds that  $\bar{x}_s^4$  and  $\bar{x}_s^5$  are independent of  $s$ .

We define  $\alpha \in [0, 2]$  to be equal to  $\bar{x}_s^4$ . Since  $C(\Gamma_s)$  is the convex hull of  $w^1$  and  $w^2$  up to the permutation  $\pi_s$ , we find that  $\bar{x}^1 = (2 - \alpha, \alpha, 3 - \alpha, 1 + \alpha, 1 + 2\alpha, 5 - 2\alpha)$ . Moreover,  $\bar{x}^2$  and  $\bar{x}^3$  are identical to  $\bar{x}^1$ , up to a permutation. For  $C = \{1, 2, 3\}$ , we define the allocation  $x^C$  by  $x_s^C = (2, 2, 2)$  for all  $s \in S$ . It is easily verified that  $(2, 2, 2) \in C(\Gamma_s, C)$  for all  $s \in S$ . Since the players in  $C$  are strictly risk averse, we have that  $u^i(x^i) > u^i(\bar{x}^i)$  for all  $i \in C$ . By Theorem 4.4 this contradicts  $\bar{x} \in \text{WSC}(\Gamma)$ .

We have shown that  $\text{WSC}(\Gamma) = \emptyset$ .

## 6 Conclusion

In this paper we have introduced uncertainty into transferable utility games. Since in reality most surplus sharing decisions are made under uncertainty, this is a natural and important extension. It is not straightforward though, how to define an appropriate core concept for this stochastic setting. In this paper we consider allocations that are stable in the absence of commitment possibilities. These requirements lead to the notion of credibility. A credible deviation is self-enforcing in the sense that a coalition can credibly deviate from a given allocation if no sub-coalition ever has a credible counter-deviation. These considerations lead to the definition of the Weak Sequential Core.

We have an easy characterization of the Weak Sequential Core. All allocations in the Weak Sequential Core belong to the Core of the transferable utility game played after the resolution of uncertainty. Moreover, no coalition can block an allocation in the Weak Sequential Core ex ante by means of an allocation that belongs to the Core of all the ex post games reduced to the coalition. This property facilitates the application of the concept and the proof of its non-emptiness. We show that convexity of the ex post games is sufficient for the non-emptiness of the Weak Sequential Core, but that convexity cannot be weakened to permutational convexity or exactness.

## References

BERNHEIM, B. D., B. PELEG, AND M. WHINSTON (1987): "Coalition-Proof Nash Equilibria I. Concepts," *Journal of Economic Theory*, 42, 1–12.

- BOSSERT, W., J. DERKS, AND H. PETERS (2005): “Efficiency in Uncertain Cooperative Games,” *Mathematical Social Sciences*, 50(1), 12–23.
- CSÓKA, P. J. J. HERINGS, AND L. A. KÓCZY (2011): “Balancedness Conditions for Exact Games,” *Mathematical Methods of Operations Research*, forthcoming.
- GILLIES, D. B. (1959): “Solutions to General Non-Zero-Sum Games,” *Annals of Mathematics Study*, 40, 47–85.
- GRANOT, D. (1977): “Cooperative Games in Stochastic Characteristic Function Form,” *Management Science*, 23(6), 621–630.
- HABIS, H., AND P. J. J. HERINGS (2010): “A Note on The Weak Sequential Core of Dynamic TU Games,” *International Game Theory Review*, forthcoming.
- KRANICH, L., A. PEREA, AND H. PETERS (2005): “Core Concepts for Dynamic TU Games,” *International Game Theory Review*, 7(1), 43–61.
- PREDTETCHINSKI, A. (2007): “The Strong Sequential Core for Stationary Cooperative Games,” *Games and Economic Behavior*, 61(1), 50–66.
- PREDTETCHINSKI, A., P. J. J. HERINGS, AND A. PEREA (2006): “The Weak Sequential Core for Two-period Economies,” *International Journal of Game Theory*, 34(1), 55–65.
- RAY, D. (1989): “Credible Coalitions and the Core,” *International Journal of Game Theory*, 18(2), 185–187.
- SCHMEIDLER, D. (1972): “Cores of Exact Games,” *Journal of Mathematical Analysis and Applications*, 40, 214–225.
- SHAPLEY, L. S. (1971): “Cores of Convex Games,” *International Journal of Game Theory*, 1(1), 11–26.
- SUIJS, J., AND P. BORM (1999): “Stochastic Cooperative Games: Superadditivity, Convexity, and Certainty Equivalents,” *Games and Economic Behavior*, 27(2), 331–345.
- SUIJS, J., P. BORM, A. DE WAEGENAERE, AND S. TIJS (1999): “Cooperative Games with Stochastic Payoffs,” *European Journal of Operational Research*, 113(1), 193–205.

VOHRA, R. (1999): "Incomplete Information, Incentive Compatibility, and the Core,"  
*Journal of Economic Theory*, 86, 123–147.



## Discussion Papers published in 2011

- Mihályi Péter: Utolérési kísérletek Magyarországon, 1870-2030. MT-DP 2011/1
- Zsolt Darvas - Jean Pisani-Ferry: The Threat of 'Currency Wars': A European Perspective. MT-DP 2011/2
- Zsolt Darvas: Beyond the Crisis: Prospects for Emerging Europe. MT-DP 2011/3
- Barnabás M. Garay - András Simonovits - János Tóth: Local Interaction in Tax Evasion. MT-DP 2011/4
- Maria Csanadi: Varieties of System Transformations and Their Structural Background Based on the IPS Model. MT-DP 2011/5
- Mária Lackó: The Poor Health Status of the Hungarians; Comparative Macro-Analysis of the Likely Explanatory Factors on Hungarian and Austrian Data, 1960-2004. MT-DP 2011/6
- Fazekas Károly: Közgazdasági kutatások szerepe az oktatási rendszerek fejlesztésében. MT-DP 2011/7
- Gábor Kézdi - Gergely Csorba: Estimating the Lock-in Effects of Switching Costs from Firm-Level Data. MT-DP 2011/8
- Antal-Pomázi Krisztina: A kis- és középvállalkozások növekedését meghatározó tényezők - A különböző finanszírozási formák hatása a vállalati növekedésre. MT-DP 2011/9
- Zsolt Darvas - Jean Pisani-Ferry - André Sapir: A Comprehensive Approach to the Euro-Area Debt Crisis. MT-DP 2011/10
- András Simonovits: International Economic Crisis and the Hungarian Pension Reform. MT-DP 2011/11
- András Simonovits: The Mandatory Private Pension Pillar in Hungary: An Obituary. MT-DP 2011/12
- Horn Dániel: Az oktatási elszámoltathatósági rendszerek elmélete. MT-DP 2011/13
- Miklós Koren - Márton Csillag: Machines and machinists: Capital-skill complementarity from an international trade perspective. MT-DP 2011/14
- Áron Kiss: Divisive Politics and Accountability. MT-DP 2011/15
- Áron Kiss: Minimum Taxes and Repeated Tax Competition. MT-DP 2011/16
- Péter Csóka - Miklós Pintér: On the Impossibility of Fair Risk Allocation. MT-DP 2011/17
- Gergely Csorba - Gábor Koltay - Dávid Farkas: Separating the ex post effects of mergers: an analysis of structural changes on the Hungarian retail gasoline market. MT-DP 2011/18
- Helga Habis and P. Jean-Jacques Herings: Core Concepts for Incomplete Market Economies. MT-DP 2011/19