

UNIVERSIDAD CARLOS III DE MADRID

papers

working

Working Paper 11-03 (02) Business Economic Series 02 February, 2011 Departamento de Economía de la Empresa Universidad Carlos III de Madrid Calle Madrid, 126 28903 Getafe (Spain) Fax (34) 916249607

### Good deals in markets with frictions\*

Alejandro Balbás<sup>1</sup>, Beatriz Balbás<sup>2</sup> and Raquel Balbás<sup>3</sup>

Abstract

This paper studies a portfolio choice problem such that the pricing rule may incorporate transaction costs and the risk measure is coherent and expectation bounded. We will prove the necessity of dealing with pricing rules such that there are essentially bounded stochastic discount factors, which must be also bounded from below by a strictly positive value. Otherwise good deals will be available to traders, *i.e.*, depending on the selected risk measure, investors can build portfolios whose (*risk, return*) will be as close as desired to (*- infinite*, *+ infinite*) or (0, *infinite*). This pathologic property still holds for vector risk measures (*i.e.*, if we minimize a vector valued function whose components are risk measures). It is worthwhile to point out that essentially bounded stochastic discount factors are not usual in financial literature. In particular, the most famous frictionless, complete and arbitrage free pricing models imply the existence of good deals for every coherent and expectation bounded measure of risk, and the incorporation of transaction costs will no guarantee the solution of this caveat.

*Keywords:* Risk measure; Perfect and imperfect markets; Stochastic discount factor; Portfolio choice model; Good deal.

JEL Classification: G12; G13; G11.

\*

<sup>&</sup>lt;sup>1</sup>University Carlos III of Madrid, Department of Business Administration. <u>alejandro.balbas@uc3m.es</u>

<sup>&</sup>lt;sup>2</sup> University of Castilla La Mancha, Department of Financial Economics. <u>beatriz.balbas@uclm.es</u>

<sup>&</sup>lt;sup>3</sup> University Complutense of Madrid, Department of Actuarial and Financial Economics. raquel.balbas@ccee.ucm.es

# Good deals in markets with frictions

Alejandro Balbás<sup>a,\*</sup>, Beatriz Balbás<sup>b</sup>, Raquel Balbás<sup>c</sup>

<sup>a</sup> University Carlos III of Madrid <sup>b</sup> University of Castilla La Mancha <sup>c</sup> University Complutense of Madrid

#### Abstract

This paper studies a portfolio choice problem such that the pricing rule may incorporate transaction costs and the risk measure is coherent and expectation bounded. We will prove the necessity of dealing with pricing rules such that there exists an essentially bounded stochastic discount factor, which must be also bounded from below by a strictly positive value. Otherwise good deals will be available to traders, *i.e.*, depending on the selected risk measure, investors can build portfolios whose (*risk*, *return*) will be as close as desired to  $(-\infty, \infty)$  or  $(0, \infty)$ . This pathologic property still holds for vector risk measures (*i.e.*, if we minimize a vector valued function whose components are risk measures). It is worthwhile to point out that essentially bounded stochastic discount factors are not usual in financial literature. In particular, the most famous frictionless, complete and arbitrage free pricing models imply the existence of good deals for every coherent and expectation bounded measure of risk, and the incorporation of transaction costs will no guarantee the solution of this caveat.

AMS subject classification: 91G10; 91G20

JEL classification: G12; G13; G11

*Keywords*: Risk measure; Perfect and imperfect market; Stochastic discount factor; Portfolio choice model; Good deal.

\* Corresponding author. Tel: +34916249636; fax:+34916249606.

*E-mail addresses:* alejandro.balbas@uc3m.es (Alejandro Balbás), beatriz.balbas@uclm.es (Beatriz Balbás), raquel.balbas@ccee.ucm.es (Raquel Balbás).

# 1 Introduction

Since Artzner *et al.* (1999) introduced the "Coherent Measures of Risk" there has been a growing interest in risk measures beyond the variance, and many authors have extended the discussion. So, among many other interesting contributions, Föllmer and Schied (2002) defined the Convex Risk Measures, Goovaerts *et al.* (2004) introduced the Consistent Risk Measures, Rockafellar *et al.* (2006) defined the Expectation Bounded Risk Measures, Zhiping and Wang, (2008) presented the Two-Sided Coherent Risk Measures, Brown and Sim (2009) introduced the Satisfying Measures, and Aumann and Serrano (2008) and Foster and Hart (2009) defined Indexes of Riskiness. All of these measures are more and more used by researchers, practitioners, regulators and supervisors.

Actuarial and financial applications of risk measures have been more and more developed in the literature. Interesting examples are Portfolio Theory and Equilibrium (Rockafellar *et al.*, 2007, Miller and Ruszczynski, 2008, etc.), Pricing Issues (Hamada and Sherris, 2003, Staum, 2004, Goovaerts and Laeven, 2008, etc.), Optimal Reinsurance (Cai *et al.*, 2008, Balbás *et al.*, 2009, etc.), etc.

The notion of "Good Deal" was introduced in the paper by Cochrane and Saa-Requejo (2000). Mainly, a good deal is an investment strategy providing traders with a "very high return/risk ratio", in comparison with the value of this ratio for the Market Portfolio. Risk is measured with the standard deviation, and the absence of good deals is imposed in an arbitrage free model so as to price in incomplete markets. This line of research has been extended for more general risk functions.<sup>1</sup>

Besides, some recent papers deal with risk measures and impose conditions that are strictly stronger than the absence of arbitrage. For instance, Stoica and Lib (2010) fix a risk measure and its subgradient must contain "Equivalent Risk Neutral Probabilities".<sup>2</sup> However, the fulfillment of these assumptions stronger than the arbitrage absence is not so obvious in very important Pricing Models of Financial Economics. Balbás *et al.* (2010*a*) have shown the existence of "pathological results" when combining some risk measures (*VaR*, *CVaR*, Dual Power Transform or *DPT*, etc.) and very popular pricing models (Black and Scholes,

<sup>&</sup>lt;sup>1</sup>See Staum (2004), amongst many other interesting contributions.

 $<sup>^{2}</sup>$ Thus, the existence of "Equivalent Risk Neutral Probabilities" is not sufficient. Some of them must belong to the the risk measure subgradient.

Heston, etc.). Indeed, for the examples above the Stochastic Discount Factor (SDF) of the pricing model is not a strict convex combination of the riskless asset and an element of the risk measure subgradient, which implies the existence of sequences of portfolios whose expected returns tend to plus infinite and whose risk levels tend to minus infinite or remain bounded ( $risk = -\infty$  and  $return = +\infty$ , or bounded risk and  $return = +\infty$ ). In this paper we will use the expression "good deal" to represent these sequences making the managers as rich as desired and obviously outperforming the Market Portfolio.

It is needless to say that the existence of these good deals is a meaningless finding from a financial point of view, and it is not supported by the empirical evidence either. Balbás *et al.* (2010*b*) have shown that the presence of short selling restrictions may partially solve the caveat, but it is not easy to accept the existence of these restrictions just to solve a theoretical problem. Actually, these restrictions will not be justified by high risk levels in the composed portfolios. On the contrary, the global risk will decrease if further short sales are allowed. Furthermore, unless short sales are really strongly limited, from a theoretical point of view the global return/risk ratio will not be infinite but it will reach too large values, in comparison with the empirical evidence.

An alternative possible solution could be the incorporation of frictions, that may make the traders lose many potential earnings. The objective of this paper is to analyze the existence of good deals in presence of transaction costs, even when trading the riskless asset.

The article's outline is as follows. Section 2 will summarize the basic properties of the risk measures and the imperfect pricing rules we are going to deal with. We will draw on a slight extension of the representation theorem of expectation bounded risk measures of Rockafellar *et al.* (2006), and the most important results of this section are a new representation theorem of the pricing rule (Corollary 2) and a mean value theorem (Lemma 3).

Section 3 will be devoted to introducing a general portfolio choice problem that minimizes the portfolio risk for every desired expected return. Both a primal and a dual approach will be given, and the most important result is Theorem 5, which guarantees the absence of duality gap between both problems. Corollary 2 and Lemma 3 above play a critical role in the proof of Theorem 5. Section 4 will deal with the main problem of this paper, which is the absence or existence of good deals under frictions. The main results are Theorem 7 and its remark. They give necessary and necessary and sufficient conditions to prevent the existence of good deals. It is remarkable that these conditions do not affect the risk measure, and only the pricing rule is involved. We will prove that pricing rules without essentially bounded SDF will provide traders with good deals for every risk measure that may be extended to the whole space  $L^1$  (CVaR, for instance) and pricing rules without SDF bounded from below by a strictly positive value will provide traders with good deals regardless of the coherent and expectation bounded risk measures they use. These properties still hold for vector risk measures (*i.e.*, vector valued functions whose components are risk measures). Thus, the existence of  $0 < b \leq B$  and a SDF z such that  $b \leq z \leq B$  must hold. It is worth remarking that bounded SDF are not usual at all in financial literature. In particular, pricing rules having a unique SDF (*i.e.*, perfect markets) with the Log-Normal (Black and Scholes) or heavier tailed (stochastic volatility pricing models) distributions will generate good deals for every coherent and expectation bounded risk measure.

Section 5 presents the most important conclusions of the paper.

## 2 Preliminaries and notations

### 2.1 The risk measure

Consider the probability space  $(\Omega, \mathcal{F}, \mathbb{P})$  composed of the set of "states of the world"  $\Omega$  that may occur within the time interval [0, T], the  $\sigma$ -algebra  $\mathcal{F}$  and the probability measure  $\mathbb{P}$ . If  $p \in [1, \infty)$ ,  $L^p$  will denote the space of  $\mathbb{R}$ -valued random variables y on  $\Omega$  such that  $\mathbb{E}(|y|^p) < \infty$ ,  $\mathbb{E}()$  representing the mathematical expectation. If  $q \in (1, \infty]$  is its conjugate value (*i.e.*, 1/p + 1/q = 1), then the Riesz Representation Theorem (Rudin, 1973) guarantees that  $L^q$  is the dual space of  $L^p$ , where  $L^\infty$  is composed of the essentially bounded random variables. A special important case arises for p = q = 2.

Let  $p \in [1, 2]$  and  $q \in [2, \infty]$ .

$$\rho: L^p \longrightarrow \mathbb{R}$$

will be the general risk function that a trader uses in order to control the risk level of his

wealth at T. Denote by

$$\Delta_{\rho} = \{ z \in L^q; -\mathbb{E}(yz) \le \rho(y), \ \forall y \in L^p \}$$
(1)

the subgradient of  $\rho$ . The set  $\Delta_{\rho}$  is obviously convex. We will assume that  $\Delta_{\rho}$  is also  $\sigma(L^q, L^p)$ -compact,<sup>3</sup> and

$$\rho(y) = Max \ \{-\mathbb{E}(yz) : z \in \Delta_{\rho}\}$$
<sup>(2)</sup>

holds for every  $y \in L^p$ . Furthermore, we will also impose that z = 1 a.s. is in  $\Delta_{\rho}$ ,

$$\Delta_{\rho} \subset \left\{ z \in L^q; \mathbb{E}\left(z\right) = 1 \right\},\tag{3}$$

and

$$\Delta_{\rho} \subset L^{q}_{+} = \{ z \in L^{q}; \mathbb{P} (z \ge 0) = 1 \}.$$
(4)

Summarizing, we have:

Assumption 1. The set  $\Delta_{\rho}$  given by (1) is convex and  $\sigma(L^q, L^p)$  -compact, (2) holds for every  $y \in L^p$ , z = 1 a.s. is in  $\Delta_{\rho}$  and (3) and (4) hold.

The assumption above is closely related to the Representation Theorem of Risk Measures stated in Rockafellar *et al.* (2006). Following their ideas, it is easy to prove that the fulfillment of Assumption 1 holds if and only if  $\rho$  is continuous and:

a) Translation invariant,

$$\rho\left(y+k\right) = \rho\left(y\right) - k$$

for every  $y \in L^p$  and  $k \in \mathbb{R}$ .

b) Homogeneous,

$$\rho\left(\alpha y\right) = \alpha\rho\left(y\right)$$

for every  $y \in L^p$  and  $\alpha > 0$ .

c) Sub-additive,

$$\rho\left(y_1 + y_2\right) \le \rho\left(y_1\right) + \rho\left(y_2\right)$$

<sup>&</sup>lt;sup>3</sup>See Rudin (1973) for further details about  $\sigma(L^q, L^p)$  –compact sets.

for every  $y_1, y_2 \in L^p$ .

d) Mean dominating,

$$\rho\left(y\right) \geq -\mathbb{E}\left(y\right)$$

for every  $y \in L^p$ .

e) Decreasing,

 $\rho\left(y_{1}\right) \leq \rho\left(y_{2}\right)$ 

whenever  $y_1, y_2 \in L^p$  and  $y_1 \ge y_2$  a.s.

Particular interesting examples are the Conditional Value at Risk (CVaR) and the Weighted Conditional Value at Risk (WCVaR, Rockafellar et al., 2006, or Cherny, 2006), the Dual Power Transform (DPT, Wang, 2000) and the Wang Measure (Wang, 2000), among many others.

**Remark 1** With the Hahn-Banach Separation Theorem (Rudin, 1973) and Expressions (1) and (2) it is easy to prove that there is a one to one bijection

$$\begin{array}{ccc} \mathcal{M} & \leftrightarrows & \mathcal{S} \\ \rho & \leftrightarrows & \Delta_{\rho} \end{array}$$

between the set  $\mathcal{M}$  of risk measures satisfying Assumption 1 and the set  $\mathcal{S}$  of convex and  $\sigma(L^q, L^p)$  – compact subsets of  $L^q$  containing the constant random variable whose value is 1 and fulfilling (3) and (4). This bijection is increasing, i.e., higher risk measures are associated with higher sets of  $\mathcal{S}$ . Consequently, given a finite family of risk measures satisfying Assumption 1

$$\{\rho_1, \rho_2, ..., \rho_k\} \subset \mathcal{M},$$

one can consider the family of subgradients

$$\{\Delta_{\rho_1}, \Delta_{\rho_2}, ..., \Delta_{\rho_k}\} \subset \mathcal{S}.$$

Then, taking the convex hull of

$$\Delta_{\rho} = Co\left(\bigcup_{i=1}^{k} \Delta_{\rho_i}\right),\,$$

which is obviously  $\sigma(L^q, L^p)$  - compact, we easily prove that there exists  $\rho$  satisfying Assumption 1 and such that  $\rho_k \leq \rho$ , i = 1, 2, ..., k. Furthermore,  $\rho$  is the minimum element in  $\mathcal{M}$  satisfying both properties.

### 2.2 The pricing rule

There are several ways to introduce pricing rules in a market with transaction costs (see, among many other interesting contributions, Jouini and Kallal, 1995 and 2001, or Schachermayer, 2004). Nevertheless, all of them are closely related and lead to quite similar assumptions. In the line of previous literature, we will consider the function

$$\Phi: L^2 \longrightarrow \mathbb{R}$$

that provides us with the initial (at t = 0) price  $\Phi(y)$  of final (at T) pay-off  $y \in L^2$ . We will adopt usual conventions for imperfect markets, so

$$\Phi\left(y_1 + y_2\right) \le \Phi\left(y_1\right) + \Phi\left(y_2\right) \tag{5}$$

for every  $y_1, y_2 \in L^2$  and

$$\Phi\left(\alpha y\right) = \alpha \Phi\left(y\right) \tag{6}$$

for every  $y \in L^2$  and every  $\alpha > 0$ .

 $\Phi(y)$  is usually interpreted as the ask price of  $y \in L^2$ , whereas  $-\Phi(-y)$  is the bid price. Since (6) leads to  $\Phi(0) = 0$ ,<sup>4</sup> inequality

$$-\Phi(-y) \le \Phi(y) \tag{7}$$

trivially follows from (5). We will also assume that the lending rate is non negative and non higher than the borrowing one, *i.e.*,

$$0 < -\Phi(-1) \le \Phi(1) \le 1$$
(8)

must hold. Summarizing, we have:

Assumption 2. The pricing rule  $\Phi : L^2 \longrightarrow \mathbb{R}$  is continuous, it satisfies (5) and (6), and (8) holds.

<sup>4</sup>Otherwise  $\Phi(0) = \Phi(2 \times 0) = 2\Phi(0)$  would lead to the contradiction 1 = 2.

The following version of the Hahn-Banach Theorem is adopted from Rudin (1973), and the proof is omitted since it is provided in this reference.

**Theorem 1** Consider the linear manifold  $L \subset L^2$  and the linear function  $\varphi : L \longrightarrow \mathbb{R}$ such that  $\varphi(y) \leq \Phi(y)$  for every  $y \in L$ . Then, there exists  $\phi : L^2 \longrightarrow \mathbb{R}$  linear and such that

$$\phi\left(y\right) = \varphi\left(y\right) \tag{9}$$

for every  $y \in L$  and

$$\phi\left(y\right) \le \Phi\left(y\right) \tag{10}$$

foe every  $y \in L^2$ .

**Corollary 2** The subgradient of  $\Phi$  given by

$$\Delta_{\Phi} = \left\{ z \in L^2; \mathbb{E}\left(yz\right) \le \Phi\left(y\right), \ \forall y \in L^2 \right\}$$
(11)

is convex and  $\sigma(L^2, L^2)$  – compact, and Expression

$$\Phi(y) = Max \ \{ \mathbb{E}(yz) : z \in \Delta_{\Phi} \}$$
(12)

holds for every  $y \in L^2$ .

**Proof.** The convexity of  $\Delta_{\Phi}$  is obvious, so let us prove its weak-compactness. Since  $\Delta_{\Phi}$  is obviously weakly-closed we only have to show that it is norm-bounded (Alaoglu's Theorem, see Rudin, 1973). The continuity of  $\Phi$  implies the existence of  $\delta > 0$  such that

$$\|y\| \le \delta \Longrightarrow |\Phi(y)| \le 1$$

holds. Then,

$$\|y\| \leq \delta \Longrightarrow |\mathbb{E}(yz)| \leq 1, \ \forall z \in \Delta_{\Phi}$$

holds, *i.e.*,

$$\|y\| \le 1 \Longrightarrow |\mathbb{E}(yz)| \le 1/\delta, \ \forall z \in \Delta_{\Phi}$$
(13)

holds. Expression (13) obviously implies that  $||z|| \leq 1/\delta$  for every  $z \in \Delta_{\Phi}$ .

Next let us see the fulfillment of (11). Obviously, it is sufficient to show the inequality  $\Phi(y) \leq Max \{ \mathbb{E}(yz) : z \in \Delta_{\Phi} \}$ .<sup>5</sup> Fix  $y_0 \in L^2$  and the linear manifold generated by  $y_0$ , given by

$$L = \{\lambda y_0; \ \lambda \in \mathbb{R}\}.$$

Consider the linear function  $\varphi: L \longrightarrow \mathbb{R}$  given by

$$\varphi\left(\lambda y_0\right) = \lambda \Phi\left(y_0\right)$$

for every  $\lambda \in \mathbb{R}$ . The inequality  $\varphi(\lambda y_0) \leq \Phi(\lambda y_0)$  is obvious from Assumption 2 if  $\lambda \geq 0$ , and for  $\lambda < 0$  Expressions (7) and (6) imply that

$$\Phi\left(\lambda y_{0}\right) \geq -\Phi\left(-\lambda y_{0}\right) = \lambda \Phi\left(y_{0}\right) = \varphi\left(\lambda y_{0}\right).$$

Consider now the extension  $\phi$  of  $\varphi$  of Theorem 1. According to the Riesz Representation Theorem, take  $z \in L^2$  with  $\phi(y) = \mathbb{E}(yz)$  for every  $y \in L^2$ . Then, (10) shows that  $z \in \Delta_{\Phi}$ , and (9) shows that  $\mathbb{E}(y_0 z) = \varphi(y_0) = \Phi(y_0)$ .

**Remark 2** For frictionless markets the set  $\Delta_{\Phi}$  contains a unique element usually called Stochastic Discount Factor (SDF). Further details may be found, for instance, in Duffie (1988). In our more general framework we will say that every element of  $\Delta_{\Phi}$  is a SDF of  $\Phi$ .

Next, we will end this section by providing without proof a Mean Value Theorem. The first statement applies for the risk measure  $\rho$ , and it is adopted from Balbás *et al.* (2009), where a complete proof may be found. The main arguments are implied by Assumption 1. The second statement applies for the pricing rule  $\Phi$ , and its proof is similar if one bears in mind Corollary 2.

Henceforth,  $\mathcal{C}(\Delta_{\rho})$  and  $\mathcal{C}(\Delta_{\Phi})$  will denote the Banach spaces composed of the real valued  $\sigma(L^q, L^p)$  -continuous and  $\sigma(L^2, L^2)$  -continuous functions.  $\mathcal{B}_{\rho}$  and  $\mathcal{B}_{\Phi}$  will denote the Borel  $\sigma$ -algebras of  $\Delta_{\rho}$  and  $\Delta_{\Phi}$  endowed with topologies  $\sigma(L^q, L^p)$  and  $\sigma(L^2, L^2)$ .  $\mathcal{M}(\Delta_{\rho})$  and  $\mathcal{M}(\Delta_{\Phi})$  will denote the Banach spaces of inner regular  $\sigma$ -additive measures on  $\mathcal{B}_{\rho}$  and  $\mathcal{B}_{\Phi}$ .  $\mathcal{P}(\Delta_{\rho})$  and  $\mathcal{P}(\Delta_{\Phi})$  will denote the subsets of  $\mathcal{M}(\Delta_{\rho})$  and  $\mathcal{M}(\Delta_{\Phi})$  composed of those measures that are probabilities (non-negative and total mass equal to 1). Recall that

<sup>&</sup>lt;sup>5</sup>Notice that the compactness of  $\Delta_{\Phi}$  implies that the maximum is attained.

the Riesz Representation Theorem (Rudin, 1973) guarantees that  $\mathcal{M}(\Delta_{\rho})$  and  $\mathcal{M}(\Delta_{\Phi})$  are the dual spaces of  $\mathcal{C}(\Delta_{\rho})$  and  $\mathcal{C}(\Delta_{\Phi})$ .

**Lemma 3** (Mean Value Theorem). a) For every probability measure  $m \in \mathcal{P}(\Delta_{\rho})$  there exists a unique  $z_m \in \Delta_{\rho}$  such that

$$\mathbb{E}(yz_m) = \int_{\Delta_{\rho}} \mathbb{E}(yz) \, dm(z)$$

holds for every  $y \in L^p$ .

b) For every probability measure  $m \in \mathcal{P}(\Delta_{\Phi})$  there exists a unique  $z_m \in \Delta_{\Phi}$  such that

$$\mathsf{I\!E}\left(yz_{m}\right) = \int_{\Delta_{\Phi}} \mathsf{I\!E}\left(yz\right) dm\left(z\right)$$

holds for every  $y \in L^2$ .

### **3** Primal and dual portfolio choice problems

Balbás *et al.* (2010a) have proposed a general portfolio choice problem involving coherent and expectation bounded risk measures and perfect pricing models. The natural extension for a market with frictions is

$$\begin{cases} Min \ \rho(y) \\ \Phi(y) \le 1, \ \mathbb{E}(y) \ge R \end{cases}$$
(14)

 $y \in L^2$  being the decision variable and R > 0 representing the minimum required expected return. Problem (14) minimizes the risk of a portfolio whose global ask price is not higher than one dollar and whose expected value is at least R. Thus, it is a standard risk/return approach with  $\rho$  as the risk measure.

Next, let us give conditions so as to guarantee that (14) is feasible (*i.e.*, the feasible set is non void).

Assumption 3. There exists  $y_1 \in L^2$  such that  $0 < \Phi(y_1) < -\Phi(-\mathbb{E}(y_1))$ .

Assumption 3 is not restrictive at all, since it only imposes the existence of a portfolio  $y_1$  whose expected return is higher than the borrowing rate. Indeed, suppose that some

investor accepts a debt with value  $\mathbb{E}(y_1)$  to be paid at T. Then, he receives the bid price  $-\Phi(-\mathbb{E}(y_1))$  at t = 0, which is higher than the price  $\Phi(y_1)$  of  $y_1$ . Thus, he can buy  $y_1$  and conserve the strictly positive quantity  $-\Phi(-\mathbb{E}(y_1)) - \Phi(y_1)$ , but his expected final wealth vanishes.

**Proposition 4** Problem (14) is feasible for every R > 0.6

**Proof.** Obviously, Portfolio  $y_1 - \mathbb{E}(y_1)$  has a negative price, since Assumption 3 implies that

$$\Phi\left(y_1 - \mathbb{E}\left(y_1\right)\right) \le \Phi\left(y_1\right) + \Phi\left(-\mathbb{E}\left(y_1\right)\right) < 0.$$
(15)

Consider k > 0, R > 0 and Portfolio

$$x_{k,R} = k(y_1 - \mathbb{E}(y_1)) + R \in L^2.$$

One has that,

$$\Phi\left(x_{k,R}\right) \le k\Phi\left(y_1 - \mathbb{E}\left(y_1\right)\right) + R\Phi(1).$$

Bearing in mind (15), we have that

$$k \ge \frac{1 - R\Phi(1)}{\Phi\left(y_1 - \mathbb{E}\left(y_1\right)\right)} \Longrightarrow \Phi\left(x_{k,R}\right) \le 1.$$
(16)

Besides,

$$\mathbb{E}(x_{k,R}) = k(\mathbb{E}(y_1) - \mathbb{E}(y_1)) + R = R.$$

Therefore,  $x_{k,R}$  is (14)-feasible as long as one chooses k > 0 so as to satisfy the left hand side condition in (16).

**Remark 3** Since (14) is feasible, hereafter

$$\infty > \rho_R^* \ge -\infty$$

will represent its optimal value.

 $^{6}$ The proof of this proposition will show that Assumption 3 may be sligtly relaxed. It is sufficient to impose the inequality

$$\Phi\left(y_1 - \mathbb{E}\left(y_1\right)\right) < 0,$$

though we think that the given condition is more intuitive from a financial point of view.

According to the financial intuition, Problem (14) should be bounded, and its infimum value (the optimal risk level  $\rho_R^*$ ) should increase if so does the expected return R. We will deal with duality theory so as to analyze whether the intuitive properties above do hold.

First of all, Assumption 1 and Corollary 2 allow us to substitute (14) by an equivalent problem. Indeed, consider Problem

$$\begin{cases}
Min \ \theta \\
\theta + \mathbb{E}(yz) \ge 0, \quad \forall z \in \Delta_{\rho} \\
\mathbb{E}(yz) \le 1, \quad \forall z \in \Delta_{\Phi} \\
\mathbb{E}(y) \ge R
\end{cases}$$
(17)

 $(\theta, y) \in \mathbb{R} \times L^2$  being the decision variable. It is easy to see that  $y \in L^2$  solves (14) if and only if there exists  $\theta \in \mathbb{R}$  such that  $(\theta, y)$  solves (17), in which case  $\theta = \rho(y)$  holds.

Assumptions 1 and 2 imply that (14) and (17) are convex problems, so we can deal with the general duality theory for convex optimization problems of Luenberger (1969). Therefore, let us consider the Lagrangian function

$$\mathbb{R} \times L^2 \times \mathcal{M}(\Delta_{\rho}) \times \mathcal{M}(\Delta_{\Phi}) \times \mathbb{R} \ni (\theta, y, m_1, m_2, \lambda) \to \mathcal{L}(\theta, y, m_1, m_2, \lambda) \in \mathbb{R}$$

given by

$$\mathcal{L}\left(\theta, y, m_{1}, m_{2}, \lambda\right) = \\ \theta\left(1 - \int_{\Delta_{\rho}} dm_{1}\right) - \int_{\Delta_{\rho}} \mathbb{E}\left(yz_{1}\right) dm_{1}\left(z_{1}\right) + \int_{\Delta_{\Phi}} \left(\mathbb{E}\left(yz_{2}\right) - 1\right) dm_{2}\left(z_{2}\right) + \lambda\left(R - \mathbb{E}\left(y\right)\right).$$

Then,  $(m_1, m_2, \lambda) \in \mathcal{M}(\Delta_{\rho}) \times \mathcal{M}(\Delta_{\Phi}) \times \mathbb{R}$  is dual-feasible if and only if  $m_1 \ge 0, m_1 \ge 0$ ,  $\lambda \ge 0$ , and  $\mathcal{L}(\theta, y, m_1, m_2, \lambda)$  is bounded from below for  $(\theta, y) \in \mathbb{R} \times L^2$ , which obviously implies that  $m_1(\Delta_{\rho}) = 1$ , *i.e.*,  $m_1 \in \mathcal{P}(\Delta_{\rho})$ . Thus, the dual problem of (17) becomes

$$\begin{cases}
Max \left( Inf_{y \in L^{2}} \left( -\int_{\Delta_{\rho}} \mathbb{E} \left( yz_{1} \right) dm_{1} \left( z_{1} \right) + \int_{\Delta_{\Phi}} \left( \mathbb{E} \left( yz_{2} \right) - 1 \right) dm_{2} \left( z_{2} \right) + \lambda \left( R - \mathbb{E} \left( y \right) \right) \right) \right) \\
(m_{1}, m_{2}, \lambda) \in \mathcal{P} \left( \Delta_{\rho} \right) \times \mathcal{M} \left( \Delta_{\Phi} \right) \times \mathbb{R} \\
m_{2}, \lambda \geq 0
\end{cases}$$
(18)

However, bearing in mind Lemma 3, and denoting by  $\mu = m_2(\Delta_{\Phi})$ , it is obvious that problem above is equivalent to

$$\begin{cases} Max \ (Inf_{y \in L^{2}} \left(-\operatorname{I\!E} \left(y z_{1}\right) + \mu \operatorname{I\!E} \left(y z_{2}\right) - \mu + \lambda \left(R - \operatorname{I\!E} \left(y\right)\right)\right) \\ (z_{1}, z_{2}, \mu, \lambda) \in \Delta_{\rho} \times \Delta_{\Phi} \times \operatorname{I\!R} \times \operatorname{I\!R} \\ \mu, \lambda \geq 0 \end{cases}$$

Since

$$-\mathbb{E}(yz_1) + \mu\mathbb{E}(yz_2) - \mu + \lambda (R - \mathbb{E}(y))$$
$$= \mathbb{E}(y(-z_1 + \mu z_2 - \lambda)) - \mu + \lambda R,$$

the infimum becomes higher than  $-\infty$  if and only if  $-z_1 + \mu z_2 - \lambda$  vanishes, so the dual problem becomes

$$\begin{cases}
Max - \mu + \lambda R \\
z_1 = \mu z_2 - \lambda \\
(z_1, z_2, \mu, \lambda) \in \Delta_{\rho} \times \Delta_{\Phi} \times \mathbb{R} \times \mathbb{R}, \ \mu, \lambda \ge 0
\end{cases}$$
(19)

 $(z_1, z_2, \mu, \lambda) \in \Delta_{\rho} \times \Delta_{\Phi} \times \mathbb{R} \times \mathbb{R}$  being the decision variable.

Next, let us prove that there is no duality gap between (14) and (19).<sup>7</sup>

**Theorem 5** Consider R > 0. There is strong duality between (14) and (19), i.e., (14) is bounded if and only if (19) is feasible. In such a case (19) is also bounded and solvable, and both optimal values coincide with  $\rho_R^* > -\infty$ .

**Proof.** Since (14) is equivalent to (17) and (19) is equivalent to (18), it is sufficient to prove that there is no duality gap between (17) and (18). According to Luenberger (1969), it is sufficient to prove that (17) satisfies the Slater Qualification, *i.e.*, there exists  $(\theta_0, y_0)$  satisfying all the constraints of (17) in terms of strict inequality. Fix, R > 0 and Proposition 4 implies the existence of  $y_1$  such that  $\Phi(y_1) \leq 1$ ,  $\mathbb{E}(y_1) \geq 4R$ . Then,  $y_0 = \frac{y_1}{2}$  satisfies  $\Phi(y_0) \leq 1/2 < 1$  and  $\mathbb{E}(y_0) \geq 2R > R$ . Therefore, (12) implies that  $\mathbb{E}(y_0z) \leq 1/2 < 1$  for every  $z \in \Delta_{\Phi}$ . Finally, choose

$$\theta_0 > \rho\left(y_0\right) = Max \ \left\{-\mathsf{IE}\left(y_0 z\right) : z \in \Delta_\rho\right\}$$

and the first constraint of (17) will be strictly satisfied.

### 4 The no good deal condition

As already said, the financial intuition indicates that Problem (14) should be bounded, and its infimum value (the optimal risk level) should increase as so does the expected return R.

<sup>&</sup>lt;sup>7</sup>Notice that there are several problems in Mathematical Finance leading to the existence of duality gaps. See, for instance, Jin *et al.* (2008).

Let us show that these properties do not hold in general, unless there exists an appropriate SDF of  $\Phi$ .

**Lemma 6** a)  $-\Phi(-1) \leq \mathbb{E}(z) \leq 1$  holds for every  $z \in \Delta_{\Phi}$ .

b) If  $(z_1, z_2, \mu, \lambda)$  is (19)-feasible then

$$\frac{1+\lambda}{-\Phi(-1)} \ge \mu \ge 1+\lambda.$$
(20)

**Proof.** a) Expressions (8) and (12) imply that

$$\mathbb{E}(z) \le \Phi(1) \le 1$$

and

$$-\mathbb{E}\left(z\right) \le \Phi\left(-1\right).$$

b) Bearing in mind (3), and taking expectations in the first constraint of (19), we have that

$$1 = \mu \mathbb{E}(z_2) - \lambda.$$

Thus, bearing in mind that  $\mu \ge 0$ , Statement a) leads to

$$-\mu\Phi(-1) - \lambda \le 1 \le \mu - \lambda,$$

and (20) trivially follows.

**Remark 4** Notice that the (19)-feasible set does not depend on the required return R > 0. If it is void then Theorem 5 shows that the optimal value of (14) becomes  $\rho_R^* = -\infty$  for every R > 0.

**Remark 5** If the (19)-feasible set is not empty then Theorem 5 and (20) show that

$$b_R \le \rho_R^* \le B_R,\tag{21}$$

 $b_R$  and  $B_R$  being the optimal values of Problems

$$\begin{cases} Max \ \frac{1+\lambda}{\Phi(-1)} + \lambda R = \frac{1}{\Phi(-1)} + \left(R + \frac{1}{\Phi(-1)}\right)\lambda \\ z_1 = \mu z_2 - \lambda \\ (z_1, z_2, \mu, \lambda) \in \Delta_\rho \times \Delta_\Phi \times \mathbb{R} \times \mathbb{R}, \ \mu, \lambda \ge 0 \end{cases}$$
(22)

-	-	-	-	1
L				

and

$$\begin{cases}
Max - (1 + \lambda) + \lambda R = -1 + (R - 1) \lambda \\
z_1 = \mu z_2 - \lambda \\
(z_1, z_2, \mu, \lambda) \in \Delta_{\rho} \times \Delta_{\Phi} \times \mathbb{R} \times \mathbb{R}, \ \mu, \lambda \ge 0
\end{cases}$$
(23)

Bearing in mind (8), for

$$R > \frac{1}{-\Phi(-1)}$$

both problems have the same solution  $(z_1^*, z_2^*, \mu^*, \lambda^*)$ , which also solves

$$\begin{cases}
Max \ \lambda \\
z_1 = \mu z_2 - \lambda \\
(z_1, z_2, \mu, \lambda) \in \Delta_{\rho} \times \Delta_{\Phi} \times \mathbb{R} \times \mathbb{R}, \ \mu, \lambda \ge 0
\end{cases}$$
(24)

Notice that, according to Theorem 5, Problem (19) is bounded, and therefore (21) shows that (22) is bounded. Then, (23) and (24) are bounded too, and (21) shows that the optimal value  $\lambda^* \geq 0$  of (24) will satisfy

$$\frac{1}{\Phi(-1)} + \left(R + \frac{1}{\Phi(-1)}\right)\lambda^* \le \rho_R^* \le -1 + (R-1)\lambda^*$$
(25)

for every  $R > \frac{1}{-\Phi(-1)}$ .

Let us extend the notion of compatibility of Balbás *et al.* (2010a) for models with transaction costs.

**Definition 1** The couple  $(\rho, \Phi)$  is said to be compatible if  $\rho_R^* > -\infty$  or, equivalently, the (24)-feasible set is non void.<sup>8</sup> The couple  $(\rho, \Phi)$  is said to be strongly compatible if there exists a (24)-feasible element  $(z_1, z_2, \mu, \lambda)$  such that  $\lambda > 0$ .

**Remark 6** If  $(\rho, \Phi)$  is not compatible then we are facing a meaningless situation from a financial point of view. For every R > 0 the optimal risk level becomes  $-\infty$ , so traders may compose portfolios whose return is as large as desired and whose risk is as small as desired too. We will say that the value (risk, return) =  $(-\infty, \infty)$  is available to investors.

<sup>&</sup>lt;sup>8</sup>Notice that  $\rho_R^* > -\infty$  holds for every R > 0 if and only if it holds for some  $R_0 > 0$ , since the (19)-feasible set does not depend on R and Theorem 5 applies.

If  $(\rho, \Phi)$  is compatible but it is not strongly compatible then (25) shows that  $\rho_R^* \leq -1$ for every  $R > \frac{1}{-\Phi(-1)}$ .<sup>9</sup> Once again traders may compose portfolios with risk level non higher than -1 and with the desired expected return. We will say that the value (risk, return)  $\leq (-1, \infty)$  is available to investors.

In both cases we will say that there are good deals, which is unacceptable form a financial perspective.  $\hfill \Box$ 

Let us prove the main results of this paper, *i.e.*, let us give conditions that the SDF of  $\Phi$  must satisfy so as to prevent the pathological existence of good deals.

**Theorem 7** a) If  $\Phi$  satisfies Assumptions 2 and 3 and for every SDF  $z \in \Delta_{\Phi}$  and every  $\delta > 0$  the inequality

$$\mathbb{P}\left(z<\delta\right) > 0\tag{26}$$

holds, then  $\Phi$  is not strongly compatible with every  $\rho$  satisfying Assumption 1.

b) If  $\Phi$  satisfies Assumptions 2 and 3 and for every SDF  $z \in \Delta_{\Phi}$  and every  $\delta > 0$  the inequality

$$\mathbb{P}\left(z \ge \delta\right) > 0 \tag{27}$$

holds, then  $\Phi$  is not compatible with every  $\rho$  satisfying Assumption 1 and such that  $\rho$  may be extended to the space  $L^1$ .

c) If  $\Phi$  satisfies Assumptions 2 and 3 then there exists  $\rho : L^1 \longrightarrow \mathbb{R}$  satisfying Assumption 1 and strongly compatible with  $\Phi$  if and only if there exist  $0 < b \leq B$  and a SDF z of  $\Phi$  such that

$$b \le z \le B$$

out of a null set.<sup>10</sup>

**Proof.** a) If  $\Phi$  were strongly compatible with some  $\rho$  satisfying Assumption 1, then there would exist a (19)-feasible element  $(z_1, z_2, \mu, \lambda)$  with  $\lambda > 0$ . Then,  $z_1 = \mu z_2 - \lambda$  would imply

<sup>&</sup>lt;sup>9</sup>And therefore  $\rho_R^* \leq -1$  for every R > 0, since the (14)-feasible set obviously increases as R > 0 decreases, and thus  $\rho_R^*$  decreases too.

<sup>&</sup>lt;sup>10</sup>Theorem's proof will show that Statements b) and c) may be easily adapted so as to involve every  $p \in [0, 1)$ , rather than p = 1.

that  $\mu > 0$ , since otherwise  $z_1 = -\lambda < 0$  would contradict (3). Consequently, bearing in mind (4),

$$z_2 = \frac{z_1 + \lambda}{\mu} \ge \frac{\lambda}{\mu}$$

and (26) does not hold for  $z_2$  and  $0 < \delta < \lambda/\mu$ .

b) If  $\Phi$  were compatible with some  $\rho$ , then there should exist a (19)-feasible element  $(z_1, z_2, \mu, \lambda)$ . As above,  $\mu > 0$ , so

$$z_2 = rac{z_1 + \lambda}{\mu}.$$

Since  $q = \infty$ , we have that  $z_1$  is essentially bounded, and therefore so is  $z_2$ . Thus, (27) does not hold for  $z_2$  if  $\delta$  is large enough.

c) The necessity of the given condition trivially follows from a) and b). It is also sufficient because one can choose the risk measure  $\rho$  such that  $\Delta_{\rho}$  is the "segment" [ $z_1$ , 1], where

$$z_1 = \frac{(1+\lambda)}{\mathbb{E}(z)} z - \lambda \tag{28}$$

(see (8) and Lemma 6a) and  $\lambda > 0$  is chosen so as to satisfy

$$\frac{(1+\lambda)}{\mathbb{E}(z)} \ge \frac{\lambda}{b}.$$

Obviously, (3) and (4) hold, and the rest of conditions in Assumption 1 become trivial. Expression (28) proves that

$$\left(z_1, z, \frac{(1+\lambda)}{\mathbb{E}(z)}, \lambda\right)$$

is (19)-feasible, and  $\lambda > 0$  implies that  $(\rho, \Phi)$  is strongly compatible.

**Remark 7** Theorem 7 implies the necessity of a SDF with a strictly positive lower bound, since otherwise the pathologies (risk, return) =  $(-\infty, \infty)$  or (risk, return)  $\leq (-1, \infty)$ will arise for every coherent and expectation bounded risk measure  $\rho$ . Moreover, these pathologies still hold if  $\rho$  is replaced by a vector ( $\rho_1, \rho_2, ..., \rho_k$ ) and (14) becomes a vector optimization problem, i.e., for vector problems one will get the solution

$$(risk_1, risk_2, ..., risk_k, return) \le (-1, -1, ..., -1, \infty).$$

Indeed, considering the risk measure  $\rho$  of Remark 1, the inequality  $\rho \geq \rho_i$ , i = 1, 2, ..., k, holds, and the solution of (14) is (risk, return) =  $(-\infty, \infty)$  or (risk, return)  $\leq (-1, \infty)$ if we use the risk measure  $\rho$ .

Besides, the existence of SDF of  $\Phi$  with a finite upper bound is convenient too, since otherwise the pathology (risk, return) =  $(-\infty, \infty)$  will hold for many important risk measures such as the CVaR or many versions the WCVaR, amongst others.<sup>11</sup> Furthermore, the inequality VaR  $\leq$  CVaR for every level of confidence shows that he pathology (risk, return) =  $(-\infty, \infty)$  will hold for VaR too.

It is worthwhile to point out that for perfect markets there is only one SDF z, which must satisfy the existence of  $0 < b \leq B$  such that

$$\mathbb{P}\left(b \le z \le B\right) = 1$$

so as to prevent the existence of good deals. An obvious implication is that a SDF with a Log-Normal distribution (for example, the Black and Scholes model, see Wang, 2000, or Hamada and Sherris, 2003) or distributions with heavier tails (most of the stochastic volatility pricing models) will never be strongly compatible with any coherent and expectation bounded risk measure, and they will not be compatible with VaR or with measures that can be extended to  $L^1$ . Thus, the already described pathologies will arise, i.e., good deals will be available to traders.

### 5 Conclusions

In a recent paper Balbás *et al.* (2010*a*) have proved that the usual frictionless complete pricing models (Black and Scholes, Heston, etc.) imply the existence of good deals (*i.e.*, investors may compose portfolios with (*risk*, *return*) values as close as desired to  $(-\infty, \infty)$  or  $(-1, \infty)$ ) for every coherent and expectation bounded measure of risk. It is natural to analyze whether the existence of frictions may modify this finding, which is obviously meaningless from a financial viewpoint.

This paper have addressed the caveat above by considering a general pricing rule generating transaction costs, even when trading the riskless asset. Under general conditions about this pricing rule we have provided necessary and necessary and sufficient conditions which must

<sup>&</sup>lt;sup>11</sup>Among many other interesting properties of the CVaR, this coherent and expectation bounded risk measure is compatible with the second order stochastic dominance. This property is not satisfied by the variance in presence of asymmetries (Ogryczak and Ruszczynski, 1999 and 2002).

hold so as to prevent the pathology above. These conditions do not depend on the concrete risk measure we are dealing with, and they only affect the pricing rule. The existence of bounded SDF must hold, and the lower bound must be strictly positive. If there are no bounded SDF, or the lower bound is not bigger than zero, then the caveat about will arise even for vector risk measures, and the existence of transaction costs will not solve the problem. It is worth remarking that bounded SDF are not usual at all in financial literature. In particular, for perfect markets, Log-Normal of heavier tailed distributions for the SDF will imply the existence of good deals for every coherent and expectation bounded measure of risk.

Acknowledgments. This research was partially supported by " $RD_Sistemas SA$ ", Welzia Management SGIIC SA, "Comunidad Autónoma de Madrid" (Spain), Grant S2009/ESP-1594, and "MICIN" (Spain), Grant ECO2009 - 14457 - C04.

#### 6. References

Artzner, P., Delbaen, F., Eber J.M., Heath, D., 1999. Coherent measures of risk. *Mathe-matical Finance* 9, 203-228.

Aumann, R.J., Serrano, R., 2008. An economic index of riskiness. *Journal of Political Economy*, 116, 810-836.

Balbás, A., Balbás, B., Balbás, R., 2010a. *CAPM* and *APT*-like models with risk measures. *Journal of Banking & Finance*, 34, 1166–1174.

Balbás, A., Balbás B., Balbás, R., 2010b. Capital requirements, good deals and portfolio insurance with risk measures. *Technical Report 2010.04. Riesgos-CM*, available at http://www.analisisderiesgos.org.

Balbás, A., Balbás, B., Heras, A., 2009. Optimal reinsurance with general risk measures. Insurance: Mathematics and Economics, 44, 374 - 384.

Brown, D., Sim, M., 2009. Satisfying measures for analysis of risky positions. *Management Science*, 55, 71 - 84.

Cai, J., Tan, K.S., C. Weng, C, Zhang, Y., 2008. Optimal reinsurance under *VaR* and *CTE* risk measures. *Insurance: Mathematics and Economics*, 43, 185-196.

Cherny, A.S., 2006. Weighted V@R and its properties. Finance & Stochastics, 10, 367-393.

Cochrane, J.H., Saa-Requejo, J., 2000. Beyond arbitrage: Good deal asset price bounds in incomplete markets. *Journal of Political Economy*, 108, 79-119.

Duffie, D., 1988. Security markets: Stochastic models. Academic Press.

Föllmer, H., Schied, A., 2002. Convex measures of risk and trading constraints. Finance & Stochastics, 6, 429-447.

Foster, D.P., Hart, S., 2009. An operational measure of riskiness. *Journal of Political Economy*, 117, 785-814.

Goovaerts, M., Kaas, R., Dhaene, J., Tang, Q., 2004. A new classes of consistent risk measures. *Insurance: Mathematics and Economics*, 34, 505-516.

Goovaerts, M., Laeven, R., 2008. Actuarial risk measures for financial derivative pricing. Insurance: Mathematics and Economics, 42, 540-547.

Hamada, M., Sherris, M., 2003. Contingent claim pricing using probability distortion operators: Method from insurance risk pricing and their relationship to financial theory. *Applied Mathematical Finance*, 10, 19-47.

Jin, H., Xu, Z.Q., Zhou, X.Y., 2008. A convex stochastic optimization problem arising from portfolio selection. *Mathematical Finance* 18, 171-183.

Jouini, E., Kallal, H., 1995. Martingales and Arbitrage in Securities Markets with Transaction Costs. *Journal of Economic Theory*, 66, 178-197.

Jouini, E., Kallal, H., 2001. Efficient Trading Strategies in Presence of Market Frictions. *Review of Financial Studies*, 14, 343-369.

Luenberger, D.G., 1969. Optimization by vector spaces methods. John Wiley & Sons.

Miller, N., Ruszczynski, A., 2008. Risk-adjusted probability measures in portfolio optimization with coherent measures of risk. *European Journal of Operational Research*, 191, 193-206.

Ogryczak, W., Ruszczynski, A., 1999. From stochastic dominance to mean risk models:

Semideviations and risk measures. European Journal of Operational Research, 116, 33-50.

Ogryczak, W., Ruszczynski, A., 2002. Dual stochastic dominance and related mean risk models. SIAM Journal of Optimization, 13, 60-78.

Rockafellar, R.T., Uryasev, S., Zabarankin, M., 2006. Generalized deviations in risk analysis. *Finance & Stochastics*, 10, 51-74...

Rockafellar, R.T., Uryasev, S., Zabarankin, M., 2007. Equilibrium with investors using a diversity of deviation measures. *Journal of Banking & Finance*, 31, 3251-3268.

Rudin, W., 1973. Functional Analysis. McGraw-Hill, Inc.

Schachermayer, W., 2004. The Fundamental Theorem of Asset Pricing under Proportional Transaction Costs in Finite Discrete Time. *Mathematical Finance*, 14, 19–48.

Staum, J., 2004. Fundamental theorems of asset pricing for good deal bounds. *Mathematical Finance*, 14, 141-161.

Stoica, G., Lib, D., 2010. Relevant mappings. Journal of Mathematical Analysis and Applications, 366, 124–127.

Wang, S.S., 2000. A class of distortion operators for pricing financial and insurance risks. Journal of Risk and Insurance, 67, 15-36.

Zhiping, C., Wang, Y., 2008. Two-sided coherent risk measures and their application in realistic portfolio optimization. Journal of Banking & Finance 32, 2667-2673.