

Der Open-Access-Publikationsserver der ZBW – Leibniz-Informationzentrum Wirtschaft
The Open Access Publication Server of the ZBW – Leibniz Information Centre for Economics

Herrmann, Klaus

Working Paper

Non-Extensivity versus informative moments for financial models: a unifying framework and empirical results

IWQW discussion paper series, No. 07/2009

Provided in cooperation with:

Friedrich-Alexander-Universität Erlangen-Nürnberg (FAU)

Suggested citation: Herrmann, Klaus (2009) : Non-Extensivity versus informative moments for financial models: a unifying framework and empirical results, IWQW discussion paper series, No. 07/2009, <http://hdl.handle.net/10419/29559>

Nutzungsbedingungen:

Die ZBW räumt Ihnen als Nutzerin/Nutzer das unentgeltliche, räumlich unbeschränkte und zeitlich auf die Dauer des Schutzrechts beschränkte einfache Recht ein, das ausgewählte Werk im Rahmen der unter

→ <http://www.econstor.eu/dspace/Nutzungsbedingungen> nachzulesenden vollständigen Nutzungsbedingungen zu vervielfältigen, mit denen die Nutzerin/der Nutzer sich durch die erste Nutzung einverstanden erklärt.

Terms of use:

The ZBW grants you, the user, the non-exclusive right to use the selected work free of charge, territorially unrestricted and within the time limit of the term of the property rights according to the terms specified at

→ <http://www.econstor.eu/dspace/Nutzungsbedingungen>
By the first use of the selected work the user agrees and declares to comply with these terms of use.

IWQW

Institut für Wirtschaftspolitik und Quantitative
Wirtschaftsforschung

Diskussionspapier
Discussion Papers

No. 07/2009

**Non-Extensivity versus Informative Moments for
Financial Models - A Unifying Framework and
Empirical Results**

Klaus Herrmann
University of Nuremberg

ISSN 1867-6707

Non-Extensivity versus Informative Moments for Financial Models - A Unifying Framework and Empirical Results

KLAUS HERRMANN

*Department of Statistics and Econometrics
University of Erlangen-Nürnberg, Germany*

Email:

Klaus.Herrmann@wiso.uni-erlangen.de

June 19, 2009

SUMMARY

Information-theoretic approaches still play a minor role in financial market analysis. Nonetheless, there have been two very similar approaches evolving during the last years, one in so-called econophysics and the other in econometrics. Both generalize the notion of GARCH processes in an information-theoretic sense and are able to capture skewness and kurtosis better than traditional models. In this article we present both approaches in a more general framework and compare their performance in some illustrative data sets.

Keywords and phrases: Entropy density; Skewness; Kurtosis, GARCH

JEL C22

PACS 05.45.Tp; 05.90.+m; 89.65.Gh

1 Introduction

Though information-theoretic approaches still play only a minor role in financial market analysis, there have been two recent approaches developing independently one in econophysics and the other in econometrics. Both approaches generalize the notion of either ARCH or GARCH models.

The econometric models for financial markets analysis have been introduced by Rockinger/Jondeau (2002) and been extended and generalized in Bera/Park (2009) and Fischer/Herrmann (2008). These approaches model variance's motion in time, like traditional GARCH models, but include knowledge of higher moments, such as skewness and kurtosis, in order to capture known stylized facts.

The models in econophysics have been developed mainly in Queirós/Tsallis (2005), Borland (2005) and Queirós (2007). The econophysics approaches model only variance, but derive corresponding maximum entropy distributions by maximizing Tsallis q-entropy

$$H_T = \int_{D(X)} \frac{1 - f(X)^q}{q - 1} dx,$$

where X is some random variable, $D(X)$ its support and $f(x)$ its density function, instead of the Shannon or Boltzmann-Gibbs entropy for given constraints. The resulting distribution

given only variance constraints is called q-Gaussian and its functional form is equivalent to a generalized Student-t distribution. A deviation of the value found for q from 1, the case when the normal distribution would be recovered, is called non-extensivity.

Both approaches have been successfully applied to financial market data as both generalizations allow to capture kurtosis in given variance models. Following Kesavan/Kapur (1989) we give a more general framework for information theoretic models for time-varying moments and derive GARCH models as well as the above mentioned non-extensive approaches as special cases. We extend the existing models and in an application to financial market data we compare these model's capability to capture financial returns behavior.

2 Models for Time-Varying Moments using the Generalized Principle of Maximum Entropy

In this note we will only consider time-series models that assume the conditional distribution of some random variable X at time t given the information set available at time $t - 1$ to be the distribution maximizing some generalized entropy measure as

$$H(f) = - \int_{D(X)} \phi(f(x)) dx,$$

for some convex function¹ ϕ and for $D(X)$ the random variables support, subject to constraints of $k + 1$ conditional expectation values of suitable functions $g_i(\cdot)$ as

$$E(g_0(X)) = E(1) = 1, \quad E(g_i(X)|\mathcal{F}_{t-1}) = m_i(\mathcal{F}_{t-1}), \quad \forall i = 1, \dots, k,$$

where a_i may be some deterministic functions depending only on the information set available.

The information theoretic interpretation of such models is, that we model only some expectation values' motion in time and for all information missing to completely determine the corresponding density functions, we maximize entropy. In the case of the Shannon entropy measure such a way of modelling is nothing else but the consequent application of Jaynes (1957) principle of maximum entropy. Using generalized entropy measures is justified by Kesavan/Kapur (1989)'s generalized maximum entropy principle.

Following their suggestion, we restrict ϕ to the set of differentiable convex functions. A variational approach shows that, under some weak conditions for ϕ , for the maximum entropy density (if it exists) holds that,

$$\phi'(f(x)) = \sum_{i=0}^k \lambda_i g_i(x), \tag{2.1}$$

¹Here we follow the suggestion of Kapur/Kesavan (1989).

where the λ_i have to be chosen such that the constraints are fulfilled.² If a solution exists for f , the λ_i can be found by numerically minimizing a concave function of some dual problem. Some generalized entropy measures and corresponding dual problems are given e.g. in Kapur (1994). Table (1) gives some examples:

Entropy	$\phi(t)$	Parameters
Burg	$\ln(t)$	-
Kapur	$t \cdot \ln(t) + \frac{1}{c}(t+c)\ln(t+c)$	$c > 0$
Shannon	$t \cdot \ln(t)$	-
Tsallis	$\frac{1-t^q}{1-q}$	$q > 0, q \neq 1$

Table 1: Some generalized entropy measures.

A very efficient numerical algorithm for their implementation is given by Rockinger/Jondeau (2002) for the Shannon entropy, but can easily be adjusted to other dual problems.

3 GARCH Models as Models for Time-Varying Moments

Bollerslev (1986)'s original GARCH(p,q) model may be given as

$$x_t | \mathfrak{F}_{t-1} = z_t \cdot \sigma_t, \quad z_t \stackrel{iid}{\sim} \mathcal{N}(0, 1),$$

$$\sigma_t = \alpha_0 + \sum_{i=1}^p \alpha_{1,i} x_{t-i}^2 + \sum_{i=1}^q \alpha_{2,i} \sigma_{t-i}^2, \quad (3.1)$$

where x_t is the random variable at time t and \mathfrak{F}_{t-1} the information set available in the period before.

We can present the same model as a model for time-varying moments as defined above, if we derive the conditional densities of x_t given the information available at $t-1$, by maximizing Shannon's entropy measure

$$H_S(f) = \int_{D(X)} f(x) \ln(f(x)) dx$$

subject to the constraints

$$E(1 | \mathcal{F}_{t-1}) = 1, \quad E(X | \mathcal{F}_{t-1}) = \mu, \quad E((X - \mu)^2 | \mathcal{F}_{t-1}) = \sigma_t^2 = \alpha_0 + \sum_{i=1}^p \alpha_{1,i} x_{t-i}^2 + \sum_{i=1}^q \alpha_{2,i} \sigma_{t-i}^2.$$

We can derive the Shannon entropy as a generalized measure of entropy, if we set $\phi(t) = t \cdot \ln(t)$. Because

$$\phi'(t) = \frac{\delta(t \cdot \ln(t))}{\delta t} = 1 + \ln(t),$$

²Compare e.g. Kapur(1994).


we derive the functional form of the conditional distribution using equation (2.1) as

$$f(x|\mathfrak{F}_{t-1}) = \exp(-1 + \lambda_0 + \lambda_1 x + \lambda_2 x^2),$$

where the λ_i are functions of the conditional moment constraints. As we derive λ to meet the above constraints, this distribution is nothing else but the normal distribution with mean μ and variance σ_t^2 , just as in Bollerslev (1986)'s model.

It is a well known fact, that GARCH-models assuming gaussian innovations do not sufficiently describe financial markets data. Apart from a vast literature concerned with that topic³, this can be seen by looking at the empirical distribution of GARCH-filtered innovations. After estimating $\alpha_0, \alpha_{1,1}, \dots, \alpha_{1,p}, \alpha_{2,1}, \dots, \alpha_{2,q}$, these can be obtained by rewriting GARCH-models in the original notation of Bollerslev (1986), as $\hat{z}_t = \frac{x_t}{\sigma_t}$

If the assumption of gaussian innovations would hold, the empirical distribution of \hat{z}_t should be close to a normal distributions. But having a look at some illustrative data sets⁴, we find some evidence, that this assumption does not hold, see figure (1).



	Gold		DJIA		EurUS	
	Statistic	p-Value	Statistic	p-Value	Statistic	p-Value
Skewness	-0.0309		-0.0503		-0.0404	
Kurtosis	3.8532		3.7080		3.8534	
Jarque-Bera	49.514	1.771e-11	35.124	3.064e-08	50.514	1.074e-11
χ^2	11.382	0.2504	34.602	5.666e-05	16.084	0.0652

Figure 1: GARCH(1,1) innovations' empirical densities versus normal density (dotted line) and results for tests on normality.

It is generally assumed that financial market GARCH innovations deviate from the normal distribution because of skewness and higher kurtosis. Traditional approaches try to overcome that problem by assuming z_t to follow some parametric distribution that is flexible enough

³See e.g. Hansen (1994) for an overview.

⁴See section (6.2) for a more detailed description of the data sets.

to model skewness and kurtosis, such as e.g. the SGT2, EGB2 or the family of stable distributions.⁵⁶

This note, of course, is devoted to information theoretic approaches that directly model such features by, e.g. including measures of skewness and kurtosis in the entropy maximization task or, as the non-extensive approaches do, by choosing suitable entropy measures to allow for higher kurtosis.

4 Higher Informative Moments

To the best of our knowledge, the first approach of including knowledge of higher moments in an information theoretic framework was given by Rockinger/Jondeau (2002). In their approach they use third and fourth power moments to measure skewness and kurtosis and use Shannon's entropy as information measure. But as Fischer/Herrmann (2008) point out, these measures do not allow the derivation of proper maximum Shannon entropy densities for kurtosis values higher than implied by the lower moments. In order to overcome that problem, one has to use measures that are defined as expectation values of functions that grow slower in x than x^2 .⁷ Suggestions for such measures as $m_i = E(g_i(X)|\mathfrak{F}_{t-1})$ can be found in Bera/Park (2009) and Fischer/Herrmann (2008), as e.g.

m_3	m_4
$E(\tan^{-1}(X))$	$E(\tan^{-1}(X)^2)$
$E\left(\frac{X}{1+X^2}\right)$	$E(\log(1+X^2))$

Table 2: Some suggestions for measures of asymmetry m_3 and measures of kurtosis m_4 as proposed in recent literature.

where m_3 denotes measures of asymmetry and m_4 denotes measures of kurtosis.

Following Fischer/Herrmann (2008) and Bera/Park (2009), we can extend Bollerslev GARCH model as model for time-varying moments, assuming for the conditional distributions of X_t given the information set available at $t-1$ the distribution maximizing the Shannon entropy subject to

$$E(X|\mathfrak{F}_{t-1}) = \mu, \quad E((X - \mu)^2|\mathfrak{F}_{t-1}) = \sigma_t,$$

$$E\left(g_3\left(\frac{X - \mu}{\sigma_t}\right)|\mathfrak{F}_{t-1}\right) = m_3, \quad E\left(g_4\left(\frac{X - \mu}{\sigma_t}\right)|\mathfrak{F}_{t-1}\right) = m_4,$$

where we let σ_t vary over time as in the original GARCH model, see equation (3.1), while we assume all other moment functions to be constant over time.⁸

⁵Compare e.g. Theodossiou (1998), MacDonald (1991) and Rachev/Mittnik (2000).

⁶Some of the generalized parametric approaches may also find some representation in the above framework - but because of the vast supply of such suggestions, we will restrict this note to the most basic case.

⁷Compare Fischer/Herrmann (2008).

⁸Nonetheless there is of course weak evidence of time-variability of higher moments, compare Fischer/Herrmann(2008) or e.g. Dubauskas/Teresiene(2005).

5 Non-Extensive Approaches

Information theoretic models in econophysics have been developed mainly in Queirós/Tsallis (2005), Borland (2005) and Queirós (2007). Their approaches generalize GARCH models in the above discussed form by assuming the conditional density functions to maximize the generalized entropy measure suggested by Tsallis (1988)⁹

$$H_T = \int_{D(X)} \frac{1 - f(X)^q}{q - 1} dx, \quad \text{s.t. } E(X|\mathfrak{F}_{t-1}) = \mu, \quad E((X - \mu)^2|\mathfrak{F}_{t-1}) = \sigma_t, \quad (5.1)$$

with different suggestions for σ_t 's motion in time.

Contrary to the econometric approaches these models capture kurtosis not as information explicitly included, but by flexibly varying q . As the resulting conditional distributions of these models are

$$f_{ME,T} = \left(\frac{q-1}{q} \sum_{i=0}^k \lambda_i g_i(x) \right)^{\frac{1}{q-1}} = \left(\frac{q-1}{q} (\lambda_0 + \lambda_1 x + \lambda_2 (x - \mu)^2) \right)^{\frac{1}{q-1}},$$

they can be interpreted as some generalized t-distribution, where q is a parameter that drives the degrees of freedom, ν . For fixed mean and variance a finite ν corresponds to a distribution with higher kurtosis than the normal distribution. Because distributions with a value for q different than 1 are called non-extensive¹⁰, we refer to these approaches as non-extensive approaches. As the degree of this non-extensivity increases with the kurtosis implied, these models capture kurtosis by their non-extensivity.

6 Application to Financial Market Data

We compare three models, equivalent in their flexibility, by applying them to three time series typical for financial market data from three different markets. We will compare these models by likelihood and likelihood based goodness-of-fit measures, by the distance of their empirical innovations' distribution to the theoretical model and by their capability to explain their empirical quantiles in the tails.

6.1 Models

For the class of the econometric models (ECO) we follow a suggestion by Bera/Park (2009) and maximize the Shannon entropy subject to

$$E(X|\mathfrak{F}_{t-1}) = \mu, \quad E((X - \mu)^2|\mathfrak{F}_{t-1}) = \sigma_t, \quad (6.1)$$

⁹Tsallis suggestion is also known as the entropy of Havrda/Charvat.

¹⁰Compare e.g. Tsallis (1988).

and include knowledge of higher moments using

$$E\left(\tan^{-1}\left(\frac{X-\mu}{\sigma_t}\right)\middle|\mathfrak{F}_{t-1}\right) = m_3, \quad E\left(\ln\left(1 + \left(\frac{X-\mu}{\sigma_t}\right)^2\right)\middle|\mathfrak{F}_{t-1}\right) = m_4, \quad (6.2)$$

as in some previous study models using these moments performed best.

For the class of non-extensive models (NEX) we maximize the Tsallis entropy given in equation (5.1) subject to equation (6.1) and, contrary to the proposal in econophysics, additionally introduce the skewness moment of equation (6.2). The later is included to make sure, that the non-extensive models exhibit the same flexibility as the econometric models in terms of skewness.

In order to show the flexibility of the proposed generalized framework, we suggest a third model (KAP), where we maximize the entropy measure suggested by Kapur (1994), subject to equation (6.1) and the skewness moment of equation (6.2), where the flexibility in terms of kurtosis shall be introduced by flexibly varying c .

For all models we assume the time-model for variance as in a traditional GARCH(1,1)¹¹ as

$$\sigma_t = \alpha_0 + \alpha_1 x_{t-i}^2 + \alpha_2 \sigma_{t-i}^2$$

and assume all higher moments or parameters to be constant over time.

6.2 Data

In order to sample different kinds of financial market indices, we chose the daily returns between January 1st 2003 and March 20th 2009 for the gold price, the Dow Jones Industrial Average, both from *yahoo.finance.com*, and for the euro-US-dollar exchange rate from *www.ecb.int*.

Some descriptive statistics for the data are given in table (3):¹²

	Gold	DJIA	EurUS
Mean	-1.363e-03	2.316e-05	-1.657e-04
Stan.Dev.	3.479e-02	1.286e-02	6.499e-03
\hat{m}_3	-1.596e-01	-5.802e-02	7.545e-02
\hat{m}_4	6.961	14.301	7.254
Observations	1606	1603	1632

Table 3: Some descriptive statistics for the illustrative data sets.

¹¹As there is empirical evidence that $p = 1$ and $q = 1$ sufficiently describe financial returns behavior, compare e.g. Bera/Higgins (1993).

¹² m_3 (m_4) denotes the third (fourth) standardized power moment.

6.3 Empirical Results

We use numerical optimization routines to implement a maximum likelihood estimation of the model parameters. Estimates, log-likelihood and standard errors (in brackets) are given in figure (2):

Gold Price						
	$\hat{\alpha}_0$	$\hat{\alpha}_1$	$\hat{\alpha}_2$	$\hat{\beta}_0$	$\hat{\gamma}_0$	LogL
GARCH	7.2937e-06 (3.5009e-06)	0.04064 (0.00753)	0.95317 (0.00852)	-	-	3268.252
ECO	7.6282e-06 (4.1548e-06)	0.04101 (0.00874)	0.95246 (0.00991)	0.00409 (0.00393)	0.50789 (0.00534)	3283.845
NEX	7.028e-06 (3.9615e-06)	0.03936 (0.00824)	0.95468 (0.00922)	0.00537 (0.00385)	0.80672 (0.03794)	3284.064
KAP	7.6789e-06 (4.1579e-06)	0.04158 (0.00886)	0.95197 (0.01)	0.0052 (0.00375)	3.88308 (1.01096)	3283.851
Dow Jones Industrial Average						
	$\hat{\alpha}_0$	$\hat{\alpha}_1$	$\hat{\alpha}_2$	$\hat{\beta}_0$	$\hat{\gamma}_0$	LogL
GARCH	7.0443e-07 (2.7215e-07)	0.07095 (0.01010)	0.92296 (0.01025)	-	-	5241.281
ECO	7.0784e-07 (3.1362e-07)	0.07065 (0.01147)	0.92299 (0.01158)	-0.00004 (0.00399)	0.50851 (0.00531)	5255.646
NEX	7.3838e-07 (3.1597e-07)	0.07024 (0.01143)	0.92337 (0.01149)	-0.00114 (0.00393)	0.81873 (0.04088)	5252.580
KAP	7.3096e-07 (3.1737e-07)	0.07018 (0.01148)	0.92328 (0.01163)	-0.00284 (0.00384)	4.0709 (1.08256)	5255.698
Euro-USD Exchange Rate						
	$\hat{\alpha}_0$	$\hat{\alpha}_1$	$\hat{\alpha}_2$	$\hat{\beta}_0$	$\hat{\gamma}_0$	LogL
GARCH	1.1797e-07 (7.5857e-08)	0.03380 (0.00584)	0.96342 (0.00592)	-	-	6062.748
ECO	1.4706e-07 (9.2357e-08)	0.03371 (0.00675)	0.96254 (0.00702)	-0.00144 (0.00386)	0.50931 (0.00524)	6076.519
NEX	1.6122e-07 (9.0189e-08)	0.03127 (0.00638)	0.96441 (0.00674)	-0.00272 (0.00379)	0.81997 (0.03741)	6076.861
KAP	1.4455e-07 (9.2727e-08)	0.03434 (0.00682)	0.96211 (0.00706)	-0.00236 (0.00369)	3.63563 (0.99112)	6075.98

Figure 2: Empirical results for our models for some illustrative data sets.

We find for all models similar estimates for variance motion in time as well as similar values for skewness. The kurtosis parameters differ of course, as all models have their own way to capture kurtosis. For all models and all data sets we find significant non-normal kurtosis.¹³

¹³The value for m_4 (as used in the "ECO" model) implied by the normal distribution is about 0.53345.

Figure (3) gives an overview over the model's fit, where LogL denotes log-likelihood, AIC the Akaike information criterion, BIC the Bayesian information criterion, KS the Kolmogorov-Smirnov distance and χ^2 the χ^2 -test statistic with 10 classes.

Gold Price					
	LogL	AIC	BIC	KS	χ^2
GARCH	3268.252	-6530.503	-6514.359	1.3004	19.560
ECO	3283.845	-6557.690	-6530.782	0.5238	4.666
NEX	3284.064	-6558.129	-6531.221	0.5626	4.396
KAP	3283.851	-6557.703	-6530.795	0.4707	4.037

Dow Jones Industrial Average					
	LogL	AIC	BIC	KS	χ^2
GARCH	5241.281	-10476.56	-10460.42	2.0280	42.770
ECO	5255.646	-10501.29	-10474.39	1.6563	23.776
NEX	5252.58	-10495.16	-10468.26	1.7200	29.956
KAP	5255.698	-10501.40	-10474.50	1.4537	21.874

Euro-USD Exchange Rate					
	LogL	AIC	BIC	KS	χ^2
GARCH	6062.748	-12119.50	-12103.30	1.2970	21.442
ECO	6076.47	-12142.94	-12116.05	0.6817	5.747
NEX	6076.811	-12143.62	-12116.73	0.7017	9.754
KAP	6075.93	-12141.86	-12114.97	0.6125	5.217

Figure 3: Some goodness-of-fit measures for the applied models.

All generalizations of the GARCH model behave well - except for the Dow Jones Industrial Average, where for the χ^2 -test would reject all suggested models. In the sense of likelihood-based measures we can not derive a uniformly "best" model. The Kapur model outperforms all other models if we use only KS and χ^2 as criteria.

We conclude that the inclusion of knowledge of higher moments such as skewness and kurtosis significantly improves our model - not only in the sense of likelihood, but also in likelihood based measure that penalize additional parameters as AIC or BIC and also in the sense of distance-based measures of fit, such as χ^2 or KS.

Comparing the generalized models with each other, we find very similar results. This is of course due to the fact, that all models basically rely on the same additional information and only differ in the way of measuring this information.

7 Summary

The information-theoretic approaches to time series models considered in econometrics and econophysics may both be interpreted as special cases of models for time-varying moments using the generalized maximum entropy principle. Using this interpretation we derive a third model. Using three illustrative data sets typical for financial markets, we show that all suggested models from this class exhibit similar flexibility in capturing financial returns behavior.

References

- [1] Bera, A. K., and M. L. Higgins (1993): "ARCH Models: Properties, Estimation and Testing", *Journal of Economic Surveys*, **7**(4), 305-66.
- [2] Bera, A.K. and S.Y. Park (2009): "Maximum Entropy Autoregressive Conditional Heteroskedasticity Model", *Journal of Econometrics*, In Press.
- [3] Bollerslev, T. (1986): "Generalized Autoregressive Conditional Heteroscedasticity", *Journal of Econometrics*, **31**, 307-327.
- [4] Borland, L. (2005): "Long-range Memory and Nonexensivity in Financial Markets", *Europhysics News*, November/December, 228-231.
- [5] Dubauskas, G. and Teresiene, D. (2005): "Autoregressive Conditional Skewness, Kurtosis and Jarque-Bera in Lihuanian Stock Market Measurement", *Engineering Economics*, **5**(45), 19-24.
- [6] Fischer, M. and K. Herrmann (2009): "An Alternative Model for Time-varying Moments using Maximum Entropy", *Working Paper*, Diskussionspapier **84**/2009.
- [7] Hansen, B.E. (1994): "Autoregressive Conditional Density Estimation", *International Economic Review*, **35**(3), 705-730.
- [8] Jaynes, E.T. (1957): "Information Theory and Statistical Mechanics", *The Physical Review*, **106**(4), 620-630.
- [9] Kapur, J.N. (1994): *Measures of Information and their Applications*, Wiley Eastern Limited, New Delhi.
- [10] Kesavan, H.K. and J.N Kapur (1989): "The Generalized Maximum Entropy Principle", *IEEE Transactions on Systems, Man and Cybernetics*, **19**(5), 1042-1052.
- [11] McDonald, J.B. (1991): "Parametric Models for Partial Adaptive Estimation with Skewed and Leptokurtic Residuals", *Econometric Letters*, **37**, 273-288.

- [12] Queirós, S.M.D. and C. Tsallis (2005): "Bridging a Paradigmatic Financial Model and Nonextensive Entropy", *Europhysics Letters*, **69**(6), 893-899.
- [13] Queirós, S.M.D. (2007): "On a Generalized Model for Time-Dependent Variance with Long-Term Memory", *A Letters Journal Exploring the Frontiers of Physics*, **80**(30005).
- [14] Rachev, S. T. and Mittnik, S. (2000): *Stable Paretian Models in Finance*, Wiley, Chichester.
- [15] Rockinger, M. and E. Jondeau (2002): "Entropy Densities with an Application to Autoregressive Conditional Skewness and Kurtosis". *Journal of Econometrics*, **106**, 119-142.
- [16] Theodossiou, P. (1998): "Financial data and the Skewed Generalized t distribution", *Mathematical Science*, **44**(12), 1650-1660.
- [17] Tsallis, C. (1988): "Possible Generalization of Boltzmann-Gibbs Statistics", *Journal of Statistical Physics*, **52**, 479-487.

Diskussionspapiere 2009 Discussion Papers 2009

- 01/2009 **Addison, John T. and Claus Schnabel:** Worker Directors: A German Product that Didn't Export?
- 02/2009 **Uhde, André and Ulrich Heimeshoff:** Consolidation in banking and financial stability in Europe: Empirical evidence
- 03/2009 **Gu, Yiquan and Tobias Wenzel:** Product Variety, Price Elasticity of Demand and Fixed Cost in Spatial Models
- 04/2009 **Schlüter, Stephan:** A Two-Factor Model for Electricity Prices with Dynamic Volatility
- 05/2009 **Schlüter, Stephan and Fischer, Matthias:** A Tail Quantile Approximation Formula for the Student t and the Symmetric Generalized Hyperbolic Distribution
- 06/2009 **Ardelean, Vlad:** The impacts of outliers on different estimators for GARCH processes: an empirical study

Diskussionspapiere 2008 Discussion Papers 2008

- 01/2008 **Grimm, Veronika and Gregor Zoettl:** Strategic Capacity Choice under Uncertainty: The Impact of Market Structure on Investment and Welfare
- 02/2008 **Grimm, Veronika and Gregor Zoettl:** Production under Uncertainty: A Characterization of Welfare Enhancing and Optimal Price Caps
- 03/2008 **Engelmann, Dirk and Veronika Grimm:** Mechanisms for Efficient Voting with Private Information about Preferences
- 04/2008 **Schnabel, Claus and Joachim Wagner:** The Aging of the Unions in West Germany, 1980-2006
- 05/2008 **Wenzel, Tobias:** On the Incentives to Form Strategic Coalitions in ATM Markets
- 06/2008 **Herrmann, Klaus:** Models for Time-varying Moments Using Maximum Entropy Applied to a Generalized Measure of Volatility

07/2008 **Klein, Ingo and Michael Grottko:** On J.M. Keynes' "The Principal Averages and the Laws of Error which Lead to Them" - Refinement and Generalisation