The Contribution of Pharmaceutical Innovation to Longevity Growth in Germany and France

Frank Lichtenberg

CESIFO WORKING PAPER NO. 3095
CATEGORY 6: FISCAL POLICY, MACROECONOMICS AND GROWTH
JUNE 2010

The Contribution of Pharmaceutical Innovation to Longevity Growth in Germany and France

Abstract

I investigate the contribution of pharmaceutical innovation to recent longevity growth in Germany and France. First, I examine the effect of the vintage of prescription drugs (and other variables) on the life expectancy and age-adjusted mortality rates of residents of Germany, using longitudinal, annual, state-level data during the period 2000-2007. The estimates imply that almost half of the 1.7-year increase in German life expectancy during the period 2000-2007 was due to the replacement of older drugs by newer drugs. Next, I examine the effect of the vintage of chemotherapy treatments on age-adjusted cancer mortality rates of residents of France, using longitudinal, annual, cancer-site-level data during the period 2002-2006. The estimates imply that chemotherapy innovation accounted for at least one-sixth of the decline in French cancer mortality rates, and may have accounted for as much as half of the decline.

JEL-Code: C20, H51, I10, I12, J10, L65, O00.

Frank Lichtenberg
Columbia University
frank.lichtenberg@columbia.edu

This research was supported by Merck Sharp & Dohme Corp. and by Servier Laboratories. The sponsors placed no restrictions or limitations on data, methods, or conclusions, and had no right of review or control over the outcome of the research.

I. Introduction

Longevity increase is an important part of economic growth and development. Nordhaus (2002) estimated that, "to a first approximation, the economic value of increases in longevity over the twentieth century is about as large as the value of measured growth in non-health goods and services" (p. 17). Murphy and Topel (2005) observed that "the historical gains from increased longevity have been enormous. Over the 20th century, cumulative gains in [U.S.] life expectancy were worth over \$1.2 million per person for both men and women. Between 1970 and 2000 increased longevity added about \$3.2 trillion per year to national wealth, an uncounted value equal to about half of average annual GDP over the period." In its Human Development Reports, the United Nations Development Program ranks countries by their value of the Human Development Index, which is based on life expectancy at birth as well as on the adult literacy rate and per capita GDP.

Since the 1950s, economists have recognized that, in the long run, the rate of economic growth is determined by (indeed equal to) the rate of technological progress. In neoclassical growth models developed by Nobel laureate Robert Solow (1956, 1957) and colleagues, an economy will always converge towards a steady state rate of growth, which depends only on the rate of technological progress.

In early models of economic growth, the rate of technological progress was assumed to be given, or exogenous: technological progress was regarded as "manna from heaven." Economists began to relax this clearly unrealistic assumption in the 1980s, by developing so-called "endogenous growth models." In Paul Romer's (1990) model, "growth…is driven by technological change that arises from intentional [R&D] investment decisions made by profit-maximizing agents." Jones (1998) argues that "technological progress [is] the ultimate driving force behind sustained economic growth" (p.2), and that "technological progress is driven by research and development (R&D) in the advanced world" (p. 89).

Technological change may be either disembodied or embodied. Suppose firm X invests in R&D, and that this investment results in a valuable discovery. If the technological advance is disembodied, consumers and other firms could benefit from the discovery without purchasing

¹ Growth may also be driven by technological change arising from R&D investment by public organizations, e.g. the National Institutes of Health.

firm X's goods or services; they could benefit just by reading or hearing about the discovery. However, if the technological advance is embodied, consumers and other firms must purchase firm X's goods or services to benefit from its discovery. Solow (1960, p 91): argued that "many if not most innovations need to be embodied in new kinds of durable equipment before they can be made effective. Improvements in technology affect output only to the extent that they are carried into practice either by net capital formation or by the replacement of old-fashioned equipment by the latest models..." Romer also assumes that technological progress is embodied in new goods: "new knowledge is translated into goods with practical value," and "a firm incurs fixed design or research and development costs when it creates a new good. It recovers those costs by selling the new good for a price that is higher than its constant cost of production." Grossman and Helpman (1993) argued that "innovative goods are better than older products simply because they provide more 'product services' in relation to their cost of production." Bresnahan and Gordon (1996) stated simply that "new goods are at the heart of economic progress," and Bils (2004) said that "much of economic growth occurs through growth in quality as new models of consumer goods replace older, sometimes inferior, models."

When technological progress is embodied in new goods, the welfare of consumers (and the productivity of producers) depends on the *vintage* of the goods (or inputs) they purchase. In this context, "vintage" refers to the year in which the good was first produced or sold. For example, the vintage of the drug simvastatin is 1993: that is the year it was approved by the FDA, and first sold. Solow was the first economist to develop a growth model that distinguished between vintages of (capital) goods. In Solow's model, new capital is more valuable than old capital because--since capital is produced based on known technology, and technology improves with time--new capital will be more productive than old capital.³ A number of econometric studies (Bahk and Gort (1993), Hulten (1992), Sakellaris and Wilson (2004)) have shown that manufacturing firms using later-vintage equipment have higher productivity.

The extent to which the welfare of consumers or the productivity of producers depends on the vintage of the goods they purchase should depend on the research intensity of those goods. The greater the research intensity of the goods, the greater the impact of their vintage on consumer welfare and producer productivity. According to the National Science Foundation, the

² We hypothesize that innovations may be embodied in nondurable goods (e.g. drugs) and services as well as in durable equipment.

³ http://en.wikipedia.org/wiki/Exogenous growth model

pharmaceutical and medical devices industries are the most research intensive industries in the economy.⁴

In the next section, I will investigate the effect of the vintage of prescription drugs (and other variables) on the life expectancy and age-adjusted mortality rates of residents of Germany, using longitudinal, annual, state-level data during the period 2000-2007. The analysis will be based on data on the utilization of over 600 active ingredients in a variety of drug classes, which account for about 250 million prescriptions (43% of all prescriptions in Germany) per year.

In the following section, I will investigate the effect of the vintage of chemotherapy treatments on age-adjusted cancer mortality rates of residents of France, using longitudinal, annual, cancer-site (breast, colon, lung, etc.) -level data during the period 2002-2006.⁵ The analysis will be based on data on the utilization of 11 cancer drugs by about 4000 cancer patients per year.

II. Germany longevity

A. Econometric model

I will estimate models of the following form:

$$OUTCOME_{st} = \beta VINTAGE_{st} + \gamma X_{st} + \alpha_s + \delta_t + \varepsilon_{st}$$
(1)

where OUTCOME is one of the following variables:

LE_{st} = life expectancy at birth in state s in year t (s = 1,...,16; t = 2000,...,2007)

 ln_AAMORT_{st} = the log of the age-adjusted mortality rate in state s in year t^6

⁴ In 1997, "medical substances and devices firms had by far the highest combined R&D intensity at 11.8 percent,...well above the 4.2-percent average for all 500 top 1997 R&D spenders combined. The information and electronics sector ranked second in intensity at 7.0 percent." The pattern of 1997 R&D spending per employee is similar to that for R&D intensity, with medical substances and devices again the highest at \$29,095 per employee. Information and electronics is second at \$16,381. Combined, the top 500 1997 R&D firms spent \$10,457 per employee.

⁵ Cancer was the cause of about 30% of deaths in France in 2006.

⁶ Age-adjusted death rates are weighted averages of age-specific death rates, where the weights represent a fixed population by age. They are used to compare relative mortality risk among groups and over time. An age-adjusted rate represents the rate that would have existed had the age-specific rates of the particular year prevailed in a population whose age distribution was the same as that of the fixed population.

VINTAGE is one of the following variables:

FDA_YEAR_{st} = the (weighted) mean FDA approval year of ingredients contained in

prescriptions consumed in state s in year t

 $POST1990\%_{st}$ = the percent of prescriptions consumed in state s in year t that

contained ingredients approved by the FDA after 1990

 $POST1995\%_{st}$ = the percent of prescriptions consumed in state s in year t that

contained ingredients approved by the FDA after 1995

and X includes a subset of the following variables:

 ln_GDP_{st} = the log of GDP per person in state s in year t

 $UNEMP_{st}$ = the unemployment rate in state s in year t

 $ln_N_RX_{st}$ = the log of the number of prescriptions per person in state s in

year t

 $ln_NOTIF_DISEASES_{st}$ = the log of the number of notifiable diseases per 100,000 persons

in state s in year t

 ln_AIDS_{st} = the log of the number of new AIDS cases per 100,000 persons in

state s in year t

 α_s and δ_t represent state fixed effects and year fixed effects, respectively. Due to the inclusion of these effects, eq. (1) is a difference-in-differences model. A significant negative drug vintage coefficient (β) in a model in which the dependent variable is life expectancy would indicate that states that had above-average increases in drug vintage had above-average increases in life expectancy, controlling for other regressors.

Eq. (1) will be estimated by weighted least squares (WLS), weighting by pop_{st}, state s's population in year t. The estimation procedure will account for clustering of disturbances within states.

The drug vintage measure FDA YEAR will be constructed as follows:

$$FDA_YEAR_{st} = \underbrace{\Sigma_{d} \ N_RX_{dst} \ APP_YEAR_{d}}_{\Sigma_{d} \ N_RX_{dst}}$$

where

 N_RX_{dst} = the number of prescriptions for drug d in state s in year t

APP_YEAR_d = the year in which the active ingredient of drug d was first approved by the FDA^7

The drug vintage measure POST1990% will be constructed as follows:

$$POST1990\%_{st} = \underbrace{\Sigma_{\underline{d}} \ N_RX_{\underline{dst}} \ APP_YEAR_GT_1990_{\underline{d}}}_{\Sigma_{\underline{d}} \ N_RX_{\underline{dst}}}$$

where

APP_YEAR_GT_1990_d = 1 if the active ingredient of drug d was first approved by the FDA after 1990

= 0 otherwise

The drug vintage measure POST1995% will be constructed as follows:

$$POST1995\%_{st} = \underbrace{\Sigma_{\underline{d}} \ N_RX_{\underline{dst}} \ APP_YEAR_GT_1995_{\underline{d}}}_{\Sigma_{\underline{d}} \ N_RX_{\underline{dst}}}$$

where

APP_YEAR_GT_1995_d = 1 if the active ingredient of drug d was first approved by the FDA after 1995

= 0 otherwise

B. Data and descriptive statistics

Pharmaceutical data. Data on the number of prescriptions, by drug, state, and year (N_RX_{dst}) were obtained from the IMS Health National Prescription Analysis database (http://www.imshealth.de/sixcms/detail.php/375), which covers more than 99% of prescriptions reimbursed by German Sick Funds. It does not contain drugs used in a hospital, drugs completely paid out-of-pocket, and drugs prescribed for members of private health insurance companies (approximately 10% of the German population, particularly high-income employees, self-

⁷ If drug d contains 2 or more active ingredients, APP_YEAR_d is the *mean* of the years in which the active ingredients of drug d were first approved by the FDA.

employed persons, military, and government officials). We were unable to obtain data on all drugs sold in Germany. Data were available for drugs included in the following drug classes⁸:

- Cardiovascular (C***)
- Oncology (A04A, L***, B03A, B03C, V03D)
- Parkinson (N04A)
- Alzheimer/Dementia (N07D)
- Antidiabetics (A10*)
- Asthma/COPD (R03*)
- NSAID/Coxibs (M01A)

Appendix Table 1 compares 2008 data from our sample of drugs to data on all drugs dispensed in the Statutory Health Insurance system. Overall, our dataset provides information on about 250 million prescriptions per year for over 600 active ingredients, which account for 43% of total prescriptions and about 50% of total drug expenditure.

Data on the initial year of FDA approval of active ingredients (APP_YEAR_d) were obtained from the Food and Drug Administration's Drugs@FDA database (http://www.fda.gov/Drugs/InformationOnDrugs/ucm079750.htm). We were able to determine the initial FDA approval year of products accounting for over 80% of the prescriptions in our sample.

Table 1 shows data on the top 25 drugs in our sample, ranked by the number of prescriptions during 2000-2008. Figure 1 shows data on the vintage distribution of prescriptions consumed during the period 2000-2008: it shows the percent of prescriptions consumed during 2000-2008 that were for drugs approved after year t (t = 1940,...,2010). About 75% of prescriptions were for drugs approved after 1975, 50% were for drugs approved after 1986, and 25% were for drugs approved after 1993.

Age-adjusted mortality and life expectancy data. We will analyze two different measures of longevity: the age-adjusted mortality rate, and life expectancy at birth. The Information System of the Federal Health Monitoring (http://www.gbe-bund.de/) provides data on age-adjusted mortality rates, by state and year. It also provides time-series data on life expectancy in Germany as a whole, but not life expectancy by state. However, it provides data on age-specific


⁸ European Pharmaceutical Market Research Association (EphMRA) drug classification codes are shown in parentheses. The EphMRA classification is a modified modified version of the ATC classification. See http://www.ephmra.org/classification/anatomical-classification.aspx.

⁹ The U.S. is the country in which many drugs are first launched. Also, it is difficult to obtain data on the date at which drugs were first launched in Germany.

Table 1

Top 25 drugs in sample, ranked by number of prescriptions during 2000-2008

Rank	Compound	Number of prescriptions during 2000-2008 (millions)	FDA approval year
1	DICLOFENAC	167.7	1993
2	METOPROLOL	108.0	1978
3	IBUPROFEN	93.8	1974
4	METFORMIN	65.3	1995
5	BISOPROLOL	62.8	1992
6	ENALAPRIL	58.8	1985
7	SIMVASTATIN	55.4	1991
8	FUROSEMIDE	50.8	1966
9	SALBUTAMOL	44.6	1981
10	RAMIPRIL	41.7	1991
11	CAPTOPRIL	40.6	1981
12	AMLODIPINE	40.0	2009
13	VERAPAMIL	36.4	1981
14	THEOPHYLLINE	35.0	1970
15	GLIBENCLAMIDE	32.5	1984
16	TORASEMIDE	32.1	1993
17	LISINOPRIL	29.0	1987
18	INSULIN HUMAN BASE/INSULIN HUMAN ISOPHANE	28.4	
19	ISOSORBIDE DINITRATE	28.1	1968
20	HYDROCHLOROTHIAZIDE	27.3	1959
21	NIFEDIPINE	26.8	1981
22	HYDROCHLOROTHIAZIDE/TRIAMTERENE	24.4	1961.5
23	HYDROCHLOROTHIAZIDE/RAMIPRIL	24.1	1975
24	NITRENDIPINE	23.5	
25	ISOSORBIDE MONONITRATE	22.9	1991



mortality rates by state and year, from which life expectancy by state and year can be calculated.¹⁰

Data on life expectancy at birth during 2000-2007 in selected states are shown in Figure 2. The rate of increase of life expectancy varied across states and over time. In 2000, Saarland's life expectancy was higher than Mecklenburg-Vorpommern's; in 2007, it was slightly lower. In 2000, Schleswig-Holstein's life expectancy was slightly higher than Berlin's; in 2007, it was lower.

Data on other variables. Data on population, the number of notifiable diseases per 100,000 persons, ¹¹ and on the number of new AIDS cases per 100,000 persons, by state and year, were also obtained from The Information System of the Federal Health Monitoring. Data on GDP per person and the unemployment rate, by state and year, were obtained from Eurostat's regional statistics database (http://epp.eurostat.ec.europa.eu/portal/page/portal/eurostat/home). ¹²

Summary statistics, by year, are reported in Table 2. The FDA_YEAR, POST1990%, and POST1995% statistics are weighted means, where the weight is the number of prescriptions. The other statistics (with the exceptions of the number of prescriptions and population) are weighted means, where the weight is the population. The mean FDA approval year increased by 3.0 years between 2000 and 2008. The fraction of prescriptions that contained ingredients approved after 1990 increased from 32% in 2000 to 46% in 2008. Life expectancy at birth increased by 1.8 years between 2000 and 2007.

The complete dataset used for estimation is shown in Appendix Table 2.

C. Empirical results

Estimates of models of life expectancy and the age-adjusted mortality rate are presented in Table 3. We present estimates of $12 = 2 \times 3 \times 2$ different models. We use two alternative outcome measures and three alternative drug vintage measures, and estimate models both excluding and including the vector of other explanatory variables (X in eq. (1)).

¹⁰ We verified that population-weighted averages of our state-level life expectancy estimates were very consistent with published estimates for Germany as a whole.

¹¹ In the Federal Republic of Germany, health authorities must be informed about cases of certain notifiable diseases, which are listed in the Infection Protection Act. Depending on the disease the suspicion, the disease and/or the death must be reported. (Source: www.rki.de). Data on the incidence and prevalence of other diseases are not available.

¹² Data on educational attainment by state and year were not available.




Table 2
Sample statistics by year

Year	Number of prescriptions (millions)	Number of prescriptions per person	FDA_YEAR	post1990%	post1995%	Population (millions)	Life expectancy at birth	Age-adjusted mortality rate (per 100,000)	unemployment rate	GDP per person (Euros)	new aids cases per 100,000	Notifiable diseases per 100,000 inhabitants
2000	230	2.50	1983.0	32%	8%	82.2	78.1	886.0	7.8%	25,095	1.010	
2001	241	2.59	1983.6	34%	10%	82.3	78.5	857.4	7.6%	25,664	0.954	298.4
2002	251	2.71	1983.9	35%	11%	82.5	78.5	858.3	8.4%	25,984	0.867	347.6
2003	265	2.86	1984.3	37%	12%	82.5	78.6	861.1	9.7%	26,222	0.844	308.8
2004	235	2.54	1984.7	39%	13%	82.5	79.2	811.1	10.6%	26,798	0.918	323.7
2005	241	2.60	1984.9	40%	12%	82.5	79.4	801.0	11.0%		0.824	353.7
2006	245	2.64	1985.3	42%	13%	82.4	79.7	775.8	10.1%	28,182	0.813	361.7
2007	250	2.69	1985.6	44%	14%	82.3	79.9	766.0	8.6%		0.733	541.0
2008	259		1986.0	46%	15%							

Table 3

Estimates of models of life expectancy at birth and age-adjusted mortality rate, Germany, 2000-2007

Dependent variable: life expectancy at birth			Dependent variable: log of age-adjusted mortality rate							
Model	Regressor	Estimate	Z	ProbZ		Model	Regressor	Estimate	Z	ProbZ
1	fda_year	0.271	3.605	0.000		7	fda_year	-0.022	-5.094	0.000
2	fda_year	0.326	3.153	0.002		8	fda_year	-0.031	-4.814	0.000
2	lunits_pop	-0.135	-0.293	0.769		8	lunits_pop	-0.021	-0.641	0.521
2	unemp	-0.014	-0.009	0.993		8	unemp	-0.032	-0.284	0.777
2	lgdp	-1.314	-1.667	0.095		8	lgdp	0.125	1.752	0.080
2	laids	-0.027	-0.565	0.572		8	laids	0.002	0.531	0.595
2	Inotif	-0.241	-2.064	0.039		8	Inotif	0.019	1.975	0.048
3	post1990	7.711	3.992	0.000		9	post1990	-0.646	-4.191	0.000
4	post1990	8.611	3.415	0.001		10	post1990	-0.814	-2.820	0.005
4	lunits_pop	-0.115	-0.316	0.752		10	lunits_pop	-0.024	-1.162	0.245
4	unemp	-0.410	-0.272	0.786		10	unemp	0.008	0.067	0.946
4	lgdp	-1.084	-1.527	0.127		10	lgdp	0.101	1.385	0.166
4	laids	-0.015	-0.323	0.747		10	laids	0.001	0.230	0.818
4	Inotif	-0.239	-1.981	0.048		10	Inotif	0.019	1.812	0.070
5	post1995	9.803	4.849	0.000		11	post1995	-0.821	-6.918	0.000
6	post1995	10.064	3.226	0.001		12	post1995	-0.957	-4.896	0.000
6	lunits_pop	-0.206	-0.483	0.629		12	lunits_pop	-0.015	-0.426	0.670
6	unemp	-0.021	-0.013	0.990		12	unemp	-0.030	-0.254	0.799
6	lgdp	-0.925	-1.356	0.175		12	lgdp	0.087	1.325	0.185
6	laids	-0.017	-0.402	0.688		12	laids	0.001	0.319	0.750
6	Inotif	-0.154	-1.354	0.176		12	Inotif	0.011	1.189	0.234

The estimates are weighted least-squares estimates, weighting by state population. All equations include fixed state effects and fixed year effects. Standard errors are clustered within states.

In model 1, the dependent variable is life expectancy at birth, and there is only one explanatory variable: the (weighted) mean FDA approval year of ingredients contained in prescriptions consumed. The coefficient on this variable is positive and highly significant (p-value < .001). This indicates that states with larger increases in drug vintage had larger increases in life expectancy. However, the estimate of this coefficient may be biased if other determinants of life expectancy are correlated with drug vintage.

Model 2 includes other plausible determinants of life expectancy: the per capita *quantity* of drugs consumed, per capita income, the unemployment rate, the notifiable disease rate, and the AIDS case rate. Controlling for these other variables increases the magnitude of the drug vintage coefficient by 20%. The coefficients on the per capita *quantity* of drugs consumed, the unemployment rate, and the AIDS case rate are far from significant. The coefficient on ln_NOTIF_DISEASES is negative and significant, which is to be expected: an increase in the number of notifiable diseases per 100,000 persons is associated with a decline in life expectancy.

The coefficient on per capita income is *negative* and nearly significant (p-value=.095): states with high income growth had smaller longevity increases, ceteris paribus. Some previous investigators have also found evidence of a non-monotonic or even inverse relationship between income and longevity. Uchida et al (1992) found that "for [Japanese] females high income was the factor significantly decreasing life expectancy at 65 years of age in 1980." Hupfeld (2008) theoretically derived a non-monotonic relationship between income and longevity, based on heterogeneous elasticities of labor supply and otherwise standard assumptions. He analyzed this relationship empirically for pensioners in the public pension system in Germany, and find that "the relationship between income and life expectancy is indeed non-monotonic for major subgroups in the data." And Ruhm (2004) argued that "although health is conventionally believed to deteriorate during macroeconomic downturns, the empirical evidence supporting this view is quite weak and comes from studies containing methodological shortcomings that are difficult to remedy. Recent research that better controls for many sources of omitted variables bias instead suggests that mortality decreases and physical health improves when the economy temporarily weakens. This partially reflects reductions in external sources of death, such as traffic fatalities and other accidents, but changes in lifestyles and health behaviors are also likely to play a role."

Models 3 and 4 are similar to models 1 and 2, but instead of FDA_YEAR, the measure of drug vintage is the fraction of prescriptions containing ingredients approved by the FDA after

1990 (POST1990%). The estimates of these two models are qualitatively similar to the estimates of models 1 and 2. The coefficient on POST1990% is positive and highly significant, and is larger when other factors are included than it is when they are excluded.

Models 5 and 6 use the third measure of drug vintage: the fraction of prescriptions containing ingredients approved by the FDA after 1995 (POST1995%). Once again, the drug vintage coefficient is positive and significant, and larger (albeit by a smaller margin) when other factors are controlled for. In this case, however, none of the coefficients on the other factors are close to being statistically significant.

The estimates of models 1-6 indicate that (1) there is a highly significant relationship across states between the increase in drug vintage and the increase in life expectancy, and (2) controlling for some other potentially important determinants of life expectancy, and changing the measure of drug vintage, has little effect on this relationship. Models 7-12 are similar to models 1-6, but in these models the dependent variable is the log of the age-adjusted mortality rate. The age-adjusted mortality rate and life expectancy at birth both depend on (are functions of) age-specific mortality rates, but they depend on them in different ways. The estimates of models 7-12 indicate that (1) there is a highly significant relationship across states between the increase in drug vintage and the decline in the age-adjusted mortality rate, and (2) controlling for some other potentially important determinants of the age-adjusted mortality rate, and changing the measure of drug vintage, has little effect on this relationship.

The parameter estimates can be used to estimate how much of the 1.7-year increase in life expectancy during the period 2000-2007 was attributable to the increase in drug vintage, i.e. to the use of newer drugs. These calculations are shown in the following table.

Model	2	4	6
Vintage measure	FDA_YEAR	post1990%	post1995%
2000-2007 change in vintage measure (Δ)	2.6	12%	5%
β	0.326	8.611	10.064
β * Δ	0.8	1.0	0.5

Model 2, based on the FDA_YEAR drug vintage measure, implies that use of newer drugs increased life expectancy at birth by 0.8 years (almost half of the actual increase in life expectancy) during the period 2000-2007. Model 4, based on the POST1990% drug vintage measure, implies that use of newer drugs increased life expectancy by a larger amount: 1.0 years.

Model 6, based on the POST1995% drug vintage measure, implies that use of newer drugs increased life expectancy by a smaller amount: 0.5 years. The mean of these three estimates is 0.8 years.

The parameter estimates can also be used to obtain a rough assessment of the overall cost-effectiveness of pharmaceutical innovation. We define the incremental cost-effectiveness ratio (ICER) as follows:

ICER = <u>change in lifetime drug expenditure due to pharmaceutical innovation</u> change in life expectancy due to pharmaceutical innovation

The arrandonly sine or	11-ti	ama ala arrim	41	fall arrive a table	_
The underlying	carculations	are snown	ın ıne	Tollowing table	Ĵ.

V	Life	annual drug expenditure	lifetime drug expenditure (= life expectancy * annual drug
Year	expectancy	in constant 2000 € ¹	expenditure)
2000	78.1	€ 300	€ 23,430
2006	78.8^{2}	€ 364	€ 28,683
change	0.7		€ 5,253

^{1:} Source: 2009 OECD Health Database

German life expectancy at birth was 78.1 years in 2000. The mean of the estimates of β from models 2, 4, and 6 implies that the increase in drug vintage increased life expectancy by 0.7 years between 2000 and 2006. According to the 2009 OECD Health Database, per capita expenditure (in constant 2000 €) on prescription drugs increased from € 300 in 2000 to € 364 in 2006. Assuming that this increase was entirely due to use of newer drugs, pharmaceutical innovation increased lifetime drug expenditure by € 5,253. The implied ICER is € 7512 (= € 5,253 / 0.70 years) per life-year. This is a small fraction of leading economists' estimates of the value of (willingness to pay for) an additional year of life. Moreover, while use of newer drugs undoubtedly increases pharmaceutical expenditure, there is evidence that it reduces other medical expenditure (especially hospital expenditure (Lichtenberg (2009)), so the true ICER may be lower than € 7512.

^{2: &}quot;Predicted" life expectancy in $2006 = LE_{2000} + \beta \left(VINT_{2006} - VINT_{2000}\right)$

III. French cancer mortality

Now I will investigate the effect of the vintage of chemotherapy treatments on mortality rates of French cancer patients, using longitudinal, annual, cancer-site (breast, colon, lung, etc.) level data during the period 2002-2006.

Two types of statistics are used to measure cancer mortality: survival rates and mortality rates. Survival rates are typically expressed as the proportion of patients alive at some point subsequent to the diagnosis of their cancer. For example, the observed 5-year survival rate is defined as follows:

5-year Survival Rate = Number of people diagnosed with cancer at time t alive at time t+5 / Number of people diagnosed with cancer at time t

= 1 - (Number of people diagnosed with cancer at time t dead at time t+5 / Number of people diagnosed with cancer at time t)

Hence, the survival rate is based on a *conditional* (upon previous diagnosis) mortality rate. The second type of statistic is the *unconditional* cancer mortality rate: the number of deaths, with cancer as the underlying cause of death, occurring during a year per 100,000 population.

The outcome measure I will analyze is the *unconditional* (age-adjusted) cancer mortality rate. Longitudinal, cancer-site level data on conditional mortality (or survival) are not available during the period for which we have chemotherapy treatment data (2002-2006), although they are available for earlier years. Moreover, Welch et al (2000) argued that "while 5-year survival is a perfectly valid measure to compare cancer therapies in a randomized trial, comparisons of 5-year survival rates across time (or place) may be extremely misleading. If cancer patients in the past always had palpable tumors at the time of diagnosis while current cancer patients include those diagnosed with microscopic abnormalities, then 5-year survival would be expected to increase over time even if new screening and treatment strategies are ineffective."

Consequently, Welch et al (2000) concluded that "to avoid the problems introduced by changing patterns of diagnosis...progress against cancer [should] be assessed using [unconditional] population-based mortality rates."

¹³ The Eurocare 3 and Eurocare 4 databases (http://www.eurocare.it/Home/tabid/36/Default.aspx) provide data on survival rates of French cancer patients diagnosed during the following periods: 1983-1985, 1986-1988, 1989-1991, 1992-1994, and 1995-1999.

A. Econometric model

I will estimate models of the following form:

$$ln (AAMORT)_{st} = \beta VINTAGE_{st} + \alpha_s + \delta_t + \varepsilon_{st}$$
(2)

where

 $\ln (AAMORT_{st})$ = the log of the age-adjusted mortality rate from cancer at site s in year t (s=1,...,24; t=20002,...,2006)

VINTAGE is one of the following variables:

LAUNCH YEAR_{st} = the (weighted) mean world launch year of chemotherapy

treatments for cancer site s in year t

 $POST1985\%_{st}$ = the percent of chemotherapy treatments for cancer site s in year t

that contained ingredients launched after 1985

 $POST1990\%_{st}$ = the percent of chemotherapy treatments for cancer site s in year t

that contained ingredients launched after 1990

 α_s and δ_t represent cancer-site fixed effects and year fixed effects, respectively. A significant negative drug vintage coefficient (β) in eq. (2) would indicate that cancer sites that had aboveaverage increases in drug vintage had above-average reductions in the age-adjusted mortality rate.

Eq. (2) will be estimated by weighted least squares, weighting by the mean of each cancer site's mortality rate during the entire sample period ((1 / T) \sum_t AAMORT_{st}). The estimation procedure will account for clustering of disturbances within cancer sites.

The drug vintage measure LAUNCH YEAR will be constructed as follows:

$$\begin{array}{ccc} LAUNCH_YEAR_{st} &= \underline{\Sigma_c} \ \underline{N_PATIENTS_{cst}} \ \underline{INTRO_YEAR_c} \\ & \underline{\Sigma_c} \ \underline{N_PATIENTS_{cst}} \end{array}$$

where

N PATIENTS_{cst} = the number of patients with cancer at site s who were treated with chemotherapy agent c in year t

INTRO YEAR_c = the year in which chemotherapy agent c was first launched

The drug vintage measure POST1985% will be constructed as follows:

$$POST1985\%_{st} = \underline{\Sigma_{c} N_PATIENTS_{cst} INTRO_YEAR_GT_1985_{c}} \\ \underline{\Sigma_{c} N_PATIENTS_{cst}}$$

where

INTRO YEAR GT 1985_c = 1 if chemotherapy agent c was first launched after 1985

= 0 otherwise

POST1990% will be constructed in a similar fashion.

The only explanatory variable in eq. (2) (aside from the cancer-site fixed effects and year fixed effects) is chemotherapy vintage. Cancer mortality rates are also likely to depend on other cancer-site-specific, time-varying variables, and these might be correlated with drug vintage. In particular, mortality rates are likely to depend on (1) incidence rates, and (2) non-pharmaceutical innovation. Unfortunately, data on cancer incidence and non-pharmaceutical innovation, by cancer site, are not available for France during the period covered by our chemotherapy data.¹⁴ However, in a recent paper based on U.S. cancer data during the period 1996-2006, Lichtenberg (2010) found that, although pharmaceutical innovation, non-pharmaceutical innovation, and incidence all had significant effects on cancer mortality rates, controlling for the latter two variables had virtually no effect on the pharmaceutical innovation coefficient.

B. Data and descriptive statistics

Pharmaceutical data. Data on the number of patients with cancer at site s who were treated with chemotherapy agent c in year t (N PATIENTS_{est}) were obtained from IMS Health's Oncology Analyzer database. 15 IMS collected data on the frequency with which 11 chemotherapy agents were administered to a sample of about 20,000 French cancer patients during the period 2002-2006. As the following table shows, the size of the sample increased over time:

Year	Number of sample patients
2002	2713
2003	3195
2004	3767
2005	5063
2006	5217

¹⁴ Data on non-pharmaceutical innovation are not available for any period. According to the European Cancer Observatory, annual data on cancer incidence, by site, are only available during the period 1983-1997 (http://eucancer.iarc.fr/16-table.html,en).

15 If a patient was treated with n chemotherapy agents, that patient would be counted n times.

The eleven drugs (ranked by frequency of use), and the years in which they were launched, are shown in the following table:

frequency rank	chemotherapy agent	world launch year
1	doxorubicin	1971
2	epirubicin	1984
3	gemcitabine	1995
4	carboplatin	1985
5	docetaxel	1995
6	paclitaxel	1992
7	vinorelbine	1989
8	imatinib	2001
9	capecitabine	1998
10	temozolomide	1999
11	pemetrexed	2004

Table 4 shows the number of sample patients during 2002-2006, by cancer site. The two cancer sites with the largest number of patients were breast and lung. The three chemotherapy agents most frequently used to treat each of the five cancer sites with the largest numbers of patients are shown in Table 5.¹⁶

Mortality data. Data on age-adjusted¹⁷ mortality rates, by cancer site, were obtained from the Centre d'épidémiologie sur les causes médicales de décès, Institut national de la santé et de la recherche médicale (http://www.cepidc.vesinet.inserm.fr/inserm/html/index2.htm).

The complete dataset used for estimation is shown in Appendix Table 3.

C. Empirical results

Estimates of chemotherapy vintage coefficients (β) from different versions of eq. (2) are shown in Table 6. The first three estimates are based on the full set of cancer sites. In model 1, the vintage measure is the (weighted) mean world launch year of chemotherapy treatments. The coefficient on LAUNCH_YEAR is negative and highly significant (p-value = .008). This indicates that cancer sites for which there were larger increases in chemotherapy vintage had larger reductions in the age-adjusted mortality rate. A 10-year increase in mean drug vintage is estimated to reduce the age-adjusted mortality rate by about 6%. Models 2 and 3 indicate that

¹⁶ Only two drugs were used to treat Hodgkin's disease among sample patients.

¹⁷ The age distribution of the French population in 2002 was used to obtain age-adjusted mortality rates.

Table 4
Number of sample patients during 2002-2006, by cancer site

Cancer site	Number of sample patients, 2002-2006
BREAST	5027
LUNG	4270
NHL	2245
OVARIAN	1534
HODGKINS DISEASE	834
PANCREAS	819
CML	648
BRAIN	461
M.MYELOMA & MALIG PLASMA CELL	401
HEAD & NECK	379
COLORECTAL	332
BLADDER	277
PROSTATE	246
LIVER	243
STOMACH	152
CLL	146
CORPUS UTERI	94
OESOPHAGUS	77
ALL	59
MELANOMA	26
KIDNEY	20
OTHER LEUKAEMIAS	9
AML	4
THYROID	4
CERVIX UTERI	2
MYELOID LEUKAEMIA OTHER/UNSPEC	1
OTHER	1645

Source: IMS Oncology Analyzer

Table 5
Chemotherapy agents most frequently used to treat French cancer patients during 2002-2006, by cancer site

Chemotherapy agent	Rank
BREAST	
EPIRUBICIN	1
DOCETAXEL	2
DOXORUBICIN	3
LUNG	
VINORELBINE	1
GEMCITABINE	2
CARBOPLATIN	3
NHL	
DOXORUBICIN	1
EPIRUBICIN	2
TEMOZOLOMIDE	3
OVARIAN	
CARBOPLATIN	1
PACLITAXEL	2
GEMCITABINE	3
HODGKINS DISEASE	
DOXORUBICIN	1
VINORELBINE	2

Source: IMS Oncology Analyzer

Table 6
Estimates of models of age-adjusted cancer mortality rate, France, 2002-2006

Model	Regressor	Estimate	Stderr	LowerCL	UpperCL	Z	ProbZ
			All o	cancer sites	3		
1	Launch_Year	-0.006	0.002	-0.011	-0.002	-2.665	0.008
2	post1985%	-0.122	0.034	-0.187	-0.056	-3.618	0.000
3	post1990%	-0.107	0.029	-0.165	-0.049	-3.644	0.000
			Excludi	ng lung car	ncer		
4	Launch_Year	-0.008	0.002	-0.011	-0.005	-5.035	0.000
5	post1985%	-0.094	0.028	-0.150	-0.039	-3.328	0.001
6	post1990%	-0.131	0.019	-0.168	-0.094	-6.936	0.000

The estimates are weighted least-squares estimates, weighting by the mean of each cancer site's mortality rate during the entire sample period ((1 / T) \sum_t AAMORT_{st}). All equations include fixed cancer-site effects and fixed year effects. Standard errors are clustered within cancer sites.

the change in the age-adjusted mortality rate was also inversely correlated with the other two measures of chemotherapy vintage (POST1985% and POST1990%). Model 2 implies that the mortality rate would be about 12% lower if only post-1985 drugs were used than it would be if only pre-1986 drugs were used.

As noted earlier, these are weighted least-squares estimates, where the weight is the mean of each cancer site's mortality rate during the entire sample period. As shown in Figure 3, the mortality rate for lung cancer is far higher than it is for other types of cancer. Therefore, the estimates of models 1-3 give a great deal of weight to the lung cancer data. Models 4-6 are estimates based on the full set of cancer sites except lung cancer. All three drug vintage coefficients remain negative and highly significant when lung cancer is excluded from the sample. Excluding lung cancer increases the magnitude of β by about 25% in models 4 and 6, but reduces the magnitude of β by about 25% in model 5.

According to Eurostat, 18 the age-adjusted mortality rate from malignant neoplasms in France declined by 6% between 2002 and 2006. The parameter estimates can be used to estimate how much of this decline was attributable to the increase in drug vintage, i.e. to the use of newer chemotherapy agents. The decline in the age-adjusted mortality rate attributable to the 2002-2006 increase in drug vintage is $\beta * \Delta$, where $\Delta = (V_{2006} - V_{2002})$ and $V_t =$ mean drug vintage in year t.

There are two different data sources from which we can calculate Δ . The first is the IMS Oncology Analyzer database. As noted above, this contains data on the use of 11 cancer drugs by about 4000 patients per year during the period 2002-2006. The second data source is the Groupement pour l'Elaboration et la Réalisation de Statistiques (GERS, http://www.gie-gers.fr/index.php3). This source provides annual data on the use of all (106) cancer drugs by all cancer patients in France during the period 1998-2007. 19

Table 7 shows a comparison of chemotherapy vintage measures derived from the IMS Oncology Analyzer and GERS databases.²⁰ The GERS estimates of the 2002-2006 increase in mean vintage are about three times as large as the IMS estimates. For example, the GERS data

¹⁸ Source: Eurostat hlth cd asdr dataset.

¹⁹ GERS provides data on the quantity of each drug, by year, but not by cancer site.

²⁰ The GERS vintage measures are based on the year each drug was first commercialized in France, rather than the world launch year, which is not available for all drugs. For the 11 drugs for which both dates were available, there is generally a close correspondence between the two dates. For 8 out of the 11 drugs, the year of commercialization in France was 0-2 years after the world launch year.




Table 7

Comparison of chemotherapy vintage measures derived from IMS Oncology Analyzer and GERS databases

year	N		LAUNCH_YEAR		POST	1985%	POST1990%	
	IMS	GERS	IMS	GERS	IMS	GERS	IMS	GERS
1998		109,507,687		1978.3		30%		10%
1999		111,235,927		1978.9		32%		15%
2000		115,983,400		1979.6		35%		19%
2001		124,227,347		1980.7		38%		25%
2002	2713	138,344,711	1985.6	1982.1	47%	44%	37%	32%
2003	3195	150,057,851	1986.2	1984.0	50%	53%	39%	41%
2004	3767	156,556,767	1986.3	1985.7	49%	60%	43%	49%
2005	5063	157,138,449	1987.3	1986.8	53%	64%	46%	57%
2006	5217	167,624,451	1987.4	1987.6	53%	67%	46%	61%
2007		175,757,939		1988.1		69%		63%
2006 - 200	<u> </u>)2		1.8	5.5	7%	23%	9%	29%

imply that mean LAUNCH_YEAR increased by 5.5 years, while the IMS data imply that it increased by only 1.8 years.

Estimates of the decline in the age-adjusted mortality rate attributable to the 2002-2006 increase in drug vintage based on both the IMS data and the GERS data are shown in the following table.

Model	1	2	3
Vintage measure	LAUNCH_YEAR	POST1985%	POST1990%
β	-0.006	-0.122	-0.107
	IMS Oncolo	ogy Analyzer da	atabase
2002-2006 change in vintage measure (Δ)	1.8	7%	9%
$\beta * \Delta$	-0.011	-0.008	-0.010
	GI	ERS database	
2002-2006 change in vintage measure (Δ)	5.5	23%	29%
$\beta * \Delta$	-0.034	-0.028	-0.031

The estimates of Δ derived from the IMS database imply that the increase in drug vintage reduced the age-adjusted cancer mortality rate by about 1% during 2002-2006, which is about 1/6 of the total decline in the mortality rate. The estimates of Δ derived from the GERS database imply that the increase in drug vintage reduced the age-adjusted cancer mortality rate by about 3% during 2002-2006, which is about half of the total decline in the mortality rate.

IV. Summary

Longevity increase is an important part of economic growth and development. In the long run, the rate of economic growth is determined by the rate of technological progress, which is generated by private and public R&D investment. Most technological progress is embodied in new goods. Therefore, the welfare of consumers (and the productivity of producers) depends on the *vintage* of the goods (or inputs) they purchase, especially when those goods are R&D-intensive. The pharmaceutical and medical devices industries are the most R&D-intensive industries in the economy

In this paper, I have investigated the contribution of pharmaceutical innovation to recent longevity growth in Germany and France. First, I examined the effect of the vintage of

prescription drugs (and other variables) on the life expectancy and age-adjusted mortality rates of residents of Germany, using longitudinal, annual, state-level data during the period 2000-2007. Then, I examined the effect of the vintage of chemotherapy treatments on age-adjusted cancer mortality rates of residents of France, using longitudinal, annual, cancer-site-level data during the period 2002-2006.

The analysis of Germany was based on data on the utilization of over 600 active ingredients, which account for about 250 million prescriptions per year. I found that states with larger increases in drug vintage had larger increases in life expectancy. Controlling for some other potentially important determinants of life expectancy (the per capita *quantity* of drugs consumed, per capita income, the unemployment rate, the notifiable disease rate, and the AIDS case rate) and changing the measure of drug vintage, had little effect on the relationship between drug vintage and life expectancy. There was also a highly significant relationship across states between the increase in drug vintage and the decline in the age-adjusted mortality rate.

German life expectancy at birth increased by 1.7 years during the period 2000-2007. The estimates imply that almost half of this increase was due to the replacement of older drugs by newer drugs. My estimate of the cost per life-year gained from the use of newer drugs is a small fraction of leading economists' estimates of the value of (willingness to pay for) an additional year of life.

The analysis of France was based on data on the utilization of 11 cancer drugs by about 4000 cancer patients per year. I found that cancer sites for which there were larger increases in chemotherapy vintage had larger reductions in the age-adjusted mortality rate. A 10-year increase in mean drug vintage was estimated to reduce the age-adjusted mortality rate by about 6%. Changing the measure of drug vintage, and excluding lung cancer—by far the largest cause of cancer deaths in France—had little effect on the relationship between drug vintage and the cancer mortality rate. My estimates implied that chemotherapy innovation accounted for at least one-sixth of the decline in French cancer mortality rates during 2002-2006, and may have accounted for as much as half of the decline.

References

Bahk, Byong-Hyong and Michael Gort (1993), "Decomposing Learning by Doing in New Plants," *Journal of Political Economy*, 101, 561-583.

Bils, Mark (2004), "Measuring the Growth from Better and Better Goods," NBER working paper no. 10606, July, http://www.nber.org/papers/w10606.

Bresnahan, Timothy F., and Robert J. Gordon (1996), *The Economics of New Goods* (Chicago: University of Chicago Press).

Grossman, Gene M., and Elhanan Helpman (1993), *Innovation and Growth in the Global Economy* (Cambridge: MIT Press).

Hulten, Charles R. (1992), "Growth accounting when technical change is embodied in capital," *The American Economic Review*, Vol. 82, No. 4. (Sep., 1992), pp. 964-980.

Hupfeld, Stefan (2008), "Non–Monotonicity in the Longevity–Income–Relationship," working paper, Department of Economics, University of Konstanz, Germany, August 14, http://wipol.wiwi.uni-konstanz.de/lehrstuhl/personen/hupfeld non monotinicity.pdf

Jones, Charles (1998), Introduction to Economic Growth (New York: Norton).

Lichtenberg, Frank (2009), "Have newer cardiovascular drugs reduced hospitalization? Evidence from longitudinal country-level data on 20 OECD countries, 1995-2003," *Health Economics* 18 (5), 519-534.

Lichtenberg, Frank (2010), "Has medical innovation reduced cancer mortality?," NBER Working Paper 15880, April, http://www.nber.org/papers/w15880

Murphy, Kevin M. and Topel, Robert H. (2005), "The Value of Health and Longevity," NBER Working Paper No. W11405. (June). Available at SSRN: http://ssrn.com/abstract=742364

National Science Foundation, *U.S. Corporate R&D: Volume 1: Top 500 Firms in R&D by Industry Category*, http://www.nsf.gov/statistics/nsf00301/expendit.htm.

Nordhaus, William D. (2002), "The Health of Nations: The Contribution of Improved Health to Living Standards" (March). NBER Working Paper No. W8818. Available at SSRN: http://ssrn.com/abstract=302579

Romer, Paul (1990), "Endogenous Technological Change," *Journal of Political Economy*, October.

Ruhm, Christopher J. (2004), "Macroeconomic Conditions, Health and Mortality," NBER Working Paper No. W11007, December, http://www.nber.org/papers/w11007

Sakellaris, Plutarchos and Dan Wilson (2004), "Quantifying Embodied Technological Change," *Review of Economic Dynamics* 7(1), pp. 1-26.

Solow, Robert M. (1956). "A Contribution to the Theory of Economic Growth". *Quarterly Journal of Economics* **70** (1): 65–94.

Solow, Robert M. (1957). <u>"Technical Change and the Aggregate Production Function"</u>. *Review of Economics and Statistics* **3** (3): 312–320.

Solow, Robert M. (1960), "Investment and technological progress," in K. Arrow, S. Karlin and P. Suppes (eds.), *Mathematical Methods in Social Sciences 1959*, 89.104. Stanford University Press.

Uchida, Eiichi, Shunichi Araki and Katsuyuki Murata (1992), "Socioeconomic factors affecting the longevity of the Japanese population: a study for 1980 and 1985," *Journal of Biosocial Science* 24, 497-504.

Welch, H. Gilbert, Lisa M. Schwartz, and Steven Woloshin (2000), "Are Increasing 5-Year Survival Rates Evidence of Success Against Cancer?," *JAMA* 283 (22). 2975-2978 http://jama.ama-assn.org/cgi/content/abstract/283/22/2975?ck=nck

Wikipedia, Human Development Index, http://en.wikipedia.org/wiki/Human Development Index

			ge of drug	s in a	2008						
		erse (Sta	-					9	Sample/Univer		
	Hea	alth Insur	rance)			Sampl	e		,	se	
ATC-group name											
	Prescr				Pres				Presc		
	iption				cript			l l	riptio		
	S	Sales			ions	Sales			ns	Sales	
		`	Average		•		Averag		(milli	(million	
	ns)	s)	price		ions)		e price		ons)	s)	
Overall market	608.1	26677	44		259	7748	30		43%	29%	
A01 Stomalogical preparations	1.2	14									
A02 Ulcer therapeutics	25.3	1139									
A03 Spasmolytics	8.5	115	14								
A04 Antiemetics and agents for											
sickness	2.1	73			2	43	20		101%	59%	
A05 Bilious and liver therapy	0.4	31									
A06 Laxatives	2.2	42	19								
A07 Antidiarrheals	4.4	187	42								
A09 Digestives, including enzymes	0.7	58									
A10 Antidiabetics	29.5	1691	57		30	1084	37]	101%	64%	
A11 Vitamins	3.2	76									
A12 Minerals	3.1	78									
A16 Enzyme substitute	0.1	183									
B01 Antithrombotical agents	15.0	862									
B02 Antihemorrhagics	0.3	112	373								
B03 Antianemic combinations	3.6	372	103		1	233	269		24%	63%	
B05 Blood substitute drugs and											
perfusion solutions	3.1	161									
C01 Cardiac therapeutics	11.7	279			12	132	11	-	104%	47%	
CO2 Antihypertensives	4.3	257	60		4	78	18		100%	30%	
C03 Diuretics	20.7	399			21	151	7		102%	38%	
CO4 Peripheral vasodilators	1.6	62			2	25	14	:	108%	41%	
C05 Vasoprotectives	1.5	30			0	1	19		3%	3%	
C06 Antihypotonics	0.2	5			0	101	1498		34%	2016%	
CO7 Beta-receptor blocker	35.0	691	20		35	253	7		100%	37%	
CO8 Calcium antagonists	17.4	331			18	135	8	_	103%	41%	
C09 Angiotensin inhibitor	46.2	1889			47	1109	24	-	101%	59%	
C10 Antilipemics	16.9	736			17	433	25		101%	59%	
D01 Antifungals (topical)	4.2	90									
D02 Agents for skin protection	0.8	9									
D03 Wound treatment agents	0.5	6									
D04 Antipruriginous agents	0.8	6									
D05 Antipsoriatics	0.8	70									
D06 Antiinfectives (dermatological)	2.5	49									
D07 Corticosteroids (dermatological)	9.1	163	18								
D08 Antiseptics and disinfective											
agents	0.8	7	9								

		erse (Sta	tutory				Sam	ple/Uni	ver	
		alth Insur	-		Sampl	e	Jun	se		
ATC-group name										
	Prescr			Pres			Pre	sc		
	iption			cript			ript	io		
	S	Sales		ions	Sales		ns	Sale	25	
	(millio	(million	Average	(mill	(millio	Averag	(mi	lli (milli	on	
	ns)	s)	price	ions)	ns)	e price	ons	s) s)		
D09 Medical bandages	0.5	19	38							
D10 Anti-acne preparations	1.7	41	24							
D11 Other dermatological										
preparations	1.4	39	28							
G01 Gynaecological antiinfectivs	1.5	22	15							
G02 Other gynecologicals	0.4	15	38							
G03 Sexual hormones	12.8	424	33							
G04 Urological drugs	6.2	313	51							
H01 Pituitary/hypothalamic hormones	0.4	324	810							
H02 Corticosteroids (systemic)	7.9	155	20							
H03 Thyroids therapeutics	20.0	316	16							
H05 Calcium homoeostasis	0.1	58	583							
J01 Antibiotics	39.1	753	19							
J02 Antifungals	0.6	68	113							
J05 Antivirals	1.6	663	414							
J06 Immune sera and										
immunoglobulins	0.3	185	617							
J07 Vaccines	1.3	134	103							
L01 Antineoplastic agents	1.0	843	843	1	619	612	101	% 7	'3%	
LO2 Hormone antagonists	1.5	578	385	2	442	285	103	% 7	79	
L03 Immunostimulants	1.2	1156	964	1	787	1163	56	% 6	8%	
L04 Immunosuppressants	2.1	1370	652	1	464	310	71	% 3	49	
M01 Antiphlogistics/anti-										
inflammatory drugs	37.4	607	16	35	163	5	94	% 2	7%	
M02 Anti-inflammatory agens (topical)	1.3	16	12							
M03 Muscle relaxants	4.0	134	33							
M04 Gout agents	6.5	94	14							
M05 Osteoporosis agents	3.0	417	139							
N01 Anesthetics	0.3	8	26							
NO2 Analgesics	33.9	1398	41							
N03 Antiepileptics	7.9	630	80							
N04 Anti parkinson drugs	5.7	499	87	5	330	64	91	% 6	6%	
N05 Psycholeptics	25.4	1103	43							
N06 Psychoanaleptics	20.7	1159	56							
N07 Anti vertiginous and addiction										
therapeutics	2.7	109	40	1	198	157	47	% 18	2%	

	Univ	erse (Sta	atutory				Sample/Univ			
	Hea	alth Insui	rance)		Sample			se		
ATC-group name										
	Prescr			Pres				Presc		
	iption			cript				riptio		
	s	Sales		ions	Sales			ns	Sales	
	(millio	(million	Average	(mill	(millio	Averag		(milli	(million	
	ns)	s)	price	ions)	ns)	e price		ons)	s)	
P01 Agents againt protozoa	0.7	14	20							
P02 Anthelmintics	0.3	8	25							
P03 Insecticides and repellents	0.7	14	20							
R01 Rhinologic drugs	11.1	85	8							
R02 Throat and pharynx therapeutics	0.6	4	7							
R03 Anti-asthma medication	24.3	1458	60	24	953	40		99%	65%	
R04 Chest ointment and other										
inhalants	0.4	3	7							
R05 Cough and cold preparations	17.5	181	10							
R06 Antihistamines	3.1	73	23							
S01 Ophthalmic drugs	15.6	448	29							
S02 Otologicals	1.3	19	15							
S03 Ophthalmic drugs/otologicals	0.7	12	17							
V01 Allergenes	0.9	300	333							
V03 Antidotes/other agents	0.6	114	190	0	16	157		17%	14%	
V10 Therapeutic radiopharmaceuticals	0.0	1			_	_				

Sales figures from the Statutory Health Insurance are at the level of public price (pharmacy selling price including VAT), whereas sales figures from IMS in the sample are at the level of ex-factory price. According to the VFA (http://www.vfa.de/en/statistics/pharmaceuticalmarket/), sales at ex-factory price level accounted for 58% of sales at public price level (23.8 bn. EUR of 41 bn. EUR) in the total pharmacy market (=SHI + private insurance + OTC). Therefore the sample covers approx. 50% of SHI pharmaceutical expenditures rather than the directly calculated 29% shown in the table. Also, SHI data are based on the ATC drug classification, while IMS data are based on the EphMRA classification, which may cause some drugs to be classified differently between "universe" and sample.

Pharmaceutical groups in the Statutory Health Insurance (prescriptions in millions, turnover in million €). Classification: years, Germany, ATC-groups (2. level)

http://www.gbe-bund.de/

Home > Health Care System > Pharmaceutical Supply, Aids and Appliances/Non-medical Therapy > Pharmaceuticals > Table (ad hoc): Pharmaceutical by ATC-groups

Year: 2008

State	year	Number of prescriptions (packs) (millions)	Mean FDA approval year	Post-1990 prescriptions as % of total prescriptions	Post-1995 prescriptions as % of total prescriptions	Number of prescriptions per person	Life expectancy at birth	Age-adjsuted mortality rate	Population (millions)	Unemployment rate	GDP (Euros per inhabitant)	Notifiable diseases per 100,000 inhabitants	New aids cases per 100,000
Baden-Wuerttemberg	2000	25.2	1983.3	33%	8%	2.41	79.2	810.6	10.49	4.1%	28,343		0.32
Baden-Wuerttemberg	2001	26.6	1983.9	36%	10%	2.52	79.6	782.9	10.56	3.7%	29,308	284.1	0.36
Baden-Wuerttemberg	2002	27.4	1984.3	37%	11%	2.58	79.7	778.0	10.63	4.4%	29,350	257.9	0.23
Baden-Wuerttemberg	2003	28.9	1984.6	38%	13%	2.71	79.8	783.1	10.68	5.7%	29,530	229.8	0.19
Baden-Wuerttemberg	2004	26.1	1985.1	41%	14%	2.44	80.5	725.9	10.71	6.6%	29,845	230.3	0.27
Baden-Wuerttemberg	2005	26.6	1985.1	42%	12%	2.48	80.6	721.7	10.73	7.0%		252.4	0.26
Baden-Wuerttemberg	2006	27.1	1985.5	44%	13%	2.52	81.0	692.9	10.74	6.3%	31,427	279.9	0.17
Baden-Wuerttemberg	2007	27.9	1985.9	46%	14%	2.60	81.1	687.0	10.75	4.9%		402.8	0.15
Baden-Wuerttemberg	2008	29.0	1986.2	48%	15%					4.2%			
Bayern	2000	30.0	1983.1	34%	8%	2.46	78.5	858.5	12.19	4.0%	29,487		0.48
Bayern	2001	31.8	1983.9	37%	10%	2.59	78.8	833.5	12.28	3.8%	30,090	234.4	0.42
Bayern	2002	32.5	1984.3	39%	11%	2.63	78.9	831.6	12.36	4.5%	30,671	255.0	0.37
Bayern	2003	34.4	1984.6	40%	12%	2.77	79.0	834.5	12.40	6.1%	30,783	234.9	0.30
Bayern	2004	30.5	1985.0	43%	13%	2.46	79.7	783.4	12.43	6.8%	31,601	244.1	0.43
Bayern	2005	31.4	1985.2	44%	12%	2.52	79.7	780.5	12.46	7.0%		292.5	0.32
Bayern	2006	32.1	1985.6	46%	13%	2.57	80.0	762.8	12.48	6.5%	33,217	295.2	0.27
Bayern	2007	32.7	1985.9	48%	14%	2.61	80.2	744.3	12.50	5.3%		427.3	0.23
Bayern	2008	33.9	1986.3	50%	15%					4.2%			
Berlin	2000	8.6	1982.8	30%	9%	2.54	78.0	879.0	3.38	14.4%	23,162		6.50
Berlin	2001	8.9	1983.3	32%	10%	2.63	78.4	855.2	3.39	15.1%	23,245	351.7	5.11
Berlin	2002	9.5	1983.7	34%	11%	2.79	78.2	866.3	3.39	15.6%	23,210	417.0	5.10
Berlin	2003	10.1	1984.0	35%	12%	2.99	78.5	857.4	3.39	18.0%	23,046		5.04
Berlin	2004	9.0	1984.3	37%	13%	2.65	79.1	814.7	3.39	19.1%	22,896	392.2	5.79
Berlin	2005	9.1	1984.5	38%	12%	2.70	79.2	802.1	3.39	19.2%	20.500	465.2	5.22
Berlin	2006	9.4	1985.0	40%	13%	2.77	79.5	774.7	3.40	18.7%	23,689	425.3	5.50
Berlin	2007	9.4	1985.5	43%	14%	2.77	79.9	752.6	3.41	16.3%		654.1	5.05
Berlin	2008	9.8	1986.0	46%	15%	2.46	77.4	0.65.6	2.60	15.1%	47.200		0.20
Brandenburg	2000	8.2	1983.2	31%	9%	3.16	77.1	965.6	2.60	16.3%	17,298	272.5	0.38
Brandenburg	2001	8.5	1983.7	33%	10%	3.29	77.5	933.5	2.60	16.9%	17,697	372.5	0.27
Brandenburg	2002	8.8	1984.2	35%	11%	3.39	77.6	934.1	2.59	16.9%	18,015	509.7	0.54
Brandenburg Brandenburg	2003	9.5	1984.7	37%	13% 14%	3.69	77.6	931.5	2.58	18.3%	18,199	465.5	0.43
Brandenburg Brandenburg	2004	8.4 8.7	1985.2 1985.3	39% 40%	13%	3.27	78.2 78.6	875.5 853.9	2.57 2.56	19.2% 18.1%	18,778	479.3 541.2	0.54
Brandenburg Brandenburg	2005	8.7	1985.3	40%	13%	3.38	78.8	837.9	2.55	16.5%	19,652	541.2	0.23
Brandenburg	2006	9.0	1985.0	44%	14%	3.53	79.0	825.3	2.53	13.8%	15,052	879.5	0.74
Brandenburg	2007	9.3	1986.5	47%	15%	5.55	73.0	023.3	۷.۶	11.5%		079.3	0.50
Bremen	2000	2.0	1980.5	30%	8%	2.96	77.4	883.8	0.66	10.0%	33,423		1.21
Bremen	2001	2.0	1982.9	32%	9%	3.05	77.9	849.4	0.66	8.7%	34,421	271.8	1.21
Bremen	2002	2.1	1983.1	33%	9%	3.13	77.8	871.2	0.66	10.0%	35,279	429.5	1.51
2. 0.11011	2002		1000.1	55/0	570	5.15		U, 1.2	0.00	10.070	33,213		1.51

		Number of prescriptions (packs) (millions)	Mean FDA approval year	190 prescriptions as % of total prescriptions	95 prescriptions as % of total prescriptions	Number of prescriptions per person	Life expectancy at birth	Age-adjsuted mortality rate	Population (millions)	Unemployment rate	GDP (Euros per inhabitant)	Notifiable diseases per 100,000 inhabitants	New aids cases per 100,000
State	year	qwn	lean	Post-1990	Post-1995	qwn	fe ex	ge-ac	elndo	nem	DP (E	otifia	ew a
Bremen 5	2003	2.1	<u>≥</u> 1983.2	33%	<u> </u>	3.23	78.1	⋖ 863.3	0.66	⊃ 11.4%	35,904	319.0	0.45
Bremen	2003	1.9	1983.4	35%	9%	2.85	78.6	820.8	0.66	14.6%	36,666	332.4	0.75
Bremen	2005	1.9	1983.7	37%	9%	2.93	78.7	812.7	0.66	16.5%	55,000	316.2	0.60
Bremen	2006	2.0	1984.1	38%	10%	2.96	79.2	777.4	0.66	14.4%	38,211	231.8	1.96
Bremen	2007	2.0	1984.4	40%	11%	3.05	79.0	778.3	0.66	11.9%	, , ==	444.6	1.06
Bremen	2008	2.1	1984.8	42%	11%					9.5%			
Hamburg	2000	4.5	1983.1	31%	8%	2.65	78.3	849.6	1.71	7.7%	42,422		4.27
Hamburg	2001	4.7	1983.5	33%	10%	2.72	78.7	820.7	1.72	7.0%	44,402	360.0	4.13
Hamburg	2002	4.8	1983.9	34%	11%	2.81	78.6	841.5	1.73	8.2%	44,908	466.2	4.05
Hamburg	2003	4.9	1984.1	35%	12%	2.85	78.8	829.6	1.73	9.6%	45,020	357.9	4.44
Hamburg	2004	4.4	1984.3	36%	12%	2.54	79.2	801.6	1.74	10.6%	45,724	369.7	4.55
Hamburg	2005	4.4	1984.5	37%	11%	2.52	79.5	782.9	1.74	10.4%		385.3	3.56
Hamburg	2006	4.4	1984.9	39%	12%	2.54	79.9	762.6	1.75	9.8%	48,611	509.7	3.03
Hamburg	2007	4.5	1985.3	41%	13%	2.55	80.0	753.2	1.76	8.9%		705.4	2.72
Hamburg	2008	4.6	1985.7	44%	14%					7.1%			
Hessen	2000	16.2	1982.6	31%	7%	2.67	78.6	856.5	6.06	5.8%	30,223		1.54
Hessen	2001	17.0	1983.1	33%	9%	2.79	79.0	825.1	6.07	5.5%	31,203	224.2	1.45
Hessen	2002	17.4	1983.4	34%	10%	2.86	78.9	828.9	6.08	5.9%	31,407	242.0	1.28
Hessen	2003	18.2	1983.8	36%	11%	2.99	78.9	835.8	6.09	7.1%	32,151	228.8	1.10
Hessen	2004	16.4	1984.3	38%	12%	2.69	79.6	784.0	6.09	7.9%	32,641	224.1	1.23
Hessen	2005	16.7	1984.6	40%	12%	2.74	79.9	762.8	6.09	8.4%		244.4	1.15
Hessen	2006	16.9	1985.1	42%	13%	2.78	80.3	736.5	6.08	8.1%	34,369	243.7	1.00
Hessen	2007	17.0	1985.5	44%	13%	2.81	80.3	740.2	6.07	7.3%		425.3	0.64
Hessen	2008	17.5	1985.9	47%	15%					6.4%			
Mecklenburg-Vorpommern	2000	6.4	1983.1	31%	9%	3.59	76.4	1000.6	1.78	16.4%	16,860		0.17
Mecklenburg-Vorpommern	2001	6.6	1983.8	34%	11%	3.74	76.9	958.8	1.77	18.5%	17,343	456.7	0.45
Mecklenburg-Vorpommern	2002	6.8	1984.3	35%	12%	3.89	77.1	947.5	1.75	19.1%	17,624	739.0	0.40
Mecklenburg-Vorpommern	2003	7.3	1985.0	38%	14%	4.19	77.2	947.2	1.74	20.2%	17,904	621.9	0.52
Mecklenburg-Vorpommern	2004	6.4	1985.5	40%	15%	3.69	77.8	895.9	1.73	22.1%	18,450	681.2	0.46
Mecklenburg-Vorpommern	2005	6.6	1985.7	42%	14%	3.83	78.0	882.1	1.71	21.3%	10 102	664.0	0.41
Mecklenburg Vernammern	2006	6.7	1986.1	43%	15%	3.94	78.5	851.5	1.70	19.2%	19,193	707.9	0.24
Mecklenburg-Vorpommern Mecklenburg-Vorpommern	2007 2008	6.7 7.0	1986.4 1986.9	45% 48%	15% 16%	3.98	78.7	843.5	1.69	17.4% 14.6%		981.6	0.18
Niedersachsen	2008	21.7	1986.9	30%	7%	2.74	78.0	884.6	7.91	6.6%	22,767		0.34
Niedersachsen	2000	23.1	1983.1	32%	9%	2.74	78.4	860.5	7.91	6.4%	22,767	257.0	0.43
Niedersachsen	2001	24.2	1983.5	34%	10%	3.04	78.4	860.7	7.97	7.2%	22,796	333.2	0.43
Niedersachsen	2002	25.6	1983.9	35%	11%	3.21	78.3	868.9	7.99	8.5%	22,965	277.3	0.43
Niedersachsen	2003	22.6	1984.3	37%	12%	2.82	79.0	815.2	8.00	9.5%	23,402	279.3	0.48
Niedersachsen	2005	23.0	1984.5	39%	11%	2.88	79.2	807.7	8.00	10.4%	23,402	295.2	0.43
							<u> </u>						•

State State	7006	ည္က Number of prescriptions (packs) (millions)	Mean FDA approval year	Post-1990 prescriptions as % of total prescriptions	Post-1995 prescriptions as % of total prescriptions	လ မှ Aumber of prescriptions per person	6.6 1.6 2.6 2.6 2.6 3.6 5.6 5.6 5.6 5.6 5.6 5.6 5.6 5.6 5.6 5	84 75 Age-adjsuted mortality rate	الله Population (millions)	V. Unemployment rate	GDP (Euros per inhabitant)	Notifiable diseases per 100,000 inhabitants	0.4. New aids cases per 100,000
Niedersachsen	2007	24.1	1985.2	42%	13%	3.03	79.7	771.6	7.98	7.9%		434.3	0.45
Niedersachsen	2008	25.0	1985.5	44%	14%					7.1%			
Nordrhein-Westfalen	2000	52.2	1983.0	31%	8%	1.51	77.9	906.3	18.00	6.5%	25,236		1.33
Nordrhein-Westfalen	2001	54.7	1983.4	34%	10%	1.53	78.2	877.1	18.03	6.0%	25,622	242.7	1.20
Nordrhein-Westfalen	2002	56.4	1983.7	35%	10%	1.61	78.2	880.9	18.06	7.2%	25,944	243.4	1.13
Nordrhein-Westfalen	2003	59.1	1984.1	36%	11%	1.69	78.2	883.6	18.08	8.8%	26,073	232.4	1.15
Nordrhein-Westfalen	2004	52.5	1984.5	38%	12%	1.50	78.8	840.3	18.07	9.5%	26,728	254.6	1.00
Nordrhein-Westfalen	2005	53.6	1984.6	39%	11%	1.53	78.9	828.7	18.06	10.4%		290.9	1.01
Nordrhein-Westfalen	2006	53.9	1984.9	40%	12%	1.54	79.4	799.7	18.04	9.8%	28,022	311.8	0.98
Nordrhein-Westfalen	2007	55.3	1985.3	42%	12%	1.58	79.4	791.4	18.01	8.3%		493.6	0.92
Nordrhein-Westfalen	2008	57.2	1985.6	44%	13%					7.4%			
Rheinland-Pfalz	2000	11.8	1983.2	33%	8%	2.94	78.1	885.0	4.03	5.8%	22,587		0.67
Rheinland-Pfalz	2001	12.2	1983.7	35%	10%	3.03	78.4	867.5	4.04	5.0%	22,531	279.7	0.74
Rheinland-Pfalz	2002	12.8	1984.0	36%	10%	3.16	78.5	865.3	4.05	5.6%	23,042	345.8	0.47
Rheinland-Pfalz	2003	13.5	1984.2	37%	11%	3.32	78.4	879.7	4.06	6.3%	23,161	369.6	0.35
Rheinland-Pfalz	2004	11.9	1984.7	39%	12%	2.94	79.2	819.3	4.06	7.0%	23,853	386.6	0.15
Rheinland-Pfalz	2005	12.2	1984.9	41%	12%	3.02	79.2	818.6	4.06	8.7%		388.5	0.39
Rheinland-Pfalz	2006	12.4	1985.3	42%	13%	3.06	79.7	786.9	4.05	8.0%	24,618	362.4	0.44
Rheinland-Pfalz	2007	12.7	1985.7	44%	14%	3.14	79.8	774.7	4.05	6.0%		632.6	0.22
Rheinland-Pfalz	2008	13.2	1986.1	47%	15%					5.6%			
Saarland	2000	2.8	1983.0	32%	8%	2.62	77.1	961.9	1.07	7.3%	23,124		0.19
Saarland	2001	2.9	1983.6	34%	9%	2.76	77.3	946.2	1.07	5.9%	23,566	230.8	0.19
Saarland	2002	3.9	1984.0	36%	10%	3.69	77.6	937.4	1.07	7.6%	23,691	342.4	0.38
Saarland	2003	4.1	1984.3	37%	12%	3.87	77.1	960.9	1.06	8.3%	23,939	281.3	0.19
Saarland	2004	3.6	1984.8	39%	13%	3.40	78.2	886.3	1.06	8.7%	25,170	291.0	
Saarland	2005	3.7	1984.9	41%	12%	3.49	78.3	886.3	1.05	10.8%		335.9	
Saarland	2006	3.7	1985.3	42%	13%	3.51	78.4	867.4	1.05	9.5%	27,317	300.0	
Saarland	2007	3.7	1985.7	45%	14%	3.52	78.7	852.5	1.04	7.3%		475.4	
Saarland	2008	3.7	1986.1	47%	15%	0 = 1				7.1%	4= 000		0.11
Sachsen	2000	15.6	1983.1	30%	8%	3.51	77.8	901.1	4.44	16.1%	17,032	F 40 0	0.14
Sachsen	2001	16.2	1983.8	33%	10%	3.67	78.4	860.3	4.40	17.0%	17,731	540.8	0.11
Sachsen	2002	16.6	1984.4	35%	12%	3.80	78.4	865.9	4.37	17.8%	18,632	733.9	0.14
Sachsen	2003	17.5 15.5	1985.0	37%	13%	4.04	78.4	868.4	4.33	17.8%	19,187	645.4	0.05
Sachsen	2004	15.5	1985.4 1985.7	39% 41%	14%	3.61 3.71	79.1 79.3	812.4 801.3	4.31	19.4% 18.7%	19,860	698.9 745.3	0.05
Sachsen	2005	16.3	1985.7	41%	15%	3.71	79.3	773.0	4.28	16.6%	20,747	745.3	0.28
Sachsen Sachsen	2006	16.3	1986.2	45%	16%	3.81	79.7	772.0	4.23	14.4%	20,747	974.7	0.16
Sachsen	2007	16.1	1986.6	45%	17%	2.01	13.1	772.0	4.43	12.9%		314.1	0.24
Sacriscii	2000	±∪.4	1307.0	7//0	±1/0		<u> </u>			12.5/0			

State	year	Number of prescriptions (packs) (millions)	Mean FDA approval year	Post-1990 prescriptions as % of total prescriptions	Post-1995 prescriptions as % of total prescriptions	Number of prescriptions per person	Life expectancy at birth	Age-adjsuted mortality rate	Population (millions)	Unemployment rate	GDP (Euros per inhabitant)	Notifiable diseases per 100,000 inhabitants	New aids cases per 100,000
Sachsen-Anhalt	2000	9.7	1982.7	30%	8%	3.68	76.5	1000.8	2.63	20.2%	16,437		0.19
Sachsen-Anhalt	2001	9.9	1983.4	32%	10%	3.83	77.0	965.7	2.60	19.9%	16,937	561.9	0.23
Sachsen-Anhalt	2002	10.2	1983.8	33%	11%	3.98	76.9	972.3	2.56	19.2%	17,848	680.5	0.08
Sachsen-Anhalt	2003	10.9	1984.3	36%	13%	4.30	77.3	945.8	2.54	19.9%	18,165	554.6	0.32
Sachsen-Anhalt	2004	9.6	1984.8	37%	14%	3.83	77.7	907.8	2.51	22.4%	18,758	500.2	0.32
Sachsen-Anhalt	2005	9.8	1985.0	39%	13%	3.95	77.9	894.9	2.48	20.3%		574.8	0.20
Sachsen-Anhalt	2006	9.9	1985.4	40%	14%	4.03	78.3	870.9	2.46	17.8%	20,057	540.2	0.33
Sachsen-Anhalt	2007	10.0	1985.7	42%	15%	4.14	78.5	862.7	2.43	15.7%		813.1	0.12
Sachsen-Anhalt	2008	10.4	1986.2	45%	16%					14.6%			
Schleswig-Holstein	2000	7.5	1983.0	33%	8%	2.69	78.1	881.9	2.78	6.4%	23,309		0.83
Schleswig-Holstein	2001	7.7	1983.4	34%	10%	2.77	78.4	857.1	2.80	6.4%	23,775	265.6	0.89
Schleswig-Holstein	2002	8.0	1983.7	35%	10%	2.83	78.6	848.2	2.81	7.6%	23,331	295.8	0.78
Schleswig-Holstein	2003	8.4	1984.1	37%	11%	2.97	78.5	860.1	2.82	8.6%	23,540	267.0	1.10
Schleswig-Holstein	2004	7.5	1984.4	38%	12%	2.64	78.9	824.8	2.83	9.7%	23,917	248.4	1.10
Schleswig-Holstein	2005	7.6	1984.6	40%	11%	2.70	79.3	799.9	2.83	10.2%		262.5	0.95
Schleswig-Holstein	2006	7.8	1985.0	41%	12%	2.74	79.6	784.2	2.83	9.0%	24,680	266.0	0.95
Schleswig-Holstein	2007	8.0	1985.5	44%	13%	2.82	79.7	774.5	2.84	7.9%		378.3	0.63
Schleswig-Holstein	2008	8.3	1985.8	45%	14%					6.8%			
Thueringen	2000	7.6	1983.0	30%	8%	3.12	77.3	965.3	2.44	13.5%	16,638		0.04
Thueringen	2001	7.8	1983.7	33%	10%	3.20	77.7	926.1	2.42	13.9%	17,211	490.5	
Thueringen	2002	9.2	1984.3	35%	11%	3.84	77.8	927.1	2.40	15.1%	17,666	662.9	0.08
Thueringen	2003	9.8	1984.9	37%	13%	4.11	77.8	926.3	2.38	16.3%	18,223	541.1	0.04
Thueringen	2004	8.6	1985.4	39%	14%	3.65	78.3	872.1	2.36	16.3%	18,878	661.0	
Thueringen	2005	8.9	1985.7	40%	13%	3.79	78.7	859.7	2.35	17.1%		612.3	0.04
Thueringen	2006	9.1	1986.1	42%	15%	3.91	78.8	840.0	2.32	15.6%	19,877	677.8	0.13
Thueringen	2007	9.0	1986.4	44%	15%	3.92	79.1	827.0	2.30	13.7%		872.6	
Thueringen	2008	9.1	1986.9	46%	16%					10.6%			

Appendix Table 3 French cancer data

Cancer site	Year	Age-	Number of	Weighted	post1985	post1990
	. • • • • • • • • • • • • • • • • • • •	adjusted		mean world	%	%
		mortality	IMS	launch year		, -
		rate (per	sample			
		100,000				
		pop)				
ALL	2002	0.45	7	1975.3	14%	14%
ALL	2003	0.43	3	2001.0	100%	100%
ALL	2004	0.39	14	1998.9	93%	93%
ALL	2005	0.34	16	1987.9	56%	56%
ALL	2006	0.40	19	1986.8	53%	53%
AML	2003	2.32	1	2001.0	100%	100%
AML	2005	2.40	2	2001.0	100%	100%
AML	2006		1	2001.0	100%	100%
BLADDER	2002		32	1993.4	84%	84%
BLADDER	2003	7.53	40	1991.2	63%	63%
BLADDER	2004		59		80%	80%
BLADDER	2005		71		70%	70%
BLADDER	2006	7.19	75	1991.5	65%	65%
BRAIN	2002	4.74	37	1998.8	97%	97%
BRAIN	2003	4.82	46		89%	89%
BRAIN	2004	4.58	80	1996.9	85%	85%
BRAIN	2005	4.52	148	1997.1	86%	86%
BRAIN	2006	4.50	150	1997.0	86%	86%
BREAST	2002	19.03	664	1986.2	36%	27%
BREAST	2003		792	1986.2	37%	28%
BREAST	2004		926	1986.5	35%	30%
BREAST	2005	18.31	1300	1987.5	42%	38%
BREAST	2006	17.99	1345	1987.8		39%
CERVIX UTERI	2005	1.18	1	1984.0	0%	0%
CERVIX UTERI	2006	1.10	1	1984.0	0%	0%
CLL	2002	1.83	31	1971.0	0%	0%
CLL	2003	1.90	28	1972.1	4%	4%
CLL	2004	1.79	23	1971.0	0%	0%
CLL	2005	1.71	28	1971.0	0%	0%
CLL	2006	1.75	36	1971.0	0%	0%
CML	2002	0.93	89	2001.0	100%	100%
CML	2003	0.95	112	2001.0	100%	100%
CML	2004	0.89	126	2001.0	100%	100%
CML	2005	0.92	163	2001.0	100%	100%
CML	2006	0.76	158	2001.0	100%	100%
COLORECTAL	2002	27.03	22	1998.0	100%	100%
COLORECTAL	2003	27.16	45	1998.0	100%	100%
COLORECTAL	2004	26.68	53	1998.2	100%	100%
COLORECTAL	2005	26.33	108	1998.0	100%	100%
COLORECTAL	2006	25.20	104	1998.1	100%	100%
CORPUS UTERI	2002	0.89	16	1988.5	50%	50%
CORPUS UTERI	2003	0.99	11	1989.5	64%	64%
CORPUS UTERI	2004	0.90	20	1988.2	45%	45%
CORPUS UTERI	2005	1.02	25	1988.6	52%	52%
CORPUS UTERI	2006	0.93	22	1988.5	50%	50%
HEAD & NECK	2002	7.67	49	1987.7	35%	33%

Appendix Table 3 French cancer data

Agiusted Patients in Image Manuch year Manuch ye	Cancer site	Year	Age-	Number of	Weighted	post1985	post1990
Montailly Indicate					_	1.	
HEAD & NECK 2003 7.35 62 1987.2 32% 31% HEAD & NECK 2004 6.95 555 1986.7 22% 18% HEAD & NECK 2005 6.72 105 1988.7 42% 39% HEAD & NECK 2006 6.35 108 1988.8 43% 40% HEAD & NECK 2006 6.35 108 1988.8 43% 40% HEAD & NECK 2006 6.35 108 1988.8 43% 40% HODGKINS DISEASE 2002 0.46 88 1971.4 2% 0% HODGKINS DISEASE 2004 0.48 201 1971.5 3% 0% HODGKINS DISEASE 2004 0.48 201 1971.5 3% 0% HODGKINS DISEASE 2006 0.43 205 1971.9 5% 0% 0% 10				•		,,,	, ,
100,000			,				
POP)							
HEAD & NECK 2003 7.35 62 1987.2 32% 31% HEAD & NECK 2004 6.95 55 1986.7 22% 18% HEAD & NECK 2005 6.72 105 1988.7 42% 39% HEAD & NECK 2006 6.35 108 1988.8 43% 40% HEAD & NECK 2006 6.35 108 1988.8 43% 40% HEAD & NECK 2006 6.35 108 1987.4 22% 0% HEAD & NECK 2006 6.35 108 1987.4 22% 0% HEAD & NECK 2006 6.35 108 1987.4 22% 0% HODGKINS DISEASE 2002 0.46 88 1971.4 22% 0% HODGKINS DISEASE 2003 0.46 132 1971.4 2% 0% HODGKINS DISEASE 2004 0.48 201 1971.5 3% 0% HODGKINS DISEASE 2005 0.44 208 1971.5 3% 0% HODGKINS DISEASE 2005 0.44 208 1971.5 3% 0% KIDNEY 2006 0.43 205 1971.9 5% 0% KIDNEY 2003 5.17 3 1971.0 0% 0% KIDNEY 2004 4.91 5 1971.0 0% 0% KIDNEY 2004 4.91 6 1971.0 0% 0% KIDNEY 2005 4.94 6 1971.0 0% 0% KIDNEY 2006 4.80 6 1971.0 0% 0% KIDNEY 2006 4.80 6 1971.0 0% 0% LIVER 2002 11.63 38 1993.1 92% 92% 92% 11.63 12% 11.66 47 1993.3 91% 11.66 47							
HEAD & NECK	HEAD & NECK	2003		62	1987.2	32%	31%
HEAD & NECK	HEAD & NECK	2004	6.95	55	1986.7	22%	18%
HODGKINS DISEASE 2002 0.46 88 1971.4 2% 0% HODGKINS DISEASE 2003 0.46 132 1971.4 2% 0% HODGKINS DISEASE 2004 0.48 201 1971.5 3% 0% HODGKINS DISEASE 2004 0.48 201 1971.5 3% 0% MODGKINS DISEASE 2005 0.44 208 1971.5 3% 0% HODGKINS DISEASE 2006 0.43 205 1971.9 5% 0% KIDNEY 2003 5.17 3 1971.0 0% 0% KIDNEY 2003 5.17 3 1971.0 0% 0% KIDNEY 2004 4.91 5 1971.0 0% 0% KIDNEY 2005 4.94 6 1971.0 0% 0% KIDNEY 2005 4.95 6 1971.9 5% 1971.0 0% 0% KIDNEY 2005 1.66 47 1993.3 91% 91% 11/66 47 1993.3 91% 91% 91% 91% 91% 91% 91% 91% 91% 91%	HEAD & NECK	2005	6.72	105	1988.7	42%	39%
HODGKINS DISEASE 2003 0.46 132 1971.4 2% 0% HODGKINS DISEASE 2004 0.48 201 1971.5 3% 0% HODGKINS DISEASE 2005 0.44 208 1971.5 3% 0% HODGKINS DISEASE 2006 0.43 205 1971.9 5% 0% KIDNEY 2003 5.17 3 1971.0 0% 0% KIDNEY 2004 4.91 5 1971.0 0% 0% KIDNEY 2005 4.94 6 1971.0 0% 0% KIDNEY 2006 4.80 6 1971.0 0% 0% KIDNEY 2006 4.80 6 1971.0 0% 0% LIVER 2005 11.63 38 1993.1 92% 92% LIVER 2003 11.66 47 1993.3 91% 91% 11.65 LIVER 2006 11.48 42 1995.3 100% 100% LIVER 2006 11.48 42 1995.3 100% 100% LIVER 2006 11.65 55 1989.4 71% 71% LIVER 2006 11.55 61 1990.1 75% 75% LUNG 2006 2002 41.89 533 1990.6 80% 47% LUNG 2003 42.98 724 1990.8 79% 48% LUNG 2004 43.22 739 1991.4 83% 57% LUNG 2004 43.22 739 1991.4 83% 57% LUNG 2005 44.09 1080 1991.6 78% 56% LUNG 2004 33.21 11.94 1991.5 77% 54% M.MYELOMA & MALIG PLAS 2002 3.92 85 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2002 3.92 85 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2005 3.79 83 1991.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 85 1971.3 1% 1% MELANOMA 2004 2.32 3 1999.0 100% 100% 100% MELANOMA 2004 2.32 3 1999.0 100% 100% MELANOMA 2006 2.41 8 1995.1 100% 88% NHL 2005 6.56 553 1971.7 0% 0% 0% MELANOMA 2006 5.41 10 1996.6 100% 90% MELANOMA 2006 5.41 10 1996.6 100% 90% MELANOMA 2006 5.41 10 1997.9 50% 10% 00% OCSOPHAGUS 2006 6.22 573 1972.3 3% 2% 0ESOPHAGUS 2006 5.94 26 1989.5 61% 39% 0ESOPHAGUS 2006 5.94 26 1989.5 61% 48% 0VARIAN 2003 5.35 231 1988.5 48% 48% 0VARIAN 2003 5.35 231 1988.5 48% 48% 0VARIAN	HEAD & NECK	2006	6.35	108	1988.8	43%	40%
HODGKINS DISEASE 2004 0.48 201 1971.5 3% 0% HODGKINS DISEASE 2005 0.44 208 1971.5 3% 0% NOW MIDDER SASE 2006 0.43 205 1971.9 5% 0% KIDNEY 2003 5.17 3 1971.0 0% 0% KIDNEY 2004 4.91 5 1971.0 0% 0% KIDNEY 2005 4.94 6 1971.0 0% 0% KIDNEY 2006 4.80 6 1971.0 0% 0% LIVER 2002 11.63 38 1993.1 92% 92% LIVER 2004 11.63 38 1993.1 92% 92% LIVER 2004 11.64 47 1993.3 91% 91% LIVER 2005 11.65 55 1989.4 71% 71% LIVER 2006 11.65 55 1989.4 71% 71% LIVER 2006 11.55 61 1990.1 75% 75% LIVER 2006 11.55 61 1990.1 75% 75% LIVING 2002 41.89 533 1990.6 80% 47% LIVING 2002 41.89 533 1990.6 80% 47% LIVING 2004 43.22 739 1991.4 83% 57% LUNIG 2004 43.22 739 1991.4 83% 57% LUNIG 2006 43.81 1194 1991.5 77% 56% M.MYELOMA & MALIG PLAS 2002 3.92 85 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2003 3.79 83 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2003 4.07 69 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2005 3.79 83 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2003 3.73 85 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2003 4.07 69 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2003 4.07 69 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2003 4.07 69 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2003 4.07 69 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2003 4.07 69 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2005 3.79 83 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2005 3.79 83 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2006 3.73 85 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2006 3.73 85 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2005 3.79 83 1970.0 0% 0% M.MYELOMA & MALIG PLAS 2006 3.73 85 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2005 3.79 83 1971.0 0% 0% 0% M.MYELOMA & MALIG PLAS 2005 3.79 83 1971.0 0% 0% 0% M.MYELOMA & MALIG PLAS 2005 3.79 83 1971.0 0% 0% 0% M.MYELOMA & MALIG PLAS 2005 3.79 83 1971.0 0% 0% 0% 0.00 0.00 0.00 0.00 0.00 0.	HODGKINS DISEASE	2002	0.46	88	1971.4	2%	0%
HODGKINS DISEASE 2005 0.44 208 1971.5 3% 0% HODGKINS DISEASE 2006 0.43 205 1971.9 5% 0% KIDNEY 2003 5.17 3 1971.0 0% 0% KIDNEY 2004 4.91 5 1971.0 0% 0% KIDNEY 2005 4.94 6 1971.0 0% 0% KIDNEY 2006 4.80 6 1971.0 0% 0% KIDNEY 2006 4.80 6 1971.0 0% 0% KIDNEY 2006 1.166 47 1993.3 91% 91% 1.166 47 1993.3 91% 91% 1.166 47 1993.3 100% 100% 1.167 1.165 55 1989.4 71% 71% 1.165 1.	HODGKINS DISEASE	2003	0.46	132	1971.4	2%	0%
HODGKINS DISEASE 2006 0.43 205 1971.9 5% 0% KIDNEY 2003 5.17 3 1971.0 0% 0% KIDNEY 2004 4.91 5 1971.0 0% 0% KIDNEY 2005 4.94 6 1971.0 0% 0% KIDNEY 2006 4.80 6 1971.0 0% 0% LIVER 2002 11.63 38 1993.1 92% 92% LIVER 2003 11.66 47 1993.3 91% 91% LIVER 2003 11.65 55 1989.4 71% 71% LIVER 2005 11.65 55 1989.4 71% 71% LIVER 2006 11.55 61 1990.1 75% 75% LUNG 2006 11.55 61 1990.1 75% 75% LUNG 2004 41.89 533 1990.6 80% 47% LUNG 2004 43.22 739 1991.4 83% 57% LUNG 2004 43.22 739 1991.4 83% 55% LUNG 2005 44.09 1080 1991.6 78% 56% LUNG 2005 44.09 1080 1991.6 78% 56% LUNG 2004 43.81 1194 1991.5 77% 54% M.MYELOMA & MALIG PLAS 2002 3.92 85 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2006 3.73 85 1971.3 1% 1% 1% MELANOMA 2002 2.32 3 1999.0 100% 100% 100% MELANOMA 2003 2.36 2 1999.0 100% 100% MELANOMA 2006 2.41 8 1995.1 100% 88% NHL 2006 6.56 553 1971.3 2% 0ESOPHAGUS 2006 6.22 573 1972.2 2% 2% NHL 2006 6.22 573 1972.3 3% 2% 0ESOPHAGUS 2006 6.22 23 1989.5 61% 39% OESOPHAGUS 2005 5.35 226 1988.5 48% 48% OVARIAN 2003 5.35 226 1988.5 48% 48% OVARIAN 2003 5.35 226 1988.5 48% 48% OVARIAN 2003 5.35 221 1988.5 48% 48% OVARIAN 2003 5.35 231 1988.5 48% 48% OVARIAN 2003 5.35 231 1988.5 48% 48%	HODGKINS DISEASE	2004	0.48	201	1971.5	3%	0%
KIDNEY 2003 5.17 3 1971.0 0% 0% KIDNEY 2004 4.91 5 1971.0 0% 0% KIDNEY 2005 4.94 6 1971.0 0% 0% KIDNEY 2006 4.80 6 1971.0 0% 0% KIDNEY 2006 4.80 6 1971.0 0% 0% LIVER 2002 11.63 38 1993.1 92% 92% LIVER 2003 11.66 47 1993.3 91% 91% LIVER 2004 11.48 42 1995.3 100% 100% LIVER 2005 11.65 55 1989.4 71% 71% 71% LUNG 2002 41.89 533 1990.6 80% 47% LUNG 2003 42.98 724 1990.8 79% 48% LUNG 2004 43.22 739 1991.6	HODGKINS DISEASE	2005	0.44	208	1971.5	3%	0%
KIDNEY 2004 4.91 5 1971.0 0% 0% KIDNEY 2005 4.94 6 1971.0 0% 0% KIDNEY 2006 4.80 6 1971.0 0% 0% LIVER 2002 11.63 38 1993.1 92% 92% LIVER 2003 11.66 47 1993.3 91% 91% LIVER 2004 11.48 42 1995.3 100% 100% LIVER 2005 11.65 55 198.4 71% 71% 71% LIVER 2006 11.55 61 1990.1 75% 75% LUNG 2002 41.89 533 1990.6 80% 47% LUNG 2003 42.98 724 1990.8 79% 48% LUNG 2004 43.22 739 1991.4 83% 57% LUNG 2005 44.09 1080 1991.6	HODGKINS DISEASE	2006	0.43	205	1971.9	5%	0%
KIDNEY 2004 4.91 5 1971.0 0% 0% KIDNEY 2005 4.94 6 1971.0 0% 0% KIDNEY 2006 4.80 6 1971.0 0% 0% LIVER 2002 11.63 38 1993.1 92% 92% LIVER 2003 11.66 47 1993.3 91% 91% LIVER 2004 11.48 42 1995.3 100% 100% LIVER 2005 11.65 55 198.4 71% 71% 71% LIVER 2006 11.55 61 1990.1 75% 75% LUNG 2002 41.89 533 1990.6 80% 47% LUNG 2003 42.98 724 1990.8 79% 48% LUNG 2004 43.22 739 1991.4 83% 57% LUNG 2005 44.09 1080 1991.6	KIDNEY	2003	5.17	3	1971.0	0%	0%
KIDNEY 2006 4.80 6 1971.0 0% 0% LIVER 2002 11.63 38 1993.1 92% 92% LIVER 2003 11.66 47 1993.3 91% 91% LIVER 2004 11.48 42 1995.3 100% 100% LIVER 2005 11.65 55 1989.4 71% 71% LIVER 2006 11.55 61 1990.1 75% 75% LUNG 2002 41.89 533 1990.6 80% 47% LUNG 2003 42.98 724 1990.8 79% 48% LUNG 2004 43.22 739 1991.6 78% 56% LUNG 2005 44.09 1080 1991.6 78% 56% LUNG 2006 43.81 1194 1991.5 77% 54% M.MYELOMA & MALIG PLAS 2002 3.92 85 1971.0	KIDNEY		4.91				0%
LIVER 2002 11.63 38 1993.1 92% 92% LIVER 2003 11.66 47 1993.3 91% 91% LIVER 2003 11.66 47 1993.3 91% 91% LIVER 2004 11.48 42 1995.3 100% 100% LIVER 2005 11.65 55 1989.4 71% 71% 71% LIVER 2006 11.55 61 1990.1 75% 75% LUNG 2002 41.89 533 1990.6 80% 47% LUNG 2003 42.98 724 1990.8 79% 48% 574 LUNG 2004 43.22 739 1991.4 83% 57% LUNG 2004 43.22 739 1991.4 83% 57% LUNG 2005 44.09 1080 1991.6 78% 56% LUNG 2005 43.81 1194 1991.5 77% 54% M.MYELOMA & MALIG PLAS 2002 3.92 85 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2002 3.92 85 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 4.373 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 85 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2006 3.73 85 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2006 3.73 85 1971.3 1% 1% MELANOMA 2002 2.32 3 1999.0 100% 100% MELANOMA 2003 2.36 2 1999.0 100% 100% MELANOMA 2003 2.36 2 1999.0 100% 100% MELANOMA 2004 2.32 3 1999.0 100% 100% MELANOMA 2005 2.41 10 1996.6 100% 90% MELANOMA 2006 2.41 8 1995.1 100% 88% NHL 2006 6.24 1 8 1995.1 100% 88% NHL 2006 6.24 1 8 1995.1 100% 88% NHL 2006 6.25 573 1972.2 2% 2% NHL 2006 6.29 573 1972.3 3% 2% COESOPHAGUS 2004 6.23 11 1986.3 18% 9% OESOPHAGUS 2004 6.23 11 1986.3 18% 9% OESOPHAGUS 2005 5.35 231 1988.5 48% 48% OVARIAN 2003 5.35 231 1988.5 48% 48% OVARIAN 2003 5.35 231 1988.5 48% 48% OVARIAN 2003 5.35 231 1988.5	KIDNEY	2005	4.94	6	1971.0	0%	0%
LIVER 2003 11.66 47 1993.3 91% 91% LIVER 2004 11.48 42 1995.3 100% 100% LIVER 2005 11.65 55 1989.4 77% 71% 71% LIVER 2006 11.55 61 1990.1 75% 75% LUNG 2002 41.89 533 1990.6 80% 47% LUNG 2003 42.98 724 1990.8 79% 48% LUNG 2004 43.22 739 1991.4 83% 57% LUNG 2005 44.09 1080 1991.6 78% 56% LUNG 2005 44.09 1080 1991.6 78% 56% LUNG 2005 44.09 1080 1991.6 78% 56% LUNG 2005 44.09 1080 1991.0 70% 00% M.MYELOMA & MALIG PLAS 2002 3.92 85 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2003 4.07 69 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2005 3.79 83 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2006 3.79 83 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2006 3.79 83 1971.0 0% 0% MELANOMA 2002 2.32 3 1999.0 100% 100% MELANOMA 2003 2.36 2 1999.0 100% 100% MELANOMA 2004 2.32 3 1996.7 100% 100% MELANOMA 2004 2.32 3 1996.7 100% 100% MELANOMA 2006 2.41 8 1995.1 100% 100% MELANOMA 2006 2.41 8 1995.1 100% 100% NHL 2005 6.56 553 1971.7 0% 0% NHL 2005 6.56 553 1971.7 0% 0% NHL 2006 6.22 573 1972.2 2% 2% 0ESOPHAGUS 2004 6.23 11 1986.3 18% 9% OESOPHAGUS 2006 5.94 26 1989.9 62% 42% OVARIAN 2006 5.53 226 1988.5 48% 48% OVARIAN 2003 5.35 231 1988.5 48% 48%	KIDNEY	2006	4.80	6	1971.0	0%	0%
LIVER	LIVER	2002	11.63	38	1993.1	92%	92%
LIVER 2005 11.65 55 1989.4 71% 71% LIVER 2006 11.55 61 1990.1 75% 75% LUNG 2002 41.89 533 1990.6 80% 47% LUNG 2003 42.98 724 1990.8 79% 48% 724 1990.8 79% 48% 724 1990.8 79% 48% 724 1990.8 79% 48% 724 1990.8 79% 48% 724 1990.8 79% 48% 724 1990.8 79% 48% 724 1990.8 79% 48% 724 1990.8 79% 48% 724 1990.8 79% 48% 724 1990.1 72% 75% 1991.4 83% 57% 1991.4 83% 57% 1991.4 83% 57% 1991.4 1991.5 77% 56% 100 1991.6 78% 56% 100 1991.6 78% 56% 100 1991.6 78% 56% 100 1991.6 78% 56% 100 1991.6 78% 56% 100 1991.6 78% 56% 100 1991.6 78% 56% 100 1991.6 78% 56% 100 1991.6 78% 56% 100 1991.0 0% 100 1991.6 78% 56% 100 1991.6 78% 56% 100 1991.6 78% 56% 100 1991.6 78% 56% 100 1991.6 78% 56% 100 1991.6 78% 56% 100 1991.6 78% 56% 100 1991.6 78% 56% 100 1991.6 78% 56% 100 1991.6 78% 56% 100 1991.6 78% 56% 100 1991.6 78% 56% 100 1991.6 78% 56% 100 1991.6 78% 56% 100 1991.6 78% 56% 100 1991.6 78% 56% 100 1991.6 78% 56% 100 1991.6 78% 56% 100 1991.6 78% 100 1991.6 78% 100 1991.6 100 100 100 100 100 100 100 100 100 10	LIVER	2003	11.66	47	1993.3	91%	91%
LIVER 2005 11.65 55 1989.4 71% 71% LIVER 2006 11.55 61 1990.1 75% 75% LUNG 2002 41.89 533 1990.6 80% 47% LUNG 2003 42.98 724 1990.8 79% 48% 75% LUNG 2004 43.22 739 1991.4 83% 57% LUNG 2005 44.09 1080 1991.6 78% 56% LUNG 2006 43.81 1194 1991.5 77% 54% M.MYELOMA & MALIG PLAS 2002 3.92 85 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2003 4.07 69 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2005 3.79 83 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2005 3.79 83 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2005 3.79 83 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2005 3.79 83 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2005 3.79 83 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2005 3.79 83 1971.0 0% 10% MELANOMA 2002 2.32 3 1999.0 100% 100% MELANOMA 2002 2.32 3 1999.0 100% 100% MELANOMA 2004 2.32 3 1999.0 100% 100% MELANOMA 2004 2.32 3 1996.7 100% 100% MELANOMA 2005 2.41 10 1996.6 100% 90% MELANOMA 2006 2.41 8 1995.1 100% 88% NHL 2002 7.19 303 1971.9 0% 0% MELANOMA 2006 2.41 8 1995.1 100% 88% NHL 2002 7.19 303 1971.9 0% 0% NHL 2003 6.81 361 1971.6 1% 1% NHL 2004 6.65 553 1972.2 2% 2% NHL 2005 6.56 553 1972.2 2% 2% NHL 2005 6.56 553 1972.3 3% 22% OESOPHAGUS 2004 6.23 11 1986.3 18% 9% OESOPHAGUS 2004 6.23 11 1986.3 18% 9% OESOPHAGUS 2006 5.94 266 1989.9 62% 42% OVARIAN 2003 5.35 231 1988.5 48% 48% OVARIAN 2003 5.35 231 1988.5 48% 48%	LIVER			42			100%
LUNG 2002 41.89 533 1990.6 80% 47% LUNG 2003 42.98 724 1990.8 79% 48% LUNG 2004 43.22 739 1991.4 83% 57% LUNG 2005 44.09 1080 1991.6 78% 56% LUNG 2006 43.81 1194 1991.5 77% 54% M.MYELOMA & MALIG PLAS 2002 3.92 85 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2003 4.07 69 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2005 3.79 83 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2006 3.73 85 1971.3 1% 1% MELANOMA 2002 2.32 3 1999.0 100% 100% MELANOMA 2004 <	LIVER	2005	11.65	55			71%
LUNG 2002 41.89 533 1990.6 80% 47% LUNG 2003 42.98 724 1990.8 79% 48% LUNG 2004 43.22 739 1991.4 83% 57% LUNG 2005 44.09 1080 1991.6 78% 56% LUNG 2006 43.81 1194 1991.5 77% 54% M.MYELOMA & MALIG PLAS 2002 3.92 85 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2003 4.07 69 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2005 3.79 83 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2006 3.73 85 1971.3 1% 1% MELANOMA 2002 2.32 3 1999.0 100% 100% MELANOMA 2004 <	LIVER	2006	11.55	61	1990.1	75%	75%
LUNG 2003 42.98 724 1990.8 79% 48% LUNG 2004 43.22 739 1991.4 83% 57% LUNG 2005 44.09 1080 1991.6 78% 56% LUNG 2006 43.81 1194 1991.5 77% 54% M.MYELOMA & MALIG PLAS 2002 3.92 85 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2003 4.07 69 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2005 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2005 3.73 85 1971.3 1% 1% MELANOMA 2002 2.32 3 1991.0 0% 0% MELANOMA 2002 2.32 3 1999.0 100% 100% MELANOMA 2004 2.32 3 1996.7 100% 100% MELANOMA 2004 2.32	LUNG			533			
LUNG 2004 43.22 739 1991.4 83% 57% LUNG 2005 44.09 1080 1991.6 78% 56% LUNG 2006 43.81 1194 1991.5 77% 54% M.MYELOMA & MALIG PLAS 2002 3.92 85 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2003 4.07 69 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2005 3.79 83 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2005 3.79 83 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2006 3.73 85 1971.3 1% 1% MELANOMA 2002 2.32 3 1999.0 100% 100% MELANOMA 2003 2.36 2 1999.0 100% 100% MELANOMA 20	LUNG						
LUNG 2005 44.09 1080 1991.6 78% 56% LUNG 2006 43.81 1194 1991.5 77% 54% M.MYELOMA & MALIG PLAS 2002 3.92 85 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2003 4.07 69 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2005 3.79 83 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2006 3.73 85 1971.3 1% 1% MELANOMA 2002 2.32 3 1991.0 100% 0% MELANOMA 2003 2.36 2 1999.0 100% 100% MELANOMA 2004 2.32 3 1996.7 100% 100% MELANOMA 2004 2.32 3 1995.1 100% 88% NHL 2005	LUNG						
LUNG 2006 43.81 1194 1991.5 77% 54% M.MYELOMA & MALIG PLAS 2002 3.92 85 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2003 4.07 69 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2005 3.79 83 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2006 3.73 85 1971.3 1% 1% MELANOMA 2002 2.32 3 1999.0 100% 100% MELANOMA 2003 2.36 2 1999.0 100% 100% MELANOMA 2004 2.32 3 1996.7 100% 100% MELANOMA 2005 2.41 10 1996.6 100% 90% MELANOMA 2006 2.41 8 1995.1 100% 88% NHL 2004	LUNG						
M.MYELOMA & MALIG PLAS 2002 3.92 85 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2003 4.07 69 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2005 3.79 83 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2006 3.73 85 1971.3 1% 1% MELANOMA 2002 2.32 3 1999.0 100% 100% MELANOMA 2003 2.36 2 1999.0 100% 100% MELANOMA 2004 2.32 3 1996.7 100% 100% MELANOMA 2005 2.41 10 1996.6 100% 90% MELANOMA 2006 2.41 8 1995.1 100% 88% NHL 2002 7.19 303 1971.9 0% 0% NHL 2003 <	LUNG						
M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2005 3.79 83 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2006 3.73 85 1971.3 1% 1% MELANOMA 2002 2.32 3 1999.0 100% 100% MELANOMA 2003 2.36 2 1999.0 100% 100% MELANOMA 2004 2.32 3 1996.7 100% 100% MELANOMA 2004 2.32 3 1996.7 100% 100% MELANOMA 2005 2.41 10 1996.6 100% 90% MELANOMA 2006 2.41 8 1995.1 100% 88% NHL 2002 7.19 303 1971.9 0% 0% NHL 2003 6.81 361 1971.6 1% 1% NHL 2004 6.65 455<	M.MYELOMA & MALIG PLAS	2002	3.92	85	1971.0	0%	0%
M.MYELOMA & MALIG PLAS 2004 3.73 79 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2005 3.79 83 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2006 3.73 85 1971.3 1% 1% MELANOMA 2002 2.32 3 1999.0 100% 100% MELANOMA 2003 2.36 2 1999.0 100% 100% MELANOMA 2004 2.32 3 1996.7 100% 100% MELANOMA 2004 2.32 3 1996.7 100% 100% MELANOMA 2005 2.41 10 1996.6 100% 90% MELANOMA 2006 2.41 8 1995.1 100% 88% NHL 2002 7.19 303 1971.9 0% 0% NHL 2003 6.81 361 1971.6 1% 1% NHL 2004 6.65 455<	M.MYELOMA & MALIG PLAS	2003	4.07	69	1971.0	0%	0%
M.MYELOMA & MALIG PLAS 2005 3.79 83 1971.0 0% 0% M.MYELOMA & MALIG PLAS 2006 3.73 85 1971.3 1% 1% MELANOMA 2002 2.32 3 1999.0 100% 100% MELANOMA 2003 2.36 2 1999.0 100% 100% MELANOMA 2004 2.32 3 1996.7 100% 100% MELANOMA 2005 2.41 10 1996.6 100% 90% MELANOMA 2006 2.41 8 1995.1 100% 88% NHL 2002 7.19 303 1971.9 0% 0% NHL 2003 6.81 361 1971.6 1% 1% NHL 2004 6.65 455 1971.7 0% 0% NHL 2005 6.56 553 1972.2 2% 2% NHL 2006 6.22 573 1972.3 </td <td>M.MYELOMA & MALIG PLAS</td> <td></td> <td></td> <td>79</td> <td>1971.0</td> <td>0%</td> <td>0%</td>	M.MYELOMA & MALIG PLAS			79	1971.0	0%	0%
M.MYELOMA & MALIG PLAS 2006 3.73 85 1971.3 1% 1% MELANOMA 2002 2.32 3 1999.0 100% 100% MELANOMA 2003 2.36 2 1999.0 100% 100% MELANOMA 2004 2.32 3 1996.7 100% 100% MELANOMA 2005 2.41 10 1996.6 100% 90% MELANOMA 2006 2.41 8 1995.1 100% 88% NHL 2002 7.19 303 1971.9 0% 0% NHL 2002 7.19 303 1971.6 1% 1% NHL 2003 6.81 361 1971.6 1% 1% NHL 2004 6.65 455 1971.7 0% 0% NHL 2005 6.56 553 1972.2 2% 2% NHL 2006 6.22 573 1972.3 3%	M.MYELOMA & MALIG PLAS			83	1971.0	0%	0%
MELANOMA 2002 2.32 3 1999.0 100% 100% MELANOMA 2003 2.36 2 1999.0 100% 100% MELANOMA 2004 2.32 3 1996.7 100% 100% MELANOMA 2005 2.41 10 1996.6 100% 90% MELANOMA 2006 2.41 8 1995.1 100% 88% NHL 2002 7.19 303 1971.9 0% 0% NHL 2003 6.81 361 1971.6 1% 1% NHL 2004 6.65 455 1971.7 0% 0% NHL 2004 6.65 455 1971.7 0% 0% NHL 2005 6.56 553 1972.2 2% 2% NHL 2006 6.22 573 1972.3 3% 2% OESOPHAGUS 2003 6.59 7 1986.1 29%	M.MYELOMA & MALIG PLAS		3.73	85		1%	1%
MELANOMA 2003 2.36 2 1999.0 100% 100% MELANOMA 2004 2.32 3 1996.7 100% 100% MELANOMA 2005 2.41 10 1996.6 100% 90% MELANOMA 2006 2.41 8 1995.1 100% 88% NHL 2002 7.19 303 1971.9 0% 0% NHL 2003 6.81 361 1971.6 1% 1% NHL 2004 6.65 455 1971.7 0% 0% NHL 2005 6.56 553 1972.2 2% 2% NHL 2006 6.22 573 1972.3 3% 2% OESOPHAGUS 2002 6.99 10 1987.9 50% 10% OESOPHAGUS 2003 6.59 7 1986.1 29% 0% OESOPHAGUS 2004 6.23 11 1986.3 18% <td>MELANOMA</td> <td>2002</td> <td>2.32</td> <td></td> <td></td> <td></td> <td>100%</td>	MELANOMA	2002	2.32				100%
MELANOMA 2005 2.41 10 1996.6 100% 90% MELANOMA 2006 2.41 8 1995.1 100% 88% NHL 2002 7.19 303 1971.9 0% 0% NHL 2003 6.81 361 1971.6 1% 1% NHL 2004 6.65 455 1971.7 0% 0% NHL 2005 6.56 553 1972.2 2% 2% NHL 2006 6.22 573 1972.3 3% 2% OESOPHAGUS 2002 6.99 10 1987.9 50% 10% OESOPHAGUS 2003 6.59 7 1986.1 29% 0% OESOPHAGUS 2004 6.23 11 1986.3 18% 9% OESOPHAGUS 2005 6.22 23 1989.5 61% 39% OESOPHAGUS 2006 5.94 26 1989.9 62% <td>MELANOMA</td> <td>2003</td> <td>2.36</td> <td></td> <td></td> <td>100%</td> <td>100%</td>	MELANOMA	2003	2.36			100%	100%
MELANOMA 2006 2.41 8 1995.1 100% 88% NHL 2002 7.19 303 1971.9 0% 0% NHL 2003 6.81 361 1971.6 1% 1% NHL 2004 6.65 455 1971.7 0% 0% NHL 2005 6.56 553 1972.2 2% 2% NHL 2006 6.22 573 1972.3 3% 2% OESOPHAGUS 2002 6.99 10 1987.9 50% 10% OESOPHAGUS 2003 6.59 7 1986.1 29% 0% OESOPHAGUS 2004 6.23 11 1986.3 18% 9% OESOPHAGUS 2005 6.22 23 1989.5 61% 39% OESOPHAGUS 2005 6.22 23 1989.5 61% 39% OESOPHAGUS 2005 5.94 26 1989.9 62% </td <td>MELANOMA</td> <td>2004</td> <td>2.32</td> <td>3</td> <td>1996.7</td> <td>100%</td> <td>100%</td>	MELANOMA	2004	2.32	3	1996.7	100%	100%
NHL 2002 7.19 303 1971.9 0% 0% NHL 2003 6.81 361 1971.6 1% 1% NHL 2004 6.65 455 1971.7 0% 0% NHL 2005 6.56 553 1972.2 2% 2% NHL 2006 6.22 573 1972.3 3% 2% OESOPHAGUS 2002 6.99 10 1987.9 50% 10% OESOPHAGUS 2003 6.59 7 1986.1 29% 0% OESOPHAGUS 2004 6.23 11 1986.3 18% 9% OESOPHAGUS 2005 6.22 23 1989.5 61% 39% OESOPHAGUS 2005 6.22 23 1989.5 61% 39% OESOPHAGUS 2006 5.94 26 1989.9 62% 42% OVARIAN 2002 5.53 226 1988.5 48% </td <td>MELANOMA</td> <td>2005</td> <td>2.41</td> <td>10</td> <td>1996.6</td> <td>100%</td> <td>90%</td>	MELANOMA	2005	2.41	10	1996.6	100%	90%
NHL 2003 6.81 361 1971.6 1% 1% NHL 2004 6.65 455 1971.7 0% 0% NHL 2005 6.56 553 1972.2 2% 2% NHL 2006 6.22 573 1972.3 3% 2% OESOPHAGUS 2002 6.99 10 1987.9 50% 10% OESOPHAGUS 2003 6.59 7 1986.1 29% 0% OESOPHAGUS 2004 6.23 11 1986.3 18% 9% OESOPHAGUS 2005 6.22 23 1989.5 61% 39% OESOPHAGUS 2005 6.22 23 1989.5 61% 39% OESOPHAGUS 2006 5.94 26 1989.9 62% 42% OVARIAN 2002 5.53 226 1988.5 48% 48% OVARIAN 2003 5.35 231 1988.5 <td< td=""><td>MELANOMA</td><td>2006</td><td>2.41</td><td>8</td><td>1995.1</td><td>100%</td><td>88%</td></td<>	MELANOMA	2006	2.41	8	1995.1	100%	88%
NHL 2004 6.65 455 1971.7 0% 0% NHL 2005 6.56 553 1972.2 2% 2% NHL 2006 6.22 573 1972.3 3% 2% OESOPHAGUS 2002 6.99 10 1987.9 50% 10% OESOPHAGUS 2003 6.59 7 1986.1 29% 0% OESOPHAGUS 2004 6.23 11 1986.3 18% 9% OESOPHAGUS 2005 6.22 23 1989.5 61% 39% OESOPHAGUS 2006 5.94 26 1989.9 62% 42% OVARIAN 2002 5.53 226 1988.5 48% 48% OVARIAN 2003 5.35 231 1988.5 48% 48%	NHL	2002	7.19	303	1971.9	0%	0%
NHL 2005 6.56 553 1972.2 2% 2% NHL 2006 6.22 573 1972.3 3% 2% OESOPHAGUS 2002 6.99 10 1987.9 50% 10% OESOPHAGUS 2003 6.59 7 1986.1 29% 0% OESOPHAGUS 2004 6.23 11 1986.3 18% 9% OESOPHAGUS 2005 6.22 23 1989.5 61% 39% OESOPHAGUS 2006 5.94 26 1989.9 62% 42% OVARIAN 2002 5.53 226 1988.5 48% 48% OVARIAN 2003 5.35 231 1988.5 48% 48%	NHL	2003	6.81	361	1971.6	1%	1%
NHL 2005 6.56 553 1972.2 2% 2% NHL 2006 6.22 573 1972.3 3% 2% OESOPHAGUS 2002 6.99 10 1987.9 50% 10% OESOPHAGUS 2003 6.59 7 1986.1 29% 0% OESOPHAGUS 2004 6.23 11 1986.3 18% 9% OESOPHAGUS 2005 6.22 23 1989.5 61% 39% OESOPHAGUS 2006 5.94 26 1989.9 62% 42% OVARIAN 2002 5.53 226 1988.5 48% 48% OVARIAN 2003 5.35 231 1988.5 48% 48%	NHL						0%
NHL 2006 6.22 573 1972.3 3% 2% OESOPHAGUS 2002 6.99 10 1987.9 50% 10% OESOPHAGUS 2003 6.59 7 1986.1 29% 0% OESOPHAGUS 2004 6.23 11 1986.3 18% 9% OESOPHAGUS 2005 6.22 23 1989.5 61% 39% OESOPHAGUS 2006 5.94 26 1989.9 62% 42% OVARIAN 2002 5.53 226 1988.5 48% 48% OVARIAN 2003 5.35 231 1988.5 48% 48%	NHL	2005	6.56	553			2%
OESOPHAGUS 2002 6.99 10 1987.9 50% 10% OESOPHAGUS 2003 6.59 7 1986.1 29% 0% OESOPHAGUS 2004 6.23 11 1986.3 18% 9% OESOPHAGUS 2005 6.22 23 1989.5 61% 39% OESOPHAGUS 2006 5.94 26 1989.9 62% 42% OVARIAN 2002 5.53 226 1988.5 48% 48% OVARIAN 2003 5.35 231 1988.5 48% 48%	NHL	2006	6.22	573	1972.3	3%	
OESOPHAGUS 2003 6.59 7 1986.1 29% 0% OESOPHAGUS 2004 6.23 11 1986.3 18% 9% OESOPHAGUS 2005 6.22 23 1989.5 61% 39% OESOPHAGUS 2006 5.94 26 1989.9 62% 42% OVARIAN 2002 5.53 226 1988.5 48% 48% OVARIAN 2003 5.35 231 1988.5 48% 48%	OESOPHAGUS	2002	6.99	10	1987.9	50%	10%
OESOPHAGUS 2005 6.22 23 1989.5 61% 39% OESOPHAGUS 2006 5.94 26 1989.9 62% 42% OVARIAN 2002 5.53 226 1988.5 48% 48% OVARIAN 2003 5.35 231 1988.5 48% 48%	OESOPHAGUS	2003	6.59	7	1986.1		0%
OESOPHAGUS 2005 6.22 23 1989.5 61% 39% OESOPHAGUS 2006 5.94 26 1989.9 62% 42% OVARIAN 2002 5.53 226 1988.5 48% 48% OVARIAN 2003 5.35 231 1988.5 48% 48%	OESOPHAGUS			11			
OESOPHAGUS 2006 5.94 26 1989.9 62% 42% OVARIAN 2002 5.53 226 1988.5 48% 48% OVARIAN 2003 5.35 231 1988.5 48% 48%	OESOPHAGUS			23			39%
OVARIAN 2002 5.53 226 1988.5 48% 48% OVARIAN 2003 5.35 231 1988.5 48% 48%	OESOPHAGUS						42%
OVARIAN 2003 5.35 231 1988.5 48% 48%	OVARIAN						48%
	OVARIAN						
	OVARIAN	2004	5.23	313	1988.5	50%	50%

Appendix Table 3 French cancer data

Cancer site	Year	Age-	Number of	Weighted	post1985	post1990
		adjusted		mean world	%	%
		mortality	IMS	launch year		
		rate (per	sample			
		100,000				
		pop)				
OVARIAN	2005	5.27	398	1988.4	47%	47%
OVARIAN	2006	5.17	366	1988.4	47%	47%
PANCREAS	2002	12.44	106	1995.0	99%	99%
PANCREAS	2003	12.25	130	1995.0	100%	100%
PANCREAS	2004	12.52	180	1994.9	99%	99%
PANCREAS	2005	12.76	200	1995.0	99%	99%
PANCREAS	2006	12.74	203	1994.9	99%	99%
PROSTATE	2002	15.53	23	1994.7	100%	96%
PROSTATE	2003	15.64	36	1993.2	100%	69%
PROSTATE	2004	14.87	58	1993.9	100%	81%
PROSTATE	2005	14.46	60	1994.8	100%	97%
PROSTATE	2006	13.64	69	1994.8	100%	97%
STOMACH	2002	8.57	19	1986.5	21%	21%
STOMACH	2003	8.04	12	1990.1	42%	42%
STOMACH	2004	8.03	18	1993.4	72%	72%
STOMACH	2005	7.69	52	1994.2	75%	75%
STOMACH	2006	7.35	51	1993.2	69%	69%
THYROID	2005	0.62	2	1993.5	100%	100%
THYROID	2006	0.67	2	1993.5	100%	100%

CESifo Working Paper Series

for full list see www.cesifo-group.org/wp (address: Poschingerstr. 5, 81679 Munich, Germany, office@cesifo.de)

- 3033 Steven Brakman, Robert Inklaar and Charles van Marrewijk, Structural Change in OECD Comparative Advantage, April 2010
- 3034 Dirk Schindler and Guttorm Schjelderup, Multinationals, Minority Ownership and Tax-Efficient Financing Structures, April 2010
- 3035 Christian Lessmann and Gunther Markwardt, Decentralization and Foreign Aid Effectiveness: Do Aid Modality and Federal Design Matter in Poverty Alleviation?, April 2010
- 3036 Eva Deuchert and Conny Wunsch, Evaluating Nationwide Health Interventions when Standard Before-After Doesn't Work: Malawi's ITN Distribution Program, April 2010
- 3037 Eric A. Hanushek and Ludger Woessmann, The Economics of International Differences in Educational Achievement, April 2010
- 3038 Frederick van der Ploeg, Aggressive Oil Extraction and Precautionary Saving: Coping with Volatility, April 2010
- 3039 Ainura Uzagalieva, Evžen Kočenda and Antonio Menezes, Technological Imitation and Innovation in New European Union Markets, April 2010
- 3040 Nicolas Sauter, Jan Walliser and Joachim Winter, Tax Incentives, Bequest Motives, and the Demand for Life Insurance: Evidence from two Natural Experiments in Germany, April 2010
- 3041 Matthias Wrede, Multinational Capital Structure and Tax Competition, April 2010
- 3042 Burkhard Heer and Alfred Maussner, A Note on the Computation of the Equity Premium and the Market Value of Firm Equity, April 2010
- 3043 Kristiina Huttunen, Jukka Pirttilä and Roope Uusitalo, The Employment Effects of Low-Wage Subsidies, May 2010
- 3044 Matthias Kalkuhl and Ottmar Edenhofer, Prices vs. Quantities and the Intertemporal Dynamics of the Climate Rent, May 2010
- 3045 Bruno S. Frey and Lasse Steiner, Pay as you Go: A New Proposal for Museum Pricing, May 2010
- 3046 Henning Bohn and Charles Stuart, Population under a Cap on Greenhouse Gas Emissions, May 2010
- 3047 Balázs Égert and Rafal Kierzenkowski, Exports and Property Prices in France: Are they Connected?, May 2010

- 3048 Thomas Eichner and Thorsten Upmann, Tax-Competition with Involuntary Unemployment, May 2010
- 3049 Taiji Furusawa, Kazumi Hori and Ian Wooton, A Race beyond the Bottom: The Nature of Bidding for a Firm, May 2010
- 3050 Xavier Vives, Competition and Stability in Banking, May 2010
- 3051 Thomas Aronsson and Erkki Koskela, Redistributive Income Taxation under Outsourcing and Foreign Direct Investment, May 2010
- 3052 Michael Melvin and Duncan Shand, Active Currency Investing and Performance Benchmarks, May 2010
- 3053 Sören Blomquist and Laurent Simula, Marginal Deadweight Loss when the Income Tax is Nonlinear, May 2010
- 3054 Lukas Menkhoff, Carol L. Osler and Maik Schmeling, Limit-Order Submission Strategies under Asymmetric Information, May 2010
- 3055 M. Hashem Pesaran and Alexander Chudik, Econometric Analysis of High Dimensional VARs Featuring a Dominant Unit, May 2010
- 3056 Rabah Arezki and Frederick van der Ploeg, Do Natural Resources Depress Income Per Capita?, May 2010
- 3057 Joseph Plasmans and Ruslan Lukach, The Patterns of Inter-firm and Inter-industry Knowledge Flows in the Netherlands, May 2010
- 3058 Jenny E. Ligthart and Sebastian E. V. Werner, Has the Euro Affected the Choice of Invoicing Currency?, May 2010
- 3059 Håkan Selin, Marginal Tax Rates and Tax-Favoured Pension Savings of the Self-Employed – Evidence from Sweden, May 2010
- 3060 Richard Cornes, Roger Hartley and Yuji Tamura, A New Approach to Solving Production-Appropriation Games with Many Heterogeneous Players, May 2010
- 3061 Ronald MacDonald and Flávio Vieira, A Panel Data Investigation of Real Exchange Rate Misalignment and Growth, May 2010
- 3062 Thomas Eichner and Rüdiger Pethig, Efficient Management of Insecure Fossil Fuel Imports through Taxing(!) Domestic Green Energy?, May 2010
- 3063 Vít Bubák, Evžen Kočenda and Filip Žikeš, Volatility Transmission in Emerging European Foreign Exchange Markets, May 2010
- 3064 Leonid V. Azarnert, Après nous le Déluge: Fertility and the Intensity of Struggle against Immigration, May 2010

- 3065 William E. Becker, William H. Greene and John J. Siegfried, Do Undergraduate Majors or Ph.D. Students Affect Faculty Size?, May 2010
- 3066 Johannes Becker, Strategic Trade Policy through the Tax System, May 2010
- 3067 Omer Biran and Françoise Forges, Core-stable Rings in Auctions with Independent Private Values, May 2010
- 3068 Torben M. Andersen, Why do Scandinavians Work?, May 2010
- 3069 Andrey Launov and Klaus Wälde, Estimating Incentive and Welfare Effects of Non-Stationary Unemployment Benefits, May 2010
- 3070 Simon Gächter, Benedikt Herrmann and Christian Thöni, Culture and Cooperation, June 2010
- 3071 Mehmet Bac and Eren Inci, The Old-Boy Network and the Quality of Entrepreneurs, June 2010
- 3072 Krisztina Molnár and Sergio Santoro, Optimal Monetary Policy when Agents are Learning, June 2010
- 3073 Marcel Boyer and Donatella Porrini, Optimal Liability Sharing and Court Errors: An Exploratory Analysis, June 2010
- 3074 Guglielmo Maria Caporale, Roman Matousek and Chris Stewart, EU Banks Rating Assignments: Is there Heterogeneity between New and Old Member Countries? June 2010
- 3075 Assaf Razin and Efraim Sadka, Fiscal and Migration Competition, June 2010
- 3076 Shafik Hebous, Martin Ruf and Alfons Weichenrieder, The Effects of Taxation on the Location Decision of Multinational Firms: M&A vs. Greenfield Investments, June 2010
- 3077 Alessandro Cigno, How to Deal with Covert Child Labour, and Give Children an Effective Education, in a Poor Developing Country: An Optimal Taxation Problem with Moral Hazard, June 2010
- 3078 Bruno S. Frey and Lasse Steiner, World Heritage List: Does it Make Sense?, June 2010
- 3079 Henning Bohn, The Economic Consequences of Rising U.S. Government Debt: Privileges at Risk, June 2010
- 3080 Rebeca Jiménez-Rodriguez, Amalia Morales-Zumaquero and Balázs Égert, The VARying Effect of Foreign Shocks in Central and Eastern Europe, June 2010
- 3081 Stephane Dees, M. Hashem Pesaran, L. Vanessa Smith and Ron P. Smith, Supply, Demand and Monetary Policy Shocks in a Multi-Country New Keynesian Model, June 2010

- 3082 Sara Amoroso, Peter Kort, Bertrand Melenberg, Joseph Plasmans and Mark Vancauteren, Firm Level Productivity under Imperfect Competition in Output and Labor Markets, June 2010
- 3083 Thomas Eichner and Rüdiger Pethig, International Carbon Emissions Trading and Strategic Incentives to Subsidize Green Energy, June 2010
- 3084 Henri Fraisse, Labour Disputes and the Game of Legal Representation, June 2010
- 3085 Andrzej Baniak and Peter Grajzl, Interjurisdictional Linkages and the Scope for Interventionist Legal Harmonization, June 2010
- 3086 Oliver Falck and Ludger Woessmann, School Competition and Students' Entrepreneurial Intentions: International Evidence Using Historical Catholic Roots of Private Schooling, June 2010
- 3087 Bernd Hayo and Stefan Voigt, Determinants of Constitutional Change: Why do Countries Change their Form of Government?, June 2010
- 3088 Momi Dahan and Michel Strawczynski, Fiscal Rules and Composition Bias in OECD Countries, June 2010
- 3089 Marcel Fratzscher and Julien Reynaud, IMF Surveillance and Financial Markets A Political Economy Analysis, June 2010
- 3090 Michel Beine, Elisabetta Lodigiani and Robert Vermeulen, Remittances and Financial Openness, June 2010
- 3091 Sebastian Kube and Christian Traxler, The Interaction of Legal and Social Norm Enforcement, June 2010
- 3092 Volker Grossmann, Thomas M. Steger and Timo Trimborn, Quantifying Optimal Growth Policy, June 2010
- 3093 Huw David Dixon, A Unified Framework for Using Micro-Data to Compare Dynamic Wage and Price Setting Models, June 2010
- 3094 Helmuth Cremer, Firouz Gahvari and Pierre Pestieau, Accidental Bequests: A Curse for the Rich and a Boon for the Poor, June 2010
- 3095 Frank Lichtenberg, The Contribution of Pharmaceutical Innovation to Longevity Growth in Germany and France, June 2010