

Center



Discussion Paper

No. 2007–19

GAMES WITH LIMITED COMMUNICATION STRUCTURE

By Dolf Talman, Yoshitsugu Yamamoto

February 2007

ISSN 0924-7815

GAMES WITH LIMITED COMMUNICATION STRUCTURE

DOLF TALMAN AND YOSHITSUGU YAMAMOTO

ABSTRACT. In this paper we consider cooperative transferable utility games with limited communication structure, called graph games. Agents are able to cooperate with each other only if they can communicate directly or indirectly with each other. For the class of acyclic graph games recently the average tree solution has been proposed. It was proven that the average tree solution is a core element if the game exhibits super-additivity. It will be shown that the condition of super-additivity can be relaxed to a weaker condition, which admits for a natural interpretation. Moreover, the concept of subcore is introduced. Under the same condition it is proven that the subcore is a subset of the core and always contains the average tree solution and therefore is a non-empty refinement of the core.

JEL code: C71.

1. INTRODUCTION

In many economic situations agents are able to obtain more profits or save costs by cooperation. For example, by sharing certain facilities (catering, security, communication systems, transportation) firms may obtain higher total payoffs. The total maximum additional payoff a subgroup of agents, also called a coalition, can obtain from cooperation is called its worth. If the worth of a coalition can be freely distributed amongst its members (transferable utility), the problem becomes how much payoff every agent (player) should get. A classical set-valued solution is the core, see Gillies [6], being the set of payoff distributions (payoff vectors) at which the worth of the whole set of players (the grand coalition) is distributed amongst the players (efficiency) and no coalition receives less than its worth (non-domination). If a payoff vector is not an element of the core, some coalitions can do better by their own. The most well-known single-valued solution is the Shapley value, see Shapley [16]. At the Shapley value every agent receives the (weighted) average of all his marginal contributions to any coalition that he is a member of. The Shapley value, however, may not be an element of the core.

In this research we study cooperative games with limited communication structure represented by undirected graph. These so-called graph games were introduced by Myerson [13]. A group of players is only able to cooperate if they can communicate directly or indirectly with each other. The best-known single-valued solution for such games is the Myerson value, being characterized by efficiency and fairness. In Borm *et al.* [2] the so-called positional value is proposed. This value is characterized by efficiency and balanced total threats, see Slikker [17]. In Herings *et al.* [9] the average tree solution is introduced for the class of acyclic graph games. The average tree solution is characterized by efficiency and component fairness. Component fairness means that deleting a link between two players yields for both resulting components the same average loss in payoff, whereas

Date: February 11, 2007.

Key words and phrases. Limited communication structure; Acyclic undirected graph; Super-additivity; Core; Average tree solution.

fairness says that deleting a link gives the same loss in payoff for both end points of the link. The average tree solution is the average of some specific marginal contribution vectors. For super-additive acyclic graph games all these vectors lie in the core and therefore also the average tree solution is an element of the core. For this class of games the Myerson value and the position value may not be elements of the core.

In this paper we give a weaker condition for the characteristic function than super-additivity to guarantee that the average tree solution is an element of the core. Moreover, we refine the core to a smaller subset, called the subcore, and show that for the class of acyclic graph games satisfying this weaker condition for the characteristic function the average tree solution is always an element of the subcore and therefore that the subcore is a non-empty refinement of the core. Section 2 introduces the class of graph games. Section 3 relates the average tree solution to the core and Section 4 introduces the subcore.

2. PRELIMINARIES

We consider cooperative games with limited communication structure, called *graph games*, as has been introduced by Myerson [13]. A graph game is represented by a triple (N, v, E) , where N is a finite set of n players, v is a characteristic function that assigns the worth to coalitions, and $E \subseteq \{\{i, j\} \mid i, j \in N, i \neq j\}$ is a collection of binary communication links between players.

The pair (N, E) is called an (*undirected*) *graph* with N the set of nodes, being the players of the game, and with E the collection of edges (links) between the nodes. In case $E = \{\{i, j\} \mid i, j \in N, i \neq j\}$ the game (N, v, E) is said to have full communication structure and is simply denoted by (N, v) .

A sequence of nodes (i_1, \dots, i_{k+1}) is called a *cycle* in a graph (N, E) if (i) $k \geq 2$, (ii) all nodes i_1, \dots, i_k are different elements of N , (iii) $i_{k+1} = i_1$, and (iv) $\{i_h, i_{h+1}\} \in E$ for $h = 1, \dots, k$. A graph is said to be *acyclic* when it does not contain any cycle. A set of nodes $K \subset N$ is said to be *connected* in the graph (N, E) , if for any two distinct nodes $i, j \in K$ there exists a sequence (i_1, \dots, i_k) of nodes in K satisfying $i_1 = i$, $i_k = j$ and $\{i_h, i_{h+1}\} \in E$ for all $h = 1, \dots, k - 1$. A subset K of N is called a *component* of the graph (N, E) if K is connected in (N, E) and for any $j \in N \setminus K$ the set $K \cup \{j\}$ is not connected in (N, E) . For the graph (N, E) and a subset $H \subset N$, the set $E(H)$ is given by $E(H) = \{e \in E \mid e \subset H\}$. The collection of connected subsets of K in the subgraph $(K, E(K))$ of a graph (N, E) is denoted by $C^E(K)$ and the collection of components of $(K, E(K))$ is denoted by $C_m^E(K)$.

In this paper it is assumed without loss of generality that in a graph game (N, v, E) the set N is always connected in the graph (N, E) , i.e., $N \in C^E(N)$. Due to the limited communication, members of a coalition $S \in 2^N$ are able to cooperate only if all members of S can communicate directly or indirectly with each other, i.e., $S \in C^E(N)$. For $S \in C^E(N)$, the worth $v(S)$ is the maximum amount of payoff a coalition S can obtain for its members. Concerning the characteristic function v , the graph game is said to exhibit *super-additivity* if

$$v(S \cup T) \geq v(S) + v(T)$$

for all $S, T \in C^E(N)$ satisfying $S \cap T = \emptyset$ and $S \cup T \in C^E(N)$.

A *payoff vector* x is an n -dimensional vector giving payoff x_i to player $i \in N$. For simplicity we denote $x(S) = \sum_{i \in S} x_i$ for $S \in 2^N$. For a graph game (N, v, E) a payoff vector x is said to be *efficient* if $x(N) = v(N)$. The *core*, denoted by $C(N, v, E)$, of a graph game (N, v, E) is the set of efficient payoff vectors that are not dominated by any

connected coalition,

$$C(N, v, E) = \{ x \in R^n \mid x(N) = v(N) \text{ and } x(S) \geq v(S) \text{ for all } S \in C^E(N) \}.$$

The core of a game (N, v) with full communication is denoted by $C(N, v)$, i.e.,

$$C(N, v) = \{ x \in R^n \mid x(N) = v(N) \text{ and } x(S) \geq v(S) \text{ for all } S \in 2^N \}.$$

Notice that the core $C(N, v, E)$ of a graph game (N, v, E) equals the core $C(N, v^E)$ of the so-called restricted game (N, v^E) with full communication, defined by Myerson [13] as

$$v^E(S) = \sum_{T \in C_m^E(S)} v(T) \quad \text{for } S \in 2^N.$$

For a permutation $\pi = (\pi(1), \dots, \pi(n))$ on N , the marginal contribution vector $m^\pi(v) \in R^n$ assigns to every player i payoff $m_i^\pi(v) = v(\pi^i \cup \{i\}) - v(\pi^i)$, where $\pi^i = \{j \in N \mid \pi(j) < \pi(i)\}$ is the set of players preceding i in the permutation π . The most well-known single-valued solution for the class of cooperative games with full communication is the Shapley value, which assigns to game (N, v) the average $\psi(N, v)$ of all its marginal vectors. Although the Shapley value is an efficient solution, it may, however, not be an element of the core, even if the core is non-empty.

The most well-known single valued solution for the class of graph games is the Myerson value $\mu(N, v, E)$, due to Myerson [13]. The Myerson value assigns to a graph game (N, v, E) the Shapley value of the corresponding restricted game, i.e., $\mu(N, v, E) = \psi(N, v^E)$. The Myerson value of a graph game (N, v, E) is not always an element of the core, even not if the graph (N, E) is acyclic and the game itself is super-additive. From Demange [5] it is known that the core of a super-additive acyclic graph game is non-empty because it contains several specific marginal contribution vectors, but not always all.

3. THE AVERAGE TREE SOLUTION AND THE CORE

For the class of acyclic graph games the *average tree solution* was introduced by Herings *et al.* [9]. To describe the average tree solution we first give some definitions concerning directed graphs. A graph (N, D) is *directed* if $D \subseteq N \times N$, i.e., D is a set of ordered pairs of nodes. An ordered pair of nodes is called an *arc*. For $D \subseteq N \times N$ let $\overline{D} = \{\{i, j\} \mid (i, j) \in D\}$. A directed graph (N, D) is said to be *acyclic*¹ if the undirected graph (N, \overline{D}) induced by D is acyclic and (N, D) is said to be *connected* if (N, \overline{D}) is connected.

Definition 3.1. An acyclic connected directed graph (N, D) is an *arborescence* if each node has at most one arc entering the node.

Clearly, an arborescence has exactly one node that no arc enters, which is called the *root*, and there is a unique directed path from the root to each node. For a given arborescence (N, D) , for each node $i \in N$ we define its sets of *successors* and *descendants* as

$$(3.1) \quad \text{suc}(i) = \{j \in N \mid (i, j) \in D\},$$

and

$$(3.2) \quad \text{des}(i) = \{j \in N \mid j = i \text{ or there is a directed path from } i \text{ to } j\},$$

¹This usage of *acyclic* is not common.

respectively. We also define inductively the *height* $\tau(i)$ of node $i \in N$ as follows:

$$(3.3) \quad \tau(i) = \begin{cases} 0 & \text{if } \text{suc}(i) = \emptyset, \\ 1 + \max_{j \in \text{suc}(i)} \tau(j) & \text{otherwise.} \end{cases}$$

For a given acyclic graph game (N, v, E) the *tree solution*, denoted by x^r , with respect to node $r \in N$, is defined as follows.

Step 1: Make an arborescence D^r with node r as root. Set $t := 0$.

Step 2: If there is no node $i \in N$ with $\tau(i) = t$, then terminate.

Step 3: For each node $i \in N$ with $\tau(i) = t$ set

$$(3.4) \quad x_i^r := v(\text{des}(i)) - \sum_{j \in \text{des}(i) \setminus \{i\}} x_j^r.$$

Step 4: Set $t := t + 1$ and go to Step 2.

Since the graph (N, E) is acyclic, the arborescence (N, D^r) with node r as root is uniquely determined. More precisely, if (i_1, \dots, i_k) is a path in (N, E) connecting node $i_1 = r$ with node $i_k = j$ then $(i_h, i_{h+1}) \in D^r$ for all $h = 1, \dots, k - 1$. Clearly, $x_i^r = v(\{i\})$ when node i has no successor, and each term x_j^r on the right hand side of (3.4) has been determined since $\tau(j) < \tau(i)$ when $j \in \text{des}(i) \setminus \{i\}$. We can readily see by induction that it holds that for all $i \in N$

$$(3.5) \quad x_i^r = v(\text{des}(i)) - \sum_{j \in \text{suc}(i)} v(\text{des}(j)),$$

and therefore

$$(3.6) \quad x^r(\text{des}(i)) = v(\text{des}(i)).$$

See Figure 1. At allocation x^r an agent gets what he contributes when he joins the descendants of his successors in arborescence (N, D^r) . Therefore for each $r \in N$, the tree solution x^r with respect to node r is a marginal contribution vector for some permutation.




FIGURE 1. Tree solutions




FIGURE 2. Connected node set

Definition 3.2. For an acyclic graph game (N, v, E) , the *average tree solution*, denoted $AT(N, v, E)$, is the average of all tree solutions x^r with respect to node $r \in N$, i.e.,

$$AT(N, v, E) = \frac{1}{n} \sum_{r \in N} x^r.$$

It has been shown in Herings *et al.* [9] that the average tree solution can be axiomatized by efficiency and component fairness. The latter property says that if an edge is deleted the average loss for the two resulting components is the same, where the average is taken over all players in the component.

For a given connected undirected graph (N, E) , let $\delta(S)$, $S \in C^E(N)$, be the set of edges in E having one end node in S and the other end node outside S , i.e.,

$$\delta(S) = \{e \in E \mid e = \{i, j\}, i \in S, j \in N \setminus S\}.$$

Deleting an edge a of $\delta(S)$ results in two disjoint connected node sets, one containing the set S . We denote the component that does not contain the set S by $T^S(a)$. We call $T^S(a)$ a *satellite* of S . See Figure 2. The set S is connected to satellite $T^S(a)$ through the edge a . Notice that the union of S and all its satellites equals the set of all nodes. The next theorem gives a sufficient condition such that the average tree solution is an element of the core.

Theorem 3.3. *Suppose the acyclic graph game (N, v, E) satisfies*

$$(3.7) \quad v(N) \geq v(S) + \sum_{a \in \delta(S)} v(T^S(a)) \quad \text{for all } S \in C^E(N)$$

and

$$(3.8) \quad v(N \setminus T^S(a)) \geq v(S) + \sum_{e \in \delta(S) \setminus \{a\}} v(T^S(e)) \quad \text{for all } S \in C^E(N) \text{ and } a \in \delta(S).$$

Then the core $C(N, v, E)$ is nonempty and the average tree solution $AT(N, v, E)$ is an element of the core.

Proof. We first prove that for every $r \in N$ the tree solution x^r with respect to node r is an element of $C(N, v, E)$. Take any node $r \in N$ and let D^r be the corresponding arborescence

with node r as root and let x^r be the tree solution with respect to this node r . Then we have $\text{des}(r) = N$, which implies $x^r(N) = v(N)$ from (3.6). We will show that

$$x^r(S) \geq v(S) \quad \text{for all } S \in C^E(N).$$

Take any $S \in C^E(N)$. When the root r is an element of S , by the construction of the tree solution, x^r satisfies

$$x^r(T^S(a)) = v(T^S(a))$$

for all $a \in \delta(S)$, see (3.5). By (3.7) the tree solution x^r then satisfies

$$x^r(S) = v(N) - \sum_{a \in \delta(S)} x^r(T^S(a)) = v(N) - \sum_{a \in \delta(S)} v(T^S(a)) \geq v(S).$$

When the root r is not an element of S , r is in $T^S(a)$ for some unique $a \in \delta(S)$. By construction

$$x^r(N \setminus T^S(a)) = v(N \setminus T^S(a))$$

and for all $e \in \delta(S) \setminus \{a\}$ it holds that

$$x^r(T^S(e)) = v(T^S(e)).$$

See for illustration the connected node sets circumscribed by a dotted circle in Figure 2. Therefore, by (3.8), we obtain

$$\begin{aligned} x^r(S) &= x^r(N \setminus T^S(a)) - \sum_{e \in \delta(S) \setminus \{a\}} x^r(T^S(e)) \\ &= v(N \setminus T^S(a)) - \sum_{e \in \delta(S) \setminus \{a\}} v(T^S(e)) \geq v(S). \end{aligned}$$

Hence $x^r \in C(N, v, E)$ for every $r \in N$. Since $AT(N, v, E)$ is the average of all tree solutions, and the core is a convex set, the average tree solution $AT(N, v, E)$ is also an element of the core. \square

Condition (3.7) states that the worth of the grand coalition should be at least equal to the worth of any connected coalition plus the sum of the worths of all its satellites. Condition (3.8) states that for any satellite of a connected coalition it holds that the worth of the players outside this satellite is at least equal to the worth of this coalition plus the sum of the worths of its other satellites. No other super-additivity requirements are needed. Notice further that the tree solution x^r with respect to any node $r \in N$ satisfies n linearly independent inequalities out of those defining the core, and hence it is an extreme point of the core.

Corollary 3.4. *In an acyclic graph game (N, v, E) satisfying the conditions (3.7) and (3.8), for each node $r \in N$ the tree solution x^r with respect to node r is a marginal contribution vector, being an extreme point of the core.*

Take a node $r \in N$ as root. For $j \in N \setminus \{r\}$, let a_j^r be the unique edge of $\delta(\{j\})$ such that j 's satellite $T^{\{j\}}(a_j^r)$ contains node r . Then the tree solution $x^r = (x_1^r, \dots, x_n^r)$ with respect to node r can be explicitly written as follows,

$$(3.9) \quad x_r^r = v(N) - \sum_{e \in \delta(\{r\})} v(T^{\{r\}}(e)),$$

$$(3.10) \quad x_j^r = v(N \setminus T^{\{j\}}(a_j^r)) - \sum_{e \in \delta(\{j\}) \setminus \{a_j^r\}} v(T^{\{j\}}(e)) \quad \text{for } j \neq r.$$

Hence, for $j \in N$, the j th component of the average tree solution of the graph game (N, v, E) is equal to

$$(3.11) \quad AT_j(N, v, E) = \frac{1}{n} \left(v(N) - \sum_{a \in \delta(\{j\})} v(T^{\{j\}}(a)) \right) + \sum_{a \in \delta(\{j\})} \frac{|T^{\{j\}}(a)|}{n} \left(v(N \setminus T^{\{j\}}(a)) - \sum_{e \in \delta(\{j\}) \setminus \{a\}} v(T^{\{j\}}(e)) \right).$$

The first term between brackets reflects how much node j contributes when he is joining all his satellites, while the second term between brackets describes how much he contributes for linking a node in one of his satellites to the other satellites. The number $|T^{\{j\}}(a)|$ is the number of players in the satellite that is connected to node j through link $a \in \delta(j)$.

Herings *et al.* [9] show that for the class of super-additive acyclic graph games the average tree solution is always an element of the core. The next lemma shows that super-additivity implies conditions (3.7) and (3.8).

Lemma 3.5. *A super-additive acyclic graph game (N, v, E) satisfies both conditions (3.7) and (3.8).*

Proof. Take any $S \in C^E(N)$ and let $\delta(S) = \{a_1, \dots, a_k\}$. Clearly, for each $h = 1, \dots, k$, it holds that $S \cup T^S(a_h) \in C^E(N)$. Therefore, letting $T_h = \cup_{i=1}^h T^S(a_i)$, it holds that $S \cup T_h \in C^E(N)$ for $h = 0, 1, \dots, k$, where we use the convention that $T_0 = \emptyset$. From super-additivity it follows that for $h = 1, \dots, k$

$$v(S \cup T_{h-1}) + v(T^S(a_h)) \leq v(S \cup T_h).$$

From this it follows that for all $h = 1, \dots, k$

$$(3.12) \quad v(S \cup T_{h-1}) + \sum_{i=h}^k v(T^S(a_i)) \leq v(S \cup T_h) + \sum_{i=h+1}^k v(T^S(a_i)).$$

Since $S \cup T_k = N$, this implies

$$v(S) + \sum_{i=1}^k v(T^S(a_i)) \leq \dots \leq v(S \cup T_k) = v(N),$$

from which (3.7) follows.

To prove condition (3.8), take any $a \in \delta(S)$ and let the edges a_1, \dots, a_k in $\delta(S)$ be indexed such that $a_k = a$. Then $S \cup T_{k-1} = S \cup (\cup_{h=1}^{k-1} T^S(a_h)) = N \setminus T^S(a)$. From (3.12) it follows that

$$v(S) + \sum_{h=1}^k v(T^S(a_h)) \leq v(N \setminus T^S(a)) + v(T^S(a)),$$

which implies (3.8). □

Note that the conditions (3.7) and (3.8) do not impose any lower bound condition on $v(T)$ if the set $N \setminus T$ is not a satellite of any connected set. This fact is the reason that conditions (3.7) and (3.8) are weaker than the condition of super-additivity. For example, consider the case of four players and take $E = \{\{1, 2\}, \{2, 3\}, \{3, 4\}\}$, then super-additivity requires that it must hold that $v(\{2\}) + v(\{3\}) \leq v(\{2, 3\})$. Since $\{1, 4\}$ is not a satellite of $\{2, 3\}$, this condition is not present in (3.7) or (3.8). If $E = \{\{1, 2\}, \{1, 3\}, \{1, 4\}\}$, i.e.,

a star graph, then super-additivity requires $v(\{1\}) + v(\{j\}) \leq v(\{1, j\})$ for all $j \neq 1$. Since the set $N \setminus \{1, j\}$ is not a satellite for any $j \neq 1$, these conditions are not present in (3.7) or (3.8), either.

Although all tree solutions are extreme points of the core, it is not the case that the core is always equal to the convex hull of all tree solutions. For example, if the game is convex, then all $n!$ marginal contribution vectors are extreme points of the core and the number of different marginal contribution vectors is typically much larger than the number of different tree solutions, which is at most n .

4. SUBCORE

In this section we introduce a refinement of the core of an acyclic graph game. From conditions (3.7) and (3.8) we see that when an acyclic graph game (N, v, E) satisfies these conditions, then for every $S \in C^E(N)$ it holds that

$$(4.1) \quad v(S) \leq \min \left\{ \begin{array}{l} v(N) - \sum_{a \in \delta(S)} v(T^S(a)), \\ \min_{a \in \delta(S)} \left\{ v(N \setminus T^S(a)) - \sum_{e \in \delta(S) \setminus \{a\}} v(T^S(e)) \right\} \end{array} \right\}.$$

This motivates us to refine the core of an acyclic graph game as follows. Let us denote the right hand side of (4.1) by $w(S)$ with the convention that $w(N) = v(N)$.

Definition 4.1. For an acyclic graph game (N, v, E) , the *subcore* $SC(N, v, E)$ is given by

$$SC(N, v, E) = \left\{ x \in \mathbb{R}^n \mid \begin{array}{l} x(N) = v(N) \\ x(S) \geq \max\{v(S), w(S)\} \text{ for all } S \in C^E(N) \end{array} \right\}.$$

By definition it holds that the subcore is a subset of the core. More precisely, a payoff vector is an element of the subcore if the grand coalition receives its worth ($x(N) = v(N)$, efficiency) and for every other connected coalition S it holds that (i) S receives at least what it can get on its own ($x(S) \geq v(S)$, core), (ii) S receives at least what it contributes when it joins its satellites to form the grand coalition ($x(S) \geq v(N) - \sum_{a \in \delta(S)} v(T^S(a))$), and (iii) S receives at least what it contributes to the other satellites before a satellite of S joins to form the grand coalition ($x(S) \geq v(N \setminus T^S(a)) - \sum_{e \in \delta(S) \setminus \{a\}} v(T^S(e))$, for all $a \in \delta(S)$). The idea is that the satellites of a connected set S of players need S to form the grand coalition, so that S can claim a payoff at least equal to what it then contributes. The lowest of these contributions ($w(S)$) is the least what coalition S wants to receive. The next theorem states that all such claims can be honored in the sense that the subcore of an acyclic graph game satisfying the conditions (3.7) and (3.8) is nonempty because it always contains the average tree solution.

Theorem 4.2. *For the class of acyclic graph games satisfying the conditions (3.7) and (3.8) it holds that the average tree solution is an element of the subcore.*

The theorem follows immediately from (4.1). Therefore on the class of acyclic graph games satisfying the conditions (3.7) and (3.8) the subcore is a nonempty refinement of the core. Moreover, the tree solution with respect to any node, which is an extreme point of the core, remains an element of the subcore, and hence is an extreme point of the subcore.

The next example is a graph game with player set $N = \{1, 2, 3\}$ having limited communication structure represented by the graph in Figure 3. The characteristic function




FIGURE 3. Communication structure of example 1




FIGURE 4. Core and tree solutions of example 1

values are given by

$$\begin{aligned}
 v(\{1\}) &= v(\{2\}) = v(\{3\}) = 0 \\
 v(\{1, 2\}) &= a; \quad v(\{2, 3\}) = b \\
 v(\{1, 2, 3\}) &= 1,
 \end{aligned}$$

with $0 < a < b < 1$. The core of this game is given by the linear system

$$\begin{aligned}
 x_1, x_2, x_3 &\geq 0 \\
 x_1 + x_2 &\geq a; \quad x_2 + x_3 \geq b \\
 x_1 + x_2 + x_3 &= 1
 \end{aligned}$$

and is shown in Figure 4 for $a = 0.8$ and $b = 0.9$. The three tree solutions x^r , $r \in N$, are

TABLE 1. Tree solutions

root r	1	2	3
x_1^r	$1 - b$	0	0
x_2^r	b	1	a
x_3^r	0	0	$1 - a$

given in Table 1 and are depicted in the figure by white circles. The average tree solution is therefore $((1 - b)/3, (1 + a + b)/3, (1 - a)/3)$, which is shown by the white square in the figure. The two black triangles show the marginal contribution vectors obtained for the permutations $(2, 1, 3)$ and $(2, 3, 1)$. Both vectors are not elements of the core. The black square in the figure denotes the Myerson value. The Myerson value is also outside the core. Notice that the second player who is pivotal in the communication graph gets more at the average tree solution than at the Myerson value. The dotted line is the additional constraint of the subcore, which has a new extreme point, indicated in the figure by the white triangle.

ACKNOWLEDGMENT

This research started while the second author was visiting the Department of Econometrics and Tinbergen Institute, Vrije Universiteit, Amsterdam, and the Department of Econometrics & Operations Research and CentER, Tilburg University, Tilburg, the Netherlands under grant B 46-551 from the Netherlands Organisation for Scientific Research (NWO). He is very grateful to the organisation as well as both universities. He is also partially supported by JSPS Grant-in-Aid (B) 18310101, 2006.

REFERENCES

- [1] Bondareva, O. (1963), Some Applications of Linear Programming Methods to the Theory of Cooperative Games, *Problemy Kibernetiki*, 10, 119–139 (in Russian).
- [2] Borm, P., G. Owen, and S. Tijs (1992), On the Position Value for Communication Situations, *SIAM Journal of Discrete Mathematics*, 5, 305–320.
- [3] Brink, R. van den, G. van der Laan, and V. Pruzhansky (2004), Harsanyi Power Solutions for Graph-Restricted Games, TI Discussion Paper 2004-095/1, Tinbergen Institute, Amsterdam/Rotterdam, The Netherlands.
- [4] Demange, G. (1994), Intermediate Preferences and Stable Coalition Structures, *Journal of Mathematical Economics*, 23, 45–58.
- [5] Demange, G. (2004), On Group Stability in Hierarchies and Networks, *Journal of Political Economy*, 112, 754–778.
- [6] Gillies, D.B. (1953), *Some Theorems on n-Person Games*, Princeton University Press, Princeton, NJ.
- [7] Granot, G., and G. Huberman (1982), The Relationship Between Convex Games and Minimal Cost Spanning Tree Games: A Case for Permutationally Convex Games, *SIAM Journal of Algebraic and Discrete Methods*, 3, 288–292.
- [8] Harsanyi, J.C. (1959), A Bargaining Model for Cooperative n -Person Games, in A.W. Tucker and R.D. Luce (eds.), *Contributions to the Theory of Games IV*, Princeton University Press, Princeton, NJ, pp. 325–355.
- [9] Herings, P.J.J., G. van der Laan, and A.J.J. Talman (2005), The Component Fairness Solution for Cycle-free Games, CentER Discussion paper 2005-126, CentER, Tilburg University, Tilburg, The Netherlands.
- [10] Kaneko, M., and M.H. Wooders (1982), Cores of Partitioning Games, *Mathematical Social Sciences*, 3, 313–327.
- [11] Le Breton, M., G. Owen, and S. Weber (1992), Strongly Balanced Cooperative Games, *International Journal of Game Theory*, 20, 419–427.
- [12] Meessen, R. (1988), Communication Games, Master Thesis, University of Nijmegen, The Netherlands (in Dutch).
- [13] Myerson, R.B. (1977), Graphs and Cooperation in Games, *Mathematics of Operations Research*, 2, 225–229.
- [14] Myerson, R.B. (1980), Conference Structures and Fair Allocation Rules, *International Journal of Game Theory*, 9, 169–182.
- [15] Owen, G. (1986), Values of Graph-Restricted Games, *SIAM Journal on Algebraic and Discrete Methods*, 7, 210–220.

- [16] Shapley, L. (1953), A Value for n -Person Games, in H.W. Kuhn and A.W. Tucker (eds.), *Contributions to the Theory of Games II*, Princeton University Press, Princeton, NJ, pp. 307–317.
- [17] Slikker, M. (2005), A Characterization of the Position Value, *International Journal of Game Theory*, 33, 505–514.
- [18] Velzen, S. van (2005), Cooperation in Network and Scheduling, Ph.D. Thesis, CentER, Tilburg University, The Netherlands.

A.J.J. TALMAN, DEPARTMENT OF ECONOMETRICS & OPERATIONS RESEARCH AND CENTER, TILBURG UNIVERSITY, 5000 LE TILBURG, THE NETHERLANDS
E-mail address: talman@uvt.nl

Y. YAMAMOTO, GRADUATE SCHOOL OF SYSTEMS AND INFORMATION ENGINEERING, UNIVERSITY OF TSUKUBA, TSUKUBA 305-8573, JAPAN
E-mail address: yamamoto@sk.tsukuba.ac.jp