

MPRA

Munich Personal RePEc Archive

Quantum and algorithmic Bayesian mechanisms

Wu, Haoyang

05. April 2011

Online at <http://mpra.ub.uni-muenchen.de/30072/>
MPRA Paper No. 30072, posted 05. April 2011 / 12:42

Quantum and algorithmic Bayesian mechanisms

Haoyang Wu *

Abstract

Bayesian implementation concerns decision making problems when agents have incomplete information. This paper proposes that the traditional sufficient conditions for Bayesian implementation shall be amended by virtue of a quantum Bayesian mechanism. Furthermore, by using an algorithmic Bayesian mechanism, this amendment holds in the macro world too.

1 Introduction

Mechanism design is an important branch of economics. Compared with game theory, it concerns a reverse question: given some desirable outcomes, can we design a game that produces them? Nash implementation and Bayesian implementation are two key parts of the mechanism design theory. The former assumes complete information among the agents, whereas the latter concerns incomplete information. Ref. [1] is a seminal work in the field of Nash implementation. It provides an almost complete characterization of social choice rules that are Nash implementable when the number of agents is at least three. Palfrey and Srivastava [2], [3], and Jackson [4] together constructed a framework for Bayesian implementation.

In 2010, Wu [5] claimed that the sufficient conditions for Nash implementation shall be amended by virtue of a quantum mechanism. Furthermore, this amendment holds in the macro world by virtue of an algorithmic mechanism [6]. Given these accomplishments in the field of Nash implementation, this paper aims to investigate what will happen if the quantum mechanism is applied to Bayesian implementation.

The rest of this paper is organized as follows: Section 2 recalls preliminaries of Bayesian implementation given by Serrano [7]. In Section 3, a novel property, multi-Bayesian monotonicity, is defined. Section 4 and 5 are the main parts of this

* Wan-Dou-Miao Research Lab, Suite 1002, 790 WuYi Road, Shanghai, 200051, China.
Email addresses: hywch@mail.xjtu.edu.cn, Tel: 86-18621753457 (Haoyang Wu).

paper, in which we will propose quantum and algorithmic Bayesian mechanisms respectively. Section 6 draws the conclusions.

2 Preliminaries

Let $N = \{1, \dots, n\}$ be a finite set of *agents* with $n \geq 2$, $A = \{a_1, \dots, a_k\}$ be a finite set of social *outcomes*. Let T_i be the finite set of agent i 's types, and the *private information* possessed by agent i is denoted as $t_i \in T_i$. We refer to a profile of types $t = (t_1, \dots, t_n)$ as a *state*. Consider environments in which the state $t = (t_1, \dots, t_n)$ is not common knowledge among the n agents. We denote by T the set of states compatible with an environment, i.e., a set of states that is common knowledge among the agents. Let $T = \prod_{i \in N} T_i$. Each agent $i \in N$ knows his type $t_i \in T_i$, but not necessarily the types of the others. We will use the notation t_{-i} to denote $(t_j)_{j \neq i}$. Similarly, $T_{-i} = \prod_{j \neq i} T_j$.

Each agent has a *prior belief*, probability distribution, q_i defined on T . We make an assumption of nonredundant types: for every $i \in N$ and $t_i \in T_i$, there exists $t_{-i} \in T_{-i}$ such that $q_i(t) > 0$. For each $i \in N$ and $t_i \in T_i$, the conditional probability of $t_{-i} \in T_{-i}$, given t_i , is the *posterior belief* of type t_i and it is denoted $q_i(t_{-i}|t_i)$. Let $T^* \subseteq T$ be the set of states with positive probability. Given agent i 's state t_i and utility function $u_i(\cdot, t) : \Delta \times T \mapsto \mathbb{R}$, the *conditional expected utility* of agent i of type t_i corresponding to a social choice function (SCF) $f : T \mapsto \Delta$ is defined as:

$$U_i(f|t_i) \equiv \sum_{t'_{-i} \in T_{-i}} q_i(t'_{-i}|t_i) u_i(f(t'_{-i}, t_i), (t'_{-i}, t_i)).$$

An *environment with incomplete information* is a list $E = \langle N, A, (u_i, T_i, q_i)_{i \in N} \rangle$. For simplicity, we shall consider only single-valued rules. An SCF f is a mapping $f : T \mapsto A$. Let \mathcal{F} denote the set of SCFs. Two SCFs f and h are *equivalent* ($f \approx h$) if $f(t) = h(t)$ for every $t \in T^*$.

Consider a *mechanism* $\Gamma = ((M_i)_{i \in N}, g)$ imposed on an incomplete information environment E , $g : M \mapsto \mathcal{F}$. A *Bayesian Nash equilibrium* of Γ is a profile of strategies $\sigma^* = (\sigma_i^*)_{i \in N}$ where $\sigma_i^* : T_i \mapsto M_i$ such that for all $i \in N$ and for all $t_i \in T_i$,

$$U_i(g(\sigma^*)|t_i) \geq U_i(g(\sigma_{-i}^*, \sigma'_i)|t_i), \quad \forall \sigma'_i : T_i \mapsto M_i.$$

Denote by $\mathcal{B}(\Gamma)$ the set of Bayesian equilibria of the mechanism Γ . Let $g(\mathcal{B}(\Gamma))$ be the corresponding set of equilibrium outcomes. An SCF f is *Bayesian implementable* if there exists a mechanism $\Gamma = ((M_i)_{i \in N}, g)$ such that $g(\mathcal{B}(\Gamma)) \approx f$. An SCF f is *incentive compatible* if truth-telling is a Bayesian equilibrium of the direct

mechanism associated with f , i.e., if for every $i \in N$ and for every $t_i \in T_i$,

$$\sum_{t'_{-i} \in T_{-i}} q_i(t'_{-i}|t_i) u_i(f(t'_{-i}, t_i), (t'_{-i}, t_i)) \geq \sum_{t'_{-i} \in T_{-i}} q_i(t'_{-i}|t_i) u_i(f(t'_{-i}, t'_i), (t'_{-i}, t_i)),$$

$\forall t'_i \in T_i$. Consider a strategy in a direct mechanism for agent i , i.e., a mapping $\alpha_i = (\alpha_i(t_i))_{t_i \in T_i} : T_i \mapsto T_i$. A *deception* $\alpha = (\alpha_i)_{i \in N}$ is a collection of such mappings where at least one differs from the identity mapping. Given an SCF f and a deception α , let $[f \circ \alpha]$ denote the following SCF: $[f \circ \alpha](t) = f(\alpha(t))$ for every $t \in T$. For a type $t_i \in T_i$, an SCF f , and a deception α , let $f_{\alpha_i(t_i)}(t'_i) = f(t'_{-i}, \alpha_i(t_i))$ for all $t'_i \in T_i$.

An SCF f is *Bayesian monotonic* if for any deception α , whenever $f \circ \alpha \neq f$, there exist $i \in N$, $t_i \in T_i$, and an SCF y such that

$$U_i(y \circ \alpha|t_i) > U_i(f \circ \alpha|t_i), \quad \text{while } U_i(f|t'_i) \geq U_i(y_{\alpha_i(t_i)}|t'_i), \quad \forall t'_i \in T_i. \quad (*).$$

According to Ref. [7], the sufficient and necessary conditions for Bayesian implementation are incentive compatibility and Bayesian monotonicity. To facilitate the following discussion, here we cite the Bayesian mechanism (P404, Line 4, [7]) as follows: Consider a mechanism $\Gamma = ((M_i)_{i \in N}, g)$, where $M_i = T_i \times \mathcal{F} \times \mathbb{Z}_+$. Each agent is asked to report his type t_i , an SCF f_i and a nonnegative integer z_i , i.e., $m_i = (t_i, f_i, z_i)$. The outcome function g is as follows:

- (1) If for all $i \in N$, $m_i = (t_i, f, 0)$, then $g(m) = f(t)$, where $t = (t_1, \dots, t_n)$.
- (2) If for all $j \neq i$, $m_j = (t_j, f, 0)$ and $m_i = (t'_i, y, z_i) \neq (t'_i, f, 0)$, we can have two cases:
 - (a) If for all t_i , $U_i(y|t_i) \leq U_i(f|t_i)$, then $g(m) = y(t'_i, t_{-i})$;
 - (b) Otherwise, $g(m) = f(t'_i, t_{-i})$.
- (3) In all other cases, the total endowment of the economy is awarded to the agent of smallest index among those who announce the largest integer.

3 Multi-Bayesian monotonicity

An SCF f is *multi-Bayesian monotonic* if there exist a deception α , $f \circ \alpha \neq f$, and a set of agents $N^\alpha = \{i^1, i^2, \dots\} \subseteq N$, $2 \leq |N^\alpha| \leq n$, such that for every $i \in N^\alpha$, there exists $t_i \in T_i$ and an SCF $y^i \in \mathcal{F}$ satisfy:

$$U_i(y^i \circ \alpha|t_i) > U_i(f \circ \alpha|t_i), \quad \text{while } U_i(f|t'_i) \geq U_i(y^i_{\alpha_i(t_i)}|t'_i), \quad \forall t'_i \in T_i. \quad (**).$$

Let $l = |N^\alpha|$. Without loss of generality, let these l agents be the last l agents among n agents.

Proposition 1: Consider an SCF f that is incentive compatible and Bayesian monotonic, suppose f satisfies multi-Bayesian monotonic, then $f \circ \alpha$ is not Bayesian

implementable by using the traditional Bayesian mechanism, where α is specified in the definition of multi-Bayesian monotonicity.

Proof: According to Serrano's proof (Page 404, Line 33, [7]), all equilibrium strategies fall under rule 1, i.e., f is unanimously announced and all agents announce the integer 0. Consider the deception α specified in the definition of multi-Bayesian monotonicity. At first sight, if every agent $i \in N$ submits $(\alpha_i(t_i), f, 0)$, then $f \circ \alpha$ may be generated as the equilibrium outcome by rule 1. However, For each agent $i \in N^\alpha$, he has incentives to unilaterally deviate from $(\alpha_i(t_i), f, 0)$ to $(\alpha_i(t_i), y^i, 0)$ in order to obtain $y^i \circ \alpha$ (by rule 2). This is a profitable deviation for each agent $i \in N^\alpha$. Therefore, $f \circ \alpha$ is not Bayesian implementable. Note: Since all agents are rational and self-interested, every agent $i \in N^\alpha$ will submit $(\alpha_i(t_i), y^i, 0)$. As a result, rule 3 will be triggered, and the final outcome will be uncertain. \square

4 A quantum Bayesian mechanism

Following Ref. [5], here we will propose a quantum Bayesian mechanism to modify the sufficient conditions for Bayesian implementation. According to Eq (4) in Ref. [8], two-parameter quantum strategies are drawn from the set:

$$\hat{\omega}(\theta, \phi) \equiv \begin{bmatrix} e^{i\phi} \cos(\theta/2) & i \sin(\theta/2) \\ i \sin(\theta/2) & e^{-i\phi} \cos(\theta/2) \end{bmatrix}, \quad (1)$$

$\hat{\Omega} \equiv \{\hat{\omega}(\theta, \phi) : \theta \in [0, \pi], \phi \in [0, \pi/2]\}$, $\hat{J} \equiv \cos(\gamma/2)\hat{I}^{\otimes n} + i \sin(\gamma/2)\hat{\sigma}_x^{\otimes n}$, where γ is an entanglement measure, and $\hat{I} \equiv \hat{\omega}(0, 0)$, $\hat{D}_n \equiv \hat{\omega}(\pi, \pi/n)$, $\hat{C}_n \equiv \hat{\omega}(0, \pi/n)$.

Without loss of generality, we assume that:

- 1) Each agent i has a quantum coin i (qubit) and a classical card i . The basis vectors $|C\rangle = (1, 0)^T$, $|D\rangle = (0, 1)^T$ of a quantum coin denote head up and tail up respectively.
- 2) Each agent i independently performs a local unitary operation on his/her own quantum coin. The set of agent i 's operation is $\hat{\Omega}_i = \hat{\Omega}$. A strategic operation chosen by agent i is denoted as $\hat{\omega}_i \in \hat{\Omega}_i$. If $\hat{\omega}_i = \hat{I}$, then $\hat{\omega}_i(|C\rangle) = |C\rangle$, $\hat{\omega}_i(|D\rangle) = |D\rangle$; If $\hat{\omega}_i = \hat{D}_n$, then $\hat{\omega}_i(|C\rangle) = |D\rangle$, $\hat{\omega}_i(|D\rangle) = |C\rangle$. \hat{I} denotes "Not flip", \hat{D}_n denotes "Flip".
- 3) The two sides of a card are denoted as Side 0 and Side 1. The message written on the Side 0 (or Side 1) of card i is denoted as $card(i, 0)$ (or $card(i, 1)$). A typical card written by agent i is described as $c_i = (card(i, 0), card(i, 1))$. $card(i, 0), card(i, 1) \in T_i \times \mathcal{F} \times \mathbb{Z}_+$. The set of c_i is denoted as C_i .
- 4) There is a device that can measure the state of n coins and send messages to the designer.

A quantum Bayesian mechanism $\Gamma_B^Q = ((\hat{\Sigma}_i)_{i \in N}, \hat{g})$ describes a strategy set $\hat{\Sigma}_i = \{\hat{\sigma}_i : T_i \mapsto \hat{\Omega}_i \times C_i\}$ for each agent i and an outcome function $\hat{g} : \otimes_{i \in N} \hat{\Omega}_i \times \prod_{i \in N} C_i \mapsto A$.




Fig. 1. The setup of a quantum Bayesian mechanism. Each agent has a quantum coin and a card. Each agent independently performs a local unitary operation on his/her own quantum coin.

A strategy profile is $\hat{\sigma} = (\hat{\sigma}_i, \hat{\sigma}_{-i})$, where $\hat{\sigma}_{-i} : T_{-i} \mapsto \otimes_{j \neq i} \hat{\Omega}_j \times \prod_{j \neq i} C_j$. A *quantum Bayesian Nash equilibrium* of Γ_B^Q is a strategy profile $\hat{\sigma}^* = (\hat{\sigma}_1^*, \dots, \hat{\sigma}_n^*)$ such that for every $i \in N$ and for every $t_i \in T_i$,

$$U_i(\hat{g}(\hat{\sigma}^*)|t_i) \geq U_i(\hat{g}(\hat{\sigma}_{-i}^*, \hat{\sigma}'_i)|t_i), \quad \forall \hat{\sigma}'_i : T_i \mapsto \hat{\Omega}_i \times C_i.$$

Given $n \geq 2$ agents, consider the payoff to the n -th agent, we denote by $\$_{C \dots CC}$ the expected payoff when all agents choose \hat{I} (the corresponding collapsed state is $|C \dots CC\rangle$), and denote by $\$_{C \dots CD}$ the expected payoff when the n -th agent chooses \hat{D}_n and the first $n-1$ agents choose \hat{I} (the corresponding collapsed state is $|C \dots CD\rangle$). $\$_{D \dots DD}$ and $\$_{D \dots DC}$ are defined similarly.

Given a multi-Bayesian monotonic SCF f , define condition λ^B as follows:

- 1) λ_1^B : Consider the payoff to the n -th agent, $\$_{C \dots CC} > \$_{D \dots DD}$, i.e., he/she prefers the expected payoff of a certain outcome (generated by rule 1) to the expected payoff of an uncertain outcome (generated by rule 3).
- 2) λ_2^B : Consider the payoff to the n -th agent, $\$_{C \dots CC} > \$_{C \dots CD}[1 - \sin^2 \gamma \sin^2(\pi/l)] + \$_{D \dots DC} \sin^2 \gamma \sin^2(\pi/l)$.

The setup of the quantum Bayesian mechanism $\Gamma_B^Q = ((\hat{\Sigma}_i)_{i \in N}, \hat{g})$ is depicted in Fig.

1. The working steps of Γ_B^Q are given as follows:

Step 1: Nature selects a state $t \in T$ and assigns t to the agents. Each agent i knows t_i and $q_i(t_{-i}|t_i)$. The state of each quantum coin is set as $|C\rangle$. The initial state of the n quantum coins is $|\psi_0\rangle = \underbrace{|C \dots CC\rangle}_n$.

Step 2: If f is multi-Bayesian monotonic, then goto Step 4.

Step 3: Each agent i sets $c_i = ((t_i, f_i, z_i), (t_i, f_i, z_i))$, $\hat{\omega}_i = \hat{I}$. Goto Step 7.

Step 4: Each agent i sets $c_i = ((\alpha_i(t_i), f, 0), (t_i, f_i, z_i))$ (where α is specified in the definition of multi-Bayesian monotonic). Let n quantum coins be entangled by \hat{J} . $|\psi_1\rangle = \hat{J}|C \dots CC\rangle$.

Step 5: Each agent i independently performs a local unitary operation $\hat{\omega}_i$ on his/her

own quantum coin. $|\psi_2\rangle = [\hat{\omega}_1 \otimes \cdots \otimes \hat{\omega}_n] \hat{J} |C \cdots CC\rangle$.

Step 6: Let n quantum coins be disentangled by \hat{J}^+ . $|\psi_3\rangle = \hat{J}^+ [\hat{\omega}_1 \otimes \cdots \otimes \hat{\omega}_n] \hat{J} |C \cdots CC\rangle$.

Step 7: The device measures the state of n quantum coins and sends $card(i, 0)$ (or $card(i, 1)$) as m_i to the designer if the state of quantum coin i is $|C\rangle$ (or $|D\rangle$).

Step 8: The designer receives the overall message $m = (m_1, \cdots, m_n)$ and let the final outcome $\hat{g}(\hat{\sigma}) = g(m)$ using rules (1)-(3) defined in the traditional Bayesian mechanism. END.

Proposition 2: Consider an SCF f that is incentive compatible and Bayesian monotonic, if f is multi-Bayesian monotonic and condition λ^B is satisfied, then $f \circ \alpha$ is Bayesian implementable by using the quantum Bayesian mechanism.

Proof: Since f is multi-Bayesian monotonic, then there exist a deception α , $f \circ \alpha \neq f$, and $2 \leq l \leq n$ agents that satisfy Eq (**), i.e., for each agent $i \in N^\alpha$, there exist $t_i \in T_i$ and an SCF $y^i \in \mathcal{F}$ such that:

$$U_i(y^i \circ \alpha | t_i) > U_i(f \circ \alpha | t_i), \quad \text{while } U_i(f | t'_i) \geq U_i(y^i_{\alpha_i(t_i)} | t'_i), \quad \forall t'_i \in T_i.$$

Hence, the quantum Bayesian mechanism will enter Step 4. Each agent $i \in N$ sets $c_i = ((\alpha_i(t_i), f, 0), (t_i, f_i, z_i))$. Let $c = (c_1, \cdots, c_n)$. Since condition λ^B is satisfied, then similar to the proof of Proposition 2 in Ref. [5], if the n agents choose $\hat{\sigma}^* = (\hat{\omega}^*, c)$, where $\hat{\omega}^* = (\underbrace{\hat{I}, \cdots, \hat{I}}_{n-l}, \underbrace{\hat{C}_l, \cdots, \hat{C}_l}_l)$, then $\hat{\sigma}^* \in \mathcal{B}(\Gamma_B^Q)$. In Step 7, the corresponding collapsed state of n quantum coins is $|C \cdots CC\rangle$. Hence, for each agent $i \in N$, $m_i = (\alpha_i(t_i), f, 0)$. In Step 8, $\hat{g}(\hat{\sigma}^*) = f \circ \alpha \neq f$. \square

5 An algorithmic Bayesian mechanism

Following Ref. [6], in this section we will propose an algorithmic Bayesian mechanism to help agents benefit from the quantum Bayesian mechanism immediately. In the beginning, we cite the matrix representations of quantum states from Ref. [6].

5.1 Matrix representations of quantum states

In quantum mechanics, a quantum state can be described as a vector. For a two-level system, there are two basis vectors: $(1, 0)^T$ and $(0, 1)^T$. In the beginning, we

define:

$$|C\rangle = \begin{bmatrix} 1 \\ 0 \end{bmatrix}, \quad \hat{I} = \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}, \quad \hat{\sigma}_x = \begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}, \quad |\psi_0\rangle = \underbrace{|C \cdots CC\rangle}_n = \begin{bmatrix} 1 \\ 0 \\ \dots \\ 0 \end{bmatrix}_{2^n \times 1} \quad (2)$$

$$\hat{J} = \cos(\gamma/2) \hat{I}^{\otimes n} + i \sin(\gamma/2) \hat{\sigma}_x^{\otimes n} \quad (3)$$

$$= \begin{bmatrix} \cos(\gamma/2) & & & & & & & i \sin(\gamma/2) \\ & \dots & & & & & & \dots \\ & & \cos(\gamma/2) & i \sin(\gamma/2) & & & & \\ & & i \sin(\gamma/2) & \cos(\gamma/2) & & & & \\ & & & & \dots & & & \dots \\ & & & & & & & \dots \\ i \sin(\gamma/2) & & & & & & & \cos(\gamma/2) \end{bmatrix}_{2^n \times 2^n} \quad (4)$$

For $\gamma = \pi/2$,

$$\hat{J}_{\pi/2} = \frac{1}{\sqrt{2}} \begin{bmatrix} 1 & & & & & & & i \\ & \dots & & & & & & \dots \\ & & 1 & i & & & & \\ & & i & 1 & & & & \\ & & & & \dots & & & \dots \\ & & & & & & & \dots \\ i & & & & & & & 1 \end{bmatrix}_{2^n \times 2^n}, \quad \hat{J}_{\pi/2}^\dagger = \frac{1}{\sqrt{2}} \begin{bmatrix} 1 & & & & & & & -i \\ & \dots & & & & & & \dots \\ & & 1 & -i & & & & \\ & & -i & 1 & & & & \\ & & & & \dots & & & \dots \\ & & & & & & & \dots \\ -i & & & & & & & 1 \end{bmatrix}_{2^n \times 2^n} \quad (5)$$

$$|\psi_1\rangle = \hat{J} \underbrace{|C \cdots CC\rangle}_n = \begin{bmatrix} \cos(\gamma/2) \\ 0 \\ \dots \\ 0 \\ i \sin(\gamma/2) \end{bmatrix}_{2^n \times 1} \quad (6)$$




Fig. 2. The inputs and outputs of the algorithm.

5.2 An algorithm that simulates the quantum operations and measurements

Similar to Ref. [6], in the following we will propose an algorithm that simulates the quantum operations and measurements in Steps 4-7 of the quantum Bayesian mechanism given in Section 4. The amendment here is that now the inputs and outputs are adjusted to the case of Bayesian implementation. The factor γ is also set as its maximum $\pi/2$. For n agents, the inputs and outputs of the algorithm are illustrated in Fig. 2. The *Matlab* program is given in Fig. 3, which is cited from Ref. [6].

Inputs:

- 1) $\theta_i, \phi_i, i = 1, \dots, n$: the parameters of agent i 's local operation $\hat{\omega}_i, \theta_i \in [0, \pi], \phi_i \in [0, \pi/2]$.
- 2) $card(i, 0), card(i, 1), i = 1, \dots, n$: the information written on the two sides of agent i 's card, where $card(i, 0), card(i, 1) \in T_i \times \mathcal{F} \times \mathbb{Z}_+$.

Outputs:

- $m_i, i = 1, \dots, n$: the agent i 's message that is sent to the designer, $m_i \in T_i \times \mathcal{F} \times \mathbb{Z}_+$.

Procedures of the algorithm:

- Step 1: Reading parameters θ_i and ϕ_i from each agent $i \in N$ (See Fig. 3(a)).
- Step 2: Computing the leftmost and rightmost columns of $\hat{\omega}_1 \otimes \hat{\omega}_2 \otimes \dots \otimes \hat{\omega}_n$ (See Fig. 3(b)).
- Step 3: Computing the vector representation of $|\psi_2\rangle = [\hat{\omega}_1 \otimes \dots \otimes \hat{\omega}_n] \hat{J}_{\pi/2} |C \dots CC\rangle$.
- Step 4: Computing the vector representation of $|\psi_3\rangle = \hat{J}_{\pi/2}^+ |\psi_2\rangle$.
- Step 5: Computing the probability distribution $\langle \psi_3 | \psi_3 \rangle$ (See Fig. 3(c)).
- Step 6: Randomly choosing a ‘‘collapsed’’ state from the set of all 2^n possible states $\{|C \dots CC\rangle, \dots, |D \dots DD\rangle\}$ according to the probability distribution $\langle \psi_3 | \psi_3 \rangle$.
- Step 7: For each $i \in N$, the algorithm sends $card(i, 0)$ (or $card(i, 1)$) as a message m_i to the designer if the i -th basis vector of the ‘‘collapsed’’ state is $|C\rangle$ (or $|D\rangle$) (See

Fig. 3(d)).

5.3 An algorithmic version of the quantum Bayesian mechanism

In the quantum Bayesian mechanism $\Gamma_B^Q = ((\hat{\Sigma}_i)_{i \in N}, \hat{g})$, the key parts are quantum operations and measurements, which are restricted by current experimental technologies. In Section 5.2, these parts are replaced by an algorithm which can be easily run in a computer. Consequently, the quantum Bayesian mechanism $\Gamma_B^Q = ((\hat{\Sigma}_i)_{i \in N}, \hat{g})$ shall be updated to an *algorithmic Bayesian mechanism* $\tilde{\Gamma}_B^Q = ((\tilde{\Sigma}_i)_{i \in N}, \tilde{g})$, which describes a strategy set $\tilde{\Sigma}_i = \{\tilde{\sigma}_i : T_i \mapsto [0, \pi] \times [0, \pi/2] \times C_i\}$ for each agent i and an outcome function $\tilde{g} : [0, \pi]^n \times [0, \pi/2]^n \times \prod_{i \in N} C_i \rightarrow A$. A strategy profile is $\tilde{\sigma} = (\tilde{\sigma}_i, \tilde{\sigma}_{-i})$, where $\tilde{\sigma}_i = (\theta_i, \phi_i, c_i) \in \tilde{\Sigma}_i$, $\tilde{\sigma}_{-i} : T_{-i} \mapsto [0, \pi]^{n-1} \times [0, \pi/2]^{n-1} \times \prod_{j \neq i} C_j$. A Bayesian Nash equilibrium of $\tilde{\Gamma}_B^Q$ is a strategy profile $\tilde{\sigma}^* = (\tilde{\sigma}_1^*, \dots, \tilde{\sigma}_n^*)$ such that for any agent $i \in N$ and for all $t_i \in T_i$,

$$U_i(\tilde{g}(\tilde{\sigma}^*)|t_i) \geq U_i(\tilde{g}(\tilde{\sigma}_{-i}^*, \tilde{\sigma}'_i)|t_i), \quad \forall \tilde{\sigma}'_i : T_i \mapsto [0, \pi] \times [0, \pi/2] \times C_i.$$

As we have shown, the factor γ is set as $\pi/2$ in the algorithmic Bayesian mechanism. Thus, the condition λ^B shall be revised as $\lambda^{B\pi/2}$. $\lambda_1^{B\pi/2}$ is the same as λ_1^B ; $\lambda_2^{B\pi/2}$: Consider the payoff to the n -th agent, $\$_{C \dots CC} > \$_{C \dots CD} \cos^2(\pi/l) + \$_{D \dots DC} \sin^2(\pi/l)$.

Working steps of the algorithmic Bayesian mechanism $\tilde{\Gamma}_B^Q$:

- Step 1: Given an SCF f , if f is multi-Bayesian monotonic, goto Step 3.
- Step 2: Each agent i sets $card(i, 0) = (t_i, f_i, z_i)$, and sends $card(i, 0)$ as the message m_i to the designer. Goto Step 5.
- Step 3: Each agent i sets $card(i, 0) = (\alpha_i(t_i), f, 0)$ and $card(i, 1) = (t_i, f_i, z_i)$ (where α is specified in the definition of multi-Bayesian monotonic), then submits $\theta_i, \phi_i, card(i, 0)$ and $card(i, 1)$ to the algorithm.
- Step 4: The algorithm runs in a computer and outputs messages m_1, \dots, m_n to the designer.
- Step 5: The designer receives the overall message $m = (m_1, \dots, m_n)$ and let the final outcome be $g(m)$ using rules (1)-(3) of the traditional Bayesian mechanism. END.

5.4 Amending sufficient conditions for Bayesian implementation

Proposition 3: Given an SCF f that is incentive compatible and Bayesian monotonic:

- 1) If f is multi-Bayesian monotonic and condition $\lambda^{B\pi/2}$ is satisfied, then f is not Bayesian implementable;

2) Otherwise f is Bayesian implementable.

Proof: 1) Given an SCF f , since it is multi-Bayesian monotonic, then the mechanism $\widetilde{\Gamma}_B^Q$ enters Step 3.

Each agent i sets $c_i = (card(i, 0), card(i, 1)) = ((\alpha_i(t_i), f, 0), (t_i, f_i, z_i))$, and submits $\theta_i, \phi_i, card(i, 0)$ and $card(i, 1)$ to the algorithm. Let $c = (c_1, \dots, c_n)$. Since condition $\lambda^{B\pi/2}$ is satisfied, then similar to the proof of Proposition 1 in Ref. [6], if the n agents choose $\bar{\sigma}^* = (\theta^*, \phi^*, c)$, where $\theta^* = (\underbrace{0, \dots, 0}_n)$, $\phi^* = (\underbrace{0, \dots, 0}_{n-l}, \underbrace{\pi/l, \dots, \pi/l}_l)$,

then $\bar{\sigma}^* \in \mathcal{B}(\widetilde{\Gamma}_B^Q)$. In Step 6 of the algorithm, the corresponding ‘‘collapsed’’ state of n quantum coins is $|C \cdots CC\rangle$. Hence, in Step 7 of the algorithm, $m_i = card(i, 0) = (\alpha_i(t_i), f, 0)$ for each agent $i \in N$. Finally, in Step 5 of $\widetilde{\Gamma}_B^Q$, $\widetilde{g}(\bar{\sigma}^*) = g(m) = f \circ \alpha \neq f$, i.e., f is not Bayesian implementable.

2) If f is not multi-Bayesian monotonic or condition $\lambda^{B\pi/2}$ is not satisfied, then the aforementioned $\bar{\sigma}^*$ does not exist. Obviously, $\widetilde{\Gamma}_B^Q$ is reduced to the traditional Bayesian mechanism. Since the SCF f is incentive compatible and Bayesian monotonic, then it is Bayesian implementable. \square

6 Conclusions

This paper follows the series of papers on quantum mechanism [5,6]. In this paper, the quantum and algorithmic mechanisms in Refs. [5,6] are generalized to Bayesian implementation with incomplete information. It can be seen that for n agents, the time complexity of quantum and algorithmic Bayesian mechanisms are $O(n)$ and $O(2^n)$ respectively. Although current experimental technologies restrict the quantum Bayesian mechanism to be commercially available, for small-scale cases (e.g., less than 20 agents [6]), the algorithmic Bayesian mechanism can help agents benefit from quantum Bayesian mechanism immediately.

Acknowledgments

The author is very grateful to Ms. Fang Chen, Hanyue Wu (*Apple*), Hanxing Wu (*Lily*) and Hanchen Wu (*Cindy*) for their great support.

References

- [1] E. Maskin, Nash equilibrium and welfare optimality, *Rev. Econom. Stud.* **66** (1999) 23-38.

- [2] T.R. Palfrey and S. Srivastava, On Bayesian implementable allocations. *Rev. Econom. Stud.*, **54** (1987) 193-208.
- [3] T.R. Palfrey and S. Srivastava, Mechanism design with incomplete information: A solution to the implementation problem. *J. Political Economy*, **97** (1989) 668-691.
- [4] M.O. Jackson, Bayesian implementation. *Econometrica*, **59** (1991) 461-477.
- [5] H. Wu, Quantum mechanism helps agents combat “bad” social choice rules. *International Journal of Quantum Information*, 2010 (accepted).
<http://arxiv.org/abs/1002.4294>
- [6] H. Wu, On amending the sufficient conditions for Nash implementation. *Theoretical Computer Science*, 2011 (submitted).
<http://arxiv.org/abs/1004.5327>
- [7] R. Serrano, The theory of implementation of social choice rules, *SIAM Review* **46** (2004) 377-414.
- [8] A.P. Flitney and L.C.L. Hollenberg, Nash equilibria in quantum games with generalized two-parameter strategies, *Phys. Lett. A* **363** (2007) 381-388.

```

start_time = cputime

% n: the number of agents. For example, suppose there are 3 agents. N={1, 2, 3}.
% Suppose the SCF  $f$  is incentive compatible, Bayesian monotonic and
% multi-Bayesian monotonic.  $N^\alpha=\{1, 2\}$ .
n=3;

% gamma: the coefficient of entanglement. Here we simply set gamma to its maximum  $\pi/2$ .
gamma=pi/2;

% Defining the array of  $\theta_i$  and  $\phi_i, i = 1, \dots, n$ .
theta=zeros(n,1);
phi=zeros(n,1);

% Reading agent 1's parameters. For example,  $\hat{\omega}_1 = \hat{C}_2 = \hat{\omega}(0, \pi/2)$ 
theta(1)=0;
phi(1)=pi/2;

% Reading agent 2's parameters. For example,  $\hat{\omega}_2 = \hat{C}_2 = \hat{\omega}(0, \pi/2)$ 
theta(2)=0;
phi(2)=pi/2;

% Reading agent 3's parameters. For example,  $\hat{\omega}_3 = \hat{I} = \hat{\omega}(0, 0)$ 
theta(3)=0;
phi(3)=0;

```

Fig. 3 (a). Reading each agent i 's parameters θ_i and $\phi_i, i = 1, \dots, n$.

```

% Defining two 2*2 matrices
A=zeros(2,2);
B=zeros(2,2);

% In the beginning, A represents the local operation  $\hat{\omega}_1$  of agent 1. (See Eq (1))
A(1,1)=exp(i*phi(1))*cos(theta(1)/2);
A(1,2)=i*sin(theta(1)/2);
A(2,1)=A(1,2);
A(2,2)=exp(-i*phi(1))*cos(theta(1)/2);
row_A=2;

% Computing  $\hat{\omega}_1 \otimes \hat{\omega}_2 \otimes \dots \otimes \hat{\omega}_n$ 
for agent=2 : n
    % B varies from  $\hat{\omega}_2$  to  $\hat{\omega}_n$ 
    B(1,1)=exp(i*phi(agent))*cos(theta(agent)/2);
    B(1,2)=i*sin(theta(agent)/2);
    B(2,1)=B(1,2);
    B(2,2)=exp(-i*phi(agent))*cos(theta(agent)/2);

    % Computing the leftmost and rightmost columns of  $C = A \otimes B$ 
    C=zeros(row_A*2, 2);
    for row=1 : row_A
        C((row-1)*2+1, 1) = A(row,1) * B(1,1);
        C((row-1)*2+2, 1) = A(row,1) * B(2,1);
        C((row-1)*2+1, 2) = A(row,2) * B(1,2);
        C((row-1)*2+2, 2) = A(row,2) * B(2,2);
    end
    A=C;
    row_A = 2 * row_A;
end
% Now the matrix A contains the leftmost and rightmost columns of  $\hat{\omega}_1 \otimes \hat{\omega}_2 \otimes \dots \otimes \hat{\omega}_n$ 

```

Fig. 3 (b). Computing the leftmost and rightmost columns of $\hat{\omega}_1 \otimes \hat{\omega}_2 \otimes \dots \otimes \hat{\omega}_n$

```

% Computing  $|\psi_2\rangle = [\hat{\omega}_1 \otimes \hat{\omega}_2 \otimes \dots \otimes \hat{\omega}_n] \hat{J} |C \dots CC\rangle$ 
psi2=zeros(power(2,n),1);
for row=1 : power(2,n)
    psi2(row)=A(row,1)*cos(gamma/2)+A(row,2)*i*sin(gamma/2);
end

% Computing  $|\psi_3\rangle = \hat{J}^+ |\psi_2\rangle$ 
psi3=zeros(power(2,n),1);
for row=1 : power(2,n)
    psi3(row)=cos(gamma/2)*psi2(row) - i*sin(gamma/2)*psi2(power(2,n)-row+1);
end

% Computing the probability distribution  $\langle \psi_3 | \psi_3 \rangle$ 
distribution=psi3.*conj(psi3);
distribution=distribution./sum(distribution);

```

Fig. 3 (c). Computing $|\psi_2\rangle, |\psi_3\rangle, \langle \psi_3 | \psi_3 \rangle$.

```

% Randomly choosing a "collapsed" state according to the probability distribution  $\langle \psi_3 | \psi_3 \rangle$ 
random_number=rand;
temp=0;
for index=1: power(2,n)
    temp = temp + distribution(index);
    if temp >= random_number
        break;
    end
end

% indexstr: a binary representation of the index of the collapsed state
% '0' stands for  $|C\rangle$ , '1' stands for  $|D\rangle$ 
indexstr=dec2bin(index-1);
sizeofindexstr=size(indexstr);

% Defining an array of messages for all agents
message=cell(n,1);

% For each agent  $i \in N$ , the algorithm generates the message  $m_i$ 
for index=1 : n - sizeofindexstr(2)
    message{index,1}=strcat('card(',int2str(index),'0');
end
for index=1 : sizeofindexstr(2)
    if indexstr(index)=='0' % Note: '0' stands for  $|C\rangle$ 
        message{n-sizeofindexstr(2)+index,1}=strcat('card(',int2str(n-sizeofindexstr(2)+index),'0');
    else
        message{n-sizeofindexstr(2)+index,1}=strcat('card(',int2str(n-sizeofindexstr(2)+index),'1');
    end
end

% The algorithm sends messages  $m_1, m_2, \dots, m_n$  to the designer
for index=1:n
    disp(message(index));
end

end_time = cputime;
runtime=end_time - start_time

```

Fig. 3 (d). Computing all messages m_1, m_2, \dots, m_n . This part corresponds to Step 7 of the quantum Bayesian mechanism in Section 4.