DOES ON-FARM QUALITY ASSURANCE PAY? A COST-BENEFIT ANALYSIS OF THE *GRAINSAFE* PROGRAM

by

Umit Karaca, Dirk Maier and Corinne Alexander

Staff Paper # 06-02

February 2006

Dept. of Agricultural Economics

Purdue University

Purdue University is committed to the policy that all persons shall have equal access to its programs and employment without regard to race, color, creed, religion, national origin, sex, age, marital status, disability, public assistance status, veteran status, or sexual orientation.

DOES ON-FARM QUALITY ASSURANCE PAY? A COST-BENEFIT ANALYSIS OF THE *GRAINSAFE* PROGRAM

by

Umit Karaca, Dirk Maier and Corinne Alexander¹ Dept. of Agricultural Economics, Purdue University West Lafayette, Indiana 47907-1145 <u>cealexan@purdue.edu</u> Staff Paper #06-02

February 2006

Abstract

Since the introduction of genetically modified (GM) crops, the commodity grain system has been under pressure to segregate GM and non-GM crops. Starting at the level of the grain handler, members of the grain supply chain have successfully used quality assurance and identity preservation programs to segregate non-GM crops. Producers delivering high value, identity preserved crops have become interested in implementing these quality management systems at the farm level. We conduct a cost-benefit analysis that shows that quality assurance program may be profitable for producers, depending on their farm size and equipment management strategy.

Keywords: on-farm quality assurance, identity preservation, cost-benefit analysis, @Risk

Dr. Alexander is an assistant professor in the Department of Agricultural Economics, Purdue University.

Corinne E. Alexander Purdue University 403 W. State Street 630 Krannert West Lafayette, IN 47907-2056 Ph: 765-494-4249 FAX: 765-494-9176

Copyright © 2006 by Corinne E. Alexander. All rights Reserved. Readers may make verbatim copies of this document for non-commercial purposes by any means, provided that this copyright notice appears on all such copies.

DOES ON-FARM QUALITY ASSURANCE PAY? A COST-BENEFIT ANALYSIS OF THE *GRAINSAFE* PROGRAM

by Corinne Alexander

Introduction

Trade of agricultural products has been based on the commodity system. With the introduction of genetically modified (GM) crops in 1996, the grain handling system has been under pressure to keep GM crops segregated from non-GM crops. Currently, Europe and Japan have restrictions on the importation of GM crops, and several major U.S. food companies have discontinued the use of GM ingredients in their products. The U.S. grain handling system learned that its efforts to segregate GM and non-GM crops were not successful when the food supply chain was found to be contaminated with GM corn not approved for human consumption (e.g., StarLink). In response to the StarLink contamination, many companies have introduced programs to assure the quality of the crop, and preserve its identity in order to guarantee the segregation of non-GM crops destined for Europe, Japan, or food companies. Quality assurance (QA) and identity preservation (IP) programs would likely have prevented the StarLink contamination of the food supply chain, which was estimated to cost the supply chain one billion dollars.

While much of the grain supply chain has implemented QA and IP programs, most of these programs start at the level of the first handler. Currently, producers are becoming interested in using these programs to gain an advantage in delivering value-added grains. However, any QA or IP program, like the *Grainsafe* On-Farm Quality Assurance Program that guarantees quality and segregation, will require additional handling efforts and will thus create additional costs. The main objectives of this paper were: 1) to develop a cost analysis model for the production of white corn with and without the *Grainsafe* program for two different equipment management strategies and three farm sizes. 2) To quantify the additional costs associated with the *Grainsafe* program and compare them with the costs of conventional white corn production. 3) To quantify the producer benefits associated with the *Grainsafe* program.

The Grainsafe Program

Grainsafe, developed by the Purdue University Post-Harvest Education and Research Center (PHERC), is a quality assurance program integrated with Good Grain Production Practices (GGPP) and Good Grain Handling Practices (GGHP). The *Grainsafe* program adds additional steps to conventional grain production practices and requires producers to keep records of their farming practices in a pre-arranged format to ensure high end-use quality and to preserve the identity of the crop leaving the farm. These requirements will create additional costs: labor costs due to training, record keeping and management, field sampling and strict clean-out practices required by the program, and the costs for laboratory testing. Operations planning and equipment management strategies have additional importance in the adoption of QA and IP programs like *Grainsafe* as they prevent contamination and reduce the labor costs. The first in field – first out of field, also called first-in first-out (FIFO), strategy requires the introduction of the IP grain into the production system before commodity grains (Nielsen and Maier, 2001). In other words, IP

grains should be planted, harvested, dried, handled and shipped before commodity grains, when all equipment and facilities of the system were clean at the start of the season. The FIFO equipment management strategy prevents the carryover of commodity grain and avoids in-season clean-out (ISCO) of equipment and facilities.

There are three potential benefits associated with adopting the *Grainsafe* program. First, *Grainsafe* may increase the overall quality of delivered grain. Therefore, producers will avoid discounts for delivering grain below the quality standards to buyers and may capture previously unavailable premiums. Producers who regularly face discounts due to low quality will benefit the most from adopting *Grainsafe*. Second, *Grainsafe* will reduce the likelihood that the grain fails to meet the quality standards. Therefore, quality premiums for grains produced under *Grainsafe* will effectively increase. Third, *Grainsafe* will allow the producer to maintain a reputation for delivering high quality grains and may increase the likelihood that a producer would be offered additional acreage or bushels under contract for IP and QA grain in the future.

Buyers of the QA and IP grains through the *Grainsafe* program will also benefit. Grain buyers and processors may realize cost advantages in their own processes due to sourcing uniformly higher quality grain from *Grainsafe* program producers. Most importantly, buyers and processors will be able to access markets like Japan and the European Union (EU) that demand process verification or traceability by linking *Grainsafe* with their QA and traceability protocols.

Quantifying the benefits and costs associated with *Grainsafe* generates critical information for producers considering whether to adopt *Grainsafe* for specialty crop production. The cost analysis of *Grainsafe* adoption included the identification of costs associated with the program adoption, and comparison of total production costs with those of conventional grain production. The benefit analysis of *Grainsafe* in this paper focused on producers; benefits to buyers and the grain and food industries were outside the scope of this paper.

Literature Review

Several studies have estimated the costs of QA and IP programs. Most of these studies have focused on the additional costs faced by grain elevators. In one of the first studies, Hurburgh (1994) estimated the additional physical costs of segregating soybeans at country elevators based on protein and oil content and found that the additional costs of testing and segregation were 2-3 cents per bushel. Based on a previous University of Illinois study, Lin et al. (2000) estimated the costs of segregation of non-GM grains and oilseeds along the marketing chain. They estimated that segregation could add about \$0.22 per bushel (excluding any premiums to the producer) to the cost of marketing non-GM corn from country elevator to export elevator. They also stated that in order to avoid commingling in shipments, grain handlers might require adoption of specific production and harvesting practices from producers.

Kalaitzandonakes et al. (2001) examined the elevator-level costs of IP. They estimated the costs of identity preserving high oil corn at the 5% purity level for three case-study elevators with multiple scenarios of bin filling schedules, crop-to-bin assignments, incoming volumes, and other key parameters, using a model they built called Process & Economic Simulation of IP

(PRESIP). An additional average IP cost of \$0.35 per bushel was reported. The authors also highlighted the importance of hidden or opportunity costs (e.g., grind margin loss, losses from underutilization of capacity) that can occur from adapting current commodity operations to IP. They concluded that added costs were an important obstacle to fast growth in IP markets but that in the long run IP costs would diminish through efforts in organizational learning, technical and institutional innovations, and investments in a more efficient physical infrastructure.

Two studies have examined on-farm IP costs. First, Gustafson (2002) estimated IP costs using the case of certified seed production. Based on two interviews with certified seed producers, he estimated the cost of IP production and marketing to be \$4.68 per bushel in addition to the costs normally incurred for commodity production. This cost estimate included direct IP production and economic costs, as well as hidden IP costs such as the amount of time spent for researching opportunities, compiling data, advertising, developing reports, and restricted activities on fields bordering the IP field. Second, Huygen, Veeman and Lerohl (2003) estimated the IP costs for at the farm level, primary elevator level and export elevator level for three supply-chain systems designed to IP non-GM wheat where the GM tolerance levels ranged from 5% to 0.1%. Based on data from 14 seed growers, they estimated that farm level IP production costs range from \$1.04 per ton (\$0.029 per bushel) at the 5% tolerance level to \$6.45 per ton (\$0.18 per bushel) at the 0.1% tolerance level. This cost estimate included only direct production costs such as isolating the crop, controlling volunteer plants, and cleaning of the seeder, combine, truck, semi, bin, dryer and auger.

Cost Analysis

The cost analysis compares two production alternatives to evaluate the costs associated with the *Grainsafe* program: production of food-grade white corn and commodity corn (#2 yellow corn) on the same farm with and without *Grainsafe*. Each alternative had two different operations planning and equipment management strategies (FIFO and ISCO) for three different farm sizes (250, 500 and 1000 acres). Figure 1 shows the resulting 12 different scenarios.

The base scenarios assumed that the whole farm was planted to commodity corn. Because only one variety of corn was produced in the base scenarios, operations planning and equipment management strategies were not relevant. The white corn scenarios assume that half of the acres were planted with commodity corn and the remaining half were planted with white corn. For all scenarios, the field size was 125 acres. The cost analysis was only conducted for the white corn acres. For instance, for the 500-acre farm the cost analysis only covered the 250 acres of white corn, which was planted on two 125-acre fields.

The FIFO equipment management strategy assumed that the planting, harvest and handling equipment, and associated facilities were thoroughly cleaned-out before the growing season started and that there was absolutely no down time due to clean-out during the season. In the without-*Grainsafe* FIFO scenarios (white-F), where the equipment and facilities clean-outs occurred before the growing season, clean-out times were assumed to be included in the 2-hours-per-acre base labor time. In the with-*Grainsafe* FIFO scenarios (whiteGS-F), additional labor was added to the base (shown in Table 3). The ISCO equipment management strategy assumed that the planting, harvesting and handling equipment, and associated facilities were cleaned-out

one time during the growing and harvest seasons in addition to the pre-season clean-out. In all ISCO scenarios (white-R and whiteGS-R), the additional clean-out times were added to the base.

Two delivery times, in January and in May, were chosen to evaluate the costs for different storage periods and different corn prices at the time of delivery. Corn was assumed to be stored on-farm and delivered to the buyer at 15% moisture content in January and at 14% moisture content in May. The cost analysis model included both variable and fixed costs of crop production. The assumption was that producers already owned the required farm equipment, machinery, storage and other facilities to produce, handle and store white and commodity corn in the same growing season, i.e. they did not need to invest into new equipment, machinery, etc.

The total production costs for each scenario are simulated using @RISK to conduct a Monte Carlo analysis. The stochastic variables in the model were corn prices and yields, which were assumed to be normally distributed. The commodity corn yield and price distributions were based on 1997-2003 Indiana corn yield and price data shown in Table 1 (IASS, 2004). Table 2 reports the Pearson's correlation coefficients for corn yields and prices and shows that yields and prices are inversely related as expected. The correlation between yields and prices is stronger in October than in January and May. Because corn prices and yields are correlated, this correlation is taken into account in sampling corn prices and yields using the Corrmat function in @Risk. It is important to account for this correlation in sampling. Otherwise, some iterations would reflect highly unlikely conditions – such as high corn yield and high corn prices.

White corn yields were calculated using the yield drags for the respective years (Sparks, 2003). On average, the white corn yield was 4.43% lower than the commodity corn yield. The white corn prices were calculated using premiums for the respective years (Sparks, 2003). On average, white corn producers were paid a \$0.29 per bushel premium over commodity corn.

All costs reported in the analyses are as of 2004, unless otherwise specified. The production costs of corn following soybeans (with yield of 145 bushels per acre) are based on Schnitkey (2004). Drying, storage, interest on operating inputs, labor costs, transportation and laboratory test fees were calculated using other data, to be described below.

Corn was assumed to be harvested at 22% moisture content, and then artificially dried to 15% on-farm in two dedicated drying systems. The continuous-flow drying system was assumed to be part of a standard grain handling system including a receiving pit, bucket elevator, wet holding bin, and storage bins. The in-bin drying system was assumed to be filled and unloaded with a dedicated portable belt conveyor, and it also served as the storage bin. Thus, no additional clean-out of system components was required to avoid contamination of white and yellow corn. The per bushel continuous-flow drying cost was calculated using the reference data and method given in Uhrig and Maier (1992), and the per bushel in-bin drying cost was calculated using the continuous-heat data for Indianapolis given in Bartosik (2003). For the 2004 harvest, drying costs were \$0.1481 per bushel for the continuous-flow drying method, and \$0.1434 per bushel for the in-bin drying method, a \$0.0046 per bushel cost difference between these two methods. Storage costs include conveyance, aeration and interest costs after drying. Conveyance and aeration costs were taken from Dhuyvetter et al. (2000) and were assumed to be one-time costs that did not change with the storage period. Interest costs occurred during the storage period.

because holding the grain did not allow producers to invest the grain sales income. The interest rate was taken as 6.43%, which was the average of the 2003 fixed annual interest rate for other farm operating loans for the Seventh (Chicago) Federal Reserve District (Federal Reserve Board, 2004). Interest costs constituted nearly two-thirds of the total storage costs.

In white corn production, there were additional transportation costs, because producers may be delivering their product to a more distant delivery point than the nearest open market buyer. Based on the USDA National Agricultural Statistics Service report (2003), producers had to travel 12 more miles in order to deliver specialty corn to a contract delivery point in the Corn Belt region. The trucking rate of \$2.68 per mile was taken from the weekly Grain Transportation Report of the USDA Agricultural Marketing Service (AMS, 2004). Each truck was assumed to deliver 1000 bushels of corn.

The base labor required for corn production was two hours per acre (Schnitkey, 2004). The wage rate of \$9.10 per hour was the average of the 2003 and 2004 average field work rates (IASS, 2004). The ISCO equipment management strategy and *Grainsafe* require additional labor and these steps included training, record-keeping, sample collection, and extra cleaning of equipment and facilities.

Grainsafe requires keeping records of several farming practices using the forms in the *Grainsafe* Manual. Producers have to participate in a 4-hour training session before adopting *Grainsafe* where they are given detailed instructions about the work procedures and the record-keeping forms. Producers testing the beta version of *Grainsafe* reported the record-keeping time as 15-30 minutes, but it was not clear whether this time was per field or per record-keeping form. Therefore, the record-keeping time was assumed as 1.5 hours per field for the entire production season. This time also included all management activities such as communicating with neighbors that are required to comply with *Grainsafe*.

Grainsafe requires strict equipment and facilities clean-out procedures that are usually more labor-intensive than conventional equipment cleaning practices. Table 3 shows the labor hours for equipment and structure cleaning. These values were obtained from Hanna et al. (2004), Hanna and McGuire (2002), and unpublished data from Ess and Fleck (2004).

Grainsafe requires laboratory test for pre-harvest genetic and physical purity. Collection of corn ears from different parts of the field, shelling them, and then sending the samples to a laboratory for testing were assumed to take 3 hours per field. The cost of the laboratory test was assumed to be \$125 per test, the Indiana Crop Improvement Association fee for PCR Testing (ICIA, 2005). It was assumed that 8 samples were collected from each field, which resulted in a \$0.0665 per bushel test cost for all farm sizes. Laboratory test costs might be paid by the buyer depending on the contract between the parties. In this analysis it was assumed to be paid by the producer. *Grainsafe* program audit costs were ignored based on the assumption that these costs would be incurred by the buyer. The buyer might audit the *Grainsafe* program with its own staff or hire a third-party service.

Results and Discussion

The laboratory test costs were found to be the largest cost associated with *Grainsafe*. Farm size and equipment management strategies influenced costs, while delivery time only had a minor impact on cost.

Farm Size

As farm size increased, per bushel total production costs decreased because larger farms captured economies of scale in storage, and can spread fixed costs over a larger number of bushels. For instance, for January corn delivery, the average total production cost on the 1000-acre farm was \$0.0083 per bushel, or 0.23%, lower than the 250-acre farm. Equipment clean-out times were assumed to be the same in all farm sizes (equipment capacity might change), and so equipment clean-out costs diminish as farmed acres increase. Of course, this analysis may be underestimating the cost advantages of larger farms because it ignored potential input cost differences; larger farms often receive volume discounts that are not available to smaller farms.

Adoption of *Grainsafe* and implementation of ISCO required more labor hours for the equipment clean out practices, which increased fixed production costs and thereby increased the cost advantage of larger farms (Table 5). In the least labor-intensive scenario, FIFO without *Grainsafe*, the total production cost difference between the 250-acre and 500-acre farms was \$0.0010 per bushel. In the most labor-intensive scenario, adoption of *Grainsafe* with ISCO, the total production cost difference increased by 11 times to \$0.0110 per bushel. Adoption of *Grainsafe* with FIFO increased the total production costs by 6 times to \$0.0060 per bushel. Overall, producers adopting *Grainsafe* will face higher production costs, and these production costs increases will be relatively higher for small farms. The maximum cost increase found in this analysis was \$0.0110 per bushel. However, implementation of FIFO with *Grainsafe* reduces these additional production costs by almost 50%.

Equipment Management Strategy

The total production costs were higher for ISCO than for FIFO due to the additional equipment clean-outs (Table 5). However, the cost difference was negligible. For example, on the 500-acre farm, implementing ISCO without *Grainsafe* had an additional \$0.0012 per bushel (0.04%) cost over FIFO. Adoption of *Grainsafe* further increased the cost of ISCO because the additional inseason equipment clean-outs were more labor intensive with *Grainsafe*. For example, on the 500-acre farm, adoption of *Grainsafe* with ISCO increased the total production cost by \$0.0050 per bushel (0.14%) compared to FIFO and most of this increase (\$0.0038 per bushel or 76%) was due to *Grainsafe* (Table 5). Producers adopting *Grainsafe* with ISCO will incur more production costs than those implementing FIFO. However, these increases in the total production costs were small, less than a penny per bushel for the three farm sizes evaluated.

Additional Labor Hours and Costs of the Grainsafe Program

As mentioned before, *Grainsafe* requires strict equipment clean-out practices, and additional training, field sampling, and record-keeping times that increase the labor time and costs. The

additional labor hours required on top of the 2-hours-per-acre base labor are shown in Figure 2 and the associated labor costs are shown in Figure 3^1 . Sampling and record keeping required an additional 0.024 and 0.012 hours per acre and cost \$0.0018 and \$ 0.0009 per bushel, respectively. Sampling and recordkeeping are per-field costs that do no depend on the farm size because the field size was assumed to be 125 acres regardless of farm size.

Training hours per acre decreased with the increasing farm size, because training time was constant. Producers attended one training session before the growing season. Per-acre training hours were 0.016, 0.008 and 0.004 and per-bushel training costs were \$0.0024, \$0.0012 and \$0.0006 for the 250-acre, 500-acre and 1000-acre farms, respectively.

The equipment and facilities clean-outs were the largest component of the additional labor required by the *Grainsafe* program. These labor costs decreased as farm size increased, indicating that there are significant economies of scale in IP production (Figure 3). These labor costs were higher for ISCO, which has one more clean-out practice during the season. For example, *Grainsafe* required an additional 0.0687 hours per acre (3.44%) on top of the 2-hours-per-acre base labor time on the 500-acre farm with FIFO, which translated into an additional \$0.0078 per bushel (5.13%) labor cost on top of the \$0.1513 per bushel base labor cost. For the 500-acre farm, *Grainsafe* with ISCO required an additional 0.0767 hours per acre (3.84%) more than the base labor time, which translated into an additional \$0.0115 per bushel (7.62%) labor cost above the base labor cost and \$0.0037 per bushel more than that of *Grainsafe* with FIFO. Overall, the labor cost increase with the adoption of *Grainsafe* was very small, less than 1%, even in the most labor-intensive scenario (i.e., ISCO in the 250-acre farm).

Laboratory Test Cost of the Grainsafe Program

Laboratory test costs were the largest cost associated with *Grainsafe*, and comprised 75% to 93% of the total additional costs depending on the farm size (Figure 4). The laboratory test costs for pre-harvest purity tests required by *Grainsafe* were \$125 per test, and since one test is required per-field, the per bushel laboratory test cost was \$0.0665 for all farm sizes regardless of the equipment management strategy. Laboratory test costs might be paid by the buyer depending on the contract between the parties. Including the laboratory test costs, the percent increase in the total productions costs with the adoption of *Grainsafe* was the highest, 2.48%, for the 250-acre farm with ISCO, and the lowest, 2.04% for the 1000-acre farm with FIFO. Assuming the laboratory test costs. However, the percent increase in the total production costs is substantially smaller; at most, 0.60%, for the 250-acre farm with ISCO, and at least, 0.15% for the 1000-acre farm with FIFO.

¹ The labor cost calculations were only done for January delivery because there was no additional labor between January and May, and the labor cost difference for the two hours per acre of base labor between January and May was negligible at only \$0.0014 per bushel.

January versus May Delivery

The per bushel total production cost of delivering corn in May was, on average, \$0.0880 per bushel (2.53%) higher than delivering in January (Table 5). Almost half of this additional cost (48%) was due to the additional interest cost of storing corn four extra months. Another component of the additional costs of delivering corn in May due to the assumed 1% difference in moisture which caused shrinkage, i.e. decreased the number of bushels delivered in May.

Adoption of *Grainsafe* only increased the total production cost difference between January and May deliveries by \$0.0009 (1.07%) per bushel. This negligible difference was mainly because of the interest costs of the additional labor costs and laboratory test fees associated with *Grainsafe*. For May delivery, these additional costs were carried four more months. The choice of the equipment management strategy did not have an effect on the total production cost differences when delivering corn in different months. Therefore, producers adopting *Grainsafe* will not incur considerable additional costs when delivering corn at different times after harvest.

Benefit Analysis

The benefit analysis of the *Grainsafe* program focused on the benefits to producers of *Grainsafe* with respect to avoiding discounts due to delivering grain below the quality standards. Quantifying all benefits of *Grainsafe* to producers was not possible.

The quality standards of grain delivered to the buyer, which were taken from a white corn processor's food corn contract, are shown in Table 4. These values were used as the basis for the expected grain quality. The moisture content standards were not considered as a potential cause of discount or rejection, because *Grainsafe* assumes successful on-farm drying and storage of corn before delivery. Also, it was assumed that any delivery that contained any trace amount of GM yellow corn would be rejected.

There were no available data on the rejections of and discounts applied to grain deliveries, nor on the percentage of grain deliveries that did not meet the quality specifications. Thus, it was not possible to build a model for discounts and rejections based on data. Instead, hypothetical grain deliveries with different quality levels were compared.

The level of grain quality was represented as percentiles. These values were percentiles of each quality parameter in the interval between its discount and rejection limits. For instance, grain with an 80% quality had a BCFM level of 2.20%, stress cracks of 21.00% and total damages of 3.60%. The calculation of the BCFM level is shown below.

BCFM rejection limit	= 3.00%

BCFM discount limit = 2.00%

The 80% BCFM quality occurs in the interval between the rejection and discount limits $(3.00\% - 2.00\%) \times 80\% = 0.80\%$). BCFM level that will be 0.80% less than the rejection limit at

3.00% - 0.80% = 2.20%. The same method was used to calculate stress crack and total damage levels.

The price discounts were found by multiplying the different quality parameter values and their discount limits with the discounts listed in Table 4. For example, grain with an 80% quality level will have the following price discount:

 $(2.20\% - 2.00\%) \times (0.5 \text{ } \text{e/bu}) + (21.00\% - 20.00\%) \times (1.0 \text{ } \text{e/bu}) +$

 $(3.60\% - 3.00\%) \times (1.0 \text{ } \text{e/bu}) = 1.70 \text{ cents per bushel}$

The average January price of white corn was \$2.5514 per bushel. Grain with an 80% quality level would have been sold for \$2.5344 per bushel after a discount of 1.70 cents per bushel. If the producer delivered 60,000 bushels (500-acre field with 120 bushels per acre yield after drying and storage losses), he would lose \$1,020 because of the discount calculated above.

Discounts and rejections avoided with the adoption of *Grainsafe* were a benefit to the producer. If a producer usually delivered grain at an 80% quality level, and was able to improve grain quality to levels above the discount limits through adoption of *Grainsafe*, then the producer would have a benefit of 1.70 cents per bushel. Producers already delivering high quality grain would have the other two benefits previously discussed in the Introduction section of this paper but which were not possible to quantify.

Results and Discussion

Discounts for delivering grain below the expected quality standards are shown in Figure 5. The leftmost end of the horizontal axis represents the theoretical point where the grain quality is at the minimum level. To the left of this point all individual quality parameters are above the rejection limits, which results in the rejection of the grain delivery. The maximum discount applied at this point was 8.42 cents per bushel. The rightmost point of the horizontal axis represents grain with 100% quality. To the right of this point no discounts are applied to the delivered grain, and the producer is paid the full contract price. For example, a producer who delivered corn corresponding to the 25% quality level would face a discount of 6.38 cents per bushel. Adoption of *Grainsafe* could help to improve the quality of corn delivered. If the producer delivered corn at the 75% quality level after adopting *Grainsafe*, he would face only 2.13 cents per bushel discount, and would receive 4.25 cents per bushel benefit from *Grainsafe*. If the quality improved to 90%, he would face only 0.85 cents per bushel discount, and would receive 5.53 cents per bushel benefit.

However, *Grainsafe* has additional costs that were quantified in the previous sections of this paper. Assuming the producer implemented ISCO on his 250-acre farm, which had the highest additional costs of the *Grainsafe* program, he would incur 8.77 cents per bushel of additional costs (i.e., labor and laboratory test costs) if he paid the laboratory test costs, but only 2.12 cents per bushel if the buyer paid the laboratory test costs. Assuming the buyer paid the laboratory test costs, the producer's net benefit would be 2.13 cents per bushel if he improved the quality from

25% to 75%, and 3.41 cents per bushel if he improved the quality from 25% to 90%. Using the distribution of costs, and assuming the buyer pays the laboratory test costs, the probability that the benefits exceed the costs is shown in Table 6 for three benefit levels: 0.85 cents, 2.13 cents, and 3.41 cents. The profitability of *Grainsafe*, and thus the likelihood of adoption, increases with the probability that the benefits exceed the costs. The 1000-acre farm with FIFO has the highest probability of profiting from *Grainsafe*, at 60 percent of the time for the lowest benefit of 0.85 cents, and reaching 95 percent of the time for even the moderate benefit of 2.13 cents. In contrast, the 250-acre farm with ISCO is the least likely to adopt *Grainsafe*, with the probability of benefits exceeding costs at less than 5 percent chance when the benefit is 0.85 cents, only 45 percent chance when the benefit is 2.13 cents, and only 85 percent chance at the highest benefit level of 3.41 cents.

Conclusions

A comprehensive cost analysis model was developed for the production of white food corn and commodity corn on the same farm with and without the *Grainsafe* program. Each alternative had two different operations planning and equipment management strategies for three different farm sizes (250, 500 and 1000 acres). The additional costs associated with the adoption of the *Grainsafe* program were quantified and compared for 12 scenarios. On average, the additional labor costs associated with the *Grainsafe* program ranged from \$0.0053 to \$0.0212 per bushel depending on the equipment management strategy, farm size and stated assumptions. This corresponded to a 0.15-0.60% increase in the total production costs. The laboratory test costs associated with *Grainsafe* was \$0.0665 per bushel for all farm sizes regardless of the equipment management strategy. If the producers paid the laboratory test costs, the total additional costs associated with *Grainsafe* ranged from \$0.0717 to \$0.0877 per bushel and this corresponded to a 2.04-2.48% increase in total production costs.

Overall, these QA and IP cost estimates are lower than those reported in the literature review. The per bushel cost of *Grainsafe* excluding the laboratory test costs is similar to the production cost associated with IP estimated by Huygen, Veeman and Lerohl (2003) at the 5 percent tolerance level and 10% of the IP cost at the 0.1% level. The per bushel cost of *Grainsafe* is less than one percent of the cost estimated by Gustafson (2002) for on-farm IP costs in the case of certified seed production. There are three explanations for these cost differences. First, Gustafson included the costs of marketing the seed, while we assumed the farmer already had a buyer of food-grade white corn. Second, certified seed production only requires some planning of field locations and planting time. Third, the producers who beta-tested *Grainsafe* may have underestimated the amount of additional labor required by *Grainsafe*. These producers were already established food-grade white corn growers and they commented that many of the steps required by *Grainsafe* were already part of their procedures and so do not require much additional labor.

The IP costs for elevators have been estimated in the range of \$0.20 to \$0.40 per bushel which is four to twenty times the estimated per bushel cost of *Grainsafe*. It is reasonable to expect that on-farm IP and QA for operations of 1,000 acres or less would be less costly than for an elevator because the amount of grain handled is so much smaller. Also, farmers would have a much

smaller opportunity cost associated with underutilizing their capacity since they only fill their bins once a year rather than multiple times a year in the case of elevators.

The producer benefits associated with the adoption of the *Grainsafe* program were quantified based on a typical discount schedule for food-grade corn deliveries. Depending on the improvement in the grain quality due to the adoption of the *Grainsafe* program, the producer could gain up to \$0.0842 per bushel. Other benefits, such as the increased market access due to a good reputation for delivering high quality grains, were not measured in this study. The quantifiable benefits of *Grainsafe* were found to be higher than the additional costs associated with the program except for one case, i.e., adoption of the program with the ISCO equipment management strategy on a 250-acre farm. As farms increase in size, the per bushel costs of *Grainsafe* decrease and thus producers operating larger farms are more likely to profit from adopting the program. It is recommended that producers adopt the *Grainsafe* program with the FIFO equipment strategy in order to reduce the additional labor costs associated with the program. Producers need to carefully analyze their farm-specific production costs to be certain that the additional costs associated with the program. Benefits associated with the program will indeed be lower than the benefits from adopting the *Grainsafe* program.

References

AMS. 2004. Grain transportation report. USDA Agricultural Marketing Service (AMS).

Washington, DC. www.ams.usda.gov/tmdtsb/grain. Accessed 2/1/2005.

Bartosik, R. E. 2003. Implementation and evaluation of a new variable heat fan and burner in-bin drying control strategy. Unpublished M.S. thesis, Purdue University. West Lafayette, IN.

Dhuyvetter, K. C., G. L. Hamman and J. P. Harner III. 2000. The economics of on-farm storage. Kansas State University Agricultural Experiment Station and Cooperative Extension Service, F-2474, October 2000. Manhattan, KA.

Doster, D. H., C. L. Dobbins, G. F. Patrick, W. A. Miller, and P. V. Preckel. 2003. Purdue PC-LP Farm Plan, B-21 Crop Input Form, July 2003. Purdue University, West Lafayette, IN.

Ess, D. R. and N. A. Fleck. 2004. Unpublished data. Purdue University, West Lafayette, IN.

Federal Reserve Board. 2004. Agricultural Finance Databook. The Federal Reserve Board. Washington, DC. <u>www.federalreserve.gov/releases/e15</u>. Accessed 2/1/ 2005.

Gustafson, C. R. 2002. Economics of Producing for an Identity-Preserved (IP) Grain Market. AAE Staff Paper No. 02002. Dept. of Agribusiness and Applied Economics, North Dakota State Univ. Fargo, ND.

Hanna, H.M. 2001. Estimating field capacity of farm machines. Iowa State University Extension, PM-696, April 2001. Ames, IA.

Hanna, H.M., G.R. Quick, and D.H. Jarboe. 2004. Combine clean-out for identity-preserved grains. Proceedings of 2004 International Quality Grains Conference. July 19-22, 2004. Indianapolis, IN.

Hanna, H.M., and J. McGuire. 2002. Clean-out procedures for case IH central seed hopper planters. Iowa State University Extension, PM-1904, April 2002. Ames, IA.

Hurburgh, C. R. Jr. 1994. Identification and Segregation of High-Value Soybeans at a Country Elevator. J. of the American Oil Chemists' Society, 71 (10), 1073-1078.

IASS. 2004. Indiana Agricultural Statistics Service. www.nass.usda.gov/in. Accessed 2/1/2005.

ICIA. 2005. Indiana Crop Improvement Association. www.indianacrop.org. Accessed 2/1/2005.

Kalaitzandonakes, N., R. Maltsbarger, and J. Barnes. 2001. Global Identity Preservation Costs in Agricultural Supply Chains. *Canadian J. of Agricultural Economics*, 49 (4), 605-615.

Lin, W. W., C. Williams and J. Harwood. 2000. Biotechnology: U.S. Grain Handlers Look Ahead. Agricultural Outlook, April 2000. Economic Research Service, USDA.Washington, DC.

Nielsen, R. L., and D. E. Maier. 2001. GMO issues facing Indiana farmers in 2001. Grain Quality Task Force Fact Sheet #46. West Lafayette, IN.

Schnitkey, G. 2004. Estimated Crop Costs – 2004. Farm Business Management Handbook FBM-0100. University of Illinois, Urbana, IL.

Sparks Companies Inc. (2003). The U.S. corn masa industry: Structure and implications for the Great Plains region. Prepared for Agricultural Marketing Research Center (AgMRC), Kansas State University, Manhattan, KA.

Uhrig, J. W. and D. E. Maier. 1992. Costs of drying high-moisture corn. Grain Quality Task Force Fact Sheet #3. West Lafayette, IN.

USDA-NASS. 2003. Corn, Soybeans, and Wheat Sold Through Marketing Contracts – 2001 Summary. February 2003. USDA National Agricultural Statistics Service. Washington, DC.

	Commod	ity Corn	White Corn	
Yield (bu/acre)				
Mean	137	7.1	13	1.1
Std. Deviation	13.0	09	13.	.51
Minimum	121	.0	11:	5.9
Maximum	156.0		149	9.8
	January	May	January	May
Price (\$/bu)				
Mean	2.26	2.32	2.55	2.61
Std. Deviation	0.277	0.382	0.353	0.354
Minimum	1.97	1.95	2.16	2.23
Maximum	2.66	3.08	3.21	3.21

Table 1. Corn yields and prices used in the cost analysis model.

	Comn	nodity Corn	Price	Wł	nite Corn Pri	ice
-	October	January	May	October	January	May
Commodity Corn Yield	-0.689	-0.568	-0.136	-	_	_
White Corn Yield	-	-	-	-0.672	-0.524	-0.165

 Table 2. Correlation coefficients between corn yield and price used in the simulation of the cost analysis model.

Table 3. Equipment and facilities clean out labor hours in the costs analysis model.

	Clean-C	Out Time
	(hour per equi	pment/facility)
	Conventional	Grainsafe
Planter	1.00	1.33
Combine	2.00	12.00
Handling Equipment and Storage Structures	1.00	3.00

	Reception Limits	Discounts (cents per bushel)
Moisture	maximum 20.0%	2.0 cents per point above 14.0%
BCFM	maximum 3.0%	0.5 cent per point above 2.0%
Stress Crack	maximum 25.0%	1.0 cent per point above 20.0%
Total Damages	maximum 6.0%	1.0 cent per point above 3.0%

 Table 4. Quality standards of a typical white food corn contract.

Table 5. Total production costs for different scenarios in the cost analysis model.

I

				January						May		
Scenarios	Mean	Std. Dev.	Min.	Max.	5% percentile	95% percentile	Mean	Std. Dev.	Min.	Max.	5% percentile	95% percentile
comm125	3.2725	0.3057	2.5172	4.7457	2.8234	3.8162	3.3511	0.3147	2.5172	4.7457	2.8904	3.8162
white125F	3.4424	0.3468	2.6189	5.0635	2.9396	4.0631	3.5299	0.3556	2.6189	5.0635	3.0096	4.0631
white125R	3.4440	0.3470	2.6201	5.0658	2.9409	4.0649	3.5314	0.3558	2.6201	5.0658	3.0110	4.0649
whiteGS125F	3.5234	0.3554	2.6795	5.1852	3.0080	4.1596	3.6119	0.3644	2.6795	5.1852	3.0787	4.1596
whiteGS125R	3.5334	0.3565	2.6869	5.2002	3.0165	4.1714	3.6220	0.3654	2.6869	5.2002	3.0872	4.1714
comm250	3.2715	0.3057	2.5162	4.7447	2.8224	3.8152	3.3501	0.3147	2.5162	4.7447	2.8894	3.8152
white250F	3.4414	0.3468	2.6179	5.0625	2.9386	4.0621	3.5289	0.3556	2.6179	5.0625	3.0087	4.0621
white250R	3.4427	0.3469	2.6188	5.0643	2.9396	4.0636	3.5301	0.3558	2.6188	5.0643	3.0097	4.0636
whiteGS250F	3.5175	0.3549	2.6747	5.1767	3.0028	4.1526	3.6058	0.3638	2.6747	5.1767	3.0735	4.1526
whiteGS250R	3.5224	0.3554	2.6785	5.1842	3.0070	4.1586	3.6109	0.3644	2.6785	5.1842	3.0777	4.1586
comm500	3.2700	0.3057	2.5147	4.7432	2.8209	3.8137	3.3487	0.3147	2.5147	4.7432	2.8879	3.8137
white500F	3.4399	0.3468	2.6164	5.0610	2.9371	4.0606	3.5274	0.3556	2.6164	5.0610	3.0072	4.0606
white500R	3.4405	0.3469	2.6169	5.0619	2.9376	4.0613	3.5280	0.3557	2.6169	5.0619	3.0077	4.0613
whiteGS500F	3.5135	0.3546	2.6714	5.1714	2.9992	4.1481	3.6018	0.3636	2.6714	5.1714	3.0699	4.1481
whiteGS500R	3.5160	0.3549	2.6732	5.1752	3.0013	4.1511	3.6044	0.3638	2.6732	5.1752	3.0720	4.1511

17

Table 6. Probability of benefit exceeding the cost of *Grainsafe* when the buyer pays the test cost.

		When the benefit is:	
Scenarios	0.85 cents	2.13 cents	3.41 cents
WhiteGS125F	25%	80%	95+%
WhiteGS125R	<5%	45%	85%
WhiteGS250F	45%	90%	95+%
WhiteGS250R	25%	80%	95+%
WhiteGS500F	60%	95%	95+%
WhiteGS500R	50%	90%	95+%



Figure 1. Summary of the scenarios evaluated with the cost analysis model.

Figure 2. Additional labor hours required by the *Grainsafe* program. (Refer to Figure 1. for horizontal axis labels).



Figure 3. Additional labor costs associated with the *Grainsafe* program. (Refer to Figure 1. for horizontal axis labels).



S Field Sampling ■Record Keeping S Training ■Clean Out

Figure 4. Total additional costs associated with the *Grainsafe* program. (Refer to Figure 1. for horizontal axis labels).



Test Cost Labor Cost



