Estimating Quadratic Variation When Quoted Prices Change by a Constant Increment

Jeremy Large * Jeremy.Large@Economics.Ox.Ac.Uk

All Souls College, University of Oxford, Oxford, OX1 4AL, U.K.

10 November 2005

first version, February 2005

Abstract

For financial assets whose best quotes almost always change by jumping by one price tick (e.g. a penny), this paper proposes an estimator of Quadratic Variation which controls for microstructure effects. It compares the number of *alternations*, where quotes jump back to their previous price, to the number of other jumps. If quotes are found to exhibit "uncorrelated alternation", the estimator is consistent in a limit theory where jumps are very frequent and small. This condition is checked across a range of markets, which is enlarged by suitably rounding prices. The estimator helps to forecast volatility. A multivariate extension and feasible asymptotic theory are developed.

JEL classification: C10; C22; C80

Keywords: Realized Volatility; Realized Variance; Quadratic Variation; Market Microstructure; High-Frequency Data; Pure Jump Process.

^{*}I thank Yacine Aït-Sahalia, Julio Cacho-Diaz, Peter Hansen, Mike Ludkovski and Neil Shephard for their help and encouragement. I also thank for very helpful comments conference and seminar participants at Stanford University (January 2005), at the Frontiers in Time Series Analysis Conference in Olbia, Italy (May 2005), at the Princeton-Chicago Conference on the Econometrics of High Frequency Financial Data at Bonita Springs, Florida (June 2005), and at the European Winter Meeting of the Econometric Society, Istanbul (October 2005). I am very grateful to the Bendheim Center for Finance for accommodating me at Princeton University during the writing of this paper. I acknowledge financial support from the US-UK Fulbright Commission with thanks.

1 Introduction

There is widespread evidence of persistence in financial assets' volatility. Therefore, estimating their past volatility furthers the desirable goal of forecasting their volatility in the future, and so characteristics of the risk in owning them. Recent research has advocated using here the closely-related Quadratic Variation (QV, also referred to as Realized Volatility or Integrated Variance) in realized prices, rather than volatility directly – see for example Andersen, Bollerslev, and Meddahi (2004). Estimates of QV have also been used by Corradi and Distaso (2005) to test tighter specifications of the volatility process. Barndorff-Nielsen and Shephard (2005b) and Andersen, Bollerslev, and Diebold (2005) survey this literature.

The availability of rich second-by-second price data has encouraged high-frequency sampling when estimating QV. However, consistent estimation is significantly complicated at the highest frequencies by market microstructure effects. This paper points out features in many markets' microstructure which, when tested for positively, can be used as structural restrictions to control for this interference. This then leads to a new estimator of QV in the diffusion context.

These features arise mainly from price discreteness, which Ball (1988), Gottlieb and Kalay (1985) and Harris (1990) study in connection with bias in volatility estimation. Harris (1994) points out that discreteness leads some markets to *trade on a penny*, so that their bid-ask spread is bid down to its regulatory minimum, the price tick (a penny, half a penny, etc.), almost all the time, with relatively high average depths at the best quotes. Empirically on such a market, the best bid and ask change through sporadic jumps by one price tick: so, they are pure jump processes of constant jump magnitude. They may exhibit a lack of autocorrelation in reversals, which we term "uncorrelated alternation". Both of these features are found on the Chicago Board of Trade's (CBOT's) electronic exchange for 10-Year US Treasury Bond Futures, and on the London Stock Exchange's (LSE's) electronic market in Vodafone, which was its busiest equity by volume in 2004.

When these testable features are present, QV may be estimated either from the best bid, or from the best ask, with the statistic

$$nk^2\frac{c}{a},\tag{1}$$

where $n \in \mathbb{N}$ is the number of jumps in the quote, the constant k > 0 is the size of

the price tick, and $a \leq n$ is the number of *alternations*, i.e. jumps whose direction is a reversal of the last jump. Engle and Russell (2005) studies these. Jumps which do not alternate are *continuations*, and number c = (n - a). Under some further technical assumptions (which do not rule out leverage effects) the statistic in (1) is consistent for the price's underlying QV. The term nk^2 is the QV of the observed price. This is an inconsistent, and normally an upwardly biased, estimate of underlying QV because of microstructure effects. However the upwards bias implies an excess of alternation, and in fact multiplying by the fraction c/a compensates consistently.

Consistency here is under a double asymptotic limit theory reflecting both the highfrequency and the small-scale of the market microstructure: in it the intensity of jumping grows without limit, and the squared magnitude of each jump diminishes at the same rate (see Delattre and Jacod (1997) for a related approach). This differs from the limit theory of Zhang, Mykland, and Aït-Sahalia (2005), Aït-Sahalia, Mykland, and Zhang (2005), Zhang (2004), Bandi and Russell (2004), Hansen and Lunde (2006) and Barndorff-Nielsen, Hansen, Lunde, and Shephard (2004), which present consistent or near-consistent estimators of QV even in worlds where market microstructure is not of small scale.

We will say that a market has uncorrelated alternation in its best bid (or ask) if, whether a jump in that price alternates/continues is independent of whether the last jump alternated/continued. An important contribution of the paper is to find this independence in quote data (although not in mid-quote data). The finding depends on an absence of significant resiliency dynamics when markets trade on a penny – elsewhere, spreads can be substantially widened by a large trade but only narrow resiliently over time, producing lagged autocorrelation in quoted prices. Market resiliency is studied in e.g. Coppejans, Domowitz, and Madhavan (2003), Degryse, de Jong, van Ravenswaaij, and Wuyts (2003) and Large (2006), as well as Biais, Hillion, and Spatt (1995).

The necessary testable features also exclude markets which have significant numbers of "double jumps", i.e. jumps of twice the price tick, in their quotes. However for these markets, which typically do not trade on a penny, two rounding techniques are proposed in a later section, removing double jumps when applied to the bid, ask or mid-quote. Thus prepared, the data is found to exhibit uncorrelated alternation, and so the statistic is valid even though microstructure effects may now be more prominent.¹ They may

¹As attention is restricted to the quotes, the bid-ask bounce is not directly relevant here.

include informed trading (see Kyle (1985), Glosten and Milgrom (1985) and Hasbrouck (1991)), volume effects (Engle and Lange (2001)), as well as the aforementioned resiliency dynamics.

The paper proceeds as follows: Section 2 presents the main theorem of the paper, as well as the relevant asymptotic limit theory. Section 3 then outlines the theorem's proof (detailed derivations are left to the Appendix). Section 4 applies the method to Vodafone, GlaxoSmithKline and Shell equity data on the LSE, and US Treasury Bond Futures at CBOT. It shows how the estimator eliminates the substantive upwards bias introduced by price discreteness, and how it helps in a simple forecasting framework of future days' QV. Section 5 discusses corollaries and extensions, including feasible asymptotic limit theory and a related Monte Carlo study. Section 6 concludes.

2 The model and main result

This section first prepares the ground for the main result, given in Section 2.4. The probability space $\{\Omega, \mathcal{F}, P\}$ is generated by three processes on \mathbb{R}^+ : W, a standard Brownian motion, V, a pure jump process, and volatility σ , a Brownian semi-martingale with jumps. All jumps are finite activity. The focus of the paper will be on X, an underlying price, and Y, an observed price (e.g. bid or ask) defined thus:

$$(X, Y) = (W, V)_{[X]},$$
 (2)

where

$$[X]_t = \int_0^t \sigma_u^2 du. \tag{3}$$

So W and V are subordinated by the process [X], and X is a time-changed Brownian motion with stochastic volatility σ ,² which may have arbitrary serial dependence. X may have leverage effects, i.e. W and σ may be dependent. Processes such as W and V which are subordinated by the time-change [X] will be said to evolve in "business time", while X and Y evolve in "calendar time" (see Oomen (2004) for more on this terminology).

For some T > 0, only $\{Y_t : 0 \le t \le T\}$ is observed. Y has a random initial value. The quantity to be estimated is the QV of X over the period that Y is observed, namely

 $^{^{2}}$ For more on stochastic volatility, see, for example, the reviews in Ghysels, Harvey, and Renault (1996) and Shephard (2005, Ch 1).

 $[X]_T$. As X is not observed, nor is $[X]_T$. Y deviates from X by a microstructure effect, the process ϵ , which we define in calendar time by

$$\epsilon = Y - X. \tag{4}$$

Hence, $\epsilon = (V - W)_{[X]}$, and so (V - W) is the microstructure effect viewed in business time. The following two conditions recur throughout the paper.

Definition The microstructure is stationary in business time if (V - W) is stationary.

Definition The microstructure has no leverage effects if

$$V|W \perp\!\!\!\perp \sigma|W, \tag{5}$$

where $\perp\!\!\!\perp$ indicates independence.

While allowing leverage effects in X, this means that in business time the microstructure effect is conditionally independent of current volatility. So, the frequency, not the magnitude, of quote changes grows with increased volatility: which is reasonable where markets trade on a penny or thereabouts.³

2.1 Constant observed jump magnitude

The observed pure jump process, Y, may be specified by

$$Y_t = Y_0 + \int_0^t G_u dN_u,\tag{7}$$

where N is a simple⁴ counting process and G is an adapted process that only takes values $\pm k$ for some k > 0. The QV of Y is

$$[Y]_t = \int_0^t G_u^2 dN_u = k^2 N_t, \tag{8}$$

$$\left\{\int_{0}^{t} \frac{\epsilon_{u}}{\sigma_{u}} du\right\}_{t=0}^{\infty} \mid W \quad \bot \quad \sigma \mid W.$$
(6)

This would imply that the normalized increments in ϵ were independent of current volatility, meaning that, for example, the mean magnitude of revisions in quoted prices would grow with increased volatility.

 $^{^{3}}$ An alternative definition for there to be no leverage effects in the market microstructure, not adopted here, would be one in "calendar time" :

⁴I.e. the probability of observing two or more events in a small period of time, when divided by the probability of observing one event, is second order.

a stochastic process. Decompose the process N by

$$N = A + C, (9)$$

where A and C are counting processes. The alternation process, A, counts the jumps in Y which have opposite sign to the one before, and the continuation process C counts jumps that continue in the same direction as the one before. Both are adapted to Y. Notice that as N is simple, arrivals of A and C at the same time are not possible, so the decomposition is unique. Let the first jump in Y be an alternation. For all $i \in \mathbb{N}$ let t_i be the time of the *i*'th jump in Y. Define the random sequence $Q = \{dA_{t_i} - dC_{t_i} : i \in \mathbb{N}\}$. So Q records +1 for an alternation and -1 for a continuation.

Definition Y has Uncorrelated Alternation if Q has zero first-order autocorrelation.

2.2 Technical assumptions

Identification Assumption Given two events observable before any jumping time t_i , $H_1 \in \mathcal{F}_{t_i-}$ and $H_2 \subset H_1$,

$$\{ E(Y_{t_i}|H_1) = E(Y_{t_i}|H_2) \} \leftrightarrow \{ E(X_{t_i}|H_1) = E(X_{t_i}|H_2) \}.$$
 (10)

Thus, if H_2 adds (no) new information to H_1 concerning the likely direction of Y's next jump, it adds something (nothing) new about the level of X.

Buy-sell Symmetry Let $\{w, v\}_s$ be a realization of (W, V) up to business time s. The microstructure is buy-sell symmetric if

$$dV_s | \{w, v\}_s \stackrel{L}{=} -dV_s | \{-w, -v\}_s.$$
(11)

2.3 Asymptotic limit theory

A long sample invites the time series econometrician to suppose that the sample were of "infinite" length. This is behind much sampling theory used in macroeconomics and financial economics. Of course, in practice the data is finite and so these asymptotics provide an approximation, whose accuracy can be assessed through the simulation of realistic cases, or higher order asymptotic expansions. Similarly, high frequency market microstructure data invites the asymptotic thought experiment that, given an underlying price process, the microstructure had evolved "infinitely" fast, with "infinitely" small jumps. Delattre and Jacod (1997) exemplify such an approach. This implies a double asymptotic theory where an unbounded increase in jumping intensity and decline in jumping magnitude have some relative rate. The rate is here proposed so that $[Y]_T$ can, in line with observed data, have a non-zero limit in probability. The next part formalizes this intuitive idea in terms of a scaling constant, $\alpha \in \mathbb{R}^+$, which converges to zero from above.

2.3.1 Formal asymptotic theory

Assume that the microstructure is stationary and has no leverage effects. So the probability measure admits the following factorization:

$$P(W, V, \sigma) = P(V|W) \times P(\sigma|W) \times P(W).$$
(12)

Define the process W^{α} by

$$W_t^{\alpha} := \frac{1}{\alpha} W_{\alpha^2 t},\tag{13}$$

So, for $\alpha < 1$, the functional $W \to W^{\alpha}$ slows but normalizes W so that W^{α} is also standard Brownian motion. Define a new conditional probability measure $P_{\alpha}(V|W)$ by:

$$P_{\alpha}(V|W) := P(V^{1/\alpha}|W^{\alpha}). \tag{14}$$

The asymptotic theory studies

$$\lim_{\alpha \to 0} \left\{ P_{\alpha}(V|W) \times P(\sigma|W) \times P(W) \right\},$$
(15)

as an approximation to (12).

Intuition Suppose that $\alpha < 1$. The conditional measure P_{α} can be understood as the result of a three stage process: first W is slowed and scaled up. Second, V evolves stochastically according to the model, conditional on the slowed and expanded W. Third, W and V are speeded back up and scaled back down.

Therefore the measure $P_{\alpha}(V|W)$ makes more likely, for given X, realizations of Y with more jumps, of smaller magnitude. Indeed, with probability 1, $N_T \to \infty$ as $\alpha \to 0$. Note that this asymptotic formalization is also applicable in cases when Y is not simply a pure jump process. This manipulation preserves the stationarity of ϵ in business time.



Figure 1: A simulation of this paper's proposed model. It shows an asset's observed price, which jumps, and its continuous underlying price, here a scaled Brownian motion. The observed price has a propensity to alternate.

2.4 The main result

Theorem 2.1 Suppose that

- (A) Y has Uncorrelated Alternation,
- (B) Y always jumps by a constant $\pm k$,
- (C) ϵ has no leverage effects, is stationary in business time, is ergodic, and $E(\epsilon) = 0$.
- (D) Y always jumps towards X, and
- (E) The Identification Assumption and Buy-Sell Symmetry hold.

Condition on $[X]_T$, so that T is a random time. Then

$$[Y]_T \frac{C_T}{A_T} \tag{16}$$

is a consistent estimator of $[X]_T$ as $\alpha \to 0$. The limiting distribution as $\alpha \to 0$ of

$$\sqrt{N_T} \left[\frac{[Y]_T \frac{C_T}{A_T}}{[X]_T} - 1 \right] \tag{17}$$

exists and is normal. Its variance depends on the market's short-run order dynamics, and is detailed later in Proposition 3.5.

Proof. Section 3 provides the proof of this Theorem through a series of propositions, whose detailed derivations are left to the appendices. \blacksquare

Figure 1 shows a process satisfying the Theorem's assumptions.

Discussion of the result The result is semi-parametric because it does not refer to the dynamics or the intensity of N. The proposed estimator is easy to calculate. It multiplies together two components: $[Y]_T$, which is equal to $N_T k^2$, and the ratio C_T / A_T (which may be more or less than 1). Many jumps are indicative of high volatility unless most of them are alternations, a possibility which the observed proportion of alternations to continuations provides a means to account for. Since it has no fixed observation frequency, the statistic does not encounter systematic biases due to intraday seasonality.

Discussion of the assumptions and theory Assumptions (A) and (B) can be tested empirically. (A) states that the likelihood that a jump is an alternation does not depend on whether the last jump was. It may be tested via a regression of Q on itself lagged. (B), which assumes a constant jump magnitude, is true of many markets' quotes, including two of the markets studied in the empirical section, Section 4. Section 4 goes on to treat cases where (B) and (A) do not hold directly using various rounding techniques.

The assumptions (C), (D) and (E) cannot be tested. (C) states that viewed in "business time" the microstructure effect is ergodic and independent of current volatility. Thus, while at times it evolves fast, these are exactly the times when X also evolves fast. It does not preclude leverage effects in X. The requirement $E(\epsilon) = 0$ is, via a vertical shift, without loss of generality. Hence, as for example the best ask exceeds the best bid by about k, so the best ask's corresponding diffusion, X^{ask} , say, must also exceed X^{bid} by about k. Assumption (D) rules out transitory increases to $|\epsilon|$ through noise- or other trading. Unless the bid and ask simultaneously jump away from their underlying diffusions this would involve a change in the bid-ask spread: but the bid-ask spread is almost always constant when trading is on a penny.⁵ Finally, (E) is innocuous.

Related asymptotic theories have conditioned on σ , equivalently on the process [X]. Here however, only the total elapsed QV over the period, $[X]_T$, is given. The period's duration, T, is a random time whose distribution is then conditional on $[X]_T$.

⁵Here trades that widen spreads more than fleetingly are abnormal events. This is partly explained by Harris (1994)'s observation that markets that trade on a penny experience highly inflated depths at the best quotes, meaning that a spread-widening trade would have to be exceptionally large (in fact, on the electronic limit order book for the 10-year US Treasury Bond Future at CBOT it would typically have to be sixty times larger than the median trade).

Relationship to the existing literature The availability of rich second-by-second data has encouraged high-frequency sampling of prices when measuring their QV. The benchmark case is to compute the observed price's Realized Variance (RV) at some high frequency. This (in calendar time) is calculated by breaking up a period of time, e.g. a trading day, into many intervals of equal length, then squaring the observed returns over these intervals, and adding them up. Barndorff-Nielsen and Shephard (2002) provides an asymptotic limit theory for RV as it approaches QV with faster sampling but before market microstructure becomes a central concern (see also Jacod (1994) and Jacod and Protter (1998)). In the current framework, at the highest frequency RV is $[Y]_T$.

However, researchers have found that a price's RV at high frequencies typically deviates significantly from its RV at low frequencies, see Zhou (1996), Andreou and Ghysels (2002) and Oomen (2002). This has been attributed to microstructure noise, i.e. ϵ , in Aït-Sahalia, Mykland, and Zhang (2005), Zhang, Mykland, and Aït-Sahalia (2005), Zhang (2004), Bandi and Russell (2004), Hansen and Lunde (2006) and Barndorff-Nielsen, Hansen, Lunde, and Shephard (2004). Like these, the current work makes a correction to RV at high frequency so as to account for microstructure noise.

The idea that observed prices are pure jump processes which deviate from a fundamental price, is already present in many papers on variance estimation, including Gottlieb and Kalay (1985), Ball (1988), Oomen (2004) and Zeng (2003). This perspective explains two interrelated puzzles. First, if prices are pure jump processes, then the observed asymptotic behavior of bipower variation, the influential statistic introduced in Barndorff-Nielsen and Shephard (2006), which converge to zero with finer sampling, is explicable. Second, when studying quotes data, Hansen and Lunde (2006) find that at high frequencies RV is at times a downwards-biased estimator of QV. They show that this result implies a negative covariation between efficient returns and the error due to microstructure effects. They also document time-dependence in the error. A pure jump process can account for these features: the local infrequency of jumps implies both serial correlation in the error and instantaneously negative covariation between the error and efficient price.

The use of a time-change argument in the proof of the Theorem relates to Barndorff-Nielsen and Shephard (2005a).



Figure 2: The solid line shows Y, while the dashed line shows Z. The letters on the time axis indicate if the jump is an alternation or a continuation. The diagram is of an example illustrating the relative contribution to the QV of Z by alternations and continuations.

3 Proof of Theorem 2.1

Definition Conditional on given $[X]_T$, let R be the ratio

$$R = \frac{[X]_T}{E \ [Y]_T}.\tag{18}$$

Note that $E[Y]_T$ exists because N is simple, and that T is a random time. Under Assumption (C), R is invariant to the conditioning information $[X]_T$.

Proposition 3.1 Suppose that Assumptions (B), (C) and (D) of Theorem 2.1 hold. The error just before the *i*'th jump is ϵ_{t_i-} . Taking the ergodic expectation, for all *i*

$$E[| \epsilon_{t_i-} |] = \frac{k}{2} [R+1].$$
(19)

Proof. See Appendix A. ■

Discussion This proposition implies that the expected magnitude of the error, measured just before a jump, is an increasing affine function of $R = \frac{[X]_T}{E[Y]_T}$. Its intercept is $\frac{k}{2}$, so that if R is very near zero, e.g. if X is almost constant, then Y simply jumps between $X \pm \frac{k}{2}$. As $[X]_T$ increases, the expected error magnitude increases.

Proposition 3.1 provides a unbiased estimate of $|\epsilon_{t_i-}|$ while under Assumption (D) the direction of the jump at t_i gives the sign of ϵ_{t_i-} . Combining these, an unbiased

estimate of ϵ_{t_i-} itself is available. Equally, X_{t_i} can be estimated without bias by adding or subtracting $E[| \epsilon_{t_i-} |]$ to/from Y_{t_i-} , depending on the direction Y jumps at t_i . The next definition gives the name Z to this conditional estimation process, which is illustrated in Figure 2.

Definition For each of Y's jumping times, t_i , define Z_{t_i} by

$$Z_{t_i} = E[X_{t_i} \mid Y_{t_i}, G_{t_i}, R].$$
(20)

(Recall that $G_{t_i} = \pm k$ is the jump in Y at t_i .) Extend the sequence $\{Z_{t_i} : i \in \mathbb{N}\}$ rightwards to a càdlàg pure jump process Z. Note that Z is not observed because R is not observed. The evolution of Z is described in Figure 2, which also illustrates the following lemma.

Lemma 3.2 The Quadratic Variation process for Z, denoted [Z], is a linear combination of the processes A and C given by

$$[Z] = k^2 (C + R^2 A). (21)$$

Proof. When Y jumps by continuing in the same direction as the last jump, Z jumps by k. When Y jumps by alternating in direction, Z jumps by Rk. This follows from simple calculation, and is easily seen in Figure 2. The QV of Z is the sum of its squared jumps. The lemma now follows.

Definition A process S has Ideal Error if conditional on any $[X]_T$,

$$E[S]_T = [X]_T, (22)$$

where the expectation is ergodic.

Proposition 3.3 Suppose that Assumptions (B), (C) and (D) of Theorem 2.1, as well as the Identification Assumption, hold. Uncorrelated Alternation then implies that Z has Ideal Error.

Proof. See Appendix B. ■

Uncorrelated Alternation may be tested simply by regressing Q linearly on itself lagged, and testing that the regressor is significant.

Proposition 3.4 Suppose that Assumptions (B), (C) and (D) of Theorem 2.1 hold. Suppose that Z has Ideal Error. Then, conditional on $[X]_T$,

$$E[A_T R - C_T] = 0, (23)$$

and R has the Method of Moments estimator

$$\hat{R} = \frac{C_T}{A_T}.$$
(24)

(Define $\hat{R} = 0$ if $C_T = A_T = 0$).

Proof. See Appendix C. The main case is when Y does not have Ideal Error. In a sketch, as Z has Ideal Error, and $[X]_T = R E[k^2 N_T]$,

$$E[k^{2}(C_{T} + A_{T}R^{2})] = RE[k^{2}N_{T}].$$
(25)

Thus the expectation of a quadratic in R is 0:

$$E[A_T R^2 - N_T R + C_T] = 0. (26)$$

The quadratic has roots at 1 and C_T/A_T . But $R \neq 1$ since Y does not have Ideal Error. Hence (23) is true.

So, recalling that $[X]_T = R E[Y]_T$, the proposed estimator of $[X]_T$ is

$$\hat{R}[Y]_T.$$
(27)

Denoting by \hat{Z} the estimate of the process Z constructed by replacing R with \hat{R} in (20), straightforward algebra shows that

$$\hat{R}[Y]_T = [\hat{Z}]_T.$$
 (28)

The final proposition in this section provides the asymptotic limit theory for this estimator, proving its consistency.

Proposition 3.5 Suppose that Assumptions (B), (C) and (D) of Theorem 2.1 hold. Suppose that Z has Ideal Error. Then conditionally on $[X]_T$, the following limit theory applies:

$$\lim_{\alpha \to 0} \sqrt{N_T} \left(\frac{\hat{R}[Y]_T}{[X]_T} - 1 \right) \sim N(0, UMU'), \tag{29}$$

where U is the pair $(1, \frac{(1+R)^2}{R})$ and M is the long-run variance matrix of the stationary time series of pairs, Π :

$$\Pi = \left\{ \left(\frac{[X]_{t_i} - [X]_{t_{(i-1)}}}{E([X]_{t_i} - [X]_{t_{(i-1)}})}, \frac{Q_i + 1}{2} \right) : i \in \mathbb{N} \right\}.$$
(30)

The left hand term here is the elapsed QV in X between the (i-1)th and ith jumps in Y, once de-averaged. As previously defined, Q_i takes value +1 if the ith jump in Y is an alternation, and -1 if it is a continuation.

Proof. See Appendix D. Note that Π is stationary since the microstructure is stationary in business time.

This asymptotic limit theory is infeasible because the elapsed QV is not directly observed, ruling out estimates of Π and so of M.

Proof of Theorem 2.1 Suppose that Assumptions (B), (C) and (D) of Theorem 2.1 hold. (Then Z may be constructed as in Figure 2.) If in addition Assumptions (A) and (E) hold, then Proposition 3.3 shows that Z has Ideal Error. Therefore Propositions 3.4 and 3.5 apply and the Theorem follows.

4 Empirical implementation

4.1 Vodafone

This part implements the proposed estimator for Vodafone stock traded on the LSE's electronic limit order book, called SETS. Vodafone was the LSE's most heavily traded stock (in GB pounds) in 2004. The data spans a period of seven months from August 2004 until the end of February 2005. This period comprised 147 trading days running from 8:00am to 4:30pm.⁶ In the historical record, quotes were timed to the nearest second. Vodafone's best bid was revised 17,060 times over the sampled period, while its offer was revised 17,167 times, an average of 116 times per day. The relative infrequency of changes in Vodafone's quoted prices makes the task of estimating QV particularly challenging, and highlights the importance of using the data at the highest manageable frequency.

⁶Except for 24 December and 31 December, when markets closed at 12:30pm.

4.1.1 Specification Testing

The price series for both the bid and the ask were first tested for uncorrelated alternation in a first order autoregression of the sequence Q. Over a long sample, fluctuation in the marginal propensity to alternate may introduce spurious dependence into this autoregression. This is all the more likely as in basis points Vodafone's price tick (though nominally constant) varied over the period of the data as the share price moved. In testing, the data was therefore viewed as a succession of independent trading days, over each of which parameter stability can reasonably be expected. The trading days were prepared for testing by, in line with for example Engle (2000), excising their first 15 minutes. After-effects of the opening auction are known to produce unique market microstructure effects in these early minutes.

For the best ask 14.2 per cent of days failed an LR test for uncorrelated alternation at 5 per cent. For the best bid the figure was 14.9 per cent. While ideally these numbers would be close to 5 per cent, in reality a minority of days experienced episodes of abnormal market microstructure due to price jumps, news announcements, and other information effects. To study this further, days were broken at 12pm into the morning and the afternoon, producing 294 periods. For the best ask 6.8 per cent of periods now failed the LR test at 5 per cent. For the best bid the figure was 8.5 per cent. The test's rejection frequencies are much improved, suggesting that an abnormal episode in the microstructure is typically brief: it does not cause both halves of a trading day to be rejected independently.

Finally, only 0.5 per cent of jumps in the best bid or ask were double (or morethan-double) jumps. In conclusion, the model found to be mis-specified mainly during infrequent brief interludes. The results of the next Section suggest that these interludes do not unduely prejudice the procedure.

4.1.2 Results

The time series of daily estimated QV is shown in Figure 3. The time series both for the bid and for the ask are plotted: and the two series track one another closely. To study the estimator's bias, we use a volatility signature plot, a graphical technique introduced by Andersen, Bollerslev, Diebold, and Labys (2000). This plots the Realized Variance of a price process as a function of the frequency at which it is sampled. Legibility is enhanced

by plotting sampling frequency on a log-scale. Finally, by analyzing a long enough time series, it is hoped that (even at its right-hand end) the shape of the schedule will be reasonably stable. Figure 4 shows for the current data, volatility signature plots of Y, and the process \hat{Z} , which approximates Z and is constructed using $\hat{R} = C_T/A_T$. Six days were excluded from the figure, since they contained large jumps in the price. These were Christmas Eve 2004, New Year's Eve 2004, and the third Fridays in November 2004, December 2004, January 2005 and February 2005.

Under the assumptions of Proposition 3.3, passing a test for uncorrelated alternation implies that Z has Ideal Error. Therefore loosely, this test can be interpreted as sufficient for the hypothesis that the volatility signature plot of Z is flat. Inspection of Figure 4 suggests this may at least be so here of \hat{Z} .

Definition Let RV_{ζ}^{i} be the Realized Variance of the bid sampled at a frequency ζ on the *i*th observed day.

We will be interested in the series $\{RV_{30\ min}^{i}: i = 1, 2, ...\}, \{RV_{5\ min}^{i}\}, \text{ and } \{RV_{0+}^{i}\}.$ Figure 4 illustrates the approximate amount of upwards bias in these quantities when viewed as estimators of the underlying QV. Only at sampling intervals of above 30 minutes does the upwards bias due to market microstructure effects become moderate. Denote by \hat{R}^{i} the observed proportion of continuations to alternations on the *i*th day. The Alternation Estimator on the *i*th day is written Alt^{i} , and $Alt^{i} = RV_{0+}^{i}\hat{R}^{i}$ (so the time series of $\{Alt^{i}\}$ is given in Figure 3). Table 1 contains the correlation matrix of these statistics. Note that while \hat{R}^{i} is slightly negatively correlated with RV_{0+}^{i} , it is substantially positively correlated with $RV_{30\ min}^{i}$. Viewing $RV_{30\ min}^{i}$ as a proxy for underlying QV, this is in line with the theoretical framework of the paper. Figure 5 provides ACFs of Alt^{i} and $RV_{30\ min}^{i}$. Of the two, Alt^{i} shows greater serial dependence: this suggests that it may perform better in forecasting applications.

4.1.3 Forecasting assessment

This section uses the Vodafone best bid data (excluding the six aforementioned days with jumps) in a simple assessment of the forecasting properties of the proposed Alternation Estimator. For this purpose we follow Andersen, Bollerslev, and Diebold (2003) in turning to the reduced-form forecasting model of Corsi (2003), called the HAR-RV model. First, forecasts of volatility proxies are substantially improved by conditioning on lagged values of the Alternation Estimator. Volatility is proxied both by the sum of 30-minute squared returns, and by the Alternation Estimator. Second, the Alternation Estimator is better forecast than the 30-minute proxy. The study uses simple in-sample linear regressions, which provide useful comparisons even in this short sample.

The dependence of $RV_{30\ min}^{i}$ and Alt^{i} on lagged variables is assessed in the models

$$RV_{30\ min}^{i} \text{ or } Alt^{i} = \beta_{0} + \beta_{D}RV_{30\ min}^{i-1} + \beta_{W}\sum_{j=1}^{5}RV_{30\ min}^{i-j} + \beta_{M}\sum_{j=1}^{22}RV_{30\ min}^{i-j} + \chi_{D}Alt^{i-1} + \chi_{W}\sum_{j=1}^{5}Alt^{i-j} + \chi_{M}\sum_{j=1}^{22}Alt^{i-j} + \varepsilon_{i},$$

where the regressors are all observed before the start of the *i*th trading day and are independent of ε_i , an i.i.d. innovation. The coefficients β_D , β_W and β_M describe the effect of the last day's, week's and month's 30-minute RV respectively. The coefficients χ_D , χ_W and χ_M do likewise for $Alt^{i.7}$ Simple OLS regressions were estimated. In repeats of the regressions, logs and square roots were taken of all the variables. Taking logarithms transforms the positive statistics onto an unbounded support, and has been found by Andersen, Bollerslev, Diebold, and Labys (2000) and Andersen, Bollerslev, Diebold, and Ebens (2001) to produce desirable normality features. Taking square roots gives a forecasting model of realized standard deviations. Further repeats of all regressions were performed excluding the lagged values of Alt^i .

The results are reported in Table 2. Throughout, Alt^i shows significant dependence on lagged terms while $RV_{30\ min}^i$ shows none. The dependence of Alt^i on lagged values of $RV_{30\ min}^i$ alone is highly significant. However, this dependence loses its statistical significance (at 5 per cent) when also conditioning on lagged values of Alt^i , which therefore serve as dominant explanatory variables. The converse is not true.

4.2 CBOT Treasury Bond Future

This part turns to another asset that trades on a penny. The data contains the quoted prices of the 10-Year Treasury Bond Future at the Chicago Board of Trade (CBOT) on

⁷In the construction of weekly and monthly quantities, appropriate linear adjustments were made to allow for for public holidays.

29 July, 30 July and 2 August 2004 (the dates span a weekend), as displayed in Figure 7. Open trading on the electronic limit order book runs from 7am to 4pm, and there are often relevant news announcements around 7:30am. We therefore study the market from 7:32am to 4pm on each day. The best ask was studied, which is quoted in quantities representing $\frac{1}{12,800}$ of the contract's nominal value, \$100,000. The price level on this market was approximately 14,000 at this time. The price tick was two. The best ask was revised 3,254 times over the sampled interval, or on average 1,047 times per day. Of these, 20 jumps, or 0.6 per cent, were greater than the price tick.

Each day was divided into the period before 9:00am, and the period after. Small intervals containing jumps greater than the price tick were excised, principally a 25minute period around 9:00am on 30 July. At this time there was a sudden period of very high volatility (perhaps due to a public announcement, see Figure 7). For three of the six periods the null hypothesis of no first order autocorrelation was accepted at a confidence level of 5 per cent. For the other three periods, it was accepted at 2 per cent. The data's volatility signature plot, as well as the one for \hat{Z} , are presented in Figure 6. The latter's flatness provides further corroboration of the hypothesis that Z has Ideal Error. QV estimation results for CBOT are reported in Table 6.

4.3 GlaxoSmithKline

Vodafone is one of the only equities on LSE SETS which trades on a penny. Where assets do not trade on a penny, the model is typically mis-specified. GlaxoSmithKline (GSK) provides an example of this: over the 147 days from August 2004 to February 2005, the average bid-ask spread was 1.15 pence, but the price tick was 1 pence. Double jumps are correspondingly more prevalent than for Vodafone: 4.9 per cent of changes in the best bid were double jumps, as were 4.6 per cent of changes in the best ask. As it stands, the model is therefore badly specified.

To make the data applicable, a initial preparation step is required. Two techniques are proposed here. First, the quote may be rounded down (or up) to the nearest even (or odd) multiple of the price tick. Second, the quote may be "sluggishly rounded": call the observed data Y and the prepared data \tilde{Y} . Obtain \tilde{Y} from Y by setting $\tilde{Y}_0 = Y_0$, and letting \tilde{Y} jump an amount 2k towards Y whenever Y jumps and they differ by 2k or more. Both these techniques result in processes that almost only contain double jumps, and which are therefore amenable to the present model. Moreover, the techniques can be applied to mid-quote, whose minimum price increment is half the price tick. Finally, a larger multiple of the minimum price increment than 2 can also be used. GSK's quoted price changes were more frequent than for Vodafone: the best bid was revised 58,787 times over period, while its ask was revised 59,093 times, an average of 401 times per day. Its mid-quote changed on average 588 times per day. Therefore, these rounding techniques can still be expected to produce reasonably rich data sets, at least in comparison to Vodafone.

4.3.1 Specification testing and results

For each day in the studied period, the bid, ask and mid-quote were separately prepared using both rounding and sluggish rounding. The results of specification testing and estimation are presented in Table 4. With the same provisos as for the Vodafone data, all the methods of preparation produce fairly well specified models. As documented in Table 4, although the six preparations techniques result in differing numbers of jumps per day, and substantially differing propensities to alternate, they imply very similar estimates of underlying QV. In applications, it would be advisable to average all six estimates. Table 5 provides the same analysis for a third LSE share, Shell.

4.3.2 Forecasting assessment

This section describes the same forecasting assessment of the GSK data as was reported for the Vodafone data in Table 2. This is reported in Table 3. For GSK unlike for Vodafone, sampling RV at 15 minute intervals provides an approximately unbiased estimator of QV, so $RV_{15\ min}^{i}$ were used as a proxy for QV, where $RV_{30\ min}^{i}$ was used for Vodafone. The Alternation Estimator was produced by averaging across the six alternation estimators discussed in the previous subsection.

Like in the case of Vodafone, in logs Alt^i is significantly dependent on lagged values of $RV_{15\ min}^i$. However, this significance disappears when the model is also conditioned on lagged values of Alt^i . This effect extends more weakly to other regression specifications: while lagged values of Alt^i do appear to aid forecasting, the benefits are not as emphatic as in the case of Vodafone. As an explained variable, Alt^i performs as well as, or somewhat better than $RV_{15\ min}^i$.

5 Extensions and corollaries

This section first discusses a filtering technique which relates closely to the Main Theorem. It then shows how when certain further restrictions can be imposed on a well-specified model, the central limit theory presented in Proposition 3.5 becomes feasible, permitting inference about the estimated QV. This is followed by an extension of the model to the bivariate case where two simultaneous price processes have correlated returns.

5.1 A filter

Under the assumptions of Theorem 2.1, first constructing \hat{Z} provides a better estimate of X, the underlying price, than using Y directly. In this sense, \hat{Z} thus constructed is a useful "filter" for Y.

The QV of \hat{Z} , $[\hat{Z}]_T$, differs from the proposed statistic, $k^2 N_T C_T / A_T$, if the data contains short episodes of model mis-specification with large quote revisions or swings due to e.g. public announcements, since it does not disregard double jumps (the two statistics are identical if there is no mis-specification). In some circumstances $[\hat{Z}]_T$ may be a preferable statistic. The CBOT data provides an example of this. Its price path is shown in Figure 7: around 9am on 30 July and 2 August, the eye observes periods of heightened volatility including double jumps: $[\hat{Z}]_T$ includes a contribution to QV from the large jumps at that time, but $k^2 N_T C_T / A_T$ does not. Their discrepancy is reported in Table 6. In a jump-diffusion model of underlying prices, comparing them would identify the jump component, but it would be simpler to search for jumps in the observed price that much exceed k.

5.2 A feasible limit theory when volatility is constant

The asymptotic limit theory of Proposition 3.5 is infeasible because Π is not observed, and therefore its long-run variance matrix, M, cannot be estimated. However, circumstances may exist where the econometrician may reasonably suppose the process σ to be constant. Then the elapsed QV in X between jumps at t_i and t_{i-1} is given by

$$[X]_{t_i} - [X]_{t_{(i-1)}} = \sigma^2(t_i - t_{i-1}), \tag{31}$$

and, de-averaged,

$$\frac{[X]_{t_i} - [X]_{t_{(i-1)}}}{E([X]_{t_i} - [X]_{t_{(i-1)}})} = \frac{(t_i - t_{i-1})}{T} E(N_T).$$
(32)

Substituting N_T for $E(N_T)$ gives an estimate $\hat{\Pi}$, on which the Newey and West (1987) method, and other long-run variance estimation techniques, can be used to estimate M.

5.3 A feasible limit theory when Y follows Sluggish Rounding

Where the assumption of constant volatility is untenable, nevertheless inference may still be feasible by assuming a specific dynamic structure for the order flow. This approach is exemplified by Sluggish Rounding, which we now introduce.

When prices jump by a constant increment, it would seem reasonable to view them as resulting from rounding off a continuous process to the nearest penny, half-penny etc. This approach is taken in Gottlieb and Kalay (1985), Ball (1988), Hasbrouck (1998) and Hasbrouck (1999). It is also present in Zeng (2003) (where the underlying price is corrupted by noise, then rounded). An appropriate central limit theory is provided in this context by Delattre and Jacod (1997). In these papers, prices are discretely sampled. However, as was pointed out in Gottlieb and Kalay (1985), in the current setting of continuous sampling, rounded-off Itô processes must have QV either of zero, or of ∞ , the latter with positive probability (provided prices are unbounded). This is because when an Itô process crosses a rounding threshold, with probability 1 it does so infinitely more times in the next instant. While retaining continuous sampling, this problem can be avoided by introducing a "sluggishness", whereby any threshold for rounding observed prices up by one increment exceeds by a small margin the threshold for rounding them back down.

Definition Y evolves according to Sluggish Rounding if there exists $\rho > \frac{k}{2}$ such that Y jumps towards X by amount k whenever $|X - Y| \ge \rho$.

For Y to have finite activity, it cannot be that

$$0 < \rho \le \frac{k}{2},\tag{33}$$

for then any single jump would precipitate an infinite flurry. In the case where $\rho = k, Y$ jumps to exactly the value of X whenever X reaches $Y \pm k$.

Proposition 5.1 Suppose that Y evolves according to Sluggish Rounding. Then it has

Uncorrelated Alternation. Furthermore, Π is an i.i.d. sequence and

$$UMU' = \frac{2}{3R}(1 + 4R + 2R^2).$$
(34)

Therefore UMU' may be estimated consistently by replacing R in (34) with $\hat{R} = C_T/A_T$.

Proof. See Appendix E. ■

A simulation of Sluggish Rounding 10,000 times based on R = 0.25, k = 2 and $[X]_T = 900$ – parameters which are in line with the CBOT data – is suggestive of good small sample properties. In particular, the truth was rejected at 1% on 1.2% of runs, at 5% on 4.8% of runs, and at 10% on 9.7% of runs (standard errors were estimated one run at a time using Proposition 5.1). Logarithms were taken at the lower tail to mitigate the influence of the lower bound at zero.

When calculated using Proposition 5.1, the quantity $\sqrt{\frac{UMU'}{N_T}}$ estimates the standard deviation of $\frac{[\hat{X}]_T}{[X]_T}$. Implemented daily for Vodafone from August 2004 to February 2005, it was on average 24 per cent. For Shell's rounded mid-quote and the CBOT quote data it averaged 13 and 8 per cent respectively.

5.4 Estimating bivariate covariation

It seems plausible that where the returns of two financial assets are positively correlated, the value of a portfolio containing both might have disproportionately many continuations. This intuition is supported by the following formalization. Let (X_1, Y_1) and (X_2, Y_2) be the models of two asset prices, satisfying the assumptions of Theorem 2.1, and let (X_1, X_2) be a bivariate Itô process. Note that without loss of generality they can be scaled so Y_1 and Y_2 have the same jump size, k. The quantity of interest is the covariation of X_1 and X_2 , written

$$[X_1, X_2]_T = \text{p-lim} \sum_{j=1}^M [X_1(t_j) - X_1(t_{j-1})] [X_2(t_j) - X_2(t_{j-1})], \qquad (35)$$

where $\{0 = t_0, t_1, \dots, t_M = T\}$ is a lattice on [0, T] whose mesh tends to zero in the limit, and p-lim denotes that limit in probability, as studied in Barndorff-Nielsen and Shephard (2004). Estimators of this quantity are proposed in Hayashi and Yoshida (2005)⁸ and Sheppard (2005).

⁸Hayashi and Yoshida (2005) worked independently of F. Corsi's research into an 'All-Overlapping-Returns' estimator (see Martens (2004)).

Corollary 5.2 Suppose that the models $(X_1 + X_2, Y_1 + Y_2)$ and $(X_1 - X_2, Y_1 - Y_2)$ each satisfy the Assumptions of Theorem 2.1 and, conditional on (X_1, X_2) , Y_1 and Y_2 are independent. Write C^+ (A^+) for the number of observed continuations (alternations) in $Y_1 + Y_2$ before time T. Define C^- and A^- analogously for $Y_1 - Y_2$. Then

$$\frac{1}{4} \left(\frac{C^+}{A^+} - \frac{C^-}{A^-} \right) \left([Y_1]_T + [Y_2]_T \right)$$
(36)

is a consistent estimator of $[X_1, X_2]_T$.

Proof. See Appendix G.

The corollary has the interpretation that, asymptotically, the covariation is positive if and only if there are more continuations in the summed price processes than in the differenced prices. However, the assumptions of this corollary are strong, and it is not expected that they would hold of all data.

6 Conclusion

This paper views the observed price as a pure jump process whose deviations from an underlying stochastic process are stationary in business time. Noting that on many markets the amount by which quotes jump is constant and equal to the price tick, it proposes a new estimator for the underlying price's QV which down-weights the quoted price's observed QV by a factor that takes into account its propensity to alternate. Provided that alternation is uncorrelated at the first order, the estimator is proven to be consistent in an appropriate asymptotic theory. Simple rounding techniques substantially widen the range of applicable price processes and markets. The estimator is shown to be valid and is implemented for some UK equities and a US Treasury Bond future. Analysis of its bias and use in forecasting produces favorable results.

References

- Aït-Sahalia, Y., P. Mykland, and L. Zhang (2005). How often to sample a continuoustime process in the presence of market microstructure noise. *Review of Financial Studies* 18, 351–416.
- Andersen, T., T. Bollerslev, and F. Diebold (2003). Some like it smooth, and some like it rough: untangling continuous and jump components in measuring, modeling

and forecasting asset return volatility. Unpublished paper: Economics Dept, Duke University.

- Andersen, T. G., T. Bollerslev, and F. X. Diebold (2005). Parametric and Nonparametric Volatility Measurement. in L.P. Hansen and Y. Ait-Sahalia, eds., Handbook of Financial Econometrics. North-Holland.
- Andersen, T. G., T. Bollerslev, F. X. Diebold, and H. Ebens (2001). The distribution of realized stock return volatility. *Journal of Financial Economics* 61, 43–76.
- Andersen, T. G., T. Bollerslev, F. X. Diebold, and P. Labys (2000). Great realizations. *Risk 13*, 105–108.
- Andersen, T. G., T. Bollerslev, F. X. Diebold, and P. Labys (2003). Modeling and forecasting realized volatility. *Econometrica* 71, 579–626.
- Andersen, T. G., T. Bollerslev, and N. Meddahi (2004). Analytic evaluation of volatility forecasts. *International Economic Review* 45, 1079–1110.
- Andreou, E. and E. Ghysels (2002). Rolling-sample volatility estimators: Some new theoretical, simulation, and empirical results. *Journal of Business and Economic Statistics 20*, 363–376.
- Ball, C. A. (1988). Estimation bias induced by discrete security prices. Journal of Finance 43, 845–865.
- Bandi, F. and J. R. Russell (2004). Separating microstructure noise from volatility. Forthcoming, *Journal of Financial Economics*.
- Barndorff-Nielsen, O., P. Hansen, A. Lunde, and N. Shephard (2004). Regular and modified kernel-based estimators of integrated variance: The case with independent noise. Nuffield College Working Paper 2004-W28.
- Barndorff-Nielsen, O. and N. Shephard (2002). Econometric analysis of realised volatility and its use in estimating stochastic volatility models. *Journal of the Royal Statistical Society B* 64, 253–280.
- Barndorff-Nielsen, O. and N. Shephard (2004). Econometric analysis of realized covariation: High frequency based covariance, regression, and correlation in financial economics. *Econometrica* 72, 885–925.

- Barndorff-Nielsen, O. and N. Shephard (2005a). Impact of jumps on returns and realised volatility: econometric analysis of time-deformed lévy processes. Forthcoming, *Journal of Econometrics*.
- Barndorff-Nielsen, O. and N. Shephard (2005b). Variation, jumps, market frictions and high frequency data in financial econometrics. Nuffield College Working Paper 2005-W16.
- Barndorff-Nielsen, O. and N. Shephard (2006). Econometrics of testing for jumps in financial economics using bipower variation. Forthcoming, *Journal of Financial Econometrics*, 4.
- Biais, B., P. Hillion, and C. Spatt (1995). An empirical analysis of the limit order book and the order flow in the Paris Bourse. *Journal of Finance 50*, 1655–1689.
- Borodin, A. N. and P. Salminen (1996). *Handbook of Brownian Motion Facts and Formulae*. Basel: Birkhuser.
- Coppejans, M., I. Domowitz, and A. Madhavan (2003). Resiliency in an automated auction. Working Paper, Duke University.
- Corradi, V. and W. Distaso (2005). Semiparametric comparison of stochastic volatility models using realized measures. Forthcoming, *Review of Economic Studies*.
- Corsi, F. (2003). A simple long memory model of realized volatility. , Manuscript, University of Southern Switzerland.
- Degryse, H., F. de Jong, M. van Ravenswaaij, and G. Wuyts (2003). Aggressive orders and the resiliency of a limit order market. Working Paper, University of Amsterdam.
- Delattre, S. and J. Jacod (1997). A central limit theorem for normalized functions of the increments of a diffusion process, in the presence of round-off errors. *Bernoulli 3*, 1–28.
- Engle, R. F. (2000). The econometrics of ultra-high-frequency data. *Econometrica 68*, 1–22.
- Engle, R. F. and J. Lange (2001). Predicting VNET; a model of the dynamics of market depth. *Journal of Financial Markets* 4, 113–142.
- Engle, R. F. and J. R. Russell (2005). A discrete-state continuous-time model of financial transactions prices: the ACM-ACD model. *Journal of Business and Economic*

Statistics.

- Ghysels, E., A. Harvey, and E. Renault (1996). Stochastic Volatility. In C. R. Rao and G. S. Maddala (Eds.), Statistical Methods in Finance, pp 119-191. Amsterdam: North-Holland.
- Glosten, L. R. and P. R. Milgrom (1985). Bid, ask and transaction prices in a specialist market with heterogeneously informed traders. *Journal of Financial Economics* 14, 71–100.
- Gottlieb, G. and A. Kalay (1985). Implications of discreteness of observed stock prices. Journal of Finance 40, 135–153.
- Hansen, P. and A. Lunde (2006). Realized variance and market microstructure noise (with discussion). Forthcoming, *Journal of Business and Economic Statistics*, 24.
- Harris, L. (1990). Estimation of stock variances and serial covariances from discrete observations. Journal of Financial and Quantitative Analysis 25, 291–306.
- Harris, L. (1994). Minimum price variations, discrete bid-ask spreads, and quotation sizes. *Review of Financial Studies* 7, 149–178.
- Hasbrouck, J. (1991). Measuring the information content of stock trades. Journal of Finance 46, 179–207.
- Hasbrouck, J. (1998). Security bid/ask dynamics with discreteness and clustering: simple strategies for modeling and estimation. Working Paper, New York University.
- Hasbrouck, J. (1999). The dynamics of discrete bid and ask quotes. *Journal of Finance 54*, 2109–2142.
- Hayashi, T. and N. Yoshida (2005). On covariance estimation of non-synchronously observed diffusion processes. *Bernoulli* 11, 359 379.
- Jacod, J. (1994). Limit of random measures associated with the increments of a Brownian semimartingale. Preprint number 120, Laboratoire de Probabilitiés, Université Pierre et Marie Curie, Paris.
- Jacod, J. and P. Protter (1998). Asymptotic error distributions for the Euler method for stochastic differential equations. *Annals of Probability* 26, 267–307.
- Kyle, A. (1985). Continuous auctions and insider trading. *Econometrica* 53, 1315–1336.

- Large, J. (2006). Measuring the resiliency of an electronic limit order book. Forthcoming, *Journal of Financial Markets*.
- Martens, M. (2004). Estimating unbiased and precise realized covariances. Manuscript, Erasmus University, Rotterdam.
- Newey, W. K. and K. West (1987). A simple, positive definite, heteroskedasticity and autocorrelation consistent covariance matrix. *Econometrica* 55, 703–708.
- Oomen, R. A. C. (2002). Modelling realized variance when returns are serially correlated. Working Paper, Warwick Business School, The University of Warwick.
- Oomen, R. A. C. (2004). Properties of bias corrected realized variance in calendar time and business time. Working Paper, Warwick Business School, The University of Warwick.
- Shephard, N. (2005). Stochastic Volatility: Selected Readings. Oxford: Oxford University Press.
- Sheppard, K. (2005). Measuring realized covariance. Unpublished Paper, Department of Economics, University of Oxford.
- Zeng, Y. (2003). A partially observed model for micromovement of asset prices with Bayes estimation via filtering. *Mathematical Finance 13*, 411–444.
- Zhang, L. (2004). Efficient estimation of stochastic volatility using noisy observations: a multiscale approach. Working Paper: Department of Statistics, Carnegie Mellon University.
- Zhang, L., P. Mykland, and Y. Aït-Sahalia (2005). A tale of two timescales: Determining integrated volatility with noisy high-frequency data. Forthcoming, *Journal* of the American Statistical Association.
- Zhou, B. (1996). High-frequency data and volatility in foreign-exchange rates. *Journal* of Business and Economic Statistics 14, 45–52.

A Proof of Proposition 3.1

The proposition states: Suppose that Assumptions (B),(C) and (D) of Theorem 2.1 hold. Condition on $[X]_T$, letting T be a random time. Let R be the ratio $\frac{[X]_T}{E[Y]_T}$. The error just before the *i*th jump is ϵ_{t_i-} . Taking the ergodic expectation, for all *i*

$$E[| \epsilon_{t_{i}-} |] = \frac{k}{2} [R+1].$$
(37)

Proof Let u = V - W be the microstructure effect in business time. The proof proceeds by equating the ergodic variances of u (equivalently, of ϵ) at (i.e. just after) two subsequent jumps, at random times, say the second and third, at times t_2 and t_3 . For all t, $Var(u_t) = E(u_t^2)$. Define $\bar{\lambda}$ as the ergodic or average intensity of jumping in business time. Define $\{w_i\}$ and $\{v_i\}$ as the respective sets of random increments in W and V:

$$w_i = W_{t_i} - W_{t_{i-1}}, (38)$$

$$v_i = V_{t_i} - V_{t_{i-1}}, (39)$$

so that v_3 is equal to the jump at t_3 , i.e. $\pm k$, and $\{w_i\}$ are i.i.d. of known variance:

$$w_i \sim N(0, t_i - t_{i-1}).$$
 (40)

It then follows that

$$u_{t_i} = u_{t_{(i-1)}} + v_i - w_i. (41)$$

So,

$$E[u_{t_3}^2] = E[(u_{t_2} + v_3 - w_3)^2]$$
(42)

$$= E[u_{t_2}^2 + v_3^2 + w_3^2 - 2w_3u_{t_2} + 2v_3u_{t_2} - 2v_3w_3]$$
(43)

$$= E[u_{t_2}^2 + v_3^2 + w_3^2 - 2w_3u_{t_2} + 2v_3(u_{t_2} - w_3)].$$
(44)

But by Assumptions (B) and (D), v_3 is $-k \ sign(u_{t_2} - w_3)$. Furthermore, $E(w_i^2)$ is $1/\bar{\lambda}$. Further, as W is a martingale, $E[w_3|u_{t_2}] = 0$, and so $E[w_3u_{t_2}] = 0$. So, (44) is

$$E[u_{t_2}^2] + k^2 + 1/\bar{\lambda} - 2kE[\mid u_{t_2} - w_3 \mid].$$
(45)

Moreover, $(u_{t_2} - w_3)$ is u_{t_3-} , the right limit of u before the jump at t_3 . As u is stationary, we may equate $E[u_{t_2}^2]$ and $E[u_{t_3}^2]$ to obtain the equality

$$E[\mid u_{t_{3-}} \mid] = \frac{k}{2} \left[\frac{1}{k^2 \bar{\lambda}} + 1 \right].$$
(46)

But, conditional on $[X]_T$, $E[Y]_T = k^2 \overline{\lambda} [X]_T$. As one could equally have looked at any two successive jumps (not only the second and third), the proposition follows.

B Proof of Proposition 3.3

The proposition states: Suppose that Assumptions (B), (C) and (D) of Theorem 2.1, as well as the Identification Assumption, hold. Uncorrelated Alternation then implies that Z has Ideal Error.

Proof First suppose that Y has Ideal Error. Then Z = Y has Ideal Error trivially. Now, and for the rest of the proof, assume that Y does not have Ideal Error. If Q has first lag autocorrelation of zero then it is easily checked that

$$E(G_{t_{i+1}}|G_{t_i}) = E(G_{t_{i+1}}|G_{t_i}, G_{t_{(i-1)}}).$$
(47)

Therefore, by the Identification Assumption,

$$E(\epsilon_{t_{i+1}-}|G_{t_i}) = E(\epsilon_{t_{i+1}-}|G_{t_i}, G_{t_{(i-1)}}).$$
(48)

But then, as no jumps occurred between t_i and t_{i-1} ,

$$E(\epsilon_{t_i}|G_{t_i}) = E(\epsilon_{t_i}|G_{t_i}, G_{t_{(i-1)}}).$$
(49)

The Proposition now follows from Corollary B.1.

Corollary B.1 Assume Assumptions (B), (C) and (D) of Theorem 2.1, and that Y does not have Ideal Error. Then Z has Ideal Error iff at each jump, timed t_i , i > 1,

$$E(\epsilon_{t_i}|G_{t_i}) = E(\epsilon_{t_i}|G_{t_i}, G_{t_{(i-1)}}).$$
(50)

Proof. If Z has Ideal Error, then by Lemma B.2, for all t,

 $E(Z_t - X_t| \text{ the last two jumps in Y went up, then down }) = 0.$ (51)

So, conditional on the two jumps in Y before t going up, then down

$$E\left(Y_t - X_t\right) = Y_t - Z_t. \tag{52}$$

So,

 $E(\epsilon_t | \text{last 2 jumps in Y went up, then down}) = E(\epsilon_t | \text{last jump in Y went down}).$

(53)

The proposition now follows by the up-down symmetry of the model, considering exhaustively the four cases where prior to t:

the last 2 jumps in Y went up, then down,

the last 2 jumps in Y went up, then up,

the last 2 jumps in Y went down, then up, and

the last 2 jumps in Y went down, then down. \blacksquare

So Z has Ideal Error whenever conditioning not only on the last jump, but also on the last-but-one jump does not improve the best ergodic estimate of X_t given Y_t .

Lemma B.2 Assume Assumptions (B), (C) and (D) of Theorem 2.1. Then for any t,

$$E[Z]_T - [X]_T = 2(R-1)E[Y]_T p_A E\left(\frac{Z_t - X_t}{k}| \text{ the last two jumps in } Y \text{ went up, then down}\right),$$
(54)

where p_A is the probability that a jump is an alternation.

Proof. See Appendix F. \blacksquare

C Proof of Proposition 3.4

The Proposition states: Suppose that Assumptions (B),(C) and (D) of Theorem 2.1 hold. Suppose that Z has Ideal Error. Then,

$$E[A_T R - C_T] = 0, (55)$$

and R has the Method of Moments estimator

$$\hat{R} = \frac{C_T}{A_T}.$$
(56)

(Define $\hat{R} = 0$ if $C_T = A_T = 0$).

The proof studies two cases in turn. The second case, where Y does not have Ideal Error, contains an important argument.

Case where Y has Ideal Error Then R = 1. By Proposition 3.1, the expected absolute value of ϵ_t just before a jump is k. Therefore, the expected value of ϵ_t conditional on Y just that moment having jumped upwards is 0. The Identification Assumption implies that Y has equal probability of jumping up as down after this upwards jump.

Given buy-sell symmetry, and as Q is uncorrelated, the ergodic probability that any given jump is an alternation is 0.5. Hence

$$E[A_T - C_T] = 0. (57)$$

Case where Y does not have Ideal Error Condition on $[X]_T$. Z has Ideal Error if

$$[X]_T = E([Z]_T) \tag{58}$$

$$= E(k^2(C_T + A_T R^2)). (59)$$

Also, R is defined by

$$[X]_T = RE([Y]_T) \tag{60}$$

$$= E(k^2 R(C_T + A_T)). (61)$$

Subtracting and dividing by k^2 , we therefore have the moment condition,

$$E[(C_T + A_T R^2) - R(C_T + A_T)] = 0.$$
(62)

Or, factorizing,

$$(R-1) E[(A_T R - C_T)] = 0.$$
(63)

Since Y does not have Ideal Error, $R \neq 1$. Divide through by (R-1):

$$E[A_T R - C_T] = 0. (64)$$

D Proof of Proposition 3.5

The proposition states : Suppose that Assumptions (B), (C) and (D) of Theorem 2.1 hold. Suppose that Z has Ideal Error. Condition on $[X]_T$, letting T be random. The following limit theory applies:

$$\lim_{\alpha \to 0} \sqrt{N_T} \left(\frac{\hat{R}[Y]_T}{[X]_T} - 1 \right) \sim N(0, UMU'), \tag{65}$$

where U is the pair $(1, \frac{(1+R)^2}{R})$ and V is the long-run variance matrix of the stationary time series of pairs, Π :

$$\Pi = \left\{ \left(\frac{[X]_{t_i} - [X]_{t_{(i-1)}}}{E([X]_{t_i} - [X]_{t_{(i-1)}})} , \frac{1+Q_i}{2} \right) : i \in \mathbb{N} \right\}.$$
(66)

The left hand term here is the de-averaged elapsed QV in X between the (i - 1)th and *i*th jumps in Y.

Proof Condition on $[X]_T$, and define a business time, S, by $S = [X]_T$. Let $\{s_1, s_2, s_3...\}$ be the business times of the observed jumps in Y, i.e. the times of the jumps in V. Then Π reduces to

$$\Pi = \left\{ \left(\bar{\lambda}(s_i - s_{(i-1)}), \frac{1+Q_i}{2} \right) : i \in \mathbb{N} \right\}.$$
(67)

Note that the right-hand fraction takes the value 1 when Y alternates, and 0 when it continues. We are interested in the limit as $\alpha \to 0$ of

$$P(V^{\frac{1}{\alpha}}|W^{\alpha})P(W).$$
(68)

First, however, consider the model,

$$P(V|W^{\alpha})P(W). \tag{69}$$

This simply implies that for given α , V is observed until time S/α^2 . In an abuse of notation, let N be the number of jumps before this time, of which let A be the number of alternations, and let C be the number of continuations. As $\alpha \to 0$, the number of jumps in V before time S/α^2 increases without bound, i.e. $N \to \infty$ with probability 1. By a standard central limit theorem, as S/α^2 is the sum of the durations between the observed jumps (in business time), ignoring the time after the last jump in the sample,

$$\lim_{\alpha \to 0} \sqrt{N} \left(\begin{pmatrix} \frac{S}{\alpha^2} \frac{\bar{\lambda}}{N} \\ \frac{A}{N} \end{pmatrix} - \begin{pmatrix} 1 \\ p_A \end{pmatrix} \right) \sim N(0, M), \tag{70}$$

where p_A is the probability that a jump is an alternation. Let

$$f:(x,y) \to (1-y)/xy.$$
 (71)

Then f is differentiable in the positive quadrant and so by the Delta Method,

$$\lim_{\alpha \to 0} \sqrt{N} \left(\frac{NC\alpha^2}{S\bar{\lambda}A} - \frac{(1-p_A)}{p_A} \right) \sim N(0, df' M df),$$
(72)

where df is evaluated at $(1, p_A)'$. But the moment constraint in Proposition 3.4 implies that

$$\frac{(1-p_A)}{p_A} = R,\tag{73}$$

so, by simple calculation, the evaluated df is -RU' and

$$\lim_{\alpha \to 0} \sqrt{N} \left(\frac{NC\alpha^2}{S\bar{\lambda}A} - R \right) \sim N(0, RUMU'R).$$
(74)

So,

$$\lim_{\alpha \to 0} \sqrt{N} \left(\frac{N(\alpha k)^2 C}{S k^2 \bar{\lambda} R A} - 1 \right) \sim N(0, U M U').$$
(75)

Recall the following identities:

$$N(\alpha k)^2 = [V^{\frac{1}{\alpha}}]_S \; ; \; k^2 \bar{\lambda} R = 1 \; ; \; S = [X]_T.$$
 (76)

So, substituting these into (75),

$$\lim_{\alpha \to 0} \sqrt{N} \left(\frac{[V^{\frac{1}{\alpha}}]_S C}{[X]_T A} - 1 \right) \sim N(0, UMU').$$
(77)

Return to the asymptotic theory of central interest, which takes the limit as $\alpha \to 0$ of

$$P(V^{\frac{1}{\alpha}}|W^{\alpha})P(W).$$
(78)

Under this limit theory, $Y = V_{[X]}^{\frac{1}{\alpha}}$. Therefore $[V^{\frac{1}{\alpha}}]_S = [Y]_T$, $N = N_T$, $C = C_T$ and $A = A_T$. The proposition follows.

E Proof of Proposition 5.1

The proposition states : Suppose that Y evolves according to Sluggish Rounding. Then it has Uncorrelated Alternation. Furthermore, Π is an i.i.d. sequence and

$$UMU' = \frac{2}{3R}(1 + 4R + 2R^2).$$
(79)

Therefore UMU' may be estimated consistently by replacing R in (79) with $\hat{R} = C_T/A_T$.

Proof Condition on $[X]_T$. In business time, the duration between jumps is the time taken for a standard Brownian motion to exit the interval (-k, Rk). A moment's thought reveals that Q and Π are then i.i.d. The probability that a Brownian motion starting at zero reaches the level Rk before the level -k is known to be

$$\frac{k}{k+Rk},\tag{80}$$

or 1/(1+R). This therefore also describes the probability that at a jump Z moves up (down) by Rk rather than down (up) by k, i.e. the probability that Y alternates, rather than continuing. The expected time to the first hit is Rk^2 , which is therefore also the expected duration in business time between jumps. The following formulae are derived from results recorded in Borodin and Salminen (1996):

The variance of the time between jumps is

$$\frac{1}{3}Rk^4(1+R^2) \tag{81}$$

So the variance of the normalized time between jumps, $\bar{\lambda}(s_i - s_{(i-1)})$, is

$$\frac{1+R^2}{3R} \tag{82}$$

The expected time between jumps, conditional on them alternating, is

$$\frac{2Rk^2(2R+1)}{3(R+1)} \tag{83}$$

Therefore the covariance of Q_i and $\overline{\lambda}(s_i - s_{(i-1)})$ is

$$-\frac{1-R}{3(1+R)}\tag{84}$$

The variance of Q_i is

$$\frac{R}{(1+R)^2}\tag{85}$$

,

These give the components of the matrix M. UMU' is now easily calculated.

F Proof of Proposition B.2

The proposition states : Assume Assumptions (B), (C) and (D) of Theorem 2.1. Condition on $[X]_T$. For any t,

$$E[Z]_T - [X]_T = 2(R-1)E[Y]_T p_A E\left(\frac{Z_t - X_t}{k}\right)$$
 the last two jumps in Y went up, then down
$$\left(86\right)$$

where p_A is the probability that a jump is an alternation.

Proof Let $S = [X]_T$ be known. Let \tilde{Z} be $Z_{[X]^{-1}}$, i.e. \tilde{Z} is Z as it evolves in business time. Define

$$\eta_s = \tilde{Z}_s - W_s. \tag{87}$$

So, η is the error in Z, as it evolves in business time. As V - W is stationary, η is too. Let it follows the differential equation

$$d\eta_s = H_s dN'_s - dW_s, \tag{88}$$

so that N' is the driving counting process of V. Say that the adapted intensity process of this counting process is λ . H is a process which takes value $\pm k$, and $\pm Rk$, depending on whether V is alternating or continuing, up or down. Then,

$$E((\eta_s + d\eta_s)^2) = E(\eta_s^2).$$
(89)

Therefore,

$$E(\eta_s^2 + 2\eta_s d\eta_s + d\eta_s^2) = E(\eta_s^2).$$
⁽⁹⁰⁾

And

$$-2E(\eta_s d\eta_s) = E(d\eta_s^2). \tag{91}$$

Or,

$$-2E(\eta_s(H_s dN'_s - dW_s)) = E((H_s dN'_s - dW_s)^2).$$
(92)

 So

$$-2E(\eta_s H_s \lambda_s) dt = E(H_s^2 \lambda_s) dt + dt.$$
(93)

Multiplying by -S/ds and adding on a constant,

$$2SE(\eta_s H_s \lambda_s) + 2SE(H_s^2 \lambda_s) = SE(H_s^2 \lambda_s) - S.$$
(94)

Or,

$$2SE((\eta_s + H_s)H_s\lambda_s) = SE(H_s^2\lambda_s) - S.$$
(95)

But the left hand side of this is

$$2S\bar{\lambda}E(\eta_s H_s | \text{ jump at t})$$
(96)

While the right hand side is

$$E[Z]_T - [X]_T.$$
 (97)

Putting this together, given the up-down symmetry of η ,

$$E[Z]_T - [X]_T = 2S\bar{\lambda}E(\eta_s H_s | Y \text{ jumped up at t }).$$
(98)

But, $E[Y]_T = S\bar{\lambda}k^2$, so

$$E[Z]_T - [X]_T = \frac{2}{k^2} E[Y]_T E(\eta_s H_s | Y \text{ jumped up at t }).$$
(99)

So, writing p_A for the ergodic probability of alternation; and distinguishing the case of an alternation from that of a continuation in order to extract the magnitude of H from (99) we obtain

$$\frac{2}{k^2} E[Y]_T \{ p_A R k E(\eta_s | Y \text{ alternated up at s}) + (1 - p_A) k E(\eta_s | Y \text{ continued up at s}) \}$$

$$= \frac{2}{k} E[Y]_T E(\eta_s | Y \text{ jumped up at s}) + \frac{2}{k} E[Y]_T p_A(R-1) E(\eta_s | Y \text{ alternated up at s})$$

$$= 0 + \frac{2}{k} E[Y]_T p_A(R-1) E(\eta_s | Y \text{ alternated up at s}).$$

Therefore,

$$E[Z]_T - [X]_T = -\frac{2}{k} E[Y]_T (1 - R) p_A E(\eta_s | Y \text{ alternated up at s}).$$
(100)

Or,

$$E[Z]_T - [X]_T = \frac{2}{k} E[Y]_T (1 - R) p_A E(\eta_s | Y \text{ alternated down at s}).$$
(101)

G Proof of Corollary 5.2

The corollary states: suppose that the models $(X_1 + X_2, Y_1 + Y_2)$ and $(X_1 - X_2, Y_1 - Y_2)$ each satisfy the assumptions of Proposition 3.4 and, conditional on (X_1, X_2) , Y_1 and Y_2 are independent. Write C^+ (A^+) for the number of continuations (alternations) in $Y_1 + Y_2$. Define C^- and A^- analogously for $Y_1 - Y_2$. Then

$$\frac{1}{4} \left(\frac{C^+}{A^+} - \frac{C^-}{A^-} \right) \left([Y_1]_T + [Y_2]_T \right)$$
(102)

is a consistent estimator of $[X_1, X_2]_T$.

Proof. Begin with the identity

$$[X_1, X_2]_T = \frac{1}{4} \left([X_1 + X_2]_T - [X_1 - X_2]_T \right).$$
(103)

Note that as Y_1 and Y_2 are conditionally independent pure jump processes,

$$[Y_1]_T + [Y_2]_T = [Y_1 + Y_2]_T = [Y_1 - Y_2]_T.$$
(104)

As $(X_1 + X_2, Y_1 + Y_2)$ and $(X_1 - X_2, Y_1 - Y_2)$ satisfy the assumptions of Proposition 3.4,

$$[Y_1 + Y_2]_T \frac{C^+}{A^+}$$
 and $[Y_1 - Y_2]_T \frac{C^-}{A^-}$ (105)

are consistent estimators of

$$[X_1 + X_2]_T$$
 and $[X_1 - X_2]_T$. (106)

The corollary now follows by a straightforward substitution. \blacksquare



Figure 3: The estimated QV for Vodafone on each trading day from August 2004 to February 2005. Isolated crosses show the estimated QV of the best ask, while diamonds joined by lines show the same for the best bid.



Figure 4: Volatility signature plots for Vodafone's best bid price from August 2004 to February 2005. The diamonds show the estimated RV of the quote at various sampling frequencies. The squares show the estimated RV of the transformed quote, \hat{Z} , at various frequencies.



Figure 5: ACF of $\{Alt^i\}$ and $\{RV_{30\ min}^i\}$ for Vodafone. The 5 per cent confidence interval for $\{Alt^i\}$ is shown. Those for $\{RV_{30\ min}^i\}$ were slightly wider, but indistinguishable by eye.



Figure 6: Volatility signature plots for the best ask on the CBOT limit order book for the 10-Year Treasury Bond Future. The diamonds show the estimated RV of the quote at various sampling frequencies. The squares show the estimated RV of the transformed quote, \hat{Z} , at various frequencies.



Figure 7: The price-path taken by the best bid for the 10-Year Treasury Bond Future on 29, 30 July and 2 August 2004.

	RV_{0+}^i	$RV^i_{30 \ sec}$	$RV_5^i_{min}$	$RV^i_{30\ min}$	Alt^i	\hat{R}^i
RV_{0+}^i	1					
$RV^i_{30 \ sec}$	0.97	1				
$RV_5^i_{min}$	0.8	0.81	1			
$RV^i_{30\ min}$	0.67	0.69	0.69	1		
Alt^i	0.79	0.79	0.76	0.82	1	
\hat{R}^i	-0.09	-0.05	0.1	0.3	0.48	1

Table 1: Correlation matrix of various daily volatility-related statistics on Vodafone,August 2004 - February 2005.

			Model in Logs Model in Square Roots			Model in Levels							
Explained variable		А	.lt	30-	min	А	lt	30-1	min	А	lt	30-1	nin
Const.		-0.50 1.15	-1.23 1.12	0.70 1.01	0.38 0.96	0.77 0.37	0.62 0.37	1.25 0.39	1.15 0.39	1.17 0.53	1.02 0.54	1.86 0.67	1.69 0.67
Alternation Estimator lagged	Day	0.31 0.15		0.05 0.13		0.34 0.16		0.09 0.17		0.35 0.19		0.10 0.24	
terms	Week	-0.24 0.38		-0.31 0.33		-0.10 0.16		-0.15 0.17		-0.04 0.08		-0.08 0.10	
	Month	0.98 0.83		1.41 0.73		0.24 0.16		0.38 0.17		0.07 0.04		0.12 0.05	
Joint significa lagged alterna	nce of tion terms	0.07		0.26		0.03		0.15		0.03		0.08	
30-min sum-square	Day	0.10 0.18	0.37 0.12	0.10 0.15	0.16 0.11	0.00 0.16	0.27 0.10	0.04 0.17	0.13 0.11	-0.08 0.15	0.17 0.09	-0.03 0.19	0.07 0.11
terms	Week	-0.14 0.40	-0.35 0.24	0.27 0.35	-0.02 0.20	-0.02 0.16	-0.10 0.09	0.12 0.16	0.00 0.09	0.00 0.07	-0.03 0.04	0.06 0.08	0.01 0.05
	Month	-0.56 0.90	0.57 0.34	-1.44 0.79	0.00 0.29	-0.17 0.17	0.08 0.07	-0.36 0.18	0.00 0.07	-0.05 0.04	0.01 0.02	-0.11 0.05	0.00 0.02
Joint significa lagged 30-mir	nce of terms	0.79	0.01	0.25	0.42	0.63	0.04	0.22	0.61	0.32	0.21	0.14	0.87
Joint sig. of al	l regressors	0.01	0.01	0.33	0.42	0.01	0.04	0.30	0.61	0.03	0.21	0.27	0.87
Specification	tests												
Normal residu Autocorrelated Heteroskedast	als d residuals ic residuals	0.20 0.45 0.10	0.08 0.02 0.02	0.04 0.51 0.55	0.01 0.62 0.35	0.00 0.46 0.80	0.00 0.01 0.64	0.00 0.97 0.44	0.00 0.96 0.75	0.00 0.38 0.73	0.00 0.01 0.82	0.00 0.63 0.41	0.00 0.53 0.91

Table 2: Table reporting regressions of two proxies for Vodafone's QV against daily, weekly and monthly lagged values of the Alternation Estimator and $RV_{30\ min}^{i}$. Standard errors are reported below estimates. No Newey-West-type corrections were made, but specification tests were performed on the residuals. Bold type indicates significance at 5 per cent. All p-values are given in italics.

		Model in Logs			Model in Square Roots				Model in Levels				
Explained variable		A	lt	15-	min	А	lt	15-1	min	А	lt	15-1	min
Const.		5.26 3.13	2.77 2.63	5.77 3.52	2.34 2.95	12.47 5.14	8.05 4.22	14.16 5.27	8.49 4.34	180.3 78.9	113.0 64.6	202.6 73.3	120.3 60.6
Alternation Estimator lagged	Day	0.08 0.19		0.01 0.21		0.07 0.20		-0.02 0.21		-0.01 0.22		-0.10 0.20	
terms	Week	0.14 0.41		0.01 0.46		0.05 0.19		0.07 0.20		0.04 0.10		0.07 0.09	
	Month	1.37 1.06		1.96 1.19		0.31 0.24		0.40 0.24		0.08 0.06		0.09 0.06	
Joint significa lagged alterna	ance of ation terms	0.23		0.27		0.29		0.21		0.42		0.17	
15-min sum-square	Day	0.05 0.16	0.09 0.10	0.11 0.19	0.09 0.11	0.09 0.19	0.13 0.10	0.14 0.20	$\begin{array}{c} 0.11 \\ 0.11 \end{array}$	0.16 0.22	0.14 0.11	0.21 0.21	$\begin{array}{c} 0.11 \\ 0.10 \end{array}$
terms	Week	0.15 0.40	0.30 0.19	0.20 0.45	0.23 0.21	0.05 0.20	0.11 0.09	0.02 0.20	0.09 0.10	0.00 0.11	0.04 0.05	-0.04 0.10	0.03 0.05
	Month	-1.74 1.32	-0.03 0.39	-2.34 1.48	$\begin{array}{c} 0.07 \\ 0.44 \end{array}$	-0.42 0.31	-0.01 0.09	-0.53 0.32	-0.01 0.09	-0.11 0.08	$\begin{array}{c} 0.00\\ 0.02 \end{array}$	-0.13 0.08	-0.01 0.02
Joint significa lagged 15-min	ance of n terms	0.62	0.04	0.45	0.15	0.58	0.08	0.35	0.22	0.55	0.22	0.24	0.41
Joint sig. of a	ll regressors	0.05	0.04	0.16	0.15	0.10	0.08	0.18	0.22	0.30	0.22	0.24	0.41
Specification	tests												
Normal residu Autocorrelate Heteroskedas	als d residuals tic residuals	0.01 0.68 0.28	0.00 0.30 0.13	0.02 0.55 0.04	0.00 0.86 0.01	0.00 0.88 0.50	0.00 0.46 0.33	0.00 0.79 0.20	0.00 0.90 0.27	0.00 0.98 0.59	0.00 0.81 0.46	0.00 0.98 0.42	0.00 0.90 0.68

Table 3: Table reporting regressions of two proxies for GSK's QV against daily, weekly and monthly lagged values of the Alternation Estimator and $RV_{15\ min}^{i}$. Standard errors are reported below estimates. No Newey-West-type corrections were made, but specification tests were performed on the residuals. Bold type indicates significance at 5 per cent. All p-values are given in italics.

	Per cent of half-	Jumps	Cont.	Estimated
	days failing spec.	per day	/	daily QV
	test at 5 per cent		Alt.	(pence^2)
Bid				
rounded to the nearest 2 p	3.7	210	0.19	156
sluggishly rounded to 2 p	7.8	61	0.62	151
Ask				
rounded to the nearest 2 $\rm p$	6.1	211	0.19	158
sluggishly rounded to 2 p	6.5	60	0.65	155
Mid-quote				
rounded to the nearest 1.5p	7.8	278	0.25	156
sluggishly rounded to 1.5p	8.2	77	0.89	155

Table 4: Results of specification testing and estimation for GSK quotes, rounded.

	Per cent of half-	Jumps	Cont.	Estimated
	days failing spec.	per day	/	daily QV
	test at 5 per cent	- •	Ált.	(pence^2)
Bid	1			
rounded to the nearest 0.5 p	6.1	290	0.18	13.3
sluggishly rounded to 0.5 p	8.5	85	0.63	13.3
Ask				
rounded to the nearest 0.5 p	4.8	281	0.19	13.6
sluggishly rounded to 0.5 p	4.8	86	0.62	13.2
Mid-quote				
rounded to the nearest 0.375 p	6.1	381	0.24	13.2
sluggishly rounded to 0.375 p	8.8	105	0.89	13.2

Table 5: Results of specification testing and estimation for Shell quotes, rounded. Shell's price tick is 0.25 pence.

_	C_T	N_T	\hat{R}	$k^2 N_T \frac{C_T}{A_T}$	$[\hat{Z}]_T$
29 July	176	847	0.26	889	889
30 July	316	1,592	0.25	1,577	1,714
2 August	140	815	0.21	676	778
Total	632	3,254	0.24	3,142	3,379

Table 6: Estimation results for the 10-Year Treasury Bond Future on 29, 30 July and 2 August 2004 (best ask). The discrepancy in some values of the two right-hand columns is due to the short episodes of mis-specification described in the text.