LEMBAR REKAPITULASI HASIL PENILAIAN 2 (DUA) SEJAWAT SEBIDANG ATAU 2 (DUA) PEER REVIEW KARYA ILMIAH: PROSIDING

Judul Makalah : Metabolite status of Bali cows during the last trimester of

pregnancy

Penulis Makalah : Muhammad Yusuf, Djoni Prawira Rahardja, Abdul Latief Toleng,

Asmuddin Natsir, Syamsuddin Hasan

Identitas Makalah : a. Judul Prosiding : International Proceedings of Chemical,

Biological & Environmental Engineering:

Agriculture and Biotechnology

b. ISBN : 978-981-07-8832-2

c. Tahun Terbit : 2013

d. Penerbit : IACSIT Press e. Juniah halaman : 4 (47-50)

Kategori Publikasi Makalah (beri ✓pada kategori yang tepat)

Hasil Penilaian Peer Review:

	UNSUR	Nilai		
		Peper Review 1	Peer Review 2	Rata-rata (R)
i.	Kelengkapan unsur isi makalah (10%)	1,5	1.5	1.5
j.	Ruang lingkup dan kedalaman pembahasan (30%)	4.5	4,0	4.25
k.	Kecukupan dan kemutahiran data/informasi dan metodologi (30%)	4,0	4,5	4,25
1.	Kelengkapan unsur dan kualitas penyelenggara (30%)	4,0	4.0	4,0
	Total = (100%)	14.0	1,4	111

Catatan :

Rekapitulasi digunakan jika penilaian 2 (dua) teman sejawat dalam tembar terpisah

LEMBAR HASIL PENILAIAN SEJAWAT SEBIDANG ATAU PEER REVIEW KARYA ILMIAH : PROSIDING

Judul Makalah

Metabolite status of Bali cows during the last trimester of

pregnancy

Penulis Makalah

Muhammad Yusuf, Djoni Prawira Rahardja, Abdul Latief Toleng,

Asmuddin Natsir, Syamsuddin Hasan

Identitas Makalah

a. Judul Prosiding

International Proceedings of Chemical,

Biological & Environmental Engineering:

Agriculture and Biotechnology

b. ISBN

978-981-07-8832-2

c. Tahun Terbit

2013

d. Penerbit

IACSIT Press

e. Jumlah halaman

4

Kategori Publikasi Makalah (beri √pada kategori yang tepat)

Prosiding Forum Ilmiah Internasional Prosiding Forum Ilmiah Nasional

Hasil Penilaian Peer Review:

		Nilai Maksimal Prosiding		Nilai Akhir Yang Diperoleh	
Komponen Yang Dinilai		Internasional	Nasional		
a.	Kelengkapan unsur isi buku (10%)	1,5	1	1.5	
	Ruang lingkup dan kedalaman pembahasan (30%)	4,5	3	4.5	
c.	Kecukupan dan kemutahiran data/informasi dan metodologi (30%)	4,5	3	A, 0	
d.	Kelengkapan unsur dan kualitas penerbit (30%)	4,5	3	4.0	
	Total = (100%)	15,0	10		

Makasar

Mei 20x

Reviewer

Tanda tangan

Nama

NIP

Unit kerja

ASMUBBIN NATTIR/ 19590917 198503 1003 Fak. Peternakan

LEMBAR HASIL PENILAIAN SEJAWAT SEBIDANG ATAU PEER REVIEW KARYA ILMIAH: PROSIDING

Judul Makalah

Metabolite status of Bali cows during the last trimester of

pregnancy

Penulis Makalah

Muhammad Yusuf, Djoni Prawira Rahardja, Abdul Latief Toleng,

Asmuddin Natsir, Syamsuddin Hasan

Identitas Makalah

a. Judul Prosiding

International Proceedings of Chemical,

Biological & Environmental Engineering:

Agriculture and Biotechnology

b. ISBN

978-981-07-8832-2

c. Tahun Terbit

2013

d. Peneroit

IACSIT Press

e. Jumlah halaman

Kategori Publikasi Makalah (beri ✓ pada kategori yang tepat). Prosiding Forum Ilmiah Internasional Prosiding Forum Ilmiah Nasional

Hasil Penilaian Peer Review:

		Nilai Maksimal Prosiding		Nilai Akhir	
Komponen Yang Dinilai		Internasional	Nasional	Yang Diperoleh	
a.	Kelengkapan unsur isi buku (10%)	1,5	1	15	
b.	Ruang lingkup dan kedalaman pembahasan (30%)	4,5	3	4.0	
C.	Kecukupan dan kemutahiran data/informasi dan metodologi (30%)	4,5	3	4.5	
d.	Kelengkapan unsur dan kualitas penerbit (30%)	4,5	3	4.0	
	Total = (100%)	15,0	10	1,1	

Reviewer

Tanda tangan

Nama

NIP Unit kerja

Prof. Dr. Jasmal A Syamsu, 19681105 199301 1001 Fak. Peternako UNITAS

International Proceedings of Chemical, Biological & Environmental Engineering

Agriculture and Biotechnology

General Information

Contents

Author Index



Agriculture and Biotechnology

Edited by

Miss. Du Li

Agriculture and Biotechnology

Selected, peer reviewed papers from the
2013 International Conference on Agriculture and Biotechnology
(ICABT 2013),
December 29-30, 2013, Kuala Lumpur, Malaysia

Edited by

Du Li



Copyright ©2013 IACSIT Press, Singapore.

All rights reserved. No part of the contents of this publication may be reproduced or transmitted in any form or by any means without the written permission of the publisher.

International Association of Computer Science & Information Technology Press Singapore Office #07-42, BLK 708
Jurong West
Street 71, Singapore

E-mail: pub@iacsit.org, press@iacsit.org

Web: http://www.iacsitp.com

Volume 60 of International Proceedings of Chemical, Biological & Environmental Engineering ISSN 2010-4618

ISBN 978-981-07-8832-2

Full text available online at http://www.ipcbee.com

Distributed worldwide by

International Association of Computer Science & Information Technology Press Singapore Office #07-42, BLK 708
Jurong West
Street 71, Singapore
E-mail: pub@iacsit.org, press@iacsit.org

Web: http://www.iacsitp.com

And in the Hong Kong by Hong Kong Office Unit B on 15th Floor EU YAN SANG Tower Nos.11/15 Chatham Road South Kowloon, Hong Kong

PREFACE

Dear Distinguished Delegates and Guests,

The Organizing Committee warmly welcomes our distinguished delegates and guests to the 2013 International Conference on Agriculture and Biotechnology (ICABT 2013) held on December 29-30, 2013 in Kuala Lumpur, Malaysia.

ICABT 2013 are sponsored by Asia-Pacific Chemical, Biological & Environmental Engineering Society (APCBEES), and supported by APCBEES Members and scholars from universities all round the world. If you have attended a conference sponsored by APCBEES before, you are aware that the conferences together report the results of research efforts in a broad range of Agriculture and Biotechnology. These conferences are aimed at discussing with all of you the wide range of problems encountered in present and future high technologies. ICABT 2013 are organized to gather members of our international community scientists so that researchers from around the world can present their leading-edge work, expanding our community's knowledge and insight into the significant challenges currently being addressed in that research. The conference Program Committee is itself quite diverse and truly international, with membership from the Americas, Europe, Asia, Africa and Oceania.

This proceeding records the fully refereed papers presented at the conference. The main conference themes and tracks are Agriculture and Biotechnology. The main goal of these events is to provide international scientific forums for exchange of new ideas in a number of fields that interact in-depth through discussions with their peers from around the world. Both inward research; core areas of Agriculture and Biotechnology and outward research; multi-disciplinary, inter-disciplinary, and applications will be covered during these events.

The conference has solicited and gathered technical research submissions related to all aspects of major conference themes and tracks. All the submitted papers in the proceeding have been peer reviewed by the reviewers drawn from the scientific committee, external reviewers and editorial board depending on the subject matter of the paper. Reviewing and initial selection were undertaken electronically. After the rigorous peer-review process, the submitted papers were selected on the basis of originality, significance, and clarity for the purpose of the conference. The selected papers and additional late-breaking contributions to be presented as lectures will make an existing technical program. The conference program is extremely rich, featuring high-impact presentations.

The high quality of the program – guaranteed by the presence of an unparalleled number of internationally recognized top experts – can be assessed when reading the contents of the program. The conference will therefore be a unique event, where attendees will be able to appreciate the latest results in their field of expertise, and to acquire additional knowledge in other fields. The program has been structured to favor interactions among attendees coming from many diverse horizons, scientifically, geographically, from academia and from industry. Included in this will to favor interactions are social events at prestigious sites.

We would like to thank the program chairs, organization staff, and the members of the program committees for their work. Thanks also go to Editor Miss. Du Li, Asia-Pacific Chemical, Biological & Environmental Engineering Society, for their wonderful editorial service to this proceeding.

We are grateful to all those who have contributed to the success of ICABT 2013. We hope that all participants and other interested readers benefit scientifically from the proceedings

and also find it stimulating in the process. Finally, we would like to wish you success in your technical presentations and social networking.

We hope you have a unique, rewarding and enjoyable week at ICABT 2013 in Kuala Lumpur, Malaysia.

With our warmest regards,

The Organizing Committees December 29-30, 2013 Kuala Lumpur, Malaysia.

Organizing Committees

Conference Chairs

Senior Environmental Scientist, Mr. Saji Baby, Wataniya Environmental Services, Kuwait Parvinder Singh Sandhu, Rayat & Bahra Institute of Engineering & Bio-Technology, India

Technical Program Co-Chairs

Prof. Chandratilak De Silva Liyanage, Faculty of Science, University of Brunei, Brunei

Prof. Sohair aly Aly hassan, university of kuala lumpur, Malaysia

Prof. Kien Wen Sun, National Chiao Tung University, Taiwan

Contact Chair

Sophia Du, Asia-Pacific Chemical, Biological & Environmental Engineering Society

Technical Committee

Dr. Leny Yuliati, Universiti Teknologi Malaysia (UTM), Malaysia

Prof. Ajitkumar Gorakhanath Patil, S.B.M.Polytechnic, Mumbai, India

Prof. Ahmad Zuhairi Abdullah, University Sains Malaysia

Dr. Nirendra Nath Mustafi, Rajshahi University of Engineering and Technology, Bangladesh

Prof. Laila Mahmoud Montaser, Menoufiya University, Egypt

Dr. Hendrik Oktendy Lintang, Universiti Teknologi Malaysia, Malaysia

Prof. Sudha Srivastava, Jaypee Institute of Information Technology University, India

Dr. Hedayatollah Ghourchian, The University of Tehran, Iran

Prof. G. Vijaiyan Siva, University of Madras, India

Prof. Basem F. Dababneh, Al-Balqa' Applied University -Jordan

Prof. A. Mathiazhagan, Cochin University, India

Dr. Heba Ahmed Hani Ali, National Research center, Cairo, Egypt

Dr Nabeen Kumar Rath, Berhampur University, Berhampur Orissa, India

Table of Contents

Adjuvant Effect of Garlic Lectins (Asa I and Asa II) on Mucosal Immunity Induction Following Intranasal Immunization with Ovalbumin Antigen	1
Siddanakoppalu N Pramod and Yeldur P Venkatesh	
Anti-Angiogenic Activity of <i>Caesalpenia Bonducella</i> Leaf Extracts in Ehrlich Ascites Tumor Cells <i>In-Vivo</i>	8
Shankar Jayarama, Balaji Srinivas, Priyanka Shivaprakash and Vasantha Ramapura	
Financing for Agro Projects in Islamic Banks	14
Muhammad Ridhwan Ab. Aziz and Muhammad Mohamad Yusoff	
Preliminary Study on Detection of Fungal Infection in Stored Paddy Using Thermal Image	19
Siti Khairunniza-Bejo and Norazlida Jamil	
Cocoa Husk Extract Administration on Suspected Stress Cattle Prepares Good Meat Quality	24
Hikmah M Ali, Effendi Abustam, Syamsuddin Hasan, Salengke and Mawardi A. Asja	
Defense Reactions by Clonostachys Rosea in Tomatoes against Botrystis Cinerea	29
Liana Dalcantara Ongouya Mouekouba, Ai Jie Wang and Ao Xue Wang	
Effects of Andrographis Paniculata and Zingiber Cassumunar Mixture on Productive Performance and Carcass Quality of Broiler Chickens	34
Danet Laing, Sawitree Wongtangtintharn, Bundit Tungjarernkul, Srisuda Sirilaophaisan and Jowaman Khajarern	
Assessment on the Use of Highly Reactive Phosphate Rock for Immature Palms	38
Ahmad Faidz Redzuan, Izwanizam Arifin, Romzi Ishak, Mohd Najib Abd Rasid and Suhaidi Hamzah	
Application of Technology for Processing Rice Straw as Feed for Beef Cattle	43
Jasmal A. Syamsu, Hikmah M.Ali and Muhammad Yusuf	
Metabolite Status of Bali Cows during the Last Trimester of Pregnancy	47
Muhammad Yusuf , Djoni Prawira Rahardja, Abdul Latief Toleng, Asmuddin Natsir and Syamsuddin Hasan	
Effect of Pre-Sowing Treatments with Uv-Ray on the Chemical Components of Fennel (<i>Foeniculum Vulgare</i> Mill)	51
Ashti Sleman Abdulla and Ahmad H. Ameen H. Rashid	
Laying Performance of Japanese Quail (Coturnix Coturnix Japonica)	58

Supplemented with Zinc, Vitamin C and E Subjected to Long Term Heat Stress Carmina L. Caurez and Cristina F. Olo	
Biological Control of <i>Botrytis Cinerea</i> in Tomato Leaves	64
Liana Dalcantara Ongouya Mouekouba, Zhen-Zhu Zhang, Erinle Kehinde Olajide, Ai-Jie Wang and Ao-Xue Wang	
Derivation of Economic Values of Longevity for Inclusion in the Breeding Objectives for South African Dairy Cattle	69
Cuthbert Banga, Frederick Neser and Dorian Garrick	
Fungi Associated with Some Agricultural Products and Effects on Their Quality at Misurata Region (Libya)	74
Daghman. I. M.,Sara Alshik and Alhobugi A. M.	
An Assessment of the Effect of Price, Policy and Climate Changeability on the Supply of Domestic Rice in Sierra Leone: A Supply Response Model Approach Conteh, Alhaji Mohamed Hamza and Yan Xiangbin	79
The Determination of Heavy Metal Contents and Some Chemical Properties in Soils around an Old Mercury Mine in Turkey	86
Aysen AKAY	
Mycorrhizal Colonisations of Naturally Evolving Weeds at Different Mine Waste Mounds in Central Anatolia - Turkey	91
Aysen AKAY, Murat KARACA, Yavuz BAĞCI, İsmail KESKIN, Çağdaş AKPINAR	
Effects of Plant Growth Promoting Rhizobacteria (PGPR) on Yield and Fruit Quality of Quince	97
Şeyma Arıkan, Muzaffer İpek and Lütfi Pırlak	
Alternative Tillage and Direct Seeding Systems on Wheat Production in Middle Anatolia	101
Kazim Çarman, Tamer Marakoğlu and Kazim Gür	
Effects of Antifreeze Proteins and Glycine Betaine on Strawberry Plants for Resistance to Cold Temperature	107
Servet Aras and Ahmet Eşitken	
Gender Recognition Using Facial Images	112
Burhan ERGEN and Serdar ABUT	
Author Index	119

Table of Contents

Adjuvant Effect of Garlic Lectins (Asa I and Asa II) on Mucosal Immunity Induction Following Intranasal Immunization with Ovalbumin Antigen	1
Siddanakoppalu N Pramod and Yeldur P Venkatesh	
Anti-Angiogenic Activity of <i>Caesalpenia Bonducella</i> Leaf Extracts in Ehrlich Ascites Tumor Cells <i>In-Vivo</i>	8
Shankar Jayarama, Balaji Srinivas, Priyanka Shivaprakash and Vasantha Ramapura	
Financing for Agro Projects in Islamic Banks	14
Muhammad Ridhwan Ab. Aziz and Muhammad Mohamad Yusoff	
Preliminary Study on Detection of Fungal Infection in Stored Paddy Using Thermal Image	19
Siti Khairunniza-Bejo and Norazlida Jamil	
Cocoa Husk Extract Administration on Suspected Stress Cattle Prepares Good Meat Quality	24
Hikmah M Ali, Effendi Abustam, Syamsuddin Hasan, Salengke and Mawardi A. Asja	
Defense Reactions by Clonostachys Rosea in Tomatoes against Botrystis Cinerea	29
Liana Dalcantara Ongouya Mouekouba, Ai Jie Wang and Ao Xue Wang	
Effects of Andrographis Paniculata and Zingiber Cassumunar Mixture on Productive Performance and Carcass Quality of Broiler Chickens	34
Danet Laing, Sawitree Wongtangtintharn, Bundit Tungjarernkul, Srisuda Sirilaophaisan and Jowaman Khajarern	
Assessment on the Use of Highly Reactive Phosphate Rock for Immature Palms	38
Ahmad Faidz Redzuan, Izwanizam Arifin, Romzi Ishak, Mohd Najib Abd Rasid and Suhaidi Hamzah	
Application of Technology for Processing Rice Straw as Feed for Beef Cattle	43
Jasmal A. Syamsu, Hikmah M.Ali and Muhammad Yusuf	
Metabolite Status of Bali Cows during the Last Trimester of Pregnancy	47
Muhammad Yusuf , Djoni Prawira Rahardja, Abdul Latief Toleng, Asmuddin Natsir and Syamsuddin Hasan	
Effect of Pre-Sowing Treatments with Uv-Ray on the Chemical Components of Fennel (<i>Foeniculum Vulgare</i> Mill)	51
Ashti Sleman Abdulla and Ahmad H. Ameen H. Rashid	
Laying Performance of Japanese Quail (Coturnix Coturnix Japonica)	58

Supplemented with Zinc, Vitamin C and E Subjected to Long Term Heat Stress Carmina L. Caurez and Cristina F. Olo	
Biological Control of <i>Botrytis Cinerea</i> in Tomato Leaves	64
Liana Dalcantara Ongouya Mouekouba, Zhen-Zhu Zhang, Erinle Kehinde Olajide, Ai-Jie Wang and Ao-Xue Wang	
Derivation of Economic Values of Longevity for Inclusion in the Breeding Objectives for South African Dairy Cattle	69
Cuthbert Banga, Frederick Neser and Dorian Garrick	
Fungi Associated with Some Agricultural Products and Effects on Their Quality at Misurata Region (Libya)	74
Daghman. I. M.,Sara Alshik and Alhobugi A. M.	
An Assessment of the Effect of Price, Policy and Climate Changeability on the Supply of Domestic Rice in Sierra Leone: A Supply Response Model Approach Conteh, Alhaji Mohamed Hamza and Yan Xiangbin	79
The Determination of Heavy Metal Contents and Some Chemical Properties in Soils around an Old Mercury Mine in Turkey	86
Aysen AKAY	
Mycorrhizal Colonisations of Naturally Evolving Weeds at Different Mine Waste Mounds in Central Anatolia - Turkey	91
Aysen AKAY, Murat KARACA, Yavuz BAĞCI, İsmail KESKIN, Çağdaş AKPINAR	
Effects of Plant Growth Promoting Rhizobacteria (PGPR) on Yield and Fruit Quality of Quince	97
Şeyma Arıkan, Muzaffer İpek and Lütfi Pırlak	
Alternative Tillage and Direct Seeding Systems on Wheat Production in Middle Anatolia	101
Kazim Çarman, Tamer Marakoğlu and Kazim Gür	
Effects of Antifreeze Proteins and Glycine Betaine on Strawberry Plants for Resistance to Cold Temperature	107
Servet Aras and Ahmet Eşitken	
Gender Recognition Using Facial Images	112
Burhan ERGEN and Serdar ABUT	
Author Index	119

Metabolite Status of Bali Cows during the Last Trimester of Pregnancy

Muhammad Yusuf ¹⁺, Djoni Prawira Rahardja ¹, Abdul Latief Toleng ¹, Asmuddin Natsir ² and Syamsuddin Hasan ²

Abstract. The objective of this study was to present the metabolite status especially glucose, blood urea nitrogen (BUN), and creatinine of Bali cows during the last trimester of pregnancy. The study was conducted in smallholder farms in Bantaeng. A total of 21 Bali cows in the late gestation period were enrolled in the present study. Blood samples were collected twice at two months interval from all cows in the morning via jugularis vein into evacuated vacuum tubes. After collection, a drop of sample were taken for glucose test, then the samples were kept at $4 \,^{\circ}$ C and were centrifuged within 4 h at $1500 \, \text{x} \, g$ for 15 min to collect plasma. The plasma was then stored frozen at -20 $\,^{\circ}$ C until analyzed for BUN and creatinine. The results of this study showed that there was no significant different (P=0.5944) concentration of glucose ($56.95\pm18.41 \, \text{mg/dL}$ vs $53.73\pm9.32 \, \text{mg/dL}$) between two months interval blood collections. Similarly, concentrations of BUN and creatinine did not showing significant different ($13.85\pm4.23 \, \text{mg/dL}$ vs $11.69\pm6.14 \, \text{mg/dL}$; P=0.3495), and ($1.61\pm0.32 \, \text{mg/dL}$ vs $1.51\pm0.17 \, \text{mg/dL}$; P=0.3920), respectively. In conclusion, metabolite status of Bali cows in late pregnancy was in normal line.

Keywords: Bali cows, Glucose, Blood urea nitrogen, Creatinine, Late pregnancy

1. Introduction

The late gestation diet has been shown to play a critical role in modulating a cow's predisposition to periparturient health disorders [1]-[3]. Moreover, specific nutrient imbalances in the diet of late gestation cows have been related to increased prevalence of milk fever, hypomagnesemic tetany, retained placenta, downer cow syndrome, mastitis, udder edema, ketosis, hepatic lipidosis, and displaced abomasum in dairy cows. Fetal size during the last trimester of gestation may depend on two factors: the genotype of the fetus [4] and [5] and the nutritional state of the dam [6] and [7]. It has been also stated in dairy cows that nutrient requirement for the late pregnant, nonlactating cow are only slightly higher than maintenance that are tended to similar in beef cow, approximately equivalent to energy and protein required. These differences represent changes in nutrient requirements over a period of only a few days and highlight the tremendous metabolic alterations necessary to adequately support lactation both in dairy and beef cattle [8]. Consequently, if these metabolic changes are not effectively enacted, metabolic disease and infertility problems may result during pre- and postpartum periods.

For nutritional and most management purposes, production cycle for the beef cow can be divided into 4 phases: pre-calving, postpartum, lactating and pregnant, and gestation. These phases are physiologically unique and each has its own set of nutritional requirements [9]. Pregnancy consists of a series of small, continous physiologic adjustments that affect the metabolism of all nutrients [10]. In regard to the late

E-mail address: ramadhanti_yusuf@yahoo.com

+

¹ Department of animal Production Faculty of Animal Science Hasanuddin University, Makassar 90245, Indonesia

² Department of animal Nutrition Faculty of Animal Science Hasanuddin University, Makassar 90245, Indonesia

⁺ Corresponding author. Tel.: +62411583111; fax: +62411583111.

pregnant cow, glucose is the primary nutrient for conceptus growth and milk synthesis [11] that is required by both mammary gland and gravid uterus for metabolism [8]. Moreover, low levels of blood sugar may occur with several disorders, including liver problems, severe infection, malnutrition, etc.

Several previously studies have shown metabolite status of cows during gestation, but lacked detailed characterization of metabolite status in Bali cows. Therefore, it is necessary to describe the metabolite status of Bali cows during the last trimester of pregnancy. The objective of this study was to present the metabolite status especially glucose, blood urea nitrogen (BUN), and creatinine of Bali cows during the last trimester of pregnancy.

2. Materials and Methods

2.1. Animals and Management

A total of 21 Bali cows in the late gestation period were enrolled in the present study. The cows are mainly raised by the farmers concurrently with all their cattle in the same management. Likewise, the cows were managed without any different treatment including nutritional requirements during pre-calving, postpartum, lactating and pregnant, and gestation. The animals were sent out to the field in the day-time and housed in the nigh-time. Feedstuffs consisted of grass and rice straw; sometimes they were fed also rice bran without any concentrate and mineral supplements.

2.2. Reproductive Management

Under smallholder raising cattle, the farmers have no special management for reproduction including recording, estrous induction/synchronization, heat detection aid. However, mainly farmers could recognize the animal in estrus, especially standing estrus. When the animal showing estrus, the farmers are usually inform to the inseminator for artificial insemination (AI) or natural mating by bull if available or seek by request to the neighbor bull for mating.

2.3. Blood Collection

Blood samples were collected twice at two months interval from all cows in the morning between 08:30 and 10:00 am via jugularis vein into evacuated vacuum tubes containing K_3 -EDTA. After collection, a drop of sample were taken for glucose test using Easy Touch® GCU, then the samples were kept at 4 $^{\circ}$ C and were centrifuged within 4 h at 1500 x g for 15 min to collect plasma. The plasma was then stored frozen at -20 $^{\circ}$ C until analyzed for blood urea nitrogen (BUN) and creatinine.

2.4. Data Analyses

Data were tabulated and statistically analyze using Microsoft Excel, 2007. All data were presented as mean ± standard deviation (SD). These parameters were compared using analysis of variance (ANOVA).

3. Results and Discussion

A total of 21 Bali cows during the last trimester of pregnancy were examined in the present study. The metabolite status of these cows especially glucose, blood urea nitrogen (BUN) and creatinine at first and second collections are shown in Table 1 and Table 2, respectively.

At the first blood collection, concentration of glucose in pregnant Bali cows was $56.95 \pm 18.41 \text{ mg/dL}$, ranging from 31 to 107 mg/dL (Table 1). Likewise, at second collection (two months later) concentration of glucose was $53.73 \pm 9.32 \text{ mg/dL}$, ranging from 37 to 67 mg/dL (Table 2). There was no significant different glucose concentration between these two blood collections (Table 3). This might due to that ruminants/cows are obligate herbivores whose evolutionary success has, in large part, resulted from their pregastric, fermentative mode of digestion [11]. Furthermore, they also stated that ruminants must depend almost exclusively on gluconeogenesis in liver and to a lesser extent, kidneys for their tissue glucose requirements.

Evaluation of BUN and creatinine in the present study provides opportunity to expect the healthy production in animals. This is known as blood profile test [12]. The results of this study showed that concentration of BUN for two times of collection in Bali cows during the last trimester of pregnancy were 13.85 ± 4.23 mg/dL and 11.69 ± 6.14 mg/dL, respectively. There was no statistically difference (P=0.3495)

have shown between the two blood collections (Table 3). This indicated that plasma urea in Bali cows during the late gestation did not change, however individual differences in plasma parameter concentrations among cows indicate that the concentration among cows appear to be varied from one cow to another, as they are also reflective of body metabolism and the level of food consumption [12].

Table 1. Concentration of glucose, blood urea nitrogen (BUN) and creatinine in Bali cows during the last trimester of

pregnancy (1st collection) CI (95.0%) Parameter Mean SD Range Min Max Glucose (mg/dL) 56.95 18.41 76.0 31 107 8.88 BUN (mg/dL) 13.85 4.23 13.7 20.3 2.84 6.6

Table 2. Concentration of glucose, blood urea nitrogen (BUN) and creatinine in Bali cows during the last trimester of pregnancy (2nd collection)

1.61

0.32

0.94

1.06

0.22

Creatinine (mg/dL)

SD Mean Range Min Max CI (95.0%) Parameter Glucose (mg/dL) 53.73 9.32 30.0 37 67 6.26 BUN (mg/dL) 11.69 6.14 20.6 27.2 4.13 6.6 Creatinine (mg/dL) 1.51 0.17 0.50 1.32 1.82 0.12

It has been stated by Van Saun [13] that assessing protein status is a bit more difficult than energy balance, therefore a combination of metabolite parameters need to be utilized, including BUN, creatinine, total protein, albumin and Ck. One of these parameters, in Table 1 and Table 2 are showed concentrations of creatinine at two months interval of Bali cows during the late gestation. The concentrations were 1.61 ± 0.32 mg/dL and 1.51 ± 0.17 mg/dL, respectively. These concentrations did not differ (P=0.3920) between the two blood collections times (Table 3).

Table 3. Differences of glucose, blood urea nitrogen (BUN) and creatinine concentrations in Bali cows during the last trimester of pregnancy for two times blood collections

Democratics	1 0	Mean ±SD	
Parameter _	1st blood collection	2 nd blood collection	P-Value
Glucose (mg/dL)	56.95 ±18.41	53.73 ±9.32	0.5944
BUN (mg/dL)	13.85 ±4.23	11.69 ±6.14	0.3495
Creatinine (mg/dL)	1.61 ± 0.32	1.51 ± 0.17	0.3920

4. Acknowledgements

The authors are thankful to the Directorate General for Higher Education of Indonesia through Institute for Research and Community Services Hasanuddin University No. 746/UN4.20/PL.09/2013 for supporting this study. Our sincere thanks are due to the farmers in Bantaeng Regency involved in this study for their cooperation.

5. References

- [1] Curtis CR, Erb HN, Sniffen CJ, Smith RD, Kronfeld DS. 1985. Path analysis of dry period nutrition, postpartum metabolic and reproductive disorders and mastitis in Holstein cows. J. Dairy Sci., 68: 2347-2360.
- [2] Erb HN, Grohn YT. 1988. Epidemiology of metabolic disorders in the periparturient dairy cow. J. Dairy Sci., 71: 2557-2571.
- [3] Van Saun RJ, Sniffen CJ. 1996. Nutritional management of pregnant dairy cow to optimize health, lactation and reproductive performance. Anim. Feed Sci. Tech., 59: 13-26.
- [4] Bennett GL, Gregory KE. 1996. Genetic (co)variances among birth weight, 200-day weight, and postweaning gain in composites and parental breeds of beef cattle. J. Anim. Sci., 74: 2598-2611.
- [5] Varona L, Misztal I, Bertrand JK. 1999. Threshold-linear versus linear-linear analysis of birth weight and calving ease using an animal model: I. Variance component estimation. J. Anim. Sci., 77: 1994-2002.
- [6] Freetly HC, Ferrell CL, Jenkins TG. 2000. Timing of realimentation of mature cows that were feed-restricted during pregnancy influences calf birth weights and growth rates. J. Anim. Sci., 78: 2790-2796.
- [7] Abeni F, Bergoglio G, Masoero G, Terzano GM, Allegrini S. 2004. Plasma hormones and metabolites in Piedmontese cows during late pregnancy: Relationships with calf birth weight. J. Anim. Sci., 82: 438-444.
- [8] Bell AW. 1995. Regulation of organic nutrient metabolism during transition from late pregnancy to early lactation. J. Anim. Sci., 73: 2804-2819.
- [9] Hall JB. 2009. Nutrition and feeding of the cow-calf herd: Production cycle nutrition and nutrient requirements of cows, pregnant heifers and bulls. Virginia Cooperative Extension. Publication 400-012.
- [10] King JC. Physiology of pregnancy and nutrient metabolism. Am. J. Clin. Nutr., 71 (suppl): 1218S-1225S.
- [11] Bell AW., Bauman DE. 1997. Adaptations of glucose metabolism during pregnancy and lactation. J. Mammary Gland Biology and Neoplasia. Vol 2 No. 3: 265-278.
- [12] Nozad S, Ramin A, Moghadam G, Asri-Rezaei S, Babapour A, Ramin S. 2012. Relationship between blood urea, protein, creatinine, triglycerides and macro-mineral concentrations with the quality and quantity of milk in dairy Holstein cows. Veterinary Research Forum. 3 (1): 55-59.
- [13] Van Saun RJ. 1997. Prepartum Nutrition: The key to diagnosis and management of periparturient disease. pp. 33-42. In: Proceedings 30th Annual American Association of Bovine Practitioners Conference, Montreal, Quebec, Canada, September 19, 1997.