



Cod monitoring

Results 2016, Quarter 1

Authors: B.K. Trapman, M.A.M. Machiels

Wageningen University &
Research Report C105/16

Cod monitoring

Results 2016, Quarter 1

Author(s): B.K. Trapman, M.A.M. Machiels

Client: Ministerie van Economische Zaken
Attn.: M.C. Kersbergen
Postbus 20401
2500 EK Den Haag

BO 20-010-002

Publication date: November 2016

This research project was carried out by Wageningen Marine Research at the request of and with funding from the Ministry of Economic Affairs for the purposes of Policy Support Research Theme 'Kabeljauwmonitoring' (BAS code: BO-20-010-002).

Wageningen Marine Research
IJmuiden, November 2016

Wageningen Marine Research report C105/16

© 2016 Wageningen Marine Research

Wageningen Marine Research,
institute of Stichting Wageningen
Research is registered in the Dutch
trade
record nr. 09098104,
BTW nr. NL 806511618

The Management of Wageningen Marine Research is not responsible for resulting
damage, as well as for damage resulting from the application of results or
research obtained by Wageningen Marine Research, its clients or any claims
related to the application of information found within its research. This report
has been made on the request of the client and is wholly the client's property.
This report may not be reproduced and/or published partially or in its entirety
without the express written consent of the client.

A_4_3_2 V21

Contents

1	Introduction	4
2	Materials and Methods	5
	2.1 Logbook data	5
	2.2 VMS data	5
	2.3 Value maps	5
	2.4 Calculate LpUE ratio	5
3	Results	6
	3.1 Fishing activity	6
	3.2 Cod landings	8
	3.3 Cod LpUE	10
4	Summary	12
5	References	14
6	Justification	15
7	Appendix A. Extended Materials and Methods	16
	7.1 Data pre-processing	16
	7.2 Link VMS and logbook data	16
	7.3 Define fishing activity	16
	7.4 Spatial distribution	16
8	Appendix B. Monthly LPUE cod	17

1 Introduction

The Cod monitoring program is part of the Dutch cod avoidance plan developed by the Dutch Government together with the Dutch fishing sector. The aim of this cod monitoring program is to provide information on the Catch per Unit Effort (CpUE) in the TR fleet (bottom trawls and seines). This is needed in order to calculate a conversion factor between the CpUE of the TR and the BT (beam trawl) gears. The transition of kW-days between gears is regulated by the European cod recovery plan (EC 1342/2008 and EC 423/2004) and depends on the yearly CpUE-ratio of cod between the respective gear groups.

In the Dutch cod avoidance plan, the Dutch government distinguishes between otter/pair trawlers that are directed to cod (TR1AB¹) and those for which cod is bycatch (i.e. TR1C and TR2) (see table 1). The kW-days transition only applies to the second group, fisheries for which cod is bycatch. For the kW-days transition between the BT and the TR gears for which cod is bycatch (TR1C and TR2) a conversion factor of 3:1 is used in the Netherlands. This is different than stated in the European Cod Recovery Plan and therefore the ratio should be substantiated for.

Table 1. Definitions of the fleet segments used in this report.

Fleet definition	Geartype	Meshsize (mm)	Target species
TR1AB	Otter/pair trawlers and seines	>120	Cod
TR1C	Otter/pair trawlers and seines	100-119	Plaice
TR2	Otter/pair trawlers and seines	70-99	Plaice/Nephrops
BT2	Beam trawlers	70-119	Plaice/Sole

A yearly analysis of the EU-logbook (hereafter logbook) data in combination with VMS-data is provided to the Ministry of Economic Affairs. However, to remain updated, an overview of fishing activity, cod catches and cod Landings per Unit Effort (LpUE) of all four gear types per quarter is requested by the ministry of Economic Affairs. This report presents the results of the first quarter in 2016.

Monthly cod LpUE estimates are used by MMO, Marine Management Organisation (UK) to determine RTCs, Real Time Closures. The Dutch LpUE averages, mapped per 1/16 ICES squares of the months of quarter 1 of the years 2015 and 2016 are presented in Appendix B, Figures 7-9. These figures present the information required by the MMO to estimate LpUE and are used to select monthly RTCs.

¹Some fishermen fishing with TR gear, 120+ mesh size are targeting plaice with cod as minor by-catch.

2 Materials and Methods

In this section, the data sources and the final output are described. See "Appendix A. Extended Material and Methods" for a detailed description of the method to link VMS and logbook data. The method used in this report is consistent with the method described in Hintzen, et al 2013.

2.1 Logbook data

All fishermen are obliged to report their activities on a daily basis. This includes location, gear used, vessel characteristics and estimated landing quantities (in kg). These quantities are an estimation and therefore deviate from auction data. Moreover, fishermen do not have to report catches for species with a trip-total quantity below 50 kg. As cod is a by-catch species, trips with cod landings lower than 50 kg can be expected. Therefore, the cod catches in this report are an (under)estimation of the total catches. Second, fishermen report all landings and vessel characteristics online and the data are immediately imported in the database of the Dutch Government. The logbook data cannot be validated or checked by Wageningen Marine Research (WMR) on correctness of the information. Therefore, records with a type-error in the gear description will not be recognised as "wrong", but will erroneously be taken into consideration.

2.2 VMS data

All ships over 12 meters are obliged to participate in the Vessel Monitoring System (VMS). This system sends regular updates to a satellite, containing time and date, position, speed and vessel ID. All these records are registered by the Dutch government. WMR has permission to work with these data.

2.3 Value maps

All value maps show data for quarter 1 of 2016, summed for all gears together and for each gear separately. To facilitate the visual comparison between quarterly and yearly spatial distribution, values of fishing activity and landings in quarter 1 are multiplied by 4. By doing so, fishing activity and landings per quarter have similar value ranges as yearly fishing activity and landings value ranges. To supply actual quarterly fishing activity and cod landings, each map includes a legend underneath with the absolute quarterly value for that gear.

2.4 Calculate LpUE ratio

A quarterly indicator of the conversion factor between the TR and the BT gears is given. This indicator is based on the ratio between LpUE of the TR gears for which cod is bycatch (TR1C and TR2) and the BT2 gears (see formula 1). As this analysis is based on logbook data, in which cod landings are reported in kg (with a minimum of 50 kg), the calculated ratio in LpUE has a large uncertainty range not accounted for in this quarterly report. A more detailed yearly ratio in LpUE between BT and TR will be given in the extensive year report, that will be published later.

formula 1:

$$\left(\frac{(\text{Cod landings TR1C+TR2})}{(\text{Fishing activity TR1C+TR2})} \right) / \left(\frac{(\text{Cod landings BT2})}{(\text{Fishing activity BT2})} \right)$$

3 Results

3.1 Fishing activity

Fishing activity was calculated for all gears together (figure 1) and for each gear separately (figure 2, table 2). Fishing activity is displayed in kW-days, which represents days at sea multiplied by the engine power, as the day-transition is applied to kW-days. Most fisheries are concentrated in the southern- and central North Sea. Also in the English Channel activity takes place.




Figure 1. Fishing activity (in *1000 kW-days) map for all TR and BT2 gears together in quarter 1 in 2016. The text bottom-left on the map shows the estimate of total fishing activity for all gears combined in this quarter.

Fishing activity is dominated by BT2 gears, with only a small contribution of TR gears (figure 2, table 2). The TR2 fleet is the most active fleet within all TR gears, with an effort of 496 000 kW-days. From figure 2 and table 2 we can see that TR vessels hardly use a mesh size of <120 mm (TR1AB) in the 1st quarter of the year, this is consistent with Kraan, et al (2013) and Kraan, et al (2014), which also recognised that TR1AB are mainly active in summer.

Fishing activity /QTR= 1 /YR= 2016




Figure 2. Fishing activity (in * 1000 kW-days) for the BT2, TR1AB, TR1C and TR2 gear types separately. Colour index is similar to figure 1. The bottom text on the maps shows the estimate of total fishing activity (in kW-days) per gear for this quarter.

3.2 Cod landings

Most landed cod was caught off the Belgian coast (figure 3).




Figure 3. Cod landings (in Ton) for all TR and BT2 gears together in quarter 1 in 2016. The text bottom-left on the map shows the estimate of total Cod landings for all gears combined in this quarter.

In the first quarter, most landed cod was caught by BT2 gears and secondly by the TRIAB fleet (figure 4, table 2).




Figure 4. Cod landings (in Ton) for the BT2, TR1AB, TR1C and TR2 gear types separately. Colour index is similar to figure 3. The bottom text on the maps shows the estimate of the total cod landings (in Ton) per gear for this quarter.

3.3 Cod LpUE

Per 1/16th ICES rectangle, the cod landings per unit effort (LpUE) can be calculated by dividing the cod catch (in kg) by the fishing effort (in kW-days) (figure 5).




Figure 5. Cod LpUE (in kg/kW-days) for all TR and BT2 gears together in quarter 1 in 2016. The text bottom-left on the map shows the estimate of Cod LpUE for all gears combined in this quarter.

The TR1AB gear had the highest cod LpUE on average (4.102 kg/kW-days) (figure 6, table 2), followed by the TR1C fleet (0.153 kg/kW-days). Both the TR1AB and the TR1C are responsible for high catch rates in the opening of the Skagerrak.

Cod LpUE (in kg/kW-day) /QTR= 1 /YR= 2016




Figure 6. Cod LpUE (in kg/kW-days) for the BT2, TR1AB, TR1C and TR2 gear types separately. Colour index is similar to figure 5. The bottom text on the maps shows the estimate of the mean LpUE (in kg per kW-days) per gear for this quarter.

4 Summary

In quarter 1 the fishing effort of the observed fleet is dominated by the BT2 fleet with 90.2 % of the total fishing activity. This fleet is located widespread over the central and southern North Sea (figure 2). The fishing activity of the TR fleet is much lower, with the TR1AB fleet hardly active in quarter 1 (0.5 % of total fishing activity, table 2). This pattern is congruent with previous cod monitoring project reports of quarter 1 (Kraan, et al 2013 & Kraan, et al 2014, van der Reijden, et.al, 2015a, van der Reijden et.al., 2015b). The TR2 fleet is most active in the English Channel.

The BT2 fleet lands most of the cod, with 205 tonnes of the 381 tonnes in total, representing 53.8 % of the total cod landings (figure 4, table 2).

For facilitating comparisons between quarters, the quarterly totals of fishing activity and cod landings and the quarterly average LpUE per fleet segment are shown in Table 2. If the kW-days transition was determined based on the LpUE in quarter 1 of 2016, the conversion factor would be 2.3 :1 (TR1C+TR2 : BT2). This is lower than the conversion factors calculated based on quarter 1 in 2015 (2.8:1; Reijden, et al 2015b), but higher than the factor based on quarter 1 in 2014 (2.0:1; Reijden et al 2015a). The ratio of 2.3:1 is also lower than the currently used conversion factor of 3:1. However, as the conversion factor is determined on yearly LpUE, the calculated factor in this report is only an indicator.

Table 2. Activity (* 1000 kW-days), Cod landings(ton) & LpUE (kg/kW day) of the various fleets.

Fleet_definition	Fishing_Activity	_%	Cod_landings	_%	LpUE
<i>BT2</i>	5094	90.2	205	53.8	0.04
<i>TR1AB</i>	31	0.5	127	33.3	4.10
<i>TR1C</i>	28	0.5	4	1	0.15
<i>TR2</i>	496	8.8	45	11.8	0.09
<i>Total</i>	5649		381		0.07

Quality Assurance

Wageningen Marine Research utilises an ISO 9001:2008 certified quality management system (certificate number: 124296-2012-AQ-NLD-RvA). This certificate is valid until 15 December 2018. The organisation has been certified since 27 February 2001. The certification was issued by DNV Certification B.V. Furthermore, the chemical laboratory of the Fish Division has NEN-EN-ISO/IEC 17025:2005 accreditation for test laboratories with number L097. This accreditation is valid until 1st of April 2017 and was first issued on 27 March 1997. Accreditation was granted by the Council for Accreditation.

5 References

EC 1342/2008. Council Regulation (EC) No 1342/2008 of 18 December 2008 establishing a long-term plan for cod stocks and the fisheries exploiting those stocks and repealing Regulation (EC) No 423/2004. Available at: <http://eur-lex.europa.eu/legal-content/EN/ALL/?uri=CELEX:32008R1342>

EC 423/2004. Council Regulation (EC) No 423/2004 of 26 February 2004 establishing measures for the recovery of cod stocks. Available at: <http://eur-lex.europa.eu/legal-content/EN/ALL/?uri=CELEX:32004R0423>

Hintzen, NT, A Coers and KG Hamon (2013) A collaborative approach to mapping value of fisheries resources in the North Sea (part 1: Methodology). IMARES report C001/13. (available at: <http://edepot.wur.nl/248628>)

Kraan, ML, MAM Machiels, KJ van der Reijden and AJ Paijmans (2014) Monitoring of cod catches in Dutch otter trawls and seines. IMARES report C105/14.

Kraan, ML, SS Uhlmann, MAM Machiels, HMJ van Overzee and ATM van Helmond (2013) Monitoring of cod catches in Dutch otter trawls and seines. IMARES report C077/13.

Reijden, KJ van der, MAM Machiels and ML Kraan (2015a) Cod monitoring: Results 2014, quarter 1. IMARES report C029/15.

Reijden, KJ van der, MAM Machiels and ML Kraan (2015b) Cod monitoring: Results 2015, quarter 1. IMARES report C084/15.

6 Justification

Report number: C105/16
Projectnumber: 4318100034

The scientific quality of this report has been peer reviewed by a colleague scientist and a member of the Management Team of Wageningen Marine Research.

Approved: Ralf van Hal
researcher

Signature:



Date: 23 November 2016

Approved: Drs. J. Asjes
Manager Integration

Signature:



Date: 23 November 2016

7 Appendix A. Extended Materials and Methods

7.1 Data pre-processing

VMS and logbook data were received from the Ministry of Economic Affairs and stored in a local database at Wageningen Marine Research.

VMS records are considered invalid and are therefore removed from the analyses if they :

- o Are duplicates or pseudo-duplicates (indication of malfunctioning of VMS device)
- o Identify an invalid geographical position
- o Are located in a harbour
- o Are located on land
- o Are associated with vessel speeds > 20 knots

Logbook records are removed from the analyses when they:

- o Are duplicates
- o Have arrival date-times before departure date-times
- o Overlap with other trips of that vessel

7.2 Link VMS and logbook data

VMS and logbook datasets are linked using the unique vessel identifier and date-time stamp in both datasets available. In other words, records in the VMS dataset that fall within the departure-arrival timeframe of a trip described in the logbook are assigned the unique trip number from the logbook record which allows matching both datasets. The following gear types were selected as TR gear: OTB (Otter bottom trawls), OTT (Otter Twin Trawls), PTB (Pair Bottom Trawls), SDN (Danish Seine), SSC (Scottish Seines), SPR (Pair Seine). All TR gears are further divided based on their mesh size, following TR1AB: $\geq 120\text{mm}$, TR1C: $100 \text{ ? } 119\text{mm}$, TR2: $< 100\text{mm}$. The BT gear is defined as TBB (Beam Trawls) gear type. This consists not only of the traditional beam trawl; all innovative sub-gears like sumwing, pulse and pulswing are included in the BT gear. Next, the BT gear is further classified into categories, based on mesh size. The used geartype BT2 includes all BT vessels operating with a mesh size of 70-99mm.

7.3 Define fishing activity

Speed recordings obtained from VMS data are used to create frequency plots of these speeds, where along the horizontal axis the speed in knots is given and the vertical axis denotes the number of times that speed was recorded. In general, 3 peaks can be distinguished in such a frequency plot. A peak near 0 knots, associated with harbour/floating, a peak around the average fishing speed and a peak around the average steaming speed. Using the frequency plots, activity is determined for each VMS-point based on the speed recorded. Activity analyses are performed separately for each gear category.

7.4 Spatial distribution

The fishing activity determined from the logbooks (kW-days) and the cod landings recorded in the logbooks (kg), are assigned to those (fishing) VMS records that have vessel id, fishing date and fishing position in common. At the spatial scale of 1/4 degree longitude* an 1/8 degree latitude (1/16 ICES rectangle), the total landings of cod (kg) and fishing activity (kW-days) are calculated. Subsequently LpUE (landings per unit effort) can be calculated for each 1/16 ICES rectangle by dividing the landings by the activity.

8 Appendix B. Monthly LPUE cod

In this section the average cod LpUE per month in quarter 1 of 2015 and 2016 combined are presented. This is representative for the data used by the MMO to determine RTCs in 2017.




Figure 7 . Average Cod LpUE (kg/kW-days) of all gears in Jan of 2015 and 2016. Colour index is shown in the legend. The box underneath each map shows the average LpUE for this month.

COD LpUE (2015 / 2016)




Figure 8 . Average Cod LpUE (kg/kW-days) of all gears in Feb of 2015 and 2016. Colour index is shown in the legend. The box underneath each map shows the average LpUE for this month.

COD LpUE (2015 / 2016)




Figure 9 . Average Cod LpUE (kg/kW-days) of all gears in Mar of 2015 and 2016. Colour index is shown in the legend. The box underneath each map shows the average LpUE for this month.