

SOFTWARE

Open Access

LAVA: An Open-Source Approach To Designing LAMP (Loop-Mediated Isothermal Amplification) DNA Signatures

Clinton Torres^{*}, Elizabeth A Vitalis, Brian R Baker, Shea N Gardner, Marisa W Torres and John M Dzenitis

Abstract

Background: We developed an extendable open-source Loop-mediated isothermal AMPlification (LAMP) signature design program called LAVA (LAMP Assay Versatile Analysis). LAVA was created in response to limitations of existing LAMP signature programs.

Results: LAVA identifies combinations of six primer regions for basic LAMP signatures, or combinations of eight primer regions for LAMP signatures with loop primers, which can be used as LAMP signatures. The identified primers are conserved among target organism sequences. Primer combinations are optimized based on lengths, melting temperatures, and spacing among primer sites. We compare LAMP signature candidates for *Staphylococcus aureus* created both by LAVA and by PrimerExplorer. We also include signatures from a sample run targeting all strains of *Mycobacterium tuberculosis*.

Conclusions: We have designed and demonstrated new software for identifying signature candidates appropriate for LAMP assays. The software is available for download at <http://lava-dna.googlecode.com/>.

Background

Loop-mediated isothermal amplification (LAMP) is a DNA amplification technique with high specificity, efficiency, and speed, performed under isothermal conditions [1]. We are using LAMP to perform highly sensitive and specific detection of blood-borne pathogens with a new point-of-care instrument that is in development, targeting pathogens such as *Staphylococcus aureus*, *Pseudomonas aeruginosa*, and *Streptococcus pneumoniae*. This approach has the potential to operate at significantly lower cost than TaqMan PCR detection because it can be performed with less expensive materials and equipment [2,3].

The most common method for designing LAMP primers is to use PrimerExplorer V4 from Eiken Chemical Co. Ltd. <http://primerexplorer.jp/e/index.html>. While PrimerExplorer is very useful for LAMP signature design, as demonstrated by its widespread use, it has several limitations that reduced its usability for our high-throughput whole-genome analysis. First,

PrimerExplorer doesn't support IUPAC characters other than "ATCG" in the input sequence, which are often used in MSA representations, because it was not built to handle MSA representations. Second, PrimerExplorer only runs in Windows operating systems, in a specific web browser. Third, PrimerExplorer cannot design signatures with loop primers, as discussed in Nagamine et al. [4] in a single execution, instead requiring two serial executions, which can prevent more optimal primer combinations from being identified. And fourth, PrimerExplorer is less suited for high throughput analysis since it is limited to a single execution process on a computer, accepts only up to 2,000 bp sequences, and outputs only HTML.

LAVA is designed to be a flexible tool for custom signature design, so it can fulfill varying signature design needs in a high-throughput informatics environment. LAVA was implemented in Perl because Perl interpreters are available for every major operating system, the wide use of BioPerl [5] in bioinformatics, and BioPerl's support for several different sequence alignment formats. To simplify discussion of signature design, we refer to LAMP primers as pairs of nested primers: inner,

* Correspondence: clinton.torres@llnl.gov
Lawrence Livermore National Laboratory, Livermore, California, USA

loop, middle, and outer, as shown in Figure 1. All signature results from LAVA are read in the 5' to 3' direction, even if the opposite strand is used to design a portion of the sequence, and are consistent with the traditional nomenclature in Notomi et al. [1].

Implementation

This is a Multiple-Sequence Alignment (MSA) approach to LAMP signature design. LAVA's processing steps are outlined in Figure 2. Either a single sequence or a pre-computed MSA can be used as input. The individual sequences from the MSA are used for primer enumeration, and design parameters can be adjusted for each primer role. Once potential primer locations are found, they are usually down-selected based on overlap and relative score, which keeps the number of analyzed combinations down. After primers have been identified that are shared among all the individual sequences, combinations of primers for the roles of inner, loop, middle, and outer, are analyzed to select LAMP signature candidates.

Find Potential LAMP Primers

MSAs are read as input with BioPerl's Bio::AlignIO module, which understands many different alignment formats. Long MSAs can sometimes be used as input, but have heavy computer resource requirements, and using long MSAs can result in fewer identified signature candidates.

LAMP signatures that cover individual non-MSA sequences 20 kbp in length can take up to 90 minutes on a desktop computer if few design constraints are specified. Identification of signatures for MSAs of this type is usually finished in minutes, because only regions of conservation are considered in this version of LAVA. MSAs can have both longer and shorter runtimes, depending on the content of the MSA. MSAs approaching 100% conservation will run similar to single sequences. As the level of conservation decreases, so will LAVA's runtime up to a point.

We suggest using the LAVA wrapper SLAVA (Serial-LAVA) for individual sequences and highly conserved MSAs over 10 kbp. SLAVA splits the MSA into sections, executes LAVA for each individual section, and

combines the results into a single set of non-identical signatures. Running a series of smaller chunks through SLAVA is likely to result in more optimal signature combinations, because each sub-analysis can identify more primer candidate regions.

Primer enumeration is performed by modules which implement the OligoEnumerator interface. By default, this is done with Primer3 [6], executed through BioPerl's Bio::Tools::Run::Primer3 module. The primer search is separately run for each primer context of inner, loop, middle, and outer. Default primer design parameters, which can be individually customized, were chosen based on our primer design rules for other primer-based amplification techniques [7]. LAVA's default primer design parameters are listed in Table 1, along with other relevant parameter defaults discussed in this section. These defaults should only be considered as a starting point for signature identification, because a wide range of parameters yield successful LAMP assays.

The first sequence in the MSA is the basis for generating primers. The remaining MSA sequences are used to filter out primers that are not identically present in every target sequence. Sub-sequence with "N" or "-" characters is not considered a valid primer target. Primers that are shared among all MSA sequences are returned as potential signature components by the OligoEnumerator. During primer generation, a maximum poly-base restriction is enforced, limiting number of consecutive identical bases in a potential primer region.

Primer analysis and scoring is performed by PrimerAnalyzer modules. Penalties get applied to primers and combinations of primers in two separate places. First is as an individual primer, and second is as a combination of primers for a LAMP signature. The PrimerAnalyzer penalty for individual primers in this version of LAVA is simply the Primer3 penalty score, which reflects how closely the primer comes to the design parameters. For combinations of primers, the penalty also includes factors for inter-primer spacing. The assessment of the primer by the PrimerAnalyzer is returned as PrimerInfo objects, which are used to provide primer sequence information for signature output. This may appear redundant because the primers already contain the





Figure 1 Additional description of a LAMP signature. Each named pair refers to a sequence location corresponding to the primer regions of like-numbered primers. These pairs represent the location and orientation of the primers with respect to the target template during each extension in which they participate.



original sequence information, but since different scores can exist for the same primer in different roles, and some analysis methods may impose context-sensitive sequence restrictions as part of score calculation, relying on PrimerInfo guarantees that the correct sequence is associated with the analysis result for each context.

Filter Down By Overlap And Score

To help control the number of primer combinations that need to be scored, the set of candidate primer regions is down-selected based on overlap. Many potential primers often target the same general sequence region. Of the available primers, the best scoring primers are given priority during down-selection. The lower scoring overlapping primers are removed from consideration if they overlap the higher priority primers by a given percentage.

Table 1 Default values of the most commonly adjusted LAVA parameters

Parameter	Default Target
Outer primer length	18-23 bp
Middle primer length	18-23 bp
Loop primer length	18-23 bp
Inner primer length	20-26 bp
Outer primer T_m	59-61°C
Middle primer T_m	59-61°C
Loop primer T_m	58-62°C
Inner primer T_m	62-66°C
Maximum signature length	320 bp
Minimum spacing from middle to inner primers	25 bp
Maximum consecutive repeated bases	5

Evaluate Primer Combinations

Finally, primers are combined into nested sets that can serve as LAMP signatures. The overall LAMP signature penalty is the weighted combination of inner, middle, and outer pair penalties, plus context-dependent spacing penalties. Inter-primer spacing penalty increases as distance increases. The default objective function includes slightly decreasing weights for the penalties of inner primers, middle primers, outer primers, and loop primers respectively.

If the minimum number of signatures is not identified for the target, the entire primer combination process is repeated with different primer overlap cutoff percentages. The amount of overlap permitted is set for each iteration, based on a “schedule” of primer overlap percentages. Since these repeat attempts are effectively multiple runs of LAVA, often with more individually considered primers, regions with difficult to identify signatures will take longer to process. Processing time can increase exponentially as the primer overlap restrictions become lighter.

Results

We created LAMP signatures with both LAVA and PrimerExplorer for comparison. The locus we targeted is an 800 base-pair long sequence of *Staphylococcus aureus*, starting at base 2464089 of the RF122 genome [GenBank: NC_007622.1] at the 3' end of *gltA* through the 5' start of *gltB*. This locus is interesting to us because it is a place where a KPATH [7] run identified a TaqMan signature candidate that is both conserved among all targets, and is unique to the targets compared to all other known sequence, which makes this candidate region potentially valuable for *S. aureus* detection. Input for signature design was a sequence representation of all the genome sequences in Table 2.

Table 2 Strain sequences used for LAMP signature comparison between LAVA and PrimerExplorer

GenBank GI Number	GenBank Accession Number	Sequence Description
82749777	NC_007622.1	Staphylococcus aureus RF122, complete genome
148266447	NC_009487.1	Staphylococcus aureus subsp. aureus JH9, complete genome
150392480	NC_009632.1	Staphylococcus aureus subsp. aureus JH1, complete genome
57634611	NC_002758.2	Staphylococcus aureus subsp. aureus Mu50, complete genome
29165615	NC_002745.2	Staphylococcus aureus subsp. aureus N315, complete genome
21281729	NC_003923.1	Staphylococcus aureus subsp. aureus MW2, complete genome
88193823	NC_007795.1	Staphylococcus aureus subsp. aureus NCTC 8325, complete genome
57650036	NC_002951.2	Staphylococcus aureus subsp. aureus COL, complete genome
49482253	NC_002952.2	Staphylococcus aureus subsp. aureus MRSA252, complete genome
49484912	NC_002953.3	Staphylococcus aureus subsp. aureus MSSA476, complete genome
87159884	NC_007793.1	Staphylococcus aureus subsp. aureus USA300, complete genome
161508266	NC_010079.1	Staphylococcus aureus subsp. aureus USA300_TCH1516, complete genome
151220212	NC_009641.1	Staphylococcus aureus subsp. aureus str. Newman, complete genome
156978331	NC_009782.1	Staphylococcus aureus subsp. aureus Mu3, complete genome

Eiken's PrimerExplorer was run with default parameters. LAVA was run with parameters designed to be similar to the PrimerExplorer defaults, but with an adjusted melting temperature target range to compensate for the difference in calculated temperatures between Primer3 and PrimerExplorer. These parameters specifically allow a wider acceptable TM range from LAVA's defaults, and a longer poly-base limit. The best scoring signature results from both programs are provided in Table 3.

The LAVA selection for a lamp signature is nearly identical to the PrimerExplorer selection, as seen in Figure 3. We believe the variations between result sets are the result of subtle differences in calculation methods for primer metrics, and would not represent a significant difference in signature behavior. It is likely that

LAVA penalizes T_m differences slightly more than PrimerExplorer. The result is that LAVA's top signature selection has a slightly smaller range of melting temperatures.

As an additional example case, we've also created LAMP signature candidates for Mycobacterium tuberculosis, as listed in Table 4, using default LAVA parameters. We have not screened these in the laboratory, but they represent conserved and unique signatures that we believe would make sensitive and specific detection assays, similar to some of the assays in Iwamoto et al. [9]. A pre-computed MSA of all 25 completed Mycobacterium tuberculosis genomes available was used as input, including known drug-resistant genomes, and non-unique regions were masked out so only unique sequence is used for signature design.

Table 3 LAMP signature candidate regions for *S. aureus*, as generated by both LAVA and PrimerExplorer. T_m calculated with BioPerl using calculations from SantaLucia(8) with 50 mg/L salt concentration and 50 ng/L oligo concentration

Program	Primer	Sequence	T_m (C)	5' Location	Length
LAVA	F1	GGAATAGTTTGTAAAGACACCTGCCA	55.82	149	25
	F2	ACCAACACCAAAAAATCGGT	50.22	103	19
	F3	GCTACAATTGCAGGCGTTT	51.66	83	19
	B1	CAAAAACAAAGCGAACTGCCAAT	54.18	209	23
	B2	TGGCATTATTACTTGCCATCA	50.38	260	21
	B3	TTGATGTCGAAAACACTGGAA	50.63	300	21
PrimerExplorer	F1	TGTTGGAATAGTTTGTAAAGACACCT	53.22	145	25
	F2	TTACCAACACCAAAAAATCGG	48.91	101	21
	F3	GCTACAATTGCAGGCGTT	50.80	83	18
	B1	CAAAAACAAAGCGAACTGCCAATA	53.99	209	24
	B2	GCATTATTACTTGCCATCATTG	48.63	258	22
	B3	TGTCGAAAACACTGGAACAT	50.11	296	20

Table 4 LAMP signature candidates for *Mycobacterium tuberculosis*, with gene targets based on the reference H37Rv genome [GenBank: NC_000962.2]. The hyphen in FIP and BIP sequences represents where the two segments should be linked together

Signature	Size	Gene	Part	Sequence	Length
mTub228	275 bp	Rv0987	F3	CGCTCTCAGTTTGATTGCCT	20 bp
			B3	CATTGCGAACATTGATGACA	20 bp
			FLoop	CTCGGGTTACACCCAAACAG	20 bp
			BLoop	CTTGATTGGAATTTGGCTCG	20 bp
			FIP	GGATTCGGTCATTATCAGCCAAA-GACCGTTTTTCGCCATATTG	43 bp
			BIP	CTGATTGGTACGGGCTTGGG-TGATGGTTTGAGTCACCAGG	40 bp
mTub229	195 bp	Rv0988	F3	AATGGCACGCTTTGATG	18 bp
			B3	AATTTGATTTCCCATGCAA	20 bp
			FLoop	CTGGAAAATCGGGTCACACT	20 bp
			BLoop	ATTTCCGCATCAAGACGACT	20 bp
			FIP	CATCCCCGCAACAAAGGTA-TTTCAGATTTCGACAGGCG	39 bp
			BIP	GTGATCCCTCTCGAGTCGTCC-CACTCTGGTCACTGGTCCAA	41 bp
mTub230	252 bp	Rv1290c	F3	GACACCACGATCAGCACG	18 bp
			B3	CGTAGTTCGGCTAGTGCTC	20 bp
			FLoop	GTCGATGATTCCCGTGAAAT	20 bp
			BLoop	ACGGTTGAGCATGCTGGT	18 bp
			FIP	AGTCTGGGTGCTGCCGACAT-GCCCTGAAACATCAGCTTGT	40 bp
			BIP	CGCCCTGTAAGTAATCCAGTATGG-GGATGGGTGCATGCTTATTC	44 bp
mTub231	235 bp	tyrS (approx)	F3	GATTGGGAGGTGATGAGACC	20 bp
			B3	CTAGTCGTGGGATACCAGCG	20 bp
			FLoop	CGTACTCGATCCCGTTGTTC	20 bp
			BLoop	TGCGTTGTAGTCGATTTCCA	20 bp
			FIP	TCACACGCACAGCTGTTTAGTGA-TAGTGCGTTGACCTCACTCG	43 bp
			BIP	CATCATCCTTTCATGTGACAGGC-CCGCCAAAGATAAGTCAGGA	43 bp
mTub232	230 bp	Rv2735c and recX	F3	CGGTCTATGTTCTCGGGCT	19 bp
			B3	GTGGGTACGGCCAGACCT	18 bp
			FLoop	GCCTTCAACAGGGCTAGTCA	20 bp
			BLoop	CATCGAATCCCTTTAGACGC	20 bp
			FIP	AACAACTGGAGATACTTGCCGG-GTCGAGGTAATTCGTTTCAG	44 bp
			BIP	CGCGTCCAATATGACCATTCTCTA-GTGGTTATCGCCGAGCTG	42 bp

complimentary to the loop regions adjacent to the F1 region in the LAMP dumbbell structures as possible. Another potential approach is to design linker-free primers like Poon et al [11], which is currently the default behavior of LAVA.

When designing LAMP signatures, we found there is a general pattern we fell into of relaxing design parameters to identify signatures for difficult to target sequences. On average, the order which we adjusted parameters were to increase melting temperature range, decrease primer minimum length, and finally to increase signature max length.

The LAVA wrapper SLAVA was implemented as a serial execution of individual MSA segments. This is

provided to enable signature design for long sequences such as whole bacterial genomes, and also to demonstrate how a parallel implementation would be structured. During the further development of LAVA, we hope to transition into a high-performance grid computing environment with a parallel LAVA implementation.

We are separately developing a OligoEnumerator for creating primers with degeneracy, which are primers with base variations designed to accommodate strain variation. So far, we have used a “masked” MSA representation of the target to design signatures. However, since Primer3 does not accept sequence containing the standardized IUPAC character codes, the MSA representation has so far been limited to perfect consensus

sequence. The fundamental difference in approach for designing primers with degeneracy, is that primers are enumerated based on all the sequences of the MSA, instead of based on only the first sequence. Our proof of concept requires different internal representations of sub-sequence MSAs, but is built using the existing OligoEnumerator and PrimerAnalyzer interfaces.

Conclusions

We have designed and demonstrated new software for identifying signature candidates appropriate for LAMP assays. LAVA is available as open source, downloadable from the project home page. The focus of LAVA is to improve on other currently available software by accommodating high-throughput signature design, while providing a framework to develop more sophisticated algorithmic and analytical tools. We have used LAVA to design LAMP signatures for several organisms, which are currently undergoing bench screening and optimization for use in a point-of-care detection instrument.

Availability and Requirements

Project name: LAVA-DNA

Project home page: <http://lava-dna.googlecode.com/>

Operating system: Unix/Linux

Programming language: Perl

Other requirements:

BioPerl 1.5.2 or higher [<http://www.bioperl.org/>]

Primer3 1.0 or higher [<http://primer3.sourceforge.net/>]

License: BSD

Acknowledgements

The project described was supported by Award Number U54EB007959 (Gerald J. Kost, PI of the UC Davis/LLNL POCT Center) from the National Institute of Biomedical Imaging and Bioengineering. The content is solely the responsibility of the authors and does not necessarily represent the official views of the National Institute of Biomedical Imaging and Bioengineering or the National Institutes of Health. This work performed under the auspices of the U.S. Department of Energy by Lawrence Livermore National Laboratory under Contract DE-AC52-07NA27344.

Authors' contributions

CT wrote the LAVA software. EAV oversaw the pathogen informatics. BRB and JMD helped define the optimal assay constraints. SNG and MWL contributed to the LAVA architecture and design. All authors read and approved the final manuscript.

Received: 25 January 2010 Accepted: 16 June 2011
Published: 16 June 2011

References

1. Notomi T, Okayama H, Masubuchi H, Yonekawa T, Watanabe K, Amino N, Hase T: **Loop-mediated isothermal amplification of DNA.** *Nucleic Acids Research* 2000, **28**:E63-e63, 28(12).
2. Hara-Kudo Y, Yoshino M, Kojima T, Ikedo M: **Loop-mediated isothermal amplification for the rapid detection of *Salmonella*.** *FEMS Microbiology Letters* 2005, **253**:155-161.
3. Mori Y, Kitao M, Tomita N, Notomi T: **Real-time turbidimetry of LAMP reaction for quantifying template DNA.** *Journal of Biochemical and Biophysical Methods* 2004, **59**(2):145-157.
4. Nagamine K, Hase T, Notomi T: **Accelerated reaction by loop-mediated isothermal amplification using loop primers.** *Molecular and Cellular Probes* 2002, **16**(3):223-229.
5. Stajich JE, Block D, Boulez K, Brenner SE, Chervitz SA, Dagdigan C, Fuellen G, Gilbert JG, Korf I, Lapp H, Lehvsliho H, Matsalla C, Mungall CJ, Osborne BI, Pocock MR, Schattner P, Senger M, Stein LD, Stupka E, Wilkinson MD, Birney E: **The Bioperl toolkit: Perl modules for the life sciences.** *Genome Res* 2002, **2**(10):1611-8.
6. Rozen S, Skaletsky H: **Primer3 on the WWW for general users and for biologist programmers.** *Bioinformatics Methods and Protocols: Methods in Molecular Biology* 2000, 365-386.
7. Slezak T, Kuczmarski T, Ott L, Torres C, Medeiros D, Smith J, Truitt B, Mulakken N, Lam M, Vitalis E, Zemla A, Zhou CE, Gardner S: **Comparative genomics tools applied to bioterrorism defense.** *Briefings in Bioinformatics* 2003, **4**(2):133-149.
8. SantaLucia J: **A unified view of polymer, dumbbell, and oligonucleotide DNA nearest-neighbor thermodynamics.** *Proceedings of the National Academy of Sciences* 1998, **95**:1460-1465.
9. Iwamoto T, Sonobe T, Hayashi K: **Loop-Mediated Isothermal Amplification for Direct Detection of *Mycobacterium Tuberculosis* Complex, *M. avium*, and *M. intracellulare* in Sputum Samples.** *Journal of Clinical Microbiology* 2003, **41**(6):2616-2622.
10. Markham NR, Zuker M: **DINAMelt web server for nucleic acid melting prediction.** *Nucleic Acids Res* 2005, **33**:W577-W581.
11. Poon L, Leung C, Tashiro M, Chan K, Wong B, Yuen K, Guan Y, Peiris J: **Rapid Detection of the Severe Acute Respiratory Syndrome (SARS) Coronavirus by a Loop-Mediated Isothermal Amplification Assay.** *Clinical Chemistry* 2004, **50**(6):1050-1052.
12. **PrimerExplorer V4** from Eiken Chemical Co. Ltd. [<http://primerexplorer.jp/e/index.html>].

doi:10.1186/1471-2105-12-240

Cite this article as: Torres et al.: LAVA: An Open-Source Approach To Designing LAMP (Loop-Mediated Isothermal Amplification) DNA Signatures. *BMC Bioinformatics* 2011 **12**:240.

Submit your next manuscript to BioMed Central
and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit

